



US0D1088069S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,088,069 S**
Giffin (45) **Date of Patent:** **** Aug. 12, 2025**

(54) **DRILL BIT ADAPTER**

(71) Applicant: **Giffin Tec, Inc.**, Lummi Island, WA
(US)

(72) Inventor: **Brian Giffin**, Lummi Island, WA (US)

(73) Assignee: **Giffin Tec, Inc.**, Lummi Island, WA
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/856,176**

(22) Filed: **Oct. 11, 2022**

Related U.S. Application Data

(62) Division of application No. 29/659,104, filed on Aug.
6, 2018, now Pat. No. Des. 966,358.

(51) **LOC (15) Cl.** **15-09**

(52) **U.S. Cl.**
USPC **D15/139**; D8/85; D8/86

(58) **Field of Classification Search**

USPC D8/21, 22, 28, 70, 85, 86, 82, 83, 84;
D15/132, 138, 139

CPC B23B 31/02; B23B 31/107; B23B 31/22;
B23B 3/16; B32B 51/08; B32B 51/12;

B25B 23/00; B25B 23/12

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

87,715	A	3/1869	Sible	
632,560	A *	9/1899	Furbish	 B23B 31/1071 279/82
1,031,914	A	7/1912	Clouse	
1,138,465	A	5/1915	Fegley et al.	
2,166,559	A	7/1939	Richard	
2,580,930	A	1/1952	Kost	
3,756,737	A	9/1973	Smith	
3,932,904	A	1/1976	Nilsson et al.	

D271,206	S	11/1983	Devey	
4,413,937	A	11/1983	Gutsche	
4,629,375	A	12/1986	Lieser	
4,692,073	A *	9/1987	Martindell	 B25B 21/00 279/82

(Continued)

FOREIGN PATENT DOCUMENTS

CN	301586672	*	6/2011
CN	302882993	*	7/2014

(Continued)

OTHER PUBLICATIONS

Bit Adapter, Secure-Hold with Quick-Change Chuck, 2 $\frac{3}{8}$ " Overall Length, posted 2021 [online], [retrieved Aug. 20, 2024]. Retrieved from internet, <https://www.mcmaster.com/7225A73/> (Year: 2021).*

(Continued)

Primary Examiner — Richard Edgar

Assistant Examiner — Alexander J David

(74) *Attorney, Agent, or Firm* — Sheridan Ross P.C.

(57)

CLAIM

The ornamental design for a drill bit adapter as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a drill bit adapter according to the claimed design;

FIG. 2 is a right elevation view thereof;

FIG. 3 is a left elevation view thereof;

FIG. 4 is a front elevation view thereof;


FIG. 5 is a rear elevation view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

The broken lines show portions of a drill bit adapter that form no part of the claimed design.

1 Claim, 3 Drawing Sheets



References Cited

4,710,079	A	12/1987	Smith et al.	
5,012,708	A *	5/1991	Martindell	B25B 23/0064 81/429
D330,900	S	11/1992	Wakegijig	
5,284,069	A	2/1994	Wellman	
D349,603	S	8/1994	Doerksen	
5,577,743	A *	11/1996	Kanaan	B23B 31/223 279/81
5,586,847	A	12/1996	Mattern et al.	
5,722,805	A	3/1998	Giffin	
5,826,762	A	10/1998	Dellinger	
6,053,675	A	4/2000	Holland et al.	
6,270,085	B1 *	8/2001	Chen	B25B 21/007 279/22
6,325,393	B1 *	12/2001	Chen	B25B 23/0057 279/22
6,354,177	B2	3/2002	Peters	
6,860,489	B2	3/2005	Chen	
6,874,791	B2 *	4/2005	Chen	B23B 51/108 279/155
6,929,266	B2	8/2005	Peters et al.	
D525,634	S	7/2006	Kotala	
D533,343	S	12/2006	Gringer	
7,250,023	B2	7/2007	Bai	
D555,354	S	11/2007	Chen	
7,306,396	B1	12/2007	Chen	
D565,697	S *	4/2008	Thiel	D23/213
D580,960	S	11/2008	Yamaguchi et al.	
D588,800	S	3/2009	Cicione	
D656,612	S	3/2012	Garcia et al.	
D658,481	S	5/2012	Pratt	
8,176,817	B2 *	5/2012	Liu	B25B 13/06 81/177.85
D673,193	S	12/2012	Dickrede	
D682,317	S	5/2013	Carruth et al.	
D692,231	S	10/2013	Moreau et al.	
D726,792	S	4/2015	Velozny	
9,156,147	B2	10/2015	Peters et al.	
D763,935	S *	8/2016	Hassan	D15/144
9,873,155	B1	1/2018	Wienhold	
D812,900	S	3/2018	Votel et al.	
D823,089	S	7/2018	Shikama	
D833,490	S	11/2018	Defougeres	
D854,062	S	7/2019	Kaeser et al.	
D857,772	S	8/2019	van den Boogaart et al.	
D858,596	S	9/2019	Major et al.	
D867,753	S	11/2019	Giffin	
D877,218	S	3/2020	Wu	

D878,438	S	3/2020	Bono et al.	
D894,978	S	9/2020	Misumi et al.	
D900,893	S	11/2020	English	
10,821,522	B2	11/2020	Giffin	
D921,722	S	6/2021	Corbit et al.	
D966,358	S *	10/2022	Giffin	D15/139
2002/0166421	A1 *	11/2002	Bowerman	B25B 23/101 81/451
2007/0152408	A1	7/2007	Peters	
2009/0145789	A1	6/2009	Panosian et al.	
2015/0183161	A1	7/2015	Molinari et al.	
2015/0190967	A1	7/2015	Stava et al.	
2015/0217434	A1	8/2015	Funk et al.	
2015/0336246	A1	11/2015	Peters et al.	
2018/0369999	A1 *	12/2018	Lee	B25B 23/0042
2021/0004655	A1	2/2021	Giffin	

DE	889672		9/1953
DE	1552404		12/1969
JP	D1121905	*	9/2001
JP	D1700786	*	11/2021
PH	3-2008-63-0001	*	6/2008

It's Cool Tool Tuesday—Snappy's Quick Change Drill Chuck, posted Nov. 9, 2020 [online], [retrieved Aug. 20, 2024]. Retrieved from internet, <https://www.youtube.com/watch?v=8HGD37bAkMI> (Year: 2020).*

Neiko 00238AAdjustable Depth Screwdriver Bit Holder, Magnetic Quick Change ¼ Bit Holder, posted Jul. 9, 2009 [online], [retrieved Aug. 22, 2024]. Retrieved from internet, <https://www.amazon.com/Neiko-00238A-Adjustable-Screwdriver-Magnetic/dp/B002GQ3KNN/ref> (Year: 2009).*

Diablo by Freud DBH238QC 2½ in. Quick-Change Magnetic Drive Bit Holder Multi, posted Jun. 2, 2020 [online]. [retrieved Aug. 22, 2024]. Retrieved from internet, <https://www.amazon.com/Diablo-Quick-Change-Magnetic-Drive-Holder/dp/B089KLN768/ref> (Year: 2020).*

International Search Report for International (PCT) Application No. PCT/US1996/19042, dated Jan. 31, 1997, 1 page.

Official Action for U.S. Appl. No. 29/659,104, dated May 25, 2021 9 pages Restriction Requirement.

Official Action for U.S. Appl. No. 29/659,104, dated Sep. 1, 2021 6 pages.

Notice of Allowance for U.S. Appl. No. 29/659,104, dated Dec. 29, 2021 12 pages.

* cited by examiner




FIG.1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7