

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent Application Publication

20250280817

Kind Code

A1

Publication Date

September 11, 2025

Inventor(s)

FUJIYAMA; Masayasu et al.

READY TO USE PLANT TREATMENT AGENT APPLICATOR, CONTAINER AND PRODUCT

Abstract

The present invention relates to an applicator for applying a plant treatment agent to a plant via a container, the applicator having: an applicator shell defining an applicator cavity, an applicator cavity inlet end and an applicator cavity outlet end spaced apart from the applicator cavity inlet end by the applicator cavity, and wherein the applicator cavity outlet end defines a linear aperture array, and wherein apertures of the linear aperture array are disposed along an array axis.

Inventors: FUJIYAMA; Masayasu (Chiba, JP), KURIHARA; Jun (Chiba, JP)

Applicant: UPL Corporation Limited (Port Louis, MU); UPL Europe LTD
(Warrington Cheshire, GB)

Family ID: 1000008672690

Appl. No.: 18/841106

**Filed (or PCT
Filed):** February 23, 2023

PCT No.: PCT/GB2023/050410

Foreign Application Priority Data

JP 2022-027059

Feb. 24, 2022

Publication Classification

Int. Cl.: A01M21/04 (20060101); A01M7/00 (20060101)

U.S. Cl.:

CPC A01M21/043 (20130101); A01M7/0046 (20130101);

Background/Summary

FIELD OF THE DISCLOSURE

[0001] The present disclosure is related to ready to use plant treatment agent applicators, containers, products, and methods of use of the same.

BACKGROUND

[0002] Ready to Use (RTU) herbicide products are popular for the home and garden user market because the spraying equipment allows spraying without dilution of the herbicide so that the user can easily spray the product without getting their hands dirty. Another advantage of ready to use products is that the user need not have extensive knowledge about the dose or concentration of product for application, thus, allowing the common man to use these products.

[0003] Glyphosate RTU is a popular product as it is effective with a low spray volume.

Advantageously, as a systemic acting absorption-transfer herbicide, glyphosate absorbs through the leaves and/or stems of the plant and travels internally through the plant. However, glyphosate, an absorption-transfer herbicide, provides slow killing of weeds. In addition, glyphosate-resistant weeds such as goose grass, Italian ryegrass, hairy fleabane and horse weed are problematic as it the low weed efficacy of glyphosate on nuisance weeds of field horsetail, ivy leaf morning glory, Asiatic dayflower, and the like. Thus, low spray, fast-acting, broadly effective alternatives to glyphosate RTU are needed.

[0004] Glufosinate RTU (GA RTU), a contact killer herbicide, provides fast burndown activity due to its quick penetration of plant tissue. Also, glufosinate provides excellent weed efficacy on glyphosate-resistant weeds and the nuisance weeds for glyphosate RTU. A disadvantage of glufosinate RTU is a requirement for a high spray volume as glyphosate is a contact killer herbicide which only kills weeds that it directly contacts. For example, glufosinate RTU is registered at a 1000 L/ha spray volume for general weed control, while glyphosate RTU, a systemic herbicide, is registered at a 150-300 L/ha spray volume for general weed control.

[0005] What is needed are alternative compositions and spraying methods for ready to use formulations of plant treatment agents such as glufosinate RTU. There is also a need in the art for effective applicators which allow better spraying efficiency and consequently better pest control. There is also a need in the art for ready to use products which does not require highly specialized equipment and which can be easily used by the farmers or home-gardeners. There is a need for product which achieves maximum control with lesser amounts of product.

[0006] The invention disclosed in the present disclosure aims to satisfy these needs. It is an object of the present disclosure to provide ready to use products which can be easily used and applied with novel applicator which aims to achieve higher control with lesser product.

BRIEF SUMMARY

[0007] Disclosed is an applicator for applying a plant treatment agent via a container, the applicator including: an applicator shell defining an applicator cavity, an applicator cavity inlet end and an applicator cavity outlet end spaced apart from the applicator cavity inlet end by the applicator cavity, and wherein the applicator cavity outlet end defines a linear aperture array, and wherein apertures of the linear aperture array are disposed along an array axis.

[0008] In addition to one or more of the above disclosed aspects of the applicator, or as an alternate, the linear aperture array has an array length that is between 90% and 100% of an end to end span of the applicator cavity outlet end along the array axis.

[0009] In addition to one or more of the above disclosed aspects of the applicator, or as an alternate the linear aperture array has a discrete center array portion, defining a discrete set of apertures surrounding a linear center of the linear aperture array and that are centered on the array axis.

[0010] In addition to one or more of the above disclosed aspects of the applicator, or as an alternate

the discrete center array portion extends between 10% and 30% of the array length of the linear aperture array and is symmetric about the array axis.

[0011] In addition to one or more of the above disclosed aspects of the applicator, or as an alternate the discrete center array portion has a widthwise span that is the same as its lengthwise span.

[0012] In addition to one or more of the above disclosed aspects of the applicator, or as an alternate each aperture in the linear aperture array has a same size and shape as each other.

[0013] In addition to one or more of the above disclosed aspects of the applicator, or as an alternate the applicator shell: extends along a shell-length axis from the applicator cavity inlet end to the applicator cavity outlet end; diverges along a shell-width axis that is perpendicular to the shell-length axis from the applicator cavity inlet end to the applicator cavity outlet end; and converges relative to a shell-thickness axis that is perpendicular to the shell-length axis and the shell-width axis from the applicator cavity inlet end to the applicator cavity outlet end, such that an outer boundary of the applicator cavity outlet end defines a narrow-elongate portion of the applicator, and to thereby define a flat end nozzle.

[0014] In addition to one or more of the above disclosed aspects of the applicator, or as an alternate the applicator cavity outlet end defines a circular plate.

[0015] In addition to one or more of the above disclosed aspects of the applicator, or as an alternate the applicator shell defines an applicator neck portion extending away from the applicator cavity inlet end along an applicator neck axis to an applicator neck inlet end.

[0016] In addition to one or more of the above disclosed aspects of the applicator, or as an alternate the applicator neck portion is cylindrical having an applicator inlet diameter at the applicator neck inlet end that is larger than a total aperture area defined by the linear aperture array.

[0017] In addition to one or more of the above disclosed aspects of the applicator, or as an alternate the applicator includes a plant treatment agent product stored in the applicator cavity.

[0018] In an embodiment, the plant treatment agent may be selected from a group consisting of a herbicide, fungicide, insecticide and a combination thereof.

[0019] Further disclosed is a container for distributing a plant treatment agent to a plant, including: a container shell defining: a container cavity that is capable of storing any fluid; a container cavity inlet end for receiving the product; a container cavity outlet end, and a container neck extends away from the container cavity outlet end along a container neck axis to a container neck outlet end; and an applicator having one or more of the above disclosed aspects, wherein the container neck is operationally coupled with the applicator neck portion so that the product in the container cavity is configured to flow into the applicator and out of the linear aperture array.

[0020] In addition to one or more of the above disclosed aspects of the container, or as an alternate the container neck and the applicator neck are formed of a continuous material.

[0021] In addition to one or more of the above disclosed aspects of the container, or as an alternate the container neck has a shape that is complementary with the shape of the applicator neck such that the applicator neck fits against the container neck via a fit selected from group consisting of clamp fit, thread fit, slip fit and snap fit.

[0022] In addition to one or more of the above disclosed aspects of the container, or as an alternate, the container includes a plant treatment agent disposed in the applicator cavity or the container cavity.

[0023] Further disclosed is a method of applying a plant treatment agent to a plant, including: obtaining a container, having one or more of the above disclosed aspects; and applying the plant treatment agent out of the applicator, via the linear aperture array, and onto the plant.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

[0024] FIG. 1A shows an embodiment of a shower plug shaped applicator that as a diverging nozzle with a flat end having a linear aperture array.

[0025] FIG. 1B shows another view of the shower plug shaped applicator of FIG. 1A.

[0026] FIG. 1C shows a top perspective view of an embodiment of a shower plug shaped applicator that as a diverging nozzle with a flat end having a linear aperture array, a rectangular neck, and a cylindrical base.

[0027] FIG. 1D shows a side view of the embodiment of FIG. 1C.

[0028] FIG. 1E shows a top view of the embodiment of FIG. 1C.

[0029] FIG. 1F shows another top perspective view of the embodiment of FIG. 1C.

[0030] FIG. 1G shows a bottom view of the embodiment of FIG. 1C.

[0031] FIG. 1H shows a bottom perspective view of the embodiment of FIG. 1C.

[0032] FIG. 1I shows another bottom perspective view of the embodiment of FIG. 1C.

[0033] FIG. 1J shows another embodiment of a shower plug shaped applicator as a diverging nozzle with a round end having a linear aperture array.

[0034] FIG. 2A is another view of the shower plug shaped applicator of FIG. 1A.

[0035] FIG. 2B is another view of the shower plug shaped applicator of FIG. 1B.

[0036] FIG. 2C shows an alternative to the shower plug shaped applicator of FIG. 1B with a discrete cluster of apertures at a linear center of a linear aperture array.

[0037] FIG. 3 shows an experimental flat shower plug attached to the spout of a container in the form of a watering can.

[0038] FIG. 4 shows a side view of the pouch that defines a container and applicator with a shower of product mixed with water being expressed therefrom.

[0039] FIG. 5 shows an end view of the pouch of FIG. 4 showing the aperture array.

[0040] FIG. 6 shows a side view of the pouch that defines the container and applicator with a shower of product mixed with water being expressed therefrom.

[0041] FIG. 7 shows a front view of the pouch of FIG. 6 showing the aperture array.

[0042] FIG. 8 is a flowchart showing a method of watering a plant with the watering can.

[0043] The above-described and other features will be appreciated and understood by those skilled in the art from the following detailed description, drawings, and appended claims.

DETAILED DESCRIPTION

[0044] As described herein, the inventors have determined that a low spray volume technique is a labor-saving technique for application of plant treatment agents (hereinafter interchangeably referred to as “product”), particularly for herbicide application of RTU formulations as described herein. An object was to develop RTU formulations of plant treatment agents. Of particular relevance, an object was to develop glufosinate RTU formulations and spraying methods that would allow the contact killer glufosinate to be sprayed in the same volume as the absorption transfer herbicide glyphosate available commercially. It is to be appreciated that the disclosed embodiments are not limited to the application of glufosinate, and the plant treatment agent may be more broadly construed as any treatment or any agent that can be distributed via the disclosed applicator(s), container(s), or combinations thereof.

[0045] As used herein, the term “Glufosinate” refers to any molecule which is a racemic phosphinico amino acid or a salt thereof. The term also includes forms and isomers of glufosinate such as racemic mixtures, glufosinate-p (L-glufosinate), D-glufosinate, and sodium, potassium or ammonium salts thereof. The term can generically refer to any form of glufosinate or its salt such as free form, solvates, hydrates, anhydrous form, polymorph forms, pseudo polymorph forms, amorphous form or mixture thereof.

[0046] Disclosed is an applicator for applying a plant treatment agent via a container, the applicator including: an applicator shell defining an applicator cavity, an applicator cavity inlet end and an

applicator cavity outlet end spaced apart from the applicator inlet end by the applicator cavity, and wherein the applicator cavity outlet end defines a linear aperture array, and wherein apertures of the linear aperture array are disposed along an array axis.

[0047] In an embodiment, the plant treatment agent may be selected from fertilizers, mycorrhiza, micronutrients, acaricides, algicides, antifeedants, avicides, bactericides, bird repellents, chemosterilants, fungicides, herbicide safeners, herbicides, insect attractants, insect repellents, insecticides, mammal repellents, mating disruptors, molluscicides, nematicides, plant activators, plant-growth regulators, rodenticides, synergists, virucides, derivatives thereof, biological control agents, superabsorbent polymers and mixtures thereof.

[0048] In an embodiment, the plant treatment agent is an herbicide, fungicide, insecticide, or a combination thereof.

[0049] In an embodiment, the plant treatment agent is a herbicide selected from: 2,4-D, acetochlor, acetonitrile, amicarbazone, 4-aminopropionic acid based herbicides, such as haloxyfop, haloxyfop-methyl, 4-amino-3-chloro-6-(4-chloro-2-fluoro-3-methoxyphenyl)-5-fluoropyridine-2-carboxylic acid or an agriculturally acceptable ester or salt thereof, and those described in U.S. Pat. Nos. 7,314,849 and 7,432,227 to Balko, et al., amidosulfuron, aminocyclopyrachlor, aminopyralid, aminotriazole, ammonium thiocyanate, anilofos, asulam, azimsulfuron, atrazine, beflubutamid, benazolin, benfuresate, bensulfuron-methyl, bentazon-sodium, benzofenap, bifenox, bispyribacsodium, bromobutide, bromacil, bromoxynil, butachlor, butafenacil, butralin, butoxydim, carbetamide, cafenstrole, carfentrazone, carfentrazone-ethyl, chlormequat, clopyralid, chlorsulfuron, chlortoluron, cinidon-ethyl, clethodim, clodinafop-propargyl, clomeprop, clomazone, cloransulam-methyl, cyanazine, cyclopyrimorate, cyclosulfamuron, cycloxydim, cyhalofop-butyl, daimuron, dicamba, dichlobenil, dichlorprop-P, diclofop-methyl, diclosulam, diflufenican, diflufenzopyr, dimefuron, dimethachlor, diquat, diuron, 5-ethyl dipropylcarbamothioate (EPTC), esprocarb, ethoxysulfuron, etobenzanid, fenoxaprop, fenoxaprop-ethyl, fenoxapropethyl+isoxadifen-ethyl, fenoxaprop-P-ethyl, fenoxasulfone, fenquinotrine, fentrazamide, flazasulfuron, florasulam, fluazifop, fluazifop-P-butyl, flucarbazone, flucarbazone-sodium, flucetosulfuron (LGC-42153), flufenacet, flumetsulam, flumioxazin, flupyrsulfuron, flurochloridone, fluroxypyr, fluroxypyr-meptyl, flurtamone, glufosinate, glufosinate-ammonium, glyphosate, halosulfuron-methyl, haloxyfop-methyl, haloxyfop-R-methyl, hexazinone, imazamethabenz, imazamox, imazapic, imazapyr, imazaquin, imazethapyr, imazosulfuron, indanofan, indaziflam, iodosulfuron, iodosulfuron-ethyl-sodium, iofensulfuron, ioxynil, ipfencarbazone, isoproturon, isoxaben, isoxaflutole, lactofen, linuron, MCPA, MCPB, mecoprop-P, mefenacet, mesosulfuron, mesosulfuron-ethyl sodium, mesotrione, metamifop, metazochlor, metazosulfuron, metosulam, metribuzin, metsulfuron, metsulfuronmethyl, molinate, MSMA, napropamide, napropamide-M, orfuzon, orthosulfamuron, oryzalin, oxadiargyl, oxadiazon, oxazichlomefone, oxyfluorfen, paraquat, pendimethalin, penoxsulam, pentoxazone, pethoxamid, picloram, picolinafen, pinoxaden, pretilachlor, primisulfuron, proflumazone, proflumazone, propanil, propaquizafop, propyrisulfuron, propoxycarbazone, propyzamide, prosulfocarb, prosulfuron, pyraclonil, pyraflufen-ethyl, pyrasulfotole, pyrazosulfuron-ethyl, pyrazolynate, pyribenzoxim (LGC-40863), pyributicarb, pyridate, pyriftalid, pyrimisulfan, pyroxsulam, pyroxasulfone, quinclorac, quinmerac, quizalofop-ethyl-D, quizalofop-P-ethyl, quizalofop-P-tefuryl, rimsulfuron, sethoxydim, simazine, sulcotrione, sulfentrazone, sulfometuron, sulfosate, sulfosulfuron, tebuthiuron, tefuryltrione, tepraloxim, terbacil, terbuthylazine, terbutryn, thenylchlor, thiazopyr, thifensulfuron, thifensulfuron-methyl, thiobencarb, topramezone, tralkoxydim, triafamone, triasulfuron, tribenuron, tribenuron-methyl, triafamone, triclopyr, and trifluralin, and agriculturally acceptable salts, choline salts, esters and mixtures thereof. In certain embodiments, the additional pesticide includes benzofenap, cyhalofop (e.g., cyhalofop-butyl), daimuron, pentoxazone, esprocarb, pyrazosulfuron, butachlor, pretilachlor, metazosulfuron, bensulfuron-methyl, imazosulfuron, azimsulfuron, bromobutide, benfuresate, mesotrione, sulcotrione, oxazichlomefone,

triafomone, cyclopyrimorate, pyrimisulfan, propyrisulfuron, pyraclostrobin, ipfencarbazone, iofensulfuron, fenoxasulfone, fenquinotrione, napropamide-M, imazamox, imazapic, imazethapyr, pyroxsulam, and agriculturally acceptable salts or esters thereof, or combinations thereof.

[0050] In a preferred embodiment, the herbicide is glufosinate.

[0051] In an embodiment, the plant treatment agent is an insecticide selected from: Alanycarb, Aldicarb, Bendiocarb, Benfuracarb, Butocarboxim, Butoxycarboxim, Carbaryl, Carbofuran, Carbosulfan, Ethiofencarb, Fenobucarb, Formetanate, Furathiocarb, Isoprocarb, Methiocarb, Methomyl, Metolcarb, Oxamyl, Pirimicarb, Propoxur, Thiodicarb, Thiofanox, Triazamate, Trimethacarb, XMC, Xylcarb, Acephate, Azamethiphos, Azinphos-ethyl, Azinphosmethyl, Cadusafos, Chlorethoxyfos, Chlorfenvinphos, Chlormephos, Chlorpyrifos, Chlorpyrifos-methyl, Coumaphos, Cyanophos, Demeton-S-methyl, Diazinon, Dichlorvos/DDVP, Dicrotophos, Dimethoate, Dimethylvinphos, Disulfoton, EPN, Ethion, Ethoprophos, Famphur, Fenamiphos, Fenitrothion, Fenthion, Fosthiazate, Heptenophos, Imicyafos, Isofenphos, Isopropyl O-(methoxyaminothio-phosphoryl) salicylate, Isoxathion, Malathion, Mecarbam, Methamidophos, Methidathion, Mevinphos, Monocrotophos, Naled, Omethoate, Oxydemeton-methyl, Parathion, Parathion-methyl, Phenthoate, Phorate, Phosalone, Phosmet, Phosphamidon, Phoxim, Pirimiphos-methyl, Profenofos, Propetamphos, Prothiofos, Pyraclofos, Pyridaphenthion, Quinalphos, Sulfotep, Tebupirimfos, Temephos, Terbufos, Tetrachlorvinphos, Thiometon, Triazophos, Trichlorfon, Vamidothion, Chlordane, Endosulfan, Ethiprole, Fipronil, Acrinathrin, Allethrin, d-cis-trans Allethrin, d-trans Allethrin, Bifenthrin, Bioallethrin, Bioallethrin Scyclopentenyl isomer, Bioresmethrin, Cycloprothrin, Cyfluthrin, beta-Cyfluthrin, Cyhalothrin, lambdaCyhalothrin, gamma-Cyhalothrin, Cypermethrin, alpha-Cypermethrin, beta-Cypermethrin, thetacypmethrin, zeta-Cypermethrin, Cyphenothrin, (1R)-trans-isomers], Deltamethrin, Empenthrin (EZ)-(1R)-isomers], Esfenvalerate, Etofenprox, Fenpropathrin, Fenvalerate, Flucythrinate, Flumethrin, tau-Fluvalinate, Halfenprox, Imiprothrin, Kadethrin, Permethrin, Phenothrin [(1R)-trans-isomer], Prallethrin, Pyrethrins (pyrethrum), Resmethrin, Silafluofen, Tefluthrin, Tetramethrin, Tetramethrin [(1R)-isomers], Tralomethrin, Transfluthrin, DDT, Methoxychlor, Acetamiprid, Clothianidin, Dinotefuran, Imidacloprid, Nitenpyram, Thiachloprid, Thiamethoxam, Nicotine, Sulfoxaflor, Flupyradifurone, Triflumezopyrim, Spinetoram, Spinosad, Abamectin, Emamectin benzoate, Lepimectin, Milbemectin, Hydroprene, Kinoprene, Methoprene, Fenoxycarb, Pyriproxyfen, Methyl bromide and other alkyl halides, Chloropicrin, Cryolite (Sodium aluminum fluoride), Sulfuryl fluoride, Borax, Boric acid, Disodium octaborate, Sodium borate, Sodium metaborate, Tartar emetic, Dazomet, Metam, Pymetrozine, Pyrifluquinazon, Afidopyropen, Clofentezine, Diflovidazin, Hexythiazox, Etoxazole, *Bacillus thuringiensis* subsp. *Israelensis*, *Bacillus thuringiensis* subsp. *Aizawai*, *Bacillus thuringiensis* subsp. *Kurstaki*, *Bacillus thuringiensis* subsp. *Tenebrionis*, B.t. crop proteins: (* Please see footnote) Cry1Ab, Cry1Ac, Cry1Fa, Cry1A.105, Cry2Ab, Vip3A, mCry3A, Cry3Ab, Cry3Bb, Cry34Ab1/Cry35Ab1, *Bacillus sphaericus*, Diafenthiuron, Azocyclotin, Cyhexatin, Fenbutatin oxide, Propargite, Tetradifon, Chlorfenapyr, DNOC, Sulfluramid, Bensultap, Cartap hydrochloride, Thiocyclam, Thiosultap-sodium, Bistrifluron, Chlorfluazuron, Diflubenzuron, Flucycloxuron, Flufenoxuron, Hexaflumuron, Lufenuron, Novaluron, Noviflumuron, Teflubenzuron, Triflumuron, Buprofezin, Cyromazine, Chromafenozide, Halofenozide, Methoxyfenozide, Tebufenozide, Amitraz, Hydramethylnon, Acequinocyl, Fluacrypyrim, Bifenazate, Fenazaquin, Fenpyroximate, Pyridaben, Pyrimidifen, Tebufenpyrad, Tolfenpyrad, Rotenone (Derris), Indoxacarb, Metaflumizone, Spirodiclofen, Spiromesifen, Spiropidion, Spirotetramat, Aluminium phosphide, Calcium phosphide, Phosphine, Zinc phosphide, Calcium cyanide, Potassium cyanide, Sodium cyanide, Cyenopyrafen, Cyflumetofen, Pyflubumide, Chlorantraniliprole, Cyantraniliprole, Cyclaniliprole Flubendiamide, Tetraniliprole, Flonicamid, Broflanilide, Fluxametamide, *Cydia pomonella* GV, *Thaumatotibia leucotreta* GV, *Anticarsia gemmatilis* MNPV, *Helicoverpa armigera* NPV, GS-omega/kappa HXTX-Hv1a peptide, Azadirachtin, Benzoximate, Bromopropylate, Chinomethionat, Dicofol,

Lime sulfur, Mancozeb, Pyridalyl, Sulfur, *Burkholderia* spp, *Wolbachia pipientis* (Zap), *Chenopodium ambrosioides* near *ambrosioides* extract, Fatty acid monoesters with glycerol or propanediol Neem oil, *Beauveria bassiana* strains, Metarhizium anisopliae strain F52, *Paecilomyces fumosoroseus* Apopka strain 97, Diatomaceous earth.

[0052] In an embodiment, the plant treatment agent is a fungicide selected from: (3-ethoxypropyl) mercury bromide, 2-methoxyethylmercury chloride, 2-phenylphenol, 8-hydroxyquinoline sulfate, 8-phenylmercurioxyquinoline, acetate, acibenzolar, acypetacs, acypetacs-copper, acypetacs-zinc, albendazole, aldimorph, allicin, allyl alcohol, ametoctradin, aminopyrifin, amisulbrom, amobam, ampropylfos, anilazine, asomate, aureofungin, azaconazole, azithiram, azoxystrobin, barium polysulfide, basic copper carbonate, basic copper sulfate, benalaxyl, benalaxyl-M, benodanil, benomyl, benquinox, bentazon, benthialdicarb, benthiazole, benzalkonium chloride, benzamachl, benzamachl, benzohydroxamic acid, benzovindiflupyr, berberine, bethoxazin, bifenthrin, binapacryl, biphenyl, bitertanol, bithionol, bixafen, blastoxin-S, Bordeaux mixture, boscalid, bromothalonil, bromuconazole, bupirimate, Burgundy mixture, buthiobate, butylamine, calcium polysulfide, captan, carbamachl, carbendazim, carbon disulfide, carboxin, carpropamid, carvacrol, carvone, Cheshunt mixture, chinomethionat, chitosan, chlorobenzothiazole, chloranil, chlorfenazole, chlorodinitronaphthalenes, chloroneb, chloropicrin, chlorothalonil, chlorquinox, chlozolate, climbazole, clotrimazole, copper acetate, copper hydroxide, copper naphthenate, copper oleate, copper oxychloride, copper silicate, copper sulfate, copper zinc chromate, coumoxystrobin, cresol, cufraneb, cuprobenzimidazole, cuprous oxide, cyanogen, cyazofamid, cyclafuramid, cycloheximide, cyflufenamid, cymoxanil, cypendazole, cyproconazole, cyprodinil, dazomet, DBCP, debacarb, decafenit, dehydroacetic acid, dichlobenzothiazole, dichlofluanid, dichlone, dichlorophen, dichlozoline, diclobutrazol, diclocymet, diclomezone, dicloran, diethofencarb, diethyl pyrocarbonate, difenoconazole, diflufenoxim, dimethomorph, dimethyl disulfide, dimoxystrobin, diniconazole, diniconazole-M, dinobuton, dinocap, dinocap-4, dinocap-6, dinocroton, dinopenton, dinosulfon, dinoterbon, diphenylamine, dipymetritone, dipyrithione, disulfiram, ditalimfos, dithianon, DNOC, dodemorph, dodicin, dodine, drazoxolon, EBP, edifenphos, enoxastrobin, epoxiconazole, etaconazole, etem, ethaboxam, ethirimol, ethoxyquin, ethylmercury 2,3-dihydroxypropyl mercaptide, ethylmercury acetate, ethylmercury bromide, ethylmercury chloride, ethylmercury phosphate, etridiazole, extract from *Melaleuca alternifolia*, famoxadone, fenamidone, fenaminosulf, fenaminostrobin, fenapanil, fenarimol, fenazaquin, fenbuconazole, fenfuram, fenhexamid, fenitropan, fenjuntong, fenoxanil, fenpiclonil, fencicloxamid, fenpropidin, fenpropimorph, fenpyrazamine, fentin, ferbam, ferimzone, florylpicloxamid, fluazinam, flubeneteram, fludioxonil, flufenoxystrobin, fluindapyr, flumetover, flumorph, fluopicolide, fluopimomide, fluopyram, fluoroimide, fluotrimazole, fluoxapiprolin, fluoxastrobin, fluquinconazole, flusilazole, flusulfamide, flutianil, flutolanil, flutriafol, fluxapyroxad, folpet, formaldehyde, fosetyl, fuberidazole, furalaxyl, furametpyr, furcarbanil, furconazole, furconazole-cis, furfural, furmecyclox, furophanate, geraniol, glyodin, griseofulvin, guazatine, halacrinat, hexachlorobenzene, hexachlorobutadiene, hexachlorophene, hexaconazole, hexylthiofos, huanjunzuo, hydrargaphen, hymexazol, hymexazole, imazalil, imibenconazole, iminoctadine, inezin, inpyrfluxam, iodocarb, ipconazole, ipfentrifluconazole, ipflufenoxim, iprobenfos, iprobenfos (IBP), iprodione, iprovalicarb, isofetamid, isoflucypram, isoprothiolane, isopyrazam, isotianil, isovaldione, izopamfos, jiaxiangjunzhi, kasugamycin, kejunlin, kresoxim-methyl, mancopper, mancozeb, mandestrobin, mandipropamid, maneb, mebenil, mecarbinzid, mefentrifluconazole, mepanipyrim, mepronil, meptyldinocap, mercuric chloride, mercuric oxide, mercurous chloride, metalaxyl, metalaxyl-M, metam, metazoxolon, metconazole, methasulfocarb, methfuroxam, methyl bromide, methyl iodide, methyl isothiocyanate, methylmercury benzoate, methylmercury dicyandiamide, methylmercury pentachlorophenoxide, metiram, metominostrobin, metrafenone, metsulfosax, metyltetraprole, milneb, moroxydine, myclobutanil, myclozolin, N-

(ethylmercury)-p-toluenesulfonanilide, nabam, natamycin, ningnanmycin, nitrostyrene, nitrothali-isopropyl, nuarimol, OCH, octhlinone, ofurace, orysastrobin, osthol, oxadixyl, oxathiapiprolin, oxine-copper, oxolinic acid, oxpoconazole, oxycarboxin, oxyfenthiin, oxytetracycline, parinol, pefurazoate, penconazole, pencycuron, penflufen, pentachlorophenol, pentachlorophenyl laurate, penthiopyrad, phenamacril, phenylmercuriurea, phenylmercury acetate, phenylmercury chloride, phenylmercury derivative of pyrocatechol, phenylmercury nitrate, phenylmercury salicylate, phosdiphen, phthalide, picarbutrazox, picoxystrobin, piperalin, plant oils (mixtures): eugenol, polycarbamate, polyoxins, polyoxorim, polyoxorim-zinc, potassium azide, potassium polysulfide, potassium thiocyanate, probenazole, prochloraz, procymidone, propamidine, propamocarb, propiconazole, propineb, proquinazid, prothiocarb, prothioconazole, pydiflumetofen, pyracarbolid, pyraclostrobin, pyrametostrobin, pyraoxystrobin, pyrapropoyne, pyraziflumid, pyrazophos, pyribencarb, pyridachlometyl, pyridinitril, pyrifenox, pyrimethanil, pyriofenone, pyrisoxazole, pyroquilon, pyroxychlor, pyroxyfur, quinacetol, quinazamid, quinconazole, quinofumelin, quinoxifen, quintozone, quintozone (PCNB), rabenzazole, saijunmao, saisentong, salicylanilide, sanguinarine, santonin, sedaxane, silthiofam, simeconazole, sodium azide, sodium pentachlorophenate, sodium polysulfide, sodium tetrathiocarbonate, sodium o-phenylphenoxide, spiroxamine, streptomycin, sulfur, sultropen, tebuconazole, tebufloquin, tecloftalam, tecnazene, tecnazene (TCNB), tecoram, tetraconazole, thiabendazole, thiadifluor, thicyofen, thifluzamide, thiochlorfenphim, thiocyanatodinitrobenzenes, thiodiazole-copper, thiomersal, thiophanate, thiophanate-methyl, thioquinox, thiram, tiadinil, tioxymid, tolclofos-methyl, tolfenpyrad, tolnifanide, tolprocarb, tolylfluanid, tolylmercury acetate, triadimefon, triadimenol, triamiphos, triarimol, triazbutil, triazoxide, tribasic copper sulphate, tributyltin oxide, trichlamide, trichlorotrinitrobenzenes, triclopyricarb, tricyclazole, tridemorph, trifloxystrobin, triflumizole, triforine, trimorphamide, triticonazole, uniconazole, uniconazole-P, urbacide, validamycin, valifenalate, vangard, vinclozolin, xinjunan, zarilamid, zinc naphthenate, zinc thiazole, zinc trichlorophenate, zineb, ziram, zoxamide.

[0053] In an embodiment, the plant treatment agent may be a diluted, concentrated or a pre-mixed RTU product.

[0054] In an aspect, rather than a radial spray pattern, it was found that a flat spray pattern is preferable for the plant treatment agents. Thus, turning to FIGS. 1A-1C, an applicator **100** for applying the plant treatment agents is shown, e.g., via a container **250** (FIG. 3). The applicator **100** includes an applicator shell **110** defining an applicator cavity **120**. The shell **110** defines an applicator cavity inlet end **130**, having a cavity inlet opening, and an applicator cavity outlet end **140** spaced apart from the applicator cavity inlet end **130** by the applicator cavity **120**.

[0055] As shown in FIGS. 2A-2C, the applicator cavity outlet end **140** defines a linear aperture array **150** (or flat shower plug) arranged in a linear configuration along an array axis **160**. The linear aperture array **150** may have an array length or span **162** that is between 90 and 100% of an end to end length **164** or span of the applicator cavity outlet end **140** along the array axis **160**. Each aperture **150A** in the linear aperture array **150** may have a same size and shape. For example, each aperture in the linear aperture array is circular or rectangular, or other geometric shape.

[0056] As shown in FIG. 2C the linear aperture array **150** define a discrete center array portion **170**, which may be a discrete set of apparatuses surrounding a linear center **172** of the linear aperture array **150**. The discrete center array portion **170** may be centered on the array axis **160**, both lengthwise (along the array axis **160**) and widthwise (along widthwise axis **174**, at the lengthwise center **172**). The discrete center array portion **170** may extend (e.g., cover) between 10% and 30% of the lengthwise span **162** of the linear aperture array **150** and be symmetric about the array axis **160**. In one embodiment, the discrete center array portion **170** may have a widthwise span **176** that is the same as its lengthwise span **178**. In embodiments, the discrete center array portion **170** may form an array outer boundary **180** that forms a rectangle, square, oval, circle or other geometric shape. Apertures **170A** in the discrete center array portion **170** may have a same size and shape as

apertures in the linear aperture array **150**.

[0057] As shown in FIG. **1A** in one embodiment the applicator shell **110** extends along a shell-length axis **182** from the applicator cavity inlet end **130** to the applicator cavity outlet end **140** to define its shell length **183**. The shape of the shell **110** may diverge along a shell-width axis **184** that is perpendicular to the shell-length axis **182**, from the applicator cavity inlet end **130** to the applicator cavity outlet end **140**. For the configuration of FIG. **1A**, as further shown in FIGS. **1B** and **2A**, the shape of the shell **110** may converge relative to a shell-thickness axis **186** that is perpendicular to the shell-length axis **182** and the shell-width axis **184**, from the applicator cavity inlet end **130** to the applicator cavity outlet end **140**. Thus, at the inlet end **130**, the applicator **100** has a maximum thickness and minimum width, and at the outlet end **140** the applicator has a minimum thickness and a maximum width (e.g., its outlet span **164**). As shown in FIGS. **1B** and **2A**, with this configuration, an outer boundary **188** of the applicator cavity outlet end **140** defines a narrow-elongated portion of the applicator **100**. This configuration defines a flat end nozzle.

[0058] FIGS. **1C** to **1I** show another embodiment of the applicator **190**, having a top portion **191**, a middle portion **192** and a bottom portion **193**, respectively defining a top, middle and bottom passages **191P**, **192P**, **193P** that form a continuous passage **190P**. The top portion **191** is similar to the applicator shell **110** and may have a shape that diverges along a shell-width axis **190W** that is perpendicular to the shell-length axis **190L**, from the applicator inlet end **190A** to the middle portion **192**. A linear array of apertures **190A** may be disposed along a top **191T** of the top portion **191**.

[0059] The middle portion **192** may be rectangular and the bottom portion **193** may be cylindrical. A length of the middle portion **192**, along the shell-length axis **190L**, may be less than the top portion **191**, e.g., between 25% and 75% of the length of the top portion **191**. A length of the bottom portion **193**, along the shell-length axis **190L**, may be between 75% and 125% of the length of the top portion **191**. As shown the length of the bottom portion **193** is the same as the top portion **191**. A diameter of the bottom portion **193** may be between 75% and 125% of the depth of the middle portion **192**, e.g., along the thickness direction **190T**.

[0060] The middle portion **192** may be offset from a center axis **193C** of the bottom portion **193**. The bottom portion **193** may have a top surface **193T**. A first opening **193T1** in the top surface **193T**, where the middle portion **192** and top portion **193** meet, fluidly connects the passages of the middle portion **192** and the top portion **193**. The first opening **193T1** may have a size and shape that is complementary to the passage of the middle portion **192**.

[0061] A top circular opening **193T2** (or second opening), may be defined in the top surface **193T**. A stub cylinder **193C** may extend inwardly from the top surface **193T** of the third portion **193**, partially along the length of the third portion **193**. The stub cylinder **193C** may form an entry channel into the third portion **193** from the top circular opening **193T2**. A plug **194** (FIG. **1C**) may be provided, which may selectively plug and unplug the top circular opening **193T2** for cleanout or aeration when the nozzle is connected to a hose or container. Thus, the top circular opening **193T2** may be generally referred to as an aeration or cleanout opening.

[0062] Utilizing the top circular opening **193T2** may enable the applicator **190**, and/or the PET bottle attached to the applicator **190** to regain its shape after either or both of the applicator **190** or PET bottle are pressed to dispense the liquid within. The plug **194** can be a pipe or a tube of variable length with two opposite open ends made of plastic/rubber/similar material. The use of the plug **194** may avoid spillage of contents as air is passed in the applicator **190** and/or to the PET bottle. As indicated the small opening **193T2** may function as aeration opening when dispensing is paused or completed.

[0063] The bottom side **193B** of the third portion **193** may be without a closure surface to define an opening the size of the passage in the third portion **193**. A watering hose or container can connect to the bottom side **193B** via the defined opening. It is within the scope of the embodiment to provide hose threads on the inner surface of the third portion **193** to mate with a garden hose, or on

an outer surface to fit within a container opening (not shown). That is, the PET bottle maybe threaded or clamped to the opening defined by the bottom of the third portion **193**.

[0064] As shown in FIGS. **1A** and **1C**, product **240**, such as a plant treatment agent, may be stored within any portion of the applicator **190** (see FIG. **1A** as a non-limiting example). The agent **240** may be a rounded or squared disc but that is not intended on limiting the scope of the embodiments.

[0065] The size and shape of the aspects of the embodiments disclosed herein, including but not limited to FIGS. **1C** to **1I**, may vary to fit different bottles or containers having different openings and fit mechanisms. The material of the embodiments may be metal if and where such material provides any advantage relative to a particular content, or else the material may be mostly a lightweight material. An example of a lightweight material could be fibre-based material, plastic and so forth. The disclosed contour of the nozzle end surface and the tapered angles are intended to serve a purpose such that there are least or no remnants, and least blockage due to residue, though such contour and angles may be modified within the scope of the disclosure. The neck sizing may be variable, and the neck can be optional in some embodiments.

[0066] The embodiments can be fit on a normal PET (or similar) bottle, via the opening in the bottom **193B** of the third portion **193**, with various types of fit such as threaded fit or a slip fit, with or without clamps. The nozzle can be made of plastic or other such kinds of material which are light weight.

[0067] As shown in FIG. **1G**, the shell **110** may define a bulbus, arcuate shape. For the configuration of FIG. **1C**, as further shown in FIGS. **2B** and **2C**, the applicator cavity outlet end **140** may define a circular plate. The plate may be flat or have an end to end curvature such as a convex curvature, e.g., bowing outwardly.

[0068] As shown in FIGS. **1A-B** and **2A** the applicator shell **110** may define an applicator neck portion **200**, which may be cylindrical, extending away from the applicator cavity inlet end **130** along an applicator neck axis **210** to an applicator neck inlet end **220** having a neck inlet opening. In the embodiment shown in FIG. **1A**, the applicator neck axis **210** may extend along the shell-length axis **182**. The applicator neck portion **200** may be cylindrical having a diameter that is larger than a total aperture area defined by the linear aperture array **150**.

[0069] Turning to FIG. **3**, a container **250** is shown. The container is illustrated as a watering can, though this is not intended on limiting the scope of the embodiments. The container **250** may include a container shell **255**. The container shell **255** may define a container cavity **260** that is capable of storing any fluid. The container shell **255** may include a container cavity inlet end **280**, having a cavity inlet opening, that is configured for receiving the product **240**. The container **250** may include a container cavity outlet end **290**, having a container cavity outlet opening, and a container neck **300**, which may be cylindrical or frustoconical, that extends away from the container cavity outlet end **290** along a container neck axis **310** to a container neck outlet end **320**, having a container neck outlet opening.

[0070] The container neck **300** may be operationally coupled with the applicator neck portion **200** so that the product **240** in the container cavity **260** is configured to flow into the applicator **100** and out of the linear aperture array **150**. For example, the applicator neck portion **200** may frictionally couple, screw onto, or be otherwise fastened to the container neck **300**. For example, the container neck **300** has a shape that is complementary with the shape of the applicator neck portion **200** such that the applicator neck portion **200** fits over or within the container neck via a slip fit. In one embodiment, the container neck **300** and the applicator neck portion **200** are formed of a continuous material. In one embodiment, the agent **240** is stored in the container **250**, such as in the container neck **300** or container cavity **260**. In operation, the applicator **100** is positioned at a height **330** of e.g., 50 cm above the plant **340** and produces a product shower **342** (of the product **240**) having a shower width **344**. The shower would be essentially flat due to the aperture configuration in FIGS. **2A-2C**.

[0071] In one embodiment, shown in FIGS. 4-5, a flexible pouch 350 has the agent 240 therein. A corner 360 of the pouch 350 may be configured with the linear aperture array 150 so that the pouch 350 defines the container 250 and applicator 100 discussed above. The pouch 350 may have a handle. In operation, the pouch 350 may be pre-filled with water and a shower 370 of plant treatment agent mixed with a solvent or water may be applied out of the pouch 350. Once the pouch 350 is empty, it may be compressed and discarded or recycled.

[0072] In one embodiment, shown in FIGS. 6-7, a flexible compressible carton 400, similar to a milk container, has the agent 240 therein. A front or back face 410 of the carton 400 may be configured with the linear aperture array 150 so that the carton 400 defines the container 250 and applicator 100 discussed above. In operation, the carton 400 may be prefilled with water and a shower 420 of plant treatment agent mixed with water may be applied out of the carton 400. Once the carton 400 is empty, it may be compressed and discarded or recycled.

[0073] Turning to FIG. 8, a flowchart shows a method of applying a plant treatment agent to a plant. As shown in block 1010, the method includes obtaining the above described container 250 at least partially filled with product 240. As indicated, the container may be prefilled, or filling may be required. As shown in block 1020, the method includes applying a solution of the product 240 out of the applicator 100, via the linear aperture array 150, and onto the plant 340. The applicator may be 50 cm above the plant when the solution is applied out of the applicator and onto the plant.

[0074] Table 1, below, identifies differing applicator types (row 1), differing numbers of holes/apertures in the array 150 (row 2), diameter for the holes/apertures in the array 150 (row 3), intra-hole spacing for the holes/apertures in the array 150 (row 4), applicator outlet span 164 (row 5). The observed flow rates for the different configuration are provided (row 6). In addition, a shower width 344 is identified (row 7) for a height 330 at fifty (50) cm above a plant 340.

TABLE-US-00001

TABLE 1	Round head, linear aperture	Round array with head, linear discrete	Diverging	Diverging aperture array	aperture cluster	flat end	flat end (aperture shown
(aperture shown	(aperture shown	(aperture shown	Type of applicator in FIGs. 1C, 2B)	in FIGs. 1C, 2C)	in FIGs. 1C, 2C)	in FIGs. 1C, 2C)	No of holes
9	13	13	17	(apertures)	Diameter(mm) of 1 mm	1 mm	0.3 mm
0.3 mm	0.3 mm	0.3 mm	holes (apertures)	Holes (apertures)	5 mm	5 mm	2 mm
2 mm	2 mm	spacing	(between hole centers)	Diameter/length	60 mm	length 60 mm	length 45 mm
length 45 mm	length	(mm) of plug	(applicator outlet span, end to end)	Discharge rate of	4.67	7.67	2.77
3.00	product	mixture (ml/s)	width of shower	20 cm	20 cm	20 cm	31 cm
(cm) of product mixture at 50cm	shower	height					

[0075] From the above apparatus configuration listed in the third column from the left (diverging flat end), observations during testing resulted in a narrow showering spacing and small droplets, with a relatively lowest discharge amount of 2.77 ml/s and a 20 cm shower width. From the configuration listed in the fourth column from the left (also diverging flat end) observations during testing resulted in a narrow shower spacing and a small droplet size, with a uniform showering spacing and relatively improved adhesion to weeds, with wide shower width (31 cm) and discharge rate of 3.00 ml/s.

[0076] In an aspect, a ready to use plant treatment agent product comprises a container comprising a plant treatment agent composition, wherein the plant treatment agent composition is applied from the container via applicator of the present disclosure at an undiluted volume of 5-35 ml/m.sup.2. The plant treatment agent composition can comprise 0.1 to 99 wt % of plant treatment agent(s).

[0077] In an embodiment, the plant treatment agent composition can comprise 0.1 to 10 wt % of plant treatment agent, preferably 0.1 to 1 wt % of plant treatment agent, more preferably 0.25 to 0.75 wt % of plant treatment agent.

[0078] In another embodiment, the plant treatment agent composition may additionally comprise agrochemically suitable excipients selected from adjuvants, co-solvents, surfactants, colorants, emulsifiers, thickeners, antifreeze agents, biocides, anti-foam agents, stabilizers, wetting agents or a mixture thereof.

ammonium was diluted 50 times to 0.37% and applied using flat shower (linear applicator of the present disclosure) and the radial shower. Efficacy was checked at 33 days after application (DAA). The observations are recorded in Table 5.

TABLE-US-00005 TABLE 5 Comparison of weed control efficacy of glufosinate 18.5% against rescue grass with different applicator - linear (flat shower) and radial (radial shower) applicator % Control of grass at 33 days after application (DAA) Dose 30 cm 20 cm Discharge Spray equivalent of weeds weeds Spray pattern/ amount Volume Glufosinate (tall (short Applicator Formulation ml/s ml/m.sup.2 18.5% L/ha grass) grass) Flat shower/ Glufosinate 4.67 25 5 96 97 linear applicator 0.37% with 9 holes Radial shower/ Glufosinate 4.67 25 5 83 81 radial applicator 0.37% with 12 holes

[0088] The use of the terms “a” and “an” and “the” and similar referents (especially in the context of the following claims) are to be construed to cover both the singular and the plural, unless otherwise indicated herein or clearly contradicted by context. The terms first, second etc. as used herein are not meant to denote any particular ordering, but simply for convenience to denote a plurality of, for example, layers. The terms “comprising”, “having”, “including”, and “containing” are to be construed as open-ended terms (i.e., meaning “including, but not limited to”) unless otherwise noted. “About” or “approximately” as used herein is inclusive of the stated value and means within an acceptable range of deviation for the particular value as determined by one of ordinary skill in the art, considering the measurement in question and the error associated with measurement of the particular quantity (i.e., the limitations of the measurement system). For example, “about” can mean within one or more standard deviations, or within $\pm 10\%$ or 5% of the stated value. Recitation of ranges of values are merely intended to serve as a shorthand method of referring individually to each separate value falling within the range, unless otherwise indicated herein, and each separate value is incorporated into the specification as if it were individually recited herein. The endpoints of all ranges are included within the range and independently combinable. All methods described herein can be performed in a suitable order unless otherwise indicated herein or otherwise clearly contradicted by context. The use of any and all examples, or exemplary language (e.g., “such as”), is intended merely to better illustrate the invention and does not pose a limitation on the scope of the invention unless otherwise claimed. No language in the specification should be construed as indicating any non-claimed element as essential to the practice of the invention as used herein.

[0089] While the invention has been described with reference to an exemplary embodiment, it will be understood by those skilled in the art that various changes may be made and equivalents may be substituted for elements thereof without departing from the scope of the invention. In addition, many modifications may be made to adapt a particular situation or material to the teachings of the invention without departing from the essential scope thereof. Therefore, it is intended that the invention is not limited to the particular embodiment disclosed as the best mode contemplated for carrying out this invention, but that the invention will include all embodiments falling within the scope of the appended claims. Any combination of the above-described elements in all possible variations thereof is encompassed by the invention unless otherwise indicated herein or otherwise clearly contradicted by context.

Claims

1. An applicator for applying a plant treatment agent to a plant via a container, the applicator comprising: an applicator shell defining an applicator cavity, an applicator cavity inlet end and an applicator cavity outlet end spaced apart from the applicator cavity inlet end by the applicator cavity, and wherein the applicator cavity outlet end defines a linear aperture array, and wherein apertures of the linear aperture array are disposed along an array axis.
2. The applicator of claim 1, wherein the linear aperture array has an array length that is between

- 90% and 100% of an end to end span of the applicator cavity outlet end along the array axis.
3. The applicator of claim 2, wherein the linear aperture array has a discrete center array portion, defining a discrete set of apertures surrounding a linear center of the linear aperture array and that are centered on the array axis.
4. The applicator of claim 3, wherein the discrete center array portion extends between 10% and 30% of the array length of the linear aperture array, and is symmetric about the array axis.
5. The applicator of claim 3, wherein the discrete center array portion has a widthwise span that is the same as its lengthwise span.
6. The applicator of claim 3, wherein each aperture in the linear aperture array (150) has a same size and shape as each other.
7. The applicator of claim 4, wherein the applicator shell extends along a shell-length axis from the applicator cavity inlet end to the applicator cavity outlet end; diverges along a shell-width axis that is perpendicular to the shell-length axis from the applicator cavity inlet end to the applicator cavity outlet end; and converges relative to a shell-thickness axis that is perpendicular to the shell-length axis and the shell-width axis from the applicator cavity inlet end (130) to the applicator cavity outlet end, such that an outer boundary of the applicator cavity outlet end defines a narrow-elongate portion of the applicator, and to thereby define a flat end nozzle.
8. The applicator of claim 1, wherein the applicator cavity outlet end defines a circular plate.
9. The applicator of claim 1, wherein the applicator shell defines an applicator neck portion extending away from the applicator cavity inlet end along an applicator neck axis to an applicator neck inlet end.
10. The applicator of claim 9, wherein the applicator neck portion is cylindrical having an applicator inlet diameter at the applicator neck inlet end that is larger than a total aperture area defined by the linear aperture array.
11. The applicator of claim 1, including a glufosinate product stored in the applicator cavity.
12. A container for distributing a plant treatment agent to a plant, comprising: a container shell defining: a container cavity that is configured to store a fluid; a container cavity inlet end for receiving the fluid; a container cavity outlet end, and a container neck extends away from the container cavity outlet end along a container neck axis to a container neck outlet end; and the applicator of claim 9, wherein the container neck is operationally coupled with the applicator neck portion so that the fluid in the container cavity is configured to flow into the applicator and out of the linear aperture array.
13. The container of claim 12, wherein the container neck and the applicator neck are formed of a continuous material.
14. The container of claim 12, wherein the container neck has a shape that is complementary with the shape of the applicator neck such that the applicator neck fits against the container neck via a fit selected from the group consisting of clamp fit, thread fit, slip fit and snap fit.
15. The container of claim 12, comprising a plant treatment agent disposed in the applicator cavity or the container cavity.
16. A method of applying a plant treatment agent to a plant, comprising: obtaining the container of claim 12, at least partially filled with a fluid; and applying a solution of the fluid and the plant treatment agent out of the applicator (100), via the linear aperture array, and onto the plant.
17. A ready to use product comprising a container comprising the applicator of claim 1 and a composition comprising a plant treatment agent, wherein the said composition is applied from the said container with the help of the said applicator.
18. The ready to use product of claim 17, wherein the plant treatment agent composition comprises 0.1 to 99 wt % of plant treatment agent.
19. The ready to use product of claim 17, wherein the plant treatment agent is an herbicide.
20. The ready to use product of claim 17, wherein the composition is a glufosinate composition,

wherein the glufosinate composition has a glufosinate concentration of 0.1 to 10 wt % and is applied from the container at an undiluted volume of 15-25 ml/m².
