



US0D1092430S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,092,430 S**
Kaplan et al. (45) **Date of Patent:** **** Sep. 9, 2025**

(54) **SUBWOOFER ENCLOSURE**

OTHER PUBLICATIONS

(71) Applicant: **SSV WORKS, INC.**, Oxnard, CA (US)

amazon.ae—Haka Tough; “Haka Tough . . . Speaker Pod Enclosures”; [online] ‘https://www.amazon.ae/dp/B09N7CQ6XW’; Dated Jan. 22, 2022; Accessed May 9, 2025/2025; 3Pgs. (Year: 2022).*

(72) Inventors: **Trevor Kaplan**, Newbury Park, CA (US); **Eleuterio Lopez**, Oxnard, CA (US); **Reggie Sanchez**, Oxnard, CA (US)

Primary Examiner — Keli L Hill

(74) *Attorney, Agent, or Firm* — Ferguson Case Orr Paterson LLP

(73) Assignee: **SSV Works, Inc.**, Camarillo, CA (US)

(**) Term: **15 Years**

(57) **CLAIM**

The ornamental design for a subwoofer enclosure as shown and described.

(21) Appl. No.: **29/928,478**

(22) Filed: **Feb. 12, 2024**

DESCRIPTION

(51) **LOC (15) Cl.** **14-03**

(52) **U.S. Cl.**

USPC **D14/215**

(58) **Field of Classification Search**

USPC D14/167, 168, 170–172, 188, 193–198,
D14/203.1–203.8, 204, 209.1, 210–217,
D14/219, 221, 222, 224, 239, 496
CPC B60R 11/0217; G06F 1/1688; G10K 9/22;
G10K 11/004; H03F 1/327; H04M 1/03;
H04M 1/035; H04N 5/642; H04N
21/4852; H04R 1/02; H04R 1/06; H04R
1/021; H04R 1/025; H04R 1/026; H04R
1/028; H04R 1/105; H04R 1/323; H04R
1/403; H04R 1/2803; H04R 1/2834;
H04R 5/02; H04R 7/20; H04R 9/06;
H04R 9/025; H04R 2201/021; H04R
2400/00; H04R 2400/07; H04R 2499/11;
H04R 2499/13; H04R 2499/15; H04S
3/00; H04S 7/30

See application file for complete search history.

FIG. 1 is a top, front, right side perspective view of an subwoofer enclosure according to an embodiment of the present disclosure;

FIG. 2 is a front view of the subwoofer enclosure shown in FIG. 1;

FIG. 3 is a rear view of the subwoofer enclosure shown in FIG. 1;

FIG. 4 is a left side view of the subwoofer enclosure shown in FIG. 1;

FIG. 5 is a right side view of the subwoofer enclosure shown in FIG. 1;

FIG. 6 is a top view of the subwoofer enclosure shown in FIG. 1; and,

FIG. 7 is a bottom view of the subwoofer enclosure shown in FIG. 1.

A second embodiment of a subwoofer enclosure according to the present disclosure is for a subwoofer enclosure that is a vertical axis mirror image of the subwoofer enclosure shown in FIGS. 1-7. FIG. 8 is a top, front, right side perspective view of the subwoofer enclosure of the first embodiment with the subwoofer enclosure of the second embodiment.

The broken lines in the drawings are included to show portions of the article that form no part of the claimed design.


(56) **References Cited**

U.S. PATENT DOCUMENTS

D319,239 S * 8/1991 Kovner D14/204
D372,243 S * 7/1996 Thorley D14/204
D507,560 S * 7/2005 Sugiyama D14/210

(Continued)

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D523,000	S	*	6/2006	Bronson, III		H04R 1/323 D14/215
D808,925	S	*	1/2018	Kaplan		D14/215
D947,807	S	*	4/2022	Kaplan		D14/204
D1,060,301	S	*	2/2025	Brewster		D14/204

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8