



US0D1092587S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,092,587 S**
Neel (45) **Date of Patent:** **** Sep. 9, 2025**

(54) **ROTARY ACTUATOR**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **Parker-Hannifin Corporation,**
Cleveland, OH (US)

CN	308136795	*	7/2023
IN	281524	*	3/2017
TW	161390-0001	*	7/2014

(72) Inventor: **Scott E. Neel,** Lake Tapps, WA (US)

OTHER PUBLICATIONS

(73) Assignee: **Parker-Hannifin Corporation,**
Cleveland, OH (US)

(**) Term: **15 Years**

Hydraulic Rotary Actuator From_ Helac Corporation, posted Apr. 2, 2008, [retrieved Mar. 31, 2025]. Retrieved from internet: <https://www.oemoffhighway.com/fluid-power/pumps-motors/hydraulic-motors/fluid-power-systems-components/hydraulic-motors/product/10057604/helac-corporation-hydraulic-rotary-actuator> (Year: 2008).*
Parker_Rotary Actuators, posted Apr. 6, 2023, [retrieved via Wayback Machine Mar. 31, 2025]. Retrieved from internet: https://web.archive.org/web/20230406030023/https://www.parker.com/content/dam/Parker-com/Literature/Industrial-Cylinder/Helac/PDF-files/HY34-1001_Helac_Rotary_Actuator_Catalog.pdf (Year: 2023).*

(21) Appl. No.: **29/918,261**

(22) Filed: **Nov. 27, 2023**

(51) **LOC (15) Cl.** **15-99**

(52) **U.S. Cl.**
USPC **D15/148**

(58) **Field of Classification Search**

USPC D13/158, 160; D15/143, 148, 199
CPC F15B 15/06; F15B 15/065; F15B 15/12;
F15B 15/14; F16H 2025/2084; F16H
2025/2087; F16H 2025/209; H02K 7/00;
H02K 7/06; H02K 7/003; H02K 41/02

See application file for complete search history.

* cited by examiner

Primary Examiner — Amber R Stiles

Assistant Examiner — Karen M. Jones

(74) *Attorney, Agent, or Firm* — McDonnell Boehnen
Hulbert & Berghoff LLP

(57)

CLAIM

The ornamental design for a rotary actuator as shown and described.

(56) **References Cited**


U.S. PATENT DOCUMENTS

D193,866	S	*	10/1962	Sully		D15/143
D271,773	S	*	12/1983	Ekelund		D15/147
D427,217	S	*	6/2000	Ostling		D15/143
D578,146	S	*	10/2008	Tian		D15/143
D709,933	S	*	7/2014	Wu		D15/199
D790,616	S	*	6/2017	Tokuda		D15/148
D832,900	S	*	11/2018	Tuttle		D15/143
D943,653	S	*	2/2022	Shen-Levin		D15/148
D985,641	S	*	5/2023	Royer		D15/148
2010/0064885	A1	*	3/2010	Werkhoven		F15B 1/12 91/405
2016/0369823	A1	*	12/2016	Jurczyk		F15B 15/061
2017/0133907	A1	*	5/2017	Choi		F21S 41/689
2024/0426324	A1	*	12/2024	Rodighiero		F15B 15/14

DESCRIPTION

FIG. 1 is a top perspective view of a rotary actuator;
FIG. 2 is a bottom perspective view thereof;
FIG. 3 is a bottom perspective view thereof without a wire cover;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a front view thereof;
FIG. 7 is a rear view thereof;
FIG. 8 is a top view thereof; and,
FIG. 9 is a bottom view thereof.

(Continued)



The broken lines shown in the drawings depict portions of the rotary actuator that form no part of the claimed design.

1 Claim, 7 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9