

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent Application Publication

20250286962

Kind Code

A1

Publication Date

September 11, 2025

Inventor(s)

Giberti; Erik John et al.

Dynamic Upload and Automated Workflows for Hosted Images and Videos

Abstract

A system and method for providing automated workflows for dynamically uploaded images and videos hosted at a hosting service is provided. At least one set of object data may be associated with a live-streaming media. One or more media files and a camera identifier associated with a camera may be received from the camera. The one or more media files may be auto-uploaded from the camera. A configuration to link the camera identifier associated with the camera and a gallery of an associated account may be received. The gallery may be associated with a webpage. The one or more media files may be auto-processed based on one or more automated workflows associated with the gallery. One of the automated workflows may be adding the one or more media files to the gallery of the associated account.

Inventors: Giberti; Erik John (Rochester, MN), Jolly; Alastair Morrison (Mountain View, CA)

Applicant: AWES.ME, INC. (Mountain View, CA)

Family ID: 1000008618244

Appl. No.: 19/212425

Filed: May 19, 2025

Related U.S. Application Data

parent US continuation 18595209 20240304 parent-grant-document US 12309328 child US 19212425

us-provisional-application US 63450086 20230306

Publication Classification

Int. Cl.: H04N1/00 (20060101); G06F16/955 (20190101)

U.S. Cl.:

CPC **H04N1/00172** (20130101); **G06F16/955** (20190101); **H04N1/00137** (20130101);
H04N1/00159 (20130101); **H04N1/00164** (20130101);

Background/Summary

CROSS-REFERENCE TO RELATED APPLICATIONS [0001] This application is a continuation and claims the priority benefit of U.S. patent application Ser. No. 18/595,209 filed Mar. 4, 2024, now U.S. Pat. No. 12,309,328, which claims priority from U.S. provisional application 63/450,086 filed Mar. 6, 2023, the disclosures of which are incorporated herein by reference.

BACKGROUND OF THE INVENTION

1. Field of the Invention

[0002] The present technology pertains to hosting images and videos that have been dynamically uploaded. More specifically, the present technology may provide for providing automated workflows for the hosted images and videos that have been dynamically uploaded.

2. Description of the Related Art

[0003] The production and availability of online information and media has gained prevalence in modern-day society. Thus, online presences—online content on webpages or web applications—have become therefore essential to professional participation and success by businesses and individuals. Examples of such online content may include profile pages on social network websites, blog web pages, online photo galleries, and the like.

[0004] Conversely, online users and audiences have become accustomed to having the ability to instantly access online information, experiences, news, photos, and videos over the internet. Mobile devices have further revolutionized the way people connect, learn, and consume information by providing access to online content from nearly any location in the world. While users may have become accustomed to being able to receive media content from online sources instantly, however, there remain a variety of content that may require file transfers, editing, processing, post-processing, other modifications, and steps, etc.

[0005] While various photo-sharing application exist, professional photographers often further undertake much more complex and sophisticated processes to edit, retouch, and otherwise transform their raw work product into their final form. Such processes may require manual inputs and actions, however, thereby becoming more time-intensive and less likely to meet the expectations of modern-day audiences.

[0006] There are presently no simple and efficient manner to instantly (e.g., in real-time) create and share online galleries with targeted audiences. As such, a problem exists with allowing the user to quickly access the desired files while providing accounts associated with photographers the tools they need for post-processing.

[0007] As the foregoing illustrates, there is a need for improved techniques for generating and delivering access to an online gallery with associated capabilities of receiving dynamic uploading of images and videos. More specifically, what is needed in the art is image and video hosting service that provides dynamic uploading along with automated workflows for the hosted images and videos that have been dynamically uploaded.

SUMMARY OF THE CLAIMED INVENTION

[0008] Disclosed are systems, apparatuses, methods, computer readable medium, and circuits for providing automated workflows for dynamically uploaded images and videos hosted at a hosting service. According to at least one example, a method includes receiving one or more media files and a camera identifier associated with a camera, wherein the one or more media files are

automatically uploaded over a communication network by the camera during a photographic session. In some cases, the method includes identifying that the camera identifier of the camera is associated with an online gallery of a plurality of online galleries, the online gallery identified as having a web address. In some cases, the method includes applying one or more automated workflows to at least one subset of the received media files, wherein the at least one subset of media files is modified in accordance with the automated workflows. In some cases, the method includes populating the online gallery in real-time as the one or more modified subset media files are received over the communication network, wherein the online gallery is populated with the modified subset of media files.

[0009] In some cases, the method includes generating a link based on the web address of the online gallery, the link executable by a computing device to resolve the web address and access the online gallery based on the web address, and generating a display of the online gallery when the link is executed by the computing device, wherein the generated display includes the modified subset of media files. In some cases, the method includes applying a trained machine-learning model that is trained to manipulate media files in a similar style or preference as historical media files associated with the camera.

[0010] In some cases, the method includes training a machine-learning algorithm to result in the trained machine-learning model, wherein the machine-learning algorithm is trained based on training data including historical manipulations to the modified subset media files associated with the camera, and wherein the trained machine-learning model determines weights based on the training data. In some cases, the method includes linking the camera identifier with a subfolder the online gallery, wherein uploads from the respective camera is automatically uploaded into the subfolder. In some cases, the one or more of the automated workflows are user-specific or gallery-specific. In some cases, the method includes based on the received media files or the one or more modified subset media files, the online gallery may provide relevant data points or offers for further processing

[0011] In another example, a system for providing automated workflows for dynamically uploaded images and videos hosted at a hosting service is provided that includes a storage (e.g., a memory configured to store data, such as virtual content data, one or more images, etc.) and one or more processors (e.g., implemented in circuitry) coupled to the memory and configured to execute instructions and, in conjunction with various components (e.g., a network interface, a display, an output device, etc.), cause the system to receive one or more media files and a camera identifier associated with a camera, identify that the camera identifier of the camera is associated with an online gallery identified as having a web address, apply one or more of the automated workflows to at least one subset of the received media files, wherein the at least one subset of media files is modified in accordance with the automated workflows, and populate the online gallery in real-time as the one or more modified subset media files are received over a communication network, wherein the online gallery is populated with the modified subset of media files.

[0012] In some cases, the instructions cause the system to determine a location of the one or more media files by receiving webhooks including a plurality of unique identifiers, and query, by a web hosting server, an application programming interface for details pertaining to the plurality of unique identifiers including folder structure for the one or more media files and associated dates.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

[0013] FIG. 1 illustrates an example network environment in which a system provides automated workflows for dynamically uploaded images and videos hosted at a hosting service.

[0014] FIG. 2 is a flowchart illustrating an example method for providing automated workflows for

dynamically uploaded images and videos hosted at a hosting service.

[0015] FIG. 3 shows an example system for implementing certain aspects of the present technology.

DETAILED DESCRIPTION

[0016] The detailed description set forth below is intended as a description of various configurations of the subject technology and is not intended to represent the only configurations in which the technology can be practiced. The appended drawings are incorporated herein and constitute a part of the detailed description. The detailed description includes specific details for the purpose of providing a more thorough understanding of the technology. However, it will be clear and apparent that the technology is not limited to the specific details set forth herein and may be practiced without these details. In some instances, structures and components are shown in block diagram form in order to avoid obscuring the concepts of the subject technology.

[0017] Aspects of the present disclosure include systems and methods for providing automated workflows for dynamically uploaded images and videos hosted at a hosting service. One or more media files and a camera identifier associated with a camera may be received from the camera. The one or more media files may be auto-uploaded from the camera. A configuration to link the camera identifier associated with the camera and a gallery of an associated account may be received. The gallery may be associated with a webpage. The one or more media files may be auto-processed based on one or more automated workflows associated with the gallery. One of the automated workflows may be adding the one or more media files to the gallery of the associated account. A link, such as a QR code, for the webpage may be generated in response to a request from a user device. The webpage may be displayed at the user device and the one or more media files may have been proceeded by the one or more automated workflows.

[0018] FIG. 1 illustrates a computing system **100** configured for providing an automated upload and workflow service in which embodiments of the disclosure may be practiced. As shown, the computing system **100** may include a plurality of web hosting servers **108**, an upload integration server **112**, and a plurality of user devices (i.e., mobile/wireless devices) **102**, each connected to a communications network **106** (for example, the Internet). The web hosting servers **108** may communicate with a database **114** via a local connection (for example, a Storage Area Network (SAN) or Network Attached Storage (NAS)) or over the Internet (for example, a cloud based storage service). A web hosting service may provide the web hosting servers **108**, which may be configured to either directly access data included in the database **114** or to interface with a database manager that is configured to manage data included within the database **114**. The web hosting service may also provide the upload integration server **112**. The database **114** may include data objects that store data associated with user accounts, camera identifiers, billing information, media files, identifiers associated with the media files, workflow configurations associated with the user accounts, etc.

[0019] Each user device **102** may include conventional components of a computing device, for example, a processor, system memory, a hard disk drive, a battery, input devices such as a mouse and a keyboard, and/or output devices such as a monitor or graphical user interface, and/or a combination input/output device such as a touchscreen which not only receives input but also displays output. Each web hosting server **108** and the upload integration server **112** may include a processor and a system memory (not shown), and may be configured to manage content stored in database **114** using, for example, relational database software and/or a file system. The web hosting servers **108** may be programmed to communicate with one another, user devices **102**, and the upload integration server **112** using a network protocol such as, for example, the TCP/IP protocol. The upload integration server **112** may communicate directly with the user devices **102** through the communications network **106**. The user devices **102** are programmed to execute software, such as web browser programs and other software applications, and access web pages and/or applications managed by web hosting servers **108** by specifying a uniform resource locator (URL) that directs to

web hosting servers **108**.

[0020] In the embodiments described below, users are respectively operating the user devices **102** that are connected to the web hosting servers **108** over the communications network **106**. Web pages are displayed to a user via the user device **102**. The web pages are transmitted from the web hosting servers **108** to the user device **102** and processed by the web browser program stored in the user device **102** for display through a display device and/or a graphical user interface in communication with the user device **102**.

[0021] In one example, images or videos displayed on the user device **102** may be a digital photograph or video accessed via an online photo gallery. The user device **102** may access the online photo gallery via the communications network **106** which, in turn, retrieves the online photo gallery from the web hosting servers **108** connected to the database **114** and causes the images to be displayed through a graphical user interface of the user device **102**. The online photo gallery may be managed with a username and password combination, or other similar restricted access/verification required access methods, which allow the user to “log in” and access the images.

[0022] It is noted that the user device **102** may be a personal computer, laptop mobile computing device, smart phone, video game console, home digital media player, network-connected television, set top box, and/or other computing devices having components suitable for communicating with the communications network **106**. The user device **102** may also execute other software applications configured to receive, display, modify, store, and upload media files and other data from the multi-device integration application, such as, but not limited to, text notifications, SMS data, email platforms and other application platforms.

[0023] The upload integration server **112** may further send webhooks including a plurality of unique identifiers in an assigned envelop to the web hosting servers **108**. The web hosting servers **108** may query an application programming interface (API) for details pertaining to the plurality of unique identifiers, such as a location, such as a URL, for where one or more media files are located, and a folder structure for the media files including a date associated with each media file and associated user account. The web hosting servers **108** may then create a gallery and/or folder based on the provided folder structure and/or gallery for the associated user account. In some cases, the media files are stored locally to the web hosting servers **108** or on a cloud database and the respective one or more media files are then uploaded to the web hosting servers **108**. In other cases, the media files are uploaded directly from the camera **130** via the upload integration server **112** to the web hosting servers **108**. Uploading from the camera **130** may be via various transfer methods, including HTTP, FTP, WebDAV, etc.

[0024] The web hosting servers **108** may further provide generate a link, such as encoded in a QR code, a weblink (URL), a Bluetooth link, a near-field communications (NFC) link, etc. to the webpage, for users to view the gallery. Users that view the gallery do not need a user account associated with web hosting service. As an example, the user account may be associated with a professional photographer that takes photos for their clients. The client gets the link and can quickly view the gallery of the media files that the photographer has just taken. Further, each media file may be linked to various automated workflows, including a check-out workflow that provides the clients with a quick way to purchase media files soon after they are taken. The check-out workflow may be linked to online payment options, such as Apple Pay or Google Pay. Other automated workflows may include plug-ins with third-party editing services, such as Lightroom and artificial intelligence (AI)/machine learning (ML) imaging models that can edit the media files in AI-based protocols. For example, a learning model may be generated for the photographer based on a continually growing body of data regarding photos taken, filtered, retouched, and otherwise manipulated by the photographer. The learning model may discern patterns of actions associated with the photographer's style, taste, or preferences. Such model may be used to make predictions and recommendations as to how to which automatic workflow to apply to given photo. The

learning model may further be used to customize the automatic workflow itself to the photographer's individual needs, style, or preferences.

[0025] In some case, a machine-learning algorithm may be trained to result in a trained machine-learning model. The machine-learning algorithm may be trained based on training data including historical manipulations to the processed media files associated with the camera. The trained machine-learning model may further determine weights based on the training data.

[0026] In addition, the web hosting servers **108** may further provide an API that third-party applications can provide their software services to be used on the media files in the gallery. The media files in the gallery may also be used through the API by third-party applications to generate other data points or product offerings for the photographer. For example, third-party AI editing software may determine through the API that a subset of the gallery needs to be edits and may provide those edits and then upload the edited media files back into the gallery. Other provided solutions may include, automatically culling, deleting blurry or accidental photos, etc.

[0027] In some cases, the editing may be performed manually by the photographer. In that case, optionally, the photographer may choose to select a proof delay option that sets a designated period of time before the media files are released to the user account, giving the photographer a grace period to manually edit the media files. The editing history and associated metadata may be stored as the media files are manually edited.

[0028] Each user account may be associated with a plurality of cameras and when uploading, more than one camera may upload to a same folder. Each folder may be associated with a day or a specific event, and different cameras may upload therein. One of the automated workflows may include adding the respective media files to their respective galleries based on the configuration that links the camera identifier associated with the camera with the gallery associated with the associated user account.

[0029] The web hosting servers **108** may provide the original media file alongside any manipulated or edited versions of the media file and may be stored in relation to one another. In other words, raw and rendered and sidecar files may all stored as part of a whole asset.

[0030] FIG. **2** is a flowchart illustrating an example method **200** for providing automated workflows for dynamically uploaded images and videos hosted at a hosting service. The method **200** of FIG. **3** may be embodied as executable instructions in a non-transitory computer readable storage medium including but not limited to a CD, DVD, or non-volatile memory such as a hard drive. The instructions of the storage medium may be executed by a processor (or processors) to cause various hardware components of a computing device hosting or otherwise accessing the storage medium to effectuate the method. The execution of the instructions may be implemented on the cloud servers (e.g., the steps identified in FIG. **3** are performed in the cloud). The steps identified in FIG. **3** (and the order thereof) are examples and may include various alternatives, equivalents, or derivations thereof including but not limited to the order of execution of the same.

[0031] In step **210**, one or more media files and a camera identifier associated with a camera may be received from the camera. The camera identifier associated with the camera may be configured to be associated to an associated account. The one or more media files may be auto-uploaded and may first be auto-uploaded to another database, where it is first stored, before they are uploaded to a gallery.

[0032] In step **220**, a configuration to link the camera identifier associated with the camera and the gallery of the associated account may be received. The gallery may be associated with a webpage. Linking of the gallery indicates that any media files that are captured by the camera while there is a link, is uploaded to the specific gallery associated with the account.

[0033] For example, a photographer may be associated with a first camera and a second camera. However, these cameras, if not linked to a gallery, are not configured to upload the photos therein. The photographer may link a gallery named "Wedding Mar. 20, 2023" for the first camera and the second camera, and with the link, any media files taken by the first camera and the second camera

is uploaded to the gallery named “Wedding Mar. 20, 2023”, until the link is removed.

[0034] In step **230**, the one or more media files may be auto-processed based on one or more automated workflows associated with the gallery. One such automated workflow may be adding the one or more media files to the gallery. Adding the one or more media files protocol may include determining where the one or more media files are stored, whether locally or from a cloud database. Alternatively, the one or more media files may be uploaded straight from the camera. If a determination of the location of the media files is necessary, webhooks including a plurality of unique identifiers may be received and the web hosting servers may query an API for details pertaining to the plurality of unique identifiers, such as a location, such as a URL, for where one or more media files are located, and a folder structure for the media files including a date associated with each media file and associated user account. Alternatively, the locations may be stored locally and accessed to determine the same types of data, such as folder structure.

[0035] Other types of automated workflows may be configured either by default or by the user account, and the configurations may be user-specific or gallery-specific. Users may choose which automated workflows they would like to be performed on the gallery, either before the media files are uploaded or after.

[0036] Other automated workflows may include plug-ins with third-party editing services, such as Lightroom and AI/ML imaging models that can edit the media files in pre-determined or AI-based protocols. In addition, the web hosting servers **108** may further provide an API that third-party applications can provide their software services to be used on the media files in the gallery. The media files in the gallery may also be used through the API by third-party applications to generate other data points or product offerings for the photographer. For example, third-party AI editing software may determine through the API that a subset of the gallery needs to be edited and may provide those edits and then upload the edited media files back into the gallery. Other provided solutions may include, automatically culling, deleting blurry or accidental photos, etc.

[0037] From the user device perspective, a link, such as a QR code, may be used to view the gallery. Links, such as QR codes, may be generated upon request. The user device showing the gallery may provide options for the users to either purchase, request other types of workflows, such as additional editing, and/or provide comments about specific media files. As such, each media file may be linked to various automated workflows, including a check-out workflow that provides the clients with a quick way to purchase media files soon after they are taken. The check-out workflow may be linked to online payment options.

[0038] Systems and methods for providing automated workflows for dynamically uploaded images and videos hosted at a hosting service are provided herewith. One or more media files and a camera identifier associated with a camera may be received from the camera. The one or more media files may be auto-uploaded from the camera. A configuration to link the camera identifier associated with the camera and a gallery of an associated account may be received. The gallery may be associated with a webpage. The one or more media files may be auto-processed based on one or more automated workflows associated with the gallery. One of the automated workflows may be adding the one or more media files to the gallery of the associated account. A link, such as a QR code, for the webpage may be generated in response to a request from a user device. The webpage may be displayed at the user device and the one or more media files may have been processed by the one or more automated workflows.

[0039] FIG. **3** shows an example system for implementing certain aspects of the present technology, which can be for example any computing device making up a user device **102** or the web server or other web hosting service, or any component thereof in which the components of the system are in communication with each other using connection **305**. Connection **305** can be a physical connection via a bus, or a direct connection into processor **310**, such as in a chipset architecture. Connection **305** can also be a virtual connection, networked connection, or logical connection.

[0040] In some embodiments, computing system **300** is a distributed system in which the functions described in this disclosure can be distributed within a datacenter, multiple data centers, a peer network, etc. In some embodiments, one or more of the described system components represents many such components each performing some or all of the function for which the component is described. In some embodiments, the components can be physical or virtual devices.

[0041] Example system **300** includes at least one processing unit (CPU or processor) **310** and connection **305** that couples various system components including system memory **315**, such as read-only memory (ROM) **320** and random access memory (RAM) **325** to processor **310**.

Computing system **300** can include a cache of high-speed memory **312** connected directly with, in close proximity to, or integrated as part of processor **310**.

[0042] Processor **310** can include any general purpose processor and a hardware service or software service, such as services **332**, **334**, and **336** stored in storage device **330**, configured to control processor **310** as well as a special-purpose processor where software instructions are incorporated into the actual processor design. Processor **310** may essentially be a completely self-contained computing system, containing multiple cores or processors, a bus, memory controller, cache, etc. A multi-core processor may be symmetric or asymmetric.

[0043] To enable user interaction, computing system **300** includes an input device **345**, which can represent any number of input mechanisms, such as a microphone for speech, a touch-sensitive screen for gesture or graphical input, keyboard, mouse, motion input, speech, etc. Computing system **300** can also include output device **335**, which can be one or more of a number of output mechanisms known to those of skill in the art. In some instances, multimodal systems can enable a user to provide multiple types of input/output to communicate with computing system **300**.

Computing system **300** can include communications interface **340**, which can generally govern and manage the user input and system output. There is no restriction on operating on any particular hardware arrangement, and therefore the basic features here may easily be substituted for improved hardware or firmware arrangements as they are developed.

[0044] Storage device **330** can be a non-volatile memory device and can be a hard disk or other types of computer-readable media which can store data that are accessible by a computer, such as magnetic cassettes, flash memory cards, solid state memory devices, digital versatile disks, cartridges, random access memories (RAMs), read-only memory (ROM), and/or some combination of these devices.

[0045] The storage device **330** can include software services, servers, services, etc., that when the code that defines such software is executed by the processor **310**, it causes the system to perform a function. In some embodiments, a hardware service that performs a particular function can include the software component stored in a computer-readable medium in connection with the necessary hardware components, such as processor **310**, connection **305**, output device **335**, etc., to carry out the function.

[0046] For clarity of explanation, in some instances, the present technology may be presented as including individual functional blocks including functional blocks comprising devices, device components, steps or routines in a method embodied in software, or combinations of hardware and software.

[0047] Any of the steps, operations, functions, or processes described herein may be performed or implemented by a combination of hardware and software services or services, alone or in combination with other devices. In some embodiments, a service can be software that resides in memory of a client device and/or one or more servers of a content management system and perform one or more functions when a processor executes the software associated with the service. In some embodiments, a service is a program or a collection of programs that carry out a specific function. In some embodiments, a service can be considered a server. The memory can be a non-transitory computer-readable medium.

[0048] In some embodiments, the computer-readable storage devices, mediums, and memories can

include a cable or wireless signal containing a bit stream and the like. However, when mentioned, non-transitory computer-readable storage media expressly exclude media such as energy, carrier signals, electromagnetic waves, and signals per se.

[0049] Methods according to the above-described examples can be implemented using computer-executable instructions that are stored or otherwise available from computer-readable media. Such instructions can comprise, for example, instructions and data which cause or otherwise configure a general-purpose computer, special purpose computer, or special purpose processing device to perform a certain function or group of functions. Portions of computer resources used can be accessible over a network. The executable computer instructions may be, for example, binaries, intermediate format instructions such as assembly language, firmware, or source code. Examples of computer-readable media that may be used to store instructions, information used, and/or information created during methods according to described examples include magnetic or optical disks, solid-state memory devices, flash memory, USB devices provided with non-volatile memory, networked storage devices, and so on.

[0050] Devices implementing methods according to these disclosures can comprise hardware, firmware and/or software, and can take any of a variety of form factors. Typical examples of such form factors include servers, laptops, smartphones, small form factor personal computers, personal digital assistants, and so on. The functionality described herein also can be embodied in peripherals or add-in cards. Such functionality can also be implemented on a circuit board among different chips or different processes executing in a single device, by way of further example.

[0051] The instructions, media for conveying such instructions, computing resources for executing them, and other structures for supporting such computing resources are means for providing the functions described in these disclosures.

Claims

1. (canceled)
2. A method of customizing automated workflows for hosted content, the method comprising: storing historical data in memory regarding a plurality of image manipulation actions associated with one or more media files hosted by an online gallery; generating a link corresponding to a web address of the online gallery, wherein the link is associated with one or more cameras; automatically uploading one or more media files from one or more of the cameras to the online gallery based on the link; detecting a pattern of one or more manipulation actions taken in relation to one or more of the media files hosted in the online gallery based on an analysis of the stored historical data; and generating a recommendation regarding a customized workflow of one or more of the manipulation actions to apply to one or more of the uploaded media files in accordance with the detected pattern.
3. The method of claim 2, wherein the pattern of manipulation actions includes manipulation actions performed by a machine-learning model.
4. The method of claim 2, wherein one or more of the manipulation actions of the customized workflow are applied by a machine-learning model that is trained to manipulate media files in accordance with the detected pattern.
5. The method of claim 4, further comprising training the machine-learning algorithm based on the historical data.
6. The method of claim 5, wherein the trained machine-learning model determines one or more weights for one or more of the manipulation actions based on the historical data.
7. The method of claim 2, wherein the historical data is associated with a user of the cameras, and wherein detecting the pattern of manipulation actions includes utilizing a machine-learning model to identify a style or preference of the user.
8. The method of claim 2, further comprising identifying one or more camera identifiers associated

with the cameras.

9. The method of claim 2, wherein the cameras are associated with a user account.

10. The method of claim 2, wherein the customized workflow includes one or more plug-ins each configured to communicate with a third-party system over a communication network.

11. The method of claim 2, wherein the recommendation is specific to a subset of the online gallery.

12. A system of customizing automated workflows for hosted content, the system comprising: memory that stores historical data in memory regarding a plurality of image manipulation actions associated with one or more media files hosted by an online gallery; and a processor that executes instructions stored in memory, wherein the processor executes the instructions to: generate a link corresponding to a web address of the online gallery, wherein the link is associated with one or more cameras, initiate automatic upload of one or more media files from one or more of the cameras to the online gallery based on the link, detect a pattern of one or more manipulation actions taken in relation to one or more of the media files hosted in the online gallery based on an analysis of the stored historical data, and generate a recommendation regarding a customized workflow of one or more of the manipulation actions to apply to one or more of the uploaded media files in accordance with the detected pattern.

13. The system of claim 12, wherein the pattern of manipulation actions includes manipulation actions performed by a machine-learning model.

14. The system of claim 12, wherein one or more of the manipulation actions of the customized workflow are applied by a machine-learning model that is trained to manipulate media files in accordance with the detected pattern.

15. The system of claim 14, wherein the processor executes further instructions to train the machine-learning algorithm based on the historical data.

16. The system of claim 15, wherein the trained machine-learning model determines one or more weights for one or more of the manipulation actions based on the historical data.

17. The system of claim 12, wherein the historical data is associated with a user of the cameras, and wherein the processor detects the pattern of manipulation actions by utilizing a machine-learning model to identify a style or preference of the user.

18. The system of claim 12, wherein the processor executes further instructions to identify one or more camera identifiers associated with the cameras.

19. The system of claim 12, wherein the cameras are associated with a user account.

20. The system of claim 12, wherein the customized workflow includes one or more plug-ins each configured to communicate with a third-party system over a communication network.

21. The system of claim 12, wherein the recommendation is specific to a subset of the online gallery.

22. A non-transitory computer-readable storage medium that includes a program executable by a processor to perform a method of customizing automated workflows for hosted content, the method comprising: storing historical data in memory regarding a plurality of image manipulation actions associated with one or more media files hosted by an online gallery; generating a link corresponding to a web address of the online gallery, wherein the link is associated with one or more cameras; automatically uploading one or more media files from one or more of the cameras to the online gallery based on the link; detecting a pattern of one or more manipulation actions taken in relation to one or more of the media files hosted in the online gallery based on an analysis of the stored historical data; and generating a recommendation regarding a customized workflow of one or more of the manipulation actions to apply to one or more of the uploaded media files in accordance with the detected pattern.
