

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12400275
Kind Code	B2
Date of Patent	August 26, 2025
Inventor(s)	Moring; Michael Dustin et al.

Automatic triggering of receipt delivery

Abstract

Disclosed herein is a technology for automatically triggering delivery of a digital receipt for one or more financial transactions based on a change in location of the user or a time. In at least some embodiments, the technology includes a payment system detecting a change in location of a user or a change in time and determining, based on the change, that a payment transaction has occurred. The payment system then causes presentation of digital receipt for the payment transaction on a mobile device of a customer.

Inventors: Moring; Michael Dustin (San Francisco, CA), Grassadonia; Brian (San Francisco, CA), Myrick; Lauren A. (San Francisco, CA), Maxwell; David W. (San Francisco, CA)

Applicant: Block, Inc. (San Francisco, CA)

Family ID: 1000008780891

Assignee: Block, Inc. (Oakland, CA)

Appl. No.: 17/836846

Filed: June 09, 2022

Prior Publication Data

Document Identifier	Publication Date
US 20220301075 A1	Sep. 22, 2022

Related U.S. Application Data

continuation parent-doc US 16859969 20200427 US 11410247 child-doc US 17836846
continuation parent-doc US 14160490 20140121 US 10810682 20201020 child-doc US 16859969
us-provisional-application US 61921064 20131226

Publication Classification

Int. Cl.: G06Q40/00 (20230101); G06Q40/12 (20230101)

U.S. Cl.:

CPC G06Q40/12 (20131203);

Field of Classification Search

USPC: None

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
3595075	12/1970	Dower	N/A	N/A
D376386	12/1995	Sisilli	N/A	N/A
5739512	12/1997	Tognazzini	N/A	N/A
5878337	12/1998	Joao et al.	N/A	N/A
5956693	12/1998	Geerlings	N/A	N/A
7085812	12/2005	Sherwood	N/A	N/A
D547371	12/2006	Miller	N/A	N/A
7415492	12/2007	Soliman	N/A	N/A
7764185	12/2009	Manz et al.	N/A	N/A
D621872	12/2009	Jordan	N/A	N/A
7783515	12/2009	Kumar et al.	N/A	N/A
7810729	12/2009	Morley, Jr.	N/A	N/A
D641040	12/2010	Tetrault	N/A	N/A
D657414	12/2011	Liu et al.	N/A	N/A
8180682	12/2011	Narayanaswami et al.	N/A	N/A
8224700	12/2011	Silver	705/16	G06Q 10/02
8396808	12/2012	Greenspan	N/A	N/A
8534551	12/2012	Rothschild	N/A	N/A
8892462	12/2013	Borovsky et al.	N/A	N/A
8965791	12/2014	Bell et al.	N/A	N/A
9495670	12/2015	Bell et al.	N/A	N/A
9811813	12/2016	Laracey	N/A	N/A
D832344	12/2017	Bell	N/A	N/A
11599881	12/2022	Mimassi	N/A	G06Q 50/12
2002/0188561	12/2001	Schultz	N/A	N/A
2003/0204447	12/2002	Dalzell et al.	N/A	N/A
2004/0030600	12/2003	Lacroix	N/A	N/A
2004/0054592	12/2003	Hemblad	N/A	N/A
2004/0158494	12/2003	Suthar	N/A	N/A
2004/0167820	12/2003	Melick et al.	N/A	N/A
2004/0225509	12/2003	Andre	N/A	N/A
2005/0071232	12/2004	Frater	N/A	N/A

2006/0143087	12/2005	Tripp et al.	N/A	N/A
2006/0261149	12/2005	Raghavendra Tulluri	N/A	N/A
2007/0045405	12/2006	Rothschild	N/A	N/A
2007/0050305	12/2006	Klein	N/A	N/A
2007/0069013	12/2006	Seifert et al.	N/A	N/A
2008/0040265	12/2007	Rackley, III et al.	N/A	N/A
2008/0065396	12/2007	Marshall	N/A	N/A
2008/0177624	12/2007	Dohse	N/A	N/A
2008/0197188	12/2007	Jagatic et al.	N/A	N/A
2009/0094125	12/2008	Killian	705/17	G06Q 40/12
2009/0192898	12/2008	Baril	N/A	N/A
2009/0271265	12/2008	Lay et al.	N/A	N/A
2009/0292595	12/2008	Tonnison et al.	N/A	N/A
2009/0313132	12/2008	McKenna	235/380	G06Q 40/10
2010/0177343	12/2009	Shapiro et al.	N/A	N/A
2010/0217675	12/2009	Bookstaff	N/A	N/A
2010/0217699	12/2009	Bookstaff	705/35	G06Q 30/06
2010/0269059	12/2009	Olthmer et al.	N/A	N/A
2010/0325048	12/2009	Carlson et al.	N/A	N/A
2010/0332265	12/2009	Smith	N/A	N/A
2011/0090080	12/2010	Yu	340/539.13	G06Q 30/0201
2011/0106840	12/2010	Barrett et al.	N/A	N/A
2011/0184822	12/2010	Matkovic	N/A	N/A
2011/0264581	12/2010	Clyne	N/A	N/A
2012/0066065	12/2011	Switzer	N/A	N/A
2012/0084135	12/2011	Nissan et al.	N/A	N/A
2012/0290420	12/2011	Close	N/A	N/A
2013/0006782	12/2012	Schwarzkopf et al.	N/A	N/A
2013/0080239	12/2012	Okerlund	705/14.27	G06Q 20/387
2013/0124262	12/2012	Anchala	N/A	N/A
2013/0132140	12/2012	Amin et al.	N/A	N/A
2013/0132246	12/2012	Amin et al.	N/A	N/A
2013/0132274	12/2012	Henderson et al.	N/A	N/A
2013/0132887	12/2012	Amin et al.	N/A	N/A
2013/0159446	12/2012	Carlson et al.	N/A	N/A
2013/0166332	12/2012	Hammad	N/A	N/A
2013/0198018	12/2012	Baig	N/A	N/A
2013/0225075	12/2012	Schmid et al.	N/A	N/A
2013/0238455	12/2012	Laracey	N/A	N/A
2013/0246207	12/2012	Novak et al.	N/A	N/A
2013/0246272	12/2012	Kirsch	705/44	G06Q 20/401
2013/0246301	12/2012	Radhakrishnan et al.	N/A	N/A
2014/0052613	12/2013	Tavakoli	705/39	G06Q 20/3224
2014/0100931	12/2013	Sanchez et al.	N/A	N/A
2014/0129135	12/2013	Holden et al.	N/A	N/A
2014/0129302	12/2013	Amin et al.	N/A	N/A

2014/0129441	12/2013	Blanco et al.	N/A	N/A
2014/0129951	12/2013	Amin et al.	N/A	N/A
2014/0180790	12/2013	Boal	N/A	N/A
2014/0180793	12/2013	Boal	N/A	N/A
2014/0337175	12/2013	Katzin et al.	N/A	N/A
2015/0120411	12/2014	Kneen	N/A	N/A
2015/0149271	12/2014	Battle et al.	N/A	N/A
2015/0149357	12/2014	Ioannidis	705/44	G06Q 20/3224
2015/0187021	12/2014	Moring et al.	N/A	N/A
2015/0220937	12/2014	Iannace et al.	N/A	N/A
2015/0254628	12/2014	Bell et al.	N/A	N/A
2016/0092895	12/2015	Grossman	N/A	N/A
2017/0039540	12/2016	Bell et al.	N/A	N/A
2018/0181941	12/2017	Maxwell et al.	N/A	N/A
2019/0385142	12/2018	Bell et al.	N/A	N/A
2020/0258167	12/2019	Moring et al.	N/A	N/A
2020/0279241	12/2019	Maxwell et al.	N/A	N/A
2022/0058613	12/2021	Maxwell et al.	N/A	N/A

FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
2 951 839	12/2014	CA	N/A
2015/100378	12/2014	WO	N/A
2015/138350	12/2014	WO	N/A

OTHER PUBLICATIONS

Notice of Allowance mailed Feb. 7, 2020, for U.S. Appl. No. 15/900,753, of Maxwell, D.W., et al., filed Feb. 20, 2018. cited by applicant

Notice of Allowance mailed Jun. 11, 2020, for U.S. Appl. No. 14/160,490, of Moring, D., et al., filed Jan. 21, 2014. cited by applicant

Non-Final Office Action mailed Jun. 25, 2020, for U.S. Appl. No. 16/859,969, of Moring, D., et al., filed Apr. 27, 2020. cited by applicant

Final Office Action mailed Jul. 10, 2020, for U.S. Appl. No. 16/452,474, of Bell B., et al., filed Jun. 25, 2019. cited by applicant

Non-Final Office Action mailed Aug. 3, 2020, for U.S. Appl. No. 16/875,964, of Maxwell, D.W., et al., filed May 15, 2020. cited by applicant

Advisory Action mailed Oct. 5, 2020, for U.S. Appl. No. 16/452,474, of Bell B., et al., filed Jun. 25, 2019. cited by applicant

Notice of Allowance mailed Nov. 4, 2020, for U.S. Appl. No. 16/452,474, of Bell B., et al., filed Jun. 25, 2019. cited by applicant

Non-Final Office Action mailed Nov. 24, 2020, for U.S. Appl. No. 16/875,964, of Maxwell, D.W., et al., filed May 15, 2020. cited by applicant

Final Office Action mailed Mar. 25, 2021, for U.S. Appl. No. 16/875,964, of Maxwell, D.W., et al., filed May 15, 2020. cited by applicant

Final Office Action mailed Apr. 6, 2021, for U.S. Appl. No. 16/859,969, of Moring, D., et al., filed Apr. 27, 2020. cited by applicant

Advisory Action mailed May 14, 2021, for U.S. Appl. No. 16/875,964, of Maxwell, D.W., et al., filed May 15, 2020. cited by applicant

Notice of Allowance mailed Jun. 29, 2021, for U.S. Appl. No. 16/875,964, of Maxwell, D.W., et al., filed May 15, 2020. cited by applicant

Advisory Action mailed Jun. 8, 2021, for U.S. Appl. No. 16/859,969, of Moring, D., et al., filed Apr. 27, 2020. cited by applicant

Corrected Notice of Allowability mailed Jul. 16, 2021, for U.S. Appl. No. 16/875,964, of Maxwell, D.W., et al., filed May 15, 2020. cited by applicant

Notice of Allowance mailed Aug. 23, 2021, for U.S. Appl. No. 16/859,969, of Moring, D., et al., filed Apr. 27, 2020. cited by applicant

First Examination Report for Australian Patent Application No. 2015229659, mailed Mar. 20, 2019. cited by applicant

Examination Report, for European Patent Application No. 15760811.8, mailed Jun. 14, 2019. cited by applicant

Second Examination Report for Australian Patent Application No. 2015229659, mailed Feb. 12, 2020. cited by applicant

First Examination Report for Australian Patent Application No. 2020202007, mailed Dec. 8, 2020. cited by applicant

International Search Report and Written Opinion for International Application No. PCT/US2014/72269, mailed Mar. 31, 2015. cited by applicant

International Search Report and Written Opinion for International Application No. PCT/US2015/019518, mailed Jun. 18, 2015. cited by applicant

Extended European Search Report for European Patent Application No. 15760811.8, mailed Jul. 14, 2017. cited by applicant

Third Examination Report for Australian Patent Application No. 2015229659, mailed Mar. 20, 2020. cited by applicant

Examiner Requisition for Canadian Patent Application No. 2951839, mailed on Apr. 13, 2021. cited by applicant

Second Examination Report for Australian Patent Application No. 2020202007, mailed May 12, 2021. cited by applicant

Notice of Acceptance for Australian Patent Application No. 2020202007, mailed Jul. 30, 2021. cited by applicant

Notice of Grant for Australian Patent Application No. 2020202007, mailed Nov. 25, 2021. cited by applicant

Notice of Allowance mailed Dec. 15, 2021, for U.S. Appl. No. 16/859,969, of Moring, D., et al., filed Apr. 27, 2020. cited by applicant

Notice of Allowance for Canadian Patent Application No. 2951839, mailed on May 2, 2022. cited by applicant

Notice of Allowability mailed Mar. 10, 2020, for U.S. Appl. No. 14/160,490, of Moring, D., et al., filed Jan. 21, 2014. cited by applicant

Updated Notice of Allowance mailed Jan. 6, 2022, for U.S. Appl. No. 16/859,969, of Moring, D., et al., filed Apr. 27, 2020. cited by applicant

“Card Not Present Transaction,” Wikipedia, published Mar. 4, 2014, Retrieved from the Internet URL: http://en.wikipedia.org/wiki/Card_not_present_transaction, on Jun. 6, 2014, pp. 1-2. cited by applicant

“Online Shopping,” dated Nov. 2, 2014, Retrieved from the Internet URL: http://en.wikipedia.org/wiki/Online_shopping, on Nov. 10, 2014, pp. 1-12. cited by applicant

“Payment Gateway,” Wikipedia, published May 30, 2014, Retrieved from the Internet URL: http://en.wikipedia.org/wiki/Payment_gateways, on Jun. 6, 2014, pp. 1-3. cited by applicant

“Uber—Android Apps on Google Play,” Published on Nov. 10, 2014, Retrieved from the Internet URL: <https://play.google.com/store/apps/details?id=com.ubercab&hl=en>, on Nov. 12, 2014, pp. 1-2. cited by applicant

Goode, L., "Paying With Square's New Mobile-Payments App," All Things D, dated Apr. 30, 2012, Retrieved from the Internet URL: <http://allthingsd.com/20120430/paying-with-squares-new-mobile-payments-app/>, on Nov. 7, 2014, pp. 1-3. cited by applicant

Myres, L., "The Mac Security Blog: What is Multi-Factor Authentication, and How Will It Change in the Future?," Intego, dated Aug. 17, 2012, Retrieved from the Internet URL: <http://www.intego.com/mac-security-blog/what-is-multi-factor-authentication-and-how-will-it-change-in-the-future/>, on Nov. 11, 2014, pp. 1-4. cited by applicant

Wallen, J., "Five Top Apps for Managing Inventory," Tech Republic, dated Aug. 15, 2012, Retrieved from the Internet URL: <http://www.techrepublic.com/blog/five-apps/five-top-apps-for-managing-inventory/>, on Nov. 10, 2014, pp. 1-7. cited by applicant

Carr, A., "How Square Register's UI Guilts You Into Leaving Tips," dated Dec. 12, 2013, Retrieved from the Internet URL: <http://www.fastcodesign.com/3022182/innovation-by-design/how-square-registers-ui-guilts-you-into-leaving-tips>, on Jul. 1, 2015, pp. 1-12. cited by applicant

Munson, J., and Gupta, V.K., "Location-Based Notification as a General-Purpose Service," dated Sep. 28, 2002, Retrieved from the Internet URL—<https://ai2-s2-pdfs.s3.amazonaws.com/1bb5/6ae0a70b030e2f2376ed246834bddcabd27b.pdf>, pp. 40-44. cited by applicant

Shalmanese, "The Straight Dope Message Board," message dated Oct. 5, 2013, Retrieved from the Internet URL: <http://boards.straightdope.com/sdmb/showthread.php?t=703989%BB>, on Jul. 18, 2016, pp. 1-10. cited by applicant

Non-Final Office Action mailed Apr. 10, 2014, for U.S. Appl. No. 14/160,490, of Moring, D., et al., filed Jan. 21, 2014. cited by applicant

Non-Final Office Action mailed Jun. 26, 2014, for U.S. Appl. No. 14/252,714, of Bell, B., et al., filed Apr. 14, 2014. cited by applicant

Non-Final Office Action mailed Jul. 18, 2014, for U.S. Appl. No. 14/252,712, of Bell, B., et al., filed Apr. 14, 2014. cited by applicant

Final Office Action mailed Aug. 28, 2014, for U.S. Appl. No. 14/160,490, of Moring, D., et al., filed Jan. 21, 2014. cited by applicant

Non-Final Office Action mailed Oct. 1, 2014, for U.S. Appl. No. 14/252,714, of Bell, B., et al., filed Apr. 14, 2014. cited by applicant

Advisory Action mailed Nov. 18, 2014, for U.S. Appl. No. 14/160,490, of Moring, D., et al., filed Jan. 21, 2014. cited by applicant

Non-Final Office Action mailed Dec. 8, 2014, for U.S. Appl. No. 14/220,057, of Maxwell, D.W., et al., filed Mar. 19, 2014. cited by applicant

Notice of Allowance mailed Jan. 5, 2015, for U.S. Appl. No. 14/252,714, of Bell, B., et al., filed Apr. 14, 2014. cited by applicant

EIC 3600 Search Report mailed Jan. 5, 2015, for U.S. Appl. No. 14/252,714, of Bell, B., et al., filed Apr. 14, 2014. cited by applicant

Final Office Action mailed Mar. 2, 2015, for U.S. Appl. No. 14/252,712, of Bell, B., et al., filed Apr. 14, 2014. cited by applicant

Non-Final Office Action mailed May 5, 2015, for U.S. Appl. No. 14/220,057, of Maxwell, D.W., et al., filed Mar. 19, 2014. cited by applicant

Final Office Action mailed Jun. 25, 2015, for U.S. Appl. No. 14/252,712, of Bell, B., et al., filed Apr. 14, 2014. cited by applicant

Non-Final Office Action mailed Jul. 10, 2015, for Design U.S. Appl. No. 29/484,510, of Bell, B., filed Mar. 10, 2014. cited by applicant

Advisory Action mailed Aug. 21, 2015, for U.S. Appl. No. 14/252,712, of Bell, B., et al., filed Apr. 14, 2014. cited by applicant

Final Office Action mailed Oct. 14, 2015, for U.S. Appl. No. 14/220,057, of Maxwell, D.W., et al., filed Mar. 19, 2014. cited by applicant

Non-Final Office Action mailed Jan. 14, 2016, for U.S. Appl. No. 14/252,712, of Bell, B., et al.,

filed Apr. 14, 2014. cited by applicant
Advisory Action mailed Feb. 10, 2016, for U.S. Appl. No. 14/220,057, of Maxwell, D.W., et al.,
filed Mar. 19, 2014. cited by applicant
Non-Final Office Action mailed May 9, 2016, for U.S. Appl. No. 14/220,057, of Maxwell, D.W., et
al., filed Mar. 19, 2014. cited by applicant
Final Office Action mailed Jun. 7, 2016, for Design U.S. Appl. No. 29/484,510, of Bell, B., filed
Mar. 10, 2014. cited by applicant
Non-Final Office Action mailed Jun. 13, 2016, for U.S. Appl. No. 14/252,716, of Bell, B., et al.,
filed Apr. 14, 2014. cited by applicant
Non-Final Office Action mailed Jul. 14, 2016, for U.S. Appl. No. 14/160,490, of Moring, D., et al.,
filed Jan. 21, 2014. cited by applicant
Notice of Allowance mailed Jul. 21, 2016, for U.S. Appl. No. 14/252,712, of Bell, B., et al., filed
Apr. 14, 2014. cited by applicant
Final Office Action mailed Oct. 26, 2016, for U.S. Appl. No. 14/220,057, of Maxwell, D.W., et al.,
filed Mar. 19, 2014. cited by applicant
Final Office Action mailed Nov. 1, 2016, for U.S. Appl. No. 14/160,490, of Moring, D., et al., filed
Jan. 21, 2014. cited by applicant
Ex Parte Quayle Action mailed Dec. 20, 2016, for Design U.S. Appl. No. 29/484,510, of Bell, B.,
filed Mar. 10, 2014. cited by applicant
Advisory Action mailed Jan. 26, 2017, for U.S. Appl. No. 14/220,057, of Maxwell, D.W., et al.,
filed Mar. 19, 2014. cited by applicant
Notice of Allowance mailed Mar. 16, 2017, for Design U.S. Appl. No. 29/484,510, of Bell, B., filed
Mar. 10, 2014. cited by applicant
Non-Final Office Action mailed Apr. 18, 2017, for U.S. Appl. No. 14/160,490, of Moring, D., et al.,
filed Jan. 21, 2014. cited by applicant
Non-Final Office Action mailed May 15, 2017, for U.S. Appl. No. 14/220,057, of Maxwell, D.W.,
et al., filed Mar. 19, 2014. cited by applicant
Final Office Action mailed Aug. 10, 2017, for U.S. Appl. No. 14/160,490, of Moring, D., et al.,
filed Jan. 21, 2014. cited by applicant
Non-Final Office Action mailed Aug. 14, 2017, for Design U.S. Appl. No. 29/484,510, of Bell, B.,
filed Mar. 10, 2014. cited by applicant
Final Office Action mailed Oct. 11, 2017, for U.S. Appl. No. 14/220,057, of Maxwell, D.W., et al.,
filed Mar. 19, 2014. cited by applicant
Advisory Action mailed Oct. 31, 2017, for U.S. Appl. No. 14/160,490, of Moring, D., et al., filed
Jan. 21, 2014. cited by applicant
Non-Final Office Action mailed Dec. 19, 2017, for Design U.S. Appl. No. 29/484,510, of Bell, B.,
filed Mar. 10, 2014. cited by applicant
Non-Final Office Action mailed Mar. 26, 2018, for U.S. Appl. No. 15/331,594, of Bell, B., et al.,
filed Oct. 21, 2016. cited by applicant
Notice of Allowance mailed Jun. 29, 2018, for Design U.S. Appl. No. 29/484,510, of Bell, B., filed
Mar. 10, 2014. cited by applicant
Notice of Allowance mailed Jul. 31, 2018, for Design U.S. Appl. No. 29/484,510, of Bell, B., filed
Mar. 10, 2014. cited by applicant
Final Office Action mailed Nov. 16, 2018, for U.S. Appl. No. 15/331,594, of Bell, B., et al., filed
Oct. 21, 2016. cited by applicant
Notice of Allowance mailed Mar. 13, 2019, for U.S. Appl. No. 15/331,594, of Bell, B., et al., filed
Oct. 21, 2016. cited by applicant
Non-Final Office Action mailed Jan. 10, 2020, for U.S. Appl. No. 16/452,474, of Bell, B., filed Jun.
25, 2019. cited by applicant

Background/Summary

CROSS-REFERENCE TO RELATED APPLICATIONS (1) This application claims the priority of U.S. patent application Ser. No. 16/859,969, filed Apr. 27, 2020, which claims priority of U.S. patent application Ser. No. 14/160,490, filed Jan. 21, 2014, and issued as U.S. Pat. No. 10,810,682 on Oct. 20, 2020, and U.S. Provisional Application No. 61/921,064, filed Dec. 26, 2013. The contents of the above-identified applications are incorporated herein by reference in their entirety.

BACKGROUND

(1) Many financial transactions are conducted electronically due to the increasing popularity and acceptance of the computer and mobile devices. Many merchants have started to provide their customers with receipts electronically to maintain record of the financial transactions. The existing electronic receipt solutions, however, often require a considerable amount of activation energy before the actual receipt gets generated and delivered to the customer. For the merchants, such high energy efforts involve, for example, having to generate manually the receipt every time a transaction occurs, having to identify an appropriate method to deliver the receipt to the customer, and having to build their own infrastructure to support electronic receipts. For the customers, the high energy efforts involve, for example, having to re-learn and re-setup a new receipt account for every new merchant.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

- (1) One or more embodiments of the disclosed technology are illustrated by way of example and are not limited by the figures of the accompanying drawings, in which like references indicate similar elements.
- (2) FIG. 1 is an environment in which various embodiments of a receipt delivery technology can be implemented.
- (3) FIG. 2 is a block diagram illustrating a technique associated with the receipt delivery technology disclosed according to some embodiments.
- (4) FIG. 3 is a block diagram illustrating a user interface associated with the receipt delivery technology according to some embodiments.
- (5) FIG. 4 is a block diagram illustrating various embodiments of a receipt associated with the receipt delivery technology.
- (6) FIG. 5 is a flow diagram illustrating a process of automatically triggering a receipt delivery according to some embodiments.
- (7) FIG. 6 is a flow diagram illustrating a process of automatically triggering a receipt delivery having fraud protection according to some embodiments.
- (8) FIG. 7 is a flow diagram illustrating a process of automatically triggering a receipt delivery based on a receipt delivery preference according to some embodiments.
- (9) FIG. 8 is a block diagram illustrating a computer system within which a set of instructions, for causing the machine to perform one or more of the techniques discussed herein, can be executed.

DETAILED DESCRIPTION

- (10) References in this description to “an embodiment”, “one embodiment”, or the like, mean that

the particular feature, function, structure or characteristic being described is included in at least one embodiment of the present technology. Occurrences of such phrases in this specification do not necessarily all refer to the same embodiment. On the other hand, such references are not necessarily mutually exclusive.

(11) Overview

(12) Introduced herein is a technology for automatically triggering delivery of a digital receipt for a financial transaction based on a previously stored electronic address for receiving a digital receipt (or “electronic receipt”). Using the electronic address stored from one or more past financial transactions, a new electronic receipt associated with a new transaction can be automatically delivered to the user, regardless of the new transaction being with the same merchant from the one or more past transactions.

(13) In at least some embodiments, the disclosed technology includes a digital receipt system that is configured to communicate with one or more payment transaction systems to enable automatic triggering of receipt delivery. The one or more payment transaction systems are associated with one or more merchants conducting financial transactions with a customer (i.e., “user,” “consumer,” “payer,” “purchaser,” or the like). A merchant's payment transaction system can be, for example, a payment card reader attached to a mobile device operating as a point of sale (POS) system for the merchant's business.

(14) The POS system can be configured to receive and store certain transaction information from a customer in a transaction. The transaction information can include, for example, payment information such as a payment card number (e.g., credit card number), a payment card name (e.g., first and last name of customer who is a cardholder of the card), or a payment account address information (e.g., country code). The POS system can receive such transaction information, for example, through a card reader swipe, where data, typically stored on a magnetic stripe of the payment card, can be transferred from the card to the POS system.

(15) The POS system can receive additional information associated with each transaction from a customer's submission. The additional information can include an electronic address for a customer to receive a digital receipt (or electronic receipt). In some instances, the additional information can include a receipt delivery preference associated with the delivery address. For example, at a first transaction, when the customer uses her credit card for the first time to tender payment (e.g., swipes credit card through a card reader), the POS system, working in coordination with the digital receipt system, can prompt the customer whether she wants to receive a digital receipt for the transaction (i.e., receipt delivery preference), and can ask the customer to submit an electronic address (e.g., an email address) for such delivery.

(16) After the first transaction, the digital receipt system, working with the POS system, can associate and store the credit card details with the electronic address submitted by the customer for future uses. In such an example, the next time the customer utilizes the same credit card (even with a new merchant with whom she has not previously conducted any transaction), the information from the new transaction gets correlated with the stored transaction information, the previously stored electronic address associated with the credit card is identified, and a new receipt is automatically sent to the electronic address.

(17) The POS system can transmit to the digital receipt system the transaction information and other related information for receipt delivery to the customer. The transaction information includes information from both a past transaction and a current transaction. The digital receipt system analyzes the current transaction information to identify a matching payment account number (e.g., credit card number) with the past transaction information. From the past transaction information having the matching account number, the digital receipt system identifies a previously stored electronic address associated with the matching account number. In response to identifying the delivery address, the digital receipt system sends a digital receipt for the current transaction to the customer.

(18) The following is an exemplary and illustrative scenario of the technology presented herein. Consider a scenario where a user uses credit card A1 at a first merchant. At this point, using a user interface provided at the first merchant's POS system, the user submits a mobile telephone number for receiving a digital receipt. The first merchant's receipt is then sent to the user's phone (e.g., as a text message). From that transaction onward, when the user visits a second merchant (with whom she has not previously done any transaction), the use of credit card A1 allows the second merchant's receipt to be automatically sent to the user's phone.

(19) It is noted that such "automatic" triggering (i.e., initiating e-delivery of a receipt to an electronic address without requiring entry of the electronic address from the user at the point of transaction) of the receipt may happen even without the physical use of the actual credit card A1 at the second merchant's POS terminal (e.g., card reader swipe). For example, when the user submits the credit card number on a web page for an internet-based transaction, or uses the credit card in a "card-less" transaction using a digital wallet (or an "e-wallet"), or recites the numbers of the credit card over a telephone transaction, or uses credit card A1 in any transaction as may be contemplated by a person of ordinary skill in the art, such uses would still auto-trigger the receipt assuming that the user has at least once previously used the credit card and associated that previous transaction with an electronic address for e-delivery of receipt.

(20) In at least some embodiments, the POS system, working in coordination with the digital receipt system, prompts the customer for a receipt delivery preference and associates it with the payment card. In some embodiments, the POS system prompts for the receipt delivery preference at a first-time transaction in which the payment card is first used. In some embodiments, the POS system prompts for the receipt delivery preference at transactions subsequent to the first-time transaction. The receipt delivery preference can include whether the customer wants to receive a digital receipt, whether the customer prefers to receive the receipt at a particular electronic address (out of many addresses previously stored), or any combination thereof.

(21) In some embodiments, the electronic address and the receipt delivery preference are stored and updated with every new transaction completed using the payment card. For example, in the scenario above, the second merchant's POS system may simply ask if the user would like electronic delivery of her receipt for the transaction, instead of automatically sending the receipt to the phone number associated with the credit card A1. Upon the user affirming the electronic delivery, the digital receipt system described herein, working in coordination with the POS system, causes the second merchant's receipt to be sent to the user's phone number, without the need for collecting the user's phone number at the second merchant's POS system.

(22) In some embodiments, the POS system, working in coordination with the digital receipt system, prompts for the receipt delivery preference every time a transaction takes place. For example, at the end of a transaction, the customer is automatically prompted whether she wishes to receive a digital receipt; once the customer selects to receive the receipt, the digital receipt is sent automatically to the customer at the stored electronic address, without the customer being prompted to submit an electronic address.

(23) In some embodiments, the POS system prompts for the receipt delivery preference only when there exist more than one stored electronic addresses that correspond to the customer's payment card. For example, the customer has submitted, from past transactions, several email addresses for receiving the digital receipt. In such example, the POS system, working in coordination with the digital receipt system, prompts the customer to select one of the email addresses as the preference for receipt delivery. In another example, two customers, who share the same payment account, utilize their respective payment cards (with same account number, but different payment card names), and submit two different electronic addresses (e.g., an email for customer X and a phone number for customer Y) in separate transactions X and Y. In such an example, when customer Y conducts a new transaction, the digital receipt system analyzes transactions Y and Z information to identify the appropriate payment card name and a corresponding electronic address, and causes a

receipt to be automatically delivered to that address.

(24) In some embodiments, the POS system prompts for the receipt delivery preference based on certain criteria associated with the transaction, such as payment amount threshold or account holder names associated with the payment card. For example, the POS system, working in coordination with the digital receipt system, prompts for a receipt delivery preference when the transaction payment exceeds \$1000; otherwise, the receipt is automatically delivered without prompting for the preference. In another example, the POS system prompts for a receipt delivery preference when the transaction involves a payment card having two different cardholder names (e.g., husband and wife), where the customer is prompted to select his/her own delivery address.

(25) In at least some embodiments, the digital receipt system triggers transmission of the receipt based on fraud criteria associated with the transaction. The fraud criteria can include, for example, a geographical location, a payment amount, a frequency of use, or any combination thereof. For example, where a payment amount associated with a current transaction exceeds a threshold (e.g., \$1000), the digital receipt system triggers the receipt to be generated and delivered to all cardholders associated with a payment card; that is, all joint cardholders receive a receipt for the current transaction at their respective electronic addresses. In another example, the digital receipt system delivers the receipt using a particular delivery address according to a stored receipt delivery preference of the customer in response to the purchase amount exceeding the threshold. In such example, the customer receives a receipt via both an email message and a text message, as specified by her submitted preference.

(26) The technology disclosed provides many advantages in the realm of digital receipts. One advantage of the technology disclosed is providing an efficient, effortless way for automatic triggering of receipt delivery to an electronic address without requiring entry of the address from a customer at the point of transaction. Once a customer has submitted transaction information (along with an electronic address) to a merchant, the digital receipt system causes a receipt to be automatically delivered to the electronic address for every future transaction with the same merchant and/or any other new merchant, so long as the new merchant's POS system is in communication with the digital receipt system. That is, there is no prerequisite or activation energy needed for every new transaction the customer carries out with a merchant in order to receive a digital receipt.

(27) Another advantage of the technology disclosed is that the stored information can be automatically updated with every new transaction conducted. For example, for a customer who has submitted an email address in transaction A and later submits a phone number in transaction B, the digital receipt system, working with one or more POS systems, can store and utilize both submissions for receipt delivery. In another example, a customer can submit a receipt delivery preference in addition to an electronic address for receiving the receipt. Such receipt delivery preference is also stored and updated with every new transaction.

(28) Yet another advantage of the technology disclosed is providing fraud protection. The digital receipt system can be configured according to fraud criteria. As will be discussed in more details below, in response to a fraudulent activity detected, a digital receipt can be automatically delivered to the appropriate venue and/or the appropriate parties based on the fraud criteria.

(29) Other aspects and advantages of the disclosed technique will become apparent from the following description in combination with the accompanying drawings, illustrating, by way of example, the principles of the claimed technique.

Illustrative Embodiments

(30) FIG. 1 is an environment **100** in which various embodiments of a receipt delivery technology can be implemented. The environment **100** includes a merchant transaction system **102**, a customer device **104**, and a digital receipt system **106**, all of which are connected via a network **110**. It is noted that the architecture shown in FIG. 1 is only an example of an environment in accordance with the technology introduced here. Further, the merchant transaction system **102**, the customer

device **104**, and the digital receipt system **106** in FIG. **1** can have more or fewer components than shown, or a different configuration of components. The various components shown in FIG. **1** can be implemented by using hardware, software, firmware or a combination thereof, including one or more signal processing and/or application specific integrated circuits.

(31) The merchant transaction system **102** can be any general-purpose computing device, such as a mobile handheld device (e.g., smartphone, tablet, e-reader, etc.) or a personal computer (e.g., desktop), on which a merchant utilizes to conduct financial transactions with customers. The merchant transaction system **102** can include a payment card reader for receiving payment card information (e.g., credit card details, debit card details, smart card details, etc.) from the customers to authorize payment in exchange for services and/or goods. It is noted here that the term “customer” is used interchangeably with “user,” “payer,” “purchaser,” or the like throughout the written description with no intended change in meaning. Any of these terms is used to refer to a party tendering payment in a financial transaction between the party and a merchant.

(32) The merchant transaction system **102** is capable of executing an application, such as a payment application having various user interfaces for receiving payment card data (“transaction data” or “transaction information”) and other related data associated with payment transactions between the merchant and one or more customers. The merchant transaction system **102** can collect the transaction information from a particular payment card using the payment card reader. For example, the merchant transaction system can read information from the magnetic stripe of the payment card via a swipe of the card through the card reader.

(33) A payment card's magnetic stripe typically includes three tracks for storing different types of information associated with the payment card. One track is typically encoded with information reserved for the bank that issued the payment, such as the payment card number (e.g., primary account number), the cardholder's full name, a country code, and an expiration date for the card. A second track is typically used to store the payment card number, the country code, and the card's expiration date. A third track is typically used to both read and write data, such as an authorized spending amount or currency units and an encrypted personal identification number.

(34) In embodiments, the merchant transaction system **102** can choose to collect the payment card's information from all tracks, from only one track, or from any combination thereof. For example, the merchant transaction system **102** collects only from a particular track that has only the credit card number. In another example, the merchant transaction system **102** collects from one or more necessary track(s) to obtain the cardholder's name listed on the payment card in addition to the credit card number. In yet another example, the merchant transaction system **102** collects from the necessary track(s) to obtain the credit card number, the cardholder's name, and address information associated with the credit card account.

(35) In some embodiments, the merchant transaction system **102** collects additional data associated with the transaction instance in which the payment card is used, including, for example, a geographical location where the transaction takes place or a time of use of the payment card. Using the payment card information along with the additional data, the merchant transaction system **102** can provide “transaction information” associated with each payment card to assist the digital receipt system in enabling automatic receipt delivery. That is, the merchant transaction system **102** can communicate to the digital receipt system **106** the transaction information collected from a first card swipe to enable automatic receipt delivery in subsequent card swipes.

(36) It is noted that the transaction information (e.g., credit card number, purchase location, etc.) may be obtained even without the physical use of the payment card at a physical location using the card reader, so long as the transaction information is collected via any device implementation in communication with the merchant transaction system **102**. For example, a customer can submit a credit card number to pay for an internet-based transaction using an online web page portal implemented by the merchant transaction system **102**. In another example, the customer uses the credit card in a “card-less” transaction using a digital wallet (or an “e-wallet”), and the digital

wallet is connected to the merchant transaction system **102**. In yet another example, the customer recites the numbers of the credit card over a telephone transaction, and an operator associated with the merchant transaction system **102** enters the transaction information into the system **102**. The information collection may be implemented using any other transaction method that can be contemplated by a person of ordinary skill in the art based on the present disclosure.

(37) The customer device **104** can be any general-purpose computing device with data processing and communication capabilities, such as a handheld mobile device (e.g., a smartphone, a tablet, an e-reader, etc.) or a personal computer (e.g., desktop). The customer device **104** can be utilized by a user, such as a customer, for receiving a digital receipt **108** from the digital receipt system **106**. The customer device **104** is capable of executing an application, such as an email application or a text messaging application, for receiving the digital receipt **108**. The digital receipt **108** can be in various formats, including, for example, an email format, an image format (e.g., a picture received via text message, email, etc.), a text message format, and the like. The customer device **104** can include a display screen (e.g., liquid crystal display) for displaying the digital receipt **108**. The display screen can be part of a touchscreen.

(38) The digital receipt system **106** can be any general-purpose computing server system with data processing and communication capabilities. The digital receipt system **106** works in coordination with the merchant transaction system **102** to facilitate automatic triggering of receipt delivery. The digital receipt system **106** can be in communication with one or more merchant transaction systems **102**. Such communication is useful, for example, to enable processing of multiple automatic receipt deliveries to a customer, regardless of the merchant the customer is visiting. That is, the customer does not have to set up a new account with a new merchant in order to receive a digital receipt automatically, as long as the customer has already submitted an electronic address via a particular merchant transaction system **102** that is connected to the digital receipt system **106**. The digital receipt system **106** stores the electronic address from the past transaction and utilizes it to automatically trigger receipt delivery for future transactions.

(39) In some embodiments, the digital receipt system **106** can generate instructions for execution by the merchant transaction system **102** in facilitating the automatic triggering of the receipt delivery. For example, the digital receipt system **106** generates instructions for executing one or more user interfaces associated with a payment application implemented on the merchant transaction system **102**. In facilitating the automatic triggering of receipt delivery, the digital receipt system **106** communicates with the merchant transaction system **102** to receive data signals indicative of one or more financial transactions taking place at the merchant transaction system **102**. The data signals can include data associated with a transaction, including transaction information and/or additional information including an electronic address for receiving digital receipts associated with the payment card used in the transaction. The data signals may be received over a period of time associated with the one or more transactions in which the same payment card is utilized (e.g., a first time transaction, subsequent transaction, beginning and/or end of a particular transaction, etc.).

(40) In response to receiving a particular data signal indicative of a first financial transaction in which a payment card is first utilized by a customer, the digital receipt system **106** can send certain instructions associated with the transaction, such as causing the merchant transaction system **102** to prompt a customer for an electronic address to receive a digital (or electronic) receipt for the transaction. Upon receiving the electronic address, the digital receipt system **106** can associate the address with one or more pieces of information from the transaction information (e.g., associating the electronic address with a credit card number used in the transaction, with a cardholder's name, and/or with an account address associated with the credit card). As will be discussed in further details below, in a future transaction with the same payment card, the digital receipt system **106** can trigger a receipt to be automatically delivered to the customer using the associated electronic address.

(41) FIG. 2 is a block diagram illustrating a technique **200** associated with the receipt delivery technology disclosed according to some embodiments. For the purpose of illustration, let the technique **200** include a set of past financial transactions **202** (i.e., “payment transactions 1-N,” where N is the number of transactions occurring in the past), and further include a set of present, or current, financial transactions **204** (i.e., “payment transactions N+1,” where N is the number of transactions occurring in the past).

(42) In the set of past financial transactions **202**, the digital receipt system **212** receives, from a merchant's POS system, transaction data **210A-N** associated with a payment card used by a consumer **206** to tender payment to the merchant. That is, the merchant's POS system transmits (or allows access to) the transaction data **210A-N** to the digital receipt system **212** to enable receipt delivery. In some embodiments, the digital receipt system **212** can be the digital receipt system **106** of FIG. 1.

(43) The set of past transactions **202** are particular transactions in which a digital receipt **214** has been sent to a consumer, e.g., to a consumer device, such as a smartphone **216**, a laptop **218**, or a desktop **220**. The transaction data **210A-N** include information associated with the past transactions **202** conducted between the consumer **206** and one or more merchants. The transaction data **210A-N** can include payment card information along with additional information associated with the corresponding transaction. For example, the additional information can include a geographical location or a timing at which the transaction took place. The digital receipt system **212** can use any of the additional information, in addition to the payment card information, associated with the past transactions **202** to automatically trigger delivery, or transmission, of a receipt **224** to an appropriate recipient in a future transaction **204**.

(44) From the set of past financial transactions **202**, the digital receipt system **212** can obtain an electronic delivery address (or “electronic address”) **208** provided by a consumer **206** for receiving one or more digital receipt(s) associated with a payment card used in one or more past transactions. The electronic address **208** can be an email address, a mobile telephone number, or any other electronic address at which the consumer **206** can receive a digital receipt, as contemplated by one of ordinary skill in the art.

(45) The consumer **206** in FIG. 2 can represent more than one account owner associated with a primary account number, where the primary account number is shared among the account owners using their respective payment cards having different cardholder names. In some embodiments, the digital receipt system **212** stores and associates the electronic address **208** based on the cardholder name. For example, consumer **206** can be a husband and a wife sharing the same debit card (having the same debit card number with different cardholder names), where each party has utilized his/her own copy of the debit card to make several purchases. For each transaction carried out by each party using the debit card, transaction data **210A-N** is received and stored by the merchant's system, and communicated to (or accessed by) the digital receipt system **212**. Further, for each transaction, an electronic address **208** can be prompted, or requested from the party making the transaction. In such an example above, the electronic address **208** can be different for the debit card, depending on which cardholder, e.g., the wife or the husband, is using the debit card.

(46) The digital receipt system **212** analyzes the transaction data **210A-N** collected in the set of past transactions **202** for use in future transactions **204**, i.e., the payment transactions N+1. In a particular new payment transaction **204**, the digital receipt system **212** receives new transaction data **222** and analyzes that data to find a matching payment card number with the past transaction data **210A-N**. Upon finding a subset of the set of transaction data **210A-N** having matching payment card number with the transaction data **222**, the digital receipt system **212** analyzes each of the subset of transaction data **210A-N** to identify the electronic address **208** associated with that payment card number. The electronic address can be, for example, an email submitted for that payment card number in the past transactions **210A** and **210B**.

(47) It is noted that the transaction data **210A-N** and transaction data **222** can be in connection with

two different merchants with whom the consumer **206** carries out a payment transaction. For example, a transaction data **210A** can be data associated with a transaction **X1** conducted between the consumer **206** and merchant **M1**, and the transaction data **222** can be data associated with a transaction **X2** conducted between the consumer **206** and merchant **M2**. In such an example, upon occurrence of the transaction **X2** with merchant **M2**, the digital receipt system **212** automatically causes delivery of the digital receipt **226** to the customer **206** using the electronic address stored from the transaction **X1**, despite the customer **206** having never conducted a transaction with the merchant **M2** before the current transaction **204**.

(48) In some embodiments, the digital receipt system **212**, before triggering delivery of the receipt, performs additional analysis to identify a cardholder name associated with the matching payment card number in each of the past transactions (e.g., **210A** and **210B**). In such embodiments, the digital receipt system **212** compares the cardholder's name on the payment card used in the current transaction **204** with each cardholder's name identified in the past transactions **202** (e.g., **210A** and **210B**) to find a matching cardholder's name. For the particular past transaction data that contains the matching cardholder's name, the digital receipt system **212** extracts the associated electronic address stored for that particular past transaction **202**, and transmits the current receipt **224** using data associated with that electronic address (e.g., email address).

(49) In the example above, after analysis of the transaction data **201A-N** and transaction data **224**, the digital receipt system **212** automatically triggers delivery of the digital receipt **224** for the new transaction **204**. The receipt for the transaction **204** is sent, for example, to the email address that corresponds only to the cardholder's name of the current transaction, and not to both the husband and the wife. In some embodiments, only the primary account number is collected and stored, with no consideration given to the cardholder's name on a particular payment card being utilized in a particular transaction. In such embodiments, the digital receipt system causes the receipt to be delivered the electronic address **208** previously stored and associated with the payment card number, regardless of the cardholder's name.

(50) FIG. 3 is a block diagram illustrating a user interface **300** associated with the receipt delivery technology according to some embodiments. The user interface **300** can be implemented on a POS system utilized by a payee (e.g., merchant) to conduct financial transactions with a payer (e.g., customer). The user interface **300** can be generated using computer-executable instructions received from the digital receipt system **106** of FIG. 1. The user interface **300** illustrates an example prompting of a receipt preference from a payer.

(51) Consider a scenario at the end of a payment transaction, when payment has been tendered by the payer, the POS system, working in coordination with the digital receipt system disclosed herein, prompts the payer for a selection of an electronic address for receiving digital receipts. The selection can include receiving a digital receipt via a text message **302**, where the POS system prompts the payer to submit a telephone number (i.e., one type of electronic address). The selection can include receiving the digital receipt via an email message **304**, where the POS system prompts the payer to submit an email address. The selection can include no digital receipt, where the payer can select the option **306** not to enter an electronic address and skip receiving a digital receipt.

(52) FIG. 4 is a block diagram illustrating various embodiments of a digital receipt associated with the receipt delivery technology. In some embodiments, a digital receipt system can deliver the digital receipt, indicative of a current transaction, to an appropriate recipient via a text message **400**. In such embodiments, the digital receipt system delivers the receipt using a stored telephone number from one or more past transactions associated with the current transaction. In some embodiments, the receipt can be delivered via an email message **402**. In such embodiments, the digital receipt system delivers the receipt using an email address from the one or more past transactions.

(53) FIG. 5 is a flow diagram illustrating a process **500** of automatically triggering a receipt transmission according to some embodiments. The process **500** can be performed by the digital

receipt system **106** of FIG. 1, or the digital receipt system **212** of FIG. 2, working in conjunction with the merchant transaction system **104** of FIG. 1. At step **502**, the digital receipt system receives from a merchant transaction system an indication of a first financial transaction, such as a payment transaction, between a merchant and a consumer. The indication includes first transaction information associated with the first transaction, where a first payment card is used in the transaction. The first transaction information can include payment card information, including an account number associated with the first payment card, a name associated with the cardholder of the payment card, and a country code associated with the payment card financial account. For example, the first transaction information includes payment card information associated with the first payment card (i.e., “first payment information” or “first payment card information”).

(54) In some embodiments, the first transaction information can also include information external to the payment card, where the external information is detected and stored with the payment card information at the time of the transaction. The external information can include, for example, a geographical location (e.g., GPS coordinates, location name, etc.) associated with the occurrence of the transaction. The external information can include, in another example, timing associated with the occurrence of the transaction (e.g., time of day card is being used). The external information can include, in yet another example, a frequency of use of the payment card associated with the transaction.

(55) Such external information can be useful in detecting suspicious fraudulent activities. For example, where a payment card is used numerous times repeatedly in a short period, or where the charge amounts on the payment card is considerably high, the card has likely been stolen. Using the external information, the digital receipt system can trigger receipt delivery to one or more electronic addresses in response to the detected fraudulent activity. For example, the digital receipt system is configured to send an electronic receipt to all account holder names associated with a card account in response to detection of fraudulent activity.

(56) At step **504**, a first user is prompted to submit an electronic address for receiving a first receipt associated with the first transaction. The prompting can appear on a display of a POS device associated with the merchant transaction system. The prompting can be caused by the digital receipt system sending computer-executable instructions to the merchant transaction system.

(57) In some embodiments, the POS device prompts for a receipt delivery preference in addition to the electronic address. The receipt delivery preference may include, for example, whether the first user would like to receive an electronic, or digital, receipt. The receipt delivery preference may include, in another example, whether the first user would like to specify a preferred electronic address (out of several submitted by the first user) for receiving the digital receipt. The receipt delivery preference may include, in yet another example, whether the first user would like to specify certain preferred electronic addresses (out of several submitted by the first user) for receiving the digital receipt in case of fraudulent activity.

(58) At step **506**, the digital receipt system associates the electronic address with the first transaction information and stores such association. This is useful, for example, for allowing the digital receipt system to identify the appropriate electronic address for receipt delivery in future transactions having transaction information that correlate to the first transaction information. The correlation can include a payment card number of the new transaction matching to the stored number associated with the first payment card. It is noted that other information extracted from a payment card, other than a card account number, can be utilized by the digital receipt system. For example, an encoded personal pin can be utilized for identifying correlations between the first payment card and any other payment cards (e.g., credit card of a joint account holder) utilized in future transactions.

(59) In some embodiments, the digital receipt system associates the receipt delivery preference, in addition to the electronic address, with the first transaction information. Using in part the receipt delivery preference, the digital receipt system causes the automatic delivery of the receipt to an

appropriate electronic address (based on the preference).

(60) At step **508**, the digital receipt system receives a second transaction information associated with a second transaction in which a second payment card is used. At step **510**, the digital receipt system analyzes the second transaction information to identify a payment card number and an electronic address previously stored and associated with that payment card number. In particular, the digital receipt system identifies the payment card number from the second transaction information to be matching with the payment card number from the first transaction information. The digital receipt system then identifies one (or more) electronic address that has been associated with the payment card number from the first transaction.

(61) In some embodiments, if the digital receipt system identifies two or more electronic addresses that are associated with the payment card number, then the system proceeds to compare the cardholder names between the current transaction information and a prior transaction information. Using the name comparison, the digital receipt system identifies a particular electronic address that corresponds to the cardholder name indicative of the user using the payment card at the current transaction, and triggers for receipt delivery to that particular electronic address. For example, if a first transaction information contains user X (with electronic address X) and a second transaction information contains user Y (with electronic address Y), the digital receipt system will send a receipt for a third transaction information, which has the name of user X, to the electronic address X.

(62) In some embodiments, if the digital receipt system identifies two or more electronic addresses that are associated with the payment card number, and determines that only one cardholder name corresponds to the multiple electronic addresses (e.g., two prior transactions exist with two different addresses submitted, but only one cardholder name), the digital receipt system proceeds to take into consideration the receipt delivery preference associated with each of the multiple electronic addresses, as discussed above at step **504**. In some embodiments, the digital receipt system analyzes an immediately previous (or most recent past) transaction prior to the current transaction to identify the user's receipt delivery preference, and select an appropriate electronic receipt based on that previous transaction.

(63) In some embodiments, the digital receipt system analyzes all past transactions prior to the current transaction and identify the user's receipt delivery preference. For example, while the user may have specified in the immediately previous transaction to receive the receipt at address X, in the rest of the past transactions, the user specified all digital receipts to be sent to address Y as the default electronic address. In such an example, the digital receipt system causes the receipt to be sent to address Y.

(64) At step **512**, in response to identifying the matching information, the digital receipt system analyzes the first transaction information to determine a receipt preference that is associated with the matching information. In some embodiments, the receipt preference is associated with the first transaction information in step **506**. At step **514**, the digital receipt system triggers the second receipt to be transmitted automatically to a user associated with the second transaction using the identified receipt preference.

(65) FIG. **6** is a flow diagram illustrating a process **600** of automatically triggering a receipt transmission having fraud protection according to some embodiments. The process **600** can be performed by the digital receipt system **106** of FIG. **1** working in conjunction with the merchant transaction system **102** of FIG. **1**.

(66) At step **602**, the digital receipt system receives a set of transaction data associated with a set of past transactions in which a payment card is used. The digital receipt system receives the set of transaction data from one or more merchants' POS systems in order to facilitate automatic receipt delivery for the merchants and their respective consumers. The transaction data can include payment data associated with the payment card and external data associated with the set of past transactions (i.e., data collected at the past transactions, where the data is external to the payment

card's internal information such as location information). The set of transaction data may or may not include data shared with a current transaction (i.e., "matching data"). For example, a subset of the transaction data can match with data from a particular transaction (e.g., matching account number) while another subset of the transaction data can match with data from a different transaction (e.g., matching cardholder names in addition to matching account number).

(67) At step **604**, the digital receipt system receives new transaction data associated with a new transaction in which a new payment card is used. The new transaction data includes payment data associated with the new payment card, such as a payment card account number. Other payment data may include, for example, a cardholder's name. Similar to step **602**, the digital receipt system receives the new transaction data from a particular merchant's POS system. The particular merchant in the new transaction may or may not be the same merchant in the set of past transactions.

(68) At step **606**, the digital receipt system analyzes the new transaction data to identify a payment card number. Using the card number, the digital receipt system identifies one or more previously stored electronic address(es) associated with the card number by analyzing the set of transaction data. In particular, the digital receipt system identifies any subset of transaction data that correlate to the new transaction data. For example, from a set of data from five past transactions, the digital receipt system identifies three past transactions having payment data correlated to the payment data associated with the current transaction. The correlated data includes, for example, a matching account number, where the matching account number may have different cardholder names (e.g., a parent and a child sharing the same account).

(69) In response to identifying the subset of transaction data, the digital receipt system identifies the one or more electronic addresses from the subset. For example, the digital receipt system identifies two transactions having matching primary account number, and two different electronic addresses corresponding to the two transactions. Consider a scenario where in a past transaction X, a user A submits an email address to receive a digital receipt, and in a later transaction Y, the user A submits a telephone number to receive a digital receipt. In some embodiments, the digital receipt system is configured to prioritize the transactions, i.e., to utilize the particular electronic address submitted from the most recent past transaction. In the example above, the digital receipt system will cause the receipt to be delivered to the telephone number of user A.

(70) In some embodiments, the digital receipt system is configured to further analyze each past transaction data to identify for any other matching data, including a matching payment card name (i.e., matching name of the cardholder) and determine the appropriate electronic address corresponding to that name. For example, where transaction X is carried out by user A while transaction Y is carried out by user B, and user A and user B share the same account number for the same payment card, the digital receipt system will only cause the receipt to be delivered to user B's electronic address for a current transaction conducted by user B.

(71) At step **608**, the digital receipt system analyzes whether a fraud criterion associated with the new transaction exceeds a particular threshold. Whether or not the fraud criterion exceeds the threshold determines the electronic address(es) to which the digital receipt system sends out the digital receipt, as indicated in step **610**. The fraud criterion can be associated with a purchase amount. For example, a fraud alert is raised if the purchase amount associated with the new transaction is over \$2000. In some embodiments, when the fraud alert is raised, the digital receipt system sends a receipt indicative of the new transaction to all stored electronic addresses associated with the payment card, regardless of the cardholder name associated with each electronic address.

(72) In some embodiments, when the fraud criterion exceeds the threshold, the digital receipt system sends the receipt to all receipt addresses associated with a cardholder of the payment card. For example, where a cardholder has given his phone number in a past transaction, but submits an email address to receive his digital receipt in a later transaction, the digital receipt system sends a receipt to both the email address and the phone number to alert the cardholder of potential fraud. In some embodiments, when the fraud criterion exceeds the threshold, the digital receipt system sends

the receipt to a particular cardholder and not the remaining cardholder(s). For example, when a child, who shares the same account with a sibling and his parent, makes a purchase exceeding the threshold amount, the parent, in addition to the child himself, receives the receipt, and the sibling sharing the account does not receive a receipt.

(73) At step **610**, the digital receipt system triggers transmission of a new receipt according to an appropriate electronic address associated with the new transaction based on the fraud criterion.

(74) FIG. 7 is a flow diagram illustrating a process **700** of automatically triggering a receipt delivery based on a receipt delivery preference according to some embodiments. The process **700** can be performed by the digital receipt system **106** of FIG. 1 working in conjunction with the merchant transaction system **102** of FIG. 1.

(75) At step **702**, the digital receipt system disclosed herein receives a signal indicative of a new transaction associated with a payment card being used at a merchant's POS device. The signal includes transaction data associated with the new transaction. The transaction data can include payment data associated with the payment card and external data associated with the new transaction.

(76) At step **704**, the digital receipt system identifies one or more electronic addresses associated with the new transaction data. For example, the digital receipt system determines a payment card account number from the new transaction data and identifies, from past transaction data, a previously stored electronic address associated with a payment card having the same account number. In some instances, the digital receipt system may identify more than one previously stored electronic addresses associated with the payment card used in the new transaction.

(77) At step **706**, the digital receipt system prompts for a receipt delivery preference from a user using the payment card in the new transaction. In particular, the digital receipt system causes the merchant to request from the user at the merchant's POS device the receipt delivery preference for receiving the digital receipt. In some embodiments, the POS device, working in coordination with the digital receipt system, may simply ask the user whether he wishes to receive a digital receipt for the new transaction. In some embodiments, the POS device, working in coordination with the digital receipt system, may also display several electronic addresses identified in step **704** and ask the user whether the user wants to receive the digital receipt at a particular electronic address (from the displayed addresses). In some embodiments, the POS device, working in coordination with the digital receipt system, may also display the one or more electronic addresses identified in step **704**, and prompts the user whether the user wants the digital receipt to enter a different electronic address (from the one(s) displayed) for receiving the digital receipt. Any combination of the prompting of receipt delivery preference may be executed at step **706**.

(78) At step **708**, the digital receipt system receives the receipt delivery preference submitted by the user in step **706**. At step **710**, if the user selects to receive the digital receipt, the digital receipt system triggers the receipt to be delivered to the electronic address identified in step **704**, without further need for the user to submit a delivery address. In some instances, where there exists several electronic addresses (i.e., as displayed to the user) and the user selects a particular electronic address (or multiple electronic addresses), the digital receipt system triggers the receipt to be delivered to that particular electronic address(es).

(79) Regarding the processes **500**, **600**, and **700**, while the various steps, blocks, or sub-processes are presented in a given order, alternative embodiments can perform routines having steps, or employ systems having steps, blocks or sub-processes, in a different order. Further, some steps, sub-processes or blocks can be deleted, moved, added, subdivided, combined, and/or modified to provide alternatives or sub-combinations. Each of these steps, blocks or sub-processes can be implemented in a variety of different ways. Also, while the steps, sub-processes or blocks are at times shown as being performed in series, some steps, sub-processes, or blocks can be performed, instead, in parallel or at different times, as will be readily recognized by a person of ordinary skill in the art in light of the disclosure herein. Additionally, any specific numbers noted herein are only

by example as alternative implementations can employ differing values or ranges.

(80) FIG. 8 is a block diagram illustrating a computer system **800** within which a set of instructions, for causing the machine to perform one or more of the techniques discussed herein, can be executed. The computer system **800** can be the digital receipt system **106** of FIG. 1, or the digital receipt system **212** of FIG. 2, or the merchant transaction system **102** of FIG. 1, or the customer device **104** of FIG. 1. The computer system **800** includes a processor **802**, a memory **804**, non-volatile memory **806**, a network interface **808**, input/output (I/O) devices **810**, and a drive unit **812**. Various common components (e.g., cache memory) are omitted for illustrative simplicity. The computer system **800** is intended to illustrate a hardware device on which any of the components depicted in the example of FIGS. 1-5 (and any other components described in this specification) can be implemented. The computer system **800** can be of any applicable known or convenient type. The components of the computer system **800** can be coupled together via a bus **820** or through some other known or convenient device.

(81) This disclosure contemplates the computer system **800** taking any suitable physical form. As example and not by way of limitation, computer system **800** can be an embedded computer system, a system-on-chip (SOC), a single-board computer system (SBC) (such as, for example, a computer-on-module (COM) or system-on-module (SOM)), a desktop computer system, a laptop or notebook computer system, an interactive kiosk, a mainframe, a mesh of computer systems, a mobile telephone, a personal digital assistant (PDA), a server, or a combination of two or more of these. Where appropriate, computer system **800** can include one or more computer systems **800**; be unitary or distributed; span multiple locations; span multiple machines; or reside in a cloud, which can include one or more cloud components in one or more networks. Where appropriate, one or more computer systems **800** can perform without substantial spatial or temporal limitation one or more steps of one or more methods described or illustrated herein. As an example and not by way of limitation, one or more computer systems **800** can perform in real time or in batch mode one or more steps of one or more methods described or illustrated herein. One or more computer systems **800** can perform at different times or at different locations one or more steps of one or more methods described or illustrated herein, where appropriate.

(82) The processor **802** can be, for example, a conventional microprocessor such as an Intel Core microprocessor or an Intel Itanium microprocessor or a Motorola power PC microprocessor or a SPARC architecture processor. One of skill in the relevant art will recognize that the terms “machine-readable (storage) medium” or “computer-readable (storage) medium” include any type of device that is accessible by the processor.

(83) The memory **804** is coupled to the processor **802** by, for example, a bus. The memory **804** can include, for example, random access memory (RAM), such as dynamic RAM (DRAM) or static RAM (SRAM). The memory can be local, remote, or distributed.

(84) The bus **820** also couples the processor **802** to the non-volatile memory **806** and the drive unit **812**. The non-volatile memory **806** can be, for example, a magnetic floppy or hard disk, a magnetic-optical disk, an optical disk, a flash memory such as NAND flash memory or NOR flash memory, a read-only memory (ROM) such as a CD-ROM, a programmable read-only memory such as EPROM or EEPROM, a magnetic or optical card, or another form of storage for large amounts of data. Some of this data is often written, by a direct memory access process, into memory during execution of software in the computer **800**. The non-volatile storage can be local, remote, or distributed. The non-volatile memory is optional because systems can be created with all applicable data available in memory. A typical computer system will usually include at least a processor, memory, and a device (e.g., a bus) coupling the memory to the processor.

(85) Software is typically stored in the non-volatile memory and/or the drive unit. Indeed, for large programs, storing the entire program in memory can not even be possible. Nevertheless, one should understand that for software to run, if necessary, the software is moved to a computer readable location appropriate for processing, and for illustrative purposes, that location is referred to as the

memory in this specification. Even when software is moved to the memory for execution, the processor will typically make use of hardware registers to store values associated with the software, and local cache that, ideally, serves to speed up execution. As used herein, a software program is assumed to be stored at any known or convenient location (from non-volatile storage to hardware registers) when the software program is referred to as “implemented in a computer-readable medium.” A processor is considered to be “configured to execute a program” when at least one value associated with the program is stored in a register readable by the processor.

(86) The bus **820** also couples the processor **802** to the network interface device **808**. The interface **808** can include one or more of a modem or network interface. A person of ordinary skill will appreciate that a modem or network interface can be considered to be part of the computer system **800**. The interface **808** can include an analog modem, ISDN modem, cable modem, token ring interface, satellite transmission interface (e.g., “direct PC”), Wi-Fi interface, or other interfaces for coupling a computer system to other computer systems. The interface can include one or more input and/or output devices.

(87) The I/O devices **810** can include, for example, a keyboard, a mouse or other pointing device, disk drives, printers, a scanner, and other input and/or output devices, including a display device. The display device can include, for example, a cathode ray tube (CRT), liquid crystal display (LCD), or some other applicable known or convenient display device. For simplicity, this specification assumes that controllers of any devices not depicted in the example of FIG. **8** reside in the interface.

(88) The computer system can have one Bus or multiple Buses. The bus **820** can include, for example, a system bus, a Peripheral Component Interconnect (PCI) bus or PCI-Express bus, a HyperTransport or industry standard architecture (ISA) bus, a small computer system interface (SCSI) bus, a universal serial bus (USB, USB 2.0, USB 3.0), IIC (I2C) bus, an Institute of Electrical and Electronics Engineers (IEEE) standard 1394 bus, also called “Firewire,” a QuickPath Interconnect bus, a ThunderBolt interconnect bus, a DisplayPort interconnect bus or its companion standards Mini DisplayPort (mDP), Direct Drive Monitor (DDM), Embedded DisplayPort (eDP), Internal DisplayPort (iDP), Portable Digital Media Interface (PDMI), Wireless DisplayPort (wDP), and Mobility DisplayPort (MyDP), an HDMI interconnect bus, a DVI bus.

(89) In operation, the computer system **800** can be controlled by operating system software that includes a file management system, such as a disk operating system. One example of operating system software with associated file management system software is the family of operating systems known as Windows® from Microsoft Corporation of Redmond, Washington, and their associated file management systems. Another example of operating system software with its associated file management system software is the Linux™ operating system and its associated file management system. The file management system is typically stored in the non-volatile memory and/or drive unit and causes the processor to execute the various acts required by the operating system to input and output data and to store data in the memory, including storing files on the non-volatile memory and/or drive unit.

SUMMARY

(90) The foregoing description of the embodiments of the technology has been presented for the purpose of illustration; it is not intended to be exhaustive or to limit the technology to the precise forms disclosed. Persons skilled in the relevant art can appreciate that many modifications and variations are possible in light of the above specification.

(91) Any of the steps, operations, or processes described herein can be performed or implemented with one or more hardware or software modules, alone or in combination with other devices. In one embodiment, a software module is implemented with a computer program product comprising a computer-readable medium containing computer program code, which can be executed by a computer processor for performing any or all of the steps, operations, or processes described.

(92) Embodiments of the technology can also relate to an apparatus for performing the operations

herein. This apparatus can be specially constructed for the required purposes, and/or it can comprise a general-purpose computing device selectively activated or reconfigured by a computer program stored in the computer. Such a computer program can be stored in a non-transitory, tangible computer readable storage medium, or any type of media suitable for storing electronic instructions, which can be coupled to a computer system bus. Furthermore, any computing systems referred to in the specification can include a single processor or can be architectures employing multiple processor designs for increased computing capability.

(93) Embodiments of the technology can also relate to a product that is produced by a computing process described herein. Such a product can comprise information resulting from a computing process, where the information is stored on a non-transitory, tangible computer readable storage medium and can include any embodiment of a computer program product or other data combination described herein.

Claims

1. A computer-implemented method comprising: detecting, by one or more servers of a payment system, a location of a customer at a first time; detecting, by the one or more servers, at least one of a change in the location of the customer or a change in the first time; based at least in part on the change, determining, by the one or more servers, that one or more payment transactions associated with the customer have occurred; and based at least in part on: detecting the at least one of the change in the location or the change in the first time, and responsive to determining that the one or more payment transactions have occurred without a request received by the payment system for a respective receipt associated with the one or more payment transactions, causing presentation of, by the one or more servers and on a customer device associated with the customer, a digital receipt for at least one of the one or more payment transactions.
2. The computer-implemented method as claim 1 recites, wherein the change in the location comprises a movement of the customer from within a geofence to outside of the geofence.
3. The computer-implemented method as claim 1 recites, wherein detecting the location of the customer at the first time comprises detecting a device location of the customer device.
4. The computer-implemented method as claim 1 recites, further comprising: receiving, by the one or more servers, first transaction data, wherein the first transaction data is associated with a first payment transaction between the customer and a first merchant, wherein detecting the location of the customer at the first time comprises determining, based at least in part on the first transaction data, a transaction location and a transaction time associated with the first payment transaction.
5. The computer-implemented method as claim 4 recites, further comprising: receiving, by the one or more servers, second transaction data, wherein the second transaction data is associated with a second payment transaction associated with the customer, wherein detecting the at least one of the change in the location of the customer or the change in the first time is based at least in part on the second transaction data.
6. The computer-implemented method as claim 5 recites, wherein the second payment transaction comprises a payment transaction between the customer and a second merchant.
7. The computer-implemented method as claim 5 recites, wherein the digital receipt comprises a combined digital receipt associated with the first payment transaction and the second payment transaction.
8. The computer-implemented method as claim 5 recites, further comprising: processing, by the one or more servers, at least one of a first payment associated with the first payment transaction, a second payment associated with the second payment transaction, or a third payment associated with both the first payment transaction and the second payment transaction.
9. The computer-implemented method as claim 5 recites, wherein at least one of the first transaction data or the second transaction data is received from a point-of-sale (POS) device.

10. The computer-implemented method as claim 1 recites, wherein causing presentation of the digital receipt is further based at least in part on at least one of a payment amount associated with at least one of the one or more payment transactions, a frequency of use of a payment card used in at least one of the one or more payment transactions, or a current time.

11. The computer-implemented method as claim 1 recites, wherein causing presentation of the digital receipt further comprises causing presentation of the digital receipt on a device of each account holder associated with a payment card associated with at least one of the one or more payment transactions.

12. The computer-implemented method as claim 1 recites, wherein causing presentation of the digital receipt comprises causing presentation via a communication medium associated with a payment card associated with at least one of the one or more payment transactions, and wherein the communication medium is at least one of email, direct message, or mobile application executing on the customer device.

13. A system comprising: one or more processors; and one or more non-transitory computer-readable media storing instructions executable by the one or more processors, wherein the instructions program the one or more processors to perform actions comprising: detecting, by one or more servers of a payment system, a location of a customer at a first time; detecting, by the one or more servers, at least one of a change in the location of the customer or a change in the first time; based at least in part on the change, determining, by the one or more servers, that one or more payment transactions associated with the customer have occurred; and based at least in part on: detecting the at least one of the change in the location or the change in the first time, and responsive to determining that the one or more payment transactions have occurred without a request received by the payment system for a respective receipt associated with the one or more payment transactions, causing presentation of, by the one or more servers and on a customer device associated with the customer, a digital receipt for at least one of the one or more payment transactions.

14. The system as claim 13 recites, wherein causing presentation of the digital receipt is further based at least in part on at least one of a payment amount associated with at least one of the one or more payment transactions, a frequency of use of a payment card used in at least one of the one or more payment transactions, a current time, or a current location.

15. The system as claim 13 recites, wherein causing presentation of the digital receipt comprises causing presentation via a communication medium associated with a payment card associated with at least one of the one or more payment transactions, and wherein the communication medium is at least one of email, direct message, or mobile application executing on the customer device associated with the customer.

16. A computer-implemented method comprising: detecting, by one or more servers of a payment system, a change in a location of a customer; based at least in part on the change, determining, by the one or more servers, that one or more payment transactions associated with the customer have occurred; and based at least in part on: detecting the change in the location, and responsive to determining that the one or more payment transactions have occurred without a request received by the payment system for a respective receipt associated with the one or more payment transactions, causing presentation of, by the one or more servers and on a customer device associated with the customer, a digital receipt for at least one of the one or more payment transactions.

17. The computer-implemented method as claim 16 recites, wherein detecting the change in the location of the customer is based at least in part on detecting an initial location of the customer during an initial payment transaction of the one or more payment transactions.

18. The computer-implemented method as claim 16 recites, further comprising: receiving, by the one or more servers, transaction data associated with the at least one of the one or more payment transactions; and generating, by the one or more servers, the digital receipt based at least in part on the transaction data.

19. The computer-implemented method as claim 16 recites, wherein detecting the change in the location of the customer is based at least in part on data received from a point-of-sale (POS) device associated with a merchant.

20. The computer-implemented method as claim 1 recites, wherein causing presentation of the digital receipt is further based at least in part on a current location.
