



US012409216B2

(12) **United States Patent**
Choi et al.

(10) **Patent No.:** **US 12,409,216 B2**
(45) **Date of Patent:** **Sep. 9, 2025**

(54) **SEVERE FEVER WITH
THROMBOCYTOPENIA SYNDROME VIRUS**

(71) Applicant: **I.D.BIO.**, Cheongju-si (KR)

(72) Inventors: **Yeo-Jeong Choi**, Cheongju-si (KR);
Su-Jin Park, Cheongju-si (KR);
Young-II Kim, Daejeon (KR); **Min-Ah Yu**, Sejong (KR)

(73) Assignee: **I.D.BIO.**, Cheongju-si (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **18/348,323**

(22) Filed: **Jul. 6, 2023**

(65) **Prior Publication Data**

US 2023/0346909 A1 Nov. 2, 2023

Related U.S. Application Data

(63) Continuation of application No. 17/050,602, filed as application No. PCT/KR2019/004857 on Apr. 23, 2019, now Pat. No. 11,738,078.

(30) **Foreign Application Priority Data**

Apr. 25, 2018 (KR) 10-2018-0047865

(51) **Int. Cl.**

A61K 39/12 (2006.01)

A61P 31/12 (2006.01)

G01N 33/569 (2006.01)

A61K 39/00 (2006.01)

(52) **U.S. Cl.**

CPC **A61K 39/12** (2013.01); **A61P 31/12** (2018.01); **G01N 33/569** (2013.01); **A61K 2039/5252** (2013.01); **A61K 2039/6056** (2013.01)

(58) **Field of Classification Search**

None

See application file for complete search history.

(56) **References Cited**

FOREIGN PATENT DOCUMENTS

KR 10-2015-0042419 A 4/2015

KR 10-2016-0054161 A 5/2016

OTHER PUBLICATIONS

Liu et al., Immunization with Recombinant SFTSV/NSs Protein Does Not Promote Virus Clearance in SFTSV-Infected C57BL/6J Mice, *Viral Immunology*, 2015, vol. 28, No. 2.*

International Search Report for PCT/KR2019/004857 Aug. 19, 2019 (PCT/ISA/210).

Seok-Min Yun et al., "Molecular genomic characterization of tick and human-derived severe fever with thrombocytopenia syndrome virus isolates from South Korea", *PLOS Neglected Tropical Diseases*, Sep. 22, 2017, pp. 1-15.

Tomoki Yoshikawa et al., "Phylogenetic and Geographic Relationships of Severe Fever With Thrombocytopenia Syndrome Virus in China, South Korea, and Japan", *Phylogenetic Analysis of SFTSV*, Sep. 15, 2015, pp. 889-898, vol. 212.

Yonggang Fu et al., "Phylogeographic analysis of severe fever with thrombocytopenia syndrome virus from Zhoushan Islands, China: implication for transmission across the ocean", *Scientific Reports*, pp. 1-8, vol. 6, No. 19563.

GenBank Accession ASW22984, RNA-dependent RNA polymerase [Severe fever with thrombocytopenia syndrome virus], Sep. 5, 2017.

GenBank Accession ASW22987, membrane glycoprotein polyprotein [Severe fever with thrombocytopenia syndrome virus], Sep. 5, 2017.

GenBank Accession KY789438, Severe fever with thrombocytopenia syndrome virus isolate CBS segment M, complete sequence, Sep. 5, 2017.

GenBank Accession KY789435, Severe fever with thrombocytopenia syndrome virus isolate CBS segment L, complete sequence, Sep. 5, 2017.

GenBank Accession KY789441, Severe fever with thrombocytopenia syndrome virus isolate CBS segment S, complete sequence, Sep. 5, 2017.

Brennan et al., *Reverse Genetics System for Severe Fever with Thrombocytopenia, Syndrome Virus*, 2015, vol. 89, No. 6, pp. 3026-3037.

Gen Bank Accession: ASW22984, RNA-dependent RNA polymerase [Severe fever with thrombocytopenia syndrome virus], 2017.

* cited by examiner

Primary Examiner — Benjamin P Blumel

(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC

(57) **ABSTRACT**

The present invention relates to a novel genotype of severe fever with thrombocytopenia syndrome viruses and use thereof as an immunogenic composition. The severe fever with thrombocytopenia syndrome viruses of the present invention are genetically different from conventional severe fever with thrombocytopenia syndrome viruses and are novel viruses taxonomically belonging to three sub-groups of genotype B. In view of the vaccine property that specific genotype viruses alone show only limited protective potential, the novel viruses of the present invention may be advantageously used as a vaccine having excellent cross-immunogenicity for SFTSV.

5 Claims, 6 Drawing Sheets

Specification includes a Sequence Listing.

FIG. 1




FIG. 2




FIG. 3




FIG. 4





FIG. 5

Genotype B(B-1, B-2, B-3) type.

A) L gene



B) M gene





FIG. 6



1

SEVERE FEVER WITH THROMBOCYTOPENIA SYNDROME VIRUS

CROSS REFERENCE TO RELATED APPLICATIONS

This application is a Continuation Application of U.S. application Ser. No. 17/050,602 filed Oct. 26, 2020 which is a National Stage Application of International Application No. PCT/KR2019/004857 filed Apr. 23, 2019, claiming priority based on Korean Patent Application No. 10-2018-0047865 filed Apr. 25, 2018, the entire disclosures of which are incorporated herein by reference.

INCORPORATION BY REFERENCE OF SEQUENCE LISTING

The content of the electronically submitted sequence listing, file name: Q288727_sequence listing as filed.XML; size: 76,505 bytes; and date of creation: Jul. 1, 2023, filed herewith, is incorporated herein by reference in its entirety.

TECHNICAL FIELD

The present disclosure relates to a novel genotype of severe fever with thrombocytopenia syndrome virus and use thereof as an immunogenic composition.

BACKGROUND ART

A severe fever with thrombocytopenia syndrome (SFTS) is accompanied by symptoms such as high fever, vomiting, diarrhea, thrombocytopenia, leukopenia and multiple organ failure, and is a serious disease with a mortality rate of 6% to 30% (Yu X J et al., N. Engl. J. Med. 2011; 364:1523-32; Ding F et al Clin Infect Dis 2013; 56: 1682-3).

A causative pathogen of SFTS is SFTSV (severe fever thrombocytopenia syndrome virus), which belongs to Bunyaviridae family. Bunyaviridae family is a negative-strand RNA virus containing three segments. Bunyaviridae family includes five genera including *Orthobunyavirus*, *Hantavirus*, *Nairovirus*, *Phlebovirus* and *Tospovirus*. SFTSV belongs to the *Phlebovirus* genus which includes Rift valley fever virus. SFTSV was first reported in China in 2011 (Yu X J et al. *ibid*), and is a new variant virus that continues to outbreak not only in China, but also in Korea and Japan. SFTSV is a ball-shaped virus with a diameter of 80 nm to 100 nm. This virus carries three genes: a large (L) segment as a single-stranded negative sense RNA segment, a medium (M) segment, and a small (S) segment (NP, NS).

The SFTS virus is known to spread via *Haemaphysalis longicornis* as a vector thereof, which spreads widely in Korea as well (Chae J S et al. J Vet Sci 2008; 9: 285-93; Kim C M et al. Appl Environ Microbiol 2006; 72: 5766-76). Seroconversion and viraemia of the SFTS virus have been found in domestic animals such as goats, sheep, cattle, pigs and dogs. It is believed that these animals act as intermediate vectors thereof in the area where SFTS virus spreads (Zhao L et al. Emerg Infect Dis 2013; 18: 963-5; Niu G et al. Emerg Infect Dis 2013; 19: 756-63). SFTSV is detected in the blood of patients, and the concentration of SFTSV is very high in blood of severely ill patients. Thus, human-to-human transmission thereof is possible via the blood (Tang X, Wu W, Wang H, et al. J Infect Dis 2013; 207: 736-739.).

Antiviral agents for SFTSV have not been developed yet, and thus SFTS treatment is based on conservative therapy for organ failure such as blood transfusion and renal replace-

2

ment therapy. In China, ribavirin infusion has been introduced into the treatment guidelines since 2012. However, there was no difference in the mortality rate between the ribavirin-treated group and the non-administered group in the recently published treatment results. Therefore, a vaccine against SFTSV is required, but such a vaccine has not been developed yet.

DISCLOSURE

Technical Purpose

A purpose of the present disclosure is to provide a novel genotype of severe fever with thrombocytopenia syndrome virus and an immunogenic composition containing the same.

Technical Solution

To achieve the purpose, the present disclosure provides a novel severe fever with thrombocytopenia syndrome virus.

Further, the present disclosure provides an immunogenic composition for prevention or treatment of the severe fever with thrombocytopenia syndrome.

Further, the present disclosure provides antibodies against the severe fever with thrombocytopenia syndrome virus or an antigen thereof.

Further, the present disclosure provides a diagnostic kit for the severe fever with thrombocytopenia syndrome virus.

Further, the present disclosure provides a method to detect the severe fever with thrombocytopenia syndrome virus antibody.

Further, the present disclosure provides a method for producing antiserum against the severe fever with thrombocytopenia syndrome virus.

In addition, the present disclosure provides a method to provide information regarding diagnosis of the severe fever with thrombocytopenia syndrome.

Advantageous Effects

The severe fever with thrombocytopenia syndrome virus according to the present disclosure is genetically different from the conventional thrombocytopenia virus and is a novel virus as systematically subdivided from a B genotype. Thus, the novel virus according to the present disclosure may be usefully used as vaccines with excellent cross immunogenicity against SFTSV, due to characteristics of a vaccine that only a specific genotype virus exhibits limited protective ability.

DESCRIPTION OF DRAWINGS

FIG. 1 is a phylogenetic tree showing three novel viruses according to the present disclosure and SFTSV L gene isolated from China, Japan, and Korea.

FIG. 2 is a phylogenetic tree showing the three novel viruses according to the present disclosure and SFTSV M gene isolated from China, Japan, and Korea.

FIG. 3 is a phylogenetic tree showing the three novel viruses according to the present disclosure and SFTSV S (NP) gene isolated from China, Japan, and Korea.

FIG. 4 is a phylogenetic tree showing the three novel viruses according to the present disclosure and SFTSV S (NS) gene isolated from China, Japan, and Korea.

FIG. 5 shows amino acid mutation sites in L and M genes of three novel viruses of genotypes B-1 (CB3/2016), B-2 (CB7/2017) and B-3 (CB6/2016) according to the present disclosure.

FIG. 6 is a diagram that identifies vaccine effects of three novel viruses of genotypes B-1 (CB3/2016), B-2 (CB7/2017) and B-3 (CB6/2016) according to the present disclosure.

MODES OF THE INVENTION

Hereinafter, the present disclosure will be described in detail based on implementations according to the present disclosure with reference to the accompanying drawings. However, the following implementations are presented as only examples of the present disclosure. When it is determined that detailed description of a well-known component or configuration may unnecessarily obscure the gist of the present disclosure, the detailed description may be omitted. The implementations do not limit the present disclosure. The present disclosure may be variously modified and applied within the scope interpreted based on the claims to be described later.

Further, terms (terminologies) used in this specification are used to properly describe preferred Example of the present disclosure, and may vary according to a user's or operator's intention or a practice of the field to which the present disclosure belongs. Accordingly, definitions of these terms should be made based on contents throughout the present specification. It will be further understood that the terms "comprises", "comprising", "includes", and "including", "containing" and "contains", etc. when used in this specification, specify the presence of the stated elements, and/or components, but do not preclude the presence or addition of one or more other elements, components, and/or portions thereof.

In one aspect, the present disclosure relates to the severe fever with thrombocytopenia syndrome virus (SFTSV) in which a 1447-th amino acid of a protein expressed in ORF (6255 bp) of an L gene thereof is valine or a 1913-rd amino acid thereof is lysine, wherein a 83-rd amino acid of a protein expressed in ORF (3222 bp) of an M gene thereof is tyrosine, or a 404-th amino acid thereof is threonine or a 904-th amino acid thereof is valine. In one Example of the present disclosure, this virus was named B-1 (CB3).

In one implementation, the severe fever with thrombocytopenia syndrome virus belongs to genotype B-1 and may be a virus in which isoleucine as a 1447-th amino acid of a protein expressed in ORF (6255 bp) of an L gene of a virus conventionally classified as a genotype B is substituted with valine, and arginine as a 1913-rd amino acid thereof is substituted (SEQ ID NO: 13) with lysine, and isoleucine as a 904-th amino acid of an M gene thereof is substituted (SEQ ID NO: 14) with valine.

In one implementation, the severe fever with thrombocytopenia syndrome virus may contain an L gene containing a base sequence represented by SEQ ID NO: 1, an M gene containing a base sequence represented by SEQ ID NO: 2, and an S gene containing NP containing a base sequence represented by SEQ ID NO: 3 and NS containing a base sequence represented by SEQ ID NO: 4.

In one implementation, the severe fever with thrombocytopenia syndrome virus may contain an amino acid sequence represented by SEQ ID NO: 13 expressed in ORF (6255 bp) of an L gene, an amino acid sequence represented by SEQ ID NO: 14 expressed in ORF (3222 bp) of an M gene, and an amino acid sequence represented by SEQ ID NO: 15 expressed in ORF of an NP gene, and an amino acid sequence represented by SEQ ID NO: 16 expressed in ORF of an NS gene.

In one aspect, the present disclosure relates to a severe fever with thrombocytopenia syndrome virus in which a 1447-th amino acid of a protein expressed in ORF (6255 bp) of an L gene thereof is isoleucine or a 1913-rd amino acid thereof is arginine, wherein a 83-rd amino acid of a protein expressed in ORF (3222 bp) of an M gene is phenylalanine, a 404-th amino acid thereof is threonine or a 904-th amino acid thereof is isoleucine. In one Example of the present disclosure, the virus was named B-2 (CB4).

In one implementation, the severe fever with thrombocytopenia syndrome virus belongs to genotype B-2, and may be a virus in which tyrosine as an 83-rd amino acid of an M gene of a virus conventionally classified as a genotype B has been replaced with phenylalanine.

In one implementation, the severe fever with thrombocytopenia syndrome virus may contain an L gene containing a base sequence represented by SEQ ID NO: 5, an M gene containing a base sequence represented by SEQ ID NO: 6, and an S gene containing a NP containing a base sequence represented by SEQ ID NO: 7 and a NS containing a base sequence represented by SEQ ID NO: 8.

In one implementation, the severe fever with thrombocytopenia syndrome virus may contain an amino acid sequence represented by SEQ ID NO: 17 expressed in ORF of an L gene, an amino acid sequence represented by SEQ ID NO: 18 expressed in ORF of an M gene, an amino acid sequence represented by SEQ ID NO: 19 expressed in ORF of an NP gene and an amino acid sequence represented by SEQ ID NO: 20 expressed in ORF of an NS gene.

In one aspect, the present disclosure relates to a severe fever with thrombocytopenia syndrome virus in which a 1447-th amino acid of a protein expressed in ORF (6255 bp) of an L gene thereof is isoleucine or a 1913-rd amino acid thereof is arginine, wherein a 83-rd amino acid of a protein expressed in ORF (3222 bp) of an M gene thereof is tyrosine, a 404-th amino acid thereof is alanine or a 904-th amino acid thereof is isoleucine. In one Example of the present disclosure, the virus was named B-3 (CB1).

In one implementation, the severe fever with thrombocytopenia syndrome virus belongs to genotype B-3, and may be a virus in which threonine as a 404-th amino acid of an M gene of a virus conventionally classified as a genotype B is substituted with alanine.

In one implementation, the severe fever with thrombocytopenia syndrome virus may contain an L gene containing a base sequence represented by SEQ ID NO: 9, an M gene containing a base sequence represented by SEQ ID NO: 10, and an S gene containing NP containing a base sequence represented by SEQ ID NO: 11 and NS containing a base sequence represented by SEQ ID NO: 12.

In one implementation, the severe fever with thrombocytopenia syndrome virus may contain an amino acid sequence represented by SEQ ID NO: 21 expressed in ORF of an L gene, an amino acid sequence represented by SEQ ID NO: 22 expressed in ORF of an M gene, an amino acid sequence represented by SEQ ID NO: 23 expressed in ORF of an NP gene, and an amino acid sequence represented by SEQ ID NO: 24 expressed in ORF of an NS gene.

In one example of the present disclosure, it was revealed based on a result of genetic analysis of the severe fever with thrombocytopenia syndrome virus as isolated that a gene sequence thereof was different from that of the severe fever with thrombocytopenia syndrome virus as previously known. It was revealed based on a result of systematically classifying the severe fever with thrombocytopenia syndrome virus according to the present disclosure that a

genotype thereof is subdivided into at least three genotypes other than a single B genotype group as previously known.

The term "substitution" as used in the present disclosure refers to replacement of one or more amino acids or nucleotides by other amino acids or nucleotides, respectively.

The severe fever with thrombocytopenia syndrome virus according to the present disclosure is a negative single-stranded RNA virus and belongs to Bunyaviridae family and to *phlebovirus* genus. The severe fever with thrombocytopenia syndrome virus according to the present disclosure is a spherical virus with a diameter of 80 nm to 100 nm and spreads via *Haemaphysalis longicornis* as a vector thereof. A genome thereof includes a large (L) segment, a medium (M) segment, and a small (S) segment and codes six proteins including RNA dependent RNA polymerase (RdRp), glycoprotein precursor (M), glycoprotein N (Gn), glycoprotein C (Gc), nucleocapsid protein (NP), and non-structural protein (NS). In a negative or antisense strand (sense encoding a viral protein or antisense against a positive strand), a protein or gene is encoded as antisense. For expression of a gene into a protein, a sense or positive strand RNA is generated, and then translation therefrom is performed such that the protein is produced.

In one aspect, the present disclosure relates to an immunogenic composition for prevention or treatment of a severe fever with thrombocytopenia syndrome, the composition containing the severe fever with thrombocytopenia syndrome virus or an antigen thereof as an active ingredient.

In one implementation, the immunogenic composition according to the present disclosure may contain an inactivated severe fever with thrombocytopenia syndrome virus and a pharmaceutically acceptable carrier or adjuvant.

In one implementation, the immunogenic composition may be a vaccine composition, wherein a form thereof may be selected from the group consisting of live vaccine, killed vaccine, subunit vaccine produced using a gene of an attenuated severe fever with thrombocytopenia syndrome virus, vector vaccine, chimeric vaccine, DNA vaccine, and RNA vaccine.

In one implementation, the immunogenic composition may contain, as an active ingredient, a severe fever with thrombocytopenia syndrome virus containing an L gene containing a base sequence represented by SEQ ID NO: 1, an M gene containing a base sequence represented by SEQ ID NO: 2, and an S gene containing a base sequence represented by SEQ ID NO: 3; a severe fever with thrombocytopenia syndrome virus containing an L gene containing a base sequence represented by SEQ ID NO: 4, an M gene containing a base sequence represented by SEQ ID NO: 5, and an S gene containing a base sequence represented by SEQ ID NO: 6; and a severe fever with thrombocytopenia syndrome virus containing an L gene containing a base sequence represented by SEQ ID NO: 7, an M gene containing a base sequence represented by SEQ ID NO: 8, and an S gene containing a base sequence represented by SEQ ID NO: 9; or antigens thereof.

For preparation of the immunogenic composition (i.e., a vaccine) according to the present disclosure, the virus or an antigen thereof according to the present disclosure is transformed into a physiologically acceptable form. This may be done based on experiences of preparing a vaccine used for vaccination against influenza (disclosed by Stickl, H. et al. [1974] Dtsch. med. Wschr. 99, 2386-2392). For the preparation of vaccine injections, for example, virus particles are lyophilized in 100 ml of phosphate-buffered saline (PBS) under the presence of 1% human albumin and 2% peptone in ampoules, preferably in glass ampoules. Alternatively,

vaccine injections may be produced by sequential freeze-drying of the virus in the formulation. This formulation may contain additional additives such as mannitol, dextran, sugar, glycine, lactose or polyvinylpyrrolidone or antioxidants or inert gases, stabilizers or other adjuvants such as recombinant proteins suitable for in vivo administration (e.g. human serum albumin). The glass ampoule may then be sealed and stored at a temperature between 4° C. and room temperature for several months. However, unless otherwise required, the ampoules may preferably be stored below -20° C.

For vaccination or treatment, the lyophilisate may be dissolved in 0.1 ml to 0.5 ml of an aqueous solution, preferably physiological saline or tris buffer, and then may be administered to a subject systemically or locally, i.e. in parenteral, subcutaneous, intramuscular manner or via other routes of administration known to those skilled in the art. A dosage form, dosage and frequency of administration thereof may be optimized by a person skilled in the art in a known manner. However, most commonly, patients receive a second vaccination about a month to 6 weeks after a first vaccination.

In the present disclosure, the term "prevention" refers to any action that inhibits or delays the occurrence, spread and recurrence of the severe fever with thrombocytopenia syndrome by administration of the immunogenic composition according to the present disclosure.

The term "treatment" as used in the present disclosure refers to any action that reduces or beneficially alters the symptoms of the severe fever with thrombocytopenia syndrome and complications thereof via the administration of the immunogenic composition according to the present disclosure. A person with ordinary knowledge in the technical field to which the present disclosure belongs refers to the data presented by the Korean Medical Association, etc. to know the exact criteria about the disease to which the composition according to the present disclosure is effective, and to determine degrees of the improvement and treatment.

The term "therapeutically effective amount" used in combination with an active ingredient in the present disclosure refers to an amount effective for preventing or treating the severe fever with thrombocytopenia syndrome. The therapeutically effective amount of the composition according to the present disclosure may vary depending on several factors, such as administration method, target site, and patient's condition. Therefore, when the composition is used for the human body, the dosage should be determined as an appropriate amount in consideration of safety and efficiency. The skilled person may estimate the amount to be used for humans from an effective amount determined through animal experiments. Factors to consider when determining the effective amount are described, for example, in Hardman and Limbird, eds., Goodman and Gilman's The Pharmacological Basis of Therapeutics, 10th ed. (2001), Pergamon Press; And E. W. Martin ed., Remington's Pharmaceutical Sciences, 18th ed. (1990), Mack Publishing Co.

A pharmaceutical composition according to the present disclosure is administered in a pharmaceutically effective amount. As used in the present disclosure, the term "pharmaceutically effective amount" refers to an amount sufficient to treat the severe fever with thrombocytopenia syndrome at a reasonable benefit/risk ratio applicable to medical treatment and not to cause side effects. The effective dose level may be determined based on factors including the patient's health status, type of transplantation, severity, activity of the drug, sensitivity to the drug, method of administration, time of administration, route of administra-

tion and rate of excretion, duration of treatment, drugs used in combination or simultaneously, and other factors well known in the medical field. The composition according to the present disclosure may be administered as an individual therapeutic agent or administered in combination with other therapeutic agents or may be administered sequentially or simultaneously with a conventional treatment agent, or may be administered single or multiple times. Considering all of the above factors, it is important to administer the amount by which the maximum effect may be obtained at the minimum amount without side effects. This amount may be easily determined by a person skilled in the art.

The pharmaceutical composition according to the present disclosure may contain carriers, diluents, excipients or a combination of two or more thereof commonly used in biological preparations. As used in the present disclosure, the term "pharmaceutically acceptable" refers to characteristics that a composition is not toxic to cells or humans as exposed to the composition. The carrier is not particularly limited as long as the carrier is suitable for delivery of the composition to a target site in vivo. The carrier may include, for example, compounds described in Merck Index, 13th ed., Merck & Co. Inc., saline, sterile water, Ringer's solution, buffered saline, dextrose solution, maltodextrin solution, glycerol, ethanol, and mixtures of one or more of these components. If necessary, other conventional additives such as antioxidants, buffers, and bacteriostatic agents may be added thereto. Further, when additionally adding a diluent, a dispersant, a surfactant, a binder, and a lubricant to the composition, the composition may be formulated into a formulation for injection such as an aqueous solution, a suspension, an emulsion, a pill, a capsule, a granule or a tablet. Furthermore, the composition may be preferably formulated based on each disease or component using a method appropriate in the art or by a method disclosed in Remington's Pharmaceutical Science (Mack Publishing Company, Easton PA, 18th, 1990).

In one implementation, the pharmaceutical composition may be formulated into at least one selected from the group including oral dosage forms, external preparations, suppositories, sterile injectable solutions and sprays. Oral or injection formulations are more preferred.

The term "administration" as used in the present disclosure means providing a predetermined substance to a subject or patient in any appropriate way. Depending on the intended method, parenteral administration (for example, an injection formulation being applied in intravenous, subcutaneous, intraperitoneal manner or topically) or oral administration may be possible. The dosage range varies depending on the patient's weight, age, sex, health status, diet, administration time, administration method, excretion rate, and severity of disease. Liquid formulations for oral administration of the composition according to the present disclosure include suspensions, liquid solutions, emulsions, syrups, etc. In addition to water and liquid paraffin, which are commonly used simple diluents, various excipients such as wetting agents, sweeteners, fragrances, and preservative may be contained therein together. Formulations for parenteral administration include sterile aqueous solutions may include non-aqueous solvents, suspensions, emulsions, lyophilized formulations, suppositories, and the like. The pharmaceutical composition according to the present disclosure may be administered using any device capable of delivering the active substance to the target cell. Preferred modes of administration and formulations may be intravenous injections, subcutaneous injections, intradermal injections, intramuscular injections, drop injections and the like. Injectables

may be prepared using aqueous solvents such as physiological saline and Ringer solutions, or non-aqueous solvents such as vegetable oils, higher fatty acid esters (e.g., oleic acid ethyl, etc.), alcohols (e.g., ethanol, benzyl alcohol, propylene glycol, glycerin, etc.). It may contain a pharmaceutical carrier such as stabilizers to prevent deterioration (e.g. ascorbic acid, sodium hydrogen sulfite, sodium pyrosulfite, BHA, tocopherol, EDTA, etc.), an emulsifier, a buffer for pH control, and a preservative for preventing the growth of microorganisms (e.g., phenyl mercury nitrate, thimerosal, benzalkonium chloride, phenol, cresol, benzyl alcohol, etc.).

As used in the present disclosure, the term "subject" refers to monkeys, cows, horses, sheep, pigs, chickens, turkeys, quails, cats, dogs, mice, rats, rabbits or guinea pigs, or humans who have the severe fever with thrombocytopenia syndrome. The "specimen" may be whole blood, plasma, serum, urine or saliva isolated therefrom.

The pharmaceutical composition according to the present disclosure may further contain pharmaceutically acceptable additives. The pharmaceutically acceptable additives include starch, gelatinized starch, microcrystalline cellulose, lactose, povidone, colloidal silicon dioxide, calcium hydrogen phosphate, lactose, mannitol, malt, arabic rubber, pregelatinized starch, corn starch, powdered cellulose, hydroxypropyl cellulose, opadry, sodium starch glycolate, lead carnauba, synthetic aluminum silicate, stearic acid, magnesium stearate, aluminum stearate, calcium stearate, sucrose, dextrose, sorbitol, talc, and the like. The pharmaceutically acceptable additive according to the present disclosure is preferably contained in 0.1 parts by weight to 90 parts by weight based on the composition, but is not limited thereto.

In one aspect, the present disclosure relates to an antibody produced in response to immunization using the virus or antigen thereof according to the present disclosure.

The antibody is not only in the form of a whole antibody, but also includes a functional fragment of an antibody molecule. The whole antibody has a structure having two full-length light chains and two full-length heavy chains, and each light chain is connected to a heavy chain via a disulfide bond. A functional fragment of an antibody molecule refers to a fragment that has an antigen-binding function. Examples of antibody fragments may include (i) a Fab fragment composed of a variable region (VL) of a light chain and a variable region (VH) of a heavy chain, a constant region (CL) of a light chain, and a first constant region (CH1) of a heavy chain; (ii) an Fd fragment composed of VH and CH1 domains; (iii) an Fv fragment composed of VL and VH domains of a single antibody; (iv) a dAb fragment composed of a VH domain (Ward E S et al., Nature 341:544-546 (1989)); (v) an isolated CDR region; (vi) an F(ab')₂ fragment as a bivalent fragment containing two linked Fab fragments; (vii) a single chain Fv molecule (scFv) bound via a peptide linker that binds the VH domain and the VL domain to each other to form an antigen binding site; (viii) a bispecific single-chain Fv dimer (PCT/US92/09965); and (ix) a diabody as a polyvalent or multispecific fragment produced by gene fusion (WO94/13804), and the like.

In one aspect, the present disclosure relates to a diagnostic kit for the severe fever with thrombocytopenia syndrome virus, the kit containing the severe fever with thrombocytopenia syndrome virus or an antigen thereof, or an antibody against the same.

In one implementation, the kit may contain a virus sample containing the virus according to the present disclosure and a reagent for detecting an antigen-antibody complex. The reagent for detecting the antigen-antibody complex includes

reagents for radioimmunoassay, ELISA (Enzyme linked immunosorbent assay) or immunofluorescence analysis.

In one embodiment, the detection of the antigen-antibody complex may be achieved using an Ouchterlony plate simply detecting the antibody and/or antigen via the antigen-antibody binding, western blot, and immuno electrophoresis such as Crossed IE, Rocket IE, Fused Rocket IE, and Affinity IE. Reagents or substances as used in this method are known. This may be detected, for example, via antigen-antibody reactions, or substrates, nucleic acids or peptide aptamers that specifically bind to antigens, or reactions with receptors, ligands, or cofactors interacting with the complex or using mass spectrometry. The reagent or substance that specifically interacts or binds to the antigen-antibody complex of the present application may be used in a chip method or in combination with nanoparticles. The immunoassay or immunostaining method is described in Enzyme Immunoassay, E. T. Maggio, ed., CRC Press, Boca Raton, Florida, 1980; Gaastra, W., Enzyme-linked immunosorbent assay (ELISA), in Methods in Molecular Biology, Vol. 1, Walker, J. M. ed., Humana Press, NJ, 1984. Analyzing the intensity of the final signal by the above-described immunoassay process, that is, performing signal contrast with a normal sample may diagnose absence or presence of the infection of the disease.

In one aspect, the present disclosure relates to a diagnostic composition containing the severe fever with thrombocytopenia syndrome virus or antigen thereof, or an antibody against the antigen.

The compounds according to the present disclosure as used in the diagnostic composition are preferably labeled detectably. Various methods available for labeling biomolecules are well known to those skilled in the art and are considered within the category according to the present disclosure. The methods are described in Tijssen, 'Practice and theory of enzyme immuno assays', Burden, R H and von Knippenburg (Eds), Volume 15 (1985), 'Basic methods in molecular biology'; Davis L G, Dibmer M D; Battey Elsevier (1990), Mayer et al., (Eds) 'Immunochemical methods in cell and molecular biology' Academic Press, London (1987), or in the series 'Methods in Enzymology', Academic Press, Inc.

There are many other marking methods and makers known to the skilled person. Examples of the types of markers that may be used in the present disclosure may be enzymes, radioactive isotopes, colloidal metals, fluorescent compounds, chemiluminescent compounds, and bioluminescent compounds.

Commonly used markers include fluorescent substances (e.g., fluresin, rhodamine, Texas red, etc.), enzymes (e.g. horseradish peroxidase, β -galactosidase, alkaline phosphatase), radioactive isotopes (e.g., ^{32}P or ^{125}I), biotin, digoxigenin, colloidal metal, chemiluminescent or bioluminescent compounds (e.g., dioxetane, luminol or acridinium). The marking methods such as methods based on covalent bonding of enzymes or biotinyl groups, iodination, phosphorylation, and biotinylation are well known in the art.

The detection methods may include autoradiography, fluorescence microscopy, direct and indirect enzyme reactions, etc. but is not limited thereto. A commonly used detection assay may be a radioactive isotope or non-radioactive isotope method. These may include Western blotting, overlay-analysis, Radioimmuno Assay (RIA) and Immuno Radioimmunometric Assay (IRMA), Enzyme Immuno Assay (EIA), Enzyme Linked Immuno Sorbent Assay (ELISA), Fluorescent Immuno Assay (FIA), and Chemoluminescent Immune Assay (CLIA).

In one aspect, the present disclosure relates to a method for detecting a severe fever with thrombocytopenia syndrome virus antibody, the method including contacting a sample isolated from a specimen with a virus or antigen thereof according to the present disclosure under a condition in which an antigen/antibody complex is able to be formed; and detecting formation of an antigen/antibody complex.

In one aspect, the present disclosure relates to a method for producing antiserum against the severe fever with thrombocytopenia syndrome virus in a non-human animal, the method including administering the virus or antigen thereof according to the present disclosure to the non-human animal at an amount effective to induce an immune response; and collecting antiserum or plasma containing an antibody against the severe fever with thrombocytopenia syndrome virus.

In one aspect, the present disclosure relates to a method for providing information regarding the diagnosis of the severe fever with thrombocytopenia syndrome, the method including contacting a sample isolated from a specimen with the virus or antigen thereof according to the present disclosure to form an antigen-antibody complex; and detecting the formation of the complex.

EXAMPLES

The present disclosure is described in more detail based on following Examples. However, the following Examples are intended only for specifying the present disclosure, and the present disclosure is not limited thereto.

Example 1

Virus Isolation

Blood from patients who visited university hospitals and were suspected of having symptoms of severe fever thrombocytopenia syndrome, and bloods from animals (goat and abandoned dogs) suspected of having symptoms of severe fever thrombocytopenia syndrome, and wild mite homogenate were used to identify whether the SFTSV (severe fever thrombocytopenia syndrome virus) thereof is positive/negative via real-time PCR, PCR and ELISA analysis. Specifically, a day before virus infection, VeroE6 cells were dispensed into a 12-well plate, cultured so that the cell density exceeded 60%, and the cells were washed with PBS. The cells were treated with 300 μl of serum from a suspected infected patient (serum obtained by centrifuging whole blood at 3000 rpm for 20 minutes) for 1 hour to infect the cells. After the infection, the serum was removed, and the cells were washed with PBS, and then the cells were exchanged with 1% FBS DMEM medium and cultured in 1% FBS DMEM medium for 2 weeks. The two weeks later, RT-PCR (identification via real-time PCR after reverse transcription) and immune fluorescence assay (in which a mouse SFTSV NP antibody produced in a laboratory was used as the primary antibody and the antibody conjugated with FITC was used as the secondary antibody) were used to identify the presence or absence of the virus isolation. When the virus was not isolated, the virus was isolated by infecting another VeroE6 cell with the first infected supernatant. The isolated viruses were named as CB3/2016, CB7/2017 and CB6/2016.

Example 2

Genetic Analysis of Isolated Virus

The viruses CB3/2016, CB7/2017 and CB6/2016 isolated using Vero E6 cells were respectively reverse-transcribed,

11

and then subjected to PCR, and NGS (next generation sequencing) to identify L, M, S (NP, NS) whole gene sequences thereof. Specifically, RNA was extracted from each virus, and cDNA was produced through reverse-transcription PCR. Subsequently, the L, M, and S genes of each SFTS virus were subjected to PCR to obtain each whole gene. The NGS method was used for gene sequence analysis. The L, M, and S genes of each virus were subjected to tagmentation and index PCR using an illumina nextera XT kit according to the protocol provided from illumina. Afterwards, Fasta Q file of the final sample was generated using the illumina miniseq equipment. The whole gene sequence of the generated file was analyzed using the CLC main workbench program. We integrated the identified gene sequences with the genes of conventional viruses isolated in Korea, China and Japan, and then performed genetic analysis. Thus, it was identified that the SFTSVs CB1, CB3 and CB4 as isolated according to the present disclosure are new genotypes of SFTSV genetically different from the genes of the viruses currently isolated in China or Korea (Yu X J et al., N. Engl. J. Med. 2011) and the virus first isolated in Korea (Gangwon/2012). In addition, it was identified based on a result of a phylogenetic gene analysis of L, M, and S (NP, NS) genes of viruses according to the present disclosure and viruses isolated from Korea, China, and Japan using the MEGA 7.0 program, that the viruses according to the present disclosure were close to the group B which most of the domestic isolated viruses belong to, but the genes L, M and S (NP and NS) thereof are different from those of the conventional viruses. Thus, we identified that the viruses according to the present disclosure is subdivided into at least 3 or more groups (FIG. 1 to FIG. 4). Accordingly, the three genotype SFTSVs isolated according to the present disclosure as subdivided were named B-1 (CB3/2016), B-2 (CB7/2017) and B-3 (CB6/2016), respectively.

Example 3

Identification of Differences in Amino Acid Sequence of L, M and S Genes by Viruses

3-1. L Gene Amino Acid Sequence Difference

It was identified based on a result of analyzing an amino acid sequence based on the open reading frame (ORF) of each of the L, M and S genes of the viruses of the novel subdivided genotypes B-1, B-2 and B-3 isolated according to the present disclosure, that the L and M genes were different from those in the conventional virus. Specifically, ORF (6255 bp) of an L gene in the B genotype encodes RdRp. In the genotype B-1 virus according to the present disclosure, the 1447-th amino acid of RdRp was valine or the 1913-rd amino acid thereof was lysine. In the genotype B-2 virus and B-3 virus according to the present disclosure, the 1447-th amino acid of RdRp was isoleucine or the 1913-rd amino acid thereof was arginine (FIG. 5A and Table 1).

TABLE 1

Amino	L gene		M gene		
Acids site	1447	1913	83	404	904
B-1 type	Val	Lys	Tyr	Thr	Val
B-2 type	Ile	Arg	Phe	Thr	Ile
B-3 type	Ile	Arg	Tyr	Ala	Ile

12

3-2. M Gene Amino Acid Sequence Difference

It was identified based on a result of analyzing an amino acid sequences of the L, M and S genes of the viruses of the new subdivided genotypes B-1, B-2 and B-3 isolated in accordance with the present disclosure, the L and M genes were different from those in the conventional virus. Specifically, ORF (3222 bp) of an M gene in the B genotype encodes Gn and Gc proteins. According to the present disclosure, in the genotype B-1 virus, the 83-rd amino acid of ORF of an M gene was tyrosine or the 404-th amino acid thereof was threonine or the 904-th amino acid thereof was valine. In the genotype B-2 virus, the 83-rd amino acid of ORF of an M gene was phenylalanine, the 404-th amino acid thereof was threonine or the 904-th amino acid thereof was isoleucine. In the genotype B-3 virus, the 83-rd amino acid of ORF of an M gene was tyrosine, the 404-th amino acid thereof was alanine, or the 904-th amino acid thereof was isoleucine (FIG. 5B and Table 1).

Example 4

Comparison of Gene Homology Based on Genotype

SFTSVs currently isolated in Korea and SFTSVs of the subdivided genotypes B-1, B-2 and B-3 according to the present disclosure were subjected to genetic analysis. The homology of L, M and S genes based on each genotype was compared and analyzed. As a result, about 96% to 100% of the gene homology (nucleotide level) between the viruses belonging to the same genotype was observed, while 91% to 97% of a relatively low gene homology between different genotype viruses was observed (Tables 2 to 5). Further, in the genotype B-3 group according to the present disclosure, the homology within the same group exhibited a relatively low homology at a level of about 95% to 100%. Thus, the possibility of subdividing the B-3 group into different genotype groups was identified.

TABLE 2

Genotype	Sequence homology (%) (Nucleotide identity)		
	B-1	B-2	B-3
B-1	96.4~100.0%	96.0~97.4%	95.9~97.1%
B-2	98.6~99.6%	97.2~100.0%	96.2~97.1%
B-3	98.1~99.8%	98.2~99.9%	96.5~100.0%

Comparison of Homology of L Gene

TABLE 3

Genotype	Sequence homology (%) (Nucleotide identity)		
	B-1	B-2	B-3
B-1	95.8~100.0%	94.5~97.1%	93.2~96.8%
B-2	98.3~99.6%	95.7~100.0%	93.7~96.8%
B-3	94.8~99.3%	95.3~99.7%	94.4~100.0%

13

Comparison of Homology of M Gene

TABLE 4

Sequence homology (%) (Nucleotide identity)			
Genotype	B-1	B-2	B-3
B-1	95.8~100.0%	94.5~97.1%	93.2~96.8%
B-2	98.3~99.6%	95.7~100.0%	93.7~96.8%
B-3	94.8~99.3%	95.3~99.7%	94.4~100.0%

Comparison of Homology of S (NP) Gene

TABLE 5

Sequence homology (%) (Nucleotide identity)			
Genotype	B-1	B-2	B-3
B-1	95.8~100.0%	94.8~97.4%	94.3~96.8%
B-2	98.9~100.0%	95.1~100.0%	94.8~98.2%
B-3	96.2~100.0%	94.9~100.0%	96.1~100.0%

Comparison of Homology of S (NS) Gene

Example 5

Cross Immunogenic Analysis and Vaccine Effect
Identification Based on Genotype

5-1. Cross Immunogenic Analysis Based on Genotype

In order to compare and analyze cross immunogenicity based on each genotype, a fifty percent of focus reduction neutralization test (FRNT50) was performed. Specifically, we carried out mass proliferation of viruses of the new subdivided genotype B-1, B-2 and B-3 as isolated according to the present disclosure, and then carried out inactivation thereof by adding formalin (0.05%) thereto, and then identified occurrence or non-occurrence of the inactivation thereof via 3 times virus isolations. The inactivated whole vaccines were used to produce proteins via ultracentrifugation using 20% sucrose. The proteins were immunized into ferrets. After 2 weeks, additional immunization was performed on the ferrets (two times immunizations, 2 weeks intervals), and the blood was collected therefrom and the serum was separated therefrom. The separated serum was inactivated at 56° C. for 30 minutes, diluted to 1/10, and then serially diluted 2 times. The virus diluted with 200 FFU/ml was reacted with the virus as serially diluted at 37° C. at 1:1. After washing the VeroE6 cells as dispensed in a 6-well plate, the cells were infected with the reacted virus. One hour thereafter, we performed washing of the cells. Then, the cells were immersed in 0.8% DMEM agarose gel containing 1% FBS. 5 days after the infection, formalin was used to fix the cells, and 3 hours thereafter, three washes were per-

14

formed, followed by treatment with 10% triton x-100 for 5 minutes at room temperature. Then, the cells were washed 3 times and blocking thereof was performed with 5% BSA. After incubation of the cells using a produced polyclonal NP antibody as a primary antibody, the cells were washed three times, and the cells were reacted with the HRP conjugated antibody as a secondary antibody for 1 hour, and then were washed, and then colored with DAB to identify the coloring result. The result was interpreted such that up to a value reduced by 50% compared to that of the focus forming of the well infected with only the virus was effective.

TABLE 6

Virus	Serum		
	B-1	B-2	B-3
B-1	1280	1280	320
B-2	640	2560	320
B-3	640	640	640

It was found based on the result of identifying cross-immunogenicity of the B-1, B-2, and B-3, the highest titer was found for each virus as shown in the Table 6. Thus, the viruses belonging to the same genotype exhibited high cross-neutralization reactivity, but the viruses belonging to different genotypes exhibited relatively low cross-neutralization reactivity.

5-2. Vaccine Effectiveness Identification

After proliferating the viruses of the new subdivided genotypes B-1, B-2 and B-3 isolated according to the present disclosure in large quantities, formalin (0.05%) was added thereto to inactivate each virus. Then, whether each virus was successfully inactivated was checked via three times virus isolations. Each of the inactivated whole vaccine was immunized into 5 ferrets twice at 2 weeks intervals, and the ferrets were challenged at $1 \times 10^{7.6}$ /ml for each virus.

It was identified based on the result of the attack challenge that the control animals died within 10 days of all challenge attack virus infections, but all ferrets of the vaccinated group survived. Body temperature increase and weight loss were identified 2 to 8 days after the infection. Thereafter, they were recovered (FIG. 6).

Summarizing the above results, there are various genotypes of viruses having various genes in SFTSV. The viruses belonging to the same genotype exhibited the relatively high gene homology and high cross-immune response, but the viruses of the different genotypes exhibited the relatively low gene homology and low cross-immunogenicity. Thus, it may be inferred that in order to exhibit the cross-immunogenicity between the various genotypes, only a specific genotype of virus may exhibit limited protective ability.

Therefore, the new viruses CB3/2016, CB7/2017 and CB6/2016 belonging to the subdivided genotypes B-1, B-2 and B-3 according to the present disclosure respectively are useful as vaccines having excellent cross immunogenicity with the SFTSV of the genotype B.

SEQUENCE LISTING

```

Sequence total quantity: 24
SEQ ID NO: 1          moltype = DNA length = 6255
FEATURE              Location/Qualifiers
misc_feature          1..6255
                      note = severe fever thrombocytopenia syndrome virus B-1 L
                      gene
source                1..6255
                      mol_type = other DNA

```

-continued

organism = unidentified

SEQUENCE: 1

```

atggacttgg aagtgtcttg tggtaggata aacgtggaga atgggtgtgc tcttggagaa 60
ccaggcctgt acgaccaaat ctacgacagg ccagggtgtc cagacctaga tgtgactgtc 120
gatgccacag gtgtgacagt ggacataggg gctgtgccag actcagcatc acaactgggc 180
tcatcaatca atgctgggtt gatcacaatc cagctctctg aagcatataa gatcaatcat 240
gacttcacat tttctggcct gtcaaagaca acagaccgac gcctctcaga ggtattcccc 300
attacccatg atggttctga tgggatgacc cctgatgtga tccacaccag attggatgga 360
actattgtgg tgggtgaatt ttcaaccact aggagccata acattggggg cctggaggga 420
gcatatagga caaagataga aaaatatagg gacccaatct caaggcgtgt tgatatcatg 480
gagaaccgga gagtctctct tgggtgtatt gtagtctcgt caggaggggt tctgtccaac 540
atgccctcta ctcaggatga ggcagaggag ctcattgtaca ggttctgcat agccaatgaa 600
atctacacta aggctagatg tatggatgca gacattgagc tacagaagag tgaagaagag 660
cttgaaggcta tcagcagggc actttcattc ttcagtttgt tccagcctaa cattgaaaga 720
gtggaaggaa cattccccaa ttcagaaatt gagatgctgg aacagtttct ctcaaccaca 780
gctgatgttg acttcacac caagaccctc aaagcaaaag aggtggaggc ctatgctgat 840
ctttgtgaca gccactacct aaagcctgaa aaaaccattc aggagcgtct agagatcaat 900
agatgtgagg ctattgacaa aactcaggac ctccatagct gcctacatgc aaggagcaac 960
aagcaaacat ctatgaatcg agggacagtc aaactcccgc cctggctgcc aaagccatca 1020
agtgaagtcaa tagacatcaa gaccgactca ggccttgggt ccttaagtga tcatggcgca 1080
tatggtgagc tatgggcaaa gtgccttcta gatgtctcgt taggcaatgt ggagggggtg 1140
gtcagtgacc ctcgaaaaga gcttgacatt gctatctctg atgaccaga aaaagacacc 1200
cccaaaggag caaagataac ctataggcga ttcaagcctg ccttaagtgc aagtggccgg 1260
caagaatttt ctctccagg agtggagggg aagaagtgga agagaatggc agcaaacagg 1320
aagaaagaga agggagtccca tgagacattg agccctttct tggatgttga agacattggg 1380
gatttctcta catccaacaa tcttcttgca gattcgaggt atggagatga gtccatccag 1440
agagctgtgt caatctgtgt ggaagaggca tctgccatgc aggcacaga gctcactcat 1500
gctctcaacg actcattcaa gaggaaccta agcagcaatg tgggtcagtg gtccctttgg 1560
gtttcctgtt tggcgagga gctagctagt gctctgaagc agcactgcag ggctgggtgag 1620
ttcatcatca agaagctgaa gttctggcct atctatgtca ttatcaagcc gaccaaatcg 1680
tcatctcaca tctctacac ctatgggatc cgcaaggctg acgtgacaag gaggtcact 1740
ggtagagtct tctctgacag cattgatgca ggggaatggg agctaacaga gttcaaaagc 1800
ctgaagacat gtaagctcac gaaccttgct aacttaccat gcaccatgct gaactcaata 1860
gctttctgga gagagaagct gggcggtggc ccatggctgg tccggaagcc ttgttcagag 1920
ctcagggaagc aggtgggctc gacctctctg atcagctcgg aggcacagtc taagactgag 1980
gagatcatca ccttgacaag gtacacccag atggagggtc ttgtctctcc tccatgctg 2040
cccaaaccoc aaaagatgct agggaaaact gatggacctt tgagaaccaa gctacagggt 2100
tacctctca ggaagcatct ggattgcatg gtgcgaattg cttctcagcc attcagccta 2160
atcccaagag aggggagagt agaattggga ggaacattcc atgcatctc aggcgcgttc 2220
acaaatcttg aaaaatgtgt gacagctggg tacattgggt actacaagaa caaagaggag 2280
tcaacagaa taaatgctct cggagaaatg tataagaaga ttgtggagat ggaagaggac 2340
aagcccagca gccctgagtt tctgggggtg ggggacactg attccccaa gaagcatgaa 2400
ttctcacgga gctctctagg agctgcttgc tcatctctgg aaagagaaat tgctcagcga 2460
catggaagac aatggaagca gaacctgag gagcgagtc tgagagagat tgggaccaa 2520
aacatcctgg acctgcatc catgaaggct actagcaact ttccaaaga ctgggagctc 2580
tactcagaag tccagaccaa aggtccaaac tgcaggagaa gatggccaca 2640
ttgattgaga agggggttat gtggtacatt gatgctgtgg gtcaggcatg gaaggcagt 2700
ctggatgacg ggtgcatgca aatctgtctc ttcaaaaaga atcagcatgg tggcctcaga 2760
gagatctacg ttatggatgc aatgcccgg ctcgtgcagt ttggggttga gacctggct 2820
agggtgtgtc gtgagctgag cccacatgag actgttgcca accctaggct caagaattcc 2880
atcatagaga accatggggt gaagtgcagc cgtagtcttg gccctggctc tataaacata 2940
aaactcatca atgatgccag caagtggaaat caggggcact acacaacaaa gctagctcta 3000
gtttcttgtt ggttcacgac agccaaaatt cacagattca tttgggctgc catttccatg 3060
ttctggagaa aaaagatgat ggtggacctt aggtttttag ctacacctcag ttctaatact 3120
gagtctaggc catctgatcc atttagggaa ccaatgacag acgcttcca tggcaatagg 3180
gaagtctcat ggtggacaa agggcgaaact tacataaaga cagagacagg tatgatgcag 3240
ggtatactgc accttacatc cagcctcctc cactcttgtg ttacagagctt ttacaagtct 3300
tattctgtct cgaaaactca ggaaggctac atgggagaaa gcatcaatgg ggtggtgag 3360
gtcatagaag gctctgacga ctacgcatc atgacagca tacgccccaa gtcagacatg 3420
gatgaagtcc gatcaagggt ctttgttgct aacttactcc actctgtaa gttcttgaac 3480
cctttgtttg ggtatgctt acagagaaa tcaacagtga acacagtga ttgtgtcag 3540
tataactctg aattccattt ccacaggcac ttggttcgac ccacactgag atggatagca 3600
gcatctcacc aaatctcaga gactgaggcc cttgcaagca ggcaagagga ttattcaaac 3660
cttcaaaccc agtgccttga gggaggggccc tcatctctc ttacctacct catacagtgc 3720
gctcagctcc tgcaccacta catgcttcta ggactatgct tacaccctct gtttggaaact 3780
ttcatgggga tgcgtgatc agaccagat ccagccctag ggttcttct catggacaac 3840
cctgcattcg caggaggagc aggatttaga ttcaatctgt ggagagctcg caagactaca 3900
gaacctgggc ggaagtatgc atattatatt aatgagatac agggtaaaac aaaggagatg 3960
gaggactaca gagctctgga cgccacatca ggaggaaccc tcagccactc tgttatgggtg 4020
tactgggggg acaggaagaa gtatcaggcc ttattgaaca ggatgggctc tctgaggac 4080
tgggtggagc agatagatga gaatcccgtg gtcctttaca ggagagctgc caacaagaag 4140
gaactactct taaaactggc agagaagggt cattcacctg gtgtgactag cagcctgagt 4200
aaagggcatg tagtgctcgt ggtggtggca gcaggagat accttctctc acgccattgc 4260
tttcgcttta tgcctcagc ccatggaagg ggcctcagca agaaggctag ccttataaaa 4320
ctgttgatga tgtcttctgt ttctgcatg aagcatgggg gctcactaaa ccctaatacag 4380
gagcgaatgc tcttccctca ggtcacaag tatgacagag tatgcacatt gcttgaggag 4440
gttgaacacc taacagggaa atttgttgtt agggagagga acattgtcag gagccgcata 4500
gactgttccc aagagccagt ggaactggcg tgcaaggcag aagatctggg gtacagaggtg 4560
tggtttggcc tgaaggagac taaacttga ccccgctctc tcaaggagaa gtgggacaaa 4620

```

-continued

```

cttagggcct catttgcacg gctgagcaca gacccatctg aaacattgag ggatggctct 4680
tttcttagcc atgtgcagtt taggaacttc atagccacg ttgatgcaa atcaagatca 4740
gtcaggctcc taggtgcccc cgtaaagaag tcagggtggg tcaccactat aagccaagta 4800
gtcagaatga acttcttccc aggttttagc ctagaagctg agaagagctt agacaatcag 4860
gaaagacttg agagcatctc catctccaag catgtcttgt tcatggctct gaatggccca 4920
tacactgagg agtacaagct ggaatgatc atagaggcct tctctactct tgtgatacct 4980
cagccatcag aggtcatcag gaaatcaagg accatgactt tgtgctctt atcaaattac 5040
ttgtctagta ggggtgggtc cattctagac cagattgaga gggcacagt aggcactcta 5100
gggggcttca gcaagcccca gaagactttc attaggccag gaggtgggat cggctacaag 5160
ggaaaggggtg tgtggactgg agtgatggag gacacccatg ttcaaattct gatagatgga 5220
gatgggacta gtaactggct tgaggagatc aggtcagta gtgatgccag actttatgat 5280
gtcattgagt ccattccgaag gttatgtgat gacctcggga tcaacaacag ggtggcatct 5340
gcatatagag gccattgcac ggttaggctg agtggattca agatcaagcc agcatcaagg 5400
actgatggct gccagtcag gattatggaa aggggcttca ggatcaggga actccaaaac 5460
ccagatgagg tcaagatgag agtgagaggt gacatcccta acctctctgt caccattcaa 5520
gaaggaaggg tcatgaacat tctaagctac agggcgagag acactgatat atcagaatca 5580
gccgcagcat atctctggag caatcgagac ctctctctct tgggaagaa ggagccatcc 5640
tgcagctgga tctgctgtaa aactcttgac aattgggcct ggtcacatgc ctcatgtctc 5700
ctggcaaatg ataggaagac ccaaggcatt gataataagg ctatggggaa cattttcagg 5760
gactgtctcg aggttctctc tagaaagcaa gggctgatga ggtcaagct cacagagatg 5820
gtggagaaga atgtagttcc tttaacaact caagagcttg tcgacatcct ggaggaggac 5880
atagactttt cagatgtcat cgtgtggaa ctctcagagg gatcacttga tattgaatcc 5940
atctttgatg gggcactcat actgtggctc gctgaggtgg aagagtttgg ggaaggagtg 6000
gtggctgtga gctattccag taagtactat catctaacc tcgatggacca agctgccatc 6060
acaatgtgtg cgatcatggg taaggaaggg tgtagagggc tcctacttga gaagagatgc 6120
atggcagcca tacgagagca ggtacggcca ttcctcatat tcctgcaaat cctgaggat 6180
agcatttctt ggggtgtctga tcagttctgc gactccaggg gtcttgatga ggagagcacc 6240
attatgtggg gttga 6255

```

```

SEQ ID NO: 2      moltype = DNA length = 3222
FEATURE
misc_feature      1..3222
                  note = severe fever thrombocytopenia syndrome virus B-1 M
                  gene
source            1..3222
                  mol_type = other DNA
                  organism = unidentified

```

```

SEQUENCE: 2
atgatgaaa tcatctgggt ctctctctct atctgcttag tcattcaatg cagtggggat 60
acgggtccaa tcatatgcgc agggcccatc cactcaaaaca agagtgccaa catacccccac 120
ctgcttggct actctgagaa gatattgtcag atagatcgcc tgatacatgt ttctgcatgg 180
ctgagaaacc attcacaatt tcagggtcat gtggggcagc gaggtggagc ctctcaggta 240
agctattacc cagctgaaaa ctcttactca aggtggagtg gacttctaag cccctgtgat 300
gcagattggc ttgggatgct tgttgtgaag aaggccaaag ggtctgatat gatagttcct 360
gggccttcat acaagggaaa agtctttttt gaaaggccaa cttttgatgg atacgtaggc 420
ggggctgtg cagtggggaa gctcaaggaa agctcagggg agctctgcag ctccagactca 480
gggaccagtt ccggtctctc gccctcagat agggttctct ggataggatga tgttgcttgc 540
cagcctatga caccatccc tgaggagaca tttctggagc tgaagagttt tagccagagt 600
gaattccag acatctgcaa aattgatggc atttgttcca accagtgtga gagtgaagat 660
ctacctcaac ccttagatgt tgcgtggatg gatgtaggcc actctcataa aatcatcatg 720
agggagcaca agactaaatg ggtacaagag agctcatcta aggattttgt gtgctacaag 780
gaaggagcat ggcattgttc tgaatcagaa gaaaagactt gcaagaccag tggatcatgt 840
aggggggaca tgcagttttg caaggtggca ggttgtgaac atggggaaga agcatctgat 900
gccaagtgtg gatgctcact agtcacaaag cccgggggaa ttgttgtgtc atatggaggg 960
atgctgtgtc gaccaaaagg ttatggcttc tccagaatga tggcaaacat agaggtgaac 1020
ccaccagagc aaaggattgg ccaatgcact ggctgccatc ttgaatgcac aaatgggggt 1080
gtgaggctaa tcaactctgac tagtgagctc aagtcagcta ctgtctgtgc ttcccacttt 1140
tgtagtctcg ccacaagtgg caagaaaagg acggagattc aatttcaact agggctatta 1200
gttgggaaaa caacaatata cgtcaaaagg gctttgggtg atggaaactga attcacattt 1260
gagggcagtt gcatgttccc agatgggtgt gacgcagtgg actgcacatt ctgtcgtgag 1320
tttctaaaaa atcctcagtg ctaccctgca aagaaatggc tgttcatcat tattgtcatc 1380
ctccttggat atgcaggcct catgctactt accaatgtcc ttaaggcaat cgggggtttg 1440
ggatcatggg tcatagctcc agtgaagcta atgtttgcca tcataaaaga actgatgaga 1500
tctgtagctg gcttgatggg gaaattaatg gataggggaa ggcaagtgat ccatgaagaa 1560
ataggggaga atagagaggg caaccaagat gatgttagga tcgagatggc aagaccagaa 1620
agggtaaggc attggatgta ctacactgtc atcctgacta ttctagcaat tgggcttgcc 1680
gagggctgcg atgagatggg ccatgtgac tccaaacttg ttctgtgcaa gcaagggagc 1740
ggaaacatga aggaatgtgt cacaactggg agggcactcc ttctgctggg gaaccaggaa 1800
caagaggcat gtctgcactt cacggcacct gggagtcagg actcaaaatg tctcaaaatt 1860
aaggtaaga ggattaacct aaaatgtaag aagtcacat catattttgt tctgtatgct 1920
cggtctaggt gtacatctgt gagggagatg cgctgggag gagactgcca gtctgggtgc 1980
ccctctcatt tcacgtccaa ctctctctct gatgattggg caggtaaaaa ggacagggca 2040
ggtctaggat tcagtgggtg ctctgatgga tgtggaggag cagcctcgcg ctgctttaat 2100
gcagccctct catgactctt ttggaggaaa tgggtagaga acccgcatgg gatcatctgg 2160
aaagtatctc catgtgtctc atgggtccca tcagcagta tagagtaac aatgccctca 2220
ggggaagtga ggacattcca ccccatgagc ggcaccccta cacaagctt caaggggtgt 2280
agtgtgacgt acttaggtc agatatggag gtgtctggct tgactgacct gtgtgagata 2340
gaagagctca agtccaaaga gctggcatta gccccctgca atcagggtgg catgggggtt 2400
gtaggcaagg ttggagagat acagtgcagt agcgaggaaa gtgcccgtac cataaaaaaa 2460

```


-continued

```

gatgggtgta tatggaatgc tgaccttgtg ggcataagac tacgagtgga tgacgtgtgt 2520
tgctactcta agatcaactag tgtggaggca gttgcaaaact actctgcoat acccaccact 2580
atttggggggc tgagggttga gagaagccat gacagccagg gtaaaatcct tggtagcccc 2640
ttagatataa cagccataag aggggtcttt tcagttaatt atagaggcct tcgactgagc 2700
ctctcagagg ttactgtctac ttgcacagga gaggtgacga atgtgagtgg gtgttactct 2760
tgcatgacag ggcgcaaaagt ctccatcaaa ctgcatagca gcaaaaatag cactgcccc 2820
gtaagatgca aaggggatga gacagcattc agtgtcctag tgggagtcca tagctatact 2880
gtcagtctca gctttgacca tgcagtgggtc gatgagcagt gccagctgaa ctgtggaggg 2940
catgagagtc aagtgactct aaaaggcaac ctcatcttcc tggatgtccc aaaatttgtg 3000
gatggcagct atatgcagac atatcatagt tctgtgcccc caggggcccc catcccaagc 3060
cctacagact ggctgaatgc ctgtgtccgc aatgggctga gtagggtgat tctgggggta 3120
ataggggttc tactgggggg attggctctc tttttcttaa tcatgtctct gttcaaatgt 3180
ggaacaaaac aggtatttcg atcaaggacg aagctggctt aa 3222

SEQ ID NO: 3      moltype = DNA length = 738
FEATURE
misc_feature      Location/Qualifiers
                  1..738
                  note = severe fever thrombocytopenia syndrome virus B-1 NP
                  gene
source            1..738
                  mol_type = other DNA
                  organism = unidentified

SEQUENCE: 3
atgtcagagt ggtccaggat tgcagtggag tttggtgagc agcagctcaa tttgacggag 60
cttgaggact ctgcgagaga gctggcctat gaaggccttg atcctgcttt gatcatcaag 120
aagctgaagg agacaggtgg ggatgattgg gtgagggata caaagttcat cattgtcttt 180
gccctgactc gaggaataaa gattgtcaag gcatcaggga aaatgtcaaa ctgagggtct 240
aagaggttga tggcactcca agagaagtat ggactggttg agagggcaga aaccaggctc 300
tcaatcactc ctgtgagggg ggacagagc ctaccactt ggacatgtgc tgcgtcagca 360
gctttaaagg agtatcttcc agttgggcca gctgtcatga acctgaaggt cgagaattat 420
cctccagaga tgatgtgcat ggcctttggg tccctgattc caactgcggg ggtgtcagaa 480
gctacaacga agaccctgat ggaggcctac tctctgtggc aagatgcctt cacaaagact 540
atcaatgtga agatgcgcgg agccagtaag acagaggttt acaactcctt cagggatcct 600
ctccatgctg ctgtgaactt cgtctttttt cccaagatg ttcgggtgaa gtggctgaag 660
gccaagggaa tccttgcccc agatgggggc cccagcagag ctgctgaggt tgctgctgct 720
gcttacagaa acctgtaa 738

SEQ ID NO: 4      moltype = DNA length = 882
FEATURE
misc_feature      Location/Qualifiers
                  1..882
                  note = severe fever thrombocytopenia syndrome virus B-1 NS
                  gene
source            1..882
                  mol_type = other DNA
                  organism = unidentified

SEQUENCE: 4
atgtcgtgta gcaaatgtct caacgttgac ctcaaatctg tggcaatgaa tgccaacact 60
gtcagggttg agccatctct aggagagtag cccactctta ggagagacct cgttgaatgc 120
tctttagtgg tgttgactct atcaatggtt aagaggatgg gcaagatgac caacacagta 180
tgggtgtttg gtaacccaaa aaatcctctt caccagcttg agcctggact cgagcagctg 240
ttggacatgt actacaagga catgaggtgc tactcccaga gagagctgag tgctcttagg 300
tggcctagtg ggaagccatc tgatgggttc ctgcaggcag ctcatatggt cttctccatc 360
aagaacagct gggcaatgga aaccggcaga gagaattggc ggggcctctt ccacaggata 420
acaaaaggca aaaagtatct ttttgaagga gacatgatat tggattctct tgaggccata 480
gagaagcgaa ggccttagct tgggctacct gagatcctaa taactggact atccccgatt 540
ctggatgtgg cccctctcca gatagagtca cttgcaaggc taagaggcat gagcttgaac 600
caccacttat tcacatcttc ctcatgtcgt aagcctttgt tggactgttg ggacttcttt 660
attcctatcc ggaaaaagag gacagatggc tcatacagta tcttggatga ggatgatgaa 720
cttgggggtc ttcaagggtt cccatatctg atggcacact atttgaatag gtgccattc 780
cacacctca tcagggttga tgaagagctg agaactgcag ccctaaacac catctgggga 840
agagattggc cggccattgg tgacctcccc aaggaggtct aa 882

SEQ ID NO: 5      moltype = DNA length = 6255
FEATURE
misc_feature      Location/Qualifiers
                  1..6255
                  note = severe fever thrombocytopenia syndrome virus B-2 L
                  gene
source            1..6255
                  mol_type = other DNA
                  organism = unidentified

SEQUENCE: 5
atgaacttgg aagtgttttg ttgtaggata aacgtggaga atgggctgtc tcttggagaa 60
ccaggcctgt acgaccaaact ctacgacagg ccagggtgtc cagacctaga tgtgactgtc 120
gatgccacag gtgtgacagt ggacataggg gctgtaccag actcagcatc acaactgggc 180
tcatcaatca atgctggggt gatcacaaac cagctctctg aagcatataa gatcaatcat 240
gacttcacat tttctggcct gtcaaaagac acagaccgac gcctctcaga ggtattcccc 300
attacccatg atggttcaga tgggatgacc cctgatgtga ttcataccag attggatgga 360
accattgtgg ttggtgaatt ttcaaccact agggagccata acattggggg cctggagagc 420
gcatatagaa caaagataga gaaatatagg gacccaatct caaggcgtgt tgatatcatg 480

```

-continued

gagaacccga	gggtcttctt	tggcgttatt	gtagtctcgt	caggaggggt	tctatccaac	540
atgccctga	ctcaggatga	ggcagaggag	ctcatgtaca	ggttctgcat	agccaatgag	600
atctacacca	aggctagatc	tatggatgca	gacattgagc	tacagaagag	tgaagaagag	660
cttgaggcta	ttagcagggc	actgtcattc	ttcagtttgt	ttgagcctaa	cattgaaaaa	720
gtggaaggaa	cattcccca	ttcagaaatc	gagatgctgg	aacagtttct	ttcaaaccca	780
gctgatgttg	acttcacac	taagacactc	aaagcaaaag	aggtggaggc	ctatgctgat	840
ctttgtgaca	gccactacct	aaagcctgaa	aaaaccattc	aggagcgggt	agagatcaat	900
agatgtgagg	ctattgtata	aactcaggac	ctcctagcta	gcctgcatgc	aaggagcaac	960
aaacaaacat	cactgaatcg	agggacagtc	aaactccgc	cctggctacc	aaagccatca	1020
agtgaagtcaa	tagacatcaa	gaccgactca	ggctttgggt	ccttaatgga	ccatggcgca	1080
tatggtgagc	tgtgggcaaa	gtgccttcta	gatgtctcgc	tgggcaatgt	ggagggggta	1140
atcagtgaac	ctgcaaaaga	acttgacatt	gctatctctg	atgatccaga	aaaagatacc	1200
cccaaagaag	caaagataac	ctataggcga	ttcaagcctg	ccttaagtgc	aagtgcctgt	1260
caggaatttt	ctctcccaag	agtggaggga	aagaagtgga	agagaatggc	agcaaacacg	1320
aagaagaaga	aggagtccca	tgaggcattg	agccccctct	tggatgttga	ggacattggg	1380
gatttcttaa	cattcaacaa	tcttcttgca	gattcaaggt	atggagatga	gtccgtccag	1440
agagctgtgt	caatctctgt	ggagaaggca	tctgccatgc	aaaacacaga	gctaaactcat	1500
gcccccaatg	actcattcaa	gaggaaacct	agcagtaatg	tggttcagtg	gtccctcttg	1560
gtctcctgtt	tagcacagga	gctagctagt	gctctgaagc	agcactgcag	ggctggtgag	1620
ttcatcatca	agaagtgtga	gttctggcct	atctatgtca	tcataagcc	gaccaaatcg	1680
ttctcccata	ttctctacag	cttagggatc	cgcaaggctg	atgtgacaag	gaggtcctact	1740
ggcagagtct	tctctgacac	cttgatgct	ggggaatggg	agctaacaga	gttcaaaagc	1800
ctgaagacat	gcaagctcac	gaaccttgct	aaactaccat	gcaccatgct	gaactcaata	1860
gctttctgga	gagagaagct	gggctgtggt	ccatggctgg	tccggaagcc	ttgttcagag	1920
ctcagagagc	agggtggcct	gaccttctct	atcagttctg	aggacaagtc	taagactgag	1980
gagatcatca	ccctgacaag	gtacacccag	atggagggtc	ttgtctctcc	ttccatgctg	2040
cctaagcccc	aaaagatgct	agggaaactg	gatggacctt	tgagaactaa	gttacaggta	2100
taacctctca	ggaagcattc	ggattgcatg	gtgcgaattg	cttctcagcc	attcagccta	2160
atccctagag	agggggagggt	agaatgggga	ggaacattcc	atgccatctc	aggccgggtc	2220
acaaaccttg	agaatatggt	gaacagctgg	tacattgggt	actacaagaa	caaagaggag	2280
tcaacagagc	taaatgctct	cggagaatag	tataagaaga	ttgtagagat	ggaagaggac	2340
aagcccgatg	gccccaggt	tctagggtgg	ggggacactg	attcccttaa	gaagcatgaa	2400
ttctcacgga	gcttctctag	agctgcttgc	tcatctctg	agagagaaat	tgctcagcga	2460
catggaagac	aattggaagc	gaaccttgag	gagcgtgtcc	tgagagagat	tgggaccaag	2520
aaactcctgg	accttgatc	catgaaggct	acaagcaact	tttccaaaga	ctgggagctc	2580
tactcagagg	tccagaccac	agagtaccat	aggctccaac	tgctggagaa	gatggccaca	2640
ttgatagaga	aggggggtat	gtggtacatt	gatgctgtgg	gccaggcatg	gaaggcattt	2700
ctagatgacg	gggtcatgct	aatctgtctc	ttcaaaaaga	atcagcatgg	tggtctcaga	2760
gagatctacg	ttatggatgc	aaatcccccg	ctcgtgcagt	ttggggttga	gacctgggtc	2820
agggtgtgct	gtgagttgag	ccacatgag	actgttgcca	acctagact	caagaattcc	2880
atcatagaga	accatgggct	gaagtgcagc	cgtagtcttg	gtcctggctc	tataaacata	2940
aaactcatcca	atgacgccaa	gaagtgggaat	cagggggact	acacaacaaa	gctagctcta	3000
gttctttgtt	ggttcattgc	agccaaattc	cacagattca	tttggccgc	catttccatg	3060
tttcggagaa	aaaagatgat	gggtggacct	agggttttag	ctcacctcag	ttctaatact	3120
gagtcaggtg	catctgacct	gtttagggaa	gcaatgacag	acgttttcca	tggttaatagg	3180
gaagtctcat	ggatggacaa	agggcgaaat	tacataaaga	cagagacagg	aatgatgcag	3240
ggcatactgc	actttacatc	cagccctcct	cactcttggt	ttcagagctt	ttacaagtct	3300
tattctgctc	cgaagcttaa	ggagggtctc	atgggggaaa	gcataaatgg	gggtggtgat	3360
gtcatagaag	gctctgacga	ctctgcgcat	atgatcagca	tacgccctaa	gtcagacatg	3420
gatgaagtcc	gatcaagggt	ctttgttgct	aaactgtctc	actctgtcaa	gttcttgaa	3480
ctttgtgttg	gtattttact	atcagagaaa	tcaacagtga	acacagtgtg	ttgtgttgag	3540
tataactctg	aattccactt	ccacaggcac	ttggtcagac	ccacactgag	atggatagca	3600
gcgtctcacc	aaatctcaga	gactgaagcc	cttgcaagca	ggcaagaggga	ttactccaac	3660
cttctaacc	agtgtctgga	aggaggggcc	tcatctctc	ttacctacct	tatacagtgc	3720
gctcagctcc	tgcacctata	catgctccta	ggactatgct	tacatccctt	gtttggaact	3780
ttcatgggga	tgctgatatc	agaccagat	ccagccctag	gggtcttctc	catgggacaac	3840
cctgcattcg	cagggggagc	aggatttagg	ttcaatctgt	ggagggcctg	caagactaca	3900
gaaccttggg	ggaagtatgc	atattatttt	aatgagatac	agggtaaaac	aaaggagat	3960
gaggattaca	gagctctgga	cggccacatc	ggaggaaact	tcagccactc	tgctatgggt	4020
tactgggggg	acaggaagaa	gtatcaggcc	ttattgaaca	ggatgggctc	tcttgaaagc	4080
tgggtggagc	agatagatga	gaatcctgga	gtcctttaca	ggagagctgc	caacaaaaag	4140
gaactactct	taaaactggc	agagaagggt	cattcaccag	gtgtgactag	cagcctgagt	4200
aaagggcatg	tagtgctctg	gggtgtggca	gcaggagtat	accttctctc	acgccactgc	4260
tttcgcttta	gtctcaagtat	ccatggaagg	ggctcagcac	agaaggctag	tcttataaaa	4320
ctgctgatga	tgtcttctat	ttctgccatg	aagcacgggg	gctcactaaa	ccctaatacag	4380
gagcgaatgc	tcttccctca	ggcccaggag	tatgacagag	tatgcacatt	gcttgaggaa	4440
ggttgagcacc	taacagggaa	atgtgtgtgt	agggagagaa	acattgtcag	gagccgtata	4500
gacttgctcc	aagagccagt	ggacttgccg	tgcaaggcag	aagatctggg	gtcagagggtg	4560
tgggttgcc	tgaaggagac	taagcttgga	ccccgtctcc	tcaagggaaga	gtgggacaaa	4620
cttagggcct	catttgcatg	gctgagcaca	gacctcatcg	aaacattgag	ggatggccct	4680
ttctttagcc	atgtgcaggt	tagaaaacttc	atagcccatg	ttgatgccaa	atcaagatca	4740
gtcaggctcc	taggtgcccc	cgtaaaagaag	tcagggtggg	tcaccactat	aagccaagta	4800
gtcaggatga	acttcttccc	tggttttagc	ctagaagctg	agaagagctt	agacaatcag	4860
gaaagacttg	agagcattct	catcctcaag	catgtcttgt	tcatggtctt	gaatggccca	4920
tacactgagg	agatcaagct	ggaaatgatc	atagaggcct	tctctactct	tgtgatacct	4980
cagccatcag	aggtcatcag	gaaatcaagg	acctgactct	tatgctctct	atcgaattac	5040
ttgtctagta	ggggtgggtc	catctctagc	cagattgaga	gggcacagtc	aggcactcta	5100
gggggcttca	gcaagcccca	gaagacattc	attaggccag	gaggtggtat	tggtacaca	5160
ggaaaagggtg	tgtggactgg	agtgatggag	gacacccatg	ttcaaatctt	gatagatgga	5220

-continued

```

gatgggacta gtaactggct tgaggagatc aggctcagta gtgatgccag gctttatgat 5280
gtcattgaat ccatccgaag gttatgtgac gaccttggga tcaataacag ggtggcatct 5340
gcatatagag gtcattgcat ggttaggctg agtgggttca agatcaagcc agcatcaagg 5400
actgacggct gtcacgtcag gattatggaa aggggcttca ggatcaggga acttcaaaac 5460
ccagatgagg tcaagatgag agtgaggggt gacatctcca acctttcagt caccatacaa 5520
gaagggaagg tcatgaacat tctaagctac aggcctagag acactgatat atcagagtca 5580
gccgcagcat acctctggag caatcgagac ctcttctcct ttgggaagaa ggagccatcc 5640
tgcagctgga tctgcttgaa aactcttgac aattgggcct ggtcacatgc ctcaattctc 5700
ctggcaaatg ataggaagac ccaaggcatt gataatagag ccatggggaa cattttcagg 5760
gactgtctcg agggctctct tgaaagcag gggctgatga ggtcaaaact cacagagatg 5820
gtggagaaga atgttgttcc tttaacaaact caagagcttg tgcacatctt ggaggaggac 5880
atagactttt cagatgtcat agctgtggag ctctcagagg gatcacttga cattgaatcc 5940
atctttgatg gggcacctct ctgtgtgtct gctgaggtgg aagagttcgg ggaaggagtg 6000
gtggctgtga gttgttccag taagtactat catctaacc tgatggatca ggctgccatc 6060
acaatgtgtg cgatcatggg taagggaagg tgtagagggc tccttactga gaagagatgc 6120
atggcagcca tacgagagca ggtacggcca ttctcatat tcctgcaaat tcctgaggac 6180
agcatttctt gggtatctga tcagttctgt gactccaggg gtcttgatga agagagcacc 6240
attatgtggg gttga                                     6255

SEQ ID NO: 6      moltype = DNA length = 3222
FEATURE          Location/Qualifiers
misc_feature      1..3222
                  note = severe fever thrombocytopenia syndrome virus B-2 M
                  gene
source            1..3222
                  mol_type = other DNA
                  organism = unidentified

SEQUENCE: 6
atgatgaaag tcatctgggt ctctctctct atctgcttag tcattcaatg cagtggggac 60
acgggcccac tcatatgcgc agggcccctc cactcaaaac agagtgccga cataccccac 120
ctgcttgggt actctgagaa gatttgtcag atagatcggc tgatacatgt ttcgtcatgg 180
ctgagaaaac attcacaaat tcagggtctac gtggggcagc gaggtggacg ctctcagggt 240
agttacttcc cagctgaaaa ctcttactca aggtggagtg ggcttctaag cccctgtgat 300
gctgattggc ttgggatgct tctcgtgaag aaggccaagg ggtctgatat gatagttcct 360
gggccttcat acaagggaac agtctttttt gaacggccaa cttttgatgg atatgttggc 420
tggggctgtg gcagtgggaa gtcaaggact gactcaggag agctctcgag ctccagactca 480
gggaccagtt ccggtcttct gccctcaaat agggttctct ggataggtag tgttgcttgc 540
cagcctatga caccatccc tgaaagagac tttctggagc tgaagagttt tagccagagt 600
gaatttccag atatatgcaa aattgatggc attgtgttca accagtttga gagttagagc 660
ctacctcagc cctttgatgt gcttggatg gatgttggcc actctcataa aatcatcatg 720
agggagcaca agacaaaatg ggtacaagag agctcatcta aggattttgt gtgctacaag 780
gaagggactg ggcgtgttcc tgaatcagaa gaaaagactt gcaagaccag tggatcatgt 840
aggggggaca tgcagtgttc caaggtggca ggttgtgaac atggggaaga gacatctgag 900
gccaaatgca gatgctcact agtgcacaag cccggggaag ttgttgtgtc atatggaggg 960
atgctgtgtc gaccaaaatg ctatgttttc tccagaatga tggcaacact agaggtgaa 1020
ccaccagagc aaggacttgg ccaatgtact ggctgccatc tagaatgcat aaatgggggt 1080
gtgaggataa tcaactcaac tagtgagctc aagtcagcta ctgtctgtgc tttccacttt 1140
tgtagtctct ccacaagtgg caagaaaagc acggagattc aattccactc agggctatta 1200
gttgggaaaa cagcaattca cgtcaaaagg gcattggtgg atggaactga attcactatt 1260
gaaggcagtt gcatgttccc agatggttgt gacgcagtgg actgcacatt ctgtcgtgag 1320
tttctaaaaa atctcagctg ctaccctgca aagaaatggt tgttcatcat tattgtcatc 1380
ctccttggat atgcaggctg catgctactc accaatgtcc ttaaggcaat cggggtttgg 1440
gggtcatggg tcatagctcc agtgaagcta atgtttgcca tcataaaaga actgatgaga 1500
tctgtgagct gcttgatggg gaaattgatg gataggggaa ggcaagtgat ccatgaagaa 1560
ataggggaga atagagaggg caaccaagat gatgttagga tgcagatggc aaggcctaga 1620
agggtaaggc actggatgta ctacactgtc atcctgacta ttctagcaat tgggcttgc 1680
gaggggtgcg atgagatggt ccatgcagat tctaacttgg tttcgtgcaa gcaaggaggc 1740
ggaaaataga aggaatgtgt cacaaactgg agggcgctcc ttctgcggt gaaccagggg 1800
caagaggcat gctgcactt cacagacca gggagtccgg actcaaaatg tctcaaaatc 1860
aaagttaaga ggtacaacct gaaatgcaag aagtcacat catatttctg tctgtatgct 1920
cgggtccagg gtacatctgt gaggagatgc cgctgggcag gagactgtca gtctgggtgc 1980
ccctctcatt tcacgtccaa ctctctttct gacgattggg caggtaaaat ggacagggct 2040
ggcttaggat tcagtgggtg ctctgatgga tgtggaggag cagcctgcgg ctgctttaat 2100
gcggccctct catgcatctt ctggaggaaa tgggtagaga atccacatgg gatcatctgg 2160
aaagtatctc catgtgtctc atgggtccca tcagcagtc tagagcttac aatgccctcg 2220
ggggaagtga ggacattcca ccccatgagc ggcaccccta ctcaagctt caagggtgtg 2280
agtgtgactt atttgggctc agatatggag gtatctggct tgactgatct gtgtgaaata 2340
gaagagctca agtccaaaga gctggcatta tctggaggca actctgccat acccaccact 2400
gtaggcaagg ttggagagat acagtgcagt agtgaggaaa gtgcccgtac cataaaaaaa 2460
gatgggtgta tatggaatgc tgacctcgtg ggcacgcagc tacgagtgga tgacgtgtg 2520
tgctactcta agatcaactg tttggaggca gttgcaaaact actctgccat acccaccact 2580
attgggggac tgaggtttga gagaagccat gacagccagg gcaaaatata tggtagcccc 2640
ttggacatca cagccataag agggctcttt tcagttaact atagaggcct tcgactgagc 2700
ctctcagaaa ttactgtctc ttgcacaggg gaggtgacaa atgtgagtgg gtgttactct 2760
tgcatgacag gcgccaagt ctccatcaaa ctgcatagca gcaaaaatag cactgcacat 2820
gtaagggtga aaggggatga gactgcgttc agtgtcctgg agggagtcca tagctatact 2880
gtcagcctca gttttgacca tgcagtggtc gatgagcagt gccagctgaa ctgtgggggg 2940
catgagagcc aagtgactct aaaaggcaac ctcatcttcc tggatgtccc aaaattcgta 3000
gatggcagct acatgcagac atatcatagc tctgtaccca caggagcaaa tatcccaagc 3060

```

-continued

```

ccaacagact ggctgaatgc cctgtttggc aatgggctga gtaggtggat tctgggggtg 3120
ataggggttc tactgggggg attagctctc tttttcctaa tcatgtcttt gttcaaaactg 3180
ggaacaaaac aggtatttctg atcaaggacg aagctggcct ag 3222

SEQ ID NO: 7      moltype = DNA length = 738
FEATURE          Location/Qualifiers
misc_feature      1..738
                  note = severe fever thrombocytopenia syndrome virus B-2 NP
                  gene
source            1..738
                  mol_type = other DNA
                  organism = unidentified

SEQUENCE: 7
atgtcagagt ggtccaggat tgcagtggag tttggtgagc agcagctcaa ttgactgag 60
cttgaagatt ttgcgagaga gctggcctat gaaggccttg atcctgcatt gatcatcaag 120
aagctgaagg agacaggttg agatgattgg gtgagggaca caaagttcat cattgtcttt 180
gcccgtactc gaggcaacaa gatcgtaag gcatcaggga aaatgtcaaa ctctgggtct 240
aagagggtta tggcactcca agagaaatat gggtctggtg agagggcaga aaccaggctc 300
tcaatcactc ctgtgagggt tgcacagagc cttcccactt ggacatgtgc tgcagcagca 360
gcccataaagg agtatctccc agtggggcca gctgtcatga acctgaagggt cgaaaattat 420
ccccctgaga tgatgtgcat ggccctttggg tccctgattc caactgcagg ggtatctgaa 480
gccacaacga agaccctgat ggaggcctac tctctgtggc aagatgcctt caccaagact 540
atcaatgtaa agatgcgcgg agccagcaag acagagggtt acaactcttt cagggtacct 600
ctccatgctg ctgtgaactc tgtctctttt cccaatgatg tccgggtgaa gtggctgaag 660
gccaaaggaa tccttgcccc agatggggtc cccagcagag ctgtgagggt tgtgcccgt 720
gcttacagaa acctgttaa

```

```

SEQ ID NO: 8      moltype = DNA length = 882
FEATURE          Location/Qualifiers
misc_feature      1..882
                  note = severe fever thrombocytopenia syndrome virus B-2 NS
                  gene
source            1..882
                  mol_type = other DNA
                  organism = unidentified

SEQUENCE: 8
atgtcgtga gcaaatgtct caacgttgac ctcaaatctg ttgcaatgaa tgccaacact 60
gtcaggcttg agccatctct aggagagtag cccactctta ggagagacct cgttgaatgc 120
tctttagtag tgttgactct atcaatgggtc aagaggatgg gcaagatgac caacacagta 180
tggctatttg gcaacccaaa gaatcctctt caccagcttg agcctggact cgagcagctg 240
ttagacatgt actacaagga catgaggtgc tactcccaga gagagctgag tgcctctagg 300
tggcctagtg ggaagccatc tgtatgggtc ctacaggcag ctcacatggt cttctccatc 360
aagaacagct gggcaatgga aaccggtaga gagaactggc ggggcctctt ccacaggata 420
acaaaaggcc aaaagtatct ttttgaaggg gacatgatat tggattctct tgaggccata 480
gagaagcgaa ggcttagact aggggtacct gagatcctaa taactgggct atccccaat 540
ctggatgtgg ccctcctcca gatagagtca cttgcaaggc taagaggaat gagcttgaa 600
caccacttat tcacttcttc ctcatgtcgt aagcctctat tagactgttg ggacttcttt 660
attcccatcc gcaaaaagaa gacagatggc tcatacagtg tccctggatga ggatgatgag 720
cctgggatcc ttcaagggtta tccatatctg atggcacact atttgaatag gtgccattc 780
cacaacctca tcagggttga tgaagagctg agaactgcag ccctaaacac catctgggga 840
agagattggc cagccattgg tgacctcccc aaggaggtct aa 882

SEQ ID NO: 9      moltype = DNA length = 6255
FEATURE          Location/Qualifiers
misc_feature      1..6255
                  note = severe fever thrombocytopenia syndrome virus B-3 L
                  gene
source            1..6255
                  mol_type = other DNA
                  organism = unidentified

SEQUENCE: 9
atgaacttgg aagtgccttg ttgtaggata aacgtggaga atgggctgtc tcttgagaaa 60
ccaggcctgt acgaccaaat ctacgacagg ccagggtctg cagacctaga tgtgactgtc 120
gatgccatag gtgtgacagt ggaacatagg gctgtgccag actcagcatc acaactgggt 180
tcatcaatca atgctggggt gatcacatc cagctctctg aagcatataa gatcaatcat 240
gatttcacgt tttctggcct gtcaaaagaa acagaccgac gcctctcaga ggtattcccc 300
attacacatg atggttctga tgggatgacc cctgatgtga tccacaccag attggatgga 360
accattgtgg ttggtgaatt ttcaactact aggaagccata acattggggg tctggaggga 420
gcatacagga caaagataga aaaatatagg gaccctatct caaggcgtgt tgatatcatg 480
gagaaccgga gggctctctt tggcgctcatt gtggtctcgt cagggggagt tctgtccaac 540
atgcccctga ctcaggatga ggcagaggag ctcatgtaca ggtctcgcac agccaatgag 600
atctacacta aggctagggt tatggatgca gacattgagc tgcagaagag cgaagaagag 660
cttgaggcta tttagcaggg actatcattc ttcagtttgt ttgagccaaa cattgaaaga 720
gtggaaggaa tctcccttaa ttcggaaatc gagatgctgg aacagtctct ctcaactcca 780
gctgatgttg acttcatcac caagaccctc aaagcaaaag aggtggaggc ctatgctgat 840
ctttgtgaca gccactatct aaagcctgaa aaaaccattc aggaagcggt agagatcaat 900
agatgtgagg ctattgacaa gactcaggac ctcctagcta gcctgcattc aaggagcaac 960
aagcaaacat cattgaatcg agggacagtc aagctcccg cctggctacc aaagccatca 1020
agtgaagtaa tagacatcaa gactgactca ggctttgggt ccttaatgga tcatggcaca 1080

```

-continued

tatggagagc	tgtggggcaaa	gtgcectcta	gatgtctcgc	tgggcaatgt	ggagggggta	1140
gtcagtgacc	ctgcaaaaga	acttgacatt	gctatctctg	atgatccaga	aaaagatacc	1200
cccaagagg	caaagataac	ctataggcgg	ttcaagcctg	ccttgagctc	aagtgcccgt	1260
caagaatfff	ctctccaagg	agtggagggg	aagaagtggg	agagaatggc	agcaaacccg	1320
aagaaagaga	aggagtccca	tgagacattg	agccctttct	tggatgttga	agacattggg	1380
gatttctctaa	cattcaacaa	tcttctcgca	gattcagagg	atggagatga	gtccgtccag	1440
agagctgtgt	caatcttgtt	ggaaaaggca	tctgccatgc	aagacacaga	gctcactcat	1500
gcccacaacc	actcattcaa	gaggaaacct	agcagcaatg	tggttcagtg	gtcccttttg	1560
gtctcctgtc	tagcacaaaga	gctagctagt	gctctgaagc	agcactgcag	ggctgggtgag	1620
ttcatcatca	agaagctgaa	gttctggcct	atctatgtca	ttatcaagcc	gaccaaactc	1680
tcataccata	tcttctacag	cttagggatc	cgcaaggctg	atgtgacaag	gagggtcact	1740
ggcagagctc	tctctgacac	catgtatgct	ggggaatggg	agctaacaga	gttcaagagc	1800
ctgaagacat	gcaagctcac	caaccttgct	aacttgccat	gcaccatgct	gaactcaata	1860
gctttctgga	gagagaagct	gggctgggct	ccatggctgg	ttcggaagcc	ttgttcagag	1920
ctcagagagc	agggtgggct	gaccttcttg	atcagtttgg	aggacaagtc	taagactgag	1980
gagatcatca	ccttgacaag	gtacactcaa	atggagggct	tcgtctctcc	tcctatgctg	2040
cctaagcccc	aaaagatgct	agggaaacct	gatgggcctt	tgagaactaa	gctacaggta	2100
tacctcctca	ggaagcatct	ggattgcatg	gtgcgaattg	cttcccagcc	attcagcctg	2160
atccctagag	aggggagggt	agaatgggga	gggacattcc	atgccatctc	aggccgggtc	2220
acaaaacctg	agaatatggg	gaacagctgg	tacattgggt	actacaagaa	caaagaggag	2280
tcaacagagc	taaatgctct	tggagaaatg	tataagaaga	ttgtggagat	ggaagaggac	2340
aagcccagca	gccctgagc	tctagggtgg	ggggacactg	attccctcaa	gaagcatgaa	2400
ttctcacgga	gcttctctag	agctgcttgc	tcactcttgg	agagagaaat	tgctcagcga	2460
catggaagac	aatggaagca	gaaccttgag	gagcgtgtcc	tgagagagat	tggaaaccaag	2520
aacatcttag	accttgcatc	catgaaggct	acaagcaact	tttccaaaga	ctgggagctc	2580
tactcagaag	tccagaccaa	agagtacct	agggtccaat	tgctggagaa	gatggccaca	2640
ttgattgaga	aggggggttat	gtggtacatt	gatgctgtgg	gccaggcttg	gaaggcagtt	2700
ctagatgacg	ggtgcattgc	aatctgtctc	ttcaaaaaga	atcagcatgg	tggcctcaga	2760
gagatctacg	ttatggatgc	aaatgccccg	ctcgtgcagt	ttgggggtga	gacctgggct	2820
agggtgtgtc	gtgagctgag	cccacatgag	actgttgcca	atcctaggct	taagaattcc	2880
atcatagaga	acctagggct	gaagtacgac	cgtagccttg	gccctggctc	tataaacata	2940
aaactcatca	atgatgcaa	gaagtgggat	caggggcact	acacaacaaa	gctagctcta	3000
gttcttttgt	gggtcatgcc	agccaaattc	cacagattca	tttgggtcgc	catttccatg	3060
tttcggagaa	aaaagatgat	ggtggaccta	agggttttag	ctcacctcag	ttctaatact	3120
gagtccagg	catctgatcc	atttagggaa	gcaatgacag	acgcattcca	tggaaatagg	3180
gaagtctcat	ggatggacaa	ggggcgaact	tacataaaga	cagagacagg	gatgatgcag	3240
ggcatactgc	actttacatc	cagcctcctc	cactcttgtg	ttcagagttt	ttacaagtct	3300
tatttcgtct	cgaagctcaa	ggagggctac	atgggggaaa	gcacacagtg	ggtgggtgat	3360
gtcatagaag	gttctgacga	ctcagcgatc	atgatcagca	tacgccctaa	gtcagatatg	3420
gatgaagtc	ggatcaaggt	ttttgttgtc	aaactgctcc	actctgtcaa	attcttgaa	3480
cctttgtttg	ggatttactc	atcagagaag	tcaacagtga	acacagtgtg	ttgtgtcgag	3540
tataactctg	aattccattt	ccacagggc	ttggttagac	ccacactgag	atggatagca	3600
gcgtctcacc	aaactctcaga	gactgaagcc	cttgcaagca	ggcaagagga	ttactccaac	3660
ctcttaaccc	agtgtctgga	aggaggggct	tcattctctc	ttacctacct	catcacagtg	3720
gctcagctcc	tacaccacta	cagctgtcta	ggactatgct	tgcatccctt	gtttggaacc	3780
ttcatgggga	tgctgatatc	agaccagat	cctgccttag	gattcttctt	catggacaac	3840
cctgcattcg	caggaggagc	aggatttaga	ttcaatctgt	ggagagcctg	caagaccaca	3900
gaccttgggc	ggaagtatgc	atattacttc	aatgagatac	agggtaaaac	aaagggagat	3960
gaggactaca	gagctctgga	cgccacatcg	ggaggaaact	tcagccactc	tgttatgggt	4020
tactgggggg	acaggagaag	gtatcaggcc	ttattgaaca	ggatgggctc	tcttgaagac	4080
tgggtggagc	agatagatga	gaatcctgga	gtcctttaca	ggagagctgc	caacaagaag	4140
gaactactct	taaaactggc	agagaaggtt	cattcacctg	gtgtgactag	cagcctgagt	4200
aaagggcatg	tagtgctctg	gggtggtggc	gcaggagtat	accttctctc	acgccactgc	4260
tttcgcttta	gctcaagcat	ccatggaagg	ggctcagcac	agaaggctag	tctcataaaa	4320
ctgctgtagt	tgtcttctat	ttctgcccag	aaacacgggg	gctcattaaa	ccccaatcag	4380
gagcgaatgc	tcttccctca	ggctcaagag	tatgatagag	tatgcacatt	gcttgaggaa	4440
gttgaacacc	taacagggaa	atttgttgtt	agggagagaa	acattgtcag	gagccgcata	4500
gaactgttcc	aagagccagt	tgacttgccg	tgtaaggcag	aagatctggt	gtcagagggt	4560
tgggttggcc	tgaaggagac	taagcttgga	ccccgtctcc	tcaagggaaga	gtggggacaaa	4620
cttagggcct	catttgcatg	gctgagcaca	gacctactcg	aaacattgag	ggatggctct	4680
tttcttagcc	atgtgacatt	taggaacttc	atagcccacg	ttgatgccaa	atcaagatca	4740
gtcaggctcc	taggtgcccc	cgtgaagaag	tcagggtggg	taaccaccat	aagccaagta	4800
gtcagaatga	acttcttccc	tgggttttag	ctagaagctg	agaagagctt	agacaatcag	4860
gagagacttg	agagcatctc	catcctcaag	catgtcttgt	tcattggctt	gaatggccca	4920
tacactgagg	agtaacaagc	ggacatgatc	atagaggcct	tctctactct	tgtgatacct	4980
cagccatcag	aggteatcag	gaaatcaagg	accatgactt	tatgcctctt	atcgaattac	5040
ttgtctagta	gggtggggct	catcttagac	cagattgaga	gggcacagtc	aggcactcta	5100
gggggattca	gcaagcccca	gaagacattc	atcaggccag	gaggtgggat	tggtacaaag	5160
ggaaaagggt	tgtggactgg	agtgatggag	gacacccatg	ttcaaatctt	gatagatgga	5220
gtatgggacta	gcaactggct	tgaggagatc	aggctcagta	gtgatgccag	gctttatgat	5280
gtcattgaa	ccatccggag	gttatgtgat	gaccttggga	tcaacaacag	gggtggcatcg	5340
gcataatagg	gtcattgcat	gggttagactg	agtggattca	agatcaagcc	agcatcaagg	5400
actgacggct	gtccagttag	gatttatggaa	aggggcttca	ggatcagaga	gcttcaaaac	5460
ccagatgagg	tcaagatgag	agtgaagggt	gacattctca	acctctctgt	taccatacaa	5520
gaaggaagag	tcatgaacat	tctgagctac	agggcgagag	acactgatat	atcagagtca	5580
gcagcagcat	acctatggag	caatcgagac	ctcttctcct	ttgggaagaa	ggagccatcc	5640
tgcagctgga	tctgcttgaa	aactcttgac	aattgggcct	gggtcacatgc	ctcagttctc	5700
ctggcaaatg	ataggaagac	ccaaggcatt	gataatagag	ctatggggaa	cattttcagg	5760
gactgtctcg	agggttccct	cagaaagcaa	gggctgatga	gggtcaaagct	cactgagatg	5820

-continued

```

gtggagaaga atgtggttcc tttacaact caagagcttg tcgatccct ggaggaggat 5880
atagactttt cagatgtcat agctgtggag ctctcagagg gatcactga cattgagtcc 5940
atctttgatg gagcacctat cttgtggtct gctgagggtg aagagtttgg agaaggagtg 6000
gtagctgtga gctattccag taagtactat catctaacc tgaaggacca agctgccatc 6060
acaatgtgtg cgatcatggg taaggagggc tgtagagggc tcctcactga gaagagatgc 6120
atggcagcca tacgagagca ggtaaggcca ttctcatat tcctgcaaat ccctgaggac 6180
agcatttctt ggggtgtctga tcagttctgc gactccaggg gtcttgatga agagagcacc 6240
attatgtggg gttaa                                     6255

SEQ ID NO: 10      moltype = DNA length = 3222
FEATURE           Location/Qualifiers
misc_feature      1..3222
                  note = severe fever thrombocytopenia syndrome virus B-3 M
                  gene
source            1..3222
                  mol_type = other DNA
                  organism = unidentified

SEQUENCE: 10
atgatgaaag tcatatgggt ctcctctctg atctgcttag tcattcaatg cagtggggat 60
acggggcccaa tcatatgcgc tggggcccat cactcaaaaca agagcgccaa catacccccac 120
ctgcttgggtt actctgagaa aatttgtcag atagatcgcc ttatacatgt ttctgcatgg 180
ctgagaaacc attcacaatt tcagggtctac gtggggcagc gaggtggagc ctctcagggtg 240
agttactacc cagctgaaaa ctcttactca aggtggagtg gacttctaag cccctgtgat 300
gctgattggc ttgggatgct tgcctgaag aaggccaagg ggtctgatat gatagttcct 360
gggccttcat acaaagggaag agtcctcttt gaacggccaa cttttgatgg atatgtgggc 420
tgggctgtgt gtagtgggaa gtcaaggaca gagtcagggt agctctgcag ctcagactca 480
gggaccagtt ctggttact gcctcaaat agggttctct ggataggatga tgttctgtgc 540
cagcctatga caccatccc tagggagaca ttctggagc tgaagagttt tagccagagt 600
gaattcccaa accatatgcaa agttgatggc attgtgttca accagtgatga gagtggaggt 660
ctacctcagc cctttgatgt tgcattggat gatgtaggcc actctcataa aatcatcatg 720
agggagcaca agaccaaagt ggtacaagag agctcatcta aggattttgt gtgctacaag 780
gaaggggactg ggcgctgttc tgaatcagaa gaaaagactt gcaagaccag tggatcatgc 840
aggggggaca tgcagttttg caaggtagca ggttgtgaac atgggggaaga ggcatctgaa 900
gccaatgta gatgctcact atgtgcacaag cccggggaag ttgttgtgct atatggaggg 960
atgctgttca gacaaaagt tttatggttc tccagaatga tggcaacac agagggtgaac 1020
ccaccagagc aaagaatttg ccaatgcact ggctgccatc tagaatgcat aaatgggggt 1080
gtgaggctaa ttactctaac tagtgagctc aagtgcagta ctgtctgtgc ttcccacttt 1140
tgtagttctg ctacaagtgg caagaaaagc acggagattc aattccactc agggtcatta 1200
gttgggaaag cagcaattca cgtcaaaggg actttgggtg atggaactga attcacattt 1260
gagggcagtt gcatgtctcc agatggttgt gacgcagtg actgcacatt ctgtcgcgag 1320
ttcctaaaaa atctctcagtg ctaccctgca aagaaatggt tgttccaat tattgccatc 1380
ctccttggat atgcaggcct catgctgctc accaatgttc ttaaggcaat cggggttttg 1440
ggatcatggg tcattgactcc agtgaagctg atgtttgcca tcataaagaa actgatgaga 1500
tctgtgagct gcttgatggg gaaattaatg gataggggaa ggcaagtgat tcatgaagaa 1560
ataggggaga atagagaggg caaccaagaa gatgttagaa ttgagattgc aagaccaga 1620
aggggtgaggc attggatgta ctacactgtc atcctggcta ttctagcaat tgggcttgct 1680
gagggctgcg atgagatggg ccatgcagat tcaaaacttg tttcgtgcag gcaagggagc 1740
ggaaatatga aggaatgtgt cacaactggg agggcgcttc ttctcgggt gaaccaggga 1800
caagaggcat gctgcactc acgggcacct ggaagtcagg actcaaaatg tctcaagatc 1860
aagggttaaga ggatcaacct aaaaatgtaag aagtcatcat catattttgt tcttgatgct 1920
cgggtccagat gtacgtctgt gaggagatgt cgctgggcag gagactgtca gtctgggtgc 1980
ccctctcatt tcacgtccaa ctcttctct gatgattggg caggtaaaat ggacagggct 2040
ggtctaggat tcagtgggtg ctctgatgga tgtggaggag cagcctgcgg ctgctttaat 2100
gcggccctct catgcatctt ttggaggaaa tgggtgagaa atccacatgg gatcatctgg 2160
aaagtattct catgtgtctc atgggtccct tcaacagtc tagagctaac aatgccctcg 2220
ggggaagtga ggacattcca ccccatgagc ggcaccccca cacaagtctt caaggggtgtg 2280
agtgtgactt acttaggctc agatatggag gtgtctggcc tgactgacct gtgtgagata 2340
gaagagctca agtcacaagaa gctggcatta gctccctgca atcaggctgg catggaggtt 2400
gtgggcaagg ttggagagat acagtgagc agcgaggaaa gcgcccgttc cataaagaaa 2460
gatgggtgta tatggaatgc tgaccttgtg ggcataagag tacgagtgga tgacgcagtg 2520
tgctattcta agatcactag tgtggaggca gttgcaaaact actctgcat acccaccact 2580
attggggggt tgagggttga gagaagccat gacagccagg gtaaaatatt tggtagcccc 2640
ctagacatta cagccataag agggctcttt tccgttaatt atagaggcct tcgactgagc 2700
ctctcagaaa tcaactgtctac ttgcacagga gaggtgacga atgtgagtg gtgttactct 2760
tgcatgacag gcgccaagt ctccatcaaa ctgcatagca gcaaaaatag cactgccccat 2820
gtaagatgca aaggggatga gaccgattc agtgtcctgg agggagttca tagctatact 2880
gtcagttcta gctttgacca tgcagtggtc gatgagcagt gccagctgaa ctgtgggggg 2940
catgagagtc aagtgaactc aaaaaggcaac ctcatcttcc tggatgtccc aaaatttcta 3000
gatggcagct atatgcagac atatcatagt tctgtgccc caggggctaa tatcccaagc 3060
cctacagact ggctgaatgc cttgtttggc aatgggctga gtaggtggat tcttggggta 3120
ataggggttc tactgggggg attggctctc ttcttcttaa ttatgtcctt gttcaaaactg 3180
ggaacaaaac agatatcccg atcaaggagc aagctggctt ag                                     3222

SEQ ID NO: 11      moltype = DNA length = 738
FEATURE           Location/Qualifiers
misc_feature      1..738
                  note = severe fever thrombocytopenia syndrome virus B-3 NP
                  gene
source            1..738

```

-continued

```

mol_type = other DNA
organism = unidentified

SEQUENCE: 11
atgtcagagt ggtccaggat tgcagtggag tttggtgagc agcagctcaa tttgactgag 60
cttgaggatt tgcgagagaga gctagcctat gaaggccttg atcctgcctt gataatcaag 120
aagctgaagg agacagggtg agatgattgg gtgagagata caaagttcat cattgtcttt 180
gccttgaccc gaggaacaa gatcgtcaag gcatcaggga aaatgtcaaa ctcagggtct 240
aagagggtga tggcacttca agagaaatat ggactgggtg agagggcgaga aaccagggtc 300
tcaatcactc ctgtgagggt agcacagagc ctteccactt ggacgtgcgc tgcagcagca 360
gccttaaagg agtatctccc agtgggcccc gctgtcatga acctgaaggc cgaaaattac 420
ccccagaga tgatgtgcat ggcccttggg tctctgattc caactgcagg ggtatcagaa 480
gccacaacga agaccctgat ggaggcctac tctctgtggc aagatgcctt caccaagact 540
attaatgtga agatgcgtgg agccagcaag acagagggtt acaactcctt cagagatccc 600
ctccatgctg ctgtgaactc tgtctctctt cccaatgatg ttcgggtgaa gtggctgaag 660
gccaagggaa tcctaggccc agatgggggc cccagcagag ctgctgaggt tgctgtctgt 720
gcttacagaa acctgtaa 738

SEQ ID NO: 12      moltype = DNA length = 882
FEATURE            Location/Qualifiers
misc_feature        1..882
                    note = severe fever thrombocytopenia syndrome virus B-3 NS
                    gene
source              1..882
                    mol_type = other DNA
                    organism = unidentified

SEQUENCE: 12
atgtcgctga gcaaatgctc caacgttgac ctcaaatctg tagcaatgaa tgccaacact 60
gttaggcttg aaccatctct aggagagtac cccactctta ggaaagacct cgttgaatgc 120
tcttgtagtg ttgtgactct atcaatgggtc aagaggatgg gcaagatgac caacacagta 180
tggttatttg gcaacccaaa aaatcctctt caccagcttg agcctggact tgagcagctg 240
ttggatatgt actacaagga catgagggtg tactcccaga gagagctgag tgcctcagg 300
tggcctagtg tgaagccttc tgtatgggtc ctacaggcag ctacatggtt cttttccatc 360
aagaacagct gggcaatgga aaccggtaga gagaactggc ggggcctctt ccacaggata 420
acaaaaggca aaaagtatct tttgaaaggg gacatgatag tggattctct tgaagccata 480
gagaagcgaa ggctcagact tgggttacct gagatcctaa taactggact atccccaatt 540
ctggatgtgg ccctcctcca gatagagtca cttgcaaggc taagaggcat gagcttgaac 600
caccacttat tcacttcttc ctcaactgct aagcctctgt tagattgttg ggacttcttt 660
attcctatcc gcaaaaagaa gacagatggc tcatacagtg ttttggatga ggatgatgag 720
cctgggggtc ttcaagggtta cccatatctg atggcacact atctgaacag gtgcccattc 780
cacaacctca tcagatttga tgaagaactg agaactgcag ccctgaacac catctgggga 840
agagattggc cggccatttg tgacctcccg aaggagggtc aa 882

SEQ ID NO: 13      moltype = AA length = 2084
FEATURE            Location/Qualifiers
REGION             1..2084
                    note = severe fever thrombocytopenia syndrome virus B-1 L
source              1..2084
                    mol_type = protein
                    organism = unidentified

SEQUENCE: 13
MDLEVLCGRI NVENGLSLGE PGLYDQIYDR PGLPDLDTV DATGVTVDIG AVPDSASQLG 60
SSINAGLITI QLSRAYKINH DFTFSGLSKT TDRRLSEVFP ITHDGSGMT PDVIHTRLDG 120
TIVVVEFSTT RSHNIGGLEA AYRTKIEKYR DPISRRVDIM ENPRVFFGVI VVSSGGVLSN 180
MPLTQDEABE LMYRFCIANE IYTKARSDA DIELQKSEE LEAISRLASF FSLFEPNIE 240
VEGTFPNSGI EMLBQFLSTP ADVDFITKTL KAKEVEAYAD LCDSHYLKPE KTIQERLEIN 300
RCEAIDKTQD LLAGLHARSN KQTSLNRTGTV KLPPWLPKPS SESIDIKTDS GFGLMDHGA 360
YSELWAKCLL DVSLGNVEGV VSDPAKELDI AISDDPEKDT PKEAKITYRR FKPALSSSAR 420
QEFSLQGVGE KKWKRMAANQ KKEKESHETL SPFLDVEDIG DFLTFNNLLA DSRYGDESIQ 480
RAVSILLEKA SAMQDELTH ALNDSFKRNL SSNVVQWSLW VSCLAQELAS ALKQHCRA 540
FIIKKLKFWP IYVLIKPTKS SSHIFYSLGI RKADVTRRLT GRVFSDTIDA GEWELTEFKS 600
LKTCKLTNLV NLPCTMLNSI AFWREKLGA PWLVRKPCSE LREQVGLTFL ISLEDKSKTE 660
EIIITLTRYTQ MEGFVSPML PKPQKMLGKL DGPLRTKLQV YLLRKHLDCM VRIASQPFSL 720
IPREGRVWEG GTFHAISGRS TNLENMVNSW YIGYYKNKEE STELNALGEM YKKIVEMEED 780
KPSSPEFLGW GDTDSPKKHE FSRSLRAAC SSLEREIAQR HGRQWKQNL ERLVREIGTK 840
NILDLASMK TSNFSKDWEL YSEVQTKEYH RSKLLEKMAT LIEKGVMMYI DAVGQAWKAV 900
LDDGCMRICL FKKIQHGGLR EIVVMDANAR LVQPGVETMA RCVCELSPE TVANPRLKNS 960
I IENHGLKSA RSLGPGSINI SSNDARKWN QGHYTTKLAL VLCWFMPAKF HRFIWAALISM 1020
FRRKMMVDL RFLAHLSSKS ESRSSDPFRE AMTDAFHGMR EVSWMDKGRY YIKETGMMQ 1080
GILHFTSSL L HSCVQSFYKS YFVSKLKEGY MGESINGVVD VIEGSDSAI MISIRPKSDM 1140
DEVRSRFFVA NLLHSVKFLN PLFGIYSSEK STVNTVYCVE YNSEFHPHRH LVRPTLRWIA 1200
ASHQISETEA LASRQEDYSN LLTQCLEGGA SFSLTYLIQC AQLLHHYMLL GLCLHPLFGT 1260
FMGMLISDPD PALGFFLMDN PAFAGGAGFR FNLWRACKTT DLGRKYAYF NEIQGKTGKD 1320
EDYRALDATS GGTLSHVMV YWGDRKKYQA LLNRMLPED WVEQIDENPG VLYRAANKK 1380
ELLLKLAEKV HPGVTSLSL KGHVVRPVA AGVYLLSRHC FRFSSSIHGR GSAQKASLIK 1440
LLMSSVSAM KHGGLNPNQ ERMFLPQAQE YDRVCTLEE VEHLTGKFV RERNIVRSRI 1500
DLFQEPVDLR CKAEDLVSEV WFGLKRTKLG PRLKKEWDK LRASFAWLST DPSETLRDGP 1560
FLSHVQFRNF IAHVDAKRS VRLLAGPVKK SGGVTTSIQV VRMNFPPGFS LEAEKSLDNQ 1620
ERLESISILK HVLPMVLNGP YTEYKLEMI IEAFSTLVIP QPSEVIRKSR TMTCLLSNY 1680
LSSRGSILD QIERAQSGTL GGFSPKQKTF IRPGGIGYK GKGVWTGVME DTHVQILIDG 1740

```

-continued

DGTSNWLEEI	RLSSDARLYD	VIESIRRLCD	DLGINNRVAS	AYRGHCVRL	SGFKIKPASR	1800
TDGCPVRIME	RGFRIRELQN	PDEVKMRVRG	DILNLSVTIQ	EGRVMNLSY	RPRDTDISES	1860
AAAYLWSNRD	LFSFGKKEPS	CSWICKLTLD	NWAWSHASVL	LANDRKTQGI	DNKAMGNIFR	1920
DCLEGLSRKQ	GLMRSKLTEM	VEKNVPLTT	QELVDILEED	IDFSDVIAVE	LSEGLDIES	1980
IFDGAPILWS	AEVEEFGEGV	VAVSYSSKYY	HLTLMQAAI	TMCAIMGKEG	CRGLLTEKRC	2040
MAAIREQVVP	FLIFLQIPED	SIGWVSDQFC	DSRGLDEEST	IMWG		2084

SEQ ID NO: 14 moltype = AA length = 1073
 FEATURE Location/Qualifiers
 REGION 1..1073
 note = severe fever thrombocytopenia syndrome virus B-1 M
 source 1..1073
 mol_type = protein
 organism = unidentified

SEQUENCE: 14

MMKVIWFSSSL	ICLVIQCSGD	TGPIICAGPI	HSNKSANIPH	LLGYSEKICQ	IDRLIHVSSW	60
LRNHSQFQGY	VGQRGGRSQV	SYYPAAENSYS	RWSGLLSPCD	ADWLGMVLVVK	KAKGSDMIVP	120
GPSYKGKVF	ERPTFDGYVG	WGCGSGKSRT	ESGELCSSDS	GTSSGLLPSD	RVLWIGDVAC	180
QMPTPIPEET	FLELKSFSQS	EFPDICKIDG	IVFNQCESES	LPQPLDVAVM	DVGHSKHIIM	240
REHKTKWVQE	SSSKDFVCYK	EGTGPCSESE	EKTCKTSGSC	RGDMQFCKVA	GCEHGEEASD	300
AKCRCSLVHK	PGEVVVS YGG	MRVRPKCYGF	SRMMATLEVN	PPEQRIGQCT	GCHLECEINGG	360
VRLLITLTSEL	KSATVCASHF	CSSATSGKKS	TEIQPHSGSL	VGKTTIHVKG	ALVDGTEFTF	420
EGSCMFPDGC	DAVDCTFCRE	FLKNPQCYP	KKWLFIIIVI	LLGYAGLMLL	TNVLKAIGVW	480
GSWVIAPVKL	MFAIIKKLMR	SVSCLMGKLM	DRGRQVHHEE	IGENREGNQD	DVRIEMARPR	540
RVRHWMYSPV	ILTLAIGLA	EGCDEMVAHD	SKLVSCQKGS	GNMKECVTTG	RALLPAVNPG	600
QEACLHFTAP	GSPDSKCLKI	KVKRINLKCK	KSSSYFVPDA	RSRCTSVRRR	RWAGDCQSGC	660
PSHFTSNSFS	DDWAGKMDRA	GLGFGSCSDG	CGGAACGCFN	AAPSCIFWRK	WVENPHGIIW	720
KVSPCAAWVP	SAVIELTMPS	GEVRTFHPMS	GIPTQVFKGV	SVTYLGSDME	VSLGLTDLCEI	780
EELKSKKLAL	APCNQAGMGV	VGKVGEIQCS	SEESARTIKK	DGCIWNADLV	GIELRVDDAV	840
CYSKITSVEA	VANYSIPTT	IGGLRPFERSH	DSQGKISGSP	LDITAIRGSF	SVNYRGLRLS	900
LSEVTATCTG	EVTNVSGCYS	CMTGAKVSIK	LHSSKNSTAH	VRCKGDETAF	SVLVGVHSTY	960
VSLSPDHAVV	DEQCQLNCGG	HESQVTLKGN	LIFLDVPKPV	DGSYMQTYHS	SVPTGANIPS	1020
PTDWLNALFG	NGLSRWILGV	IGVLLGGLAL	FFLIMSLFKL	GTKQVFRSRT	KLA	1073

SEQ ID NO: 15 moltype = AA length = 1073
 FEATURE Location/Qualifiers
 REGION 1..1073
 note = severe fever thrombocytopenia syndrome virus B-1 NP
 source 1..1073
 mol_type = protein
 organism = unidentified

SEQUENCE: 15

MMKVIWFSSSL	ICLVIQCSGD	TGPIICAGPI	HSNKSANIPH	LLGYSEKICQ	IDRLIHVSSW	60
LRNHSQFQGY	VGQRGGRSQV	SYYPAAENSYS	RWSGLLSPCD	ADWLGMVLVVK	KAKGSDMIVP	120
GPSYKGKVF	ERPTFDGYVG	WGCGSGKSRT	ESGELCSSDS	GTSSGLLPSD	RVLWIGDVAC	180
QMPTPIPEET	FLELKSFSQS	EFPDICKIDG	IVFNQCESES	LPQPLDVAVM	DVGHSKHIIM	240
REHKTKWVQE	SSSKDFVCYK	EGTGPCSESE	EKTCKTSGSC	RGDMQFCKVA	GCEHGEEASD	300
AKCRCSLVHK	PGEVVVS YGG	MRVRPKCYGF	SRMMATLEVN	PPEQRIGQCT	GCHLECEINGG	360
VRLLITLTSEL	KSATVCASHF	CSSATSGKKS	TEIQPHSGSL	VGKTTIHVKG	ALVDGTEFTF	420
EGSCMFPDGC	DAVDCTFCRE	FLKNPQCYP	KKWLFIIIVI	LLGYAGLMLL	TNVLKAIGVW	480
GSWVIAPVKL	MFAIIKKLMR	SVSCLMGKLM	DRGRQVHHEE	IGENREGNQD	DVRIEMARPR	540
RVRHWMYSPV	ILTLAIGLA	EGCDEMVAHD	SKLVSCQKGS	GNMKECVTTG	RALLPAVNPG	600
QEACLHFTAP	GSPDSKCLKI	KVKRINLKCK	KSSSYFVPDA	RSRCTSVRRR	RWAGDCQSGC	660
PSHFTSNSFS	DDWAGKMDRA	GLGFGSCSDG	CGGAACGCFN	AAPSCIFWRK	WVENPHGIIW	720
KVSPCAAWVP	SAVIELTMPS	GEVRTFHPMS	GIPTQVFKGV	SVTYLGSDME	VSLGLTDLCEI	780
EELKSKKLAL	APCNQAGMGV	VGKVGEIQCS	SEESARTIKK	DGCIWNADLV	GIELRVDDAV	840
CYSKITSVEA	VANYSIPTT	IGGLRPFERSH	DSQGKISGSP	LDITAIRGSF	SVNYRGLRLS	900
LSEVTATCTG	EVTNVSGCYS	CMTGAKVSIK	LHSSKNSTAH	VRCKGDETAF	SVLVGVHSTY	960
VSLSPDHAVV	DEQCQLNCGG	HESQVTLKGN	LIFLDVPKPV	DGSYMQTYHS	SVPTGANIPS	1020
PTDWLNALFG	NGLSRWILGV	IGVLLGGLAL	FFLIMSLFKL	GTKQVFRSRT	KLA	1073

SEQ ID NO: 16 moltype = AA length = 293
 FEATURE Location/Qualifiers
 REGION 1..293
 note = severe fever thrombocytopenia syndrome virus B-1 NS
 source 1..293
 mol_type = protein
 organism = unidentified

SEQUENCE: 16

MSLSKCSNVD	LKSVAMNANT	VRLEPSLGEY	PTLRRDLVEC	SCSVLTLSMV	KRMGKMTNTV	60
WLFGNPNKPL	HQLEPGLQQL	LDMYIKDMRC	YSQRELSALR	WPSGKPSVWF	LQAAHMFESI	120
KNSWAMETGR	ENWRGLFHRI	TKGKKYLFEG	DMILDSLEAI	EKRRLRLGLP	EILITGLSPI	180
LDVALLQIES	LARLRGMSLN	HHLFTSSSLR	KPLLDWCWDF	IPIRKRRTDG	SYSILDEDE	240
LGVLLQGYPL	MAHYLNRCPF	HNLIRFDEEL	RTAALNTIWG	RDWPAIGDLP	KEV	293

SEQ ID NO: 17 moltype = AA length = 2084
 FEATURE Location/Qualifiers
 REGION 1..2084
 note = severe fever thrombocytopenia syndrome virus B-2 L

-continued

```

source          1..2084
                mol_type = protein
                organism = unidentified

SEQUENCE: 17
MNLEVLGCGRI NVENGLSLGEG PGLYDQIYDR PGLPDLDTV DATGVTVDIG AVPDSASQLG 60
SSINAGLITI QLSSEAYKINH DFTFSGLSKT TDRRLSEVFP ITHDGSDDGMT PDVIHTRLDG 120
TIIVVVEFSTT RSHNIGGLET AYRTKIEKYR DPISRRVDIM ENPRVFFGVI VVSSGGVLSN 180
MPLTQDEAEE LMYRFCIANE IYTKARSDMA DIELQKSEEE LEAISRALSF FSLFEPNIEK 240
VEGTFPNSSEI EMLEQFLSTP ADVDFITKTL KAKEVEAYAD LCDSHYLKPE KTIQERLEIN 300
RCEAIDKTDQ LLASLHARSN KQTSLNRGTV KLPPWLPKPS SESIDIKTDS GFGSLMDHGA 360
YGELWAKCLL DVSLGNVEGV ISDPAKELDI AISDDPEKDT PKEAKITYRR FKPALSSSAR 420
QEFSLQGVGE KKWKRMMAANQ KKEKESHEAL SPFLDVEDIG DFLTFNNLLA DSRYGDESVO 480
RAVSILLEKA SAMQNTLETH ALNDSFKRNL SSNVVQWSLW VSCLAQELAS ALKQHCAGE 540
FIIKKLKFWP IYVIKPTKS SSHIFYSLGI RKADVTRRLT GRVFSDTIDA GEWELTEFKS 600
LKTCKLTNLV NLPCTMLNSI AFWREKLGA PWLVKPCSE LREQVGLTFL ISLEDKSKTE 660
EIITLTRYTQ MEGFVSPML PKPQKMLGKL DGPLRKLQV YLLRKHLCM VRIASQPFSL 720
IPREGRVEWG GTFHAISGRS TNLENMVNSW YIGYYKNKEE STELNALGEM YKKIVEMEED 780
KPSSPEFLGW GDTDSPKHE FSRSLRAAC SSLEREIAQR HGRQWKQNL ERLREIGTK 840
NILDLASMAK TSNFSKDWEL YSEVQTKYH RSKLLEKMAT LIEKGVMMYI DAVQQAQKAV 900
LDDGCMRICL FKKNQHGGLR EIVMDANAR LVQFGVETMA RCVCELSPE TVANPRLKNS 960
IENHGLKSA RSLGPGSINI NSSNDACKWN QGHYTKLAL VLCWFMPAKF HRFIWAASIM 1020
FRKKMMVDL RFLAHLSSKS ESRSDPFRE AMTDAFHGMR EVSWMDKGR YIKTETGMMQ 1080
GILHFTSSLL HSCVQSFYKS YFVSKLKEGY MGESINGVVD VIEGSDDSAI MISIRPKSDM 1140
DEVRSRFFVA NLLHSHVFLN PLFGIYSSEK STVNTVYCYE YNFEHFHRR LVRPTLRWIA 1200
ASHQISETEA LASQEDYSN LLTQCLEGGA SFSLTYLIQC AQLLHHYMLL GLCLHPLFGT 1260
FMGMLISDPD PALGFFLMDN PAFAGGAGFR FNLWRACKTT DLGRKYAYYF NEIQGKTKGD 1320
EDYRALDATS GGTLSHVMV YWGDRKKYQA LLNRMGLPED WVEQIDENPG VLYRRAANKK 1380
ELLLKLAKEV HSPGVTSLS KGHVPRVVA AGVYLLSRHC FRFSSSIHGR GSAQKASLIK 1440
LLMMSSISAM KHGSLNPNQ ERMFLPQAQE YDRVCTLEE VEHLTGKPVV RERNIVRSRI 1500
DLFQEPVDLR CKAEDLVSEV WFLGKRTKLG PRLLEEWDK LRASFALST DPSETLRDGP 1560
FLSHVQFRNF RLSDARLYD VRLGAPVKK SGGVTISQV VRMNFPGFS LEAEKSLDNQ 1620
ERLESISILK HVLFMVLNGP YTEEYKLEMI IEAFSTLVIP QPSEVIRKSR TMTLCLLSNY 1680
LSSRGSILD QIERAQSGLT GFGSKPKQTF IRPGGIGYK GKGVTGVM E DTHVQILIDG 1740
DGTSNWLEEI RLSDARLYD VIESIRRLCD DLGINNRVAS AYRGHCVRSL SGFKIKPASR 1800
TDGCPVRIME RGFRIRELQN PDEVKMRVRG DILNLSVTIQ EGRVMNLSY RPRDTSISES 1860
AAAYLWSNRD LFSFGKKEPS CSWICKLTL NWAWSHASVL LANDRKTQGI DNRAMGNIFR 1920
DCLEGLRLKQ GLMRSKLTLM VEKNVPLTT QELVDILEED IDFSDDIAVE LSEGLDIES 1980
IPDGAPILWS AEVEEFGEGV VAVSYSSKY HLTLMDDQAAI TMCAIMGKEG CRGLLTEKRC 2040
MAAIREQVTP FLIFLQIPED SISWSDQFC DSRGLDEEST IMWG 2084

SEQ ID NO: 18      moltype = AA length = 1073
FEATURE           Location/Qualifiers
REGION            1..1073
                  note = severe fever thrombocytopenia syndrome virus B-2 M
source            1..1073
                  mol_type = protein
                  organism = unidentified

SEQUENCE: 18
MMKVIWFSSSL ICLVIQCSGD TGPIICAGPI HSNKSADIPH LLGYSEKICQ IDRLIHVSSW 60
LRNHSQFQGY VQQRGGRSQV SYFPAENYSY RWSGLLSPCD ADWLGLMLVVK KAKGSDMIVP 120
GPSYKGVVFF ERPTFDGYVG WCGSGKSRT ESGELCSSDS GTSSGLLPSN RVLWIGDVAC 180
QPMTPIPEET FLELKSFSLS EFPDICKIDG IVFNQCESES LPQFPDVAMV DVGHSHKIIM 240
REHKTKWVQE SSSKDFVCYK EGTGPCSESE EKTCKTSGSC RGDMPQCKVA GCEHGEETSE 300
AKCRCSLVHL PGEVVVSYGG MRVRPKCYGF SRMMATLEV N PPEQRIGQCT GCHLECEINGG 360
VRIITLTSBL KAHVDKASHF CSSATSGKKS TEIQPHSGSL VGKTAIHVKG ALVDGTEFTF 420
EGSCMPFDGC DAVDCTFCRE FLKNPQCYP A KKWLFIIVI LLGYAGLMLL TNVLKAGVW 480
GSWVIAPVKL MFAIIKKLMR SVSCLMGKLM DRGRQVIHEE IGENREGNQD DVRIEMARPR 540
RVRHWMYSPV ILTILAIGLA EGCDEMVAHD SKLVSCQKGS GNMKECVTTG RALLPAVNPG 600
QEACLHFTAP GSPDSKCLKI KVKRINLKCK KSSSYFVPDA RSRCTSVRR R WAGDCQSGC 660
PSHFTSNSFS DDWAGKMDRA GLGFGSCSDG CGGAACGCFN AAPSCIFWRK WVENPHGIW 720
KVSPCAAWVP SAVIELTMPS GEVRTFHPMS GIPTQVFKGV SVTYLGSDME VSGLTDLCEI 780
EELKSKKLAL APCNQAGMGV VGKVGELQCS SEESARTIKK DGCINWADLV GIELRVDDAV 840
CYSKITSVEA VANYSIPTT IGLRFRERSH DSQKISGSP LDITAIRGSF SVNYRGLRLS 900
LSEITATCTG EVTNVSGCYS CMTGAKVSIK LHSSKNSTAH VRCKGDETA SVLEGVHSYT 960
VSLSPDHAVV DEQCQLNCGG HESQVTLKGN LIFLDVPKPV DGSYMQTYHS SVPTGANIPS 1020
PTDWLNALFG NGLSRWILGV IGVLGLGLAL FFLIMSLFKL GTKQVFRSRT KLA 1073

SEQ ID NO: 19      moltype = AA length = 245
FEATURE           Location/Qualifiers
REGION            1..245
                  note = severe fever thrombocytopenia syndrome virus B-2 NP
source            1..245
                  mol_type = protein
                  organism = unidentified

SEQUENCE: 19
MSEWSRIAVE FGEQQLNLTE LEDFARELAY EGLDPALIIK KLKETGGDDW VRDTKFIIVF 60
ALTRGNKIVK ASGKMSNSGS KRLMALQEKY GLVERAETRL SITPVRVAQS LPTWTCAAAA 120
ALKEYLPVGP AVMLNKVENE PEMMCMMAFG SLIPTAGVSE ATTKTLM EAY SLWQDAFTKT 180
INVKMRGASK TEVYNSFRDP LHAAVNSVFF PNDVRVKWLK AKGILGPDGV PSRAAEVAAA 240

```

-continued

AYRNL 245

SEQ ID NO: 20 moltype = AA length = 293
 FEATURE Location/Qualifiers
 REGION 1..293
 note = severe fever thrombocytopenia syndrome virus B-2 NS
 source 1..293
 mol_type = protein
 organism = unidentified

SEQUENCE: 20

MSLSKCSNVD	LKSVAMNANT	VRLEPSLGEY	PTLRRLDVEC	SCSVLTLSMV	KRMGKMTNTV	60
WLFGNPKNPL	HQLEPGLEQL	LDMYKDMRC	YSQRELSALR	WPSGKPSVWF	LQAAHMFSSI	120
KNSWAMETGR	ENWRGLFHRI	TKGQKYLFEQ	DMILDSLEAI	EKRRLRLGLP	EILITGLSPI	180
LDVALLQIES	LARLRGMSLN	HHLFTSSSLR	KPLLDWCWFF	IPIRKKKTDG	SYSVLDEDDE	240
PGLQGYPYL	MAHYLNRCPF	HNLIRFDEEL	RTAALNTIWG	RDWPAIGDLP	KEV	293

SEQ ID NO: 21 moltype = AA length = 2084
 FEATURE Location/Qualifiers
 REGION 1..2084
 note = severe fever thrombocytopenia syndrome virus B-3 L
 source 1..2084
 mol_type = protein
 organism = unidentified

SEQUENCE: 21

MNLEVLGCGRI	NVENGLSLGE	PGLYDQIYDR	PGLPLDLVTV	DAIGVTVDIG	AVPDSASQLG	60
SSINAGLITI	QLSEAYKINH	DFTFSGLSKT	TDRRLSEVFP	ITHGSDGMT	PDVIHTRLDG	120
TIVVVEFSTT	RSHNIGGLEA	AYRTKIEKYR	DPISRRVDIM	ENPRVFFGVI	VVSSGGVLSN	180
MPLTQDEAEE	LMYRFCIANE	IYTKARSMDA	DIELQKSEEE	LEAISRLASF	FSLFEPNIER	240
VEGTFFPNSI	EMLEQFLSTP	ADVDFITKTL	KAKEVEAYAD	LCDSHYLKPE	KTIQERLEIN	300
RCEAIDKTQD	LLASLHARSN	KQTSLNRGTV	KLPPWLPKPS	SESIDIKTDS	GFGLMDHGT	360
YGELWAKCLL	DVSLGNVEGV	VSDPAKELDI	AISDDPEKDT	PKEAKITYRR	FKPALSSSAR	420
QEFSLQGVGG	KKWKRMAANQ	KKEKESHETL	SPFLDVEDIG	DFLTFFNNLLA	DSRYGDESQV	480
RAVSILLEKA	SAMQDTELTH	ALNDSFKRNL	SSNVVQWSLW	VSCLAQELAS	ALKQHCRAE	540
FIKKLKFWP	IYVLIKPTKS	SSHIFYSLGI	RKADVTRRLT	GRVFSDTIDA	GEWELTEFKS	600
LKTCKLTNLV	NLPCTMLNSI	AFWREKLQVA	PWLVRKPCSE	LREQVGLTFL	ISLEDKSKTE	660
EIITLTRYTQ	MEGFVSPMPL	PKPQKMLGKL	DGPLRTKLQV	YLLRKHLDCE	VRIASQPFSL	720
IPREGRVVEG	GTFHAISGRS	TNLNEMVNSW	YIGYKKNKEE	STELNALGEM	YKKIVEMEED	780
KPSSPKFLGW	GDTDSPKKHE	FSRSFLRAAC	SSLEREIAQR	HGRQWKQNL	ERVLREIGTK	840
NILDLASMKA	TSNFSKWDEL	YSEVQTKEYH	RSKLLKEMAT	LIEKGVWYI	DAVGQAWKAV	900
LDDGCMRICL	FKKNQHGGLR	EIVYMDANAR	LVQFGVETMA	RCVCELSPHE	TVANPRLKNS	960
IIENHGLKSA	RSLGPGSINI	NSSNDACKWN	QGHYTTKLAL	VLCWFMPAKF	HRFIWAAISM	1020
PRKKMMVDL	RFLAHLSSKS	ESRSSDPFRE	AMTDAFHGNR	EVSWMDKGR	YIKTETGMMQ	1080
GILHPTSSLL	HSCVQSFKYS	YFVSKLKEGY	MGESISGVVD	VIEGSDDSAI	MISIRPKSDM	1140
DEVRSRFFVA	NLLHSVKFLN	PLFGIYSSEK	STVNTVYCVE	YNSEFHFHRH	LVRPTLRWIA	1200
ASHQISETEA	LASRQEDYSN	LLTQCLEGGA	SFSLTYLIQC	AQLLHHYMLL	GLCLHPLFGT	1260
FMGLISDDPD	PALGFLLMDN	PAFAGGAGFR	FNLWRACKTT	DLGRKYAYYF	NEIQGKTKGD	1320
EDYRALDATS	GGTSLHSMVM	YWGDRKKYQA	LLNRMGLPED	WVEQIDENPG	VLYRRAANKK	1380
ELLLKLAEKV	HSPGVTSSLS	KGHVVPRVVA	AGVYLLSRHC	FRFSSSIHGR	GSQAKASLIK	1440
LLMSSISAM	KHGGSLNPNQ	ERMLFPQAQE	YDRVCTLEE	VEHLTGKFFV	RERNIVRSRI	1500
DLFQEPVDLR	CKAEDLVSEV	WFLGKRTKLG	PRLLKEEWDK	LRASFALWST	DPSETLRDGP	1560
FLSHVQFFRN	IAHVDAKSRS	VRLLAGAPVK	SGGVTTISQV	VRMNFPPGFS	LEAEKSLDNQ	1620
ERLESISILK	HVLFMWLNMP	YTEEYKLDMI	IEAFSTLVIP	QPSEVIRKSR	TMTLCLLSNY	1680
LSSRGGSIID	QIERAQSGTL	GGFSKPQKTF	IRPGGGIGYK	GKGVWTVGME	DTHVQILIDG	1740
DGTSNWLEEI	RLSSDARLYD	VIESIRRLCD	DLGINNRVAS	AYRGHCWVRL	SGFKIKPASR	1800
TDGCPVRIME	RGFRIRELQN	PDEVKMRVRG	DILNLSVTIQ	EGRVMNLSY	RPRDTRISES	1860
AAAYLWSNRD	LFSFGKKEPS	CSWICKLTLD	NWAWSHASVL	LANDRKTQGI	DNRAMGNIFR	1920
DCLEGLSRKQ	GLMRSKLTEM	VEKNVPLTT	QELVDILEED	IDFSDVIAVE	LSEGSLDIES	1980
IFDGAPILWS	AEVEEFGEGV	VAVSYSSKYY	HLTLMQAAI	TMCAIMGKEG	CRGLLTEKRC	2040
MAAIREQVRP	FLIFLQIPED	SISWVSDQFC	DSRGLDEEST	IMWG		2084

SEQ ID NO: 22 moltype = AA length = 1073
 FEATURE Location/Qualifiers
 REGION 1..1073
 note = severe fever thrombocytopenia syndrome virus B-3 M
 source 1..1073
 mol_type = protein
 organism = unidentified

SEQUENCE: 22

MMKVIWFSSS	ICLVIQCSGD	TGPIICAGPI	HSNKSANIPH	LLGYSEKICQ	IDRLIHVSSW	60
LRNHSQFQGY	VGQRGGRSQV	SYPAENSYS	RWSGLLSPCD	ADWLGMVLVVK	KAKGSDMIVP	120
GPSYKGVVFF	ERPTFDGYVG	WGCGSGKSRT	ESGELCSSDS	GTSSGLLPSN	RVLWIGDVAC	180
QPMTPPIEET	FLELKSFSQS	EFPDICKVDG	IVFNQCESES	LPQPFVDVAM	DVGHSKHIIM	240
REHKTWVQEQ	SSSKDFVCYK	EGTGPCSESE	EKTCKTSGSC	RGDMQFCCKVA	GCEHGEEASE	300
AKCRCSLVHK	PGEVVVSYGH	MRVRPKCYGF	SRMMATLEVN	PPEQRIGQCT	GCHLECINGG	360
VLRLITLSEL	KSATVCASHF	CSSATSGKKS	TEIQFHSGLS	VGKAAIHVKG	TLVDGTFTTF	420
EGSCMFPPDC	DAVCTCFRE	FLKNPQCYP	KKWLFIIIAI	LLGYAGMLLL	TNVLKAIQVW	480
GSWVIAPVKL	MAFIIKKLMR	SVSCLMGKLM	DRGRQVIEHE	IGENREGNQE	DVRIEIAARP	540
RVRHWMYSVP	ILAILAIGLA	EGCDEMVAHD	SKLVSCRQGS	GNMKECVTTG	RALLPAVNP	600
QEACHLHTAP	GSPDSKCLKI	KVKRINLKCK	KSSSYFVPDA	RSRCTSVRRR	RWAGDCQSGC	660

-continued

```

PSHFTSNSFS DDWAGKMDRA GLGFSGCSDG CGGAACGCFN AAPSCIFWRK WVENPHGIW 720
KVSPCAAWVP STVIELTMPG GEVRTFHPMS GIPTQVFKGV SVTYLGSDME VSGLTDLCEI 780
EELKSKKLAL APCNQAGMGV VGKVGEIQCS SEESARSIKK DGCINWADLV GIELRVDDAV 840
CYSKITSVEA VANYSAIPTT IGGLRFERSH DSQKGISGSP LDITAIRGSF SVNYRGLRLS 900
LSEITATCTG EVTNVSGCYS CMTGAKVSIK LHSSKNSTAH VRCKGDETAF SVLEGVHSYT 960
VSLSPDHAVV DEQCQLNCGG HESQVTLKGN LIFLDVPKFV DGSYMQTYHS SVPTGANIPS 1020
PTDWLNALFG NGLSRWILGV IGVLLGGLAL FFLIMSLFKL GTKQIFRSRT KLA 1073

SEQ ID NO: 23      moltype = AA length = 245
FEATURE           Location/Qualifiers
REGION            1..245
                  note = severe fever thrombocytopenia syndrome virus B-3 NP
source            1..245
                  mol_type = protein
                  organism = unidentified

SEQUENCE: 23
MSEWSRIAVE FGEQQLNLTE LEDFARELAY EGLDPALIIK KLKETGGDDW VRDTKFIIVF 60
ALTRGNKIVK ASGKMSNSGS KRLMALQEKY GLVERAETRL SITPVVVAQS LPTWTCAAAA 120
ALKEYLPVGP AVMLKLVENY PPMMCMMAFG SLIPTAGVSE ATTKTLMEAY SLWQDAFTKT 180
INVKMRGASK TEVYNSFRDP LHAAVNSVFF PNDVRVKWLK AKGILGPDGV PSRAAEVAAA 240
AYRNL 245

SEQ ID NO: 24      moltype = AA length = 293
FEATURE           Location/Qualifiers
REGION            1..293
                  note = severe fever thrombocytopenia syndrome virus B-3 NS
source            1..293
                  mol_type = protein
                  organism = unidentified

SEQUENCE: 24
MSLSKCSNVD LKSVAMNANT VRLEPSLGEY PTLRKDLVEC SCSVLTLSMV KRMGKMTNTV 60
WLFGNPKNPL HQLEPGLEQL LDMYKDMRC YSQRELSALR WPSGKPSVWF LQAAHMFPSI 120
KNSWAMETGR ENWRGLFHRI TKGKKYLFEG DMILDSLEAI EKRLRLGLP EILITGLSPI 180
LDVALLQIES LARLRGMSLN HHLFTSSSLR KPLLDWCDFD IPIRKKKTG SYSVLDEDDE 240
PGVLQGYPYL MAHYLNRCPP HNLIRFDEEL RTAALNTIWG RDWPAIGDLP KEV 293

```

The invention claimed is:

1. An immunogenic composition for prevention or treatment of a severe fever with thrombocytopenia syndrome, comprising inactivated severe fever with thrombocytopenia syndrome virus or a gene thereof as an active ingredient, and an adjuvant,

wherein the severe fever with thrombocytopenia syndrome virus or the gene thereof comprises:

- (i) a L gene that encodes a protein having the sequence of SEQ ID NO: 13;
- (ii) a M gene that encodes a protein having the sequence of SEQ ID NO: 14,
- (iii) a NP gene that encodes a protein having the sequence of SEQ ID NO: 15 and
- (iv) a NS gene that encode a protein having the sequence of SEQ ID NO: 16.

2. The composition of claim 1, wherein the severe fever with thrombocytopenia syndrome virus contains an L gene containing a base sequence represented by SEQ ID NO: 1, an M gene containing a base sequence represented by SEQ ID NO: 2, an NP gene containing a base sequence represented by SEQ ID NO: 3, and an NS gene containing a base sequence represented by SEQ ID NO: 4.

3. The composition of claim 1, wherein the composition further comprises a pharmaceutically acceptable carrier.

4. A method for detecting a severe fever with thrombocytopenia syndrome virus antibody, the method comprising:

- (a) contacting a sample isolated from a specimen with severe fever with thrombocytopenia syndrome virus or a gene thereof under a condition in which an antigen-antibody complex is able to be formed; and
- (b) detecting the formation of the antigen-antibody complex,

wherein the severe fever with thrombocytopenia syndrome virus, or the gene thereof comprises

- (i) a L gene that encodes a protein having the sequence of SEQ ID NO: 13;
- (ii) a M gene that encodes a protein having the sequence of SEQ ID NO: 14,
- (iii) a NP gene that encodes a protein having the sequence of SEQ ID NO: 15 and
- (iv) a NS gene that encode a protein having the sequence of SEQ ID NO: 16.

5. A method for producing antiserum against a severe fever with thrombocytopenia syndrome virus in a non-human animal, the method comprising:

- (a) administering severe fever with thrombocytopenia syndrome virus or a gene thereof to the non-human animal at an amount effective to induce an immune response; and
- (b) collecting antiserum or plasma containing an antibody against the severe fever with thrombocytopenia syndrome virus,

wherein the severe fever with thrombocytopenia syndrome virus or the gene thereof comprises

- (v) a L gene that encodes a protein having the sequence of SEQ ID NO: 13;
- (vi) a M gene that encodes a protein having the sequence of SEQ ID NO: 14,
- (vii) a NP gene that encodes a protein having the sequence of SEQ ID NO: 15 and
- (viii) a NS gene that encode a protein having the sequence of SEQ ID NO: 16.

* * * * *