





US 20250287831A1

(19) **United States**(12) **Patent Application Publication**
MACINNIS et al.(10) **Pub. No.: US 2025/0287831 A1**(43) **Pub. Date: Sep. 11, 2025**(54) **ORGANIC ELECTROLUMINESCENT
MATERIALS AND DEVICES**(71) Applicant: **UNIVERSAL DISPLAY
CORPORATION**, Ewing, NJ (US)(72) Inventors: **Morgan C. MACINNIS**, Yardley, PA
(US); **HSIAO-FAN CHEN**,
LAWRENCE TOWNSHIP, NJ (US);
TYLER FLEETHAM, Newtown, PA
(US); **PETER WOLOHAN**,
PRINCETON JUNCTION, NJ (US);
JERALD FELDMAN, CHERRY
HILL, NJ (US); **JUI-YI TSAI**,
Newtown, NJ (US); **PIERRE-LUC T.
BOUDREAULT**, PENNINGTON, NJ
(US); **ALEXEY BORISOVICH
DYATKIN**, AMBLER, PA (US);
ZHIQIANG JI, CHALFONT, PA (US);
SEAN MICHAEL RYNO, YARDLEY,
PA (US); **RASHA HAMZE**,
PHILADELPHIA, PA (US); **CHUN
LIN**, YARDLEY, PA (US); **ELENA
SHEINA**, LANGHORNE, PA (US)(73) Assignee: **UNIVERSAL DISPLAY
CORPORATION**, Ewing, NJ (US)(21) Appl. No.: **19/214,235**(22) Filed: **May 21, 2025****Related U.S. Application Data**(63) Continuation of application No. 17/528,552, filed on
Nov. 17, 2021, now Pat. No. 12,349,589, which is a
(Continued)**Publication Classification**(51) **Int. Cl.**
H10K 85/30 (2023.01)
C07F 15/00 (2006.01)
(Continued)(52) **U.S. Cl.**CPC **H10K 85/346** (2023.02); **C07F 15/0033**
(2013.01); **C07F 15/0086** (2013.01); **C09K**
11/02 (2013.01); **C09K 11/06** (2013.01); **H10K**
85/342 (2023.02); **C07B 2200/05** (2013.01);
C09K 2211/1007 (2013.01); **C09K 2211/1014**
(2013.01); **C09K 2211/1022** (2013.01); **C09K**
2211/1029 (2013.01); **C09K 2211/104**
(2013.01); **C09K 2211/1044** (2013.01); **C09K**
2211/1096 (2013.01);

(Continued)

(57)

ABSTRACTA compound comprising a ligand L_A comprising a moiety L
having a structure of Formula Iis provided. In Formula I, L_A coordinated to a Ir atom; A^1 is selected from B, N, P, P=O, P=S, Al, Ga, SiR", GeR", and SnR"; where rings A, B, and C are 5- or 6-membered rings; Y^1 , Y^2 , and Y^3 are selected from direct bonds, the Ir atom, and a variety of linkers; $a+b+c=2$ or 3; and one of a number of specific conditions is met. OLED devices, consumer products, and formulations including the compound are also provided.

Related U.S. Application Data

continuation-in-part of application No. 17/148,838, filed on Jan. 14, 2021, which is a continuation-in-part of application No. 17/001,052, filed on Aug. 24, 2020, now Pat. No. 12,250,872.

- (60) Provisional application No. 62/966,650, filed on Jan. 28, 2020, provisional application No. 63/106,035, filed on Oct. 27, 2020.

Publication Classification

- (51) **Int. Cl.**

C09K 11/02 (2006.01)

C09K 11/06 (2006.01)

H10K 50/11 (2023.01)

H10K 101/10 (2023.01)

- (52) **U.S. Cl.**

CPC *C09K 2211/185* (2013.01); *H10K 50/11*
(2023.02); *H10K 2101/10* (2023.02)




FIGURE 1




FIGURE 2

ORGANIC ELECTROLUMINESCENT MATERIALS AND DEVICES

CROSS-REFERENCE TO RELATED APPLICATIONS

[0001] This application is a continuation of U.S. application Ser. No. 17/528,552, filed Nov. 17, 2021, which is a continuation-in-part of U.S. patent application Ser. No. 17/148,838, filed Jan. 14, 2021, which claims priority under 35 U.S.C. § 119 (e) to U.S. Provisional Application No. 63/106,035, filed on Oct. 27, 2020, and the 838 Application is a continuation-in-part of U.S. application Ser. No. 17/001,052, filed Aug. 24, 2020, now U.S. Pat. No. 12,250,872, which claims priority under 35 U.S.C. § 119 (e) to U.S. Provisional Application No. 62/966,650, filed on Jan. 28, 2020, the entire contents of which are incorporated herein by reference.

FIELD

[0002] The present disclosure generally relates to organo-metallic compounds and formulations and their various uses including as emitters in devices such as organic light emitting diodes and related electronic devices.

BACKGROUND


[0003] Opto-electronic devices that make use of organic materials are becoming increasingly desirable for various reasons. Many of the materials used to make such devices are relatively inexpensive, so organic opto-electronic devices have the potential for cost advantages over inorganic devices. In addition, the inherent properties of organic materials, such as their flexibility, may make them well suited for particular applications such as fabrication on a flexible substrate. Examples of organic opto-electronic devices include organic light emitting diodes/devices (OLEDs), organic phototransistors, organic photovoltaic cells, and organic photodetectors. For OLEDs, the organic materials may have performance advantages over conventional materials.

[0004] OLEDs make use of thin organic films that emit light when voltage is applied across the device. OLEDs are becoming an increasingly interesting technology for use in applications such as flat panel displays, illumination, and backlighting.

[0005] One application for phosphorescent emissive molecules is a full color display. Industry standards for such a display call for pixels adapted to emit particular colors, referred to as "saturated" colors. In particular, these standards call for saturated red, green, and blue pixels. Alternatively, the OLED can be designed to emit white light. In conventional liquid crystal displays emission from a white backlight is filtered using absorption filters to produce red, green and blue emission. The same technique can also be used with OLEDs. The white OLED can be either a single emissive layer (EML) device or a stack structure. Color may be measured using CIE coordinates, which are well known to the art.

SUMMARY

[0006] In one aspect, the present disclosure provides a compound comprising a ligand L_A that includes a moiety L having a structure of Formula I,



In Formula I:

- [0007] L_A coordinated to a metal M;
- [0008] A^1 is selected from the group consisting of B, N, P, P=O, P=S, Al, Ga, SiR", GeR", and SnR";
- [0009] each rings A, B, and C is independently a 5-membered or 6-membered carbocyclic or heterocyclic ring;
- [0010] Y^1 , Y^2 , and Y^3 are each independently a moiety selected from the group consisting of direct bond, BR, BRR', NR, PR, O, S, Se, C=X, S=O, SO₂, CR, CRR', SiRR', GeRR', alkyl, cycloalkyl, aryl, heteroaryl, metal M, and combinations thereof;
- [0011] wherein X is selected from the group consisting of O, S, Se, NR', and CR"R";
- [0012] a, b, and c are each independently 0 for not present or 1 for present;
- [0013] $a+b+c=2$ or 3;
- [0014] R^A , R^B , and R^C each independently represent mono to the maximum allowable substitution, or no substitution;
- [0015] each R, R', R", R"', R^A , R^B , and R^C is independently hydrogen or a substituent selected from the group consisting of the metal M, deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, boryl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acid, ether, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof;
- [0016] M can be coordinated to other ligands;
- [0017] the ligand L_A can be joined with other ligands to form a bidentate, tridentate, tetradentate, pentadentate, or hexadentate ligand;
- [0018] any two substituents of R, R', R", R"', R^A , R^B , and R^C can be joined or fused to form a ring; and
- [0019] at least one of the following conditions is true:
 - [0020] 1) at least one of rings A, B, and C is a 5-membered carbocyclic or heterocyclic ring;
 - [0021] 2) at least one of Y^1 , Y^2 , or Y^3 is present as C=R;
 - [0022] 3) A^1 is B and at least one of Y^1 , Y^2 , and Y^3 is present as a direct bond;
 - [0023] 4) A^1 is B, $a=b=1$, and Y^1 is different from Y^2 ;
 - [0024] 5) A^1 is N and at least one of Y^1 , Y^2 , and Y^3 is present as BR;
 - [0025] 6) A^1 is B, $a=b=1$, and Y^1 is not O;
 - [0026] 7) the compound comprises a metal-carbene bond; or

[0027] 8) at least one pair of adjacent R^A , R^B , or R^C join together to form a fused moiety comprising one or more rings fused to and extending from Ring A, Ring B, or Ring C, respectively, wherein the fused moiety coordinates directly to the metal M.

[0028] In another aspect, the present disclosure provides a formulation of the compound of the present disclosure.

[0029] In yet another aspect, the present disclosure provides an OLED having an organic layer comprising the compound of the present disclosure.

[0030] In yet another aspect, the present disclosure provides a consumer product comprising an OLED with an organic layer comprising the compound of the present disclosure.

BRIEF DESCRIPTION OF THE DRAWINGS

[0031] FIG. 1 shows an organic light emitting device.

[0032] FIG. 2 shows an inverted organic light emitting device that does not have a separate electron transport layer.

DETAILED DESCRIPTION

A. Terminology

[0033] Unless otherwise specified, the below terms used herein are defined as follows:

[0034] As used herein, the term “organic” includes polymeric materials as well as small molecule organic materials that may be used to fabricate organic opto-electronic devices. “Small molecule” refers to any organic material that is not a polymer, and “small molecules” may actually be quite large. Small molecules may include repeat units in some circumstances. For example, using a long chain alkyl group as a substituent does not remove a molecule from the “small molecule” class. Small molecules may also be incorporated into polymers, for example as a pendent group on a polymer backbone or as a part of the backbone. Small molecules may also serve as the core moiety of a dendrimer, which consists of a series of chemical shells built on the core moiety. The core moiety of a dendrimer may be a fluorescent or phosphorescent small molecule emitter. A dendrimer may be a “small molecule,” and it is believed that all dendrimers currently used in the field of OLEDs are small molecules.

[0035] As used herein, “top” means furthest away from the substrate, while “bottom” means closest to the substrate. Where a first layer is described as “disposed over” a second layer, the first layer is disposed further away from substrate. There may be other layers between the first and second layer, unless it is specified that the first layer is “in contact with” the second layer. For example, a cathode may be described as “disposed over” an anode, even though there are various organic layers in between.

[0036] As used herein, “solution processable” means capable of being dissolved, dispersed, or transported in and/or deposited from a liquid medium, either in solution or suspension form.

[0037] A ligand may be referred to as “photoactive” when it is believed that the ligand directly contributes to the photoactive properties of an emissive material. A ligand may be referred to as “ancillary” when it is believed that the ligand does not contribute to the photoactive properties of an emissive material, although an ancillary ligand may alter the properties of a photoactive ligand.

[0038] As used herein, and as would be generally understood by one skilled in the art, a first “Highest Occupied Molecular Orbital” (HOMO) or “Lowest Unoccupied Molecular Orbital” (LUMO) energy level is “greater than” or “higher than” a second HOMO or LUMO energy level if the first energy level is closer to the vacuum energy level. Since ionization potentials (IP) are measured as a negative energy relative to a vacuum level, a higher HOMO energy level corresponds to an IP having a smaller absolute value (an IP that is less negative). Similarly, a higher LUMO energy level corresponds to an electron affinity (EA) having a smaller absolute value (an EA that is less negative). On a conventional energy level diagram, with the vacuum level at the top, the LUMO energy level of a material is higher than the HOMO energy level of the same material. A “higher” HOMO or LUMO energy level appears closer to the top of such a diagram than a “lower” HOMO or LUMO energy level.

[0039] As used herein, and as would be generally understood by one skilled in the art, a first work function is “greater than” or “higher than” a second work function if the first work function has a higher absolute value. Because work functions are generally measured as negative numbers relative to vacuum level, this means that a “higher” work function is more negative. On a conventional energy level diagram, with the vacuum level at the top, a “higher” work function is illustrated as further away from the vacuum level in the downward direction. Thus, the definitions of HOMO and LUMO energy levels follow a different convention than work functions.

[0040] The terms “halo,” “halogen,” and “halide” are used interchangeably and refer to fluorine, chlorine, bromine, and iodine.

[0041] The term “acyl” refers to a substituted carbonyl radical ($C(O)-R_s$).

[0042] The term “ester” refers to a substituted oxycarbonyl ($-O-C(O)-R_s$ or $-C(O)-O-R_s$) radical.

[0043] The term “ether” refers to an $-OR_s$ radical.

[0044] The terms “sulfanyl” or “thio-ether” are used interchangeably and refer to a $-SR_s$ radical.

[0045] The term “sulfinyl” refers to a $-S(O)-R_s$ radical.

[0046] The term “sulfonyl” refers to a $-SO_2-R_s$ radical.

[0047] The term “phosphino” refers to a $-P(R_s)_3$ radical, wherein each R_s can be same or different.

[0048] The term “silyl” refers to a $-Si(R_s)_3$ radical, wherein each R_s can be same or different.

[0049] The term “boryl” refers to a $-B(R_s)_2$ radical or its Lewis adduct $-B(R_s)_3$ radical, wherein R_s can be same or different.

[0050] In each of the above, R_s can be hydrogen or a substituent selected from the group consisting of deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, and combination thereof. Preferred R_s is selected from the group consisting of alkyl, cycloalkyl, aryl, heteroaryl, and combination thereof.

[0051] The term “alkyl” refers to and includes both straight and branched chain alkyl radicals. Preferred alkyl groups are those containing from one to fifteen carbon atoms and includes methyl, ethyl, propyl, 1-methylethyl, butyl, 1-methylpropyl, 2-methylpropyl, pentyl, 1-methylbutyl, 2-methylbutyl, 3-methylbutyl, 1,1-dimethylpropyl, 1,2-dimethylpropyl, 2,2-dimethylpropyl, and the like. Additionally, the alkyl group may be optionally substituted.

[0052] The term “cycloalkyl” refers to and includes monocyclic, polycyclic, and spiro alkyl radicals. Preferred

cycloalkyl groups are those containing 3 to 12 ring carbon atoms and includes cyclopropyl, cyclopentyl, cyclohexyl, bicyclo[3.1.1]heptyl, spiro[4.5]decyl, spiro[5.5]undecyl, adamantyl, and the like. Additionally, the cycloalkyl group may be optionally substituted.

[0053] The terms “heteroalkyl” or “heterocycloalkyl” refer to an alkyl or a cycloalkyl radical, respectively, having at least one carbon atom replaced by a heteroatom. Optionally the at least one heteroatom is selected from O, S, N, P, B, Si and Se, preferably, O, S or N. Additionally, the heteroalkyl or heterocycloalkyl group may be optionally substituted.

[0054] The term “alkenyl” refers to and includes both straight and branched chain alkene radicals. Alkenyl groups are essentially alkyl groups that include at least one carbon-carbon double bond in the alkyl chain. Cycloalkenyl groups are essentially cycloalkyl groups that include at least one carbon-carbon double bond in the cycloalkyl ring. The term “heteroalkenyl” as used herein refers to an alkenyl radical having at least one carbon atom replaced by a heteroatom. Optionally the at least one heteroatom is selected from O, S, N, P, B, Si, and Se, preferably, O, S, or N. Preferred alkenyl, cycloalkenyl, or heteroalkenyl groups are those containing two to fifteen carbon atoms. Additionally, the alkenyl, cycloalkenyl, or heteroalkenyl group may be optionally substituted.

[0055] The term “alkynyl” refers to and includes both straight and branched chain alkyne radicals. Alkynyl groups are essentially alkyl groups that include at least one carbon-carbon triple bond in the alkyl chain. Preferred alkynyl groups are those containing two to fifteen carbon atoms. Additionally, the alkynyl group may be optionally substituted.

[0056] The terms “aralkyl” or “arylalkyl” are used interchangeably and refer to an alkyl group that is substituted with an aryl group. Additionally, the aralkyl group may be optionally substituted.

[0057] The term “heterocyclic group” refers to and includes aromatic and non-aromatic cyclic radicals containing at least one heteroatom. Optionally the at least one heteroatom is selected from O, S, N, P, B, Si, and Se, preferably, O, S, or N. Heteroaromatic cyclic radicals may be used interchangeably with heteroaryl. Preferred hetero-non-aromatic cyclic groups are those containing 3 to 7 ring atoms which includes at least one hetero atom, and includes cyclic amines such as morpholino, piperidino, pyrrolidino, and the like, and cyclic ethers/thio-ethers, such as tetrahydrofuran, tetrahydropyran, tetrahydrothiophene, and the like. Additionally, the heterocyclic group may be optionally substituted.

[0058] The term “aryl” refers to and includes both single-ring aromatic hydrocarbyl groups and polycyclic aromatic ring systems. The polycyclic rings may have two or more rings in which two carbons are common to two adjoining rings (the rings are “fused”) wherein at least one of the rings is an aromatic hydrocarbyl group, e.g., the other rings can be cycloalkyls, cycloalkenyls, aryl, heterocycles, and/or heteroaryls. Preferred aryl groups are those containing six to thirty carbon atoms, preferably six to twenty carbon atoms, more preferably six to twelve carbon atoms. Especially preferred is an aryl group having six carbons, ten carbons or twelve carbons. Suitable aryl groups include phenyl, biphenyl, triphenyl, triphenylene, tetraphenylene, naphthalene, anthracene, phenalene, phenanthrene, fluorene, pyrene,

chrysene, perylene, and azulene, preferably phenyl, biphenyl, triphenyl, triphenylene, fluorene, and naphthalene. Additionally, the aryl group may be optionally substituted.

[0059] The term “heteroaryl” refers to and includes both single-ring aromatic groups and polycyclic aromatic ring systems that include at least one heteroatom. The heteroatoms include, but are not limited to O, S, N, P, B, Si, and Se. In many instances, O, S, or N are the preferred heteroatoms. Hetero-single ring aromatic systems are preferably single rings with 5 or 6 ring atoms, and the ring can have from one to six heteroatoms. The hetero-polycyclic ring systems can have two or more rings in which two atoms are common to two adjoining rings (the rings are “fused”) wherein at least one of the rings is a heteroaryl, e.g., the other rings can be cycloalkyls, cycloalkenyls, aryl, heterocycles, and/or heteroaryls. The hetero-polycyclic aromatic ring systems can have from one to six heteroatoms per ring of the polycyclic aromatic ring system. Preferred heteroaryl groups are those containing three to thirty carbon atoms, preferably three to twenty carbon atoms, more preferably three to twelve carbon atoms. Suitable heteroaryl groups include dibenzothiophene, dibenzofuran, dibenzoselenophene, furan, thiophene, benzofuran, benzothiophene, benzoselenophene, carbazole, indolocarbazole, pyridylindole, pyrrolodipyridine, pyrazole, imidazole, triazole, oxazole, thiazole, oxadiazole, oxatriazole, dioxazole, thiadiazole, pyridine, pyridazine, pyrimidine, pyrazine, triazine, oxazine, oxathiazine, oxadiazine, indole, benzimidazole, indazole, indoxazine, benzoxazole, benzisoxazole, benzothiazole, quinoline, isoquinoline, cinnoline, quinazoline, quinoxaline, naphthyridine, phthalazine, pteridine, xanthene, acridine, phenazine, phenothiazine, phenoxazine, benzofuopyridine, furodipyridine, benzothienopyridine, thienodipyridine, benzoselenophenopyridine, and selenophenodipyridine, preferably dibenzothiophene, dibenzofuran, dibenzoselenophene, carbazole, indolocarbazole, imidazole, pyridine, triazine, benzimidazole, 1,2-azaborine, 1,3-azaborine, 1,4-azaborine, borazine, and aza-analogs thereof. Additionally, the heteroaryl group may be optionally substituted.

[0060] Of the aryl and heteroaryl groups listed above, the groups of triphenylene, naphthalene, anthracene, dibenzothiophene, dibenzofuran, dibenzoselenophene, carbazole, indolocarbazole, imidazole, pyridine, pyrazine, pyrimidine, triazine, and benzimidazole, and the respective aza-analogs of each thereof are of particular interest.

[0061] The terms alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aralkyl, heterocyclic group, aryl, and heteroaryl, as used herein, are independently unsubstituted, or independently substituted, with one or more general substituents.

[0062] In many instances, the general substituents are selected from the group consisting of deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acid, ether, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, boryl, and combinations thereof.

[0063] In some instances, the preferred general substituents are selected from the group consisting of deuterium, fluorine, alkyl, cycloalkyl, heteroalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, aryl, heteroaryl, nitrile, isonitrile, sulfanyl, boryl, and combinations thereof.

[0064] In some instances, the more preferred general substituents are selected from the group consisting of deuterium, fluorine, alkyl, cycloalkyl, alkoxy, aryloxy, amino, silyl, boryl, aryl, heteroaryl, sulfanyl, and combinations thereof.

[0065] In yet other instances, the most preferred general substituents are selected from the group consisting of deuterium, fluorine, alkyl, cycloalkyl, aryl, heteroaryl, and combinations thereof.

[0066] The terms “substituted” and “substitution” refer to a substituent other than H that is bonded to the relevant position, e.g., a carbon or nitrogen. For example, when R^1 represents mono-substitution, then one R^1 must be other than H (i.e., a substitution). Similarly, when R^1 represents di-substitution, then two of R^1 must be other than H. Similarly, when R^1 represents zero or no substitution, R^1 , for example, can be a hydrogen for available valencies of ring atoms, as in carbon atoms for benzene and the nitrogen atom in pyrrole, or simply represents nothing for ring atoms with fully filled valencies, e.g., the nitrogen atom in pyridine. The maximum number of substitutions possible in a ring structure will depend on the total number of available valencies in the ring atoms.

[0067] As used herein, “combinations thereof” indicates that one or more members of the applicable list are combined to form a known or chemically stable arrangement that one of ordinary skill in the art can envision from the applicable list. For example, an alkyl and deuterium can be combined to form a partial or fully deuterated alkyl group; a halogen and alkyl can be combined to form a halogenated alkyl substituent; and a halogen, alkyl, and aryl can be combined to form a halogenated arylalkyl. In one instance, the term substitution includes a combination of two to four of the listed groups. In another instance, the term substitution includes a combination of two to three groups. In yet another instance, the term substitution includes a combination of two groups. Preferred combinations of substituent groups are those that contain up to fifty atoms that are not hydrogen or deuterium, or those which include up to forty atoms that are not hydrogen or deuterium, or those that include up to thirty atoms that are not hydrogen or deuterium. In many instances, a preferred combination of substituent groups will include up to twenty atoms that are not hydrogen or deuterium.

[0068] The “aza” designation in the fragments described herein, i.e. aza-dibenzofuran, aza-dibenzothiophene, etc. means that one or more of the C—H groups in the respective aromatic ring can be replaced by a nitrogen atom, for example, and without any limitation, azatriphenylene encompasses both dibenzo[f,h]quinoxaline and dibenzo[f,h]quinoline. One of ordinary skill in the art can readily envision other nitrogen analogs of the aza-derivatives described above, and all such analogs are intended to be encompassed by the terms as set forth herein.

[0069] As used herein, “deuterium” refers to an isotope of hydrogen. Deuterated compounds can be readily prepared using methods known in the art. For example, U.S. Pat. No. 8,557,400, Patent Pub. No. WO 2006/095951, and U.S. Pat. Application Pub. No. US 2011/0037057, which are hereby incorporated by reference in their entireties, describe the making of deuterium-substituted organometallic complexes. Further reference is made to Ming Yan, et al., *Tetrahedron* 2015, 71, 1425-30 and Atzrodt et al., *Angew. Chem. Int. Ed. (Reviews)* 2007, 46, 7744-65, which are incorporated by


reference in their entireties, describe the deuteration of the methylene hydrogens in benzyl amines and efficient pathways to replace aromatic ring hydrogens with deuterium, respectively.

[0070] It is to be understood that when a molecular fragment is described as being a substituent or otherwise attached to another moiety, its name may be written as if it were a fragment (e.g. phenyl, phenylene, naphthyl, dibenzofuryl) or as if it were the whole molecule (e.g. benzene, naphthalene, dibenzofuran). As used herein, these different ways of designating a substituent or attached fragment are considered to be equivalent.

[0071] In some instance, a pair of adjacent substituents can be optionally joined or fused into a ring. The preferred ring is a five, six, or seven-membered carbocyclic or heterocyclic ring, includes both instances where the portion of the ring formed by the pair of substituents is saturated and where the portion of the ring formed by the pair of substituents is unsaturated. As used herein, “adjacent” means that the two substituents involved can be on the same ring next to each other, or on two neighboring rings having the two closest available substitutable positions, such as 2, 2' positions in a biphenyl, or 1, 8 position in a naphthalene, as long as they can form a stable fused ring system.

B. The Compounds of the Present Disclosure

[0072] In one aspect, the present disclosure provides a compound comprising a ligand L_A comprising a moiety L having a structure of Formula I,



In the structure of Formula I:

[0073] L_A coordinated to a metal M;

[0074] A^1 is selected from the group consisting of B, N, P, P=O, P=S, Al, Ga, SiRⁿ, GeRⁿ, and SnRⁿ;

[0075] each rings A, B, and C is independently a 5-membered or 6-membered carbocyclic or heterocyclic ring;

[0076] Y^1 , Y^2 , and Y^3 are each independently a moiety selected from the group consisting of direct bond, BR, BRR', NR, PR, O, S, Se, C=X, S=O, SO₂, C=R, CRR', SIRR', GeRR', alkyl, cycloalkyl, aryl, heteroaryl, metal M and combinations thereof;

[0077] wherein X is selected from the group consisting of O, S, Se, NR', and CRⁿR^m;

[0078] a, b, and c are each independently 0 for not present or 1 for present;

[0079] $a+b+c=2$ or 3;

[0080] R^A , R^B , and R^C each independently represent mono to the maximum allowable substitution, or no substitution;

[0081] each R, R', R'', R''', R^A, R^B, and R^C is independently hydrogen or a substituent selected from the group consisting of the metal M, the General Substituents defined herein, and combinations thereof;

[0082] M can be coordinated to other ligands;

[0083] the ligand L_A can be joined with other ligands to form a bidentate, tridentate, tetradentate, pentadentate, or hexadentate ligand;

[0084] any two substituents of R, R', R'', R''', R^A, R^B, and R^C can be joined or fused to form a ring; and

[0085] at least one of the following conditions is true:

[0086] 1) at least one of rings A, B, and C is a 5-membered carbocyclic or heterocyclic ring;

[0087] 2) at least one of Y¹, Y², or Y³ is present as C=R;

[0088] 3) A¹ is B and at least one of Y¹, Y², and Y³ is present as a direct bond;

[0089] 4) A¹ is B, a=b=1, and Y¹ is different from Y²;

[0090] 5) A¹ is N and at least one of Y¹, Y², and Y³ is present as BR;

[0091] 6) A¹ is B, a=b=1, and Y¹ is not O;

[0092] 7) the compound comprises a metal-carbene bond; or

[0093] 8) at least one pair of adjacent R^A, R^B, or R^C join together to form a fused moiety comprising one or more rings fused to and extending from Ring A, Ring B, or Ring C, respectively, wherein the fused moiety coordinates directly to the metal M.

[0094] In some embodiments, two, three, four, or more of conditions 1) through 8) are true.

[0095] In some embodiments, ligand L_A is coordinated to the metal M through at least one metal-carbene bond.

[0096] In some embodiments, each R, R', R'', R''', R^A, R^B, and R^C is independently hydrogen or a substituent selected from the group consisting of the metal M, the Preferred General Substituents defined herein, and combinations thereof. In some embodiments, each R, R', R'', R''', R^A, R^B, and R^C is independently hydrogen or a substituent selected from the group consisting of the metal M, the More Preferred General Substituents defined herein, and combinations thereof. In some embodiments, each R, R', R'', R''', R^A, R^B, and R^C is independently hydrogen or a substituent selected from the group consisting of the metal M, the Most Preferred General Substituents defined herein, and combinations thereof.

[0097] In some embodiments, at most only one of rings A, B, and C is coordinated to the metal M. In some embodiments, none of rings A, B, and C are coordinated to the metal M.

[0098] In some embodiments, metal M is selected from the group consisting of Os, Ir, Pd, Pt, Cu, Ag, and Au. In some embodiments, metal M is Os or Ir. In some embodiments, metal M is Pt or Pd. In some embodiments, metal M is selected from the group consisting of Cu, Ag, and Au.

[0099] In some embodiments, at least one of rings A, B, and C is a 5-membered carbocyclic or heterocyclic ring. In some embodiments, one of rings A, B, and C is a 5-membered carbocyclic or heterocyclic ring. In some embodiments, two of rings A, B, and C is a 5-membered carbocyclic or heterocyclic ring. In some embodiments, each of rings A, B, and C is a 5-membered carbocyclic or heterocyclic ring.

[0100] In some embodiments, at least one of Y¹, Y², and Y³ is present as C=R. In some embodiments, one of Y¹, Y², and Y³ is present as C=R. In some embodiments, two of Y¹,

Y², and Y³ is present as C=R. In some embodiments, each of Y¹, Y², and Y³ is present as C=R. In some embodiments where at least one of Y¹, Y², and Y³ is present as C=R, R can be joined or fused with one of R', R'', R^A, R^B, or R^C to form a ring.

[0101] In some embodiments, A¹ is B and at least one of Y¹, Y², and Y³ is present as a direct bond. In some embodiments, A is B and at least two of Y¹, Y², and Y³ are present as a direct bond.

[0102] In some embodiments, at least one of Y¹, Y², and Y³ is present as C=X. In some embodiments, at least one of Y¹, Y², and Y³ is selected from the group consisting of alkyl, cycloalkyl, aryl, heteroaryl, and combinations thereof. In some embodiments, at least one of Y¹, Y², and Y³ is present as metal M. In some embodiments none of Y¹, Y², or Y³ is comprises metal M.

[0103] In some embodiments, A¹ is B, a=b=1, and Y¹ is different from Y². In some embodiments, A¹ is B, a=b=1, and Y¹ is different from Y² and both Y¹ and Y² are present.

[0104] In some embodiments, A¹ is N and at least one of Y¹, Y², and Y³ is present as BR. In some embodiments, A¹ is N and two of Y¹, Y², and Y³ are present as BR. In some embodiments, A¹ is N and each of Y¹, Y², and Y³ is present as BR.

[0105] In some embodiments, A¹ is B, a=b=1, and Y¹ is not O.

[0106] In some embodiments, the compound comprises a metal-carbene bond. In some embodiments, L_A coordinates to M through a metal-carbene bond.

[0107] In some embodiments, at least one pair of adjacent R^A, R^B, or R^C join together to form a fused moiety comprising one or more rings fused to and extending from Ring A, Ring B, or Ring C, respectively, wherein the fused moiety coordinates directly to the metal M. In some embodiments, the fused moiety comprises one five- or six-membered aromatic ring. In some embodiments, the fused moiety comprises two five- or six-membered aromatic rings. In some embodiments, the fused moiety comprises one five- and one six-membered aromatic rings. In some embodiments, the fused moiety comprises three five- or six-membered aromatic rings.

[0108] In some embodiments, exactly one substituent R^A, R^B, R^C, R, or R' is the metal M.

[0109] In some embodiments, exactly one substituent R^A, R^B, or R^C is the metal M.








[0110] In some embodiments, at least one of R^A, R^B, R^C, R, or R' comprises a substituent coordinated to the metal M. In some embodiments, exactly one of R^A, R^B, R^C, R, or R' comprises a substituent coordinated to the metal M.

[0111] In some embodiments, at least one of R^A, R^B, R^C, R, or R' comprises substituted or unsubstituted aryl or substituted or unsubstituted heteroaryl coordinated to the metal M. In some embodiments, exactly one of R^A, R^B, R^C, R, or R' comprises substituted or unsubstituted aryl or substituted or unsubstituted heteroaryl coordinated to the metal M.

[0112] In some embodiments, none of R^A, R^B, R^C, R, or R' is the metal M.

[0113] In some embodiments, A¹ is B. In some embodiments, A¹ is N. In some embodiments, A¹ is P. In some embodiments, A¹ is P=O. In some embodiments, A¹ is P=S. In some embodiments, A¹ is A¹. In some embodiments, A¹ is Ga. In some embodiments, A¹ is SiR''. In some embodiments, A¹ is GeR''. In some embodiments, A¹ is SnR''.

[0114] In some embodiments, the moiety L has a structure selected from the group consisting of:



where:

[0115] each of $X^1, X^2, X^3, X^4, X^5, X^6, X^7, X^8, X^9, X^{10}, X^{11}, X^{12}, X^{13}, X^{14}, X^{15}, X^{16}, X^{17}, X^{18}$, and X^{19} is independently C or N;

[0116] R^D and R^E each independently represent mono to the maximum allowable substitution, or no substitution;


[0117] each R^D and R^E is independently hydrogen or a substituent selected from the group consisting of the metal M, the General Substituents defined herein, and combinations thereof;

[0118] each of Y⁴, Y⁵, and Y⁶ is independently selected from the group consisting of C=R, NR, O, S, Se, BR, CRR', SiRR', GeRR', and SnRR'; and

[0119] any two substituents of R, R', R'', R^A, R^B, R^C, R^D and R^E can be joined or fused to form a ring.

[0120] In some such embodiments, the maximum number of consecutive connected N atoms in X¹, X², X³, X⁴, X⁵, X⁶, X⁷, X⁸, X⁹, X¹⁰, X¹¹, X¹², X¹³, X¹⁴, X¹⁵, X¹⁶, X¹⁷, X¹⁸, and X¹⁹ is two.

[0121] In some embodiments, the moiety L has a structure of Formula III,



where

[0122] M bonds directly to a maximum of one of X¹, X², X³, X⁴, X⁵, X⁶, X⁷, X⁸, X⁹, Y¹, Y², and Y³;

[0123] at least one of Y^1 , Y^2 , and Y^3 is present as NR;

[0124] when one of X^1 , X^2 , and X^3 is directly bonded to the metal M, then at least one of the following statements is true;

[0125] 1) $a+b+c=3$;

[0126] 2) a or c is 0;

[0127] 3) bis 1:

[0128] 4) R^4 comprises a 5-membered carbocyclic or heterocyclic ring that is coordinated to M; or

[0129] 5) one of X^4 , X^5 , X^6 , X^7 , X^8 , X^9 , Y^1 , Y^2 , or Y^3 comprises R which comprises a 5-membered or 6-membered carbocyclic or heterocyclic ring that is coordinated to M.

[0130] In some embodiments of Formula III, two, three, or four of condition 1) to condition 5) are true.

[0131] In some embodiments of Formula III, each of X^1 , X^2 , X^3 , X^4 , X^5 , X^6 , X^7 , X^8 , and X^9 is C.

[0132] In some embodiments of Formula III, at least one of X^1 , X^2 , X^3 , X^4 , X^5 , X^6 , X^7 , X^8 , and X^9 is N.

[0133] In some embodiments of Formula III, exactly one of X^1 , X^2 , X^3 , X^4 , X^5 , X^6 , X^7 , X^8 , and X^9 is N.

[0134] In some embodiments of Formula III, at least one of Y^1 , Y^2 , and Y^3 is O.

[0135] In some embodiments of Formula III, at least one of Y^1 , Y^2 , and Y^3 is S.

[0136] In some embodiments of Formula III, at least two of Y^1 , Y^2 , and Y^3 are independently NR.


[0137] In some embodiments of Formula III, $a+b+c$ is 2.

[0138] In some embodiments of Formula III, $a+b+c$ is 3.


[0139] In some embodiments, the moiety L is part of a bidentate ligand. In some embodiments, the moiety L is part of a tridentate ligand. In some embodiments, the moiety L is part of a tetradentate ligand. In some embodiments, the moiety L is part of a pentadentate ligand. In some embodiments, the moiety L is part of a hexadentate ligand.

[0140] In some embodiments, M is Pt. In some embodiments, M is Ir.

[0141] In some embodiments, L_A is selected from the group L^A general structures consisting of:



-continued



wherein

[0142] rings F, G and H are each independently monocyclic or polycyclic ring structure comprising 5-membered and/or 6-membered carbocyclic or heterocyclic rings;

[0143] ring T is a multicyclic ring structure comprising a structure of Formula I;

[0144] L is a direct bond or a divalent linker;

[0145] Z^1 is C or N;

[0146] each of X^{20} , X^{21} , X^{22} , and X^{23} is independently C or N;

[0147] the dashed lines represent bonds to metal M;

[0148] R^F , R^G , and R^H each independently represent mono to the maximum allowable substitution, or no substitution;

[0149] each R^F , R^G , and R^H is independently hydrogen or a substituent selected from the group consisting of the General Substituents defined herein; and

[0150] any two substituents of R, R', R'', R^A , R^B , R^C , R^D , R^E , R^F , R^G , and R^H can be joined or fused to form a ring.

[0151] In some L^A general structure embodiments, each of ring F, ring G and ring H is independently monocyclic or polycyclic ring structure comprising 5-membered and/or 6-membered aromatic rings.

[0152] In some L^A general structure embodiments, L is selected from the group consisting of phenyl and biphenyl, which can be further substituted. In some L^A general structure embodiments, L is a direct bond.

[0153] In some L^A general structure embodiments, Z^1 is C. In some L^A general structure embodiments, Z^1 is N.

[0154] In some L^A general structure embodiments, one R^A comprises a linker bonded directly to Ring A, where the linker is bonded to a second ligand to form a tridentate, tetradentate, pentadentate, or hexadentate ligand. In some such embodiments, the linker is selected from the group consisting of O, S, NR'' , wherein R'' is hydrogen or a substituent selected from the group consisting of the General Substituents defined herein.

[0155] In some embodiments, the ligand L_A is selected from the group selected from the structures defined in the following List 1:

Ligand #	Structure of L_A	R^{A1}, R^{A16}
$L_{A1-(i)(l)(m)(n)(o)}$, wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein $L_{A1-(1)(1)(1)(1)(1)}$ to $L_{A1-(307)(307)(307)(307)(307)}$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Ri$, $R^{A3} = Rm$, $R^{A4} = Rn$, and $R^{A5} = Ro$,
$L_{A2-(i)(l)(m)(n)(o)}$, wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein $L_{A2-(1)(1)(1)(1)(1)}$ to $L_{A2-(307)(307)(307)(307)(307)}$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Ri$, $R^{A3} = Rm$, $R^{A4} = Rn$, and $R^{A5} = Ro$,
$L_{A3-(i)(l)(m)(n)(o)}$, wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein $L_{A3-(1)(1)(1)(1)(1)}$ to $L_{A3-(307)(307)(307)(307)(307)}$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Ri$, $R^{A3} = Rm$, $R^{A4} = Rn$, and $R^{A5} = Ro$,


-continued

Ligand #	Structure of L _A	R ⁴¹ -R ⁴¹⁶
L _A 4-(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein to L _A 4-(1)(1)(1)(1) to L _A 4-(307)(307)(307)(307)(307) have the structure		wherein R ⁴¹ = Ri, R ⁴² = Rl, R ⁴³ = Rm, R ⁴⁴ = Rn, and R ⁴⁵ = Ro,
L _A 5-(i)(l)(m)(n), wherein i, l, m, and n are each independently an integer from 1 to 307, wherein L _A 5-(1)(1)(1)(1) to L _A 5-(307)(307)(307)(307) have the structure		wherein R ⁴¹ = Ri, R ⁴² = Rl, R ⁴³ = Rm, and R ⁴⁴ = Rn,
L _A 6-(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L _A 6-(1)(1)(1)(1)(1) to L _A 6-(307)(307)(307)(307)(307) have the structure		wherein R ⁴¹ = Ri, R ⁴² = Rl, R ⁴³ = Rm, R ⁴⁴ = Rn, and R ⁴⁵ = Ro,
L _A 7-(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L _A 7-(1)(1)(1)(1)(1) to L _A 7-(307)(307)(307)(307)(307) have the structure		wherein R ⁴¹ = Ri, R ⁴² = Rl, R ⁴³ = Rm, R ⁴⁴ = Rn, and R ⁴⁵ = Ro,


-continued

Ligand #	Structure of L_A	R^{A1} - R^{A16}
L_A8 -(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_A8 -(1)(1)(1)(1)(1) to L_A8 -(307)(307)(307)(307)(307) have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Ri$, $R^{A3} = Ri$, $R^{A4} = Ri$, and $R^{A5} = Ri$,

L_A9 -(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_A9 -(1)(1)(1)(1)(1) to L_A9 -(307)(307)(307)(307)(307) have the structure



L_A10 -(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_A10 -(1)(1)(1)(1)(1) to L_A10 -(307)(307)(307)(307)(307) have the structure



-continued

Ligand #	Structure of L_A	R^{A1} - R^{A16}
L_{A11} -(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A11} -(1)(1)(1)(1)(1) to L_{A11} -(307)(307)(307)(307)(307) have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Ri$, $R^{A3} = Ri$, $R^{A4} = Ri$, and $R^{A5} = Ri$,
L_{A12} -(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A12} -(1)(1)(1)(1)(1) to L_{A12} -(307)(307)(307)(307)(307) have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Ri$, $R^{A3} = Ri$, $R^{A4} = Ri$, and $R^{A5} = Ri$,

-continued

Ligand #	Structure of L_A	R^{A1} - R^{A16}
L_{A13} -(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A13} -(1)(1)(1)(1)(1) to L_{A13} -(307)(307)(307)(307)(307) have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Ri$, $R^{A3} = Ri$, $R^{A4} = Ri$, and $R^{A5} = Ri$,
L_{A14} -(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A14} -(1)(1)(1)(1)(1) to L_{A14} -(307)(307)(307)(307)(307) have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Ri$, $R^{A3} = Ri$, $R^{A4} = Ri$, and $R^{A5} = Ri$,
L_{A15} -(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A15} -(1)(1)(1)(1)(1) to L_{A15} -(307)(307)(307)(307)(307) have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Ri$, $R^{A3} = Ri$, and $R^{A5} = Ri$,

-continued

Ligand #	Structure of L_A	R^{A1} - R^{A6}
L_{A16} -(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A16} -(1)(1)(1)(1)(1) to L_{A16} -(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rl, R^{A3} = Rm, R^{A4} = Rn, and R^{A5} = Ro,
L_{A17} -(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A17} -(1)(1)(1)(1)(1) to L_{A17} -(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rl, R^{A3} = Rm, R^{A4} = Rn, and R^{A5} = Ro,
L_{A18} -(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A18} -(1)(1)(1)(1)(1) to L_{A18} -(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rl, R^{A3} = Rm, R^{A4} = Rn, and R^{A5} = Ro,

-continued

Ligand #	Structure of L _A	R ⁴¹ -R ⁴¹⁶
L _A 19-(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L _A 19-(1)(1)(1)(1)(1) to L _A 19-(307)(307)(307)(307)(307) have the structure		wherein R ⁴¹ = Ri, R ⁴² = Rl, R ⁴³ = Rm, R ⁴⁴ = Rn, and R ⁴⁵ = Ro,
L _A 20-(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L _A 20-(1)(1)(1)(1)(1) to L _A 20-(307)(307)(307)(307)(307) have the structure		wherein R ⁴¹ = Ri, R ⁴² = Rl, R ⁴³ = Rm, R ⁴⁴ = Rn, and R ⁴⁵ = Ro,
L _A 21-(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L _A 21-(1)(1)(1)(1)(1) to L _A 21-(307)(307)(307)(307)(307) have the structure		wherein R ⁴¹ = Ri, R ⁴² = Rl, R ⁴³ = Rm, R ⁴⁴ = Rn, and R ⁴⁵ = Ro,

-continued

Ligand #	Structure of L _A	R ⁴¹ -R ⁴¹⁶
L _A 22-(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L _A 22-(1)(1)(1)(1)(1) to L _A 22-(307)(307)(307)(307)(307) have the structure		wherein R ⁴¹ = Ri, R ⁴² = Rl, R ⁴³ = Rm, R ⁴⁴ = Rn, and R ⁴⁵ = Ro,
L _A 23-(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L _A 23-(1)(1)(1)(1)(1) to L _A 23-(307)(307)(307)(307)(307) have the structure		wherein R ⁴¹ = Ri, R ⁴² = Rl, R ⁴³ = Rm, R ⁴⁴ = Rn, and R ⁴⁵ = Ro,
L _A 24-(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L _A 24-(1)(1)(1)(1)(1) to L _A 24-(307)(307)(307)(307)(307) have the structure		wherein R ⁴¹ = Ri, R ⁴² = Rl, R ⁴³ = Rm, R ⁴⁴ = Rn, and R ⁴⁵ = Ro,

-continued

Ligand #	Structure of L_A	R^{A1} - R^{A16}
L_{A25} -(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A25} -(1)(1)(1)(1)(1) to L_{A25} -(307)(307)(307)(307)(307) have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Ri$, $R^{A3} = Ri$, $R^{A4} = Ri$, and $R^{A5} = Ri$,
L_{A26} -(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A26} -(1)(1)(1)(1)(1) to L_{A26} -(307)(307)(307)(307)(307) have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Ri$, $R^{A3} = Ri$, $R^{A4} = Ri$, and $R^{A5} = Ri$,
L_{A27} -(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A27} -(1)(1)(1)(1)(1) to L_{A27} -(307)(307)(307)(307)(307) have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Ri$, $R^{A3} = Ri$, $R^{A4} = Ri$, and $R^{A5} = Ri$,

-continued

Ligand #	Structure of L _A	R ⁴¹ -R ⁴¹⁶
L _A 28-(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L _A 28-(1)(1)(1)(1)(1) to L _A 28-(307)(307)(307)(307)(307) have the structure		wherein R ⁴¹ = Ri, R ⁴² = Rl, R ⁴³ = Rm, R ⁴⁴ = Rn, and R ⁴⁵ = Ro,
L _A 29-(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L _A 29-(1)(1)(1)(1)(1) to L _A 29-(307)(307)(307)(307)(307) have the structure		wherein R ⁴¹ = Ri, R ⁴² = Rl, R ⁴³ = Rm, R ⁴⁴ = Rn, and R ⁴⁵ = Ro,
L _A 30-(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L _A 30-(1)(1)(1)(1)(1) to L _A 30-(307)(307)(307)(307)(307) have the structure		wherein R ⁴¹ = Ri, R ⁴² = Rl, R ⁴³ = Rm, R ⁴⁴ = Rn, and R ⁴⁵ = Ro,

-continued

Ligand #	Structure of L_A	R^{A1} - R^{A16}
L_{A31} -(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A31} -(1)(1)(1)(1)(1) to L_{A31} -(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rl, R^{A3} = Rm, R^{A4} = Rn, and R^{A5} = Ro,
L_{A32} -(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A32} -(1)(1)(1)(1)(1) to L_{A32} -(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rl, R^{A3} = Rm, R^{A4} = Rn, and R^{A5} = Ro,
L_{A33} -(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A33} -(1)(1)(1)(1)(1) to L_{A33} -(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rl, R^{A3} = Rm, R^{A4} = Rn, and R^{A5} = Ro,

-continued

Ligand #	Structure of L_A	R^{A1} - R^{A16}
L_{A34}-(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A34}-(1)(1)(1)(1)(1) to L_{A34}-(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rl, R^{A3} = Rm, R^{A4} = Rn, and R^{A5} = Ro,
L_{A35}-(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A35}-(1)(1)(1)(1)(1) to L_{A35}-(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rl, R^{A3} = Rm, R^{A4} = Rn, and R^{A5} = Ro,
L_{A36}-(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A36}-(1)(1)(1)(1)(1) to L_{A36}-(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rl, R^{A3} = Rm, R^{A4} = Rn, and R^{A5} = Ro,

-continued

Ligand #	Structure of L_A	R^{A1} - R^{A16}
L_{A37} -(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A37} -(1)(1)(1)(1)(1) to L_{A37} -(307)(307)(307)(307)(307) have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Ri$, $R^{A3} = Rm$, $R^{A4} = Rn$, and $R^{A5} = Ro$,
L_{A38} -(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A38} -(1)(1)(1)(1)(1) to L_{A38} -(307)(307)(307)(307)(307) have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Ri$, $R^{A3} = Rm$, $R^{A4} = Rn$, and $R^{A5} = Ro$,
L_{A39} -(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A39} -(1)(1)(1)(1)(1) to L_{A39} -(307)(307)(307)(307)(307) have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Ri$, $R^{A3} = Rm$, $R^{A4} = Rn$, and $R^{A5} = Ro$,




-continued

Ligand #	Structure of L_A	R^{A1} - R^{A16}
L_{A40}-(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A40}-(1)(1)(1)(1)(1) to L_{A40}-(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rl, R^{A3} = Rm, R^{A4} = Rn, and R^{A5} = Ro,
L_{A41}-(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A41}-(1)(1)(1)(1)(1) to L_{A41}-(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rl, R^{A3} = Rm, R^{A4} = Rn, and R^{A5} = Ro,
L_{A42}-(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A42}-(1)(1)(1)(1)(1) to L_{A42}-(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rl, R^{A3} = Rm, R^{A4} = Rn, and R^{A5} = Ro,

-continued

Ligand #	Structure of L _A	R ⁴¹ -R ⁴¹⁶
L _A 43-(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L _A 43-(1)(1)(1)(1)(1) to L _A 43-(307)(307)(307)(307)(307) have the structure		wherein R ⁴¹ = Ri, R ⁴² = Rl, R ⁴³ = Rm, R ⁴⁴ = Rn, and R ⁴⁵ = Ro,
L _A 44-(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L _A 44-(1)(1)(1)(1)(1) to L _A 44-(307)(307)(307)(307)(307) have the structure		wherein R ⁴¹ = Ri, R ⁴² = Rl, R ⁴³ = Rm, R ⁴⁴ = Rn, and R ⁴⁵ = Ro,
L _A 45-(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L _A 45-(1)(1)(1)(1)(1) to L _A 45-(307)(307)(307)(307)(307) have the structure		wherein R ⁴¹ = Ri, R ⁴² = Rl, R ⁴³ = Rm, R ⁴⁴ = Rn, and R ⁴⁵ = Ro,

-continued

Ligand #	Structure of L_A	R^{A1} - R^{A16}
L_{A46} -(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A46} -(1)(1)(1)(1)(1) to L_{A46} -(307)(307)(307)(307)(307) have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rl$, $R^{A3} = Rm$, $R^{A4} = Rn$, and $R^{A5} = Ro$,
L_{A47} -(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A47} -(1)(1)(1)(1)(1) to L_{A47} -(307)(307)(307)(307)(307) have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rl$, $R^{A3} = Rm$, $R^{A4} = Rn$, and $R^{A5} = Ro$,
L_{A48} -(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A48} -(1)(1)(1)(1)(1) to L_{A48} -(307)(307)(307)(307)(307) have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rl$, $R^{A3} = Rm$, $R^{A4} = Rn$, and $R^{A5} = Ro$,

-continued

Ligand #	Structure of L_A	R^{A1} - R^{A6}
L_{A49}-(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A49}-(1)(1)(1)(1)(1) to L_{A49}-(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rl, R^{A3} = Rm, R^{A4} = Rn, and R^{A5} = Ro,
L_{A50}-(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A50}-(1)(1)(1)(1)(1) to L_{A50}-(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rl, R^{A3} = Rm, R^{A4} = Rn, and R^{A5} = Ro,
L_{A51}-(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A51}-(1)(1)(1)(1)(1) to L_{A51}-(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rl, R^{A3} = Rm, R^{A4} = Rn, and R^{A5} = Ro,
L_{A52}-(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A52}-(1)(1)(1)(1)(1) to L_{A52}-(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rl, R^{A3} = Rm, R^{A4} = Rn, and R^{A5} = Ro,

-continued




Ligand #	Structure of L_A	R^{A1} - R^{A16}
L_A53-(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_A53-(1)(1)(1)(1)(1) to L_A53-(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rl, R^{A3} = Rm, R^{A4} = Rn, and R^{A5} = Ro,
L_A54-(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_A54-(1)(1)(1)(1)(1) to L_A54-(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rl, R^{A3} = Rm, R^{A4} = Rn, and R^{A5} = Ro,
L_A55-(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_A55-(1)(1)(1)(1)(1) to L_A55-(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rl, R^{A3} = Rm, R^{A4} = Rn, and R^{A5} = Ro,

-continued

Ligand #	Structure of L_A	R^{A1} - R^{A16}
L_{A56}-(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A56}-(1)(1)(1)(1)(1) to L_{A56}-(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rl, R^{A3} = Rm, and R^{A5} = Ro,
L_{A57}-(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A57}-(1)(1)(1)(1)(1) to L_{A57}-(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rl, R^{A3} = Rm, R^{A4} = Rn, and R^{A5} = Ro,
L_{A58}-(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A58}-(1)(1)(1)(1)(1) to L_{A58}-(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rl, R^{A3} = Rm, R^{A4} = Rn, and R^{A5} = Ro,

Ligand #	Structure of L_A	R^{A1} - R^{A16}
L_{A59} -(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A59} -(1)(1)(1)(1)(1) to L_{A59} -(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rl, R^{A3} = Rm, R^{A4} = Rn, and R^{A5} = Ro,
L_{A60} -(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A60} -(1)(1)(1)(1)(1) to L_{A60} -(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rl, R^{A3} = Rm, R^{A4} = Rn, and R^{A5} = Ro,

-continued

Ligand #	Structure of L_A	R^{A1} - R^{A16}
L_{A61} -(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A61} -(1)(1)(1)(1)(1) to L_{A61} -(307)(307)(307)(307)(307) have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Ri$, $R^{A3} = Rm$, $R^{A4} = Rn$, and $R^{A5} = Ro$,
L_{A62} -(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A62} -(1)(1)(1)(1)(1) to L_{A62} -(307)(307)(307)(307)(307) have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Ri$, $R^{A3} = Rm$, $R^{A4} = Rn$, and $R^{A5} = Ro$,
L_{A63} -(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A63} -(1)(1)(1)(1)(1) to L_{A63} -(307)(307)(307)(307)(307) have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Ri$, $R^{A3} = Rm$, $R^{A4} = Rn$, and $R^{A5} = Ro$,

-continued


Ligand #	Structure of L_A	R^{A1} - R^{A16}
L_{A64} -(i)(l)(m)(n)(o), wherein i, l, m, n, and o are each independently an integer from 1 to 307, wherein L_{A64} -(1)(1)(1)(1)(1) to L_{A64} -(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rl, R^{A3} = Rm, R^{A4} = Rn, and R^{A5} = Ro,

where R1 to R307 are defined in the following List 2:


-continued

Me,	R1		R8
iPr,	R2		
tBu,	R3		
	R4		R9
	R5		R10
	R6		R11
	R7		R12
			R13


-continued




R14




R15




R16




R17




R18



R19




R20




R21


-continued




R23




R24




R25




R26




R27



R28




R29




R30


-continued




R31




R32




R33




R34



R35




R36




R37


-continued




R38




R39




R40




R41




R42



R43




R44



R45

-continued



R46

R47

R48

R49


R50

R51

R52

R53

-continued



R54

R55

R56

R57


R58

R59


R60

R61


-continued




R62




R63



R64




R65




R66


-continued




R67




R68



R69




R70




R71


-continued




R72




R73




R74



R75




R76




R77


-continued




R78




R79




R80




R81



R82




R83




R84


-continued




R85




R86




R87




R88




R89



R90




R91




R92


-continued




R93




R94




R95




R96



R97




R98



R99

-continued



R100

R101


R102

R103

R104

R105

-continued



R106

R107

R108







R109

R110







R111

R112

-continued



-continued



R113

R119

R114

R120

R115

R121

R116

R122







R117

R123







R118

R124

-continued



-continued



R125

R126

R127

R128

R129

R130

R131

R132


R133

R134

R135


R136

-continued




R137


-continued




R141




R138




R142




R143




R139




R144



R145




R140




R146

-continued




R147


-continued




R152




R148




R153




R149




R154




R150



R155




R151




R156

-continued




R157

-continued




R163


R158




R164




R159




R165




R160




R166




R161




R167




R162




R168




-continued




R169




R170




R171



R172




R173




R174


-continued




R175




R176



R177




R178




R179

-continued




R180


-continued




R185




R181




R186




R182




R187




R183




R188



R184




R189




R190


-continued




R191




R192




R193



R194




R195




R196


-continued




R197




R198




R199



R200




R201




R202


-continued




-continued




R204




R209




R205



R210





R206








R211

R207




-continued




-continued

R212




R214

R215




R216

R213




R217

R218




R219

R220




R221

R222




-continued





R223

R224





R225

R226





R227

R228





R229

R230





R231


R232




R233

R234




-continued
R235


R236




R237




R238




R239




R240




R241




R242




R243




R244



R245




R246




-continued


R247




R248




R249




R250




R251




R252




R253




R254




R255



R256





-continued





R258

R257




R259

R260




R261

R262




-continued


R263




R264




R265




R266




R267




R268




R269




R270




R271




-continued




R272




R273




R274




R275




R276




R277




R278



R279




R280




R281


-continued
R282




R283




R284




R285




R286




R287




R288




R289




R290




R291




-continued
R292




R293




R294




R295




R296




R297




R298




R299




R300




R301




R302




R303




R304




R305





-continued
R306



R307





wherein Me is methyl, iPr is isopropyl, and tBu is t-butyl.

[0156] In some embodiments, the compound has a formula of $M(L_A)_p(L_B)_q(L_C)_r$, wherein L_A is a bidentate ligand; wherein L_B and L_C are each a bidentate ligand; and wherein p is 1, 2, or 3; q is 0, 1, or 2; r is 0, 1, or 2; and $p+q+r$ is the oxidation state of the metal M .

[0157] In some embodiments, the compound has a formula selected from the group consisting of $Ir(L_A)_3$, $Ir(L_A)_2(L_B)$, $Ir(L_A)_2(L_C)$, and $Ir(L_A)(L_B)(L_C)$; and wherein L_A , L_B , and L_C are different from each other.

[0158] In some embodiments, the compound has a formula of $Pt(L_A)(L_B)$, where L_A and L_B can be same or different. In some embodiments of $Pt(L_A)(L_B)$, L_A and L_B are connected to form a tetradentate ligand.

[0159] In some embodiments, L_B and L_C are each independently selected from the group consisting of:



[0160] Y_T is selected from the group consisting of B, Al, Ga, and In;

[0161] each of $Y_1, Y_2, Y_3, Y_4, Y_5, Y_6, Y_7, Y_8, Y_9, Y_{10}, Y_{11}, Y_{12}$, and Y_{13} is independently selected from the group consisting of carbon and nitrogen;


[0162] Y' is selected from the group consisting of BR_e , NR_e , PR_e , O, S, Se, C—O, S—O, SO_2 , CR_eR_f , SiR_eR_f , and GeR_eR_f ;



[0163] each R_a , R_b , R_c , and R_d independently represent zero, mono, or up to a maximum allowed number of substitutions to its associated ring;

[0164] each of R_{a1} , R_{b1} , R_{c1} , R_{d1} , R_a , R_b , R_c , R_d , R_e and R_f is independently a hydrogen or a substituent selected from the group consisting of deuterium, halide, alkyl, cycloalkyl, heteroalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, boryl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carbonyl, carboxylic acid, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof; the general substituents defined herein; and


[0165] any two adjacent R_a , R_{a1} , R_b , R_{b1} , R_c , R_{c1} , R_d , R_{d1} , R_e and R_f can be fused or joined to form a ring or form a multidentate ligand.

[0166] In some embodiments, L_B and L_C are each independently selected from the group consisting of:











-continued









-continued




-continued



-continued





wherein:

[0167] R_a' , R_b' , and R_c' each independently represent zero, mono, or up to a maximum allowed substitution to its associated ring;

[0168] each of R_{a1} , R_{b1} , R_{c1} , R_a , R_b , R_c , R_N , R_a' , R_b' , and R_c' is independently hydrogen or a substituent selected from the group consisting of deuterium, halide, alkyl, cycloalkyl, heteroalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, boryl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carbonyl, carboxylic acid, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, boryl, and combinations thereof; and

[0169] two adjacent substituents of R_a' , R_b' , and R_c' can be fused or joined to form a ring.

[0170] In some embodiments, the compound has formula $\text{Ir}(L_A x-(i)(l)(m)(n)(o))_3$, wherein x is an integer from 1 to 64; each of i , l , m , n , and o is independently an integer from 1 to 307; and the compound is selected from the group consisting of $\text{Ir}(L_A 1-(1)(1)(1)(1))_3$ to $\text{Ir}(L_A 64-(307)(307)(307)(307))_3$; or

[0171] the compound has formula $\text{Ir}(L_A x-(i)(l)(m)(n)(o))(L_{Bk})_2$, wherein x is an integer from 1 to 64; each of i , l , m , n , and o is independently an integer from 1 to 307; k is an integer from 1 to 264; and the compound is selected from the group consisting of $\text{Ir}(L_A 1-(1)(1)(1)(1))(L_{B1})_2$ to $\text{Ir}(L_A 64-(307)(307)(307)(307))(L_{B264})_2$; or

[0172] the compound has formula $\text{Ir}(L_A x-(i)(l)(m)(n)(o))_2 (L_{Bk})$, wherein x is an integer from 1 to 64; each of i , l , m , n , and o is independently an integer from 1 to 307; k is an integer from 1 to 264; and the compound is selected from the group consisting of $\text{Ir}(L_A 1-(1)(1)(1)(1))(L_{B1})_2$ to $\text{Ir}(L_A 64-(307)(307)(307)(307))(L_{B264})_2$; or

[0173] the compound has formula $\text{Ir}(L_A x-(i)(l)(m)(n)(o))(L_{BBh})_2$, wherein x is an integer from 1 to 64; each of i , l , m , n , and o is independently an integer from 1 to 307; h is an integer from 1 to 180; and the compound is selected from the group consisting of $\text{Ir}(L_A 1-(1)(1)(1)(1))(L_{BB1})_2$ to $\text{Ir}(L_A 64-(307)(307)(307)(307))(L_{BB180})_2$; or


[0174] the compound has formula $\text{Ir}(L_A x-(i)(l)(m)(n)(o))_2 (L_{BBh})$, wherein x is an integer from 1 to 64; each of i , l , m , n , and o is independently an integer from 1 to 307; h is an integer from 1 to 180; and the compound is selected from the group consisting of $\text{Ir}(L_A 1-(1)(1)(1)(1))(L_{BB1})_2$ to $\text{Ir}(L_A 64-(307)(307)(307)(307))(L_{BB180})_2$; or

[0175] the compound has formula $\text{Ir}(L_A x-(i)(l)(m)(n)(o))_2 (L_{Cj-I})$, wherein x is an integer from 1 to 64; each of i , l , m , n , and o is independently an integer from 1 to 307; j is an integer from 1 to 1416; and the compound







is selected from the group consisting of $\text{Ir}(L_A 1-(1)(1)(1)(1)(1))_2 (L_{Cj-I})$ to $\text{Ir}(L_A 64-(307)(307)(307)(307)(307))_2 (L_{C1416-I})$; or

[0176] the compound has formula $\text{Ir}(L_A x-(i)(l)(m)(n)(o))_2 (L_{Cj-I})$, wherein x is an integer from 1 to 64; each of i , l , m , n , and o is independently an integer from 1 to 307; j is an integer from 1 to 1416; and the compound is selected from the group consisting of $\text{Ir}(L_A 1-(1)(1)(1)(1)(1))_2 (L_{Cj-I})$ to $\text{Ir}(L_A 64-(307)(307)(307)(307)(307))_2 (L_{C1416-II})$;







[0177] L_{B1} to L_{B264} have the structures defined as the List 3 below:




-continued

 L_{B6}  L_{B7}  L_{B8}  L_{B9}  L_{B10}  L_{B11}










-continued

 L_{B12}  L_{B13}  L_{B14}  L_{B15}  L_{B16}  L_{B17}






-continued

L_{B18}







-continued

L_{B23}L_{B19}L_{B24}L_{B20}L_{B25}L_{B21}L_{B26}L_{B22}L_{B27}







-continued

L_{B28}L_{B29}L_{B30}L_{B31}L_{B32}







-continued

L_{B33}L_{B34}L_{B35}L_{B36}L_{B37}L_{B38}


-continued

 L_{B39}  L_{B40}  L_{B41}  L_{B42}  L_{B43}  L_{B44}


-continued

 L_{B45}  L_{B46}  L_{B47}  L_{B48}  L_{B49}  L_{B50}


-continued




L-B51




L-B52




L-B53



L-B54




L-B55




L-B56


-continued




L-B57




L-B58




L-B59



L-B60









L-B61








L-B62






-continued

L_{B63}L_{B64}L_{B65}L_{B66}L_{B67}L_{B68}






-continued

L_{B69}L_{B70}L_{B71}L_{B72}L_{B73}







-continued

L_{B74}L_{B75}L_{B76}L_{B77}L_{B78}







-continued

L_{B79}L_{B80}L_{B81}L_{B82}L_{B83}







-continued

L_{B84}L_{B85}L_{B86}L_{B87}L_{B88}L_{B89}






-continued

L_{B90}L_{B91}L_{B92}L_{B93}L_{B94}L_{B95}






-continued

L_{B96}L_{B97}L_{B98}L_{B99}L_{B100}L_{B101}





-continued

L_{B102}L_{B103}L_{B104}L_{B105}L_{B106}


-continued

L_{B107}L_{B108}L_{B109}L_{B110}L_{B111}








-continued

L_{B112}L_{B113}L_{B114}L_{B115}


-continued

L_{B116}








-continued

L_{B120}L_{B117}L_{B121}L_{B118}L_{B122}L_{B119}L_{B123}





-continued

L_{B124}






-continued

L_{B128}L_{B125}L_{B129}L_{B126}L_{B130}L_{B127}L_{B131}


-continued

 L_{B132}  L_{B133}  L_{B134}  L_{B135}









-continued

 L_{B136}  L_{B137}  L_{B138}  L_{B139}  L_{B140}


-continued

L_{B141}









-continued

L_{B145}L_{B142}L_{B146}L_{B143}L_{B147}L_{B144}L_{B148}L_{B149}


-continued

L_{B150}

-continued


L_{B155}L_{B151}L_{B152}L_{B153}L_{B154}L_{B156}L_{B157}L_{B158}

-continued




LB159


-continued




LB163




LB160




LB164




LB161



LB165




LB162










LB166


-continued

L_B167








-continued

 L_{B171} 
$$\mathbb{L}_{B168}$$
 L_{B172} L_{B169}L_{B173} L_{B170} L_{B174}


-continued

 L_{B175}

-continued


 L_{B179}  L_{B176}  L_{B180}  L_{B177}  L_{B181}  L_{B178}  L_{B182}

-continued




LB183


-continued




LB187




LB184




LB188




LB185



LB189








LB186








LB190






-continued

L_{B191}L_{B192}L_{B193}L_{B194}L_{B195}





-continued

L_{B196}L_{B197}L_{B198}L_{B199}L_{B200}





-continued

L_{B201}L_{B202}L_{B203}L_{B204}L_{B205}





-continued

L_{B206}L_{B207}L_{B208}L_{B209}





-continued

L_{B210}L_{B211}L_{B212}L_{B213}




-continued

L_{B214}L_{B215}L_{B216}L_{B217}




-continued

L_{B218}L_{B219}L_{B220}L_{B221}





-continued

L_{B222}L_{B223}L_{B224}


-continued

L_{B225}L_{B226}L_{B227}








-continued

L_{B228}L_{B229}L_{B230}L_{B231}





-continued

L_{B232}




-continued

L_{B236}L_{B233}L_{B237}L_{B234}L_{B238}L_{B235}L_{B239}


-continued

L_{B240}L_{B241}L_{B242}L_{B243}








-continued

L_{B244}L_{B245}L_{B246}


-continued

L_{B247}








-continued

L_{B251}L_{B248}L_{B252}L_{B249}L_{B253}L_{B250}L_{B254}


-continued

L_{B255}




-continued

L_{B259}L_{B256}L_{B260}L_{B257}L_{B261}L_{B258}L_{B262}






-continued




and




-continued

 L_{BB3} L_{B263} L_{BB4} L_{B264} L_{BB5} L_{BB1} L_{BB6} L_{BB2} L_{BB7}


-continued




L_BB8




L_BB9



L_BB10




L_BB11




L_BB12


-continued




L_BB13




L_BB14




L_BB15



L_BB16




L_BB17











L_BB18


-continued

L_{BB19}

-continued


L_{BB23}L_{BB20}L_{BB24}L_{BB21}L_{BB25}L_{BB26}L_{BB22}L_{BB27}

-continued




L_BB28


-continued




L_BB32




L_BB29




L_BB33




L_BB30



L_BB34








L_BB31








L_BB35


-continued

L_{BB36}L_{BB37}L_{BB38}L_{BB39}L_{BB40}


-continued

L_{BB41}L_{BB42}L_{BB43}L_{BB44}L_{BB45}


-continued




L_BB46




L_BB47



L_BB48




L_BB49




L_BB50


-continued




L_BB51




L_BB52



L_BB53




L_BB54




L_BB55

-continued




L_BB56


-continued




L_BB60




L_BB57




L_BB61




L_BB58




L_BB62



L_BB59




L_BB63










L_BB64


-continued

L_{BB65}

-continued


L_{BB69}L_{BB66}L_{BB70}L_{BB67}L_{BB71}L_{BB68}L_{BB72}

-continued




L_BB73


-continued




L_BB78




L_BB74




L_BB79




L_BB75




L_BB80




L_BB76



L_BB81




L_BB77












L_BB82






-continued

 L_{BB83}






-continued

 L_{BB88} L_{BB84}  L_{BB89}  L_{BB85}  L_{BB90}  L_{BB86}  L_{BB91}  L_{BB87}  L_{BB92} 






-continued

L_{BB93}L_{BB94}L_{BB95}L_{BB96}L_{BB97}






-continued

L_{BB98}L_{BB99}L_{BB100}L_{BB101}L_{BB102}

-continued


L_{BB103}L_{BB104}L_{BB105}L_{BB106}L_{BB107}

-continued










L_{BB108}L_{BB109}L_{BB110}L_{BB111}L_{BB112}

Sep. 11, 2025


-continued

L_{BB113}

-continued


L_{BB118}L_{BB114}L_{BB119} L_{BB115} L_{BB120} L_{BB116} L_{BB121} L_{BB117} L_{BB122}

-continued




L-BB123


-continued




L-BB128




L-BB124




L-BB129




L-BB125




L-BB130




L-BB126



L-BB131




L-BB127




L-BB132

-continued




L-BB133


-continued




L-BB138




L-BB134




L-BB139




L-BB135




L-BB140




L-BB136



L-BB141




L-BB137










L-BB142


-continued

L_{BB143}

-continued



L_{BB147}L_{BB144}L_{BB148}L_{BB145}L_{BB149}L_{BB146}L_{BB150}

-continued




L_BB151

L_BB152




L_BB153


L_BB154



L_BB155




-continued




L_BB156


L_BB157








L_BB158








L_BB159




-continued

L_{BB160}L_{BB161}L_{BB162}L_{BB163}L_{BB164}

-continued


L_{BB165}L_{BB166}L_{BB167}L_{BB168}L_{BB169}

-continued




L-BB170


-continued




L-BB174




L-BB171




L-BB175




L-BB172



L-BB176




L-BB173




L-BB177

-continued




L_{BB178}


wherein each L_{C_{J-I}} has a structure based on formula




L_{BB179}



and
each L_{C_{J-II}} has a structure based on formula



L_{BB180}



wherein for each L_{C_J} in L_{C_{J-I}} and L_{C_{J-II}}, R²⁰¹ and R²⁰² are each independently defined as the List 5 below:

L _{C_J}	R ²⁰¹	R ²⁰²	L _{C_J}	R ²⁰¹	R ²⁰²	L _{C_J}	R ²⁰¹	R ²⁰²	L _{C_J}	R ²⁰¹	R ²⁰²
L _{C1}	R ^{D1}	R ^{D1}	L _{C193}	R ^{D1}	R ^{D3}	L _{C385}	R ^{D64}	R ^{D40}	L _{CS77}	R ^{D143}	R ^{D120}
L _{C2}	R ^{D2}	R ^{D2}	L _{C194}	R ^{D1}	R ^{D4}	L _{C386}	R ^{D64}	R ^{D41}	L _{CS78}	R ^{D143}	R ^{D133}
L _{C3}	R ^{D3}	R ^{D3}	L _{C195}	R ^{D1}	R ^{D5}	L _{C387}	R ^{D64}	R ^{D42}	L _{CS79}	R ^{D143}	R ^{D134}
L _{C4}	R ^{D4}	R ^{D4}	L _{C196}	R ^{D1}	R ^{D9}	L _{C388}	R ^{D64}	R ^{D43}	L _{CS80}	R ^{D143}	R ^{D135}
L _{C5}	R ^{D5}	R ^{D5}	L _{C197}	R ^{D1}	R ^{D10}	L _{C389}	R ^{D64}	R ^{D48}	L _{CS81}	R ^{D143}	R ^{D136}
L _{C6}	R ^{D6}	R ^{D6}	L _{C198}	R ^{D1}	R ^{D64}	L _{C390}	R ^{D64}	R ^{D49}	L _{CS82}	R ^{D143}	R ^{D144}
L _{C7}	R ^{D7}	R ^{D7}	L _{C199}	R ^{D1}	R ^{D18}	L _{C391}	R ^{D64}	R ^{D50}	L _{CS83}	R ^{D143}	R ^{D145}
L _{C8}	R ^{D8}	R ^{D8}	L _{C200}	R ^{D1}	R ^{D20}	L _{C392}	R ^{D64}	R ^{D54}	L _{CS84}	R ^{D143}	R ^{D146}
L _{C9}	R ^{D9}	R ^{D9}	L _{C201}	R ^{D1}	R ^{D22}	L _{C393}	R ^{D64}	R ^{D55}	L _{CS85}	R ^{D143}	R ^{D147}
L _{C10}	R ^{D10}	R ^{D10}	L _{C202}	R ^{D1}	R ^{D37}	L _{C394}	R ^{D64}	R ^{D58}	L _{CS86}	R ^{D143}	R ^{D149}
L _{C11}	R ^{D11}	R ^{D11}	L _{C203}	R ^{D1}	R ^{D40}	L _{C395}	R ^{D64}	R ^{D59}	L _{CS87}	R ^{D143}	R ^{D151}
L _{C12}	R ^{D12}	R ^{D12}	L _{C204}	R ^{D1}	R ^{D41}	L _{C396}	R ^{D64}	R ^{D78}	L _{CS88}	R ^{D143}	R ^{D154}
L _{C13}	R ^{D13}	R ^{D13}	L _{C205}	R ^{D1}	R ^{D42}	L _{C397}	R ^{D64}	R ^{D79}	L _{CS89}	R ^{D143}	R ^{D155}
L _{C14}	R ^{D14}	R ^{D14}	L _{C206}	R ^{D1}	R ^{D43}	L _{C398}	R ^{D64}	R ^{D81}	L _{CS90}	R ^{D143}	R ^{D161}
L _{C15}	R ^{D15}	R ^{D15}	L _{C207}	R ^{D1}	R ^{D48}	L _{C399}	R ^{D64}	R ^{D87}	L _{CS91}	R ^{D143}	R ^{D645}
L _{C16}	R ^{D16}	R ^{D16}	L _{C208}	R ^{D1}	R ^{D49}	L _{C400}	R ^{D64}	R ^{D88}	L _{CS92}	R ^{D144}	R ^{D3}
L _{C64}	R ^{D64}	R ^{D64}	L _{C209}	R ^{D1}	R ^{D50}	L _{C401}	R ^{D64}	R ^{D89}	L _{CS93}	R ^{D144}	R ^{D5}
L _{C18}	R ^{D18}	R ^{D18}	L _{C210}	R ^{D1}	R ^{D54}	L _{C402}	R ^{D64}	R ^{D93}	L _{CS94}	R ^{D144}	R ^{D64}
L _{C19}	R ^{D19}	R ^{D19}	L _{C211}	R ^{D1}	R ^{D55}	L _{C403}	R ^{D64}	R ^{D116}	L _{CS95}	R ^{D144}	R ^{D18}
L _{C20}	R ^{D20}	R ^{D20}	L _{C212}	R ^{D1}	R ^{D58}	L _{C404}	R ^{D64}	R ^{D164}	L _{CS96}	R ^{D144}	R ^{D20}
L _{C21}	R ^{D21}	R ^{D21}	L _{C213}	R ^{D1}	R ^{D59}	L _{C405}	R ^{D64}	R ^{D118}	L _{CS97}	R ^{D144}	R ^{D22}
L _{C22}	R ^{D22}	R ^{D22}	L _{C214}	R ^{D1}	R ^{D78}	L _{C406}	R ^{D64}	R ^{D119}	L _{CS98}	R ^{D144}	R ^{D37}
L _{C23}	R ^{D23}	R ^{D23}	L _{C215}	R ^{D1}	R ^{D79}	L _{C407}	R ^{D64}	R ^{D120}	L _{CS99}	R ^{D144}	R ^{D40}
L _{C24}	R ^{D24}	R ^{D24}	L _{C216}	R ^{D1}	R ^{D81}	L _{C408}	R ^{D64}	R ^{D133}	L _{C600}	R ^{D144}	R ^{D41}
L _{C25}	R ^{D25}	R ^{D25}	L _{C264}	R ^{D1}	R ^{D87}	L _{C409}	R ^{D64}	R ^{D134}	L _{C601}	R ^{D144}	R ^{D42}

-continued

L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}
L_{C26}	R^{D26}	R^{D26}	L_{C218}	R^{D1}	R^{D88}	L_{C410}	R^{D64}	R^{D135}	L_{C602}	R^{D144}	R^{D43}
L_{C27}	R^{D27}	R^{D27}	L_{C219}	R^{D1}	R^{D89}	L_{C411}	R^{D64}	R^{D136}	L_{C603}	R^{D144}	R^{D48}
L_{C28}	R^{D28}	R^{D28}	L_{C220}	R^{D1}	R^{D93}	L_{C412}	R^{D64}	R^{D143}	L_{C604}	R^{D144}	R^{D49}
L_{C29}	R^{D29}	R^{D29}	L_{C221}	R^{D1}	R^{D116}	L_{C413}	R^{D64}	R^{D144}	L_{C605}	R^{D144}	R^{D54}
L_{C30}	R^{D30}	R^{D30}	L_{C222}	R^{D1}	R^{D164}	L_{C414}	R^{D64}	R^{D145}	L_{C606}	R^{D144}	R^{D58}
L_{C31}	R^{D31}	R^{D31}	L_{C223}	R^{D1}	R^{D118}	L_{C415}	R^{D64}	R^{D146}	L_{C607}	R^{D144}	R^{D59}
L_{C32}	R^{D32}	R^{D32}	L_{C224}	R^{D1}	R^{D119}	L_{C416}	R^{D64}	R^{D147}	L_{C608}	R^{D144}	R^{D78}
L_{C33}	R^{D33}	R^{D33}	L_{C225}	R^{D1}	R^{D120}	L_{C464}	R^{D64}	R^{D149}	L_{C609}	R^{D144}	R^{D79}
L_{C34}	R^{D34}	R^{D34}	L_{C226}	R^{D1}	R^{D133}	L_{C418}	R^{D64}	R^{D151}	L_{C610}	R^{D144}	R^{D81}
L_{C35}	R^{D35}	R^{D35}	L_{C227}	R^{D1}	R^{D134}	L_{C419}	R^{D64}	R^{D154}	L_{C611}	R^{D144}	R^{D87}
L_{C36}	R^{D36}	R^{D36}	L_{C228}	R^{D1}	R^{D135}	L_{C420}	R^{D64}	R^{D155}	L_{C612}	R^{D144}	R^{D88}
L_{C37}	R^{D37}	R^{D37}	L_{C229}	R^{D1}	R^{D136}	L_{C421}	R^{D64}	R^{D161}	L_{C613}	R^{D144}	R^{D89}
L_{C38}	R^{D38}	R^{D38}	L_{C230}	R^{D1}	R^{D143}	L_{C422}	R^{D64}	R^{D645}	L_{C614}	R^{D144}	R^{D93}
L_{C39}	R^{D39}	R^{D39}	L_{C231}	R^{D1}	R^{D144}	L_{C423}	R^{D50}	R^{D3}	L_{C615}	R^{D144}	R^{D116}
L_{C40}	R^{D40}	R^{D40}	L_{C232}	R^{D1}	R^{D145}	L_{C424}	R^{D50}	R^{D5}	L_{C616}	R^{D144}	R^{D164}
L_{C41}	R^{D41}	R^{D41}	L_{C233}	R^{D1}	R^{D146}	L_{C425}	R^{D50}	R^{D18}	L_{C664}	R^{D144}	R^{D118}
L_{C42}	R^{D42}	R^{D42}	L_{C234}	R^{D1}	R^{D147}	L_{C426}	R^{D50}	R^{D20}	L_{C618}	R^{D144}	R^{D119}
L_{C43}	R^{D43}	R^{D43}	L_{C235}	R^{D1}	R^{D149}	L_{C427}	R^{D50}	R^{D22}	L_{C619}	R^{D144}	R^{D120}
L_{C44}	R^{D44}	R^{D44}	L_{C236}	R^{D1}	R^{D151}	L_{C428}	R^{D50}	R^{D37}	L_{C620}	R^{D144}	R^{D133}
L_{C45}	R^{D45}	R^{D45}	L_{C237}	R^{D1}	R^{D154}	L_{C429}	R^{D50}	R^{D40}	L_{C621}	R^{D144}	R^{D134}
L_{C46}	R^{D46}	R^{D46}	L_{C238}	R^{D1}	R^{D155}	L_{C430}	R^{D50}	R^{D41}	L_{C622}	R^{D144}	R^{D135}
L_{C47}	R^{D47}	R^{D47}	L_{C239}	R^{D1}	R^{D161}	L_{C431}	R^{D50}	R^{D42}	L_{C623}	R^{D144}	R^{D136}
L_{C48}	R^{D48}	R^{D48}	L_{C240}	R^{D1}	R^{D645}	L_{C432}	R^{D50}	R^{D43}	L_{C624}	R^{D144}	R^{D145}
L_{C49}	R^{D49}	R^{D49}	L_{C241}	R^{D4}	R^{D3}	L_{C433}	R^{D50}	R^{D48}	L_{C625}	R^{D144}	R^{D146}
L_{C50}	R^{D50}	R^{D50}	L_{C242}	R^{D4}	R^{D5}	L_{C434}	R^{D50}	R^{D49}	L_{C626}	R^{D144}	R^{D147}
L_{C51}	R^{D51}	R^{D51}	L_{C243}	R^{D4}	R^{D9}	L_{C435}	R^{D50}	R^{D54}	L_{C627}	R^{D144}	R^{D149}
L_{C52}	R^{D52}	R^{D52}	L_{C244}	R^{D4}	R^{D10}	L_{C436}	R^{D50}	R^{D55}	L_{C628}	R^{D144}	R^{D151}
L_{C53}	R^{D53}	R^{D53}	L_{C245}	R^{D4}	R^{D64}	L_{C437}	R^{D50}	R^{D58}	L_{C629}	R^{D144}	R^{D154}
L_{C54}	R^{D54}	R^{D54}	L_{C246}	R^{D4}	R^{D18}	L_{C438}	R^{D50}	R^{D59}	L_{C630}	R^{D144}	R^{D155}
L_{C55}	R^{D55}	R^{D55}	L_{C247}	R^{D4}	R^{D20}	L_{C439}	R^{D50}	R^{D78}	L_{C631}	R^{D144}	R^{D161}
L_{C56}	R^{D56}	R^{D56}	L_{C248}	R^{D4}	R^{D22}	L_{C440}	R^{D50}	R^{D79}	L_{C632}	R^{D144}	R^{D645}
L_{C57}	R^{D57}	R^{D57}	L_{C249}	R^{D4}	R^{D37}	L_{C441}	R^{D50}	R^{D81}	L_{C633}	R^{D145}	R^{D3}
L_{C58}	R^{D58}	R^{D58}	L_{C250}	R^{D4}	R^{D40}	L_{C442}	R^{D50}	R^{D87}	L_{C634}	R^{D145}	R^{D5}
L_{C59}	R^{D59}	R^{D59}	L_{C251}	R^{D4}	R^{D41}	L_{C443}	R^{D50}	R^{D88}	L_{C635}	R^{D145}	R^{D64}
L_{C60}	R^{D60}	R^{D60}	L_{C252}	R^{D4}	R^{D42}	L_{C444}	R^{D50}	R^{D89}	L_{C636}	R^{D145}	R^{D18}
L_{C61}	R^{D61}	R^{D61}	L_{C253}	R^{D4}	R^{D43}	L_{C445}	R^{D50}	R^{D93}	L_{C637}	R^{D145}	R^{D20}
L_{C62}	R^{D62}	R^{D62}	L_{C254}	R^{D4}	R^{D48}	L_{C446}	R^{D50}	R^{D116}	L_{C638}	R^{D145}	R^{D22}
L_{C63}	R^{D63}	R^{D63}	L_{C255}	R^{D4}	R^{D49}	L_{C447}	R^{D50}	R^{D164}	L_{C639}	R^{D145}	R^{D37}
L_{C64}	R^{D64}	R^{D64}	L_{C256}	R^{D4}	R^{D50}	L_{C448}	R^{D50}	R^{D118}	L_{C640}	R^{D145}	R^{D40}
L_{C65}	R^{D65}	R^{D65}	L_{C257}	R^{D4}	R^{D54}	L_{C449}	R^{D50}	R^{D119}	L_{C641}	R^{D145}	R^{D41}
L_{C66}	R^{D66}	R^{D66}	L_{C258}	R^{D4}	R^{D55}	L_{C450}	R^{D50}	R^{D120}	L_{C642}	R^{D145}	R^{D42}
L_{C67}	R^{D67}	R^{D67}	L_{C259}	R^{D4}	R^{D58}	L_{C451}	R^{D50}	R^{D133}	L_{C643}	R^{D145}	R^{D43}
L_{C68}	R^{D68}	R^{D68}	L_{C260}	R^{D4}	R^{D59}	L_{C452}	R^{D50}	R^{D134}	L_{C644}	R^{D145}	R^{D48}
L_{C69}	R^{D69}	R^{D69}	L_{C261}	R^{D4}	R^{D78}	L_{C453}	R^{D50}	R^{D135}	L_{C645}	R^{D145}	R^{D49}
L_{C70}	R^{D70}	R^{D70}	L_{C262}	R^{D4}	R^{D79}	L_{C454}	R^{D50}	R^{D136}	L_{C646}	R^{D145}	R^{D54}
L_{C71}	R^{D71}	R^{D71}	L_{C263}	R^{D4}	R^{D81}	L_{C455}	R^{D50}	R^{D143}	L_{C647}	R^{D145}	R^{D58}
L_{C72}	R^{D72}	R^{D72}	L_{C264}	R^{D4}	R^{D87}	L_{C456}	R^{D50}	R^{D144}	L_{C648}	R^{D145}	R^{D59}
L_{C73}	R^{D73}	R^{D73}	L_{C265}	R^{D4}	R^{D88}	L_{C457}	R^{D50}	R^{D145}	L_{C649}	R^{D145}	R^{D78}
L_{C74}	R^{D74}	R^{D74}	L_{C266}	R^{D4}	R^{D89}	L_{C458}	R^{D50}	R^{D146}	L_{C650}	R^{D145}	R^{D79}
L_{C75}	R^{D75}	R^{D75}	L_{C267}	R^{D4}	R^{D93}	L_{C459}	R^{D50}	R^{D147}	L_{C651}	R^{D145}	R^{D81}
L_{C76}	R^{D76}	R^{D76}	L_{C268}	R^{D4}	R^{D116}	L_{C460}	R^{D50}	R^{D149}	L_{C652}	R^{D145}	R^{D87}
L_{C77}	R^{D77}	R^{D77}	L_{C269}	R^{D4}	R^{D164}	L_{C461}	R^{D50}	R^{D151}	L_{C653}	R^{D145}	R^{D88}
L_{C78}	R^{D78}	R^{D78}	L_{C270}	R^{D4}	R^{D118}	L_{C462}	R^{D50}	R^{D154}	L_{C654}	R^{D145}	R^{D89}
L_{C79}	R^{D79}	R^{D79}	L_{C271}	R^{D4}	R^{D119}	L_{C463}	R^{D50}	R^{D155}	L_{C655}	R^{D145}	R^{D93}
L_{C80}	R^{D80}	R^{D80}	L_{C272}	R^{D4}	R^{D120}	L_{C464}	R^{D50}	R^{D161}	L_{C656}	R^{D145}	R^{D116}
L_{C81}	R^{D81}	R^{D81}	L_{C273}	R^{D4}	R^{D133}	L_{C465}	R^{D50}	R^{D645}	L_{C657}	R^{D145}	R^{D164}
L_{C82}	R^{D82}	R^{D82}	L_{C274}	R^{D4}	R^{D134}	L_{C466}	R^{D55}	R^{D3}	L_{C658}	R^{D145}	R^{D118}
L_{C83}	R^{D83}	R^{D83}	L_{C275}	R^{D4}	R^{D135}	L_{C467}	R^{D55}	R^{D5}	L_{C659}	R^{D145}	R^{D119}
L_{C84}	R^{D84}	R^{D84}	L_{C276}	R^{D4}	R^{D136}	L_{C468}	R^{D55}	R^{D18}	L_{C660}	R^{D145}	R^{D120}
L_{C85}	R^{D85}	R^{D85}	L_{C277}	R^{D4}	R^{D143}	L_{C469}	R^{D55}	R^{D20}	L_{C661}	R^{D145}	R^{D133}
L_{C86}	R^{D86}	R^{D86}	L_{C278}	R^{D4}	R^{D144}	L_{C470}	R^{D55}	R^{D22}	L_{C662}	R^{D145}	R^{D134}
L_{C87}	R^{D87}	R^{D87}	L_{C279}	R^{D4}	R^{D145}	L_{C471}	R^{D55}	R^{D37}	L_{C663}	R^{D145}	R^{D135}
L_{C88}	R^{D88}	R^{D88}	L_{C280}	R^{D4}	R^{D146}	L_{C472}	R^{D55}	R^{D40}	L_{C664}	R^{D145}	R^{D136}
L_{C89}	R^{D89}	R^{D89}	L_{C281}	R^{D4}	R^{D147}	L_{C473}	R^{D55}	R^{D41}	L_{C665}	R^{D145}	R^{D146}
L_{C90}	R^{D90}	R^{D90}	L_{C282}	R^{D4}	R^{D149}	L_{C474}	R^{D55}	R^{D42}	L_{C666}	R^{D145}	R^{D147}
L_{C91}	R^{D91}	R^{D91}	L_{C283}	R^{D4}	R^{D151}	L_{C475}	R^{D55}	R^{D43}	L_{C667}	R^{D145}	R^{D149}
L_{C92}	R^{D92}	R^{D92}	L_{C284}	R^{D4}	R^{D154}	L_{C476}	R^{D55}	R^{D48}	L_{C668}	R^{D145}	R^{D151}
L_{C93}	R^{D93}	R^{D93}	L_{C285}	R^{D4}	R^{D155}	L_{C477}	R^{D55}	R^{D49}	L_{C669}	R^{D145}	R^{D154}
L_{C94}	R^{D94}	R^{D94}	L_{C286}	R^{D4}	R^{D161}	L_{C478}	R^{D55}	R^{D54}	L_{C670}	R^{D145}	R^{D155}
L_{C95}	R^{D95}	R^{D95}	L_{C287}	R^{D4}	R^{D645}	L_{C479}	R^{D55}	R^{D58}	L_{C671}	R^{D145}	R^{D161}
L_{C96}	R^{D96}	R^{D96}	L_{C288}	R^{D9}	R^{D3}	L_{C480}	R^{D55}	R^{D59}	L_{C672}	R^{D145}	R^{D645}
L_{C97}	R^{D97}	R^{D97}	L_{C289}	R^{D9}	R^{D5}	L_{C481}	R^{D55}	R^{D78}	L_{C673}	R^{D146}	R^{D3}
L_{C98}	R^{D98}	R^{D98}	L_{C290}	R^{D9}	R^{D10}	L_{C482}	R^{D55}	R^{D79}	L_{C674}	$R^{$	

-continued

L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}
L_{C100}	R^{D100}	R^{D100}	L_{C292}	R^{D9}	R^{D18}	L_{C484}	R^{D55}	R^{D87}	L_{C676}	R^{D146}	R^{D18}
L_{C101}	R^{D101}	R^{D101}	L_{C293}	R^{D9}	R^{D20}	L_{C485}	R^{D55}	R^{D88}	L_{C677}	R^{D146}	R^{D20}
L_{C102}	R^{D102}	R^{D102}	L_{C294}	R^{D9}	R^{D22}	L_{C486}	R^{D55}	R^{D89}	L_{C678}	R^{D146}	R^{D22}
L_{C103}	R^{D103}	R^{D103}	L_{C295}	R^{D9}	R^{D37}	L_{C487}	R^{D55}	R^{D93}	L_{C679}	R^{D146}	R^{D37}
L_{C104}	R^{D104}	R^{D104}	L_{C296}	R^{D9}	R^{D40}	L_{C488}	R^{D55}	R^{D116}	L_{C680}	R^{D146}	R^{D40}
L_{C105}	R^{D105}	R^{D105}	L_{C297}	R^{D9}	R^{D41}	L_{C489}	R^{D55}	R^{D164}	L_{C681}	R^{D146}	R^{D41}
L_{C106}	R^{D106}	R^{D106}	L_{C298}	R^{D9}	R^{D42}	L_{C490}	R^{D55}	R^{D118}	L_{C682}	R^{D146}	R^{D42}
L_{C107}	R^{D107}	R^{D107}	L_{C299}	R^{D9}	R^{D43}	L_{C491}	R^{D55}	R^{D119}	L_{C683}	R^{D146}	R^{D43}
L_{C108}	R^{D108}	R^{D108}	L_{C300}	R^{D9}	R^{D48}	L_{C492}	R^{D55}	R^{D120}	L_{C684}	R^{D146}	R^{D48}
L_{C109}	R^{D109}	R^{D109}	L_{C301}	R^{D9}	R^{D49}	L_{C493}	R^{D55}	R^{D133}	L_{C685}	R^{D146}	R^{D49}
L_{C110}	R^{D110}	R^{D110}	L_{C302}	R^{D9}	R^{D50}	L_{C494}	R^{D55}	R^{D134}	L_{C686}	R^{D146}	R^{D50}
L_{C111}	R^{D111}	R^{D111}	L_{C303}	R^{D9}	R^{D54}	L_{C495}	R^{D55}	R^{D135}	L_{C687}	R^{D146}	R^{D54}
L_{C112}	R^{D112}	R^{D112}	L_{C304}	R^{D9}	R^{D55}	L_{C496}	R^{D55}	R^{D136}	L_{C688}	R^{D146}	R^{D55}
L_{C113}	R^{D113}	R^{D113}	L_{C305}	R^{D9}	R^{D58}	L_{C497}	R^{D55}	R^{D143}	L_{C689}	R^{D146}	R^{D58}
L_{C114}	R^{D114}	R^{D114}	L_{C306}	R^{D9}	R^{D59}	L_{C498}	R^{D55}	R^{D144}	L_{C690}	R^{D146}	R^{D59}
L_{C115}	R^{D115}	R^{D115}	L_{C307}	R^{D9}	R^{D78}	L_{C499}	R^{D55}	R^{D145}	L_{C691}	R^{D146}	R^{D78}
L_{C116}	R^{D116}	R^{D116}	L_{C308}	R^{D9}	R^{D79}	L_{C500}	R^{D55}	R^{D146}	L_{C692}	R^{D146}	R^{D79}
L_{C117}	R^{D117}	R^{D117}	L_{C309}	R^{D9}	R^{D81}	L_{C501}	R^{D55}	R^{D147}	L_{C693}	R^{D146}	R^{D81}
L_{C118}	R^{D118}	R^{D118}	L_{C310}	R^{D9}	R^{D87}	L_{C502}	R^{D55}	R^{D149}	L_{C694}	R^{D146}	R^{D87}
L_{C119}	R^{D119}	R^{D119}	L_{C311}	R^{D9}	R^{D88}	L_{C503}	R^{D55}	R^{D151}	L_{C695}	R^{D146}	R^{D88}
L_{C120}	R^{D120}	R^{D120}	L_{C312}	R^{D9}	R^{D89}	L_{C504}	R^{D55}	R^{D154}	L_{C696}	R^{D146}	R^{D89}
L_{C121}	R^{D121}	R^{D121}	L_{C313}	R^{D9}	R^{D93}	L_{C505}	R^{D55}	R^{D155}	L_{C697}	R^{D146}	R^{D93}
L_{C122}	R^{D122}	R^{D122}	L_{C314}	R^{D9}	R^{D116}	L_{C506}	R^{D55}	R^{D161}	L_{C698}	R^{D146}	R^{D116}
L_{C123}	R^{D123}	R^{D123}	L_{C315}	R^{D9}	R^{D164}	L_{C507}	R^{D55}	R^{D645}	L_{C699}	R^{D146}	R^{D164}
L_{C124}	R^{D124}	R^{D124}	L_{C316}	R^{D9}	R^{D118}	L_{C508}	R^{D116}	R^{D3}	L_{C700}	R^{D146}	R^{D118}
L_{C125}	R^{D125}	R^{D125}	L_{C317}	R^{D9}	R^{D119}	L_{C509}	R^{D116}	R^{D5}	L_{C701}	R^{D146}	R^{D119}
L_{C126}	R^{D126}	R^{D126}	L_{C318}	R^{D9}	R^{D120}	L_{C510}	R^{D116}	R^{D64}	L_{C702}	R^{D146}	R^{D120}
L_{C127}	R^{D127}	R^{D127}	L_{C319}	R^{D9}	R^{D133}	L_{C511}	R^{D116}	R^{D18}	L_{C703}	R^{D146}	R^{D133}
L_{C128}	R^{D128}	R^{D128}	L_{C320}	R^{D9}	R^{D134}	L_{C512}	R^{D116}	R^{D20}	L_{C704}	R^{D146}	R^{D134}
L_{C129}	R^{D129}	R^{D129}	L_{C321}	R^{D9}	R^{D135}	L_{C513}	R^{D116}	R^{D22}	L_{C705}	R^{D146}	R^{D135}
L_{C130}	R^{D130}	R^{D130}	L_{C322}	R^{D9}	R^{D136}	L_{C514}	R^{D116}	R^{D37}	L_{C706}	R^{D146}	R^{D136}
L_{C131}	R^{D131}	R^{D131}	L_{C323}	R^{D9}	R^{D143}	L_{C515}	R^{D116}	R^{D40}	L_{C707}	R^{D146}	R^{D137}
L_{C132}	R^{D132}	R^{D132}	L_{C324}	R^{D9}	R^{D144}	L_{C516}	R^{D116}	R^{D41}	L_{C708}	R^{D146}	R^{D138}
L_{C133}	R^{D133}	R^{D133}	L_{C325}	R^{D9}	R^{D145}	L_{C517}	R^{D116}	R^{D42}	L_{C709}	R^{D146}	R^{D139}
L_{C134}	R^{D134}	R^{D134}	L_{C326}	R^{D9}	R^{D146}	L_{C518}	R^{D116}	R^{D43}	L_{C710}	R^{D146}	R^{D140}
L_{C135}	R^{D135}	R^{D135}	L_{C327}	R^{D9}	R^{D147}	L_{C519}	R^{D116}	R^{D48}	L_{C711}	R^{D146}	R^{D141}
L_{C136}	R^{D136}	R^{D136}	L_{C328}	R^{D9}	R^{D149}	L_{C520}	R^{D116}	R^{D49}	L_{C712}	R^{D133}	R^{D142}
L_{C137}	R^{D137}	R^{D137}	L_{C329}	R^{D9}	R^{D151}	L_{C521}	R^{D116}	R^{D54}	L_{C713}	R^{D133}	R^{D143}
L_{C138}	R^{D138}	R^{D138}	L_{C330}	R^{D9}	R^{D154}	L_{C522}	R^{D116}	R^{D58}	L_{C714}	R^{D133}	R^{D144}
L_{C139}	R^{D139}	R^{D139}	L_{C331}	R^{D9}	R^{D155}	L_{C523}	R^{D116}	R^{D59}	L_{C715}	R^{D133}	R^{D145}
L_{C140}	R^{D140}	R^{D140}	L_{C332}	R^{D9}	R^{D161}	L_{C524}	R^{D116}	R^{D78}	L_{C716}	R^{D133}	R^{D146}
L_{C141}	R^{D141}	R^{D141}	L_{C333}	R^{D9}	R^{D645}	L_{C525}	R^{D116}	R^{D79}	L_{C717}	R^{D133}	R^{D147}
L_{C142}	R^{D142}	R^{D142}	L_{C334}	R^{D10}	R^{D3}	L_{C526}	R^{D116}	R^{D81}	L_{C718}	R^{D133}	R^{D148}
L_{C143}	R^{D143}	R^{D143}	L_{C335}	R^{D10}	R^{D5}	L_{C527}	R^{D116}	R^{D87}	L_{C719}	R^{D133}	R^{D149}
L_{C144}	R^{D144}	R^{D144}	L_{C336}	R^{D10}	R^{D64}	L_{C528}	R^{D116}	R^{D88}	L_{C720}	R^{D133}	R^{D150}
L_{C145}	R^{D145}	R^{D145}	L_{C337}	R^{D10}	R^{D18}	L_{C529}	R^{D116}	R^{D89}	L_{C721}	R^{D133}	R^{D151}
L_{C146}	R^{D146}	R^{D146}	L_{C338}	R^{D10}	R^{D20}	L_{C530}	R^{D116}	R^{D93}	L_{C722}	R^{D133}	R^{D152}
L_{C147}	R^{D147}	R^{D147}	L_{C339}	R^{D10}	R^{D22}	L_{C531}	R^{D116}	R^{D164}	L_{C723}	R^{D133}	R^{D153}
L_{C148}	R^{D148}	R^{D148}	L_{C340}	R^{D10}	R^{D37}	L_{C532}	R^{D116}	R^{D118}	L_{C724}	R^{D133}	R^{D154}
L_{C149}	R^{D149}	R^{D149}	L_{C341}	R^{D10}	R^{D40}	L_{C533}	R^{D116}	R^{D119}	L_{C725}	R^{D133}	R^{D155}
L_{C150}	R^{D150}	R^{D150}	L_{C342}	R^{D10}	R^{D41}	L_{C534}	R^{D116}	R^{D120}	L_{C726}	R^{D133}	R^{D156}
L_{C151}	R^{D151}	R^{D151}	L_{C343}	R^{D10}	R^{D42}	L_{C535}	R^{D116}	R^{D133}	L_{C727}	R^{D133}	R^{D157}
L_{C152}	R^{D152}	R^{D152}	L_{C344}	R^{D10}	R^{D43}	L_{C536}	R^{D116}	R^{D134}	L_{C728}	R^{D133}	R^{D158}
L_{C153}	R^{D153}	R^{D153}	L_{C345}	R^{D10}	R^{D48}	L_{C537}	R^{D116}	R^{D135}	L_{C729}	R^{D133}	R^{D159}
L_{C154}	R^{D154}	R^{D154}	L_{C346}	R^{D10}	R^{D49}	L_{C538}	R^{D116}	R^{D136}	L_{C730}	R^{D133}	R^{D160}
L_{C155}	R^{D155}	R^{D155}	L_{C347}	R^{D10}	R^{D50}	L_{C539}	R^{D116}	R^{D143}	L_{C731}	R^{D133}	R^{D161}
L_{C156}	R^{D156}	R^{D156}	L_{C348}	R^{D10}	R^{D54}	L_{C540}	R^{D116}	R^{D144}	L_{C732}	R^{D133}	R^{D162}
L_{C157}	R^{D157}	R^{D157}	L_{C349}	R^{D10}	R^{D55}	L_{C541}	R^{D116}	R^{D145}	L_{C733}	R^{D133}	R^{D163}
L_{C158}	R^{D158}	R^{D158}	L_{C350}	R^{D10}	R^{D58}	L_{C542}	R^{D116}	R^{D146}	L_{C734}	R^{D133}	R^{D164}
L_{C159}	R^{D159}	R^{D159}	L_{C351}	R^{D10}	R^{D59}	L_{C543}	R^{D116}	R^{D147}	L_{C735}	R^{D133}	R^{D165}
L_{C160}	R^{D160}	R^{D160}	L_{C352}	R^{D10}	R^{D78}	L_{C544}	R^{D116}	R^{D149}	L_{C736}	R^{D133}	R^{D166}
L_{C161}	R^{D161}	R^{D161}	L_{C353}	R^{D10}	R^{D79}	L_{C545}	R^{D116}	R^{D151}	L_{C737}	R^{D133}	R^{D167}
L_{C162}	R^{D162}	R^{D162}	L_{C354}	R^{D10}	R^{D81}	L_{C546}	R^{D116}	R^{D154}	L_{C738}	R^{D133}	R^{D168}
L_{C163}	R^{D163}	R^{D163}	L_{C355}	R^{D10}	R^{D87}	L_{C547}	R^{D116}	R^{D155}	L_{C739}	R^{D133}	R^{D169}
L_{C164}	R^{D164}	R^{D164}	L_{C356}	R^{D10}	R^{D88}	L_{C548}	R^{D116}	R^{D161}	L_{C740}	R^{D133}	R^{D170}
L_{C165}	R^{D165}	R^{D165}	L_{C357}	R^{D10}	R^{D89}	L_{C549}	R^{D116}	R^{D645}	L_{C741}	R^{D133}	R^{D171}
L_{C166}	R^{D166}	R^{D166}	L_{C358}	R^{D10}	R^{D93}	L_{C550}	R^{D143}	R^{D3}	L_{C742}	R^{D133}	R^{D172}
L_{C167}	R^{D167}	R^{D167}	L_{C359}	R^{D10}	R^{D116}	L_{C551}	R^{D143}	R^{D5}	L_{C743}	R^{D133}	R^{D173}
L_{C168}	R^{D168}	R^{D168}	L_{C360}	R^{D10}	R^{D164}	L_{C552}	R^{D143}	R^{D64}	L_{C744}	R^{D133}	R^{D174}
L_{C169}	R^{D169}	R^{D169}	L_{C361}	R^{D10}	R^{D118}	L_{C553}	R^{D143}	R^{D18}	L_{C745}	R^{D133}	R^{D175}
L_{C640}	R^{D640}	R^{D640}	L_{C362}	R^{D10}	R^{D119}	L_{C554}	R^{D143}	R^{D20}	L_{C746}	R^{D133}	R^{D176}
<											

-continued

L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}
L_{C644}	R^{D644}	R^{D644}	L_{C366}	R^{D10}	R^{D135}	L_{C558}	R^{D143}	R^{D41}	L_{C750}	R^{D133}	R^{D645}
L_{C645}	R^{D645}	R^{D645}	L_{C367}	R^{D10}	R^{D136}	L_{C559}	R^{D143}	R^{D42}	L_{C751}	R^{D645}	R^{D3}
L_{C646}	R^{D646}	R^{D646}	L_{C368}	R^{D10}	R^{D143}	L_{C560}	R^{D143}	R^{D43}	L_{C752}	R^{D645}	R^{D5}
L_{C647}	R^{D647}	R^{D647}	L_{C369}	R^{D10}	R^{D144}	L_{C561}	R^{D143}	R^{D48}	L_{C753}	R^{D645}	R^{D18}
L_{C648}	R^{D648}	R^{D648}	L_{C370}	R^{D10}	R^{D145}	L_{C562}	R^{D143}	R^{D49}	L_{C754}	R^{D645}	R^{D20}
L_{C649}	R^{D649}	R^{D649}	L_{C371}	R^{D10}	R^{D146}	L_{C563}	R^{D143}	R^{D54}	L_{C755}	R^{D645}	R^{D22}
L_{C180}	R^{D180}	R^{D180}	L_{C372}	R^{D10}	R^{D147}	L_{C564}	R^{D143}	R^{D58}	L_{C756}	R^{D645}	R^{D37}
L_{C181}	R^{D181}	R^{D181}	L_{C373}	R^{D10}	R^{D149}	L_{C565}	R^{D143}	R^{D59}	L_{C757}	R^{D645}	R^{D40}
L_{C182}	R^{D182}	R^{D182}	L_{C374}	R^{D10}	R^{D151}	L_{C566}	R^{D143}	R^{D78}	L_{C758}	R^{D645}	R^{D41}
L_{C183}	R^{D183}	R^{D183}	L_{C375}	R^{D10}	R^{D154}	L_{C567}	R^{D143}	R^{D79}	L_{C759}	R^{D645}	R^{D42}
L_{C184}	R^{D184}	R^{D184}	L_{C376}	R^{D10}	R^{D155}	L_{C568}	R^{D143}	R^{D81}	L_{C760}	R^{D645}	R^{D43}
L_{C185}	R^{D185}	R^{D185}	L_{C377}	R^{D10}	R^{D161}	L_{C569}	R^{D143}	R^{D87}	L_{C761}	R^{D645}	R^{D48}
L_{C186}	R^{D186}	R^{D186}	L_{C378}	R^{D10}	R^{D645}	L_{C570}	R^{D143}	R^{D88}	L_{C762}	R^{D645}	R^{D49}
L_{C187}	R^{D187}	R^{D187}	L_{C379}	R^{D64}	R^{D5}	L_{C571}	R^{D143}	R^{D89}	L_{C763}	R^{D645}	R^{D54}
L_{C188}	R^{D188}	R^{D188}	L_{C380}	R^{D64}	R^{D18}	L_{C572}	R^{D143}	R^{D93}	L_{C764}	R^{D645}	R^{D58}
L_{C189}	R^{D189}	R^{D189}	L_{C381}	R^{D64}	R^{D20}	L_{C573}	R^{D143}	R^{D116}	L_{C765}	R^{D645}	R^{D59}
L_{C190}	R^{D190}	R^{D190}	L_{C382}	R^{D64}	R^{D22}	L_{C574}	R^{D143}	R^{D164}	L_{C766}	R^{D645}	R^{D78}
L_{C191}	R^{D191}	R^{D191}	L_{C383}	R^{D64}	R^{D37}	L_{C575}	R^{D143}	R^{D118}	L_{C767}	R^{D645}	R^{D79}
L_{C192}	R^{D192}	R^{D192}	L_{C384}	R^{D1}	R^{D193}	L_{C576}	R^{D4}	R^{D119}	L_{C768}	R^{D645}	R^{D81}
L_{C769}	R^{D194}	R^{D194}	L_{C877}	R^{D1}	R^{D194}	L_{C985}	R^{D4}	R^{D193}	L_{C1093}	R^{D9}	R^{D193}
L_{C770}	R^{D195}	R^{D195}	L_{C878}	R^{D1}	R^{D195}	L_{C986}	R^{D4}	R^{D194}	L_{C1094}	R^{D9}	R^{D194}
L_{C771}	R^{D196}	R^{D196}	L_{C879}	R^{D1}	R^{D196}	L_{C987}	R^{D4}	R^{D195}	L_{C1095}	R^{D9}	R^{D195}
L_{C772}	R^{D197}	R^{D197}	L_{C880}	R^{D1}	R^{D197}	L_{C988}	R^{D4}	R^{D196}	L_{C1096}	R^{D9}	R^{D196}
L_{C773}	R^{D198}	R^{D198}	L_{C881}	R^{D1}	R^{D198}	L_{C989}	R^{D4}	R^{D197}	L_{C1097}	R^{D9}	R^{D197}
L_{C774}	R^{D199}	R^{D199}	L_{C882}	R^{D1}	R^{D199}	L_{C990}	R^{D4}	R^{D198}	L_{C1098}	R^{D9}	R^{D198}
L_{C775}	R^{D200}	R^{D200}	L_{C883}	R^{D1}	R^{D200}	L_{C991}	R^{D4}	R^{D199}	L_{C1099}	R^{D9}	R^{D199}
L_{C776}	R^{D201}	R^{D201}	L_{C884}	R^{D1}	R^{D201}	L_{C992}	R^{D4}	R^{D200}	L_{C1100}	R^{D9}	R^{D200}
L_{C777}	R^{D202}	R^{D202}	L_{C885}	R^{D1}	R^{D202}	L_{C993}	R^{D4}	R^{D201}	L_{C1101}	R^{D9}	R^{D201}
L_{C778}	R^{D203}	R^{D203}	L_{C886}	R^{D1}	R^{D203}	L_{C994}	R^{D4}	R^{D202}	L_{C1102}	R^{D9}	R^{D202}
L_{C779}	R^{D204}	R^{D204}	L_{C887}	R^{D1}	R^{D204}	L_{C995}	R^{D4}	R^{D203}	L_{C1103}	R^{D9}	R^{D203}
L_{C780}	R^{D205}	R^{D205}	L_{C888}	R^{D1}	R^{D205}	L_{C996}	R^{D4}	R^{D204}	L_{C1104}	R^{D9}	R^{D204}
L_{C781}	R^{D206}	R^{D206}	L_{C889}	R^{D1}	R^{D206}	L_{C997}	R^{D4}	R^{D205}	L_{C1105}	R^{D9}	R^{D205}
L_{C782}	R^{D207}	R^{D207}	L_{C890}	R^{D1}	R^{D207}	L_{C998}	R^{D4}	R^{D206}	L_{C1106}	R^{D9}	R^{D206}
L_{C783}	R^{D208}	R^{D208}	L_{C891}	R^{D1}	R^{D208}	L_{C999}	R^{D4}	R^{D207}	L_{C1107}	R^{D9}	R^{D207}
L_{C784}	R^{D209}	R^{D209}	L_{C892}	R^{D1}	R^{D209}	L_{C1000}	R^{D4}	R^{D208}	L_{C1108}	R^{D9}	R^{D208}
L_{C785}	R^{D210}	R^{D210}	L_{C893}	R^{D1}	R^{D210}	L_{C1001}	R^{D4}	R^{D209}	L_{C1109}	R^{D9}	R^{D209}
L_{C786}	R^{D211}	R^{D211}	L_{C894}	R^{D1}	R^{D211}	L_{C1002}	R^{D4}	R^{D210}	L_{C1110}	R^{D9}	R^{D210}
L_{C787}	R^{D212}	R^{D212}	L_{C895}	R^{D1}	R^{D212}	L_{C1003}	R^{D4}	R^{D211}	L_{C1111}	R^{D9}	R^{D211}
L_{C788}	R^{D213}	R^{D213}	L_{C896}	R^{D1}	R^{D213}	L_{C1004}	R^{D4}	R^{D212}	L_{C1112}	R^{D9}	R^{D212}
L_{C789}	R^{D214}	R^{D214}	L_{C897}	R^{D1}	R^{D214}	L_{C1005}	R^{D4}	R^{D213}	L_{C1113}	R^{D9}	R^{D213}
L_{C790}	R^{D215}	R^{D215}	L_{C898}	R^{D1}	R^{D215}	L_{C1006}	R^{D4}	R^{D214}	L_{C1114}	R^{D9}	R^{D214}
L_{C791}	R^{D216}	R^{D216}	L_{C899}	R^{D1}	R^{D216}	L_{C1007}	R^{D4}	R^{D215}	L_{C1115}	R^{D9}	R^{D215}
L_{C792}	R^{D217}	R^{D217}	L_{C900}	R^{D1}	R^{D217}	L_{C1008}	R^{D4}	R^{D216}	L_{C1116}	R^{D9}	R^{D216}
L_{C793}	R^{D218}	R^{D218}	L_{C901}	R^{D1}	R^{D218}	L_{C1009}	R^{D4}	R^{D217}	L_{C1117}	R^{D9}	R^{D217}
L_{C794}	R^{D219}	R^{D219}	L_{C902}	R^{D1}	R^{D219}	L_{C1010}	R^{D4}	R^{D218}	L_{C1118}	R^{D9}	R^{D218}
L_{C795}	R^{D220}	R^{D220}	L_{C903}	R^{D1}	R^{D220}	L_{C1011}	R^{D4}	R^{D219}	L_{C1119}	R^{D9}	R^{D219}
L_{C796}	R^{D221}	R^{D221}	L_{C904}	R^{D1}	R^{D221}	L_{C1012}	R^{D4}	R^{D220}	L_{C1120}	R^{D9}	R^{D220}
L_{C797}	R^{D222}	R^{D222}	L_{C905}	R^{D1}	R^{D222}	L_{C1013}	R^{D4}	R^{D221}	L_{C1121}	R^{D9}	R^{D221}
L_{C798}	R^{D223}	R^{D223}	L_{C906}	R^{D1}	R^{D223}	L_{C1014}	R^{D4}	R^{D222}	L_{C1122}	R^{D9}	R^{D222}
L_{C799}	R^{D224}	R^{D224}	L_{C907}	R^{D1}	R^{D224}	L_{C1015}	R^{D4}	R^{D223}	L_{C1123}	R^{D9}	R^{D223}
L_{C800}	R^{D225}	R^{D225}	L_{C908}	R^{D1}	R^{D225}	L_{C1016}	R^{D4}	R^{D224}	L_{C1124}	R^{D9}	R^{D224}
L_{C801}	R^{D226}	R^{D226}	L_{C909}	R^{D1}	R^{D226}	L_{C1064}	R^{D4}	R^{D225}	L_{C1125}	R^{D9}	R^{D225}
L_{C802}	R^{D227}	R^{D227}	L_{C910}	R^{D1}	R^{D227}	L_{C1018}	R^{D4}	R^{D226}	L_{C1126}	R^{D9}	R^{D226}
L_{C803}	R^{D228}	R^{D228}	L_{C911}	R^{D1}	R^{D228}	L_{C1019}	R^{D4}	R^{D227}	L_{C1127}	R^{D9}	R^{D227}
L_{C804}	R^{D229}	R^{D229}	L_{C912}	R^{D1}	R^{D229}	L_{C1020}	R^{D4}	R^{D228}	L_{C1128}	R^{D9}	R^{D228}
L_{C805}	R^{D230}	R^{D230}	L_{C913}	R^{D1}	R^{D230}	L_{C1021}	R^{D4}	R^{D229}	L_{C1129}	R^{D9}	R^{D229}
L_{C806}	R^{D231}	R^{D231}	L_{C914}	R^{D1}	R^{D231}	L_{C1022}	R^{D4}	R^{D230}	L_{C1130}	R^{D9}	R^{D230}
L_{C807}	R^{D232}	R^{D232}	L_{C915}	R^{D1}	R^{D232}	L_{C1023}	R^{D4}	R^{D231}	L_{C1131}	R^{D9}	R^{D231}
L_{C808}	R^{D233}	R^{D233}	L_{C916}	R^{D1}	R^{D233}	L_{C1024}	R^{D4}	R^{D232}	L_{C1132}	R^{D9}	R^{D232}
L_{C809}	R^{D234}	R^{D234}	L_{C917}	R^{D1}	R^{D234}	L_{C1025}	R^{D4}	R^{D233}	L_{C1133}	R^{D9}	R^{D233}
L_{C810}	R^{D235}	R^{D235}	L_{C918}	R^{D1}	R^{D235}	L_{C1026}	R^{D4}	R^{D234}	L_{C1134}	R^{D9}	R^{D234}
L_{C811}	R^{D236}	R^{D236}	L_{C919}	R^{D1}	R^{D236}	L_{C1027}	R^{D4}	R^{D235}	L_{C1135}	R^{D9}	R^{D235}
L_{C812}	R^{D237}	R^{D237}	L_{C920}	R^{D1}	R^{D237}	L_{C1028}	R^{D4}	R^{D236}	L_{C1136}	R^{D9}	R^{D236}
L_{C813}	R^{D238}	R^{D238}	L_{C921}	R^{D1}	R^{D238}	L_{C1029}	R^{D4}	R^{D237}	L_{C1137}	R^{D9}	R^{D237}
L_{C814}	R^{D239}	R^{D239}	L_{C922}	R^{D1}	R^{D239}	L_{C1030}	R^{D4}	R^{D238}	L_{C1138}	R^{D9}	R^{D238}
L_{C815}	R^{D240}	R^{D240}	L_{C923}	R^{D1}	R^{D240}	L_{C1031}	R^{D4}	R^{D239}	L_{C1139}	R^{D9}	R^{D239}
L_{C816}	R^{D241}	R^{D241}	L_{C924}	R^{D1}	R^{D241}	L_{C1032}	R^{D4}	R^{D240}	L_{C1140}	R^{D9}	R^{D240}
L_{C864}	R^{D242}	R^{D242}	L_{C925}	R^{D1}	R^{D242}	L_{C1033}	R^{D4}	R^{D241}	L_{C1141}	R^{D9}	R^{D241}
L_{C818}	R^{D243}	R^{D243}	L_{C926}	R^{D1}	R^{D243}	L_{C1034}	R^{D4}	R^{D242}	L_{C1142}	R^{D9}	R^{D242}
L_{C819}	R^{D244}	R^{D244}	L_{C927}	R^{D1}	R^{D244}	L_{C1035}	R^{D4}	R^{D243}	L_{C1143}	R^{D9}	R^{D243}
L_{C820}	R^{D245}	R^{D245}	L_{C928}	R^{D1}	R^{D245}	L_{C1036}	R^{D4}	R^{D244}	L_{C1144}	R^{D9}	R^{D244}
L_{C821}	R^{D246}	R^{D246}	<								

L_{C_j}	R^{201}	R^{202}	L_{C_j}	R^{201}	R^{202}	L_{C_j}	R^{201}	R^{202}	L_{C_j}	R^{201}	R^{202}
L_{C824}	R^{D64}	R^{D194}	L_{C932}	R^{D50}	R^{D194}	L_{C1040}	R^{D145}	R^{D194}	L_{C1148}	R^{D168}	R^{D194}
L_{C825}	R^{D64}	R^{D195}	L_{C933}	R^{D50}	R^{D195}	L_{C1041}	R^{D145}	R^{D195}	L_{C1149}	R^{D168}	R^{D195}
L_{C826}	R^{D64}	R^{D196}	L_{C934}	R^{D50}	R^{D196}	L_{C1042}	R^{D145}	R^{D196}	L_{C1150}	R^{D168}	R^{D196}
L_{C827}	R^{D64}	R^{D197}	L_{C935}	R^{D50}	R^{D197}	L_{C1043}	R^{D145}	R^{D197}	L_{C1151}	R^{D168}	R^{D197}
L_{C828}	R^{D64}	R^{D198}	L_{C936}	R^{D50}	R^{D198}	L_{C1044}	R^{D145}	R^{D198}	L_{C1152}	R^{D168}	R^{D198}
L_{C829}	R^{D64}	R^{D199}	L_{C937}	R^{D50}	R^{D199}	L_{C1045}	R^{D145}	R^{D199}	L_{C1153}	R^{D168}	R^{D199}
L_{C830}	R^{D64}	R^{D200}	L_{C938}	R^{D50}	R^{D200}	L_{C1046}	R^{D145}	R^{D200}	L_{C1154}	R^{D168}	R^{D200}
L_{C831}	R^{D64}	R^{D201}	L_{C939}	R^{D50}	R^{D201}	L_{C1047}	R^{D145}	R^{D201}	L_{C1155}	R^{D168}	R^{D201}
L_{C832}	R^{D64}	R^{D202}	L_{C940}	R^{D50}	R^{D202}	L_{C1048}	R^{D145}	R^{D202}	L_{C1156}	R^{D168}	R^{D202}
L_{C833}	R^{D64}	R^{D203}	L_{C941}	R^{D50}	R^{D203}	L_{C1049}	R^{D145}	R^{D203}	L_{C1157}	R^{D168}	R^{D203}
L_{C834}	R^{D64}	R^{D204}	L_{C942}	R^{D50}	R^{D204}	L_{C1050}	R^{D145}	R^{D204}	L_{C1158}	R^{D168}	R^{D204}
L_{C835}	R^{D64}	R^{D205}	L_{C943}	R^{D50}	R^{D205}	L_{C1051}	R^{D145}	R^{D205}	L_{C1159}	R^{D168}	R^{D205}
L_{C836}	R^{D64}	R^{D206}	L_{C944}	R^{D50}	R^{D206}	L_{C1052}	R^{D145}	R^{D206}	L_{C1160}	R^{D168}	R^{D206}
L_{C837}	R^{D64}	R^{D207}	L_{C945}	R^{D50}	R^{D207}	L_{C1053}	R^{D145}	R^{D207}	L_{C1161}	R^{D168}	R^{D207}
L_{C838}	R^{D64}	R^{D208}	L_{C946}	R^{D50}	R^{D208}	L_{C1054}	R^{D145}	R^{D208}	L_{C1162}	R^{D168}	R^{D208}
L_{C839}	R^{D64}	R^{D209}	L_{C947}	R^{D50}	R^{D209}	L_{C1055}	R^{D145}	R^{D209}	L_{C1163}	R^{D168}	R^{D209}
L_{C840}	R^{D64}	R^{D210}	L_{C948}	R^{D50}	R^{D210}	L_{C1056}	R^{D145}	R^{D210}	L_{C1164}	R^{D168}	R^{D210}
L_{C841}	R^{D64}	R^{D211}	L_{C949}	R^{D50}	R^{D211}	L_{C1057}	R^{D145}	R^{D211}	L_{C1165}	R^{D168}	R^{D211}
L_{C842}	R^{D64}	R^{D212}	L_{C950}	R^{D50}	R^{D212}	L_{C1058}	R^{D145}	R^{D212}	L_{C1166}	R^{D168}	R^{D212}
L_{C843}	R^{D64}	R^{D213}	L_{C951}	R^{D50}	R^{D213}	L_{C1059}	R^{D145}	R^{D213}	L_{C1167}	R^{D168}	R^{D213}
L_{C844}	R^{D64}	R^{D214}	L_{C952}	R^{D50}	R^{D214}	L_{C1060}	R^{D145}	R^{D214}	L_{C1168}	R^{D168}	R^{D214}
L_{C845}	R^{D64}	R^{D215}	L_{C953}	R^{D50}	R^{D215}	L_{C1061}	R^{D145}	R^{D215}	L_{C1169}	R^{D168}	R^{D215}
L_{C846}	R^{D64}	R^{D216}	L_{C954}	R^{D50}	R^{D216}	L_{C1062}	R^{D145}	R^{D216}	L_{C1170}	R^{D168}	R^{D216}
L_{C847}	R^{D64}	R^{D264}	L_{C955}	R^{D50}	R^{D264}	L_{C1063}	R^{D145}	R^{D264}	L_{C1171}	R^{D168}	R^{D264}
L_{C848}	R^{D64}	R^{D218}	L_{C956}	R^{D50}	R^{D218}	L_{C1064}	R^{D145}	R^{D218}	L_{C1172}	R^{D168}	R^{D218}
L_{C849}	R^{D64}	R^{D219}	L_{C957}	R^{D50}	R^{D219}	L_{C1065}	R^{D145}	R^{D219}	L_{C1173}	R^{D168}	R^{D219}
L_{C850}	R^{D64}	R^{D220}	L_{C958}	R^{D50}	R^{D220}	L_{C1066}	R^{D145}	R^{D220}	L_{C1174}	R^{D168}	R^{D220}
L_{C851}	R^{D64}	R^{D221}	L_{C959}	R^{D50}	R^{D221}	L_{C1067}	R^{D145}	R^{D221}	L_{C1175}	R^{D168}	R^{D221}
L_{C852}	R^{D64}	R^{D222}	L_{C960}	R^{D50}	R^{D222}	L_{C1068}	R^{D145}	R^{D222}	L_{C1176}	R^{D168}	R^{D222}
L_{C853}	R^{D64}	R^{D223}	L_{C961}	R^{D50}	R^{D223}	L_{C1069}	R^{D145}	R^{D223}	L_{C1177}	R^{D168}	R^{D223}
L_{C854}	R^{D64}	R^{D224}	L_{C962}	R^{D50}	R^{D224}	L_{C1070}	R^{D145}	R^{D224}	L_{C1178}	R^{D168}	R^{D224}
L_{C855}	R^{D64}	R^{D225}	L_{C963}	R^{D50}	R^{D225}	L_{C1071}	R^{D145}	R^{D225}	L_{C1179}	R^{D168}	R^{D225}
L_{C856}	R^{D64}	R^{D226}	L_{C964}	R^{D50}	R^{D226}	L_{C1072}	R^{D145}	R^{D226}	L_{C1180}	R^{D168}	R^{D226}
L_{C857}	R^{D64}	R^{D227}	L_{C965}	R^{D50}	R^{D227}	L_{C1073}	R^{D145}	R^{D227}	L_{C1181}	R^{D168}	R^{D227}
L_{C858}	R^{D64}	R^{D228}	L_{C966}	R^{D50}	R^{D228}	L_{C1074}	R^{D145}	R^{D228}	L_{C1182}	R^{D168}	R^{D228}
L_{C859}	R^{D64}	R^{D229}	L_{C967}	R^{D50}	R^{D229}	L_{C1075}	R^{D145}	R^{D229}	L_{C1183}	R^{D168}	R^{D229}
L_{C860}	R^{D64}	R^{D230}	L_{C968}	R^{D50}	R^{D230}	L_{C1076}	R^{D145}	R^{D230}	L_{C1184}	R^{D168}	R^{D230}
L_{C861}	R^{D64}	R^{D231}	L_{C969}	R^{D50}	R^{D231}	L_{C1077}	R^{D145}	R^{D231}	L_{C1185}	R^{D168}	R^{D231}
L_{C862}	R^{D64}	R^{D232}	L_{C970}	R^{D50}	R^{D232}	L_{C1078}	R^{D145}	R^{D232}	L_{C1186}	R^{D168}	R^{D232}
L_{C863}	R^{D64}	R^{D233}	L_{C971}	R^{D50}	R^{D233}	L_{C1079}	R^{D145}	R^{D233}	L_{C1187}	R^{D168}	R^{D233}
L_{C864}	R^{D64}	R^{D234}	L_{C972}	R^{D50}	R^{D234}	L_{C1080}	R^{D145}	R^{D234}	L_{C1188}	R^{D168}	R^{D234}
L_{C865}	R^{D64}	R^{D235}	L_{C973}	R^{D50}	R^{D235}	L_{C1081}	R^{D145}	R^{D235}	L_{C1189}	R^{D168}	R^{D235}
L_{C866}	R^{D64}	R^{D236}	L_{C974}	R^{D50}	R^{D236}	L_{C1082}	R^{D145}	R^{D236}	L_{C1190}	R^{D168}	R^{D236}
L_{C867}	R^{D64}	R^{D237}	L_{C975}	R^{D50}	R^{D237}	L_{C1083}	R^{D145}	R^{D237}	L_{C1191}	R^{D168}	R^{D237}
L_{C868}	R^{D64}	R^{D238}	L_{C976}	R^{D50}	R^{D238}	L_{C1084}	R^{D145}	R^{D238}	L_{C1192}	R^{D168}	R^{D238}
L_{C869}	R^{D64}	R^{D239}	L_{C977}	R^{D50}	R^{D239}	L_{C1085}	R^{D145}	R^{D239}	L_{C1193}	R^{D168}	R^{D239}
L_{C870}	R^{D64}	R^{D240}	L_{C978}	R^{D50}	R^{D240}	L_{C1086}	R^{D145}	R^{D240}	L_{C1194}	R^{D168}	R^{D240}
L_{C871}	R^{D64}	R^{D241}	L_{C979}	R^{D50}	R^{D241}	L_{C1087}	R^{D145}	R^{D241}	L_{C1195}	R^{D168}	R^{D241}
L_{C872}	R^{D64}	R^{D242}	L_{C980}	R^{D50}	R^{D242}	L_{C1088}	R^{D145}	R^{D242}	L_{C1196}	R^{D168}	R^{D242}
L_{C873}	R^{D64}	R^{D243}	L_{C981}	R^{D50}	R^{D243}	L_{C1089}	R^{D145}	R^{D243}	L_{C1197}	R^{D168}	R^{D243}
L_{C874}	R^{D64}	R^{D244}	L_{C982}	R^{D50}	R^{D244}	L_{C1090}	R^{D145}	R^{D244}	L_{C1198}	R^{D168}	R^{D244}
L_{C875}	R^{D64}	R^{D245}	L_{C983}	R^{D50}	R^{D245}	L_{C1091}	R^{D145}	R^{D245}	L_{C1199}	R^{D168}	R^{D245}
L_{C876}	R^{D64}	R^{D246}	L_{C984}	R^{D50}	R^{D246}	L_{C1092}	R^{D145}	R^{D246}	L_{C1200}	R^{D168}	R^{D246}
L_{C1201}	R^{D10}	R^{D193}	L_{C1255}	R^{D55}	R^{D193}	L_{C1309}	R^{D37}	R^{D193}	L_{C1363}	R^{D143}	R^{D193}
L_{C1202}	R^{D10}	R^{D194}	L_{C1256}	R^{D55}	R^{D194}	L_{C1310}	R^{D37}	R^{D194}	L_{C1364}	R^{D143}	R^{D194}
L_{C1203}	R^{D10}	R^{D195}	L_{C1257}	R^{D55}	R^{D195}	L_{C1311}	R^{D37}	R^{D195}	L_{C1365}	R^{D143}	R^{D195}
L_{C1204}	R^{D10}	R^{D196}	L_{C1258}	R^{D55}	R^{D196}	L_{C1312}	R^{D37}	R^{D196}	L_{C1366}	R^{D143}	R^{D196}
L_{C1205}	R^{D10}	R^{D197}	L_{C1259}	R^{D55}	R^{D197}	L_{C1313}	R^{D37}	R^{D197}	L_{C1367}	R^{D143}	R^{D197}
L_{C1206}	R^{D10}	R^{D198}	L_{C1260}	R^{D55}	R^{D198}	L_{C1314}	R^{D37}	R^{D198}	L_{C1368}	R^{D143}	R^{D198}
L_{C1207}	R^{D10}	R^{D199}	L_{C1261}	R^{D55}	R^{D199}	L_{C1315}	R^{D37}	R^{D199}	L_{C1369}	R^{D143}	R^{D199}
L_{C1208}	R^{D10}	R^{D200}	L_{C1262}	R^{D55}	R^{D200}	L_{C1316}	R^{D37}	R^{D200}	L_{C1370}	R^{D143}	R^{D200}
L_{C1209}	R^{D10}	R^{D201}	L_{C1263}	R^{D55}	R^{D201}	L_{C1364}	R^{D37}	R^{D201}	L_{C1371}	R^{D143}	R^{D201}
L_{C1210}	R^{D10}	R^{D202}	L_{C1264}	R^{D55}	R^{D202}	L_{C1318}	R^{D37}	R^{D202}	L_{C1372}	R^{D143}	R^{D202}
L_{C1211}	R^{D10}	R^{D203}	L_{C1265}	R^{D55}	R^{D203}	L_{C1319}	R^{D37}	R^{D203}	L_{C1373}	R^{D143}	R^{D203}
L_{C1212}	R^{D10}	R^{D204}	L_{C1266}	R^{D55}	R^{D204}	L_{C1320}	R^{D37}	R^{D204}	L_{C1374}	R^{D143}	R^{D204}
L_{C1213}	R^{D10}	R^{D205}	L_{C1267}	R^{D55}	R^{D205}	L_{C1321}	R^{D37}	R^{D205}	L_{C1375}	R^{D143}	R^{D205}
L_{C1214}	R^{D10}	R^{D206}	L_{C1268}	R^{D55}	R^{D206}	L_{C1322}	R^{D37}	R^{D206}	L_{C1376}	R^{D143}	R^{D206}
L_{C1215}	R^{D10}	R^{D207}	L_{C1269}	R^{D55}	R^{D207}	L_{C1323}	R^{D37}	R^{D207}	L_{C1377}	R^{D143}	R^{D207}
L_{C1216}	R^{D10}	R^{D208}	L_{C1270}	R^{D55}	R^{D208}	L_{C1324}	R^{D37}	R^{D208}	L_{C1378}	R^{D143}	R^{D208}
L_{C1264}	R^{D10}	R^{D209}	L_{C1271}	R^{D55}	R^{D209}	L_{C1325}	R^{D37}	R^{D209}	L_{C1379}	R^{D143}	R^{D209}
L_{C1218}	R^{D10}	R^{D210}	L_{C1272}	R^{D55}	R^{D210}	L_{C1326}	R^{D37}	R^{D210}	L_{C1380}	R^{D143}	R^{D210} </

-continued














L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}
L_{C1222}	R^{D10}	R^{D214}	L_{C1276}	R^{D55}	R^{D214}	L_{C1330}	R^{D37}	R^{D214}	L_{C1384}	R^{D143}	R^{D214}
L_{C1223}	R^{D10}	R^{D215}	L_{C1277}	R^{D55}	R^{D215}	L_{C1331}	R^{D37}	R^{D215}	L_{C1385}	R^{D143}	R^{D215}
L_{C1224}	R^{D10}	R^{D216}	L_{C1278}	R^{D55}	R^{D216}	L_{C1332}	R^{D37}	R^{D216}	L_{C1386}	R^{D143}	R^{D216}
L_{C1225}	R^{D10}	R^{D264}	L_{C1279}	R^{D55}	R^{D264}	L_{C1333}	R^{D37}	R^{D264}	L_{C1387}	R^{D143}	R^{D264}
L_{C1226}	R^{D10}	R^{D218}	L_{C1280}	R^{D55}	R^{D218}	L_{C1334}	R^{D37}	R^{D218}	L_{C1388}	R^{D143}	R^{D218}
L_{C1227}	R^{D10}	R^{D219}	L_{C1281}	R^{D55}	R^{D219}	L_{C1335}	R^{D37}	R^{D219}	L_{C1389}	R^{D143}	R^{D219}
L_{C1228}	R^{D10}	R^{D220}	L_{C1282}	R^{D55}	R^{D220}	L_{C1336}	R^{D37}	R^{D220}	L_{C1390}	R^{D143}	R^{D220}
L_{C1229}	R^{D10}	R^{D221}	L_{C1283}	R^{D55}	R^{D221}	L_{C1337}	R^{D37}	R^{D221}	L_{C1391}	R^{D143}	R^{D221}
L_{C1230}	R^{D10}	R^{D222}	L_{C1284}	R^{D55}	R^{D222}	L_{C1338}	R^{D37}	R^{D222}	L_{C1392}	R^{D143}	R^{D222}
L_{C1231}	R^{D10}	R^{D223}	L_{C1285}	R^{D55}	R^{D223}	L_{C1339}	R^{D37}	R^{D223}	L_{C1393}	R^{D143}	R^{D223}
L_{C1232}	R^{D10}	R^{D224}	L_{C1286}	R^{D55}	R^{D224}	L_{C1340}	R^{D37}	R^{D224}	L_{C1394}	R^{D143}	R^{D224}
L_{C1233}	R^{D10}	R^{D225}	L_{C1287}	R^{D55}	R^{D225}	L_{C1341}	R^{D37}	R^{D225}	L_{C1395}	R^{D143}	R^{D225}
L_{C1234}	R^{D10}	R^{D226}	L_{C1288}	R^{D55}	R^{D226}	L_{C1342}	R^{D37}	R^{D226}	L_{C1396}	R^{D143}	R^{D226}
L_{C1235}	R^{D10}	R^{D227}	L_{C1289}	R^{D55}	R^{D227}	L_{C1343}	R^{D37}	R^{D227}	L_{C1397}	R^{D143}	R^{D227}
L_{C1236}	R^{D10}	R^{D228}	L_{C1290}	R^{D55}	R^{D228}	L_{C1344}	R^{D37}	R^{D228}	L_{C1398}	R^{D143}	R^{D228}
L_{C1237}	R^{D10}	R^{D229}	L_{C1291}	R^{D55}	R^{D229}	L_{C1345}	R^{D37}	R^{D229}	L_{C1399}	R^{D143}	R^{D229}
L_{C1238}	R^{D10}	R^{D230}	L_{C1292}	R^{D55}	R^{D230}	L_{C1346}	R^{D37}	R^{D230}	L_{C1400}	R^{D143}	R^{D230}
L_{C1239}	R^{D10}	R^{D231}	L_{C1293}	R^{D55}	R^{D231}	L_{C1347}	R^{D37}	R^{D231}	L_{C1401}	R^{D143}	R^{D231}
L_{C1240}	R^{D10}	R^{D232}	L_{C1294}	R^{D55}	R^{D232}	L_{C1348}	R^{D37}	R^{D232}	L_{C1402}	R^{D143}	R^{D232}
L_{C1241}	R^{D10}	R^{D233}	L_{C1295}	R^{D55}	R^{D233}	L_{C1349}	R^{D37}	R^{D233}	L_{C1403}	R^{D143}	R^{D233}
L_{C1242}	R^{D10}	R^{D234}	L_{C1296}	R^{D55}	R^{D234}	L_{C1350}	R^{D37}	R^{D234}	L_{C1404}	R^{D143}	R^{D234}
L_{C1243}	R^{D10}	R^{D235}	L_{C1297}	R^{D55}	R^{D235}	L_{C1351}	R^{D37}	R^{D235}	L_{C1405}	R^{D143}	R^{D235}
L_{C1244}	R^{D10}	R^{D236}	L_{C1298}	R^{D55}	R^{D236}	L_{C1352}	R^{D37}	R^{D236}	L_{C1406}	R^{D143}	R^{D236}
L_{C1245}	R^{D10}	R^{D237}	L_{C1299}	R^{D55}	R^{D237}	L_{C1353}	R^{D37}	R^{D237}	L_{C1407}	R^{D143}	R^{D237}
L_{C1246}	R^{D10}	R^{D238}	L_{C1300}	R^{D55}	R^{D238}	L_{C1354}	R^{D37}	R^{D238}	L_{C1408}	R^{D143}	R^{D238}
L_{C1247}	R^{D10}	R^{D239}	L_{C1301}	R^{D55}	R^{D239}	L_{C1355}	R^{D37}	R^{D239}	L_{C1409}	R^{D143}	R^{D239}
L_{C1248}	R^{D10}	R^{D240}	L_{C1302}	R^{D55}	R^{D240}	L_{C1356}	R^{D37}	R^{D240}	L_{C1410}	R^{D143}	R^{D240}
L_{C1249}	R^{D10}	R^{D241}	L_{C1303}	R^{D55}	R^{D241}	L_{C1357}	R^{D37}	R^{D241}	L_{C1411}	R^{D143}	R^{D241}
L_{C1250}	R^{D10}	R^{D242}	L_{C1304}	R^{D55}	R^{D242}	L_{C1358}	R^{D37}	R^{D242}	L_{C1412}	R^{D143}	R^{D242}
L_{C1251}	R^{D10}	R^{D243}	L_{C1305}	R^{D55}	R^{D243}	L_{C1359}	R^{D37}	R^{D243}	L_{C1413}	R^{D143}	R^{D243}
L_{C1252}	R^{D10}	R^{D244}	L_{C1306}	R^{D55}	R^{D244}	L_{C1360}	R^{D37}	R^{D244}	L_{C1414}	R^{D143}	R^{D244}
L_{C1253}	R^{D10}	R^{D245}	L_{C1307}	R^{D55}	R^{D245}	L_{C1361}	R^{D37}	R^{D245}	L_{C1415}	R^{D143}	R^{D245}
L_{C1254}	R^{D10}	R^{D246}	L_{C1308}	R^{D55}	R^{D246}	L_{C1362}	R^{D37}	R^{D246}	L_{C1416}	R^{D143}	R^{D246}

wherein R^{D1} to R^{D246} are defined in the following List 6:












-continued

	R^{D1}		R^{D10}
	R^{D2}		
	R^{D3}		R^{D11}
	R^{D4}		R^{D12}
	R^{D5}		R^{D13}
	R^{D6}		
	R^{D7}		R^{D14}
	R^{D8}		R^{D15}
	R^{D9}		R^{D16}














-continued

R^{D17}R^{D18}R^{D19}R^{D20}R^{D21}R^{D22}R^{D23}R^{D24}R^{D25}R^{D26}R^{D27}R^{D28}R^{D29}












-continued

R^{D30}R^{D31}R^{D32}R^{D33}R^{D34}R^{D35}R^{D36}R^{D37}R^{D38}R^{D39}R^{D40}R^{D41}R^{D42}R^{D43}


-continued




-continued

 R^{D44} R^{D45} R^{D46} R^{D47} R^{D48} R^{D49} R^{D50} R^{D51} R^{D52} R^{D53} R^{D54} R^{D55} R^{D56} R^{D57} R^{D58} R^{D59} R^{D60} R^{D61} R^{D62} R^{D63} R^{D64} R^{D65} R^{D66} R^{D67}


-continued

R^{D68}R^{D69}R^{D70}R^{D71}R^{D72}R^{D73}R^{D74}R^{D75}R^{D76}R^{D77}R^{D78}R^{D79}R^{D80}


-continued

R^{D81}R^{D82}R^{D83}R^{D84}R^{D85}R^{D86}R^{D87}R^{D88}R^{D89}R^{D90}R^{D91}R^{D92}


-continued

 R^{D93} R^{D94} R^{D95} R^{D96} R^{D97} R^{D98} R^{D99} R^{D100} R^{D101} R^{D102} R^{D103}


-continued

 R^{D104} R^{D105} R^{D106} R^{D107} R^{D108} R^{D109} R^{D110} R^{D111} R^{D112} R^{D113}


-continued

 R^{D114} R^{D115} R^{D116} R^{D117} R^{D118} R^{D119} R^{D120} R^{D121} R^{D122} R^{D123}


-continued

 R^{D124} R^{D125} R^{D126} R^{D127} R^{D128} R^{D129} R^{D130} R^{D131} R^{D132}


-continued




-continued




-continued




-continued




-continued




-continued













-continued

 R^{D206} R^{D207} R^{D208} R^{D209} R^{D210} R^{D211} R^{D212} R^{D213} R^{D214}









-continued

 R^{D215} R^{D216} R^{D217} R^{D218} R^{D219} R^{D220} R^{D221} R^{D222} R^{D223} R^{D224} R^{D225}




-continued



-continued

R^{D226}R^{D227}R^{D228}R^{D229}R^{D230}R^{D231}R^{D232}R^{D233}R^{D234}R^{D235}R^{D236}R^{D237}R^{D238}R^{D239}R^{D240}R^{D241}R^{D242}R^{D243}

-continued

 R^{D244}  R^{D245}  R^{D246}


[0178] In some embodiments, the compound has a formula of $\text{Ir}(\text{L}_{Ax}-(i)(l)(m)(n)(o))(\text{L}_{Bk})_2$ or $\text{Ir}(\text{L}_{Ax}-(i)(l)(m)(n)(o))_2(\text{L}_{Bk})$, and the compound has a L_{Bk} ligand selected from the group consisting of the following structures: L_{B1} , L_{B2} , L_{B18} , L_{B28} , L_{B38} , L_{B108} , L_{B118} , L_{B122} , L_{B124} , L_{B126} , L_{B128} , L_{B130} , L_{B132} , L_{B134} , L_{B136} , L_{B138} , L_{B140} , L_{B142} , L_{B144} , L_{B156} , L_{B158} , L_{B160} , L_{B162} , L_{B204} , L_{B206} , L_{B214} , L_{B216} , L_{B218} , L_{B220} , L_{B222} , L_{B231} , L_{B233} , L_{B235} , L_{B237} , L_{B240} , L_{B242} , L_{B244} , L_{B246} , L_{B248} , L_{B250} , L_{B252} , L_{B254} , L_{B256} , L_{B258} , L_{B260} , L_{B262} , L_{B263} , and L_{B264} .

[0179] In some embodiments, the compound has a formula of $\text{Ir}(\text{L}_{Ax}-(i)(l)(m)(n)(o))(\text{L}_{Bk})_2$ or $\text{Ir}(\text{L}_{Ax}-(i)(l)(m)(n)(o))_2(\text{L}_{Bk})$, and the compound has a L_{Bk} ligand selected from the group consisting of the following structures: L_{B1} , L_{B2} , L_{B18} , L_{B28} , L_{B38} , L_{B108} , L_{B118} , L_{B122} , L_{B124} , L_{B126} , L_{B128} , L_{B132} , L_{B136} , L_{B138} , L_{B142} , L_{B156} , L_{B162} , L_{B204} , L_{B206} , L_{B214} , L_{B216} , L_{B218} , L_{B220} , L_{B231} , L_{B233} , and L_{B237} .









[0180] In some embodiments, the compound has a formula of $\text{Ir}(\text{L}_{Ax}-(i)(l)(m)(n)(o))_2(\text{L}_{Cj-I})$ or $\text{Ir}(\text{L}_{Ax}-(i)(l)(m)(n)(o))_2(\text{L}_{Cj-II})$, and the compound has a L_{Cj-I} or L_{Cj-II} ligand whose $\text{R}^{1'}$ and $\text{R}^{2'}$ are independently selected from the group consisting of the following structures: R^{D1} , R^{D3} , R^{D4} , R^{D5} , R^{D9} , R^{D10} , R^{D64} , R^{D18} , R^{D20} , R^{D22} , R^{D37} , R^{D40} , R^{D41} , R^{D42} , R^{D43} , R^{D48} , R^{D49} , R^{D50} , R^{D54} , R^{D55} , R^{D58} , R^{D59} , R^{D78} , R^{D79} , R^{D81} , R^{D87} , R^{D88} , R^{D89} , R^{D93} , R^{D116} , R^{D164} , R^{D118} , R^{D119} , R^{D120} , R^{D133} , R^{D134} , R^{D135} , R^{D136} , R^{D143} , R^{D144} , R^{D145} , R^{D146} , R^{D147} , R^{D149} , R^{D151} , R^{D154} , R^{D155} , R^{D161} , R^{D645} , and R^{D190} .

[0181] In some embodiments, the compound has a formula of $\text{Ir}(\text{L}_{Ax}-(i)(l)(m)(n)(o))_2(\text{L}_{Cj-I})$ or $\text{Ir}(\text{L}_{Ax}-(i)(l)(m)(n)(o))_2(\text{L}_{Cj-II})$, and the compound has a L_{Cj-I} or L_{Cj-II} ligand whose $\text{R}^{1'}$ and $\text{R}^{2'}$ are independently selected from the group consisting of the following structures: R^{D1} , R^{D3} , R^{D4} , R^{D5} , R^{D9} , R^{D64} , R^{D22} , R^{D43} , R^{D50} , R^{D78} , R^{D116} , R^{D118} , R^{D133} , R^{D134} , R^{D135} , R^{D136} , R^{D143} , R^{D144} , R^{D145} , R^{D146} , R^{D149} , R^{D151} , R^{D154} , R^{D155} , and R^{D190} .










[0182] In some embodiments, the compound has a formula of $\text{Ir}(\text{L}_{Ax}-(i)(l)(m)(n)(o))_2(\text{L}_{Cj-I})$, wherein the compound has a L_{Cj-I} ligand selected from the group consisting of the following structures:

 L_{C1-I}









-continued

 L_{C4-I}  L_{C9-I}  L_{C10-I}  L_{C17-I}  L_{C55-I}  L_{C116-I}  L_{C50-I}  L_{C190-I}

-continued




-continued


$$L_{C144-I}$$
 L_{C145-I}
$$L_{C143-I}$$
 L_{C232-I} L_{C279-I} L_{C325-I}L_{C414-I}


LC457-I

 L_{C230-I} L_{C277-I} L_{C412-I} L_{C231-I} L_{C278-I}
$$L_{C413-I}$$
 L_{C985-I} $L_{C1093-I}$ L_{C823-I}


-continued

L_{C1039-I}L_{C1147-I}L_{C1012-I}L_{C1120-I}L_{C850-I}L_{C1066-I}L_{C1174-I}L_{C769-I}L_{C1201-I}


-continued

L_{C796-I}L_{C1228-I}L_{C803-I}L_{C776-I}









[0183] In some embodiments, the compound is selected from the group consisting of:









-continued









-continued








-continued



-continued



-continued







wherein:

[0199] each $R^{A'}$, $R^{B'}$, $R^{C'}$, $R^{D'}$, $R^{E'}$, $R^{F'}$, and $R^{G'}$ is independently hydrogen or a substituent selected from the group consisting of the General Substituents defined herein;

[0200] any two substituents of $R^{A'}$, $R^{B'}$, $R^{C'}$, $R^{D'}$, $R^{E'}$, $R^{F'}$, and $R^{G'}$ are optionally joined or fused into a ring; and

[0201] at least one of $R^{A'}$, $R^{B'}$, $R^{C'}$, $R^{D'}$, $R^{E'}$, $R^{F'}$, $R^{G'}$, or a combination thereof with or without the remaining portions of Formula II comprises a structure of Formula I.


[0202] In some embodiments of Formula II, the compound has a structure with a metal-carbene bond selected from the group consisting of:




[0203] In some embodiments, at least one of $R^{A'}$, $R^{B'}$, $R^{C'}$, $R^{D'}$, $R^{E'}$, $R^{F'}$, $R^{G'}$ comprises at least three 6-membered aromatic rings that are not fused to each other. In some embodiments, at least one of $R^{A'}$, $R^{B'}$, $R^{C'}$, $R^{D'}$, $R^{E'}$, $R^{F'}$, $R^{G'}$ comprises at least four 6-membered aromatic rings that are not fused to each other. In some embodiments, at least one of $R^{A'}$, $R^{B'}$, $R^{C'}$, $R^{D'}$, $R^{E'}$, $R^{F'}$, $R^{G'}$ comprises at least five 6-membered aromatic rings that are not fused to each other. In some embodiments, at least one of $R^{A'}$, $R^{B'}$, $R^{C'}$, $R^{D'}$, $R^{E'}$, $R^{F'}$, $R^{G'}$ comprises at least six 6-membered aromatic rings that are not fused to each other.

[0204] In some embodiments, $R^{A'}$ comprises at least three 6-membered aromatic rings that are not fused to each other. In some embodiments, $R^{A'}$ comprises at least four 6-membered aromatic rings that are not fused to each other. In some embodiments, $R^{A'}$ comprises at least five 6-membered aromatic rings that are not fused to each other. In some embodiments, $R^{A'}$ comprises at least six 6-membered aromatic rings that are not fused to each other.

[0205] In some embodiments, the compound has the formula $Pt(L_{A'})_2(L_B)$, where the ligand $L_{A'}$ is



wherein L_4 is connected to ring A^1 of ligand L_B , and ligand L_B is



In such embodiments, the ligand $L_{A'}$ is selected from the group consisting of the structures defined in List 7 below:

Ligand #	Structure of $L_{A'}$	$R^{A1}-R^{A6}$
$L_{A'}65-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}65-(1)(1)(1)(1)(1)$ to $L_{A'}65-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'}66-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}66-(1)(1)(1)(1)(1)$ to $L_{A'}66-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,

-continued

Ligand #	Structure of $L_{A'}$	$R^{A1}-R^{A6}$
$L_{A'67-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'67-(1)(1)(1)(1)(1)}$ to $L_{A'67-(307)(307)(307)(307)(307)}$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'68-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'68-(1)(1)(1)(1)(1)}$ to $L_{A'68-(307)(307)(307)(307)(307)}$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'69-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'69-(1)(1)(1)(1)(1)}$ to $L_{A'69-(307)(307)(307)(307)(307)}$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'70-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'70-(1)(1)(1)(1)(1)}$ to $L_{A'70-(307)(307)(307)(307)(307)}$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,

-continued

Ligand #	Structure of L_A	R^{A1} — R^{A6}
L_{A71}-(i)(j)(k)(l)(m), wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein L_{A71}-(1)(1)(1)(1)(1) to L_{A71}-(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rj, R^{A3} = Rk, R^{A4} = Rl, and R^{A5} = Rm,
L_{A72}-(i)(j)(k)(l)(m), wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein L_{A72}-(1)(1)(1)(1)(1) to L_{A72}-(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rj, R^{A3} = Rk, R^{A4} = Rl, and R^{A5} = Rm,
L_{A73}-(i)(j)(k)(l)(m), wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein L_{A73}-(1)(1)(1)(1)(1) to L_{A73}-(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rj, R^{A3} = Rk, R^{A4} = Rl, and R^{A5} = Rm,
L_{A74}-(i)(j)(k)(l)(m), wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein L_{A74}-(1)(1)(1)(1)(1) to L_{A74}-(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rj, R^{A3} = Rk, R^{A4} = Rl, and R^{A5} = Rm,

-continued

Ligand #	Structure of L_A	$R^{A1}-R^{A6}$
$L_{A75-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A75-(1)(1)(1)(1)(1)}$ to $L_{A75-(307)(307)(307)(307)(307)}$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A76-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A76-(1)(1)(1)(1)(1)}$ to $L_{A76-(307)(307)(307)(307)(307)}$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A77-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A77-(1)(1)(1)(1)(1)}$ to $L_{A77-(307)(307)(307)(307)(307)}$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,

-continued

Ligand #	Structure of $L_{A'}$	$R^{A1}-R^{A6}$
$L_{A'}78-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}78-(1)(1)(1)(1)(1)$ to $L_{A'}78-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'}79-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}79-(1)(1)(1)(1)(1)$ to $L_{A'}79-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'}80-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}80-(1)(1)(1)(1)(1)$ to $L_{A'}80-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,

-continued

Ligand #	Structure of $L_{A'}$	$R^{A1}—R^{A6}$
$L_{A'}81-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}81-(1)(1)(1)(1)(1)$ to $L_{A'}81-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'}82-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}82-(1)(1)(1)(1)(1)$ to $L_{A'}82-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,

-continued


Ligand #	Structure of L_A	R^{A1} — R^{A6}
L_A83 -(i)(j)(k)(l)(m), wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein L_A83 -(1)(1)(1)(1)(1) to L_A83 -(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rj, R^{A3} = Rk, R^{A4} = Rl, and R^{A5} = Rm,
L_A84 -(i)(j)(k)(l)(m), wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein L_A84 -(1)(1)(1)(1)(1) to L_A84 -(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rj, R^{A3} = Rk, R^{A4} = Rl, and R^{A5} = Rm,
L_A85 -(i)(j)(k)(l)(m), wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein L_A85 -(1)(1)(1)(1)(1) to L_A85 -(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rj, R^{A3} = Rk, R^{A4} = Rl, and R^{A5} = Rm,

-continued

Ligand #


Structure of $L_{A'}$ $R^{A1}-R^{A6}$

$L_{A'86}$ -(i)(j)(k)(l)(m), wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'86}$ -(1)(1)(1)(1)(1) to $L_{A'86}$ -(307)(307)(307)(307)(307) have the structure




wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,

$L_{A'87}$ -(i)(j)(k)(l)(m), wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'87}$ -(1)(1)(1)(1)(1) to $L_{A'87}$ -(307)(307)(307)(307)(307) have the structure



wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,

$L_{A'88}$ -(i)(j)(k)(l)(m), wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'88}$ -(1)(1)(1)(1)(1) to $L_{A'88}$ -(307)(307)(307)(307)(307) have the structure



wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,

-continued

Ligand #	Structure of $L_{A'}$	$R^{A1}-R^{A6}$
$L_{A'}89-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}89-(1)(1)(1)(1)(1)$ to $L_{A'}89-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'}90-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}90-(1)(1)(1)(1)(1)$ to $L_{A'}90-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'}91-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}91-(1)(1)(1)(1)(1)$ to $L_{A'}91-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,

-continued

Ligand #	Structure of L_A	$R^{A1}-R^{A6}$
$L_{A92-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A92-(1)(1)(1)(1)(1)}$ to $L_{A92-(307)(307)(307)(307)(307)}$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A93-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A93-(1)(1)(1)(1)(1)}$ to $L_{A93-(307)(307)(307)(307)(307)}$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A94-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A94-(1)(1)(1)(1)(1)}$ to $L_{A94-(307)(307)(307)(307)(307)}$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,

-continued

Ligand #	Structure of $L_{A'}$	$R^{A1}-R^{A6}$
$L_{A'95-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'95-(1)(1)(1)(1)(1)}$ to $L_{A'95-(307)(307)(307)(307)(307)}$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'96-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'96-(1)(1)(1)(1)(1)}$ to $L_{A'96-(307)(307)(307)(307)(307)}$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'97-(i)(j)(k)}$, wherein i, j, and k are each independently an integer from 1 to 307, wherein $L_{A'97-(1)(1)(1)}$ to $L_{A'97-(307)(307)(307)}$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, and $R^{A3} = Rk$,
$L_{A'98-(i)(j)(k)(l)}$, wherein i, j, k, and l are each independently an integer from 1 to 307, wherein $L_{A'98-(1)(1)(1)(1)}$ to $L_{A'98-(307)(307)(307)(307)}$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, and $R^{A4} = Rl$,

-continued

Ligand #	Structure of L_A	R^{A1} — R^{A6}
L_{A99}-(i)(j)(k)(l), wherein i, j, k, and l are each independently an integer from 1 to 307, wherein L_{A99}-(1)(1)(1)(1) to L_{A99}-(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rj, R^{A3} = Rk, and R^{A4} = Rl,
L_{A100}-(i)(j)(k)(l)(m), wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein L_{A100}-(1)(1)(1)(1)(1) to L_{A100}-(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rj, R^{A3} = Rk, R^{A4} = Rl, and R^{A5} = Rm,
L_{A101}-(i), wherein i is an integer from 1 to 307, wherein L_{A101}-(1) to L_{A101}-(307) have the structure		wherein R^{A1} = Ri,
L_{A102}-(i)(j), wherein i and j are each independently an integer from 1 to 307, wherein L_{A102}-(1)(1) to L_{A102}-(307)(307) have the structure		wherein R^{A1} = Ri and R^{A2} = Rj,

-continued

Ligand #	Structure of L_A	$R^{A1}-R^{A6}$
$L_{A103-(i)(j)}$, wherein i and j are each independently an integer from 1 to 307, wherein $L_{A103-(1)(1)}$ to $L_{A103-(307)(307)}$ have the structure		wherein $R^{A1} = R_i$ and $R^{A2} = R_j$,
$L_{A104-(i)(j)}$, wherein i and j are each independently an integer from 1 to 307, wherein $L_{A104-(1)(1)}$ to $L_{A104-(307)(307)}$ have the structure		wherein $R^{A1} = R_i$ and $R^{A2} = R_j$,
$L_{A105-(i)(j)(k)}$, wherein i, j, and k are each independently an integer from 1 to 307, wherein $L_{A105-(1)(1)(1)}$ to $L_{A105-(307)(307)(307)}$ have the structure		wherein $R^{A1} = R_i$, $R^{A2} = R_j$, and $R^{A3} = R_k$,
$L_{A106-(i)(j)(k)}$, wherein i, j, and k are each independently an integer from 1 to 307, wherein $L_{A106-(1)(1)(1)}$ to $L_{A106-(307)(307)(307)}$ have the structure		wherein $R^{A1} = R_i$, $R^{A2} = R_j$, and $R^{A3} = R_k$,

-continued

Ligand #	Structure of $L_{A'}$	$R^{A1}-R^{A6}$
$L_{A'}107-(i)(j)(k)$, wherein i, j , and k are each independently an integer from 1 to 307, wherein $L_{A'}107-(1)(1)(1)$ to $L_{A'}107-(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, and $R^{A3} = Rk$,
$L_{A'}108-(i)(j)(k)(l)$, wherein i, j, k , and l are each independently an integer from 1 to 307, wherein $L_{A'}108-(1)(1)(1)(1)$ to $L_{A'}108-(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, and $R^{A4} = Rl$,
$L_{A'}109-(i)(j)(k)(l)$, wherein i, j, k , and l are each independently an integer from 1 to 307, wherein $L_{A'}109-(1)(1)(1)(1)$ to $L_{A'}109-(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, and $R^{A4} = Rl$,
$L_{A'}110-(i)(j)(k)(l)(m)$, wherein i, j, k, l , and m are each independently an integer from 1 to 307, wherein $L_{A'}110-(1)(1)(1)(1)(1)$ to $L_{A'}110-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,

-continued

Ligand #	Structure of $L_{A'}$	$R^{A1}-R^{A6}$
$L_{A'}111-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}111-(1)(1)(1)(1)(1)$ to $L_{A'}111-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'}112-(i)(j)(k)(l)(m)(n)$, wherein i, j, k, l, m, and n are each independently an integer from 1 to 307, wherein $L_{A'}112-(1)(1)(1)(1)(1)(1)$ to $L_{A'}112-(307)(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, $R^{A5} = Rm$, and $R^{A6} = Rn$,
$L_{A'}113-(i)(j)$, wherein i and j are each independently an integer from 1 to 307, wherein $L_{A'}113-(1)(1)$ to $L_{A'}113-(307)(307)$ have the structure		wherein $R^{A1} = Ri$ and $R^{A2} = Rj$,
$L_{A'}114-(i)(j)(k)$, wherein i, j, and k are each independently from an integer 1 to 307, wherein $L_{A'}114-(1)(1)(1)$ to $L_{A'}114-(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, and $R^{A3} = Rk$,

-continued

Ligand #	Structure of $L_{A'}$	$R^{A1}-R^{A6}$
$L_{A'}115-(i)(j)(k)$, wherein i, j, and k are each independently an integer from 1 to 307, wherein $L_{A'}115-(1)(1)(1)$ to $L_{A'}115-(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, and $R^{A3} = Rk$,
$L_{A'}116-(i)(j)(k)$, wherein i, j, and k are each independently an integer from 1 to 307, wherein $L_{A'}116-(1)(1)(1)$ to $L_{A'}116-(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, and $R^{A3} = Rk$,
$L_{A'}117-(i)(j)(k)(l)$, wherein i, j, k, and l are each independently an integer from 1 to 307, wherein $L_{A'}117-(1)(1)(1)(1)$ to $L_{A'}117-(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, and $R^{A4} = Rl$,
$L_{A'}118-(i)(j)(k)(l)$, wherein i, j, k, and l are each independently an integer from 1 to 307, wherein $L_{A'}118-(1)(1)(1)(1)$ to $L_{A'}118-(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, and $R^{A4} = Rl$,

-continued

Ligand #	Structure of L_A	R^{A1} — R^{A6}
L_{A119} -(i)(j)(k)(l), wherein i, j, k, and l are each independently an integer from 1 to 307, wherein L_{A119} -(1)(1)(1)(1) to L_{A119} -(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rj, R^{A3} = Rk, and R^{A4} = Rl,
L_{A120} -(i)(j)(k)(l)(m), wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein L_{A120} -(1)(1)(1)(1)(1) to L_{A120} -(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rj, R^{A3} = Rk, R^{A4} = Rl, and R^{A5} = Rm,
L_{A121} -(i)(j)(k)(l)(m), wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein L_{A121} -(1)(1)(1)(1)(1) to L_{A121} -(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rj, R^{A3} = Rk, R^{A4} = Rl, and R^{A5} = Rm,

-continued

Ligand #	Structure of L_A	$R^{A1}-R^{A6}$
$L_{A122-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A122-(1)(1)(1)(1)(1)}$ to $L_{A122-(307)(307)(307)(307)(307)}$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A123-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A123-(1)(1)(1)(1)(1)}$ to $L_{A123-(307)(307)(307)(307)(307)}$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A124-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A124-(1)(1)(1)(1)(1)}$ to $L_{A124-(307)(307)(307)(307)(307)}$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$

-continued

Ligand #	Structure of $L_{A'}$	$R^{A1}-R^{A6}$
$L_{A'}125-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}125-(1)(1)(1)(1)(1)$ to $L_{A'}125-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'}126-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}126-(1)(1)(1)(1)(1)$ to $L_{A'}126-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'}127-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}127-(1)(1)(1)(1)(1)$ to $L_{A'}127-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,

-continued

Ligand #	Structure of L_A	R^{A1} — R^{A6}
L_{A128} -(i)(j)(k)(l)(m), wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein L_{A128} -(1)(1)(1)(1)(1) to L_{A128} -(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rj, R^{A3} = Rk, R^{A4} = Rl, and R^{A5} = Rm,
L_{A129} -(i)(j)(k)(l)(m), wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein L_{A129} -(1)(1)(1)(1)(1) to L_{A129} -(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rj, R^{A3} = Rk, R^{A4} = Rl, and R^{A5} = Rm,
L_{A130} -(i)(j)(k)(l)(m), wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein L_{A130} -(1)(1)(1)(1)(1) to L_{A130} -(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rj, R^{A3} = Rk, R^{A4} = Rl, and R^{A5} = Rm,

-continued

Ligand #	Structure of L_A	$R^{A1}-R^{A6}$
$L_{A131-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A131-(1)(1)(1)(1)(1)}$ to $L_{A131-(307)(307)(307)(307)(307)}$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A132-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A132-(1)(1)(1)(1)(1)}$ to $L_{A132-(307)(307)(307)(307)(307)}$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A133-(i)(j)(k)(l)(m)}$, wherein j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A133-(1)(1)(1)(1)(1)}$ to $L_{A133-(307)(307)(307)(307)(307)}$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,

-continued

Ligand #	Structure of $L_{A'}$	$R^{A1}-R^{A6}$
$L_{A'}134(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}134-(1)(1)(1)(1)(1)$ to $L_{A'}134-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'}135-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}135-(1)(1)(1)(1)(1)$ to $L_{A'}135-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'}136-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}136-(1)(1)(1)(1)(1)$ to $L_{A'}136-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,

-continued

Ligand #	Structure of $L_{A'}$	$R^{A1}-R^{A6}$
$L_{A'}137-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}137-(1)(1)(1)(1)(1)$ to $L_{A'}137-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'}138-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}138-(1)(1)(1)(1)(1)$ to $L_{A'}138-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'}139-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}139-(1)(1)(1)(1)(1)$ to $L_{A'}139-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,

-continued

Ligand #	Structure of $L_{A'}$	$R^{A1}-R^{A6}$
$L_{A'}140-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}140-(1)(1)(1)(1)(1)$ to $L_{A'}140-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'}141-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}141-(1)(1)(1)(1)(1)$ to $L_{A'}141-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'}142-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}142-(1)(1)(1)(1)(1)$ to $L_{A'}142-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,


-continued

Ligand #	Structure of $L_{A'}$	$R^{A1}-R^{A6}$
$L_{A'}143-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}143-(1)(1)(1)(1)(1)$ to $L_{A'}143-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'}144-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}144-(1)(1)(1)(1)(1)$ to $L_{A'}144-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'}145-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}145-(1)(1)(1)(1)(1)$ to $L_{A'}145-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,


-continued

Ligand #	Structure of L_A	$R^{A1}-R^{A6}$
$L_{A146-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A146-(1)(1)(1)(1)(1)}$ to $L_{A146-(307)(307)(307)(307)(307)}$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A147-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A147-(1)(1)(1)(1)(1)}$ to $L_{A147-(307)(307)(307)(307)(307)}$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A148-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A148-(1)(1)(1)(1)(1)}$ to $L_{A148-(307)(307)(307)(307)(307)}$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,

-continued


Ligand #	Structure of $L_{A'}$	R^{A1} — R^{A6}
$L_{A'}149\text{-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}149\text{-(1)(1)(1)(1)(1)}$ to $L_{A'}149\text{-(307)(307)(307)(307)(307)}$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,

$L_{A'}150\text{-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}150\text{-(1)(1)(1)(1)(1)}$ to $L_{A'}150\text{-(307)(307)(307)(307)(307)}$ have the structure



wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,

$L_{A'}151\text{-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}151\text{-(1)(1)(1)(1)(1)}$ to $L_{A'}151\text{-(307)(307)(307)(307)(307)}$ have the structure






wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,

-continued

Ligand #	Structure of L_A	R^{A1} — R^{A6}
L_{A152} -(i)(j)(k)(l)(m), wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein L_{A152} -(1)(1)(1)(1)(1) to L_{A152} -(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rj, R^{A3} = Rk, R^{A4} = Rl, and R^{A5} = Rm,
L_{A153} -(i)(j)(k)(l)(m), wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein L_{A153} -(1)(1)(1)(1)(1) to L_{A153} -(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rj, R^{A3} = Rk, R^{A4} = Rl, and R^{A5} = Rm,
L_{A154} -(i)(j)(k)(l)(m), wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein L_{A154} -(1)(1)(1)(1)(1) to L_{A154} -(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rj, R^{A3} = Rk, R^{A4} = Rl, and R^{A5} = Rm,
L_{A155} -(i)(j)(k)(l)(m), wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein L_{A155} -(1)(1)(1)(1)(1) to L_{A155} -(307)(307)(307)(307)(307) have the structure		wherein R^{A1} = Ri, R^{A2} = Rj, R^{A3} = Rk, R^{A4} = Rl, and R^{A5} = Rm,

-continued

Ligand #	Structure of L_A	$R^{A1}-R^{A6}$
$L_{A156-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A156-(1)(1)(1)(1)(1)}$ to $L_{A156-(307)(307)(307)(307)(307)}$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A157-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A157-(1)(1)(1)(1)(1)}$ to $L_{A157-(307)(307)(307)(307)(307)}$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A158-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A158-(1)(1)(1)(1)(1)}$ to $L_{A158-(307)(307)(307)(307)(307)}$ have the structure		wherein $R^{A1} = Ri$, $R = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,

-continued


Ligand #	Structure of $L_{A'}$	$R^{A1}-R^{A6}$
$L_{A'}159-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}159-(1)(1)(1)(1)(1)$ to $L_{A'}159-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'}160-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}160-(1)(1)(1)(1)(1)$ to $L_{A'}160-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'}161-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}161-(1)(1)(1)(1)(1)$ to $L_{A'}161-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,

Ligand #	Structure of $L_{A'}$	$R^{A1}-R^{A6}$
$L_{A'}162-(i)(j)(k)(l)(m)$, wherein i, j, k, l , and m are each independently an integer from 1 to 307, wherein $L_{A'}162-(1)(1)(1)(1)(1)$ to $L_{A'}162-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'}163-(i)(j)(k)(l)(m)$, wherein i, j, k, l , and m are each independently an integer from 1 to 307, wherein $L_{A'}163-(1)(1)(1)(1)(1)$ to $L_{A'}163-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'}164-(i)(j)(k)(l)(m)$, wherein i, j, k, l , and m are each independently an integer from 1 to 307, wherein $L_{A'}164-(1)(1)(1)(1)(1)$ to $L_{A'}164-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,


-continued

Ligand #	Structure of L_A	$R^{A1}-R^{A6}$
$L_{A165-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A165-(1)(1)(1)(1)(1)}$ to $L_{A165-(307)(307)(307)(307)(307)}$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A166-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A166-(1)(1)(1)(1)(1)}$ to $L_{A166-(307)(307)(307)(307)(307)}$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A167-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A167-(1)(1)(1)(1)(1)}$ to $L_{A167-(307)(307)(307)(307)(307)}$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,

-continued



$L_{A'}169-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}169-(1)(1)(1)(1)(1)$ to $L_{A'}169-(307)(307)(307)(307)(307)$ have the structure



-continued





Ligand #	Structure of $L_{A'}$	$R^{A1}-R^{A6}$
$L_{A'}170-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}170-(1)(1)(1)(1)(1)$ to $L_{A'}170-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'}171-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}171-(1)(1)(1)(1)(1)$ to $L_{A'}171-(307)(307)(307)(307)(307)$ have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,

Ligand #	Structure of L _{A'}	R ^{A1} —R ^{A6}
L _{A'} 172-(i)(j)(k)(l)(m), wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein L _{A'} 172-(1)(1)(1)(1)(1) to L _{A'} 172-(307)(307)(307)(307)(307) have the structure		wherein R ^{A1} = Ri, R ^{A2} = Rj, R ^{A3} = Rk, R ^{A4} = Rl, and R ^{A5} = Rm,
L _{A'} 173-(i)(j)(k)(l)(m), wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein L _{A'} 173-(1)(1)(1)(1)(1) to L _{A'} 173-(307)(307)(307)(307)(307) have the structure		wherein R ^{A1} = Ri, R ^{A2} = Rj, R ^{A3} = Rk, R ^{A4} = Rl, and R ^{A5} = Rm,
L _{A'} 174-(i)(j)(k)(l)(m), wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein L _{A'} 174-(1)(1)(1)(1)(1) to L _{A'} 174-(307)(307)(307)(307)(307), have the structure		wherein R ^{A1} = Ri, R ^{A2} = Rj, R ^{A3} = Rk, R ^{A4} = Rl, and R ^{A5} = Rm,

-continued

Ligand #	Structure of $L_{A'}$	$R^{A1}-R^{A6}$
$L_{A'}175-(i)(j)(k)(l)(m)$, wherein i, j, k, l , and m are each independently an integer from 1 to 307, wherein $L_{A'}175-(1)(1)(1)(1)(1)$ to $L_{A'}175-(307)(307)(307)(307)(307)$, have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'}176-(i)(j)(k)(l)(m)$, wherein i, j, k, l , and m are each independently an integer from 1 to 307, wherein $L_{A'}176-(1)(1)(1)(1)(1)$ to $L_{A'}176-(307)(307)(307)(307)(307)$, have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'}177-(i)(j)(k)(l)(m)$, wherein i, j, k, l , and m are each independently an integer from 1 to 307, wherein $L_{A'}177-(1)(1)(1)(1)(1)$ to $L_{A'}177-(307)(307)(307)(307)(307)$, have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'}178-(i)(j)(k)(l)$, wherein i, j, k , and l are each independently an integer from 1 to 307, wherein $L_{A'}178-(1)(1)(1)(1)$ to $L_{A'}178-(307)(307)(307)(307)$, have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, and $R^{A4} = Rl$,




-continued

Ligand #	Structure of $L_{A'}$	$R^{A1}-R^{A6}$
$L_{A'}179-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}179-(1)(1)(1)(1)(1)$ to $L_{A'}179-(307)(307)(307)(307)(307)$, have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'}180-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}180-(1)(1)(1)(1)(1)$ to $L_{A'}180-(307)(307)(307)(307)(307)$, have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'}181-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}181-(1)(1)(1)(1)(1)$ to $L_{A'}181-(307)(307)(307)(307)(307)$, have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'}182-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}182-(1)(1)(1)(1)(1)$ to $L_{A'}182-(307)(307)(307)(307)(307)$, have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,

-continued

Ligand #	Structure of L_A	$R^{A1}-R^{A6}$
$L_{A183-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A183-(1)(1)(1)(1)(1)}$ to $L_{A183-(307)(307)(307)(307)(307)}$, have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A184-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A184-(1)(1)(1)(1)(1)}$ to $L_{A184-(307)(307)(307)(307)(307)}$, have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A185-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A185-(1)(1)(1)(1)(1)}$ to $L_{A185-(307)(307)(307)(307)(307)}$, have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A186-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A186-(1)(1)(1)(1)(1)}$ to $L_{A186-(307)(307)(307)(307)(307)}$, have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,





-continued

Ligand #	Structure of $L_{A'}$	$R^{A1}-R^{A6}$
$L_{A'187-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'187-(1)(1)(1)(1)(1)}$ to $L_{A'187-(307)(307)(307)(307)(307)}$, have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'188-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'188-(1)(1)(1)(1)(1)}$ to $L_{A'188-(307)(307)(307)(307)(307)}$, have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'189-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'189-(1)(1)(1)(1)(1)}$ to $L_{A'189-(307)(307)(307)(307)(307)}$, have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,

-continued

Ligand #	Structure of $L_{A'}$	$R^{A1}-R^{A6}$
$L_{A'}190-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}190-(1)(1)(1)(1)(1)$ to $L_{A'}190-(307)(307)(307)(307)(307)$, have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'}191-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}191-(1)(1)(1)(1)(1)$ to $L_{A'}191-(307)(307)(307)(307)(307)$, have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A'}192-(i)(j)(k)(l)(m)$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A'}192-(1)(1)(1)(1)(1)$ to $L_{A'}192-(307)(307)(307)(307)(307)$, have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,

-continued

Ligand #	Structure of L_A	$R^{A1}-R^{A6}$
$L_{A193-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A193-(1)(1)(1)(1)(1)}$ to $L_{A193-(307)(307)(307)(307)(307)}$, have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A194-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A194-(1)(1)(1)(1)(1)}$ to $L_{A194-(307)(307)(307)(307)(307)}$, have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A195-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A195-(1)(1)(1)(1)(1)}$ to $L_{A195-(307)(307)(307)(307)(307)}$, have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,
$L_{A196-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A196-(1)(1)(1)(1)(1)}$ to $L_{A196-(307)(307)(307)(307)(307)}$, have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,

-continued

Ligand #	Structure of L_A	$R^{A1}-R^{A6}$
$L_{A197-(i)(j)(k)(l)(m)}$, wherein i, j, k, l, and m are each independently an integer from 1 to 307, wherein $L_{A197-(1)(1)(1)(1)(1)}$ to $L_{A197-(307)(307)(307)(307)(307)}$, have the structure		wherein $R^{A1} = Ri$, $R^{A2} = Rj$, $R^{A3} = Rk$, $R^{A4} = Rl$, and $R^{A5} = Rm$,

and wherein $L_{B'}$ is selected from the group consisting of the structures defined in List 8:

Ligand #	Structure of $L_{B'}$	$R^{B1}, R^{B2}, R^{B3}, R^{B4}, R^{B6}, R^{B7}, R^{B8}, R^{B9}, \text{ and } R^{B11}$
$L_{B'1-(i)(j)(k)(o)}$, wherein i, j, k, and o are each independently an integer from 1 to 307, wherein $L_{B'1-(1)(1)(1)(1)}$ to $L_{B'1-(307)(307)(307)(307)}$ have the structure		wherein $R^{B1} = Ri$, $R^{B6} = Rj$, $R^{B7} = Rk$, and $R^{B8} = Ro$,
$L_{B'2-(i)(j)(k)}$, wherein i, j, and k are each independently an integer from 1 to 307, wherein $L_{B'2-(1)(1)(1)}$ to $L_{B'2-(307)(307)(307)}$ have the structure		wherein $R^{B1} = Ri$, $R^{B6} = Rj$, and $R^{B7} = Rk$,
$L_{B'3-(i)(j)(k)(o)}$, wherein i, j, k, and o are each independently an integer from 1 to 307, wherein $L_{B'3-(1)(1)(1)(1)}$ to $L_{B'3-(307)(307)(307)(307)}$ have the structure		wherein $R^{B1} = Ri$, $R^{B7} = Rj$, $R^{B8} = Rk$, and $R^{B11} = Ro$,

-continued

Ligand #	Structure of L_B'	R^{B1} , R^{B2} , R^{B3} , R^{B4} , R^{B6} , R^{B7} , R^{B8} , R^{B9} , and R^{B11}
$L_B'4-(i)(j)(k)$, wherein i, j, and k are each independently an integer from 1 to 307, wherein $L_B'4-(1)(1)(1)$ to $L_B'4-(307)(307)(307)$ have the structure		wherein $R^{B1} = Ri$, $R^{B6} = Rj$, and $R^{B7} = Rk$,
$L_B'5-(i)(j)(k)$, wherein i, j, and k are each independently an integer from 1 to 307, wherein $L_B'5-(1)(1)(1)$ to $L_B'5-(307)(307)(307)$ have the structure		wherein $R^{B6} = Ri$, $R^{B7} = Rj$, and $R^{B8} = Rk$,
$L_B'6-(i)(j)$, wherein i and j are each independently an integer from 1 to 307, wherein $L_B'6-(1)(1)$ to $L_B'6-(307)(307)$ have the structure		wherein $R^{B6} = Ri$ and $R^{B7} = Rj$,
$L_B'7-(i)(j)(k)$, wherein i, j, and k are each independently an integer from 1 to 307, wherein $L_B'7-(1)(1)(1)$ to $L_B'7-(307)(307)(307)$ have the structure		wherein $R^{B1} = Ri$, $R^{B6} = Rj$, and $R^{B7} = Rk$,
$L_B'8-(i)(j)$, wherein i and j are each independently an integer from 1 to 307, wherein $L_B'8-(1)(1)$ to $L_B'8-(307)(307)$ have the structure		wherein $R^{B1} = Ri$ and $R^{B6} = Rj$,

-continued

Ligand #	Structure of L_B'	$R^{B1}, R^{B2}, R^{B3}, R^{B4}, R^{B6},$ $R^{B7}, R^{B8}, R^{B9},$ and R^{B11}
$L_B'9-(i)(j)(k)(o)$, wherein i, j, k, and o are each independently an integer from 1 to 307, wherein $L_B'9-(1)(1)(1)(1)$ to $L_B'9-(307)(307)(307)(307)$ have the structure		wherein $R^{B6} = Ri$, $R^{B7} = Rj$, $R^{B8} = Rk$, and $R^{B9} = Ro$,
$L_B'10-(i)(j)(k)$, wherein i, j, and k are each independently an integer from 1 to 307, wherein $L_B'10-(1)(1)(1)$ to $L_B'10-(307)(307)(307)$ have the structure		wherein $R^{B6} = Ri$, $R^{B7} = Rj$, and $R^{B8} = Rk$,
$L_B'11-(i)(j)(k)$, wherein i, j, and k are each independently an integer from 1 to 307, wherein $L_B'11-(1)(1)(1)$ to $L_B'11-(307)(307)(307)$ have the structure		wherein $R^{B6} = Ri$, $R^{B7} = Rj$, and $R^{B8} = Rk$,
$L_B'12-(i)(j)(k)(o)$, wherein i, j, k, and o are each independently an integer from 1 to 307, wherein $L_B'12-(1)(1)(1)(1)$ to $L_B'12-(307)(307)(307)(307)$ have the structure		wherein $R^{B6} = Ri$, $R^{B7} = Rj$, $R^{B8} = Rk$, and $R^{B9} = Ro$,

-continued

Ligand #	Structure of L_B'	R^{B1} , R^{B2} , R^{B3} , R^{B4} , R^{B6} , R^{B7} , R^{B8} , R^{B9} , and R^{B11}
L_B' 13-(i)(j)(k), wherein i, j, and k are each independently an integer from 1 to 307, wherein L_B' 13-(1)(1)(1) to L_B' 13-(307)(307)(307) have the structure		wherein $R^{B6} = Ri$, $R^{B7} = Rj$, and $R^{B8} = Rk$,
L_B' 14-(i)(j)(k), wherein i, j, and k are each independently an integer from 1 to 307, wherein L_B' 14-(1)(1)(1) to L_B' 14-(307)(307)(307) have the structure		wherein $R^{B6} = Ri$, $R^{B7} = Rj$, and $R^{B8} = Rk$,
L_B' 15-(i)(j)(k), wherein i, j, and k are each independently an integer from 1 to 307, wherein L_B' 15-(1)(1)(1) to L_B' 15-(307)(307)(307) have the structure		wherein $R^{B6} = Ri$, $R^{B7} = Rj$, and $R^{B8} = Rk$,
L_B' 16-(i)(j)(k)(o), wherein i, j, k, and o are each independently an integer from 1 to 307, wherein L_B' 16-(1)(1)(1)(1) to L_B' 16-(307)(307)(307)(307) have the structure		wherein $R^{B6} = Ri$, $R^{B7} = Rj$, $R^{B8} = Rk$, and $R^{B9} = Ro$,

-continued

Ligand #	Structure of L_B'	R^{B1} , R^{B2} , R^{B3} , R^{B4} , R^{B6} , R^{B7} , R^{B8} , R^{B9} , and R^{B11}
$L_B'17-(i)(j)(k)$, wherein i, j, and k are each independently an integer from 1 to 307, wherein $L_B'17-(1)(1)(1)$ to $L_B'17-(307)(307)(307)$ have the structure		wherein $R^{B1} = Ri$, $R^{B6} = Rj$, and $R^{B7} = Rk$,
$L_B'18-(i)(j)$, wherein i and j are each independently an integer from 1 to 307, wherein $L_B'18-(1)(1)$ to $L_B'18-(307)(307)$ have the structure		wherein $R^{B1} = Ri$ and $R^{B6} = Rj$,
$L_B'19-(i)(j)(k)$, wherein i, j, and k are each independently an integer from 1 to 307, wherein $L_B'19-(1)(1)(1)$ to $L_B'19-(307)(307)(307)$ have the structure		wherein $R^{B1} = Ri$, $R^{B6} = Rj$, and $R^{B7} = Rk$,
$L_B'20-(i)(j)(k)$, wherein i, j, and k are each independently an integer from 1 to 307, wherein $L_B'20-(1)(1)(1)$ to $L_B'20-(307)(307)(307)$ have the structure		wherein $R^{B1} = Ri$, $R^{B6} = Rj$, and $R^{B7} = Rk$,
$L_B'21-(i)(j)(k)$, wherein i, j, and k are each independently an integer from 1 to 307, wherein $L_B'21-(1)(1)(1)$ to $L_B'21-(307)(307)(307)$ have the structure		wherein $R^{B1} = Ri$, $R^{B6} = Rj$, and $R^{B7} = Rk$,

-continued

Ligand #	Structure of L _B '	R ^{B1} , R ^{B2} , R ^{B3} , R ^{B4} , R ^{B6} , R ^{B7} , R ^{B8} , R ^{B9} , and R ^{B11}
L _B '22-(i)(j)(k), wherein i, j, and k are each independently an integer from 1 to 307, wherein L _B '22-(1)(1)(1) to L _B '22-(307)(307)(307) have the structure		wherein R ^{B1} = Ri, R ^{B6} = Rj, and R ^{B7} = Rk,
L _B '23-(i)(j)(k), wherein i, j, and k are each independently an integer from 1 to 307, wherein L _B '23-(1)(1)(1) to L _B '23-(307)(307)(307) have the structure		wherein R ^{B1} = Ri, R ^{B6} = Rj, and R ^{B7} = Rk,
L _B '24-(i)(j)(k), wherein i, j, and k are each independently an integer from 1 to 307, wherein L _B '24-(1)(1)(1) to L _B '24-(307)(307)(307) have the structure		wherein R ^{B1} = Ri, R ^{B6} = Rj, and R ^{B7} = Rk,
L _B '25-(i)(j)(k), wherein i, j, and k are each independently an integer from 1 to 307, wherein L _B '25-(1)(1)(1) to L _B '25-(307)(307)(307) have the structure		wherein R ^{B1} = Ri, R ^{B6} = Rj, and R ^{B7} = Rk,
L _B '26-(i)(j)(k), wherein i, j, and k are each independently an integer from 1 to 307, wherein L _B '26-(1)(1)(1) to L _B '26-(307)(307)(307) have the structure		wherein R ^{B1} = Ri, R ^{B6} = Rj, and R ^{B7} = Rk,





-continued

Ligand #	Structure of L_B'	R^{B1} , R^{B2} , R^{B3} , R^{B4} , R^{B6} , R^{B7} , R^{B8} , R^{B9} , and R^{B11}
$L_B'27-(i)(j)(k)(o)$, wherein i, j, k, and o are each independently an integer from 1 to 307, wherein $L_B'27-(1)(1)(1)(1)$ to $L_B'27-(307)(307)(307)(307)$ have the structure		wherein $R^{B1} = Ri$, $R^{B6} = Rj$, $R^{B7} = Rk$, and $R^{B8} = Ro$,
$L_B'28-(i)(j)(k)(o)$, wherein i, j, k, and o are each independently an integer from 1 to 307, wherein $L_B'28-(1)(1)(1)(1)$ to $L_B'28-(307)(307)(307)(307)$ have the structure		wherein $R^{B1} = Ri$, $R^{B6} = Rj$, $R^{B7} = Rk$, and $R^{B8} = Ro$,
$L_B'29-(i)(j)(k)$, wherein i, j, and k are each independently an integer from 1 to 307, wherein $L_B'29-(1)(1)(1)$ to $L_B'29-(307)(307)(307)$ have the structure		wherein $R^{B6} = Ri$, $R^{B7} = Rj$, and $R^{B8} = Rk$,
$L_B'30-(i)(j)(k)(o)$, wherein i, j, k, and o are each independently an integer from 1 to 307, wherein $L_B'30-(1)(1)(1)(1)$ to $L_B'30-(307)(307)(307)(307)$ have the structure		wherein $R^{B1} = Ri$, $R^{B6} = Rj$, $R^{B7} = Rk$, and $R^{B8} = Ro$,





-continued

Ligand #	Structure of L_B'	R^{B1} , R^{B2} , R^{B3} , R^{B4} , R^{B6} , R^{B7} , R^{B8} , R^{B9} , and R^{B11}
$L_B'31$ -(i)(j)(k), wherein i, j, and k are each independently an integer from 1 to 307, wherein $L_B'31$ -(1)(1)(1) to $L_B'31$ -(307)(307)(307) have the structure		wherein $R^{B6} = Ri$, $R^{B7} = Rj$, and $R^{B8} = Rk$,
$L_B'32$ -(i)(j)(k), wherein i, j, and k are each independently an integer from 1 to 307, wherein $L_B'32$ -(1)(1)(1) to $L_B'32$ -(307)(307)(307) have the structure		wherein $R^{B1} = Ri$, $R^{B6} = Rj$, and $R^{B7} = Rk$,
$L_B'33$ -(i)(j), wherein i and j are each independently an integer from 1 to 307, wherein $L_B'33$ -(1)(1) to $L_B'33$ -(307)(307) have the structure		wherein $R^{B1} = Ri$ and $R^{B6} = Rj$,
$L_B'34$ -(i)(j), wherein i and j are each independently an integer from 1 to 307, wherein $L_B'34$ -(1)(1) to $L_B'34$ -(307)(307) have the structure		wherein $R^{B1} = Ri$ and $R^{B6} = Rj$,
$L_B'35$ -(i)(j)(k)(o), wherein i, j, k, and o are each independently an integer from 1 to 307, wherein $L_B'35$ -(1)(1)(1)(1) to $L_B'35$ -(307)(307)(307)(307) have the structure		wherein $R^{B1} = Ri$, $R^{B2} = Rj$, $R^{B6} = Rk$, and $R^{B7} = Ro$,

-continued

Ligand #	Structure of L_B'	R^{B1} , R^{B2} , R^{B3} , R^{B4} , R^{B6} , R^{B7} , R^{B8} , R^{B9} , and R^{B11}
$L_B'36-(i)(j)$, wherein i and j are each independently an integer from 1 to 307, wherein $L_B'36-(1)(1)$ to $L_B'36-(307)(307)$ have the structure		wherein $R^{B1} = Ri$ and $R^{B2} = Rj$,
$L_B'37-(i)(j)(k)$ wherein each of i, j, and k is independently an integer from 1 to 307, wherein $L_B'37-(1)(1)(1)$ to $L_B'37-(307)(307)(307)$ have the structure		wherein $R^{B1} = Ri$, $R^{B2} = Rj$, and $R^{B3} = Rk$,
$L_B'38-(i)(j)$ wherein i and j are each independently an integer from 1 to 307, wherein $L_B'38-(1)(1)$ to $L_B'38-(307)(307)$ have the structure		wherein $R^{B1} = Ri$ and $R^{B2} = Rj$,
$L_B'39-(i)(j)$ wherein each of i and j is independently an integer from 1 to 307, wherein $L_B'39-(1)(1)$ to $L_B'39-(307)(307)$ have the structure		wherein $R^{B1} = Ri$ and $R^{B2} = Rj$,

-continued

Ligand #	Structure of L_B'	R^{B1} , R^{B2} , R^{B3} , R^{B4} , R^{B6} , R^{B7} , R^{B8} , R^{B9} , and R^{B11}
$L_B'40$ -(i)(j) wherein each of i and j is independently an integer from 1 to 307, wherein $L_B'40$ -(1)(1) to $L_B'40$ -(307)(307) have the structure		wherein $R^{B1} = R_i$ and $R^{B2} = R_j$,
$L_B'41$ -(i)(j) wherein each of i and j is independently an integer from 1 to 307, wherein $L_B'41$ -(1)(1) to $L_B'41$ -(307)(307) have the structure		wherein $R^{B1} = R_i$ and $R^{B2} = R_j$,
$L_B'42$ -(i)(j)(k)(l) wherein each of i, j, k, and l is independently an integer from 1 to 307, $L_B'42$ -(1)(1)(1)(1) to $L_B'42$ -(307)(307)(307)(307) have the structure		wherein $R^{B1} = R_i$, $R^{B2} = R_j$, $R^{B3} = R_k$, and $R^{B4} = R_l$,
$L_B'43$ -(i)(j)(k)(l) wherein each of i, j, k, and l is independently an integer from 1 to 307, wherein $L_B'43$ -(1)(1)(1)(1) to $L_B'43$ -(307)(307)(307)(307) have the structure		wherein $R^{B1} = R_i$, $R^{B2} = R_j$, $R^{B3} = R_k$, and $R^{B4} = R_l$.

-continued

Ligand #	Structure of L_B'	R^{B1} , R^{B2} , R^{B3} , R^{B4} , R^{B6} , R^{B7} , R^{B8} , R^{B9} , and R^{B11}
$L_B'44$ -(i)(j)(k)(l) wherein each of i, j, k, and l is independently an integer from 1 to 307, wherein $L_B'44$ -(1)(1)(1)(1) to $L_B'44$ -(307)(307)(307)(307) have the structure		wherein $R^{B6} = Ri$, $R^{B7} = Rj$, $R^{B8} = Rk$, and $R^{B9} = Ro$,
$L_B'45$ -(i)(j)(k)(l) wherein each of i, j, k, and l is independently an integer from 1 to 307, wherein $L_B'45$ -(1)(1)(1)(1) to $L_B'45$ -(307)(307)(307)(307) have the structure		wherein $R^{B6} = Ri$, $R^{B7} = Rj$, $R^{B8} = Rk$, and $R^{B9} = Ro$,
$L_B'46$ -(i)(j), wherein i and j are each independently an integer from 1 to 307, wherein $L_B'46$ -(1)(1) to $L_B'46$ -(307)(307) have the structure		wherein $R^{B6} = Ri$ and $R^{B7} = Rj$,
$L_B'47$ -(i)(j), wherein i and j are each independently an integer from 1 to 307, wherein $L_B'47$ -(1)(1) to $L_B'47$ -(307)(307) have the structure		wherein $R^{B6} = Ri$ and $R^{B7} = Rj$,


-continued

Ligand #	Structure of $L_{B'}$	$R^{B1}, R^{B2}, R^{B3}, R^{B4}, R^{B6}, R^{B7}, R^{B8}, R^{B9}, \text{ and } R^{B11}$
$L_{B'48}$ -(i)(j), wherein i and j are each independently an integer from 1 to 307, wherein $L_{B'48}$ -(1)(1) to $L_{B'48}$ -(307)(307) have the structure		wherein $R^{B6} = R_i$ and $R^{B7} = R_j$,
$L_{B'49}$ -(i)(j)(k)(l) wherein each of i, j, k, and l is independently an integer from 1 to 307, wherein $L_{B'49}$ -(1)(1)(1)(1) to $L_{B'49}$ -(307)(307)(307)(307) have the structure		wherein $R^{B1} = R_i$, $R^{B2} = R_j$, $R^{B3} = R_k$, and $R^{B4} = R_l$,





[0206] with the proviso that when $L_{A'}$ is selected from the group consisting of $L_{A'187}$ to $L_{A'198}$, $L_{B'}$ is selected from the group consisting of $L_{B'46}$ to $L_{B'49}$,

[0207] where R1 to R307 are defined as set forth in List 2 above, wherein Me is methyl, iPr is isopropyl, tBu is t-butyl, and Ph is phenyl.




[0208] In some embodiments, the compound is selected from the structures in the following List 10:






-continued




-continued







-continued





-continued





-continued







-continued






-continued




-continued






-continued






-continued





-continued





-continued







-continued













-continued






-continued






-continued






-continued








-continued






-continued






-continued





-continued






-continued







-continued




-continued




-continued




-continued






-continued







-continued




-continued








-continued




-continued








-continued




-continued




-continued




-continued








-continued









-continued







-continued






-continued



-continued



-continued



C. The OLEDs and the Devices of the Present Disclosure

[0209] In another aspect, the present disclosure also provides an OLED device comprising a first organic layer that contains a compound as disclosed in the above compounds section of the present disclosure.


[0210] In some embodiments, the OLED comprises an anode, a cathode, and a first organic layer disposed between the anode and the cathode. The first organic layer can comprise a compound having a ligand L_A comprising a moiety L as described herein.

[0211] In some embodiments, the organic layer may be an emissive layer and the compound as described herein may be an emissive dopant or a non-emissive dopant.


[0212] In some embodiments, the organic layer may further comprise a host, wherein the host comprises a triphenylene containing benzo-fused thiophene or benzo-fused furan, wherein any substituent in the host is an unfused substituent independently selected from the group consisting of C_nH_{2n+1} , OC_nH_{2n+1} , OAr_1 , $N(C_nH_{2n+1})_2$, $N(Ar_1)(Ar_2)$, $CH-CH-C_nH_{2n+1}$, $C\equiv CC_nH_{2n+1}$, Ar_1 , Ar_1-Ar_2 , $C_nH_{2n}-Ar_1$, or no substitution, wherein n is from 1 to 10; and wherein Ar_1 and Ar_2 are independently selected from the group consisting of benzene, biphenyl, naphthalene, triphenylene, carbazole, and heteroaromatic analogs thereof.

[0213] In some embodiments, the organic layer may further comprise a host, wherein host comprises at least one chemical group selected from the group consisting of triphenylene, carbazole, indolocarbazole, dibenzothiophene, dibenzofuran, dibenzoselenophene, 5,9-dioxo-13b-borranaphtho[3,2,1-de]anthracene, aza-triphenylene, aza-carbazole, aza-indolocarbazole, aza-dibenzothiophene, aza-dibenzofuran, aza-dibenzoselenophene, and aza-(5,9-dioxo-13b-borranaphtho[3,2,1-de]anthracene).





[0214] In some embodiments, the host may be selected from the HOST Group consisting of:








-continued











-continued




-continued



-continued





and combinations thereof.

[0215] In some embodiments, the organic layer may further comprise a host, wherein the host comprises a metal complex.

[0216] In some embodiments, the compound as described herein may be a sensitizer, wherein the device may further comprise an acceptor, and wherein the acceptor may be selected from the group consisting of fluorescent emitter, delayed fluorescence emitter, and combination thereof.

[0217] In yet another aspect, the OLED of the present disclosure may also comprise an emissive region containing a compound as disclosed in the above compounds section of the present disclosure.

[0218] In some embodiments, the emissive region can comprise a compound having a ligand L_A comprising a moiety L as described herein.

[0219] In some embodiments, at least one of the anode, the cathode, or a new layer disposed over the organic emissive layer functions as an enhancement layer. The enhancement layer comprises a plasmonic material exhibiting surface plasmon resonance that non-radiatively couples to the emitter material and transfers excited state energy from the emitter material to non-radiative mode of surface plasmon polariton. The enhancement layer is provided no more than a threshold distance away from the organic emissive layer, wherein the emitter material has a total non-radiative decay rate constant and a total radiative decay rate constant due to the presence of the enhancement layer and the threshold distance is where the total non-radiative decay rate constant is equal to the total radiative decay rate constant. In some embodiments, the OLED further comprises an outcoupling layer. In some embodiments, the outcoupling layer is disposed over the enhancement layer on the opposite side of the organic emissive layer. In some embodiments, the outcoupling layer is disposed on opposite side of the emissive layer from the enhancement layer but still outcouples energy from the surface plasmon mode of the enhancement layer. The outcoupling layer scatters the energy from the surface plasmon polaritons. In some embodiments this energy is scattered as photons to free space. In other embodiments, the energy is scattered from the surface plasmon mode into other modes of the device such as but not limited to the organic waveguide mode, the substrate mode, or another waveguiding mode. If energy is scattered to the non-free space mode of the OLED other outcoupling schemes could be incorporated to extract that energy to free space. In some embodiments, one or more intervening layer can be disposed between the enhancement layer and the outcoupling layer. The examples for intervening layer(s) can be dielectric materials, including organic, inorganic, perovskites, oxides, and may include stacks and/or mixtures of these materials.

[0220] The enhancement layer modifies the effective properties of the medium in which the emitter material resides resulting in any or all of the following: a decreased rate of emission, a modification of emission line-shape, a change in emission intensity with angle, a change in the stability of the emitter material, a change in the efficiency of the OLED, and reduced efficiency roll-off of the OLED device. Placement of the enhancement layer on the cathode side, anode side, or on both sides results in OLED devices which take advantage of any of the above-mentioned effects. In addition to the specific functional layers mentioned herein and illustrated in the various OLED examples shown in the figures, the OLEDs according to the present disclosure may include any of the other functional layers often found in OLEDs.

[0221] The enhancement layer can be comprised of plasmonic materials, optically active metamaterials, or hyperbolic metamaterials. As used herein, a plasmonic material is a material in which the real part of the dielectric constant crosses zero in the visible or ultraviolet region of the electromagnetic spectrum. In some embodiments, the plasmonic material includes at least one metal. In such embodiments the metal may include at least one of Ag, Al , Au, Ir, Pt, Ni, Cu, W, Ta, Fe, Cr, Mg, Ga, Rh, Ti, Ru, Pd, In, Bi, Ca alloys or mixtures of these materials, and stacks of these materials. In general, a metamaterial is a medium composed of different materials where the medium as a whole acts differently than the sum of its material parts. In particular, we define optically active metamaterials as materials which have both negative permittivity and negative permeability. Hyperbolic metamaterials, on the other hand, are anisotropic media in which the permittivity or permeability are of different sign for different spatial directions. Optically active metamaterials and hyperbolic metamaterials are strictly distinguished from many other photonic structures such as Distributed Bragg Reflectors (“DBRs”) in that the medium should appear uniform in the direction of propagation on the length scale of the wavelength of light. Using terminology that one skilled in the art can understand: the dielectric constant of the metamaterials in the direction of propagation can be described with the effective medium approximation. Plasmonic materials and metamaterials provide methods for controlling the propagation of light that can enhance OLED performance in a number of ways.

[0222] In some embodiments, the enhancement layer is provided as a planar layer. In other embodiments, the enhancement layer has wavelength-sized features that are arranged periodically, quasi-periodically, or randomly, or sub-wavelength-sized features that are arranged periodically, quasi-periodically, or randomly. In some embodiments, the wavelength-sized features and the sub-wavelength-sized features have sharp edges.

[0223] In some embodiments, the outcoupling layer has wavelength-sized features that are arranged periodically, quasi-periodically, or randomly, or sub-wavelength-sized features that are arranged periodically, quasi-periodically, or randomly. In some embodiments, the outcoupling layer may be composed of a plurality of nanoparticles and in other embodiments the outcoupling layer is composed of a plurality of nanoparticles disposed over a material. In these embodiments the outcoupling may be tunable by at least one of varying a size of the plurality of nanoparticles, varying a shape of the plurality of nanoparticles, changing a material of the plurality of nanoparticles, adjusting a thickness of the material, changing the refractive index of the material or an additional layer disposed on the plurality of nanoparticles, varying a thickness of the enhancement layer, and/or varying the material of the enhancement layer. The plurality of

nanoparticles of the device may be formed from at least one of metal, dielectric material, semiconductor materials, an alloy of metal, a mixture of dielectric materials, a stack or layering of one or more materials, and/or a core of one type of material and that is coated with a shell of a different type of material. In some embodiments, the outcoupling layer is composed of at least metal nanoparticles wherein the metal is selected from the group consisting of Ag, A¹, Au, Ir, Pt, Ni, Cu, W, Ta, Fe, Cr, Mg, Ga, Rh, Ti, Ru, Pd, In, Bi, Ca, alloys or mixtures of these materials, and stacks of these materials. The plurality of nanoparticles may have additional layer disposed over them. In some embodiments, the polarization of the emission can be tuned using the outcoupling layer. Varying the dimensionality and periodicity of the outcoupling layer can select a type of polarization that is preferentially outcoupled to air. In some embodiments the outcoupling layer also acts as an electrode of the device.

[0224] In yet another aspect, the present disclosure also provides a consumer product comprising an organic light-emitting device (OLED) having an anode; a cathode; and an organic layer disposed between the anode and the cathode, wherein the organic layer may comprise a compound as disclosed in the above compounds section of the present disclosure.

[0225] In some embodiments, the consumer product comprises an OLED having an anode; a cathode; and an organic layer disposed between the anode and the cathode, wherein the organic layer can comprise a compound having a ligand L₄ comprising a moiety L as described herein.

[0226] In some embodiments, the consumer product can be one of a flat panel display, a computer monitor, a medical monitor, a television, a billboard, a light for interior or exterior illumination and/or signaling, a heads-up display, a fully or partially transparent display, a flexible display, a laser printer, a telephone, a cell phone, tablet, a phablet, a personal digital assistant (PDA), a wearable device, a laptop computer, a digital camera, a camcorder, a viewfinder, a micro-display that is less than 2 inches diagonal, a 3-D display, a virtual reality or augmented reality display, a vehicle, a video wall comprising multiple displays tiled together, a theater or stadium screen, a light therapy device, and a sign.

[0227] Generally, an OLED comprises at least one organic layer disposed between and electrically connected to an anode and a cathode. When a current is applied, the anode injects holes and the cathode injects electrons into the organic layer(s). The injected holes and electrons each migrate toward the oppositely charged electrode. When an electron and hole localize on the same molecule, an “exciton,” which is a localized electron-hole pair having an excited energy state, is formed. Light is emitted when the exciton relaxes via a photoemissive mechanism. In some cases, the exciton may be localized on an excimer or an exciplex. Non-radiative mechanisms, such as thermal relaxation, may also occur, but are generally considered undesirable.

[0228] Several OLED materials and configurations are described in U.S. Pat. Nos. 5,844,363, 6,303,238, and 5,707,745, which are incorporated herein by reference in their entirety.

[0229] The initial OLEDs used emissive molecules that emitted light from their singlet states (“fluorescence”) as disclosed, for example, in U.S. Pat. No. 4,769,292, which is incorporated by reference in its entirety. Fluorescent emission generally occurs in a time frame of less than 10 nanoseconds.

[0230] More recently, OLEDs having emissive materials that emit light from triplet states (“phosphorescence”) have been demonstrated. Baldo et al., “Highly Efficient Phosphorescent Emission from Organic Electroluminescent Devices,” *Nature*, vol. 395, 151-154, 1998: (“Baldo-I”) and Baldo et al., “Very high-efficiency green organic light-emitting devices based on electrophosphorescence,” *Appl. Phys. Lett.*, vol. 75, No. 3, 4-6 (1999) (“Baldo-II”), are incorporated by reference in their entirety. Phosphorescence is described in more detail in U.S. Pat. No. 7,279,704 at cols. 5-6, which are incorporated by reference.

[0231] FIG. 1 shows an organic light emitting device 100. The figures are not necessarily drawn to scale. Device 100 may include a substrate 110, an anode 115, a hole injection layer 120, a hole transport layer 125, an electron blocking layer 130, an emissive layer 135, a hole blocking layer 140, an electron transport layer 145, an electron injection layer 150, a protective layer 155, a cathode 160, and a barrier layer 170. Cathode 160 is a compound cathode having a first conductive layer 162 and a second conductive layer 164. Device 100 may be fabricated by depositing the layers described, in order. The properties and functions of these various layers, as well as example materials, are described in more detail in U.S. Pat. No. 7,279,704 at cols. 6-10, which are incorporated by reference.

[0232] More examples for each of these layers are available. For example, a flexible and transparent substrate-anode combination is disclosed in U.S. Pat. No. 5,844,363, which is incorporated by reference in its entirety. An example of a p-doped hole transport layer is m-MTDATA doped with F4-TCNQ at a molar ratio of 50:1, as disclosed in U.S. Patent Application Publication No. 2003/0230980, which is incorporated by reference in its entirety. Examples of emissive and host materials are disclosed in U.S. Pat. No. 6,303,238 to Thompson et al., which is incorporated by reference in its entirety. An example of an n-doped electron transport layer is BPhen doped with Li at a molar ratio of 1:1, as disclosed in U.S. Patent Application Publication No. 2003/0230980, which is incorporated by reference in its entirety. U.S. Pat. Nos. 5,703,436 and 5,707,745, which are incorporated by reference in their entirety, disclose examples of cathodes including compound cathodes having a thin layer of metal such as Mg:Ag with an overlying transparent, electrically-conductive, sputter-deposited ITO layer. The theory and use of blocking layers is described in more detail in U.S. Pat. No. 6,097,147 and U.S. Patent Application Publication No. 2003/0230980, which are incorporated by reference in their entirety. Examples of injection layers are provided in U.S. Patent Application Publication No. 2004/0174116, which is incorporated by reference in its entirety. A description of protective layers may be found in U.S. Patent Application Publication No. 2004/0174116, which is incorporated by reference in its entirety.

[0233] FIG. 2 shows an inverted OLED 200. The device includes a substrate 210, a cathode 215, an emissive layer 220, a hole transport layer 225, and an anode 230. Device 200 may be fabricated by depositing the layers described, in order. Because the most common OLED configuration has a cathode disposed over the anode, and device 200 has cathode 215 disposed under anode 230, device 200 may be referred to as an “inverted” OLED. Materials similar to those described with respect to device 100 may be used in the corresponding layers of device 200. FIG. 2 provides one example of how some layers may be omitted from the structure of device 100.

[0234] The simple layered structure illustrated in FIGS. 1 and 2 is provided by way of non-limiting example, and it is understood that embodiments of the present disclosure may be used in connection with a wide variety of other structures. The specific materials and structures described are exemplary in nature, and other materials and structures may be used. Functional OLEDs may be achieved by combining the various layers described in different ways, or layers may be omitted entirely, based on design, performance, and cost factors. Other layers not specifically described may also be included. Materials other than those specifically described may be used. Although many of the examples provided herein describe various layers as comprising a single material, it is understood that combinations of materials, such as a mixture of host and dopant, or more generally a mixture, may be used. Also, the layers may have various sublayers. The names given to the various layers herein are not intended to be strictly limiting. For example, in device 200, hole transport layer 225 transports holes and injects holes into emissive layer 220, and may be described as a hole transport layer or a hole injection layer. In one embodiment, an OLED may be described as having an “organic layer” disposed between a cathode and an anode. This organic layer may comprise a single layer, or may further comprise multiple layers of different organic materials as described, for example, with respect to FIGS. 1 and 2.

[0235] Structures and materials not specifically described may also be used, such as OLEDs comprised of polymeric materials (PLEDs) such as disclosed in U.S. Pat. No. 5,247,190 to Friend et al., which is incorporated by reference in its entirety. By way of further example, OLEDs having a single organic layer may be used. OLEDs may be stacked, for example as described in U.S. Pat. No. 5,707,745 to Forrest et al, which is incorporated by reference in its entirety. The OLED structure may deviate from the simple layered structure illustrated in FIGS. 1 and 2. For example, the substrate may include an angled reflective surface to improve out-coupling, such as a mesa structure as described in U.S. Pat. No. 6,091,195 to Forrest et al., and/or a pit structure as described in U.S. Pat. No. 5,834,893 to Bulovic et al., which are incorporated by reference in their entireties.

[0236] Unless otherwise specified, any of the layers of the various embodiments may be deposited by any suitable method. For the organic layers, preferred methods include thermal evaporation, ink-jet, such as described in U.S. Pat. Nos. 6,013,982 and 6,087,196, which are incorporated by reference in their entireties, organic vapor phase deposition (OVPD), such as described in U.S. Pat. No. 6,337,102 to Forrest et al., which is incorporated by reference in its entirety, and deposition by organic vapor jet printing (OVJP), such as described in U.S. Pat. No. 7,431,968, which is incorporated by reference in its entirety. Other suitable deposition methods include spin coating and other solution based processes. Solution based processes are preferably carried out in nitrogen or an inert atmosphere. For the other layers, preferred methods include thermal evaporation. Preferred patterning methods include deposition through a mask, cold welding such as described in U.S. Pat. Nos. 6,294,398 and 6,468,819, which are incorporated by reference in their entireties, and patterning associated with some of the deposition methods such as ink-jet and organic vapor jet printing (OVJP). Other methods may also be used. The materials to be deposited may be modified to make them compatible with a particular deposition method. For example, substituents such as alkyl and aryl groups, branched or unbranched, and preferably containing at least 3 carbons, may be used in small molecules to enhance their ability to undergo solution processing. Substituents having 20 carbons or more may be used, and 3-20 carbons are a

preferred range. Materials with asymmetric structures may have better solution processability than those having symmetric structures, because asymmetric materials may have a lower tendency to recrystallize. Dendrimer substituents may be used to enhance the ability of small molecules to undergo solution processing.

[0237] Devices fabricated in accordance with embodiments of the present disclosure may further optionally comprise a barrier layer. One purpose of the barrier layer is to protect the electrodes and organic layers from damaging exposure to harmful species in the environment including moisture, vapor and/or gases, etc. The barrier layer may be deposited over, under or next to a substrate, an electrode, or over any other parts of a device including an edge. The barrier layer may comprise a single layer, or multiple layers. The barrier layer may be formed by various known chemical vapor deposition techniques and may include compositions having a single phase as well as compositions having multiple phases. Any suitable material or combination of materials may be used for the barrier layer. The barrier layer may incorporate an inorganic or an organic compound or both. The preferred barrier layer comprises a mixture of a polymeric material and a non-polymeric material as described in U.S. Pat. No. 7,968,146, PCT Pat. Application Nos. PCT/US2007/023098 and PCT/US2009/042829, which are herein incorporated by reference in their entireties. To be considered a “mixture”, the aforesaid polymeric and non-polymeric materials comprising the barrier layer should be deposited under the same reaction conditions and/or at the same time. The weight ratio of polymeric to non-polymeric material may be in the range of 95:5 to 5:95. The polymeric material and the non-polymeric material may be created from the same precursor material. In one example, the mixture of a polymeric material and a non-polymeric material consists essentially of polymeric silicon and inorganic silicon.

[0238] Devices fabricated in accordance with embodiments of the present disclosure can be incorporated into a wide variety of electronic component modules (or units) that can be incorporated into a variety of electronic products or intermediate components. Examples of such electronic products or intermediate components include display screens, lighting devices such as discrete light source devices or lighting panels, etc. that can be utilized by the end-user product manufacturers. Such electronic component modules can optionally include the driving electronics and/or power source(s). Devices fabricated in accordance with embodiments of the present disclosure can be incorporated into a wide variety of consumer products that have one or more of the electronic component modules (or units) incorporated therein. A consumer product comprising an OLED that includes the compound of the present disclosure in the organic layer in the OLED is disclosed. Such consumer products would include any kind of products that include one or more light source(s) and/or one or more of some type of visual displays. Some examples of such consumer products include flat panel displays, curved displays, computer monitors, medical monitors, televisions, billboards, lights for interior or exterior illumination and/or signaling, heads-up displays, fully or partially transparent displays, flexible displays, rollable displays, foldable displays, stretchable displays, laser printers, telephones, mobile phones, tablets, phablets, personal digital assistants (PDAs), wearable devices, laptop computers, digital cameras, camcorders, viewfinders, micro-displays (displays that are less than 2 inches diagonal), 3-D displays, virtual reality or augmented reality displays, vehicles, video walls comprising multiple displays tiled together, theater or stadium screen, a light therapy device, and a sign. Various control mechanisms may

be used to control devices fabricated in accordance with the present disclosure, including passive matrix and active matrix. Many of the devices are intended for use in a temperature range comfortable to humans, such as 18 degrees C. to 30 degrees C., and more preferably at room temperature (20-25° C.), but could be used outside this temperature range, for example, from -40 degree C. to +80° C.'.

[0239] More details on OLEDs, and the definitions described above, can be found in U.S. Pat. No. 7,279,704, which is incorporated herein by reference in its entirety.

[0240] The materials and structures described herein may have applications in devices other than OLEDs. For example, other optoelectronic devices such as organic solar cells and organic photodetectors may employ the materials and structures. More generally, organic devices, such as organic transistors, may employ the materials and structures.

[0241] In some embodiments, the OLED has one or more characteristics selected from the group consisting of being flexible, being rollable, being foldable, being stretchable, and being curved. In some embodiments, the OLED is transparent or semi-transparent. In some embodiments, the OLED further comprises a layer comprising carbon nanotubes.

[0242] In some embodiments, the OLED further comprises a layer comprising a delayed fluorescent emitter. In some embodiments, the OLED comprises a RGB pixel arrangement or white plus color filter pixel arrangement. In some embodiments, the OLED is a mobile device, a hand held device, or a wearable device. In some embodiments, the OLED is a display panel having less than 10 inch diagonal or 50 square inch area. In some embodiments, the OLED is a display panel having at least 10 inch diagonal or 50 square inch area. In some embodiments, the OLED is a lighting panel.

[0243] In some embodiments, the compound can be an emissive dopant. In some embodiments, the compound can produce emissions via phosphorescence, fluorescence, thermally activated delayed fluorescence, i.e., TADF (also referred to as E-type delayed fluorescence: see, e.g., U.S. application Ser. No. 15/700,352, which is hereby incorporated by reference in its entirety), triplet-triplet annihilation, or combinations of these processes. In some embodiments, the emissive dopant can be a racemic mixture, or can be enriched in one enantiomer. In some embodiments, the compound can be homoleptic (each ligand is the same). In some embodiments, the compound can be heteroleptic (at least one ligand is different from others). When there are more than one ligand coordinated to a metal, the ligands can all be the same in some embodiments. In some other embodiments, at least one ligand is different from the other ligands. In some embodiments, every ligand can be different from each other. This is also true in embodiments where a ligand being coordinated to a metal can be linked with other ligands being coordinated to that metal to form a tridentate, tetradentate, pentadentate, or hexadentate ligands. Thus, where the coordinating ligands are being linked together, all of the ligands can be the same in some embodiments, and at least one of the ligands being linked can be different from the other ligand(s) in some other embodiments.

[0244] In some embodiments, the compound can be used as a phosphorescent sensitizer in an OLED where one or multiple layers in the OLED contains an acceptor in the form of one or more fluorescent and/or delayed fluorescence emitters. In some embodiments, the compound can be used as one component of an exciplex to be used as a sensitizer. As a phosphorescent sensitizer, the compound must be capable of energy transfer to the acceptor and the acceptor will emit the energy or further transfer energy to a final

emitter. The acceptor concentrations can range from 0.001% to 100%. The acceptor could be in either the same layer as the phosphorescent sensitizer or in one or more different layers. In some embodiments, the acceptor is a TADF emitter. In some embodiments, the acceptor is a fluorescent emitter. In some embodiments, the emission can arise from any or all of the sensitizer, acceptor, and final emitter.

[0245] According to another aspect, a formulation comprising the compound described herein is also disclosed.

[0246] The OLED disclosed herein can be incorporated into one or more of a consumer product, an electronic component module, and a lighting panel. The organic layer can be an emissive layer and the compound can be an emissive dopant in some embodiments, while the compound can be a non-emissive dopant in other embodiments.

[0247] In yet another aspect of the present disclosure, a formulation that comprises the novel compound disclosed herein is described. The formulation can include one or more components selected from the group consisting of a solvent, a host, a hole injection material, hole transport material, electron blocking material, hole blocking material, and an electron transport material, disclosed herein.

[0248] The present disclosure encompasses any chemical structure comprising the novel compound of the present disclosure, or a monovalent or polyvalent variant thereof. In other words, the inventive compound, or a monovalent or polyvalent variant thereof, can be a part of a larger chemical structure. Such chemical structure can be selected from the group consisting of a monomer, a polymer, a macromolecule, and a supramolecule (also known as supermolecule). As used herein, a "monovalent variant of a compound" refers to a moiety that is identical to the compound except that one hydrogen has been removed and replaced with a bond to the rest of the chemical structure. As used herein, a "polyvalent variant of a compound" refers to a moiety that is identical to the compound except that more than one hydrogen has been removed and replaced with a bond or bonds to the rest of the chemical structure. In the instance of a supramolecule, the inventive compound can also be incorporated into the supramolecule complex without covalent bonds.











D. Combination of the Compounds of the Present Disclosure with Other Materials


[0249] The materials described herein as useful for a particular layer in an organic light emitting device may be used in combination with a wide variety of other materials present in the device. For example, emissive dopants disclosed herein may be used in conjunction with a wide variety of hosts, transport layers, blocking layers, injection layers, electrodes and other layers that may be present. The materials described or referred to below are non-limiting examples of materials that may be useful in combination with the compounds disclosed herein, and one of skill in the art can readily consult the literature to identify other materials that may be useful in combination.

A) Conductivity Dopants:

[0250] A charge transport layer can be doped with conductivity dopants to substantially alter its density of charge carriers, which will in turn alter its conductivity. The conductivity is increased by generating charge carriers in the matrix material, and depending on the type of dopant, a change in the Fermi level of the semiconductor may also be achieved. Hole-transporting layer can be doped by p-type conductivity dopants and n-type conductivity dopants are used in the electron-transporting layer.

[0251] Non-limiting examples of the conductivity dopants that may be used in an OLED in combination with materials disclosed herein are exemplified below together with references that disclose those materials: EP01617493, EP01968131, EP2020694, EP2684932, US20050139810, US20070160905, US20090167167, US2010288362, WO06081780, WO2009003455, WO2009008277, WO2009011327, WO2014009310, US2007252140, US2015060804, US20150123047, and US2012146012.






b) HIL/HTL:


[0252] A hole injecting/transporting material to be used in the present disclosure is not particularly limited, and any compound may be used as long as the compound is typically used as a hole injecting/transporting material. Examples of the material include, but are not limited to: a phthalocyanine or porphyrin derivative; an aromatic amine derivative; an indolocarbazole derivative; a polymer containing fluorohydrocarbon; a polymer with conductivity dopants; a conducting polymer, such as PEDOT/PSS; a self-assembly monomer derived from compounds such as phosphonic acid and silane derivatives; a metal oxide derivative, such as MoOx; a p-type semiconducting organic compound, such as 1,4,5,8,9,12-Hexaazatriphenylenehexacarbonitrile; a metal complex, and a cross-linkable compounds.

[0253] Examples of aromatic amine derivatives used in HIL or HTL include, but not limit to the following general structures:




[0254] Each of Ar¹ to Ar⁹ is selected from the group consisting of aromatic hydrocarbon cyclic compounds such as benzene, biphenyl, triphenyl, triphenylene, naphthalene, anthracene, phenalene, phenanthrene, fluorene, pyrene, chrysene, perylene, and azulene; the group consisting of aromatic heterocyclic compounds such as dibenzothiophene, dibenzofuran, dibenzoselenophene, furan, thiophene, benzofuran, benzothiophene, benzoselenophene, carbazole, indolocarbazole, pyridylindole, pyrrolodipyridine, pyrazole, imidazole, triazole, oxazole, thiazole, oxadiazole, oxatriazole, dioxazole, thiadiazole, pyridine, pyridazine, pyrimidine, pyrazine, triazine, oxazine, oxathiazine, oxadiazine, indole, benzimidazole, indazole, indoxazine, benzoxazole, benzisoxazole, benzothiazole, quinoline, isoquinoline, cinnoline, quinazoline, quinoxaline, naphthyridine, phthalazine, pteridine, xanthene, acridine, phenazine, phenothiazine, phenoxazine, benzofuopyridine, furodipyridine, benzothienopyridine, thienodipyridine, benzoselenophenopyridine, and selenophenodipyridine; and the group consisting of 2 to 10 cyclic structural units which are groups of the same type or different types selected from the aromatic hydrocarbon cyclic group and the aromatic heterocyclic group and are bonded to each other directly or via at least one of oxygen atom, nitrogen atom, sulfur atom, silicon atom, phosphorus atom, boron atom, chain structural unit and the aliphatic cyclic group. Each Ar may be unsubstituted or may be substituted by a substituent selected from the group consisting of deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acids, ether, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof.

[0255] In one aspect, Ar¹ to Ar⁹ is independently selected from the group consisting of:



wherein k is an integer from 1 to 20; X¹⁰¹ to X¹⁰⁸ is C (including CH) or N; Z¹⁰¹ is NAr¹, O, or S; Ar¹ has the same group defined above.

[0256] Examples of metal complexes used in HIL or HTL include, but are not limited to the following general formula:




wherein Met is a metal, which can have an atomic weight greater than 40; (Y¹⁰¹-Y¹⁰²) is a bidentate ligand, Y¹⁰¹ and Y¹⁰² are independently selected from C, N, O, P, and S; L¹⁰¹ is an ancillary ligand; k' is an integer value from 1 to the maximum number of ligands that may be attached to the metal; and k'+k'' is the maximum number of ligands that may be attached to the metal.




[0257] In one aspect, (Y¹⁰¹-Y¹⁰²) is a 2-phenylpyridine derivative. In another aspect, (Y¹⁰¹-Y¹⁰²) is a carbene ligand. In another aspect, Met is selected from Ir, Pt, Os, and Zn. In a further aspect, the metal complex has a smallest oxidation potential in solution vs. Fc+/Fc couple less than about 0.6 V.

[0258] Non-limiting examples of the HIL and HTL materials that may be used in an OLED in combination with materials disclosed herein are exemplified below together with references that disclose those materials: CN102702075,




DE 102012005215, EP01624500, EP01698613, EP01806334, EP01930964, EP01972613, EP01997799, EP02011790, EP02055700, EP02055701, EP1725079, EP2085382, EP2660300, EP650955, JP07-073529, JP2005112765, JP2007091719, JP2008021687, JP2014-009196, KR20110088898, KR20130077473, TW201139402, U.S. Pat. No. 6,517,957, US20020158242, US20030162053, US20050123751, US20060182993, US20060240279, US20070145888, US20070181874, US20070278938, US20080014464, US20080091025, US20080106190, US20080124572, US20080145707, US20080220265, US20080233434, US20080303417, US2008107919, US20090115320, US20090167161, US2009066235, US2011007385, US20110163302, US2011240968, US2011278551, US2012205642, US2013241401, US20140117329, US2014183517, U.S. Pat. Nos. 5,061,569, 5,639,914, WO05075451, WO07125714, WO08023550, WO08023759, WO2009145016, WO2010061824, WO2011075644, WO2012177006, WO2013018530, WO2013039073, WO2013087142, WO2013118812, WO2013120577, WO2013157367, WO2013175747, WO2014002873, WO2014015935, WO2014015937, WO2014030872, WO2014030921, WO2014034791, WO2014104514, WO2014157018.






-continued




-continued








-continued






-continued






-continued




-continued






-continued






-continued






-continued






-continued






-continued






-continued






-continued







-continued






-continued



-continued



-continued




c) EBL:

[0259] An electron blocking layer (EBL) may be used to reduce the number of electrons and/or excitons that leave the emissive layer. The presence of such a blocking layer in a device may result in substantially higher efficiencies, and/or longer lifetime, as compared to a similar device lacking a blocking layer. Also, a blocking layer may be used to confine emission to a desired region of an OLED. In some embodiments, the EBL material has a higher LUMO (closer to the vacuum level) and/or higher triplet energy than the emitter closest to the EBL interface. In some embodiments, the EBL material has a higher LUMO (closer to the vacuum level) and/or higher triplet energy than one or more of the hosts closest to the EBL interface. In one aspect, the compound used in EBL contains the same molecule or the same functional groups used as one of the hosts described below.

d) Hosts:


[0260] The light emitting layer of the organic EL device of the present disclosure preferably contains at least a metal complex as light emitting material, and may contain a host material using the metal complex as a dopant material. Examples of the host material are not particularly limited, and any metal complexes or organic compounds may be used as long as the triplet energy of the host is larger than that of the dopant. Any host material may be used with any dopant so long as the triplet criteria is satisfied.

[0261] Examples of metal complexes used as host are preferred to have the following general formula:



wherein Met is a metal; (Y¹⁰³-Y¹⁰⁴) is a bidentate ligand, Y¹⁰³ and Y¹⁰⁴ are independently selected from C, N, O, P, and S; L¹⁰¹ is another ligand; k' is an integer value from 1 to the maximum number of ligands that may be attached to the metal; and k'+k'' is the maximum number of ligands that may be attached to the metal.

[0262] In one aspect, the metal complexes are:




wherein (O—N) is a bidentate ligand, having metal coordinated to atoms O and N.

[0263] In another aspect, Met is selected from Ir and Pt. In a further aspect, (Y¹⁰³-Y¹⁰⁴) is a carbene ligand.







[0264] In one aspect, the host compound contains at least one of the following groups selected from the group consisting of aromatic hydrocarbon cyclic compounds such as benzene, biphenyl, triphenyl, triphenylene, tetraphenylene, naphthalene, anthracene, phenalene, phenanthrene, fluorene,

pyrene, chrysene, perylene, and azulene; the group consisting of aromatic heterocyclic compounds such as dibenzothiophene, dibenzofuran, dibenzoselenophene, furan, thiophene, benzofuran, benzothiophene, benzoselenophene, carbazole, indolocarbazole, pyridylindole, pyrrolidipyrindine, pyrazole, imidazole, triazole, oxazole, thiazole, oxadiazole, oxatriazole, dioxazole, thiadiazole, pyridine, pyridazine, pyrimidine, pyrazine, triazine, oxazine, oxathiazine, oxadiazine, indole, benzimidazole, indazole, indoxazine, benzoxazole, benzisoxazole, benzothiazole, quinoline, isoquinoline, cinnoline, quinazoline, quinoxaline, naphthyridine, phthalazine, pteridine, xanthene, acridine, phenazine, phenothiazine, phenoxazine, benzofuropyrindine, furodipyrindine, benzothienopyridine, thienodipyrindine, benzoselenophenopyridine, and selenophenodipyrindine; and the group consisting of 2 to 10 cyclic structural units which are groups of the same type or different types selected from the aromatic hydrocarbon cyclic group and the aromatic heterocyclic group and are bonded to each other directly or via at least one of oxygen atom, nitrogen atom, sulfur atom, silicon atom, phosphorus atom, boron atom, chain structural unit and the aliphatic cyclic group. Each option within each group may be unsubstituted or may be substituted by a substituent selected from the group consisting of deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acids, ether, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof.



[0265] In one aspect, the host compound contains at least one of the following groups in the molecule:



-continued




-continued









wherein R^{101} is selected from the group consisting of hydrogen, deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acids, ether, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof, and when it is aryl or heteroaryl, it has the similar definition as Ar's mentioned above. k is an integer from 0 to 20 or 1 to 20. X^{101} to X^{108} are independently selected from C (including CH) or N. Z^{101} and Z^{102} are independently selected from NR^{101} , O, or S.


[0266] Non-limiting examples of the host materials that may be used in an OLED in combination with materials disclosed herein are exemplified below together with references that disclose those materials: EP2034538, EP2034538A, EP2757608, JP2007254297, KR20100079458, KR20120088644, KR20120129733, KR20130115564, TW201329200, US20030175553, US20050238919, US20060280965, US20090017330, US20090030202, US20090167162, US20090302743, US20090309488, US20100012931, US20100084966, US20100187984, US2010187984, US2012075273, US2012126221, US2013009543, US2013105787, US2013175519, US2014001446, US20140183503, US20140225088, US2014034914, U.S. Pat. No. 7,154,114, WO2001039234, WO2004093207, WO2005014551, WO2005089025, WO2006072002, WO2006114966, WO2007063754, WO2008056746, WO2009003898, WO2009021126, WO2009063833, WO2009066778, WO2009066779, WO2009086028, WO2010056066, WO2010107244, WO2011081423, WO2011081431, WO2011086863, WO2012128298, WO2012133644, WO2012133649, WO2013024872, WO2013035275, WO2013081315, WO2013191404, WO2014142472, US20170263869, US20160163995, U.S. Pat. No. 9,466, 803.




-continued




-continued









-continued







-continued







-continued








-continued




-continued








-continued








-continued




-continued



-continued




-continued








e) Additional Emitters:

[0267] One or more additional emitter dopants may be used in conjunction with the compound of the present disclosure. Examples of the additional emitter dopants are not particularly limited, and any compounds may be used as long as the compounds are typically used as emitter materials. Examples of suitable emitter materials include, but are not limited to, compounds which can produce emissions via phosphorescence, fluorescence, thermally activated delayed fluorescence, i.e., TADF (also referred to as E-type delayed fluorescence), triplet-triplet annihilation, or combinations of these processes. Non-limiting examples of the emitter materials that may be used in an OLED in combination with materials disclosed herein are exemplified below together with references that disclose those materials: CN103694277, CN1696137, EB01238981, EP01239526, EP01961743, EP1239526, EP1244155, EP1642951, EP1647554, EP1841834, EP1841834B, EP2062907, EP2730583, JP2012074444, JP2013110263, JP4478555, KR1020090133652, KR20120032054, KR20130043460, TW201332980, U.S. Pat. Nos. 6,699,599, 6,916,554, US20010019782, US20020034656, US20030068526, US20030072964, US20030138657, US20050123788, US20050244673, US2005123791, US2005260449, US20060008670, US20060065890, US20060127696, US20060134459, US20060134462, US20060202194, US20060251923, US20070034863, US20070087321, US20070103060, US20070111026, US20070190359, US20070231600, US2007034863, US2007104979, US2007104980, US2007138437, US2007224450, US2007278936, US20080020237, US20080233410, US20080261076, US20080297033, US200805851, US2008161567, US2008210930, US20090039776, US20090108737, US20090115322, US20090179555, US2009085476, US2009104472, US20100090591, US20100148663, US20100244004, US20100295032, US2010102716, US2010105902, US2010244004, US2010270916, US20110057559, US20110108822, US20110204333, US2011215710, US2011227049, US2011285275, US2012292601, US20130146848, US2013033172, US2013165653, US2013181190, US2013334521, US20140246656, US2014103305, U.S. Pat. Nos. 6,303,238, 6,413,656, 6,653,654, 6,670,645, 6,687,266, 6,835,469, 6,921,915, 7,279,704, 7,332,232, 7,378,162, 7,534,505, 7,675,228, 7,728,137, 7,740,957,






7,759,489, 7,951,947, 8,067,099, 8,592,586, 8,871,361, WO06081973, WO06121811, WO07018067, WO07108362, WO07115970, WO07115981, WO08035571, WO2002015645, WO2003040257, WO2005019373, WO2006056418, WO2008054584, WO2008078800, WO2008096609, WO2008101842, WO2009000673, WO2009050281, WO2009100991, WO2010028151, WO2010054731, WO2010086089, WO2010118029, WO2011044988, WO2011051404, WO2011107491, WO2012020327, WO2012163471, WO2013094620, WO2013107487, WO2013174471, WO2014007565, WO2014008982, WO2014023377, WO2014024131, WO2014031977, WO2014038456, WO2014112450.







-continued








-continued




-continued




-continued




-continued




-continued








-continued




-continued




-continued







-continued







-continued




-continued











-continued




-continued




-continued








-continued







-continued




-continued




-continued




-continued



-continued






f) HBL:

[0268] A hole blocking layer (HBL) may be used to reduce the number of holes and/or excitons that leave the emissive layer. The presence of such a blocking layer in a device may result in substantially higher efficiencies and/or longer lifetime as compared to a similar device lacking a blocking layer. Also, a blocking layer may be used to confine emission to a desired region of an OLED. In some embodiments, the HBL material has a lower HOMO (further from the vacuum level) and/or higher triplet energy than the emitter closest to the HBL interface. In some embodiments, the HBL material has a lower HOMO (further from the vacuum level) and/or higher triplet energy than one or more of the hosts closest to the HBL interface.

[0269] In one aspect, compound used in HBL contains the same molecule or the same functional groups used as host described above.

[0270] In another aspect, compound used in HBL contains at least one of the following groups in the molecule:




wherein k is an integer from 1 to 20; L^{101} is another ligand, k' is an integer from 1 to 3.

g) ETL:


[0271] Electron transport layer (ETL) may include a material capable of transporting electrons. Electron transport layer may be intrinsic (undoped), or doped. Doping may be used to enhance conductivity. Examples of the ETL material are not particularly limited, and any metal complexes or organic compounds may be used as long as they are typically used to transport electrons.

[0272] In one aspect, compound used in ETL contains at least one of the following groups in the molecule:



wherein R^{101} is selected from the group consisting of hydrogen, deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acids, ether, ester, nitrile, isonitrile, sulfonyl, sulfinyl, sulfonyl, phosphino, and combinations thereof, when it is aryl or heteroaryl, it has the similar definition as Ar 's mentioned above. Ar^1 to Ar^3 has the similar definition as Ar 's mentioned above. k is an integer from 1 to 20. X^{101} to X^{108} is selected from C (including CH) or N.







[0273] In another aspect, the metal complexes used in ETL contains, but not limit to the following general formula:







wherein (O—N) or (N—N) is a bidentate ligand, having metal coordinated to atoms O, N or N, N; L^{101} is another ligand; k' is an integer value from 1 to the maximum number of ligands that may be attached to the metal.

[0274] Non-limiting examples of the ETL materials that may be used in an OLED in combination with materials disclosed herein are exemplified below together with references that disclose those materials: CN103508940, EP01602648, EP01734038, EP01956007, JP2004-022334, JP2005149918, JP2005-268199, KR0117693, KR20130108183, US20040036077, US20070104977, US2007018155, US20090101870, US20090115316, US20090140637, US20090179554, US2009218940, US2010108990, US2011156017, US2011210320, US2012193612, US2012214993, US2014014925, US2014014927, US20140284580, U.S. Pat. Nos. 6,656,612, 8,415,031, WO2003060956, WO2007111263, WO2009148269, WO2010067894, WO2010072300, WO2011074770, WO2011105373, WO2013079217, WO2013145667, WO2013180376, WO2014104499, WO2014104535,





-continued




-continued








-continued







-continued






-continued




-continued





-continued




-continued



-continued



, and



h) Charge Generation Layer (CGL)

[0275] In tandem or stacked OLEDs, the CGL plays an essential role in the performance, which is composed of an n-doped layer and a p-doped layer for injection of electrons and holes, respectively. Electrons and holes are supplied from the CGL and electrodes. The consumed electrons and holes in the CGL are refilled by the electrons and holes injected from the cathode and anode, respectively; then, the bipolar currents reach a steady state gradually. Typical CGL materials include n and p conductivity dopants used in the transport layers.

[0276] In any above-mentioned compounds used in each layer of the OLED device, the hydrogen atoms can be partially or fully deuterated. Thus, any specifically listed substituent, such as, without limitation, methyl, phenyl, pyridyl, etc. may be undeuterated, partially deuterated, and

fully deuterated versions thereof. Similarly, classes of substituents such as, without limitation, alkyl, aryl, cycloalkyl, heteroaryl, etc. also may be undeuterated, partially deuterated, and fully deuterated versions thereof.

[0277] It is understood that the various embodiments described herein are by way of example only and are not intended to limit the scope of the invention. For example, many of the materials and structures described herein may be substituted with other materials and structures without deviating from the spirit of the invention. The present invention as claimed may therefore include variations from the particular examples and preferred embodiments described herein, as will be apparent to one of skill in the art. It is understood that various theories as to why the invention works are not intended to be limiting.

E. Experimental Data

TABLE 1



Theoretical calculations			
Chemical Structure	Calculated T ₁ (nm)	Calculated HOMO (eV)	Calculated LUMO (eV)
Pt(L_A65-(109)(109)(3)(109)(109)) (L_B3-(190)(109)(109)(109)) 	451	-5.484	-1.816
Pt(L_A65-(109)(109)(3)(109)(109)) (L_B3-(10)(109)(109)(109)) 	452	-5.458	-1.825

TABLE 1-continued



Theoretical calculations			
Chemical Structure	Calcu- lated T_1 (nm)	Calcu- lated HOMO (eV)	Calcu- lated LUMO (eV)
Pt(L_A73-(109)(109)(3)(20)(20)) (L_B3-(190)(109)(109)(109))  The structure shows a platinum (Pt) center coordinated by two nitrogen atoms of a porphyrin-like ligand (LA73) and two nitrogen atoms of a phthalocyanine-like ligand (LB3). The LA73 ligand has two phenyl rings at the 3 and 20 positions, each substituted with four deuterium (D) atoms. The LB3 ligand has a phenyl ring at the 190 position. The central Pt atom is also coordinated by two oxygen atoms of the LA73 ligand.	465	-5.025	-1.602
Pt(L_A73-(109)(109)(3)(20)(20)) (L_B3-(10)(109)(109)(109))  The structure is similar to the one above, but the LB3 ligand has a phenyl ring at the 10 position instead of the 190 position. The LA73 ligand remains the same with deuterium substitutions.	469	-5.012	-1.615

TABLE 1-continued



Theoretical calculations			
Chemical Structure	Calcu- lated T ₁ (nm)	Calcu- lated HOMO (eV)	Calcu- lated LUMO (eV)
Pt(L_A94-(187)(109)(109)(20)(109)) (L_B9-(109)(3)(109)(109))  The structure shows a central platinum (Pt) atom coordinated by two nitrogen-containing ligands. One ligand is a large, complex macrocyclic structure with multiple phenyl rings and a boron atom. The other ligand is a smaller, simpler structure with a phenyl ring and a boron atom. The structure is highly symmetrical and complex.	469	-5.317	-1.732
Pt(L_A66-(109)(109)(3)(109)(109)) (L_B3-(190)(109)(109)(109))  The structure shows a central platinum (Pt) atom coordinated by two nitrogen-containing ligands. One ligand is a large, complex macrocyclic structure with multiple phenyl rings and a boron atom. The other ligand is a smaller, simpler structure with a phenyl ring and a boron atom. The structure is highly symmetrical and complex.	472	-5.486	-1.946

TABLE 1-continued



Theoretical calculations			
Chemical Structure	Calcu- lated T ₁ (nm)	Calcu- lated HOMO (eV)	Calcu- lated LUMO (eV)
Pt(L_A171- (109)(109)(20)(109)(109)) (L_B9-(109)(3)(109)(109))  The structure shows a central platinum (Pt) atom coordinated by four ligands. Two ligands are 1,10-phenanthroline derivatives: one with a phenyl group at the 2-position and a benzofuran moiety at the 5-position, and another with a phenyl group at the 2-position and a benzofuran moiety at the 5-position. The other two ligands are 2,2',6,6'-tetramethyl-3,3'-bipyridine (TM-Bpy) ligands.	473	-5.24	-1.753
Pt(L_A172- (109)(109)(20)(109)(109)) (L_B9-(109)(3)(109)(109))  The structure shows a central platinum (Pt) atom coordinated by four ligands. Two ligands are 1,10-phenanthroline derivatives: one with a phenyl group at the 2-position and a benzofuran moiety at the 5-position, and another with a phenyl group at the 2-position and a benzofuran moiety at the 5-position. The other two ligands are 2,2',6,6'-tetramethyl-3,3'-bipyridine (TM-Bpy) ligands.	474	-5.231	-1.728

TABLE 1-continued




Theoretical calculations			
Chemical Structure	Calcu- lated T ₁ (nm)	Calcu- lated HOMO (eV)	Calcu- lated LUMO (eV)
Pt(L_A93-(187)(109)109)(20)(109)) (L_B9-(109)(3)(109)(109)) 	474	-5.328	-1.731
Ir(L_A2-(109)(1)(1)(109)(109)) (L_{BB}115)₂ 	588	-4.808	-1.853
Ir(L_A55- (109)(109)(109)(109)(109)) (L_B18)₂ 	705	-5.033	-2.718

TABLE 1-continued




Theoretical calculations			
Chemical Structure	Calcu- lated T ₁ (nm)	Calcu- lated HOMO (eV)	Calcu- lated LUMO (eV)
Ir(L_A49-(109)(109)(109) (109)(109))₃ 	538	-4.953	-2.297
Pt(L_A163- (109)(109)(109)(109)(10)) (L_B9-(109)(3)(109)(109)) 	474	-5.308	-1.782
Pt(L_A169- (109)(109)(20)(206)(109)) (L_B42-(109)(20)(3)(109)) 	746	-4.846	-2.186

TABLE 1-continued






Theoretical calculations			
Chemical Structure	Calcu- lated T_1 (nm)	Calcu- lated HOMO (eV)	Calcu- lated LUMO (eV)
Pt(L_A170- (20)(109)(109)(109)(109)) (L_B9-(109)(3)(109)(109)) 	475	-5.272	-1.851
Pt(L_A164- (109)(109)(109)(109)(10)) (L_B9-(109)(3)(109)(109)) 	523	-5.105	-1.832
Pt(L_A156- (1)(109)(109)(109)(109)) (L_B9-(109)(3)(109)(109)) 	708	-5.249	-2.702

TABLE 1-continued

Theoretical calculations			
Chemical Structure	Calculated T_1 (nm)	Calculated HOMO (eV)	Calculated LUMO (eV)
Pt(L _A 158- (109)(109)(109)(109)(109)) (L _B 42-(109)(109)(109)(109)) 	651	-5.323	-2.857
Pt(L _A 158- (109)(109)(109)(109)(109)) (L _B 9-(109)(3)(109)(109)) 	651	-5.217	-2.857

[02778] Table 1 shows calculated triplet energies, HOMO and LUMO for several inventive compounds. Geometry optimization calculations were performed within the Gaussian 09 software package using the B3LYP hybrid functional and CEP-31G basis set which includes effective core potentials. The compounds show a wide range of possible T_1 energies spanning deep blue to near infrared which are needed for a full color display.


[0279] It should be understood that these compounds related calculations obtained with the DFT functional set and basis set as identified herein are theoretical. Computational composite protocols, such as Gaussian with the CEP-31G basis set used herein, rely on the assumption that electronic effects are additive and, therefore, larger basis sets can be used to extrapolate to the complete basis set (CBS) limit. However, when the goal of a study is to understand variations in HOMO, LUMO, S_1 , T_1 , bond dissociation energies, etc. over a series of structurally related compounds, the additive effects are expected to be similar. Accordingly, while absolute errors from using the B3LYP may be significant compared to other computational methods, the relative differences between the HOMO, LUMO, S_1 , T_1 , and bond dissociation energy values calculated with B3LYP protocol are expected to reproduce experiment quite well. See, e.g., Hong et al., *Chem. Mater.* 2016, 28, 5791-98, 5792-93 and Supplemental Information (discussing the reliability of DFT calculations in the context of OLED materials). Moreover, with respect to iridium or platinum complexes that are useful in the OLED art, the data obtained from DFT calculations correlates very well to actual experimental data. See Tavasli et al., *J. Mater. Chem.* 2012, 22,

6419-29, 6422 (Table 3) (showing DFT calculations closely correlating with actual data for a variety of emissive complexes); Morello, G. R., *J. Mol. Model.* 2017, 23:174 (studying of a variety of DFT functional sets and basis sets and concluding the combination of B3LYP and CEP-31G is particularly accurate for emissive complexes).

What is claimed is:

1. A compound comprising a ligand L_A,

wherein L_A comprises a moiety L having a structure of Formula I:



wherein:

L_A is coordinated to an Ir atom;

A¹ is selected from the group consisting of B, N, P, P=O, P=S, Al, Ga, SiR", GeR", and SnR";

each of rings A, B, and C is independently a 5-membered or 6-membered carbocyclic or heterocyclic ring;

Y^1 , Y^2 , and Y^3 are each independently a moiety selected from the group consisting of direct bond, BR, BRR', NR, PR, O, S, Se, C=X, S=O, SO₂, CR, CRR', SiRR', GeRR', alkyl, cycloalkyl, aryl, heteroaryl, the Ir atom, and combinations thereof;

wherein X is selected from the group consisting of O, S, Se, NR', and CR''R''';

a, b, and c are each independently 0 for not present or 1 for present;

a+b+c=2 or 3;

R^A , R^B , and R^C each independently represent mono to the maximum allowable substitution, or no substitution; each R, R', R'', R''', R^A , R^B , and R^C is independently hydrogen or a substituent selected from the group consisting of the Ir atom, deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, boryl, aryl-alkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acid, ether, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof;

the Ir atom can be coordinated to other ligands;

the ligand L_A can be joined with other ligands to form a bidentate, tridentate, tetradentate, pentadentate, or hexadentate ligand;

any two substituents of R, R', R'', R''', R^A , R^B , and R^C can be joined or fused to form a ring; and

at least one of the following conditions is true:

- 1) at least one of rings A, B, and C is a 5-membered carbocyclic or heterocyclic ring;
- 2) at least one of Y^1 , Y^2 , or Y^3 is present as C=R;
- 3) A^1 is B and at least one of Y^1 , Y^2 , and Y^3 is present as a direct bond;
- 4) A^1 is B, a=b=1, and Y^1 is different from Y^2 ;
- 5) A^1 is N and at least one of Y^1 , Y^2 , and Y^3 is present as BR;
- 6) A^1 is B, a=b=1, and Y^1 is not O;
- 7) the compound comprises a metal-carbene bond; or
- 8) at least one pair of adjacent R^A , R^B , or R^C join together to form a fused moiety comprising one or more rings fused to and extending from Ring A, Ring B, or Ring C, respectively, wherein the fused moiety coordinates directly to the Ir atom.

2. The compound of claim 1, wherein each R, R', R'', R^A , R^B , and R^C is independently hydrogen or a substituent selected from the group consisting of the Ir atom, deuterium, fluorine, alkyl, cycloalkyl, heteroalkyl, alkoxy, aryloxy, amino, silyl, boryl, alkenyl, cycloalkenyl, heteroalkenyl, aryl, heteroaryl, nitrile, isonitrile, sulfanyl, and combinations thereof.

3. The compound of claim 1, wherein at most only one of rings A, B, and C is coordinated to the Ir atom.

4. The compound of claim 3, wherein none of rings A, B, and C are coordinated to the Ir atom.

5. The compound of claim 1, wherein at least one pair of adjacent R^A , R^B , or R^C join together to form a fused moiety comprising one or more rings fused to and extending from Ring A, Ring B, or Ring C, respectively, wherein the fused moiety coordinates directly to the Ir atom.






6. The compound of claim 1, wherein A^1 is B, a=b=1, and Y^1 is different from Y^2 .

7. The compound of claim 1, wherein L_A coordinates to the Ir atom through a metal-carbene bond.


8. The compound of claim 1, wherein exactly one substituent R^A , R^B , or R^C is the Ir atom.

9. The compound of claim 1, wherein A^1 is B.

10. The compound of claim 1, wherein the moiety L has a structure selected from the group consisting of:



-continued



wherein


each of $X^1, X^2, X^3, X^4, X^5, X^6, X^7, X^8, X^9, X^{10}, X^{11}, X^{12}, X^{13}, X^{14}, X^{15}, X^{16}, X^{17}, X^{18}$, and X^{19} is independently C or N;

R^D and R^E each independently represent mono to the maximum allowable substitution, or no substitution;

each R^D and R^E is independently hydrogen or a substituent selected from the group consisting of the Ir atom, deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, boryl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acid, ether, ester, nitrile, isonitrile, sulfanyl, sulfanyl, sulfonyl, phosphino, and combinations thereof;

each of Y^4 , Y^5 , and Y^6 is independently selected from the group consisting of C=R, NR, O, S, Se, BR, CRR', SiRR', GeRR', and SnRR'; and any two substituents of R, R', R'', R^A, R^B, R^C, R^D and R^E can be joined or fused to form a ring.

11. The compound of claim 10, wherein the moiety L has a structure of:



wherein

the Ir atom can bond directly to a maximum of one of X^1 , X^2 , X^3 , X^4 , X^5 , X^6 , X^7 , X^8 , X^9 , Y^1 , Y^2 , and Y^3 ;


at least one of Y^1 , Y^2 , and Y^3 is present as NR;

when one of X^1 , X^2 , and X^3 is directly bonded to the Ir atom, then at least one of the following statements is true:


- 1) $a+b+c=3$;
- 2) a or c is 0;
- 3) bis 1;
- 4) R^d comprises a 5-membered carbocyclic or heterocyclic ring that is coordinated to M;
- 5) one of $X^4, X^5, X^6, X^7, X^8, X^9, Y^1, Y^2$, or Y^3 comprises R which comprises a 5-membered or 6-membered carbocyclic or heterocyclic ring that is coordinated to the Ir atom.

12. The compound of claim 1, wherein the moiety L is part of a bidentate ligand.


13. The compound of claim 1, wherein L_A is selected from the group consisting of:



-continued



-continued



wherein:

Y_T is selected from the group consisting of B, Al, Ga, and In;

each of $Y_1, Y_2, Y_3, Y_4, Y_5, Y_6, Y_7, Y_8, Y_9, Y_{10}, Y_{11}, Y_{12}$, and Y_{13} is independently selected from the group consisting of carbon and nitrogen;


Y' is selected from the group consisting of $BR_e, NR_e, PR_e, O, S, Se, C=O, S=O, SO_2, CR_eR_d, SiR_eR_d$ and GeR_eR_d ;










each R_a, R_b, R_c , and R_d independently represent zero, mono, or up to a maximum allowed number of substitutions to its associated ring;

each of $R_{a1}, R_{b1}, R_{c1}, R_{d1}, R_a, R_b, R_c, R_d, R_e$ and R_f is independently a hydrogen or a substituent selected from the group consisting of deuterium, halide, alkyl, cycloalkyl, heteroalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, boryl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carbonyl, carboxylic acid, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof; the general substituents defined herein; and





any two adjacent $R_a, R_{a1}, R_b, R_{b1}, R_c, R_{c1}, R_d, R_{d1}, R_e$ and R_f can be fused or joined to form a ring or form a multidentate ligand.

17. The compound of claim 1, wherein the compound is selected from the group consisting of:






-continued



18. An organic light emitting device (OLED) comprising:
 an anode;
 a cathode; and
 an organic layer disposed between the anode and the cathode, wherein the organic layer comprises a compound comprising a ligand L_A ,

wherein L_A comprises a moiety L having a structure of Formula I:



wherein:

L_A is coordinated to an Ir atom;
 A^1 is selected from the group consisting of B, N, P, P=O, P=S, Al, Ga, SiR'', GeR'', and SnR'';
 each of rings A, B, and C is independently a 5-membered or 6-membered carbocyclic or heterocyclic ring;
 Y^1 , Y^2 , and Y^3 are each independently a moiety selected from the group consisting of direct bond, BR, BRR'', NR, PR, O, S, Se, C=X, S=O, SO₂, CR, CRR', SIRR', GeRR', alkyl, cycloalkyl, aryl, heteroaryl, the Ir atom, and combinations thereof;
 wherein X is selected from the group consisting of O, S, Se, NR', and CR''R''';
 a, b, and c are each independently 0 for not present or 1 for present;
 $a+b+c=2$ or 3;
 R^A , R^B , and R^C each independently represent mono to the maximum allowable substitution, or no substitution;
 each R, R'', R'', R^A , R^B , and R^C is independently hydrogen or a substituent selected from the group consisting of the Ir atom, deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, boryl, aryl-alkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acid, ether, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof;

the Ir atom can be coordinated to other ligands;
 the ligand L_A can be joined with other ligands to form a bidentate, tridentate, tetradentate, pentadentate, or hexadentate ligand;

any two substituents of R, R', R'', R'', R^A , R^B , and R^C can be joined or fused to form a ring; and

at least one of the following conditions is true:

- 1) at least one of rings A, B, and C is a 5-membered carbocyclic or heterocyclic ring;
- 2) at least one of Y^1 , Y^2 , or Y^3 is present as C=R;
- 3) A^1 is B and at least one of Y^1 , Y^2 , and Y^3 is present as a direct bond;
- 4) A^1 is B, $a=b=1$, and Y^1 is different from Y^2 ;
- 5) A^1 is N and at least one of Y^1 , Y^2 , and Y^3 is present as BR;
- 6) A^1 is B, $a=b=1$, and Y^1 is not O;
- 7) the compound comprises a metal-carbene bond; or
- 8) at least one pair of adjacent R^A , R^B , or R^C join together to form a fused moiety comprising one or more rings fused to and extending from Ring A, Ring B, or Ring C, respectively, wherein the fused moiety coordinates directly to the Ir atom.

19. The OLED of claim 18, wherein the organic layer further comprises a host, wherein the host comprises at least one chemical moiety selected from the group consisting of triphenylene, carbazole, indolocarbazole, dibenzothiophene, dibenzofuran, dibenzoselenophene, 5,9-dioxo-13b-boranaphtho[3.2.1-de]anthracene, aza-triphenylene, aza-carbazole, aza-indolocarbazole, aza-dibenzothiophene, aza-dibenzofuran, aza-dibenzoselenophene, and aza-(5.9-dioxo-13b-boranaphtho[3.2.1-de]anthracene).


20. A consumer product comprising an organic light-emitting device (OLED) comprising:

an anode;

a cathode; and

an organic layer disposed between the anode and the cathode, wherein the organic layer comprises a compound comprising a ligand L_A ,

wherein L_A comprises a moiety L having a structure of Formula I:



wherein:

L_A is coordinated to an Ir atom;

A^1 is selected from the group consisting of B, N, P, P=O, P=S, A^1 , Ga, SiR", GeR", and SnR";

each of rings A, B, and C is independently a 5-membered or 6-membered carbocyclic or heterocyclic ring;

Y^1 , Y^2 , and Y^3 are each independently a moiety selected from the group consisting of direct bond, BR, BRR",

NR, PR, O, S, Se, C=X, S=O, SO₂, CR, CRR', SiRR', GeRR', alkyl, cycloalkyl, aryl, heteroaryl, the Ir atom, and combinations thereof;

wherein X is selected from the group consisting of O, S, Se, NR', and CR"R";

a, b, and c are each independently 0 for not present or 1 for present;

$a+b+c=2$ or 3;

R^A , R^B , and R^C each independently represent mono to the maximum allowable substitution, or no substitution;

each R, R', R", R", R^A , R^B , and R^C is independently hydrogen or a substituent selected from the group consisting of the Ir atom, deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, boryl, aryl-alkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acid, ether, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof;

the Ir atom can be coordinated to other ligands;

the ligand L_A can be joined with other ligands to form a bidentate, tridentate, tetradentate, pentadentate, or hexadentate ligand;

any two substituents of R, R', R", R", R^A , R^B , and R^C can be joined or fused to form a ring; and

at least one of the following conditions is true;

- 1) at least one of rings A, B, and C is a 5-membered carbocyclic or heterocyclic ring;
- 2) at least one of Y^1 , Y^2 , or Y^3 is present as C=R;
- 3) A^1 is B and at least one of Y^1 , Y^2 , and Y^3 is present as a direct bond;
- 4) A^1 is B, $a=b=1$, and Y^1 is different from Y^2 ;
- 5) A^1 is N and at least one of Y^1 , Y^2 , and Y^3 is present as BR;
- 6) A^1 is B, $a=b=1$, and Y^1 is not O;
- 7) the compound comprises a metal-carbene bond; or
- 8) at least one pair of adjacent R^A , R^B , or R^C join together to form a fused moiety comprising one or more rings fused to and extending from Ring A, Ring B, or Ring C, respectively, wherein the fused moiety coordinates directly to the Ir atom.

* * * * *