

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12408656
Kind Code	B2
Date of Patent	September 09, 2025
Inventor(s)	Klaas; Hunter

Scent dispersal devices

Abstract

A scent dispersal devices for luring hunting game animals to a hunting area includes a belt that can be positioned around a waist of a user. A pouch is coupled to the belt. A scent container is positionable within the interior space for holding a scent fluid that attracts a game animal. A drag wick has a wick handle extending upwardly from a rod. The rod is positionable in the scent container and retains some of the scent fluid after being positioned in the scent container. A housing is coupled to the belt. A cord coupled to the housing is extendable and retractable relative to the housing. A cord clip coupled to the cord releasably engages the wick handle so that the drag wick can be dragged along a ground surface when the user walks along the ground surface while the cord is extended from the housing.

Inventors:	Klaas; Hunter (Stitzer, WI)
Applicant:	Klaas; Hunter (Stitzer, WI)
Family ID:	96024381
Appl. No.:	18/538333
Filed:	December 13, 2023

Prior Publication Data

Document Identifier	Publication Date
US 20250194584 A1	Jun. 19, 2025

Publication Classification

Int. Cl.: A01M31/00 (20060101); A45F5/02 (20060101)

U.S. Cl.:

CPC A01M31/008 (20130101); A45F5/021 (20130101);

Field of Classification Search

CPC: A01M (31/008); A01M (1/2044); A01M (1/2055); A61L (9/127)

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
4747527	12/1987	Trumpower, II	N/A	N/A
4788787	12/1987	Konietzki	242/405	A01M 31/008
5074439	12/1990	Wilcox	224/222	A01M 31/008
5148949	12/1991	Luca	239/327	A01K 27/007
5622314	12/1996	Eason	239/47	A61L 9/12
5906298	12/1998	Ward	239/36	A61L 9/127
5947379	12/1998	Freeman	239/52	A01M 31/008
5987800	12/1998	Regan	43/1	A01M 31/008
6085989	12/1999	Cox	239/59	A61L 9/12
6101754	12/1999	Knapick	43/1	A01M 31/008
6209252	12/2000	McGough	43/1	A01M 31/008
6270485	12/2000	Ekey	224/663	A61F 5/4408
6390348	12/2001	Godshaw	224/660	B25H 3/00
6470619	12/2001	Snyder	239/48	A01M 31/008
6531145	12/2002	Reichert	N/A	N/A
6676033	12/2003	Campesi, Sr.	239/47	A61L 9/04
6712286	12/2003	Baxter	239/46	A61L 9/042
7073732	12/2005	Abbas	239/34	A01M 31/008
7093770	12/2005	Moran	239/326	A61L 9/127
7165706	12/2006	Barr	224/672	A45F 5/021
7419102	12/2007	Harris, Jr.	239/6	A01M 29/12
7597494	12/2008	Migyanka	401/9	A45D 34/04
7643735	12/2009	Mast	239/145	A01M 1/2077
7837076	12/2009	Welker	239/152	A01M 31/00
7988984	12/2010	Hockaday	43/132.1	A01M 1/08
8011545	12/2010	Murdoch	224/675	B25H 3/00
8157140	12/2011	Jay	224/269	A45F 5/02
8905667	12/2013	Burks	224/148.1	A01M 31/00
9089124	12/2014	Cox	N/A	A01M 31/06
9179730	12/2014	Waters	N/A	A43B 3/0031
9185901	12/2014	Arcia	N/A	A01M 31/008
9717231	12/2016	D'Arco	N/A	A01M 31/008
9980478	12/2017	Roebuck	N/A	A01M 31/008
10912855	12/2020	Webster	N/A	A61L 9/12
10959422	12/2020	Dion	N/A	A01M 31/008
11241007	12/2021	Burgeson	N/A	B65D 23/08
11419327	12/2021	Charles	N/A	A01M 31/008
2006/0289668	12/2005	Szymczak	239/152	A01M 31/008
2008/0054021	12/2007	Brown	222/175	A45F 5/02
2008/0190008	12/2007	Aslin	43/1	A01M 31/008

Background/Summary

CROSS-REFERENCE TO RELATED APPLICATIONS

(1) Not Applicable

STATEMENT REGARDING FEDERALLY SPONSORED RESEARCH OR DEVELOPMENT

(2) Not Applicable

THE NAMES OF THE PARTIES TO A JOINT RESEARCH AGREEMENT

(3) Not Applicable

INCORPORATION-BY-REFERENCE OF MATERIAL SUBMITTED ON A COMPACT DISC OR AS A TEXT FILE VIA THE OFFICE ELECTRONIC FILING SYSTEM

(4) Not Applicable

STATEMENT REGARDING PRIOR DISCLOSURES BY THE INVENTOR OR JOINT INVENTOR

(5) Not Applicable

BACKGROUND OF THE INVENTION

(1) Field of the Invention

(6) The disclosure relates to scent dispersal devices and systems and more particularly pertains to a new scent dispersal devices and systems for luring hunting game animals to a hunting area.

(2) Description of Related Art Including Information Disclosed Under 37 CFR 1.97 and 1.98

(7) The prior art relates to scent dispersal devices and systems. Scent dispersal systems are used in hunting to attract deer and other game animals to a particular location. Some animals, such as deer, use scents to determine the distance of a hunter or otherwise decide if an area is safe. For example, a hunter or other use may disperse a scent around a particular field or hunting blind where the hunter can wait for the animal. Some hunters will disperse a doe urine scent to lure bucks to the hunting area, because bucks are attracted to the doe urine. Similarly, buck urine may be used to attract doe to the hunting area. However, dispersing the various animal scents can require numerous pieces of equipment, which can be cumbersome and difficult for the hunter to carry around the hunting area. Thus, there is a need in the art for a convenient system for dispersing an animal scent and storing the equipment while the hunter is waiting for the game animal to reach the hunting area.

BRIEF SUMMARY OF THE INVENTION

(8) An embodiment of the disclosure meets the needs presented above by generally comprising a belt having a first end and a second end. The first end is engageable to the second end so the belt can be positioned around a waist of a user. A pouch is coupled to the belt. A scent container is positionable within the interior space for holding a scent fluid that attracts a game animal. A drag wick has a wick handle and a rod. The wick handle extends upwardly from the rod. The rod is positionable in the scent container. The rod comprises a cloth material that retains at least some of the scent fluid after the rod is positioned in the scent container. A drag wick container is positionable within the interior space. The drag wick is positionable within the drag wick container. A housing is coupled to the belt. A cord is coupled to the housing. The cord is extendable and retractable relative to the housing. A cord clip is coupled to the cord. The cord clip releasably engages the wick handle of the drag wick so that the drag wick can be dragged along a ground surface when the user walks along the ground surface while the cord is extended from the housing.

(9) There has thus been outlined, rather broadly, the more important features of the disclosure in order that the detailed description thereof that follows may be better understood, and in order that

the present contribution to the art may be better appreciated. There are additional features of the disclosure that will be described hereinafter and which will form the subject matter of the claims appended hereto.

(10) The objects of the disclosure, along with the various features of novelty which characterize the disclosure, are pointed out with particularity in the claims annexed to and forming a part of this disclosure.

Description

BRIEF DESCRIPTION OF SEVERAL VIEWS OF THE DRAWING(S)

(1) The disclosure will be better understood and objects other than those set forth above will become apparent when consideration is given to the following detailed description thereof. Such description makes reference to the annexed drawings wherein:

(2) FIG. 1 is a front isometric view of a scent dispersal devices according to an embodiment of the disclosure.

(3) FIG. 2 is a front view of an embodiment of the disclosure.

(4) FIG. 3 is a rear view of an embodiment of the disclosure.

(5) FIG. 4 is a side view of an embodiment of the disclosure.

(6) FIG. 5 is a side view of an embodiment of the disclosure.

(7) FIG. 6 is a top view of an embodiment of the disclosure.

(8) FIG. 7 is a detailed isometric view of an embodiment of the disclosure.

(9) FIG. 8 is an exploded view of an embodiment of the disclosure.

(10) FIG. 9 is an in-use view of an embodiment of the disclosure.

(11) FIG. 10 is an in-use view of an embodiment of the disclosure.

(12) FIG. 11 is an in-use view of an embodiment of the disclosure.

DETAILED DESCRIPTION OF THE INVENTION

(13) With reference now to the drawings, and in particular to FIGS. 1 through 11 thereof, a new scent dispersal devices and systems embodying the principles and concepts of an embodiment of the disclosure and generally designated by the reference numeral 10 will be described.

(14) As best illustrated in FIGS. 1 through 11, the scent dispersal devices 10 generally comprise a belt 12 having a first end 14 and a second end 16. The belt 12 is generally formable into a loop. The first end 14 is engageable to the second end 16 wherein the belt 12 is configured for being positioned around a waist 18 of a user 20. The belt 12 may have an adjustable length.

(15) A fastener 22 may be coupled to the first end 14 and the second end 16. The fastener 22 releasably engages the first end 14 to the second end 16 thereby forming the loop.

(16) A pouch 24 may be coupled to the belt 12, for example being positioned proximate to the first end 14. The pouch 24 includes a bottom wall 26 and a peripheral wall 28 that is coupled to and extends upwardly from the bottom wall 26 to define an interior space 30. The peripheral wall 28 has an upper edge 32 to define an opening 34 into the interior space 30.

(17) A lid 36 may be pivotably coupled to the upper edge 32 to selectively close the opening 34. An attachment 38 may releasably couple the lid 36 to the upper edge 32. For example, the attachment 38 may comprise a zipper or a hook and loop fastener.

(18) A scent container 40 is generally positionable within the interior space 30. The scent container 40 is configured to hold a scent fluid 42. The scent fluid 42 is configured to attract a game animal 44. For example, the scent fluid 42 may comprise buck urine or doe urine when the user 20 is hunting deer.

(19) A drag wick 46 includes a wick handle 48 and a rod 50. The wick handle 48 extends upwardly from the rod 50. The rod 50 is positionable in the scent container 40 and may comprising an absorbent material, such as cloth, whereby the rod 50 is configured to retain at least some of the

scent fluid **42** after the rod **50** is positioned in the scent container **40**. The drag wick **46** may further include a weight **52** that is coupled to the rod **50** distal to the wick handle **48**.

(20) A drag wick container **54** may be positionable within the interior space **30** of the pouch **42**. The drag wick **46** is positionable within the drag wick container **54**, for example for storage of the drag wick **46** when the drag wick **46** is not being used. The drag wick container **54** may comprise a tube shape for enclosing the rod **50**.

(21) A spray bottle **56** may be positionable within the interior space **30**. The spray bottle **56** is generally configured to hold the scent fluid **42**. The spray bottle **56** may include a nozzle **58** that is configured to diffuse the scent fluid **42** outwardly from the spray bottle **56**.

(22) Some embodiments may include a first spray bottle for holding and diffusing a first scent fluid and a second spray bottle for holding and diffusing a second scent fluid. For example, the first scent fluid may comprise a doe urine while the second scent fluid may comprise a buck urine. The particular embodiments of the scent fluid may be determined based on the type of game animal the user is trying to lure or attract with the scent dispersal devices **10**.

(23) A plurality of pockets **60** may be coupled to the peripheral wall **28** and arranged within the interior space **30**. Each of the plurality of pockets **60** is generally configured to receive a one of the scent container **40**, the drag wick container **54**, and the spray bottle **56**. For example, the plurality of pockets **60** may be aligned along a back side **62** of the peripheral wall **28**.

(24) A strap **64** having a first side **66** and a second side **68** may be positionable within the interior space **30**. A connector **70** may releasably couple the first side **66** to the second side **68** whereby the strap **64** is releasably retained in a folded configuration. The strap **64** is configured to fit around a tree branch **72** when the strap **64** is retained in the folded configuration. In some embodiments, the connector **70** may comprise a hook and loop coupler, a button, a zipper, or a snap.

(25) A strap clip **74** may be coupled to the strap **64**. The strap clip **74** is generally configured to releasably receive the wick handle **48** of the drag wick **46** whereby the drag wick **46** can be hung from the tree branch **72** when the strap **64** is fitted around the tree branch **72** in the folded configuration. For example, as shown in FIGS. **10** and **11**, the drag wick **46** can be hung from the tree branch **72** to attract the game animal **44** to that tree branch **72**. The user **20** can refresh the scent of the drag wick **46** by spraying the scent fluid **42** from the spray bottle **56** onto the rod **50** while the drag wick **46** hangs from the strap **64**.

(26) A housing **76** may be coupled to the belt **12**. In some embodiments, the housing **76** may be positioned proximate to the second end **16**. The housing **76** may comprise a circular shape. A cord **78** may be coupled to the housing **76**. The cord **78** is generally extendable and retractable relative to the housing **76**.

(27) A cord clip **80** may be coupled to the cord **78**. The cord clip **80** can releasably engage the wick handle **48** of the drag wick **46** whereby the drag wick **46** is configured for being dragged along a ground surface **82** when the user **20** walks along the ground surface **82** while the cord **78** is extended from the housing **76**. FIG. **9** provides an example of such embodiments.

(28) A housing handle **84** may be rotatably coupled to the housing **76**, wherein rotation of the housing handle **84** selectively extends and retracts the cord **78** relative to the housing **76**.

(29) A light **86** may be coupled to the belt **12**. For example, the light **86** may be positioned adjacent to the housing **76**. The light **86** is generally configured to be directed forwardly from the belt **12** when the belt **12** is positioned around the waist **18** of the user **20** whereby the light **86** is configured to illuminate the ground surface **82**. In some embodiments, the light **86** may be pivotably coupled to the belt **12** whereby the light **86** is configured to be selectively directable to illuminate an area surrounding the user **20**.

(30) In use, the user **20** can store various scent fluids **42** within the pouch **24** coupled to the belt **12**. The user **20** can disperse the scent fluid **42** using the drag wick **46** or the spray bottle **56**. For example, the user **20** can create a trail of the scent fluid **42** along the ground surface **82** for the game animal **44** to follow. The user **20** can also position the drag wick **46** in a tree, or on the tree

branch 72, using the strap 64. The user 20 can easily carry and organize the scent dispersal devices 10 using the belt 12.

(31) With respect to the above description then, it is to be realized that the optimum dimensional relationships for the parts of an embodiment enabled by the disclosure, to include variations in size, materials, shape, form, function and manner of operation, assembly and use, are deemed readily apparent and obvious to one skilled in the art, and all equivalent relationships to those illustrated in the drawings and described in the specification are intended to be encompassed by an embodiment of the disclosure.

(32) Therefore, the foregoing is considered as illustrative only of the principles of the disclosure. Further, since numerous modifications and changes will readily occur to those skilled in the art, it is not desired to limit the disclosure to the exact construction and operation shown and described, and accordingly, all suitable modifications and equivalents may be resorted to, falling within the scope of the disclosure. In this patent document, the word “comprising” is used in its non-limiting sense to mean that items following the word are included, but items not specifically mentioned are not excluded. A reference to an element by the indefinite article “a” does not exclude the possibility that more than one of the element is present, unless the context clearly requires that there be only one of the elements.

Claims

1. A scent dispersal system for use in hunting, the scent dispersal system comprising: a belt having a first end and a second end, the first end being engageable to the second end wherein the belt is configured for being positioned around a waist of a user; a pouch being coupled to the belt the pouch comprising an interior space; a scent container being positionable within the interior space, the scent container being configured to hold a scent fluid, the scent fluid being configured to attract a game animal; a drag wick having a wick handle and a rod, the wick handle extending upwardly from the rod, the rod being positionable in the scent container, the rod being configured to retain at least some of the scent fluid after the rod is removed from the scent container; a drag wick container being positionable within the interior space, the drag wick being positionable within the drag wick container; a housing being coupled to the belt; a cord being coupled to the housing, the cord being extendable and retractable relative to the housing; a cord clip being coupled to the cord, wherein the cord clip releasably engages the wick handle of the drag wick whereby the drag wick is configured for being dragged along a ground surface when the user walks along the ground surface while the cord is extended from the housing.
2. The scent dispersal system of claim 1, wherein the belt has an adjustable length.
3. The scent dispersal system of claim 1, further comprising a fastener being coupled to the first end and the second end, the fastener releasably engaging the first end to the second end thereby forming a closed loop.
4. The scent dispersal system of claim 1, wherein the pouch is positioned proximate to the first end.
5. The scent dispersal system of claim 1, the pouch further comprising a bottom wall and a peripheral wall being coupled to and extending upwardly from the bottom wall to define the interior space, the peripheral wall having an upper edge to define an opening into the interior space.
6. The scent dispersal system of claim 5, further comprising: a lid being pivotably coupled to the upper edge to selectively close the opening; and an attachment releasably coupling the lid to the upper edge.
7. The scent dispersal system of claim 1, the drag wick further comprising a weight being coupled to the rod distal to the wick handle.
8. The scent dispersal system of claim 1, wherein the drag wick container has a tube shape.
9. The scent dispersal system of claim 1, further comprising a housing handle being rotatably coupled to the housing, wherein rotation of the housing handle selectively extends and retracts the

cord relative to the housing.

10. The scent dispersal system of claim 1, further comprising a light being coupled to the belt, the light being configured to be directed forwardly from the belt when the belt is positioned around the waist of the user whereby the light is configured to illuminate the ground surface.

11. The scent dispersal system of claim 10, wherein the light is pivotably coupled to the belt whereby the light is configured to be selectively directable to illuminate an area surrounding the user.

12. The scent dispersal system of claim 10, wherein the light is positioned adjacent to the housing.

13. The scent dispersal system of claim 1, further comprising a spray bottle being positionable within the interior space, the spray bottle being configured to hold the scent fluid.

14. The scent dispersal system of claim 13, the spray bottle further comprising a nozzle being configured to diffuse the scent fluid outwardly from the spray bottle.

15. The scent dispersal system of claim 13, further comprising a plurality of pockets being coupled to the peripheral wall and being arranged within the interior space, each of the plurality of pockets being configured to receive a one of the scent container, the drag wick container, and the spray bottle.

16. The scent dispersal system of claim 1, further comprising a plurality of pockets being coupled to the peripheral wall and being arranged within the interior space, each of the plurality of pockets being configured to receive a one of the scent container and the drag wick container.

17. The scent dispersal system of claim 1, further comprising a strap being positionable within the interior space.

18. The scent dispersal system of claim 17, the strap further comprising a first side and a second side, the scent dispersal system further comprising a strap clip being coupled to the strap, the strap clip being configured to releasably receive the wick handle of the drag wick.

19. The scent dispersal system of claim 18, further comprising a connector releasably coupling the first side of the strap to the second side of the strap whereby the strap is releasably retained in a folded configuration, the strap being configured to fit around a tree branch when the strap is retained in the folded configuration, whereby the drag wick can be hung from the tree branch when the strap is fitted around the tree branch in the folded configuration.

20. A scent dispersal system for use in hunting, the scent dispersal system comprising: a belt having a first end and a second end, the belt being formable into a loop, the first end being engageable to the second end wherein the belt is configured for being positioned around a waist of a user, the belt having an adjustable length; a fastener being coupled to the first end and the second end, the fastener releasably engaging the first end to the second end thereby forming the loop; a pouch being coupled to the belt, the pouch being positioned proximate to the first end, the pouch having a bottom wall and a peripheral wall being coupled to and extending upwardly from the bottom wall to define an interior space, the peripheral wall having an upper edge to define an opening into the interior space; a lid being pivotably coupled to the upper edge to selectively close the opening; an attachment releasably coupling the lid to the upper edge, the attachment being a zipper; a scent container being positionable within the interior space, the scent container being configured to hold a scent fluid, the scent fluid being configured to attract a game animal; a drag wick having a wick handle and a rod, the wick handle extending upwardly from the rod, the rod being positionable in the scent container, the rod comprising a cloth material whereby the rod is configured to retain at least some of the scent fluid after the rod is removed from the scent container, the drag wick including: a weight being coupled to the rod distal to the wick handle; a drag wick container being positionable within the interior space, the drag wick being positionable within the drag wick container, the drag wick container comprising a tube; a spray bottle being positionable within the interior space, the spray bottle being configured to hold the scent fluid, the spray bottle including: a nozzle being configured to diffuse the scent fluid outwardly from the spray bottle; a plurality of pockets being coupled to the peripheral wall and being arranged within the interior space, each of

the plurality of pockets being configured to receive a one of the scent container, the drag wick container, and the spray bottle, the plurality of pockets being aligned along a back side of the peripheral wall; a strap having a first side and a second side, the strap being positionable within the interior space; a connector releasably coupling the first side to the second side whereby the strap is releasably retained in a folded configuration, the strap being configured to fit around a tree branch when the strap is retained in the folded configuration, the connector being a hook and loop coupler; a strap clip being coupled to the strap, the strap clip being configured to releasably receive the wick handle of the drag wick whereby the drag wick can be hung from the tree branch when the strap is fitted around the tree branch in the folded configuration; a housing being coupled to the belt, the housing being positioned proximate to the second end, the housing being circular; a cord being coupled to the housing, the cord being extendable and retractable relative to the housing; a cord clip being coupled to the cord, wherein the cord clip releasably engages the wick handle of the drag wick whereby the drag wick is configured for being dragged along a ground surface when the user walks along the ground surface while the cord is extended from the housing; a housing handle being rotatably coupled to the housing, wherein rotation of the housing handle extends and retracts the cord relative to the housing; and a light being coupled to the belt, the light being configured to be directed forwardly from the belt when the belt is positioned around the waist of the user whereby the light is configured to illuminate the ground surface, the light being pivotably coupled to the belt whereby the light is configured to be selectively directable to illuminate an area surrounding the user, the light being positioned adjacent to the housing.
