

(12) **United States Patent**
Davis et al.

(10) **Patent No.:** **US 12,404,073 B2**

(45) **Date of Patent:** **Sep. 2, 2025**

(54) **SCENT INDICATORS ON CONTAINERS**

(71) Applicants: **Barry Davis**, Auburn, AL (US); **Ansley Dunning**, Auburn, AL (US)

(72) Inventors: **Barry Davis**, Auburn, AL (US); **Ansley Dunning**, Auburn, AL (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **17/809,349**

(22) Filed: **Jun. 28, 2022**

(65) **Prior Publication Data**

US 2023/0415959 A1 Dec. 28, 2023

(51) **Int. Cl.**

B65D 23/14 (2006.01)

A45D 34/00 (2006.01)

B65D 25/20 (2006.01)

B65D 75/54 (2006.01)

B65D 75/58 (2006.01)

(52) **U.S. Cl.**

CPC **B65D 23/14** (2013.01); **A45D 34/00** (2013.01); **B65D 25/205** (2013.01); **B65D 75/54** (2013.01); **B65D 75/5805** (2013.01); **A45D 2034/002** (2013.01)

(58) **Field of Classification Search**

CPC .. B65D 23/14; B65D 2203/02; B65D 23/085; B65D 33/004; B65D 25/205; B65D 23/12; B65D 77/2032; B65D 75/5855; A45D 40/0087; A45D 34/00; A45D 34/02; A45D 40/00; A45D 2200/1036

USPC 206/459.5, 730, 731, 732

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,117,946 A * 10/1978 Kessler B65D 43/0212 220/784

4,228,954 A * 10/1980 Rosenzweig B32B 5/26 239/57

4,277,024 A * 7/1981 Spector A61L 9/12 206/466

4,558,783 A * 12/1985 Dangerfield B65D 73/0085 206/472

4,858,758 A * 8/1989 Mitchell B65D 51/28 510/439

4,925,029 A * 5/1990 Friedman A45D 34/00 206/581

4,960,240 A * 10/1990 McElfresh A61L 9/12 239/57

5,163,616 A * 11/1992 Bernarducci A61L 9/12 239/35

5,249,676 A * 10/1993 Ashcraft B65D 85/10 428/905

5,330,056 A * 7/1994 de la Rocha B65D 5/5088 206/229

5,337,897 A * 8/1994 Yablans B65D 83/0858 206/823

5,391,420 A * 2/1995 Bootman G09F 5/04 424/76.4

5,535,885 A * 7/1996 Daniel A45D 40/0087 383/107

(Continued)

Primary Examiner — Steven A. Reynolds

Assistant Examiner — Prince Pal

(74) Attorney, Agent, or Firm — A. J. Gokcek

(57) **ABSTRACT**

A device has a container containing scented substance. The container has a shroud coupled to an outside surface of the container. Further, the device has a scented piece that is covered by the shroud such that a customer grasps the shroud and pulls the shroud from the scented piece so that the customer can smell a scent emanating from the scented piece.

17 Claims, 2 Drawing Sheets

(56)	References Cited				2006/0110080 A1 *	5/2006	Thomas	B65D 33/2541
	U.S. PATENT DOCUMENTS				2006/0291756 A1 *	12/2006	Thomas	206/524.1 B65D 33/2525
5,566,693 A *	10/1996	Gunderman	A45D 40/0087	206/823	2007/0148293 A1 *	6/2007	Lindsay	206/524.4 B65D 5/42
5,918,608 A *	7/1999	Renna	G09F 5/04	206/823	2008/0056959 A1 *	3/2008	Cuthbert	426/112 A61L 9/145
5,960,947 A *	10/1999	Dimelis	B65D 23/14	206/730	2008/0116213 A1 *	5/2008	Schlaupitz	422/123 G09F 3/04
6,024,386 A *	2/2000	Spector	B42D 15/04	239/57	2008/0230424 A1 *	9/2008	Chawla	283/67 B65D 1/0223
6,047,992 A *	4/2000	Hampton	B65D 51/245	206/432	2008/0299263 A1 *	12/2008	Piotrowski	206/459.5 B65D 25/205
6,444,956 B1 *	9/2002	Witcher	F21V 33/00	219/386	2009/0019741 A1 *	1/2009	Schwartz	426/87 G09F 23/00
6,472,034 B1 *	10/2002	Bourdelaïs	G03C 11/14	430/11	2009/0039174 A1 *	2/2009	Gaines	40/312 A61L 9/044
6,746,743 B2 *	6/2004	Knoerzer	B32B 7/06	428/34.1	2009/0173654 A1 *	7/2009	Steenblik	206/229 G09F 19/12
7,004,313 B2 *	2/2006	Mitchell	B65D 83/0805	206/812	2009/0258118 A1 *	10/2009	Gillian	206/459.5 B65D 17/4012
7,140,135 B2 *	11/2006	Irvine	B65D 23/14	428/40.1	2009/0314677 A1 *	12/2009	Teggatz	426/112 B65D 33/004
7,594,594 B2 *	9/2009	Troost	C11D 3/0015	222/145.5	2010/0176214 A1 *	7/2010	Joshi	383/127 A61L 9/03
7,686,513 B2 *	3/2010	Knoerzer	B65D 75/26	383/111	2011/0139646 A1 *	6/2011	Sonnenberg	239/57 A45D 27/225
7,798,320 B2 *	9/2010	Pham	B65D 65/42	229/87.13	2011/0155606 A1 *	6/2011	McKillip	53/410 G09F 3/10
7,866,507 B2 *	1/2011	Sawin	B65D 75/545	222/105	2012/0132557 A1 *	5/2012	Nowzari	206/459.5 G09F 3/02
7,967,510 B2 *	6/2011	Martuch	B65D 75/5833	229/87.08	2012/0219349 A1 *	8/2012	Toh	206/459.5 A45D 34/041
8,012,554 B2 *	9/2011	Shelley	B65D 81/28	206/524.4	2012/0315412 A1 *	12/2012	Clayton	401/209 C09D 7/70
8,048,363 B2 *	11/2011	Schlaupitz	G09F 3/04	428/905	2013/0043245 A1 *	2/2013	Griffis	523/400 B65D 41/34
8,114,451 B2 *	2/2012	Sierra-Gomez	B65D 75/5838	383/203	2013/0199266 A1 *	8/2013	Maranon	239/34 G09F 5/00
8,408,792 B2 *	4/2013	Cole	B65D 77/206	383/203	2013/0270144 A1 *	10/2013	Nowzari	73/23.34 B65D 77/24
9,144,621 B1 *	9/2015	Finlay	A61L 2/00	83/13	2013/0341325 A1 *	12/2013	Bruna	206/459.5 B65D 43/02
9,554,636 B1 *	1/2017	Piscopo	A45D 40/04	222/111	2014/0001071 A1 *	1/2014	Sanders	206/459.5 B65D 47/42
9,630,761 B2 *	4/2017	Willey	B65D 75/5833	206/524.2	2014/0138278 A1 *	5/2014	Kennedy	206/459.5 G06Q 90/00
9,708,104 B2 *	7/2017	Lyzenga	B65D 75/5838	206/524.2	2014/0262904 A1 *	9/2014	Young	206/459.5 B65D 75/28
9,896,227 B2 *	2/2018	Nowzari	B65D 23/14	206/524.2	2014/0332434 A1 *	11/2014	Regas	206/459.5 B65D 23/085
9,968,209 B2 *	5/2018	Maranon	A47F 7/286	206/459.5	2015/0076248 A1 *	3/2015	Grodsky	206/459.5 B65D 85/70
11,225,355 B2 *	1/2022	Huffer	B65D 17/502	239/57	2015/0122818 A1 *	5/2015	Bruna	220/345.6 B65D 51/20
11,386,811 B2 *	7/2022	Bartlein	B65D 23/14	220/608	2016/0016691 A1 *	1/2016	Gillingwater	220/608 B65D 25/205
11,410,577 B1 *	8/2022	Powhida	G09F 3/10	206/484.2	2016/0100670 A1 *	4/2016	Dobler	206/484.2 B65D 75/5855
11,623,805 B2 *	4/2023	Huffer	B65D 75/5838	206/484	2016/0107796 A1 *	4/2016	Sibley	206/459.5 B65B 7/285
2001/0003565 A1 *	6/2001	McOsker	A45D 40/00	206/1.9	2017/0239382 A1 *	8/2017	Griffis	206/459.5 B65D 23/12
2001/0027958 A1 *	10/2001	Short	A45D 34/00	206/1.9	2017/0298308 A1 *	10/2017	Labeque	206/459.5 B65D 43/22
2002/0006455 A1 *	1/2002	Levine	G09B 19/0092	239/34	2019/0023452 A1 *	1/2019	Huffer	206/459.5 B23K 26/0846
2003/0056410 A1 *	3/2003	Witkowski	G09F 3/0288	206/499	2019/0075844 A1 *	3/2019	De Lavallaz	206/459.5 A24F 23/02
2003/0213724 A1 *	11/2003	Dobler	A61K 8/02	206/216	2019/0224359 A1 *	7/2019	Griffis	206/459.5 B65D 1/0246
2004/0065748 A1 *	4/2004	Sada	A61L 9/042	206/216	2019/0307640 A1 *	10/2019	Vaughn	206/459.5 A61J 1/00
2004/0226904 A1 *	11/2004	Schroeder	B65D 21/0231	206/730	2020/0160756 A1 *	5/2020	Gantt	206/459.5 G09F 3/02
2004/0238381 A1 *	12/2004	Rademaker	B65D 21/0205	206/730	2021/0035474 A1 *	2/2021	Bartlein	206/459.5 B65D 23/14
2005/0061710 A1 *	3/2005	Dobler	A61L 9/12	206/730	2021/0179348 A1 *	6/2021	Langlotz	206/459.5 B65F 1/0026

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4

SCENT INDICATORS ON CONTAINERS

BACKGROUND

A tanning bed, which is also known as a sun-bed, is a machine that produces an artificial tan by imitating the sun's ultraviolet (UV) radiation. A typical tanning bed emits 95% UVA and only 5% UVB, although new models may only produce only UVA.

You can only use indoor tanning lotions when tanning in a tanning bed. There are major differences between indoor and outdoor tanning. UVA rays in a controlled environment compared to outdoor tanning that consists of both UVA and UVB natural rays in a widely varying environment.

There are thousands of different tanning bed lotions produced by thousands of different vendors and having thousands of different scents. One quality that is attractive to tanners is the scent of the tanning lotion. To smell a tanning bed lotion in a bottle, one must remove the lid, which is unsanitary. Further, there is no way to smell a tanning bed lotion in a packet that is not resealable.

DESCRIPTION OF THE DRAWINGS

The present disclosure can be better understood with reference to the following drawings. The elements in these drawings are not necessarily drawn to scale but are included to clearly illustrate the principles pertaining to this disclosure. Furthermore, like reference numerals designate corresponding parts throughout the several views.

FIG. 1 is an exemplary tanning bed lotion packet in accordance with an embodiment of the present disclosure where a shroud covers a scented spot.

FIG. 2 is the tanning bed lotion packet of FIG. 1 with the shroud removed thereby exposing the scented spot.

FIG. 3 is an exemplary tanning bed lotion bottle in accordance with an embodiment of the present disclosure where a shroud covers a scented spot.

FIG. 4 is the tanning bed lotion bottle of FIG. 3 with the shroud removed thereby exposing the scented spot.

DETAILED DESCRIPTION

The present disclosure is a container that holds scented tanning bed lotion. The container is any type of housing that holds the scented tanning bed lotion. For example, the container may be a pliable packet that is opened by tearing off an edge of the packet. As another example, the container may be a rigid bottle that is opened via a lid. In either scenario, a potential customer of the scented tanning bed lotion may desire to smell the scent of the tanning bed lotion prior to purchase.

In accordance with an embodiment of the present disclosure, the container comprises on its outside surface a pull tab. The pull tab is coupled to the container via an adhesive. Under the pull tab is a scented spot indicative of the scent of the enclosed scented tanning bed lotion. Note that the pull tab may be pulled back exposing the scented spot. Once the customer smells the scented spot, the pull tab may be re-adhered to the container so that the next customer may pull the tab and smell the scent of the scented tanning bed lotion.

FIG. 1 is scented tanning bed lotion packet 100. The scented tanning bed lotion packet 100 is made of a durable yet flexible material. To use the scented tanning bed lotion (not shown), a customer grasps the flap 105 and tears the top of the packet off at the notch 104.

The scented tanning bed lotion packet 100 comprises a pocket 103. Inside the pocket 103 is the scented tanning bed lotion (not shown). Once the customer tears the top of the packet, the scented tanning bed lotion can be applied to the customer's body for use in a tanning bed.

The scented tanning bed lotion packet 100 further comprises a shroud 101 that covers and protects a scented piece (not shown) that adheres to the outside surface 106 of the scented tanning bed lotion packet 100. The shroud 101 is coupled around a perimeter of the shroud via a glue or epoxy to the outside surface 106 of the scented tanning bed lotion packet 100.

In one embodiment, the shroud 101 comprises a flap 102 that is not coupled to the outside surface 106 of the scented tanning bed lotion packet 100. In this regard, the customer can grasp the flap 102 to pull back the shroud 101 thereby exposing the scented piece. In other embodiments, the shroud 101 does not include the flap 102, and the customer grabs the outside edge of the shroud 101 to remove the shroud 101 from the scented piece.

FIG. 2 is scented tanning bed lotion packet 100 showing the shroud 101 pulled back from a scented piece 201. In one embodiment, the shroud 101 is pulled back through use of the flap 102. In this regard, the customer pulls back the shroud 101 using the flap 102 exposing the scented piece 201. In other embodiments, the shroud 101 does not include the flap 102, and the customer grabs the outside edge of the shroud 101 to remove the shroud 101 from the scented piece.

When the scented piece 201 is exposed, the customer may smell the scented piece 201. Notably, the scented piece 201 comprises a scent that is identical to the scent of the lotion contained in the pocket 103.

If the customer enjoys the scent of the scented piece, he/she may purchase the scented tanning bed lotion packet 100. To use the scented tanning bed lotion, the customer grasps the flap 105 and tears the top of the scented tanning bed lotion packet 100 at the notch 104. This exposes the scented tanning bed lotion and allows the customer to squeeze the scented tanning bed lotion packet 100 so that the scented tanning bed lotion can be squeezed out of the pocket 103.

FIG. 3 is a scented tanning bed lotion bottle 300. The scented tanning bed lotion bottle 300 is made of a durable, rigid material. To use the scented tanning bed lotion (not shown), a customer removes the top 303 of the scented tanning bed lotion bottle 300, squeezes the scented tanning bed lotion bottle 300, and scented tanning bed lotion (not shown) squirts from the mouth (not shown) of the scented tanning bed lotion bottle 300.

The scented tanning bed lotion bottle 300 comprises a cavity (not shown). Inside the cavity is the scented tanning bed lotion (not shown). Once the customer removes the top 303 from the scented tanning bed lotion bottle 300, the scented tanning bed lotion can be applied to the customer's body for use in a tanning bed.

The scented tanning bed lotion bottle 300 further comprises a shroud 301 that covers and protects a scented piece (not shown) that adheres to the outside surface 304 of the scented tanning bed lotion bottle 300. The shroud 301 is coupled around a perimeter of the shroud via a glue or epoxy to the outside surface 304 of the scented tanning bed lotion bottle 300.

In one embodiment, the shroud 301 comprises a flap 302 that is not coupled to the outside surface 304 of the scented tanning bed lotion bottle 300. In this regard, the customer can grasp the flap 302 to pull back the shroud 301 thereby exposing the scented piece. In other embodiments, the

3

shroud **301** does not include the flap **302**, and the customer grabs the outside edge of the shroud **301** to remove the shroud **301** from the scented piece.

FIG. 4 is scented tanning bed lotion bottle **300** showing the shroud **301** pulled back from a scented piece **401**. In one embodiment, the shroud **301** is pulled back from the scented piece **401** through use of the flap **302**. In this regard, the customer pulls back the shroud **301** using the flap **302** exposing the scented piece **401**. In other embodiments, the shroud **301** does not include the flap **302**, and the customer grabs the outside edge of the shroud **301** to remove the shroud **301** from the scented piece **401**.

When the scented piece **401** is exposed, the customer may smell the scented piece **401**. Notably, the scented piece **401** exhibits a scent that is identical to the scent of the scented tanning bed lotion contained in the cavity of the scented tanning bed lotion bottle **300**.

If the customer enjoys the scent of the scented piece **401**, he/she may purchase the scented tanning bed lotion bottle **300**. To use the scented tanning bed lotion, the customer grasps the body **306** of the scented tanning bed lotion bottle **300** and squeezes. When the customer squeezes the scented tanning bed lotion bottle **300**, scented tanning bed lotion squirts out from the scented tanning lotion bottle **300**.

Note that the present disclosure describes a scented piece covered by a shroud on a tanning bed lotion packet and bottle. However, the present disclosure is not limited to tanning bed location packets and bottles. In this regard, the present disclosure relates to any type of container that contains a liquid or a powder that has a scent.

For example, a scented piece having a shroud may be placed on containers containing lotions, petroleum jellies, and the like. Further, a scented piece having a shroud may be placed on containers containing outdoor suntan lotion bottles, deodorants, shampoos, conditioners, cleaning supplies, detergents, softeners, wipes, and sheets, e.g., dryer sheets.

What we claim is:

1. A device, comprising:

a container containing a scented substance;
a shroud adhered to an outside surface of the container, the shroud substantially circular and having a substantially circular flap that is contiguous with and extends from the shroud; and

4

a scented piece including a scented spot underneath the shroud and the substantially circular flap, the scented piece adhered to the outside surface of the container and covered by the shroud and the substantially circular flap is grasped and pulled from the scented piece so that a scent emanates from the scented piece and the scent of the scented piece is identical to the scent of the scented substance, wherein the substantially circular flap and the shroud combined have a greater diameter than the scented piece and wherein the substantially circular flap is re-adhered to the container after the substantially circular flap is pulled from the scented piece.

2. The device of claim 1, wherein the container is a packet.

3. The device of claim 1, wherein the container is a bottle.

4. The device of claim 1, wherein the substance is a powder.

5. The device of claim 1, wherein the substance is a liquid.

6. The device of claim 1, wherein the substance is lotion.

7. The device of claim 1, wherein the substance is petroleum jelly.

8. The device of claim 1, wherein the substance is outdoor suntan lotion.

9. The device of claim 1, wherein the substance is deodorant.

10. The device of claim 1, wherein the substance is shampoo.

11. The device of claim 1, wherein the substance is conditioner.

12. The device of claim 1, wherein the substance is a cleaning supply.

13. The device of claim 1, wherein the substance is detergent.

14. The device of claim 1, wherein the substance is a softener.

15. The device of claim 1, wherein the substance is a wipe.

16. The device of claim 1, wherein the substance is a dryer sheet.

17. The device of claim 1, wherein the scented piece is located on a side of a body of the container.

* * * * *