



US0D1090340S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,090,340 S**
Hung (45) **Date of Patent:** **** Aug. 26, 2025**

(54) **D-RING**

(71) Applicant: **YOKE INDUSTRIAL CORP.,**
Taichung (TW)

(72) Inventor: **Wei-Chieh Hung,** Taichung (TW)

(73) Assignee: **YOKE INDUSTRIAL CORP.,**
Taichung (TW)

(**) Term: **15 Years**

(21) Appl. No.: **29/934,595**

(22) Filed: **Mar. 26, 2024**

(51) **LOC (15) Cl.** **02-07**

(52) **U.S. Cl.** **D11/218**
USPC

(58) **Field of Classification Search**

USPC D11/200, 202, 212, 218, 228, 231, 1, 2,
D11/86, 87

CPC A44B 11/00; A44B 11/001; A44B 11/005;
A44B 11/006; A44B 11/02; A44B 11/20;
A44B 11/22; A44B 11/2503; A44B 11/04;
A44B 13/00; A44B 13/0005; A44B
13/0011; A44B 13/0017; A44B 13/0023;
A44B 19/00; A44B 19/26; A44B 7/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D46,861 S * 1/1915 Christl D11/218
D161,560 S * 1/1951 White D11/216
2,889,168 A * 6/1959 Engelhardt B64D 17/383
24/DIG. 42
4,903,378 A * 2/1990 Kasai A44B 11/10
24/171
D314,359 S * 2/1991 Viglianti D11/200
D328,044 S * 7/1992 Murai 24/169
D357,435 S * 4/1995 Cook D11/218
D452,185 S * 12/2001 Yoshiguchi D11/218

D507,509 S * 7/2005 Hou D11/218
D519,410 S * 4/2006 Luk D11/218
D545,243 S * 6/2007 Gracer D11/218
D626,450 S * 11/2010 Wong D11/218
D654,397 S * 2/2012 Wong D11/218
D670,197 S * 11/2012 Kellegghan D11/218
D673,880 S * 1/2013 Boothby D11/218
D739,303 S * 9/2015 Kinskey D11/218
D748,013 S * 1/2016 Spater D11/218
D816,545 S * 5/2018 Kellegghan D11/218

(Continued)

OTHER PUBLICATIONS

1" Double Bar D-Ring Electro Black, <https://wbcindustries.com/AL-1673-16EB?srsId=>

AfmBOoqT9SUytleAexCl3uS9yujFihKFGFwapAaG-
zhsf9u6JDacTlucOU, © 2025 WBC Industries, Inc. (Year: 2025).*

(Continued)

Primary Examiner — Elizabeth J Oswecki

(74) *Attorney, Agent, or Firm* — Apex Juris, pllc; Hilde
M. L. Coeckx

(57)

CLAIM

The ornamental design for a D-ring, as shown and described.

DESCRIPTION

FIG. 1 is a front, right, top perspective view of a D-ring,
showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top view thereof;


FIG. 7 is a bottom view thereof;

FIG. 8 is a front, left, bottom perspective view thereof;

FIG. 9 is a rear, right, and top perspective view thereof; and,

FIG. 10 is a rear, left, and bottom perspective view thereof.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D869,594	S	*	12/2019	Lance		D22/108
D902,781	S	*	11/2020	Gao		D11/218
D1,021,688	S	*	4/2024	Cardinali		D11/218
D1,024,740	S	*	4/2024	Martinez		D8/356
D1,043,423	S	*	9/2024	Ugarte		D11/94
D1,052,849	S	*	12/2024	Morgan		A41F 3/04 D2/640

OTHER PUBLICATIONS

1" Double Bar D-Ring—sold in 4 pack,<https://www.etsy.com/listing/1052867356/1-double-bar-d-ring-sold-in-4-pack?gpla=1&gao=1> &,Feb. 1, 2025. (Year: 2025).*

1" Belt Ring Double D-Ring | 6,500 lbs. BS,<https://www.uscargocontrol.com/products/1-belt-ring-double-d-ring>, Apr. 4, 2020. (Year: 2020).*

* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8




FIG.9




FIG.10