



US0D1090439S

(12) **United States Design Patent**
Ober-Woerder

(10) **Patent No.:** **US D1,090,439 S**

(45) **Date of Patent:** **** Aug. 26, 2025**

(54) **WIRE CONNECTOR**

(71) Applicant: **WAGO Verwaltungsgesellschaft mit
beschraenkter Haftung**, Minden (DE)

(72) Inventor: **Philipp Ober-Woerder**, Minden (DE)

(73) Assignee: **Wago Verwaltungsgesellschaft MBH**,
Minden (DE)

(**) Term: **15 Years**

(21) Appl. No.: **29/855,744**

(22) Filed: **Oct. 6, 2022**

(30) **Foreign Application Priority Data**

Apr. 6, 2022 (EM) 008929095

(51) **LOC (15) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/146**

(58) **Field of Classification Search**

USPC D13/133, 137, 138, 139, 139.1, 139.2,
D13/139.3, 139.4, 139.7, 145–149, 151,
D13/152, 156; D14/251, 252, 253, 432,
D14/433, 434, 447
CPC H01R 24/40; H01R 24/76; H01R 13/00;
H01R 13/40; H01R 13/405; H01R 13/50;
H01R 13/6271; H01R 13/6273; G02B
6/26; G02B 6/36; G02B 6/38; G02B
6/241; G02B 6/3604; G02B 6/3801;
G02B 6/3806; G02B 6/38

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D425,869 S * 5/2000 Yokomizo D13/147
D472,524 S * 4/2003 Yamawaki D13/147
D479,199 S * 9/2003 Jones D13/147

D482,332 S * 11/2003 Zhang D13/147
7,182,630 B1 * 2/2007 Su H01R 31/02
439/502
D625,270 S * 10/2010 Schafmeister D13/147
D655,677 S * 3/2012 Gouhl D13/146
D748,580 S * 2/2016 Endo D13/146
D755,721 S * 5/2016 Bies D13/137.1
9,437,940 B1 * 9/2016 Rao H01R 13/502
D945,375 S * 3/2022 Obata D13/149
D1,008,978 S * 12/2023 Böcker D13/133
D1,032,529 S * 6/2024 Pan D13/133
2018/0301823 A1 * 10/2018 Riku H01R 13/6273
2020/0350729 A1 * 11/2020 Mastel H01R 13/629

* cited by examiner

Primary Examiner — Jae Liang

Assistant Examiner — Caleb M Baker

(74) *Attorney, Agent, or Firm* — Muncy, Geissler, Olds &
Lowe, P.C.

(57) **CLAIM**

The ornamental design for a wire connector as shown and
described.

DESCRIPTION

FIG. 1 is a front perspective view of a wire connector
according to the present invention.

FIG. 2 is a front view of the wire connector of FIG. 1.

FIG. 3 is a rear view of the wire connector of FIG. 1.

FIG. 4 is a left side perspective view of the wire connector
of FIG. 1.



FIG. 5 is a top view of the wire connector of FIG. 1.

FIG. 6 is a bottom view of the wire connector of FIG. 1.

FIG. 7 is a rear perspective view of the wire connector of
FIG. 1; and,

FIG. 8 is a right side view of the wire connector of FIG. 1.
The broken lines shown contain lightly shaded areas that
depict the portions of the wire connector that form no part
of the claimed design.

1 Claim, 8 Drawing Sheets






FIG.1




FIG.2





FIG.3






FIG.5




FIG.6




FIG.7

