

(12)

United States Design Patent
Chen

(10)

Patent No.: US D1,092,993 S

(45)

Date of Patent: ** Sep. 16, 2025

(54)

CAR SEAT GAP FILLER

(71)

Applicant: Guangzhou Kusen Automotive Products Co., Ltd., Guangzhou (CN)

(72)

Inventor: Xuanzhu Chen, Guangzhou (CN)

(73)

Assignee: Guangzhou Kusen Automotive Products Co., Ltd., Guangzhou (CN)

(**)

Term: 15 Years

(21)

Appl. No.: 29/941,128

(22)

Filed: May 8, 2024

(30)

Foreign Application Priority Data

Jan. 24, 2024 (CN) 202430047892.5

(51)

LOC (15) Cl. 12-16

(52)

U.S. Cl. D12/422

(58)

Field of Classification Search

USPC D12/422, 400, 217; D9/678, 681, 711; D3/11, 203.5, 206, 23, 265

CPC B60R 11/00; B60N 2/44; B60J 9/00

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

D1,014,413 S * 2/2024 Yao D12/422

D1,049,999 S * 11/2024 Lin D12/422

D1,069,679 S * 4/2025 Shen D12/422

* cited by examiner

Primary Examiner — Abraham Bahta

(74) Attorney, Agent, or Firm — Hawaii Patent Services; Nathaniel K. Fedde; Kenton N. Fedde

(57)

CLAIM

The ornamental design for a car seat gap filler, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the car seat gap filler showing my new design;

FIG. 2 is another perspective view thereof;

FIG. 3 is a front elevation view thereof;

FIG. 4 is a rear elevation view thereof;

FIG. 5 is a left side elevation view thereof;

FIG. 6 is a right side elevation view thereof;


FIG. 7 is a top plan view thereof; and,

FIG. 8 is a bottom plan view thereof.

The line shading in FIGS. 1-8 represents contour and not surface ornamentation.

The broken line showing of portions of the car seat gap filler in FIGS. 2-4 is included for the purpose of illustrating environmental structure and forms no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8