



US0D1093274S

(12) **United States Design Patent**
Lundgren

(10) **Patent No.:** **US D1,093,274 S**

(45) **Date of Patent:** **** Sep. 16, 2025**

(54) **TIRE**

(71) Applicant: **Bridgestone Americas Tire Operations, LLC**, Nashville, TN (US)

(72) Inventor: **Paula R. Lundgren**, Akron, OH (US)

(73) Assignee: **Bridgestone Americas Tire Operations, LLC**, Nashville, TN (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/937,900**

(22) Filed: **Apr. 17, 2024**

(51) **LOC (15) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/604**

(58) **Field of Classification Search**
USPC D12/568–604, 900, 901
CPC Y10T 152/10027; B60C 1/0016; B60C 11/0306; B60C 11/0302; B60C 3/06; B60C 9/17
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D416,218 S *	11/1999	Lassan		D12/602
D478,864 S *	8/2003	Hiroko		D12/602
D505,384 S	5/2005	Kageyama		
D516,014 S	2/2006	Fukunaga		
D537,033 S	2/2007	Dumigan		
D545,266 S	6/2007	Yamaura		
D559,773 S	1/2008	Campana		
D585,815 S	2/2009	Jeromin		
D586,732 S	2/2009	Heinen		
D589,438 S	3/2009	Heinen		
D610,530 S	2/2010	Perdriat		
D624,490 S	9/2010	Kaji		
D633,861 S	3/2011	Shan		
D644,600 S	9/2011	Nicolas		

D656,890 S	4/2012	Rittweger	
D662,035 S	6/2012	Delbast	
D730,813 S *	6/2015	Yamamoto	 D12/604
D754,593 S	4/2016	Wang	
D761,197 S	7/2016	Dixon	
D780,682 S	3/2017	Zhao	
D818,943 S *	5/2018	McKenney	 D12/604
D860,928 S	9/2019	Dixon	
D863,210 S *	10/2019	Dixon	 D12/583
D875,660 S	2/2020	Thieman	
D886,727 S *	6/2020	Bortolet	 D12/603
D900,015 S *	10/2020	Zimmerman	 D12/597
D927,409 S *	8/2021	Sun	 D12/500
D971,818 S *	12/2022	Larregain	 D12/602
D1,000,368 S *	10/2023	Guilford	 D12/597
D1,005,220 S *	11/2023	Kidesaki	 D12/533
D1,080,518 S *	6/2025	Guilford	 D12/583

* cited by examiner

Primary Examiner — John A Voytek

(74) *Attorney, Agent, or Firm* — Shaun J. Fox

(57) **CLAIM**

The ornamental design for a tire as shown and described.

DESCRIPTION

FIG. 1 is a side perspective view of a tire showing my new design; it being understood that the pattern is repeated throughout the circumference of the tire;

FIG. 2 is a front elevational view thereof; it being understood that the pattern is repeated throughout the circumference of the tire;


FIG. 3 is a side elevational view of the left side thereof;

FIG. 4 is a side elevational view of the right side thereof; and,

FIG. 5 is an enlarged fragmentary side elevational view thereof.

In the drawings, the broken lines depict environmental subject matter only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG.3




FIG.4




FIG. 5