



US0D1093322S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,093,322 S**
Chen (45) **Date of Patent:** **** Sep. 16, 2025**

(54) **WIRE CONNECTOR**
(71) Applicant: **XIAMEN GHGM INDUSTRIAL
TRADE CO., LTD**, Xiamen (CN)
(72) Inventor: **Bingshui Chen**, Xiamen (CN)
(73) Assignee: **XIAMEN GHGM INDUSTRIAL
TRADE CO., LTD**, Xiamen (CN)
(**) Term: **15 Years**

D756,304 S * 5/2016 Wu D13/146
9,437,940 B1 * 9/2016 Rao H01R 4/4821
D824,861 S * 8/2018 Mastel D13/147
(Continued)

FOREIGN PATENT DOCUMENTS

CN	303143222	*	3/2015
JP	D1587805	*	10/2017
JP	D1592812	*	12/2017

OTHER PUBLICATIONS

Wago PCB terminal block 2716, posted Jan. 26, 23[online], [retrieved Jul. 7, 2025]. Retrieved from internet, <https://www.wago.com/us/pcb-interconnect/pcbterminal-strip/p/2716-106#details> (Year: 2023).*

(Continued)

Primary Examiner — George D. Kirschbaum
Assistant Examiner — Denis Houyoux

(30) **Foreign Application Priority Data**

Jan. 19, 2024 (CN) 202430039050.5

(51) **LOC (15) Cl.** **13-03**

(52) **U.S. Cl.** **D13/146**
USPC

(58) **Field of Classification Search**

USPC D13/103, 107, 108, 110, 112, 118, 120,
D13/123, 133, 1, 37.1, 145–147,
D13/149–156, 158, 173, 177, 184, 199,
D13/242; D14/240, 242, 433, 434, 435.1,
D14/438

CPC .. H01R 4/483; H01R 13/639; H01R 13/6275;
H01R 13/62905; H01R 4/48365; H01R
4/48455; H01R 12/515; H01R 12/57;
H01R 13/506; H01R 9/22; H01R 9/24;
H01R 9/2408; H01R 9/2691; H01R 9/28;
H01R 4/029; H01R 4/28; H01R 9/2475;
H01R 12/53; H01R 12/58; H01R 13/502;
H01R 2103/00; H01R 13/193; H01R
13/20; H01R 13/6392; H01R 13/6395;
H01R 12/88; H01R 9/2416; H01R
4/4828; H01R 4/484; H01R 9/223; H01R
4/485; H01R 4/4821

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D756,301 S * 5/2016 Wu D13/133

(57) **CLAIM**

The ornamental design for a wire connector as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a wire connector showing my new design;

FIG. 2 is another perspective view thereof;

FIG. 3 is another perspective view thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a left side elevational view thereof;


FIG. 7 is a right side elevational view thereof;

FIG. 8 is a top plan view thereof; and,

FIG. 9 is a bottom plan view thereof.

The broken lines in the drawings depict portions of the wire connector that form no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2016/0204526 A1 * 7/2016 Wu H01R 13/62955
439/816
2020/0343667 A1 * 10/2020 Geske H01R 12/716
2024/0088579 A1 * 3/2024 Spey H01R 4/4846

OTHER PUBLICATIONS

Xiamen butt connector terminal, posted May 19, 2024[online],
[retrieved Jul. 8, 2025]. Retrieved from internet, https://www.fzolink.com/222-412-413-415-butt-connector-terminalfast-releasable-lever-lock-nut-connectors_p373.html (Year: 2024).*

Xiamen push wire joint connector, posted Nov. 30, 2021[online],
[retrieved Jul. 8, 2025]. Retrieved from internet, https://www.fzolink.com/3-pin-push-wire-joint-connector-for-ledlights_p74.html (Year: 2021).*

Xiamen screwless terminal block, posted May 19, 2024[online],
[retrieved Jul. 8, 2025]. Retrieved from internet, https://www.fzolink.com/screwless-terminalblocks-chinese-factory-5mm-pitch-pcb-springterminal-block_p378.html (Year: 2024).*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9