



US0D1093559S

(12) **United States Design Patent**
Li

(10) **Patent No.:** **US D1,093,559 S**

(45) **Date of Patent:** **** Sep. 16, 2025**

(54) **VALVE**

(71) Applicant: **Yung-Hsiang Li**, Tainan (TW)

(72) Inventor: **Yung-Hsiang Li**, Tainan (TW)

(**) Term: **15 Years**

(21) Appl. No.: **29/940,542**

(22) Filed: **May 3, 2024**

(51) **LOC (15) Cl.** **23-01**

(52) **U.S. Cl.**
USPC **D23/260**

(58) **Field of Classification Search**

USPC D23/233, 245, 260; D15/5
CPC F16K 5/222; F16K 5/162; F16K 5/0271;
F16K 5/184; F16K 27/062; F16K 27/065;
F16K 27/067; F16K 1/38; F16K 5/16;
F16K 5/0689; F16K 3/243; F16K 5/0663;
F16K 3/0227; F16K 5/0257

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D421,791 S * 3/2000 Ohtani D23/260

D969,343 S * 11/2022 Johnson D24/224
D1,073,740 S * 5/2025 Wu D15/5

* cited by examiner

Primary Examiner — Gino Colan

(57) **CLAIM**


The ornamental design for a valve as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a valve showing my design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan view thereof
FIG. 7 is a bottom plan view thereof; and,
FIG. 8 is a cross section view showing the valve inside of a
quick coupler.

The broken lines shown in the figures are for purpose of
illustrating environment and form no part of the claimed
design.

1 Claim, 8 Drawing Sheets






FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG. 7




FIG. 8