



US0D1091398S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,091,398 S**
Yang et al. (45) **Date of Patent:** **** Sep. 2, 2025**

(54) **SHOCK ABSORBER SPRING PAD** 4,936,029 A * 6/1990 Rudy A43B 13/203
36/153
(71) Applicant: **Dongguan Yipin Hardware Products** 5,435,079 A * 7/1995 Gallegos A43B 13/184
Co., Ltd., Dongguan (CN) 36/38
5,752,329 A * 5/1998 Horibata A61H 39/04
36/141
(72) Inventors: **Jianxin Yang**, Dongguan (CN); D434,548 S * 12/2000 Gallegos D2/905
Hongjun Wang, Xiangyang (CN) D450,437 S * 11/2001 Simpson D2/977
7,493,708 B2 * 2/2009 Crowley, Jr. A43B 13/183
36/103
(73) Assignee: **Dongguan Yipin Hardware Products** D884,109 S * 5/2020 Müller D22/108
Co., Ltd., Dongguan (CN) D1,061,783 S * 2/2025 Spine D22/108
2009/0094875 A1 * 4/2009 Kim F41A 9/67
340/679
(**) Term: **15 Years** 2017/0197483 A1 * 7/2017 Funke B60G 11/16
2018/0313421 A1 * 11/2018 Lim F16F 1/126
2023/0264534 A1 * 8/2023 Bark B60G 11/52

(21) Appl. No.: **29/906,245**
(22) Filed: **Nov. 2, 2023**
(51) **LOC (15) Cl.** **02-04**
(52) **U.S. Cl.**
USPC **D2/961**
(58) **Field of Classification Search**
USPC D22/108; D12/159-160; D2/961
CPC F41A 9/70; F41A 9/65; F41A 9/71; F41A
9/68; F41A 9/69; F41A 11/02; F41A
9/61; F41A 9/00; F41A 9/17; F41A 9/23;
F41A 9/34; F41A 9/84; F16F 1/04; F16F
1/047; B60G 2204/124; B60G 2204/1242;
B60G 11/14; B60G 13/04; B60G
2202/12; B60G 13/18; B60G 15/063;
B60G 15/068; B60G 2204/12422; B60G
2204/128; B60G 2204/41
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,296,557 A * 10/1981 Pajevic A43B 13/182
36/7.8
4,722,131 A * 2/1988 Huang A43B 13/203
264/516

* cited by examiner

Primary Examiner — Michael A. Pratt

(74) *Attorney, Agent, or Firm* — Ricky Lam


(57) **CLAIM**

The ornamental design for a shock absorber spring pad, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a shock absorber spring pad, showing our new design;
FIG. 2 is a rear perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a right side view thereof;
FIG. 7 is a top view thereof; and,
FIG. 8 is a bottom view.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6




FIG. 7




FIG. 8