



US0D1091916S

(12) **United States Design Patent**
Chen et al.

(10) **Patent No.:** **US D1,091,916 S**

(45) **Date of Patent:** **** Sep. 2, 2025**

(54) **RECESSED LIGHT FIXTURE**

(71) Applicants: **Shenzhen Qianyan Technology LTD,**
Shenzhen (CN); **Shenzhen Intellirocks**
Tech. Co., Ltd., Shenzhen (CN)

(72) Inventors: **Chaogou Chen,** Shenzhen (CN);
Wenlong Wu, Shenzhen (CN)

(73) Assignees: **Shenzhen Qianyan Technology LTD,**
Shenzhen (CN); **Shenzhen Intellirocks**
Tech. Co., Ltd., Shenzhen (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/903,198**

(22) Filed: **Sep. 21, 2023**

(51) **LOC (15) Cl.** **26-05**

(52) **U.S. Cl.**
USPC **D26/74**

(58) **Field of Classification Search**
USPC D26/72, 74, 75, 76, 77, 78, 85, 88, 89,
D26/118, 138, 141
CPC F21V 7/06; F21V 21/044; F21V 21/047;
F21S 8/02; F21S 8/026; F21S 8/022;
F21S 8/024

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D383,564	S	*	9/1997	Lecluze		D26/118
D386,277	S	*	11/1997	Lecluze		D26/118
D473,965	S	*	4/2003	Lecluze		D26/74
D473,966	S	*	4/2003	Lecluze		D26/74
D561,374	S	*	2/2008	Hartmann, Jr.		D26/74
D562,489	S	*	2/2008	Rashidi		D26/118

D668,372	S	*	10/2012	Renshaw		D26/74
D767,809	S	*	9/2016	Götz-Schäfer		D26/74
D824,074	S	*	7/2018	Vidal		D26/74
10,281,120	B1	*	5/2019	Winslett		F16M 13/022
10,655,825	B2	*	5/2020	Winslett		F16B 2/241
D940,944	S	*	1/2022	Gen		D26/74
D975,332	S	*	1/2023	Wu		D26/74
11,754,263	B2	*	9/2023	Fang		F21V 19/04
						362/208
D1,032,909	S	*	6/2024	Rashidi Doust		D26/74
D1,045,180	S	*	10/2024	Rashidi Doust		D26/74
2018/0266634	A1	*	9/2018	Dong		F21V 21/041
2018/0372283	A1	*	12/2018	Zeng		F21S 8/026
2020/0191344	A1	*	6/2020	Van Winkle		F21S 8/033
2022/0074583	A1	*	3/2022	Huang		F21V 21/26

* cited by examiner

Primary Examiner — Angela J Lee

(74) *Attorney, Agent, or Firm* — Bartholomew Law PC;
Michael Bartholomew

(57) **CLAIM**

The ornamental design for a recessed light fixture as shown and described.

DESCRIPTION

FIG. 1 is a front, right and top perspective view of a recessed light fixture, showing our design.

FIG. 2 is a rear, left and bottom perspective view thereof.

FIG. 3 is a front elevation view thereof.

FIG. 4 is a rear elevation view thereof.

FIG. 5 is a left side elevation view thereof.


FIG. 6 is a right side elevation view thereof.

FIG. 7 is a top plan view thereof; and,

FIG. 8 is a bottom plan view thereof.

The broken lines depict portions of the recessed light fixture that form no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8