

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12396495
Kind Code	B1
Date of Patent	August 26, 2025
Inventor(s)	Agam; Nitza et al.

Pants that can accommodate a catheter

Abstract

Pants housing a catheter that drains to a collection bag, said pants having a left and a right panel, wherein each panel is a covering element has a continuous zipper tape that is coextensive with the fabric forming a pant, wherein the panels provide a selectable portlets to the collection bag mounted on a wearer's anterior thigh to activate drainage or to service a connection of the catheter to the collection bag, and a selectable port to inspect, tighten straps and/or replace the collection bag. It is anticipated that the wearer may be in a wheelchair when these actions are performed.

Inventors:	Agam; Nitza (Daly City, CA), Goel; Lalit K. (Sunnyvale, CA)
Applicant:	Agam; Nitza (Daly City, CA); Goel; Lalit K. (Sunnyvale, CA)
Family ID:	1000007098002
Appl. No.:	18/143199
Filed:	May 04, 2023

Publication Classification

Int. Cl.: **A61F5/44** (20060101); **A41D1/06** (20060101); **A44B19/00** (20060101); **A44B19/26** (20060101)

U.S. Cl.:

CPC **A41D1/06** (20130101); **A44B19/265** (20130101); **A61F5/4408** (20130101);

Field of Classification Search

CPC: **A41D** (1/06); **A44B** (19/265); **A61F** (5/4408)

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
2484356	12/1948	Ribeiro	604/347	A61F 5/4401
3353538	12/1966	Carrigan	604/352	A61F 5/453
4022213	12/1976	Stein	604/350	A61F 5/453
4319571	12/1981	Winchell	604/342	A61F 5/445
4553968	12/1984	Komis	604/351	A41B 9/023
4568340	12/1985	Giacalone	2/405	A61F 5/453
4588397	12/1985	Giacalone	604/351	A61F 5/453
4673401	12/1986	Jensen	604/353	A61F 5/44
4713066	12/1986	Komis	604/351	A61F 5/453
4813943	12/1988	Smith	604/350	A61F 5/4408
4820291	12/1988	Terauchi	4/144.3	A61F 5/451
4838883	12/1988	Matsuura	604/353	A61F 5/4408
D311805	12/1989	Hayko	D2/745	A61F 5/453
5053027	12/1990	Manfredi	604/327	A61F 5/455
5263947	12/1992	Kay	604/351	A61L 24/043
5409475	12/1994	Steer	604/352	A61F 5/453
5496300	12/1995	Hirsch	604/905	A61F 5/4404
5632736	12/1996	Block	206/581	A61F 5/455
5645541	12/1996	Bouser	604/351	A61F 5/453
5797890	12/1997	Goulter	604/351	A61F 5/4405
5827247	12/1997	Kay	604/327	C08L 5/04
5957904	12/1998	Holland	604/352	A61F 5/455
6477710	12/2001	Ojoyeyi	2/254	A41D 13/1236
7186245	12/2006	Cheng	604/350	A61F 5/44
7418741	12/2007	Rogers	2/114	A41D 13/1236
7594279	12/2008	Roy	2/114	A41D 13/1236
7673348	12/2009	Williams	2/244	A41D 13/1236
8607366	12/2012	Austin	604/174	A41D 13/1272
8690835	12/2013	Parris	604/179	A41D 13/1236
8832864	12/2013	Braden	2/114	A41D 13/1272
10159594	12/2017	DeShazer	N/A	A61F 5/451
10264831	12/2018	Hemker	N/A	A61F 5/03
10524526	12/2019	Voy	N/A	A47G 29/08
10750801	12/2019	Bentley	N/A	A41D 13/1245
10799386	12/2019	Harrison, Sr.	N/A	A61F 5/441
11202477	12/2020	Dawson	N/A	A41D 31/02
11382371	12/2021	Bentley	N/A	A41D 27/201
11510445	12/2021	Bentley	N/A	A41D 13/1281
11529252	12/2021	Glithero	N/A	A61F 5/453
2002/0193763	12/2001	Kulikov	604/350	A61F 5/453
2004/0176746	12/2003	Forral	604/544	A61F 5/453
2004/0226073	12/2003	McCullar	2/114	A41D 13/1245
2006/0015082	12/2005	Pearson	604/347	A61F 5/453
2009/0112171	12/2008	Ng	604/327	A61F 5/44
2012/0165768	12/2011	Sekiyama	604/353	A61F 5/453
2013/0237964	12/2012	Kicos	604/347	A61F 5/4408
2013/0338617	12/2012	Newton, Jr.	604/353	A61F 5/453

2015/0320583	12/2014	Harvie	604/351	A61F 5/441
2017/0128255	12/2016	DeShazer	N/A	A61F 5/451
2017/0311662	12/2016	Piña et al.	N/A	A41D 13/1254
2018/0098877	12/2017	Pierson	N/A	A61F 5/4405
2019/0364992	12/2018	Thomas	N/A	A41D 13/1245
2020/0390591	12/2019	Glithero	N/A	A61F 5/455
2021/0038423	12/2020	Mavrinac	N/A	A61F 5/443
2022/0054298	12/2021	Walthall	N/A	A61F 5/4404
2022/0054327	12/2021	Coluzzi	N/A	A61F 13/4915
2022/0062028	12/2021	Mitchell	N/A	A61F 5/4405
2022/0347004	12/2021	Newton	N/A	A61F 5/453
2023/0115636	12/2022	Coughlin	604/327	A61F 5/4408

OTHER PUBLICATIONS

Internet—<https://www.silverts.com/discover-silvert> Silverts sells Men's Easy Zipper Pants are great for catheters. cited by applicant

Internet—<https://www.buckandbuck.com/adaptive-clothing-guide/clothing-for-those-with-urinary-catheters.html> sells a drainage bag cover, made by Adaptable Designs. cited by applicant

Primary Examiner: Townsend; Guy K

Attorney, Agent or Firm: Reston Law Group

Background/Summary

FIELD OF THE INVENTION

(1) The present invention in general is pants for an individual who has been fitted with a catheter that drains urine from their bladder into at least one collection bag that is mounted on a frontal region of one or both of their legs. The catheter is typically a Foley catheter. The invented pants facilitate operation and care of the at least one collection bag.

BACKGROUND OF THE INVENTION

(2) Silverts sells Men's Easy Zipper Pants online at <https://www.silverts.com/discover-silverts>, stating that the pants are great for arthritis, catheters & paralysis. The pants have a waist with a drawstring, 1 back pocket & 2 side pockets, and functional fly zippers to just below the knee with a VELCRO closure from the knee down. The pant leg is open at the bottom for hemming the pant leg. Silvert advertises that his pants are versatile, great for knee surgery, hip replacement, broken legs & catheters. The pants have two-way zippers that open fully for easy access to casts and catheters and are easy for anyone in a reclining position. Silvert's Easy Touch Closures helps daily tasks such as dressing and undressing, and assisted dressing or independent dressing. Side zippers are secured at the waist with easy touch tabs and end above the ankle to allow for hemming. Also available are Open back pants for people who need help in getting dressed or have limited mobility. These open-back pants are traditional in fabrication, but with two overlapping panels on the backside that are closed using snaps in the waistband. With multiple snaps along the waistband they can be easily adjusted. There is no teaching for accessing a urine collection bag.

(3) Buck-and-Buck urinary catheter clothing at (<https://www.buckandbuck.com/adaptive-clothing-guide/clothing-for-those-with-urinary-catheters.html>) sells a drainage bag cover, made by Adaptable Designs. The cover, which is for a standard urinary drainage bag, provides some privacy for the person utilizing the drainage bag. While the cover conceals the urine drainage from view, it

reportedly can be easily accessed for monitoring and emptying. Buck-and-Buck assert that the need for a urinary catheter does not have to cause difficulty with wearing certain styles of clothing. Any of the pants for men and women can have a Velcro opening sewn into the inseam or side seam, whichever is preferred to make the user more comfortable and to allow access for care and emptying of the urine collection bag. Buck-and-Buck assert that best infection control practice is to not disconnect the catheter port from the urine collection bag since the catheter port is a potential path for entry of bacteria into the body. Buck-and-Buck teach a comfortable 12 inch hook and loop closure on the inseam of the slacks, which allows the urine collection bag to be passed through the leg opening, wherein emptying urine would exit through the inseam of the clothing, or if the drainage bag is mounted on the slack's leg on an outside surface of the slacks. Alternatively, the drainage bag can be attached to the wheelchair. The integrity of the closed catheter and urinary drainage tubing can be maintained. A cover provides some privacy for the person wearing the urinary catheter.

SUMMARY OF THE INVENTION

(4) The invention is pants for an individual who has been fitted with a catheter, wherein the catheter drains urine from their bladder into at least one collection bag mounted on a frontal region of one or more of their legs. The catheter is typically a Foley catheter. The invented pants facilitate operation and care of the at least one collection bag.

(5) An aspect of the invention is that it provides easy access to a lower portion of a collection bag, wherein a valve on an outlet of the collection bag enables controlled drainage of the collection bag.

(6) A second aspect of the invention is that a length of flexible plastic tubing can be fitted onto a tubular extension of a collection bag's outlet, therein enabling discharge of urine to a commode, a urinal, a bedpan, or any suitable vessel. A length of the flexible plastic tubing can be appropriately selected to extend the outlet to below the wearer's knee.

(7) A third aspect of the invention is that it provides easy access to an upper portion of a collection bag, wherein an inlet to the collection bag is visibly connected to the catheter can be confirmed, and if there is or isn't any leakage. If there is leakage, the connection can be corrected, and a surrounding area can be cleaned. The easy access enables a determination of whether a new collection bag is needed, and the user can be attended if that is the case.

(8) A fourth aspect of the invention is that it provides easy access to the collection bag. If straps need to be adjusted, adjustments can be made, depending on how the collection bag is fastened, and potentially a new collection bag can be installed.

(9) A fifth aspect of the invention is that the access is selectable to be partial via a portlet or to be complete through a port, wherein the port provides access to the entire collection bag, and furthermore the invention can include access to a single collection bag on either leg and access to a left collection bag on a left leg and a right collection bag on a right leg.

(10) A sixth aspect of the invention is that the pants are large enough to accommodate the wearer's the catheter, and made of a fabric that is sufficiently supple that the wearer can feel the catheter through the fabric, and shift the catheter as needed; and

(11) A final aspect of the invention is that a selected zipper tape closure conforms to curved applications, therein providing panels that under load will not yield (open), and wherein the selected zipper tape closure is more resistant than Velcro to becoming fouled with hair or detritus.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

(1) The foregoing invention will become readily apparent by referring to the following detailed description and the appended drawing in which:

(2) FIG. 1 is a frontal view of the invented pants, wherein at least one pant leg has a panel that

provides access to a collection bag mounted frontally on a wearer's anterior thigh.

(3) FIG. 2 is a frontal view of the invented pants that have a left panel and a right panel, wherein the illustrated panels are not limited, such that either or both panels can be closed as shown in FIG. 1, or partially open therein providing a portlet, or fully opened providing a port; and for illustrative purposes one panel has an upper portlet, and the other panel has a lower portlet of the other panel that is open;

(4) FIG. 3 is a frontal view of a length of flexible plastic tubing fitted onto a tubular extension of the collection bag's drainage port outlet having the tubular extension, wherein the length of flexible plastic tubing is several inches long; and

(5) FIG. 4 is a frontal view of the invented pants, wherein currently the left panel is fully open creating a left port that provides a full view of the collection bag, the drainage outlet, and the inlet nor the collection bag are not elements of the instant invention, and therefore are shown with dashed lines; and as illustrated the right panel is partially open creating a right lower portlet.

DETAILED DESCRIPTION OF THE INVENTION

(6) Invention **10** is pants **1**, as shown in FIG. 1, for an individual who has been fitted with a catheter that drains urine from their bladder into at least one collection bag. The at least one collection bag is nominally mounted on a frontal region of one or both legs. The catheter is typically a Foley catheter. The invented pants facilitate the use and care of the at least one collection bag.

(7) At least one pant leg (**3r,3l**) has a panel **20r,20l** that provides access to the collection bag **100**. The collection bag **100** has an inlet **102** (as shown in FIGS. 2, 3 and 4), which connects to the catheter (not shown) that conveys urine to the collection bag. The collection bag also has an outlet **105** with a valve **104** (see FIGS. 2,4). The valve controls when urine is to be drained out of the collection bag **100**. An exemplary collection bag **100** is shown in FIGS. 2 and 3). The invented pants can accommodate a wide selection of collection bags, and is not a limiting element of the invention. Similarly, The wearer's legs **90** are also shown with dashed lines.

(8) The illustrated pants **1** have a left panel **20l** and a right panel **20r**, therein potentially enabling use and access to two collection bags. Each panel **20r,20l** is secured by a shared continuous zipper tape **6r,6l** and a lateral seam **22r,22l** on each pant of the pants **1** covering the legs **3r,3l**. The pants' fabric is nominally at least similar to each panel's fabric. The continuous zipper tape is shared by the panel's fabric and the pants' fabric, such that when fully zipped a left panel is coextensive with a left pant, and a right panel is coextensive with a right pant.

(9) The shared continuous zipper tape **6r,6l** includes a medial section **21r,21l** that upwardly transition into an upper curved section **23r,23l**; which laterally transitions into an upper horizontal section **24r,24l** and ends in an upper stop **46r,46l**. As illustrated, the medial section **21r,21l** also downwardly transitions into a lower curved sections **26r,26l**; which laterally transitions into to a lower horizontal section **25r,25l** and ends in a lower stop **45r,45l**. The shared continuous zipper tape spans an outer partial edge of a panel with an adjoining inner partial edge of an opening of the pant, therein connecting the partial edge of the panel to the inner partial edge of the opening of the pant.

(10) In this configuration, each leg pant has a continuous zipper tape, which taken with the lateral seams **22r,22l** defines the panels **20r,20l**. Each of the shared continuous zipper tapes has a pair of zipper slide assemblies **5r,5l**; where each zipper slide assembly includes a pair of opposing zipper slides **7r,4r** and **7l,4l** with locking pulls **28r,29r** and **28l,29l** for opening and closing all or partial portions of the zipper tapes **6r,6l**. Note, each pair of opposing zipper slides **7r,4r** and **7l,4l** are aligned such that a pair of zipper slides are opposing and nose to nose. In this alignment when a left pair of slides are pulled apart, the left zipper tape **6l** unzips and opens providing a portlet **300**. The slides are pulled apart where a portlet is desired, as the pair separates the continuous zipper tape unzips, therein providing a portlet. The portlet cannot change in size or position because the locking pulls are locked except when they are being pulled. This is unlike hook and loop fasteners,

which are not locked, and can continue to open or close, depending on factors such as load and tension.

(11) When the pairs of opposing zipper slides **7r,4r** and **7l,4l** slides **7l,4l** are pulled back together nose to nose, the zipper tape **6r,6l** is rezipped and the portlet is closed.

(12) The zipper assemblies **5r,5l** are independent, and movement of the right slides **7r,4r** does not affect movement of the left slides **7l,4l**. This independence is in large part because the pulls **28r,29r** and **28l,29l** are locking pulls.

(13) The zipper size is selected to be appropriate for the size of the pants. Smaller pants would typically have a size #4 or #4.5, which has a closed width of ~4 mm. Size #5 has a closed width of ~5 mm, and is typically strong enough for most adults. A size #10±#3 zipper could be used if the invented pants are for a very large individual.

(14) In the instant invention, the environment nominally isn't very harsh, so molded tooth zippers are typically made of plastic, such as DuPont's Delrin® are not required, but could be preferred in special cases. Acetals are also suitable resins to mold into a zipper tape. An exemplary manufacturer is YKK®, and their line of molded tooth zippers is called Vision®. Lenzip® is another manufacturer of molded tooth zippers. Molded tooth zippers are strong and practically weatherproof and are urine proof. In general, molded tooth zippers are corrosion resistant.

(15) Coil zippers utilize nylon teeth (Nylon® is also a DuPont plastic), wherein the teeth are sewn onto the side tape with polyester thread. Coil zipper teeth are stronger and more flexible than molded tooth zippers, making them better suited for curved applications. Polyester thread will break down in the sun, so coil zippers should be kept covered to protect them from extended UV exposure. Typical coil zippers are sizes #4.5, #5 and #10. Coil zipper tapes are advantageously nearly flat on the rear side.

(16) Metal zippers have polished metal teeth that secure together on the zipper chain. Because they can corrode, they are typically only used indoors. Exemplary applications include bags and purses, backpacks, interior cushions and upholstery, and more. A potential downside of metal zippers is that metal zippers can have sharper edges, which potentially could scratch a collection bag, which is typically constructed of vinyl. Metal zippers are harder to stick than plastic zippers, as they will break a needle.

(17) While coil zippers are preferred, they are not limiting as metal and molded tooth zippers can also be used in the disclosed invention. It is further anticipated that the opposing zipper tapes **6r,6l** can include an overlying material tape and an underlying material tape onto the zipper tapes **6r,6l**. Typically, basting tape is used to fasten zipper tapes to cloth materials, and fabric tapes. Basting tape is a narrow double-sided pressure sensitive adhesive tape on a release liner, often employed to facilitate mechanized stitching.

(18) An example of the collection bag is sold by AMSure®, and it is called a urinary leg bag. The urinary leg bag can be secured to the leg with two adjustable elastic leg straps. The catheter leg bag easily connects to any Foley catheter. It has leak proof seams, which ensures fluid containment. It has two flexible, high-quality straps, to ensure secure attachment to either of the wearer's leg. The leg straps are soft and breathable. The urinary leg bag is an anti-reflux leg bag catheter bag, which helps improve patient safety by reducing urine backflow. It has either a push-pull or a twist-turn drainage port (aka outlet **105** with a valve **104**). A medium size has a potential volume of 600 milliliters (~20 oz). The large size has a potential volume of 900 ml (~30 oz). The push-pull (valve **104**) drainage port (also called the T-Tap drainage port) includes a tubular extension **105** with a sloped opening, as shown in FIG. 3.

(19) It is anticipated that the instant invention **1** can include a length of flexible plastic tubing **107** fitted onto the collection bag's outlet **105**, wherein a lower end of the outlet has the tubular extension. The length of flexible plastic tubing is several inches long, as illustrated in FIG. 3, therein extending the outlet below a wearer's knee, thereby facilitating periodic drainage directly into a commode or a bedpan.

(20) FIG. 2 illustrates how an upper portion of the left panel **20l** is opened creating the portlet **300**. The zipper slide **4l** is pulled, from an initial left central position of the left medial section **21l** shown in FIG. 1, upward and through the upper left curve **27l**, and then laterally to the upper horizontal section **24l**, stopping at a point **24l**, which is proximate to the stop **46l** and proximate to a left seam **22l** of the invented pants **1**. The unzipped portion of the left panel **20l** therein exposes an upper portion of the collection bag **100** and the inlet **102**. The unzipped portion of panel **20l** in FIG. 2 is bounded by a left set of inner teeth **25** and a left set of outer teeth **27l** on the zipper tape **6l**.

(21) The unzipped portion of the zipper tape **6l** provides the portlet **300** in an upper portion **26l** of the left panel **20l**, wherein the portlet illustrates how it provides access to the inlet **102** and to an upper portion of the collect bag. Note, that in this illustrated embodiment the outer teeth **27l** are recessed on an underlying peripheral layer of fabric or other material that is affixed to the zipper material tape **64l**. The underlying peripheral outer layer of fabric or other material provides a protective cover of the outer zipper teeth **27l** on the pant from coming into contact with the collection bag. Optionally, the inner teeth **25l** can also be recessed on a comparable underlying peripheral inner layer of fabric or other material to provide an inner protective cover of the inner zipper teeth **25l** on the panel from coming into contact with the collection bag.

(22) A preferred zipper type is a coil zipper, as the coil zipper is relatively fine-toothed, and it provides a smooth zip. Coil zippers are stronger and more flexible than molded tooth zippers, making them suitably operative for the curved surface of the invention. The zipper size is selected based on the size of the invented pants. For most applications size #5 is suitable. For very large individuals the size is #10±#3.

(23) Optionally, a protective material tape as discussed above can be employed to keep the zipper covered, wherein the material tape protects the collection bag from contact with the zipper. Testing supports that Lenzip® sliders work with Lenzip® zipper chain and YKK® sliders work with a YKK® zipper chain.

(24) FIG. 2 also illustrates a first operating element of the opposing zipper slides, which is that as the opposing zipper slides are partially pulled apart, the continuous zipper tape unzips therein providing a partial opening, which is a portlet **300** for the panels **20l,20r**. The portlet **300** provides partial access to the collection bag, wherein said partial perimeter outer edge of the panel separates from said inner edge of the pant leg; wherein the portlet can be closed by pulling the opposing zipper slides together.

(25) Another illustration of the portlet **300** is in a lower portion of the right panel **20r**. The zipper slide **7r** has been pulled from an initial right central position of the right medial section **21r** shown in FIG. 1, downward and through the lower right curve **26r**, and then laterally to the lower horizontal section **25r**, stopping at a lower point **21r**, which is proximate to a right seam **22r** of the invented pants **1**. The unzipped portion of the right panel **20r** therein exposes, via the portlet **300**, a lower portion **26r** of the right panel **20r**, which is normally covering the outlet **104**, and the valve **105** on the lower portion of the collection bag **100**. The unzipped portion of panel **20r** in FIG. 2 is bounded by a right set of inner teeth **25r** and a right set of outer teeth **27r**.

(26) The invented pants **1** in FIG. 4 illustrate a second operating element utilizing the left pair of opposing zipper slide assemblies **5l**. As shown the opposing zipper slides assemblies **7l,4l** having locking pulls **28l,29l** are on the left continuous zipper tape **6l** of the left panel **20l**. As shown the slides have been pulled apart until the upper slide **4l** abuts the upper left stop **46l** and the lower slide **7l** abuts the lower left stop **45l** (see FIG. 1 as the slides and stops are obscured). The movement unzips the left continuous zipper tape **6l**, such that the panel **20l** can fold laterally therein providing a port **400** to the collection bag **100l** and a portion of the left thigh of the left leg **90** is visible, and shown in dashed lines.

(27) The left panel **20l** is fully opened along the seam **22l**, exposing an interior portion **21l** of pant **3l**. The pulls are locking, so there no movement of the slides **4l,7l**. The fully unzipped continuous

zipper tape is labelled **40l**, with outer panel teeth **42l**, and inner pant teeth **41l**. The outer panel teeth **42l** are mounted on the panel's portion of the zipper's side tape material **43l**, and the inner pant teeth **41l** are mounted on the pant's portion of the zipper's side tape material **44l**.

(28) A view of how much urine **95l** has been collected is easily discernable. The port **400** also provides a partial view of the straps, if present; and an inspection of the connection of the inlet to a catheter. The collection bag **100** shown in the left panel has a volume **95l** of urine. The collection bag **100** shown in the right panel has no urine. Unless the right collection bag **100r** is new, no urine can be indicative that there is a problem, for example: a leak at the inlet that connects to the catheter. A Foley catheter tends to have small flow most of the time.

(29) While not shown, likewise the right panel **20r** can similarly be fully opened along the seam **22r**, exposing an interior side of pant **3r**, when the right opposing zipper slides **4r,7r** are pulled to the stops **45r,46r**, as shown in FIG. 1.

(30) The port **400** can be closed by folding the panel inward and pulling the opposing zipper slides together, preferably to the medial position as shown in FIG. 1.

(31) The pulls on the zipper assemblies are locking pulls, therein preventing premature closure of portlets **300** or ports **400**.

(32) Both the left and right panel provides a selectable portlet to the collection bag mounted on a wearer's frontal anterior thigh to activate drainage or to service a connection of the catheter to the collection bag, and a selectable port to inspect, tighten straps and/or replace the collection bag. It is anticipated that the wearer may be in a wheelchair when these actions are performed.

(33) Although the present disclosure has been illustrated and described herein with reference to exemplary embodiments and specific examples thereof, it will be readily apparent to those of ordinary skill in the art that other embodiments and examples may perform similar functions and/or achieve like results. All such equivalent embodiments and examples are within the spirit and scope of the present disclosure, are contemplated thereby, and are intended to be covered by the following claims.

(34) Finally, any numerical parameters set forth in this Specification and the attached Claims are approximations (for example, by using the term "about") that may vary depending upon the desired properties sought to be obtained by the present invention. At the very least, and not as an attempt to limit the application of the doctrine of equivalents to the scope of the Claims, each numerical parameter should be construed in light of the number of significant digits and by applying ordinary rounding.

(35) It is to be understood that the foregoing description and specific embodiments are merely illustrative of the best mode of the invention and the principles thereof, and that various modifications and additions may be made to the invention by those skilled in the art, without departing from the spirit and scope of this invention, which is therefore understood to be limited only by the scope of the appended claims.

Claims

1. Pants that can accommodate a catheter, wherein the catheter drains urine from a wearer's bladder to at least one collection bag, said pants comprising: a panel that is a covering component of a pant leg that can provide access to the at least one collection bag on a frontal anterior thigh of the wearer, wherein said panel provides partial and full access to the at least one collection bag as needed; wherein said panel has a lateral edge that is coextensive with a lateral seam of a pant, a partial perimeter outer edge that is closed by a shared continuous zipper tape with a pair of stops, where the partial perimeter outer edge of said panel is substantially coextensive with an inner edge of the pant leg; said shared continuous zipper tape has a zipper slide assembly with a pair of opposing zipper slides with locking pulls for opening and closing said shared continuous zipper tape, and by extension said panel; a first operating element of the opposing zipper slides is that as

the opposing zipper slides are pulled apart, the continuous zipper tape unzips, therein providing a portlet at a position along the said shared continuous zipper tape; wherein the portlet can be closed by pulling the opposing zipper slides together; and a second operating element of the opposing zipper slides is that when the opposing zipper slides are pulled apart until individual slides of the pair of slides abut a upper stop and a lower stop, then the continuous zipper tape is unzipped therein providing a port, and the panel can be folded laterally along the lateral seam of the pant leg; and wherein the port can be closed by pulling the opposing zipper slides together.

2. Pants according to claim 1, wherein said pants further comprising: an abdominal region, which is large enough to accommodate the catheter.
3. Pants according to claim 1, wherein said pants further comprised of a fabric that is sufficiently supple that the wearer can feel the catheter through the fabric, to determine if the catheter needs adjustment.
4. Pants according to claim 1, wherein the shared continuous zipper tape comprises: a medial section that upwardly transitions into an upper curved section, which laterally transitions into an upper horizontal section ending in the upper stop; and the medial section also downwardly transitions into a lower curved section, which laterally transitions into to a lower horizontal section ending in the lower stop.
5. Pants according to claim 1, further comprises: a left panel on a left pant that is substantially a mirror image of a right panel on a right pant.
6. Pants according to claim 1, wherein the shared continuous zipper tape comprises: a coil zipper tape.
7. Pants according to claim 1, wherein the pulls on the zipper assemblies comprises: locking pulls, which prevent accidental closure of the portlet or the port.
8. Pants according to claim 1, further comprising: a length of flexible plastic tubing that is several inches long, therein extending the outlet of the collection bag below a wearer's knee, thereby facilitating periodic drainage into a commode, urinal or a bedpan, or any suitable vessel.
9. Pants according to claim 6, further comprising: said shared continuous zipper tape is selected from the group consisting of: a size #4, #4.5 or #5 for most pants.
10. Pants according to claim 6, further comprising: said shared continuous zipper tape is selected from size #10±#3 for very large pants.
11. Pants according to claim 1, wherein the continuous zipper tape comprises: a combination of outer teeth mounted on a panel's side tape and inner teeth mounted on a pant's side tape.
