



US012383581B2

(12) **United States Patent**
Hua et al.

(10) **Patent No.:** **US 12,383,581 B2**

(45) **Date of Patent:** **Aug. 12, 2025**

(54) **COMPOSITIONS AND METHODS FOR TARGETING CD13 AND TIM-3 WITH CAR T CELLS TO TREAT ACUTE MYELOID LEUKEMIA**

(71) Applicant: **THE TRUSTEES OF THE UNIVERSITY OF PENNSYLVANIA**, Philadelphia, PA (US)

(72) Inventors: **Xianxin Hua**, Wynnewood, PA (US); **Xin He**, Philadelphia, PA (US); **Xuyao Zhang**, Shanghai (CN)

(73) Assignee: **The Trustees of the University of Pennsylvania**, Philadelphia, PA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 54 days.

(21) Appl. No.: **17/767,831**

(22) PCT Filed: **Oct. 9, 2020**

(86) PCT No.: **PCT/US2020/055138**

§ 371 (c)(1),

(2) Date: **Apr. 8, 2022**

(87) PCT Pub. No.: **WO2021/072312**

PCT Pub. Date: **Apr. 15, 2021**

(65) **Prior Publication Data**

US 2024/0082302 A1 Mar. 14, 2024

Related U.S. Application Data

(60) Provisional application No. 62/913,915, filed on Oct. 11, 2019.

(51) **Int. Cl.**

A61K 35/17 (2025.01)

A61K 40/11 (2025.01)

(Continued)

(52) **U.S. Cl.**

CPC **A61K 35/17** (2013.01); **A61K 40/11** (2025.01); **A61K 40/31** (2025.01); **A61K 40/421** (2025.01);

(Continued)

(58) **Field of Classification Search**

CPC **A61K 35/17**; **A61K 39/4611**; **A61K 39/4631**; **A61K 39/464411**;

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

9,605,070 B2 3/2017 Sabatos-Peyton et al.
2014/0050708 A1 2/2014 Powell et al.

(Continued)

FOREIGN PATENT DOCUMENTS

WO 2011/155607 A1 12/2011
WO 2016/014576 A1 1/2016

(Continued)

OTHER PUBLICATIONS

Williams, B.A., et al.(2019) Antibody therapies for Acute Myeloid Leukeima: unconjugated, toxin-conjugated, radio-conjugated and multivalent formats Journal of clinical medicine 8(1261); 1-31 (Year: 2019).*

(Continued)

Primary Examiner — Scarlett Y Goon

Assistant Examiner — Audrey L Buttice

(74) *Attorney, Agent, or Firm* — Saul Ewing LLP; Kathryn Doyle; Alireza Behrooz


(57)

ABSTRACT

The present invention includes compositions and methods for treating AML utilizing bispecific CARs. In certain aspects, the invention includes a bispecific split CAR which binds CD13 and TIM-3 on AML cells.




15 Claims, 21 Drawing Sheets

Specification includes a Sequence Listing.



- (51) **Int. Cl.**
- | | | | | | | |
|-------------------|-----------|----|---------------|------|---------|-------------------|
| <i>A61K 40/31</i> | (2025.01) | WO | 2018/156434 | A1 | 8/2018 | |
| <i>A61K 40/42</i> | (2025.01) | WO | WO-2018161017 | A1 * | 9/2018 | A61K 31/505 |
| <i>A61P 35/02</i> | (2006.01) | WO | 2019/032661 | A1 | 2/2019 | |
| <i>C07K 16/28</i> | (2006.01) | WO | 2019/074542 | A1 | 4/2019 | |
| <i>C07K 16/40</i> | (2006.01) | WO | 2019/118518 | A2 | 6/2019 | |
| | | WO | 2019/210155 | A1 | 10/2019 | |
- (52) **U.S. Cl.**
- CPC *A61K 40/4224* (2025.01); *A61K 40/4244* (2025.01); *A61P 35/02* (2018.01); *C07K 16/2803* (2013.01); *C07K 16/40* (2013.01); *A61K 2239/13* (2023.05); *A61K 2239/17* (2023.05); *A61K 2239/21* (2023.05); *A61K 2239/22* (2023.05); *A61K 2239/29* (2023.05); *A61K 2239/48* (2023.05)
- (58) **Field of Classification Search**
- CPC A61K 39/464454; A61K 2239/13; A61K 2239/17; A61K 2239/21; A61K 2239/22; A61K 2239/29; A61K 2239/48; A61K 39/464429; A61K 2039/505; A61K 2039/507; A61K 2039/804; A61P 35/02; C07K 16/2803; C07K 16/40; C07K 16/2896; C07K 2317/22; C07K 2317/31; C07K 2317/569; C07K 2317/622; C07K 2319/03; C07K 14/70521; C07K 14/7051; C07K 14/705
- See application file for complete search history.
- (56) **References Cited**
- U.S. PATENT DOCUMENTS
- | | | | |
|--------------|----|---------|-----------------------|
| 2015/0218274 | A1 | 8/2015 | Sabatos-Peyton et al. |
| 2016/0075769 | A1 | 3/2016 | Agrosavfe |
| 2016/0362472 | A1 | 12/2016 | Bitter et al. |
| 2017/0296623 | A1 | 10/2017 | Collectis |
| 2018/0280551 | A1 | 4/2018 | Rashidian et al. |
- FOREIGN PATENT DOCUMENTS
- | | | | |
|----|-------------|----|---------|
| WO | 2017/079400 | A1 | 5/2017 |
| WO | 2017/222593 | A1 | 12/2017 |
| WO | 2018/068053 | A2 | 4/2018 |
| WO | 2018/120842 | A1 | 7/2018 |
- OTHER PUBLICATIONS
- Gould, N., et al (2014) Computational tools and algorithms for designing and customized synthetic genes *Frontiers in Bioengineering and Biotechnology* 2(41); 1-14 (Year: 2014).*
- Lee, H.K et al., "CD13 and CD33 CAR-T cells for the treatment of myeloid malignancies", *Annals of Oncology*, vol. 29, Oct. 1, 2018, pp. viii360-viii361.
- He, X et al., "Bispecific and split CAR T cells targeting CD13 and TIM3 eradicate acute myeloid leukemia", *Blood*, Mar. 5, 2020, 135(10):713-723.
- Kaneko, T. et al., "A Bispecific Antibody Enhances Cytokine-Induced Killer-Mediated Cytolysis Of Autologous Acute Myeloid Leukemia Cells", *Blood*, American Society of Hematology, US, vol. 81, No. 5, Mar. 1, 1993, pp. 1333-1341.
- Kikushige Y., et al., "TIM-3 is a promising target to selectively kill acute myeloid leukemia stem cells", *Cell Stem Cell* Dec. 3, 2010;7(6):708-717.
- Rodgers, D.T. et al., "Switch-mediated activation and retargeting of CAR-T cells for B-cell malignancies", *Proceedings of the National Academy of Sciences of the United States of America*, Jan. 12, 2016, 113(4):E459-468.
- Taussig D.C., et al. "Hematopoietic stem cells express multiple myeloid markers: implications for the origin and targeted therapy of acute myeloid leukemia" *Blood*, Dec. 15, 2005, 106(13):4086-4092.
- Zahnd C., et al., "Directed in vitro evolution and crystallographic analysis of a peptide-binding single chain antibody fragment (scFv) with low picomolar affinity", *Jan. 30, 2004 J Biol Chem*. Apr. 30, 2004; 279(18):18870-18877.
- Hoseini, S.S. et al., "Acute myeloid leukemia targets for bispecific antibodies", *Blood Cancer Journal*, Feb. 3, 2017, 7(2):e522.
- International Search Report and Written Opinion dated Feb. 9, 2021 of corresponding International Patent Application No. PCT/US2020/055138.
- Partial Supplementary European Search Report dated Oct. 30, 2023, of corresponding European Patent Application No. 20874662.8.
- Extended European Search Report issued Jan. 30, 2024 in European Patent Application No. EP20874662.8.

* cited by examiner






FIG. 2

FIG. 3A





FIG. 3B






FIG. 3C




FIG. 4A




FIG. 4B

FIG. 5A





FIG. 5B






FIG. 6

FIG. 7A




FIG. 7B




FIG. 7C




FIG. 7D




FIG. 7E





FIG. 7F








FIG. 8A



FIG. 8B






FIG. 9

FIG. 10A




FIG. 10B




FIG. 10C




FIG. 11A





FIG. 11B






FIG. 12B




FIG. 12C




FIG. 12D





FIG. 12E






FIG. 13A




FIG. 13B

1

COMPOSITIONS AND METHODS FOR TARGETING CD13 AND TIM-3 WITH CAR T CELLS TO TREAT ACUTE MYELOID LEUKEMIA

CROSS-REFERENCE TO RELATED APPLICATION

The present application is a 35 U.S.C. § 371 national phase application from, and claims priority to, International Application No. PCT/US2020/055138, filed Oct. 9, 2020, and is entitled to priority under 35 U.S.C. § 119 (e) to U.S. Provisional Patent Application No. 62/913,915, filed Oct. 11, 2019, all of which are incorporated herein by reference in their entireties.

REFERENCE TO AN ELECTRONIC SEQUENCE LISTING

The instant application contains a Sequence Listing which has been submitted in ASCII format via EFS-Web and is hereby incorporated by reference in its entirety. Said ASCII copy, created on Sep. 25, 2024 is named "046483-7259US1 (02850).txt and is 136,499 bytes in size.

BACKGROUND OF THE INVENTION

Acute myeloid leukemia (AML) is a major form of acute leukemia in elder adults. The treatment of AML has changed little in the past decades and the overall 5-year survival rate remains very poor in AML patients. AML relapse from chemotherapy is highly aggressive with poor prognosis. While adaptive cell therapy via chimeric antigen receptor (CAR)-expressing T cells is quite successful for treating acute and chronic lymphoblastic leukemia by targeting CD19, this approach has not yet been extensively explored for AML. There is an urgent need to develop potent antibodies against AML-specific surface targets to improve the therapy.

The CAR structure generally comprises an extracellular antigen recognition region and intracellular activation region. The recognition region typically comprises a single-chain variable fragment (scFv), composed of an antibody's heavy and light variable regions. The activation signal is transduced by the intracellular domains of the CD3 zeta, co-stimulatory 4-1BB and/or CD28. The co-stimulatory signals prolong survival and enhance cytotoxicity of CAR T cells to eliminate the cancer cells. CAR T cells targeting CD33, a cell surface lectin, and CD123, a subunit of IL-3 receptor, were tested for suppressing AML, but the approach was hindered by side effects.

A need exists for novel approaches for improving CAR T cell-mediated AML therapy. The present invention addresses this need.

SUMMARY OF THE INVENTION

As described herein, the present invention relates to compositions and methods for treating AML utilizing bispecific CARs (e.g. bispecific split CARs which bind CD13 and TIM-3 on AML cells.)

In one aspect, the invention provides a bispecific chimeric antigen receptor (CAR) comprising a first antigen binding domain capable of binding CD13, a first intracellular domain, a second antigen binding domain capable of binding TIM-3, a transmembrane domain, and a second intracellular domain.

2

In certain embodiments, the first and/or second antigen binding domain is selected from the group consisting of an antibody, a nanobody, a Fab, or an scFv.

In certain embodiments, the second antigen binding domain comprises a nanobody, wherein the nanobody is Nb157.

In certain embodiments, the first antigen binding domain comprises the amino acid sequence set forth in SEQ ID NO: 1.

In certain embodiments, the second antigen binding domain comprises the amino acid sequence set forth in SEQ ID NO: 6.

In certain embodiments, the second antigen binding domain comprises an amino acid sequence selected from the group consisting of SEQ ID NO: 20, 22, 24, 26, 28, 30, and 32. In certain embodiments, the second antigen binding domain is encoded by a nucleotide sequence selected from the group consisting of SEQ ID NO: 19, 21, 23, 25, 27, 29, and 31.

In certain embodiments, the transmembrane domain comprises CD28.

In certain embodiments, the first intracellular domain is selected from the group consisting of 4-1BB, CD28, and CD3 zeta. In certain embodiments, the second intracellular domain is selected from the group consisting of 4-1BB, CD28, and CD3 zeta.

In certain embodiments, the bispecific CAR further comprises a hinge domain selected from the group consisting of a CD8 hinge, an IgG3s hinge, and an IgG4m hinge.

In certain embodiments, the bispecific CAR is encoded by a nucleotide sequence selected from the group consisting of SEQ ID NOs: 33-39.

In another aspect, the invention provides an inducible bispecific CAR comprising a first antigen binding domain capable of binding Peptide-Neo-Epitope (PNE), a first transmembrane domain, a first intracellular domain, a second antigen binding domain capable of binding TIM-3, a transmembrane domain, and a second intracellular domain.

In certain embodiments, the first and/or second antigen binding domain is selected from the group consisting of an antibody, a Fab, or an scFv.

In certain embodiments, the second antigen binding domain comprises the amino acid sequence set forth in any one of SEQ ID NOs: 6, 20, 22, 24, 26, 28, 30, and 32.

In certain embodiments, the first and/or second transmembrane domain comprises CD28.

In certain embodiments, the first intracellular domain comprises CD3 zeta. In certain embodiments, the second intracellular domain comprises 4-1BB.

In certain embodiments, the CAR further comprises a hinge domain selected from the group consisting of a CD8 hinge, an IgG3s hinge, and an IgG4m hinge.

In another aspect, the invention provides a chimeric antigen receptor (CAR) comprising an antigen binding domain specific for TIM-3, a transmembrane domain, and an intracellular signaling domain.

In certain embodiments, the antigen binding domain is selected from the group consisting of an antibody, a nanobody, a Fab, or an scFv.

In certain embodiments, the antigen binding domain comprises the amino acid sequence set forth in any one of SEQ ID NOs: 6, 20, 22, 24, 26, 28, 30, and 32.

In certain embodiments, the CAR further comprises a hinge domain selected from the group consisting of a CD8 hinge, an IgG3s hinge, and an IgG4m hinge.

3

In certain embodiments, the transmembrane domain is selected from the group consisting of CD8, CD28, and ICOS.

In certain embodiments, the intracellular domain comprises 4-1BB and CD3 zeta.

In certain embodiments, the CAR comprises the amino acid sequence of SEQ ID NO: 13. In certain embodiments, the CAR is encoded by the nucleotide sequence of SEQ ID NO: 14.

In another aspect, the invention provides a modified T cell or precursor thereof, comprising any of the CARs or bispecific CARs contemplated herein.

In certain embodiments, the T cell is autologous.

In another aspect, the invention provides a nucleic acid encoding any of the CARs or bispecific CARs contemplated herein.

In another aspect, the invention provides a method for treating cancer in a subject in need thereof. The method comprises administering to the subject a modified T cell or precursor thereof comprising any of the CARs or bispecific CARs contemplated herein. In certain embodiments, the cancer is acute myeloid leukemia (AML).

BRIEF DESCRIPTION OF THE DRAWINGS

The following detailed description of specific embodiments of the invention will be better understood when read in conjunction with the appended drawings. For the purpose of illustrating the invention, there are shown in the drawings exemplary embodiments. It should be understood, however, that the invention is not limited to the precise arrangements and instrumentalities of the embodiments shown in the drawings.

FIGS. 1A-1D are series of images and graphs depicting an anti-TIM3 CAR that empowers T cells to specifically kill TIM-3 expressing AML cells. FIG. 1A illustrates confirmation of TIM-3 expression in NB4-TIM-3 cell lines by Western Blot. The star indicates the glycosylated TIM-3 protein. FIG. 1B shows flow cytometry analysis of NB4 and NB4-TIM3 cells by staining them with the antibodies targeting either CD13 and TIM3, indicating that NB4 cells only expressed CD13 and NB4-TIM3 cells expressed both CD13 and TIM3. FIG. 1C is a schematic diagram of an anti-TIM3 CAR. FIG. 1D illustrates cytotoxicity of the anti-TIM-3 CAR T against NB4-TIM-3 cells. NB4 or NB4-TIM-3 cells were incubated with anti-TIM-3-scFv-CAR T cells overnight. Untransduced (UTD) T cells were used as a negative control. Cytotoxicity was detected by flow cytometry analysis of the survival THP-1 cells. The data demonstrate that anti-TIM3 CAR T cells specifically kill TIM-3-expressing myeloid leukemia cells.

FIG. 2 illustrates a bispecific split CAR (BissCAR) that can specifically kill tumor cells expressing both TIM-3 and CD13.

FIGS. 3A-3C illustrate and compare a 2nd generation CAR targeting CD13 and a bispecific split CAR targeting both CD13 and TIM3. FIG. 3A is a schematic showing a 2nd generation CAR targeting CD13 (Nb157) and a bispecific split CAR (BissCAR) targeting both CD13 and TIM3 (Nb157 & TIM3). FIG. 3B illustrates cell surface expression of the respective CARs on the transduced CAR T cells. FIG. 3C illustrates each CARs ability to kill NB4 or NB4-TIM3 cells in vitro (FIG. 3C).

FIGS. 4A-4B illustrate combinatorial bispecific and split CARs targeting both CD13 and TIM-3. Bispecific and split CAR (BissCAR) T cells more potently kill leukemic stem cells (LSCs), which express both TIM3 and CD13, but spare

4

normal HSCs, which express CD13, but not TIM3. FIG. 4A is a schematic diagram of combinatorial bispecific and split CARs of the Nb157 (anti-CD13) and anti-TIM3 system. Nb157 linked with CD3z recognized CD13 on normal HSCs or LSCs. Anti-TIM3 linked with CD28 and 4-1BB recognized TIM3 only on LSCs. Such Biss CAR T cells can be fully activated only by LSCs but not by HSCs. FIG. 4B shows flow cytometry data showing the expression of TIM3, CD90, and CD13 on normal donor bone marrow cells (ND-BM) and patient-derived AML (PD-AML) cells, which were gated on CD45⁺Lin⁻CD34⁺CD38⁻ subsets. Flow cytometry analysis showed that normal donor (ND) bone marrow CD34⁺/CD38⁻/CD90 cells, an HSC-enriched population, identifiable in the ND sample, but very low in AML patient derived leukemia sample (PD-AML) (FIG. 4B, top panels). In contrast, the TIM3/CD13 double positive cells from the CD34⁺/CD38⁻ cell population were significantly increased in the PD-AML sample.

FIGS. 5A-5B show data from experiments wherein ten million NB4 or NB4-TIM3 cells were transplanted into NSG mice subcutaneously to form 100 mm³ tumors. Three million Nb157&TIM3 combinatorial BissCAR T cells, conventional Nb157 CAR T cells, or UTD T cells were injected intravenously into NSG mice separately. The engraftment volume was monitored by measuring the length and width of the tumor every other day (n=4).

FIG. 6 illustrates the human T cells in peripheral blood of NSG mice bearing either NB4 or NB4-TIM3 tumors following treatment with the indicated control (UTD) or the indicated CAR T cells. Three weeks after mice with NB4 or NB4-TIM3 tumors were treated with the BissCAR (Nb157 & TIM3) T cells or UTD T cells, human T cell (CD3⁺) numbers in mouse peripheral blood were analyzed by flow cytometry and quantified using CountBright counting beads (n=3). *P<0.05, Student t test.

FIGS. 7A-7H illustrate BissCAR T cells targeting CD13 and TIM3 eradicate AML PDXs, but with reduced toxicity to human HSCs in vivo. FIG. 7A is a schematic diagram of an AML PDX mice treated with control or BissCAR T cells. Twenty million patient derived AML cells were injected into each NSG mouse, followed by injection of 5 million BissCAR T cells or UTD T cells, 2 weeks later. Human peripheral blood CD3⁺ cells were analyzed by serial bleeding weekly. FIGS. 7B-7C depict patient-derived AML cells or T cells in mouse peripheral blood were monitored weekly by staining with anti-human CD33 or anti-human CD3 antibodies. FIG. 7D shows mice survival was monitored and recorded (n=6 per group). FIG. 7E is a schematic diagram of HIS mice for evaluation of human HSC toxicity. A total of 1.5 million normal donor bone marrow (BM) CD34⁺ cells were injected into each NSG mouse. Four weeks later, 3 million Nb157 anti-TIM3 BissCAR T cells, or conventional Nb157 CARs, or UTD T cells were injected intravenously, followed by flow cytometry analysis of peripheral blood and bone marrow (n=5 per group for Biss CAR and UTD cells; n=3 per group of Nb157 cells). FIG. 7F shows bone marrow of HIS mice, which were treated with T cells for 3 weeks, was analyzed by flow cytometry after staining with CD45/Lin/CD34/CD38/7-AAD. Representative fluorescence-activate cell sorting plots were used to identify HSC (CD34⁺CD38⁻) and myeloid progenitors (CD34⁺CD38⁺). FIG. 7G shows HSCs (CD45⁺Lin⁻CD34⁺CD38⁻) in the bone marrow of HIS mice were analyzed by flow cytometry 3 weeks after the initial treatment. FIG. 7H shows myeloid progenitors (CD45⁺Lin⁺CD34⁺CD38⁺) in the bone marrow of HIS mice were analyzed by flow cytometry 3 weeks after the initial treatment. FIG. 7I shows monocytes (human CD45⁺

5

CD33⁺) from peripheral blood of HIS mice were analyzed by flow cytometry 3 weeks after the initial treatment; cell number and blood volume were quantified using Count-Bright counting beads. In FIG. 7G-7I, n=5 per group for BissCAR T cells and UTD T cells, n=3 per group for Nb157 T cells. *P<. 05, **P<01, ***P<. 001, Student t test.

FIGS. 8A-8B illustrate a TIM-3& PNE inducible bispecific CAR.

FIG. 9 illustrates identification of unique individual anti-TIM3 VHHs analyzed by flow cytometry. Isolation of individual VHH phage clones from library following TIM3-negative and positive NB4 screening.

FIGS. 10A-10B illustrate bispecific CAR comprising anti-TIM3 VHHs. FIG. 10A is a schematic illustrating construction of bispecific CARs using newly generated anti-TIM3 VHHs. FIGS. 10B-10C illustrate expression of the bispecific CARs on primary human T cells.

FIGS. 11A-11B illustrate the killing effects of bispecific CARs against NB4 (FIG. 11A) and NB4-TIM3 (FIG. 11B) cells.

FIGS. 12A-12E illustrate the specificity of the various bispecific CARTs in suppressing tumors in vivo. The anti-tumor effects of bispecific CAR T cells against NB4-CD13KO (FIG. 12A), NB4 (FIG. 12B) and NB4-TIM3 (FIG. 12C) tumors were evaluated. Various NB4 cells were injected subcutaneously into each flank of a NSG mice (n=3), and the indicated CARTs (5×10^6) were injected into each mouse via tail vein at 7 days after tumor cell injection. The number of human T cells in peripheral blood of mice bearing NB4-CD13KO, NB4 and NB4-TIM3 tumors was measured by flow cytometry 7 days (FIG. 12D) and 14 days (FIG. 12E) after T cell infusion.

FIGS. 13A-13B illustrate data evaluating the potential toxicity of the bispecific CAR T cells against human bone marrow CD34⁺ cells. BM CD34⁺ cells (5000 per well) were co-cultured with the indicated T cells (0.3:1, 1:1, 3:1) for 4 hours. Cells were transferred into 12-well plates and cultured in MethoCultTM H4435 Enriched medium. Two weeks later, the number of clones was measured. FIG. 13A shows the number of colonies from control (UTD) or the bispecific CART treated plates. FIG. 13B is a linear graph comparing the dose-dependent effect of the CARTs based on colony number.

DETAILED DESCRIPTION

Definitions

Unless defined otherwise, all technical and scientific terms used herein have the same meaning as commonly understood by one of ordinary skill in the art to which the invention pertains. Although any methods and materials similar or equivalent to those described herein can be used in the practice for testing of the present invention, the preferred materials and methods are described herein. In describing and claiming the present invention, the following terminology will be used.

It is also to be understood that the terminology used herein is for the purpose of describing particular embodiments only, and is not intended to be limiting.

The articles "a" and "an" are used herein to refer to one or to more than one (i.e., to at least one) of the grammatical object of the article. By way of example, "an element" means one element or more than one element.

"About" as used herein when referring to a measurable value such as an amount, a temporal duration, and the like, is meant to encompass variations of $\pm 20\%$ or $\pm 10\%$, more

6

preferably $\pm 5\%$, even more preferably $\pm 1\%$, and still more preferably $\pm 0.1\%$ from the specified value, as such variations are appropriate to perform the disclosed methods.

"Activation," as used herein, refers to the state of a T cell that has been sufficiently stimulated to induce detectable cellular proliferation. Activation can also be associated with induced cytokine production, and detectable effector functions. The term "activated T cells" refers to, among other things, T cells that are undergoing cell division.

As used herein, to "alleviate" a disease means reducing the severity of one or more symptoms of the disease.

"Allogeneic" refers to a graft derived from a different animal of the same species.

"Alloantigen" refers to an antigen present only in some individuals of a species and capable of inducing the production of an alloantibody by individuals which lack it.

The term "antibody," as used herein, refers to an immunoglobulin molecule which specifically binds with an antigen. Antibodies can be intact immunoglobulins derived from natural sources or from recombinant sources and can be immunoreactive portions of intact immunoglobulins. Antibodies are typically tetramers of immunoglobulin molecules. The antibodies in the present invention may exist in a variety of forms including, for example, polyclonal antibodies, monoclonal antibodies, Fv, Fab and F(ab)₂, as well as single chain antibodies (scFv) and humanized antibodies (Harlow et al., 1999, In: Using Antibodies: A Laboratory Manual, Cold Spring Harbor Laboratory Press, NY; Harlow et al., 1989, In: Antibodies: A Laboratory Manual, Cold Spring Harbor, New York; Houston et al., 1988, Proc. Natl. Acad. Sci. USA 85:5879-5883; Bird et al., 1988, Science 242:423-426).

The term "antibody fragment" refers to a portion of an intact antibody and refers to the antigenic determining variable regions of an intact antibody. Examples of antibody fragments include, but are not limited to, Fab, Fab', F(ab')₂, and Fv fragments, linear antibodies, scFv antibodies, and multispecific antibodies formed from antibody fragments.

An "antibody heavy chain," as used herein, refers to the larger of the two types of polypeptide chains present in all antibody molecules in their naturally occurring conformations.

An "antibody light chain," as used herein, refers to the smaller of the two types of polypeptide chains present in all antibody molecules in their naturally occurring conformations. α and β light chains refer to the two major antibody light chain isotypes.

The term "antigen" or "Ag" as used herein is defined as a molecule that provokes an immune response. This immune response may involve either antibody production, or the activation of specific immunologically-competent cells, or both. The skilled artisan will understand that any macromolecule, including virtually all proteins or peptides, can serve as an antigen. Furthermore, antigens can be derived from recombinant or genomic DNA. A skilled artisan will understand that any DNA, which comprises a nucleotide sequences or a partial nucleotide sequence encoding a protein that elicits an immune response therefore encodes an "antigen" as that term is used herein. Furthermore, one skilled in the art will understand that an antigen need not be encoded solely by a full length nucleotide sequence of a gene. It is readily apparent that the present invention includes, but is not limited to, the use of partial nucleotide sequences of more than one gene and that these nucleotide sequences are arranged in various combinations to elicit the desired immune response. Moreover, a skilled artisan will understand that an antigen need not be encoded by a "gene"

at all. It is readily apparent that an antigen can be generated synthesized or can be derived from a biological sample. Such a biological sample can include, but is not limited to a tissue sample, a tumor sample, a cell or a biological fluid.

As used herein, the term “autologous” is meant to refer to any material derived from the same individual to which it is later to be re-introduced into the individual.

“Allogeneic” refers to any material derived from a different animal of the same species. The term “chimeric antigen receptor” or “CAR,” as used herein, refers to an artificial T cell receptor that is engineered to be expressed on an immune effector cell and specifically bind an antigen. CARs may be used as a therapy with adoptive cell transfer. T cells are removed from a patient and modified so that they express the receptors specific to a particular form of antigen. In some embodiments, the CAR has specificity to a selected target, for example a tumor antigen. CARs may also comprise an intracellular activation domain, a transmembrane domain and an extracellular domain comprising an antigen binding region.

“Co-stimulatory ligand,” as the term is used herein, includes a molecule on an antigen presenting cell (e.g., an aAPC, dendritic cell, B cell, and the like) that specifically binds a cognate co-stimulatory molecule on a T cell, thereby providing a signal which, in addition to the primary signal provided by, for instance, binding of a TCR/CD3 complex with an MHC molecule loaded with peptide, mediates a T cell response, including, but not limited to, proliferation, activation, differentiation, and the like. A co-stimulatory ligand can include, but is not limited to, CD7, B7-1 (CD80), B7-2 (CD86), PD-L1, PD-L2, 4-1BBL, OX40L, inducible costimulatory ligand (ICOS-L), intercellular adhesion molecule (ICAM), CD30L, CD40, CD70, CD83, HLA-G, MICA, MICB, HVEM, lymphotoxin beta receptor, 3/TR6, ILT3, ILT4, HVEM, an agonist or antibody that binds Toll ligand receptor and a ligand that specifically binds with B7-H3. A co-stimulatory ligand also encompasses, inter alia, an antibody that specifically binds with a co-stimulatory molecule present on a T cell, such as, but not limited to, CD27, CD28, 4-1BB, OX40, CD30, CD40, PD-1, ICOS, lymphocyte function-associated antigen-1 (LFA-1), CD2, CD7, LIGHT, NKG2C, B7-H3, and a ligand that specifically binds with CD83.

A “co-stimulatory molecule” refers to the cognate binding partner on a T cell that specifically binds with a co-stimulatory ligand, thereby mediating a co-stimulatory response by the T cell, such as, but not limited to, proliferation. Co-stimulatory molecules include, but are not limited to an MHC class I molecule, BTLA and a Toll ligand receptor.

A “co-stimulatory signal”, as used herein, refers to a signal, which in combination with a primary signal, such as TCR/CD3 ligation, leads to T cell proliferation and/or upregulation or downregulation of key molecules.

A “disease” is a state of health of an animal wherein the animal cannot maintain homeostasis, and wherein if the disease is not ameliorated then the animal’s health continues to deteriorate. In contrast, a “disorder” in an animal is a state of health in which the animal is able to maintain homeostasis, but in which the animal’s state of health is less favorable than it would be in the absence of the disorder. Left untreated, a disorder does not necessarily cause a further decrease in the animal’s state of health.

The term “downregulation” as used herein refers to the decrease or elimination of gene expression of one or more genes.

“Effective amount” or “therapeutically effective amount” are used interchangeably herein, and refer to an amount of

a compound, formulation, material, or composition, as described herein effective to achieve a particular biological result or provides a therapeutic or prophylactic benefit. Such results may include, but are not limited to an amount that when administered to a mammal, causes a detectable level of immune suppression or tolerance compared to the immune response detected in the absence of the composition of the invention. The immune response can be readily assessed by a plethora of art-recognized methods. The skilled artisan would understand that the amount of the composition administered herein varies and can be readily determined based on a number of factors such as the disease or condition being treated, the age and health and physical condition of the mammal being treated, the severity of the disease, the particular compound being administered, and the like.

“Encoding” refers to the inherent property of specific sequences of nucleotides in a polynucleotide, such as a gene, a cDNA, or an mRNA, to serve as templates for synthesis of other polymers and macromolecules in biological processes having either a defined sequence of nucleotides (i.e., rRNA, tRNA and mRNA) or a defined sequence of amino acids and the biological properties resulting therefrom. Thus, a gene encodes a protein if transcription and translation of mRNA corresponding to that gene produces the protein in a cell or other biological system. Both the coding strand, the nucleotide sequence of which is identical to the mRNA sequence and is usually provided in sequence listings, and the non-coding strand, used as the template for transcription of a gene or cDNA, can be referred to as encoding the protein or other product of that gene or cDNA.

As used herein “endogenous” refers to any material from or produced inside an organism, cell, tissue or system.

The term “epitope” as used herein is defined as a small chemical molecule on an antigen that can elicit an immune response, inducing B and/or T cell responses. An antigen can have one or more epitopes. Most antigens have many epitopes; i.e., they are multivalent. In general, an epitope is roughly about 10 amino acids and/or sugars in size. Preferably, the epitope is about 4-18 amino acids, more preferably about 5-16 amino acids, and even more most preferably 6-14 amino acids, more preferably about 7-12, and most preferably about 8-10 amino acids. One skilled in the art understands that generally the overall three-dimensional structure, rather than the specific linear sequence of the molecule, is the main criterion of antigenic specificity and therefore distinguishes one epitope from another. Based on the present disclosure, a peptide of the present invention can be an epitope.

As used herein, the term “exogenous” refers to any material introduced from or produced outside an organism, cell, tissue or system.

The term “expand” as used herein refers to increasing in number, as in an increase in the number of T cells. In one embodiment, the T cells that are expanded ex vivo increase in number relative to the number originally present in the culture. In another embodiment, the T cells that are expanded ex vivo increase in number relative to other cell types in the culture. The term “ex vivo,” as used herein, refers to cells that have been removed from a living organism, (e.g., a human) and propagated outside the organism (e.g., in a culture dish, test tube, or bioreactor).

The term “expression” as used herein is defined as the transcription and/or translation of a particular nucleotide sequence driven by its promoter.

“Expression vector” refers to a vector comprising a recombinant polynucleotide comprising expression control

sequences operatively linked to a nucleotide sequence to be expressed. An expression vector comprises sufficient cis-acting elements for expression; other elements for expression can be supplied by the host cell or in an in vitro expression system. Expression vectors include all those known in the art, such as cosmids, plasmids (e.g., naked or contained in liposomes) and viruses (e.g., Sendai viruses, lentiviruses, retroviruses, adenoviruses, and adeno-associated viruses) that incorporate the recombinant polynucleotide.

"Identity" as used herein refers to the subunit sequence identity between two polymeric molecules particularly between two amino acid molecules, such as, between two polypeptide molecules. When two amino acid sequences have the same residues at the same positions; e.g., if a position in each of two polypeptide molecules is occupied by an arginine, then they are identical at that position. The identity or extent to which two amino acid sequences have the same residues at the same positions in an alignment is often expressed as a percentage. The identity between two amino acid sequences is a direct function of the number of matching or identical positions; e.g., if half (e.g., five positions in a polymer ten amino acids in length) of the positions in two sequences are identical, the two sequences are 50% identical; if 90% of the positions (e.g., 9 of 10), are matched or identical, the two amino acids sequences are 90% identical.

The term "immunoglobulin" or "Ig," as used herein is defined as a class of proteins, which function as antibodies. Antibodies expressed by B cells are sometimes referred to as the BCR (B cell receptor) or antigen receptor. The five members included in this class of proteins are IgA, IgG, IgM, IgD, and IgE. IgA is the primary antibody that is present in body secretions, such as saliva, tears, breast milk, gastrointestinal secretions and mucus secretions of the respiratory and genitourinary tracts. IgG is the most common circulating antibody. IgM is the main immunoglobulin produced in the primary immune response in most subjects. It is the most efficient immunoglobulin in agglutination, complement fixation, and other antibody responses, and is important in defense against bacteria and viruses. IgD is the immunoglobulin that has no known antibody function, but may serve as an antigen receptor. IgE is the immunoglobulin that mediates immediate hypersensitivity by causing release of mediators from mast cells and basophils upon exposure to allergen.

The term "immune response" as used herein is defined as a cellular response to an antigen that occurs when lymphocytes identify antigenic molecules as foreign and induce the formation of antibodies and/or activate lymphocytes to remove the antigen.

The term "immunostimulatory" is used herein to refer to increasing overall immune response.

The term "immunosuppressive" is used herein to refer to reducing overall immune response.

"Isolated" means altered or removed from the natural state. For example, a nucleic acid or a peptide naturally present in a living animal is not "isolated," but the same nucleic acid or peptide partially or completely separated from the coexisting materials of its natural state is "isolated." An isolated nucleic acid or protein can exist in substantially purified form, or can exist in a non-native environment such as, for example, a host cell.

A "lentivirus" as used herein refers to a genus of the Retroviridae family. Lentiviruses are unique among the retroviruses in being able to infect non-dividing cells; they can deliver a significant amount of genetic information into

the DNA of the host cell, so they are one of the most efficient methods of a gene delivery vector. HIV, SIV, and FIV are all examples of lentiviruses. Vectors derived from lentiviruses offer the means to achieve significant levels of gene transfer in vivo.

The term "limited toxicity" as used herein, refers to the peptides, polynucleotides, cells and/or antibodies of the invention manifesting a lack of substantially negative biological effects, anti-tumor effects, or substantially negative physiological symptoms toward a healthy cell, non-tumor cell, non-diseased cell, non-target cell or population of such cells either in vitro or in vivo.

By the term "modified" as used herein, is meant a changed state or structure of a molecule or cell of the invention. Molecules may be modified in many ways, including chemically, structurally, and functionally. Cells may be modified through the introduction of nucleic acids.

By the term "modulating," as used herein, is meant mediating a detectable increase or decrease in the level of a response in a subject compared with the level of a response in the subject in the absence of a treatment or compound, and/or compared with the level of a response in an otherwise identical but untreated subject. The term encompasses perturbing and/or affecting a native signal or response thereby mediating a beneficial therapeutic response in a subject, preferably, a human.

In the context of the present invention, the following abbreviations for the commonly occurring nucleic acid bases are used. "A" refers to adenosine, "C" refers to cytosine, "G" refers to guanosine, "T" refers to thymidine, and "U" refers to uridine.

Unless otherwise specified, a "nucleotide sequence encoding an amino acid sequence" includes all nucleotide sequences that are degenerate versions of each other and that encode the same amino acid sequence. The phrase nucleotide sequence that encodes a protein or an RNA may also include introns to the extent that the nucleotide sequence encoding the protein may in some version contain an intron(s).

"Octretotide" is an octapeptide that mimics natural somatostatin. It is a long-acting analog of somatostatin. It is sold under the brand name Sandostatin (Novartis Pharmaceuticals). d-Phe-Cys-Phe-d-Trp-Lys-Thr-Cys-Thr-ol (SEQ ID NO: 40)

"Parenteral" administration of an immunogenic composition includes, e.g., subcutaneous (s.c.), intravenous (i.v.), intramuscular (i.m.), or intrasternal injection, or infusion techniques.

The term "polynucleotide" as used herein is defined as a chain of nucleotides. Furthermore, nucleic acids are polymers of nucleotides. Thus, nucleic acids and polynucleotides as used herein are interchangeable. One skilled in the art has the general knowledge that nucleic acids are polynucleotides, which can be hydrolyzed into the monomeric "nucleotides." The monomeric nucleotides can be hydrolyzed into nucleosides. As used herein polynucleotides include, but are not limited to, all nucleic acid sequences which are obtained by any means available in the art, including, without limitation, recombinant means, i.e., the cloning of nucleic acid sequences from a recombinant library or a cell genome, using ordinary cloning technology and PCR™, and the like, and by synthetic means.

As used herein, the terms "peptide," "polypeptide," and "protein" are used interchangeably, and refer to a compound comprised of amino acid residues covalently linked by peptide bonds. A protein or peptide must contain at least two amino acids, and no limitation is placed on the maximum

11

number of amino acids that can comprise a protein's or peptide's sequence. Polypeptides include any peptide or protein comprising two or more amino acids joined to each other by peptide bonds. As used herein, the term refers to both short chains, which also commonly are referred to in the art as peptides, oligopeptides and oligomers, for example, and to longer chains, which generally are referred to in the art as proteins, of which there are many types. "Polypeptides" include, for example, biologically active fragments, substantially homologous polypeptides, oligopeptides, homodimers, heterodimers, variants of polypeptides, modified polypeptides, derivatives, analogs, fusion proteins, among others. The polypeptides include natural peptides, recombinant peptides, synthetic peptides, or a combination thereof.

The term "self-antigen" as used herein is defined as an antigen that is expressed by a host cell or tissue. Self-antigens may be tumor antigens, but in certain embodiments, are expressed in both normal and tumor cells. A skilled artisan would readily understand that a self-antigen may be overexpressed in a cell.

By the term "specifically binds," as used herein with respect to an antibody, is meant an antibody which recognizes a specific antigen, but does not substantially recognize or bind other molecules in a sample. For example, an antibody that specifically binds to an antigen from one species may also bind to that antigen from one or more species. But, such cross-species reactivity does not itself alter the classification of an antibody as specific. In another example, an antibody that specifically binds to an antigen may also bind to different allelic forms of the antigen. However, such cross reactivity does not itself alter the classification of an antibody as specific. In some instances, the terms "specific binding" or "specifically binding," can be used in reference to the interaction of an antibody, a protein, or a peptide with a second chemical species, to mean that the interaction is dependent upon the presence of a particular structure (e.g., an antigenic determinant or epitope) on the chemical species; for example, an antibody recognizes and binds to a specific protein structure rather than to proteins generally. If an antibody is specific for epitope "A", the presence of a molecule containing epitope A (or free, unlabeled A), in a reaction containing labeled "A" and the antibody, will reduce the amount of labeled A bound to the antibody.

By the term "stimulation," is meant a primary response induced by binding of a stimulatory molecule (e.g., a TCR/CD3 complex) with its cognate ligand thereby mediating a signal transduction event, such as, but not limited to, signal transduction via the TCR/CD3 complex. Stimulation can mediate altered expression of certain molecules, such as downregulation of TGF-beta, and/or reorganization of cytoskeletal structures, and the like.

A "stimulatory molecule," as the term is used herein, means a molecule on a T cell that specifically binds with a cognate stimulatory ligand present on an antigen presenting cell.

A "stimulatory ligand," as used herein, means a ligand that when present on an antigen presenting cell (e.g., an aAPC, a dendritic cell, a B-cell, and the like) can specifically bind with a cognate binding partner (referred to herein as a "stimulatory molecule") on a T cell, thereby mediating a primary response by the T cell, including, but not limited to, activation, initiation of an immune response, proliferation, and the like. Stimulatory ligands are well-known in the art and encompass, inter alia, an MHC Class I molecule loaded

12

with a peptide, an anti-CD3 antibody, a superagonist anti-CD28 antibody, and a superagonist anti-CD2 antibody.

The term "subject" is intended to include living organisms in which an immune response can be elicited (e.g., mammals). A "subject" or "patient," as used therein, may be a human or non-human mammal. Non-human mammals include, for example, livestock and pets, such as ovine, bovine, porcine, canine, feline and murine mammals. Preferably, the subject is human.

As used herein, a "substantially purified" cell is a cell that is essentially free of other cell types. A substantially purified cell also refers to a cell which has been separated from other cell types with which it is normally associated in its naturally occurring state. In some instances, a population of substantially purified cells refers to a homogenous population of cells. In other instances, this term refers simply to cell that have been separated from the cells with which they are naturally associated in their natural state. In some embodiments, the cells are cultured in vitro. In other embodiments, the cells are not cultured in vitro.

As used herein, a switchable CAR (sCAR) refers to a CAR comprising a Peptide-Neo-Epitope (PNE) binding domain, a transmembrane domain, and an intracellular domain.

A "target site" or "target sequence" refers to a genomic nucleic acid sequence that defines a portion of a nucleic acid to which a binding molecule may specifically bind under conditions sufficient for binding to occur.

As used herein, the term "T cell receptor" or "TCR" refers to a complex of membrane proteins that participate in the activation of T cells in response to the presentation of antigen. The TCR is responsible for recognizing antigens bound to major histocompatibility complex molecules. TCR is composed of a heterodimer of an alpha (α) and beta (β) chain, although in some cells the TCR consists of gamma and delta (γ/δ) chains. TCRs may exist in alpha/beta and gamma/delta forms, which are structurally similar but have distinct anatomical locations and functions. Each chain is composed of two extracellular domains, a variable and constant domain. In some embodiments, the TCR may be modified on any cell comprising a TCR, including, for example, a helper T cell, a cytotoxic T cell, a memory T cell, regulatory T cell, natural killer T cell, and gamma delta T cell.

The term "therapeutic" as used herein means a treatment and/or prophylaxis. A therapeutic effect is obtained by suppression, remission, or eradication of a disease state.

"Transplant" refers to a biocompatible lattice or a donor tissue, organ or cell, to be transplanted. An example of a transplant may include but is not limited to skin cells or tissue, bone marrow, and solid organs such as heart, pancreas, kidney, lung and liver. A transplant can also refer to any material that is to be administered to a host. For example, a transplant can refer to a nucleic acid or a protein.

The term "transfected" or "transformed" or "transduced" as used herein refers to a process by which exogenous nucleic acid is transferred or introduced into the host cell. A "transfected" or "transformed" or "transduced" cell is one which has been transfected, transformed or transduced with exogenous nucleic acid. The cell includes the primary subject cell and its progeny.

To "treat" a disease as the term is used herein, means to reduce the frequency or severity of at least one sign or symptom of a disease or disorder experienced by a subject.

A "vector" is a composition of matter which comprises an isolated nucleic acid and which can be used to deliver the isolated nucleic acid to the interior of a cell. Numerous

13

vectors are known in the art including, but not limited to, linear polynucleotides, polynucleotides associated with ionic or amphiphilic compounds, plasmids, and viruses. Thus, the term “vector” includes an autonomously replicating plasmid or a virus. The term should also be construed to include non-plasmid and non-viral compounds which facilitate transfer of nucleic acid into cells, such as, for example, polylysine compounds, liposomes, and the like. Examples of viral vectors include, but are not limited to, Sendai viral vectors, adenoviral vectors, adeno-associated virus vectors, retroviral vectors, lentiviral vectors, and the like.

“Xenogeneic” refers to any material derived from an animal of a different species.

Ranges: throughout this disclosure, various aspects of the invention can be presented in a range format. It should be understood that the description in range format is merely for convenience and brevity and should not be construed as an inflexible limitation on the scope of the invention. Accordingly, the description of a range should be considered to have specifically disclosed all the possible subranges as well as individual numerical values within that range. For example, description of a range such as from 1 to 6 should be considered to have specifically disclosed subranges such as from 1 to 3, from 1 to 4, from 1 to 5, from 2 to 4, from 2 to 6, from 3 to 6 etc., as well as individual numbers within that range, for example, 1, 2, 2.7, 3, 4, 5, 5.3, and 6. This applies regardless of the breadth of the range.

DESCRIPTION

Acute myeloid leukemia (AML) patients relapsing after chemotherapy have a poor overall 5-year survival prognosis. The present invention provides CAR T cells possessing the necessary specificity towards AML cancer cells while avoiding on-target, off-tumor effects. CD13 is upregulated in AML cells in over 80% of AML patients, but is also moderately expressed in a few types of normal tissues including HSCs. TIM-3 is expressed on the surface of LSCs in many types of human acute myeloid leukemia (AML), but not on hematopoietic stem cells (HSCs). Targeting both TIM3 and CD13, as disclosed herein, provides the specificity needed to target the AML tumor while sparing HSCs and the healthy myeloid compartment of the hemopoietic system.

The present invention includes compositions and methods for bispecific and inducible CAR T cells that specifically kill cancer cells (e.g. AML leukemia stem cells (LSCs)) that commonly express both TIM-3 and CD13.
Chimeric Antigen Receptor

Certain embodiments of the invention include chimeric antigen receptors (CARs), including bispecific CARs comprising the following components: At least one antigen binding domain, at least one transmembrane domain, and at least one intracellular domain. The CARs may optionally comprise a hinge domain.

a) Antigen Binding Domain

In one embodiment, the CAR (or bispecific CAR) of the invention comprises an antigen binding domain that is a variable domain heavy-chain camelid antibody (VHH), also referred to as a nanobody (Nb). In another embodiment, the CAR comprises an antigen binding domain that binds to TIM-3. In another embodiment, the CAR comprises an antigen binding domain that binds to CD13. In another embodiment, the CAR comprises an antigen binding domain that binds to Peptide-Neo-Epitope (PNE).

The choice of antigen binding domain(s) depends upon the type of CAR (TIM-3 specific, bispecific, or switchable)

14

being generated. The antigen binding domain(s) may also be chosen depending on the type and number of antigens that are present on the surface of a target cell. For example, the antigen binding domain may be chosen to recognize an antigen that acts as a cell surface marker on a target cell associated with a particular disease state.

The antigen binding domain can include any domain that binds to the antigen and may include, but is not limited to, a nanobody, a monoclonal antibody, a polyclonal antibody, a synthetic antibody, a human antibody, a humanized antibody, a non-human antibody, and any fragment thereof. Thus, in one embodiment, the antigen binding domain portion comprises a mammalian antibody or a fragment thereof.

In some instances, the antigen binding domain may be derived from the same species in which the CAR will ultimately be used. For example, for use in humans, the antigen binding domain of the CAR may comprise a human antibody as described elsewhere herein, or a fragment thereof.

The antigen binding domain may be operably linked to another domain of the CAR, such as the transmembrane domain or the intracellular domain, both described elsewhere herein, for expression in the cell. In one embodiment, a nucleic acid encoding the antigen binding domain is operably linked to a nucleic acid encoding a transmembrane domain and a nucleic acid encoding an intracellular domain.

The antigen binding domains described herein can be combined with any of the transmembrane domains described herein, any of the intracellular domains or cytoplasmic domains described herein, or any of the other domains described herein that may be included in the CAR.

In certain embodiments, the antigen binding domain is nanobody Nb157 (VHH157). In certain embodiments, the antigen binding domain comprises the amino acid sequence of SEQ ID NO: 1. In certain embodiments, the antigen binding domain is encoded by the nucleotide sequence of SEQ ID NO: 2. In certain embodiments, the antigen binding domain comprises a CDR1 sequence comprising the amino acid sequence SYSMA (SEQ ID NO: 3). In certain embodiments, the antigen binding domain comprises a CDR2 sequence comprising the amino acid sequence GIYPSDGKTRYADFVKGR (SEQ ID NO: 4). In certain embodiments, the antigen binding domain comprises a CDR3 sequence comprising the amino acid sequence ARGITGLGP (SEQ ID NO: 5).

In certain embodiments, the antigen binding domain comprises a TIM-3 binding domain. In certain embodiments, the antigen binding domain comprises an anti-TIM-3 antibody. Antibody molecules to TIM-3 include, but are not limited to, those disclosed in U.S. Pat. No. 9,605,070B2, contents of which are incorporated in their entirety herein. In certain embodiments, the antigen binding domain comprises the amino acid sequence of SEQ ID NO: 6. In certain embodiments, the antigen binding domain is encoded by the nucleotide sequence of SEQ ID NO: 7. In certain embodiments, the antigen binding domain comprises a CDR1 sequence comprising the amino acid sequence of SEQ ID NO: 8. In certain embodiments, the antigen binding domain comprises a CDR2 sequence comprising the amino acid sequence of SEQ ID NO: 9. In certain embodiments, the antigen binding domain comprises a CDR3 sequence comprising the amino acid sequence of SEQ ID NO: 10.

In certain embodiments, the antigen binding domain comprises an anti-TIM-3 nanobody or VHH. In certain embodiments, the nanobody comprises an amino acid sequence selected from the group consisting of SEQ ID NO:

15

20, 22, 24, 26, 28, 30, and 32. In certain embodiments, the nanobody is encoded by a nucleotide sequence selected from the group consisting of SEQ ID NO: 19, 21, 23, 25, 27, 29, and 31.

In certain embodiments, the antigen binding domain comprises a PNE-binding domain.

In certain embodiments, the antigen binding domain comprises the amino acid sequence of SEQ ID NO: 11. In certain embodiments, the antigen binding domain is encoded by the nucleotide sequence of SEQ ID NO: 12.

Tolerable variations of the antigen binding domain will be known to those of skill in the art, while maintaining specific binding to the antigen. For example, in some embodiments the antigen binding domain comprises an amino acid sequence that has at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 81%, at least 82%, at least 83%, at least 84%, at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% sequence identity to any of the amino acid sequences set forth in SEQ ID NOs: 1, 3-6, 8-11, 20, 22, 24, 26, 28, 30, and 32. In some embodiments the antigen binding domain is encoded by a nucleic acid sequence that has at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 81%, at least 82%, at least 83%, at least 84%, at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% sequence identity to the nucleic acid sequence set forth in SEQ ID NO: 2, 7, 12, 19, 21, 23, 25, 27, 29, and 31.

Amino acid sequence of Nb 157

(SEQ ID NO: 1)

AAQAAQVQLQESGGGLVQPGGSLSLCTASGFTFSSYSMAWVRQAPGKG
PEWVSGIYPSDGKTRYADYFVKGRFSISRDNKMLYLQMNPLEPEDTAL
YYCARGITGLGPRGQGTQVTVSSAA

Nucleotide sequence of Nb 157

(SEQ ID NO: 2)

gcgggccaggtgcagctgcaggagctctggggaggcttggtgcagcctg
gggggtctctgagcctctctgtacagcctctggattcacgttcagtag
ttactccatggcctgggtccgcccaggtccagggaagggagccgaatgg
gtctcagggaattacccttctgatggaagacaaggatgcagacttcg
tgaagggccgattcagcatctccagagacaacgccaagaatatgttgta
tctgcaaatgaacaacctggaacctgaggacacggccctatatattactgt
gcgagagggtatcacggattgggaccccggggacgggacccaggtca
ccgtctctcagcgggccg

Amino acid sequence of TIM-3 scFv

(SEQ ID NO: 6)

QVQLQPPGAEVLKPGASVKMSCKASGYTFTSYNMHWIKQTPGQGLEWIG
DIYPNGDTSYNQKFKGKATLTADKSSSTVYMQLSLTSEDSAVYYCAR
VGGAPFMDYWGQTSVTVSSGGGSGGGSGGGSGGGSGGGSDIVLTQSPA
SLAVSLGQRATISCRASESVEYYGTSMLQWYQKPGQPPKLLIYAASNV
ESGVPARFSGSGSTDFSLNIHPVEEDDIAIYFCQQSRKDPSTFGGGTK
LEIK

16

-continued

Nucleotide sequence of TIM-3 scFv

(SEQ ID NO: 7)

CAGGTGCAACTGCAGCAGCCTGGGGCTGAGCTGGTGAAGCCTGGGGCCT
CAGTGAAGATGTCCTGCAAGGCTTCTGGCTACACATTTACCAGTTACAA
TATGCACTGGATAAAGCAGACACCTGGACAGGGCCTGGAATGGATTGGA
GATATTTATCCAGGAAATGGTGATACTTCTTACAATCAGAAATTCAAAG
GCAAGGCCACATTGACTGCAGACAACTCTCCAGCACAGTCTACATGCA
GCTCAGCAGCCTGACATCTGAGGACTCTGCGGTCTATTACTGTGCAAGA
GTGGGGGTGCCTTTCTATGGACTACTGGGGTCAAGGAACCTCAGTCA
CCGTCTCTCTCAGGAGCGGAGGATCTGGCGGCGGAGGAAGTGGCGGAGG
GGGATCAGGGGGAGGCGGATCTGACATTGTGCTCACCAATCTCCAGCT
TCTTTGGCTGTGTCTCTAGGGCAGAGAGCCACCATCTCCTGCAGAGCCA
GTGAAAGTGTGAATATTATGGCACAAGTTTAATGCAGTGGTACCAACA
GAAACCAGGACAGCCACCAAACTCTCATCTATGCTGCATCCAACGTA
GAATCTGGGGTCCCTGCCAGGTTTAGTGGCAGTGGGTCTGGGACAGACT
TCAGCCTCAACATCCATCCTGTGGAGGAGGATGATATTGCAATATATTT
CTGTGAGCAAGTAGGAAGGATCCTTCGACGTTCGGTGGAGGCACCAAG
CTGGAGATCAAA

30 TIM-3 CDR1 AA sequence

(SEQ ID NO: 8)

GYTFTSYNMH

TIM-3 CDR2 AA sequence

(SEQ ID NO: 9)

35 DIYPNGDTSYNQKFKG

TIM-3 CDR3 AA sequence

(SEQ ID NO: 10)

VGGAPFMDY

40 PNE scFv AA sequence

(SEQ ID NO: 11)

HAARPDVAVTQESALTSPPGETVTLTCSRSTGAVTTSNYASWVQEKPDH
LFTGLIGGTNNRAPGVPARFSGSLIGDKAALTITGAQTEDEAIYFCVLW
YSDHWVFGGKLTVLGGGGSGGGSGGGSGGGSDVQLQESGPGLV
APSQSLSTCTVSGFLLTDYGVNWRQSPGKLEWLVIWGDITDYN
ALKSRLSVTKDNSKQVFLKMNSLQSGDSARYYCVTGLFDYWGQGTTLT
VSS

50 PNE scFv nucleotide sequence

(SEQ ID NO: 12)

CATGCCGCTAGACCTGATGCCGTCGTGACCCAGGAAAGCGCCCTGACAA
GCAGCCCTGGCGAGACAGTGACCTGACCTGCAGATCTAGCACAGGCGC
CGTGACCACAGCAACTACGCCAGCTGGGTGCAGGAAAGCCGACCAC
CTGTTACCGGCCTGATCGGCGGCACCAACAATAGAGCACCTGGCGTGC
CCGCCAGATTACGCGCTCTCTGATCGGAGATAAGGCCGCCCTGACCAT
CACTGGCGCCAGACAGAGGACGAGGCATCTACTTTTTCGTGTCTGTGG
TACAGCGACCACTGGGTGTTTCGGCGGAGGCACCAAGCTGACAGTGTCTGG
GCGGAGCGGAGGATCTGGCGGCGGAGGAAGTGGCGGAGGGGATCAGG
GGGAGGCGGATCTGATGTGCAGCTGCAGGAATCTGGCCAGGACTGGTG

17

-continued

GCCCCTAGCCAGAGCCTGAGCATCACCTGTACCGTCCGGCTTCCTGC
 TGACCGACTACGCGCTGAAGTGGGTGCGCCAGTCTCCTGGCAAGGGCCT
 GGAATGGCTGGGAGTGATCTGGGGCGACGGAATCACCGACTACAACCTCC
 GCCCTGAAGTCCCGGCTGAGCGTGACCAAGGACAACAGCAAGAGCCAGG
 TGTTCCTGAAGATGAACAGCCTGCAGAGCGGCGACAGCGCCCGGTACTA
 TTGTGTGACCGGCTGTTCGACTACTGGGGCCAGGGCACAACCTGACC
 GTGTCTAGC

b) Transmembrane Domain

With respect to the transmembrane domain, the CAR (or bispecific CAR) is designed to comprise a transmembrane domain that connects the antigen binding domain of the CAR to the intracellular domain. In one embodiment, the transmembrane domain is naturally associated with one or more of the domains in the CAR. In some instances, the transmembrane domain can be selected or modified by amino acid substitution to avoid binding of such domains to the transmembrane domains of the same or different surface membrane proteins to minimize interactions with other members of the receptor complex.

The transmembrane domain may be derived either from a natural or from a synthetic source. Where the source is natural, the domain may be derived from any membrane-bound or transmembrane protein. Transmembrane regions of particular use in this invention may be derived from (i.e. comprise at least the transmembrane region(s) of) the alpha, beta or zeta chain of the T-cell receptor, CD28, ICOS, CD3 epsilon, CD45, CD4, CD5, CD8, CD9, CD16, CD22, CD33, CD37, CD64, CD80, CD86, CD134, CD137, CD154, Toll-like receptor 1 (TLR1), TLR2, TLR3, TLR4, TLR5, TLR6, TLR7, TLR8, and TLR9.

The transmembrane domains described herein be combined with any of the antigen binding domains described herein, any of the intracellular domains or cytoplasmic domains described herein, or any of the other domains described herein that may be included in the CAR.

In some instances, a variety of hinges can be employed as well including but not limited to the Ig (immunoglobulin) hinge, and the CD8 hinge. The transmembrane domain may be combined with any hinge domain and/or may comprise one or more transmembrane domains described herein. In one embodiment, the transmembrane domain comprises a CD28 transmembrane domain. In another embodiment, the transmembrane domain comprises a CD8 transmembrane domain. In another embodiment, the transmembrane domain comprises a CD8 hinge domain and a CD8 transmembrane domain. In certain embodiments, the hinge domain is selected from the group consisting of a CD8 hinge, an IgG3 hinge, and an IgG4 hinge.

In one embodiment, the transmembrane domain may be synthetic, in which case it will comprise predominantly hydrophobic residues such as leucine and valine. Preferably a triplet of phenylalanine, tryptophan and valine will be found at each end of a synthetic transmembrane domain.

Between the extracellular domain and the transmembrane domain of the CAR, or between the intracellular domain and the transmembrane domain of the CAR, there may be incorporated a spacer domain. As used herein, the term "spacer domain" generally means any oligo- or polypeptide that functions to link the transmembrane domain to, either the extracellular domain or, the cytoplasmic domain in the polypeptide chain. A spacer domain may comprise up to 300

18

amino acids, preferably 10 to 100 amino acids and most preferably 25 to 50 amino acids.

c) Intracellular Domain

The intracellular domain or otherwise the cytoplasmic domain of the CAR (or bispecific CAR) is responsible for activation of the cell in which the CAR is expressed. Examples of an intracellular domain for use in the invention include, but are not limited to, the cytoplasmic portion of a surface receptor, co-stimulatory molecule, and any molecule that acts in concert to initiate signal transduction in the T cell, as well as any derivative or variant of these elements and any synthetic sequence that has the same functional capability.

The intracellular domain of the chimeric membrane protein is responsible for activation of at least one of effector functions of the T cell. While usually the entire intracellular domain can be employed, in many cases it is not necessary to use the entire chain. To the extent that a truncated portion of the intracellular signaling domain is used, such truncated portion may be used in place of the intact chain as long as it transduces the effector function signal. The intracellular domain includes any truncated portion of the intracellular domain sufficient to transduce the effector function signal.

In one embodiment, the intracellular domain of the CAR includes any portion of one or more co-stimulatory molecules, such as at least one signaling domain from CD3, CD8, CD27, CD28, ICOS, 4-1BB, PD-1, any derivative or variant thereof, any synthetic sequence thereof that has the same functional capability, and any combination thereof.

Examples of the intracellular domain include a fragment or domain from one or more molecules or receptors including, but are not limited to, TCR, CD3 zeta, CD3 gamma, CD3 delta, CD3 epsilon, CD86, common FcR gamma, FcR beta (Fc Epsilon Rib), CD79a, CD79b, Fc gamma RIIa, DAP10, DAP12, T cell receptor (TCR), CD8, CD27, CD28, 4-1BB (CD137), OX40, CD30, CD40, PD-1, ICOS, a KIR family protein, lymphocyte function-associated antigen-1 (LFA-1), CD2, CD7, LIGHT, NKG2C, B7-H3, a ligand that specifically binds with CD83, CDS, ICAM-1, GITR, BAFR, HVEM (LIGHT), SLAMF7, NKp80 (KLRF1), CD127, CD160, CD19, CD4, CD8alpha, CD8beta, IL2R beta, IL2R gamma, IL7R alpha, ITGA4, VLA1, CD49a, ITGA4, IA4, CD49D, ITGA6, VLA-6, CD49f, ITGAD, CD11d, ITGAE, CD103, ITGAL, CD11a, LFA-1, ITGAM, CD11b, ITGAX, CD11c, ITGB1, CD29, ITGB2, CD18, LFA-1, ITGB7, TNFR2, TRANCE/RANKL, DNAM1 (CD226), SLAMF4 (CD244, 2B4), CD84, CD96 (Tactile), CEACAM1, CRTAM, Ly9 (CD229), CD160 (BY55), PSGL1, CD100 (SEMA4D), CD69, SLAMF6 (NTB-A, Ly108), SLAM (SLAMF1, CD150, IPO-3), BLAME (SLAMF8), SELPLG (CD162), LTBR, LAT, GADS, SLP-76, PAG/Cbp, NKp44, NKp30, NKp46, NKG2D, Toll-like receptor 1 (TLR1), TLR2, TLR3, TLR4, TLR5, TLR6, TLR7, TLR8, TLR9, other co-stimulatory molecules described herein, any derivative, variant, or fragment thereof, any synthetic sequence of a co-stimulatory molecule that has the same functional capability, and any combination thereof.

The intracellular domains described herein can be combined with any of the antigen binding domains described herein, any of the transmembrane domains described herein, or any of the other domains described herein that may be included in the CAR.

In certain embodiments, the CAR comprises a TIM-3 scFv, an IgG4 hinge region, a CD8 transmembrane domain, a 4-1BB intracellular domain and CD3zeta intracellular domain. In certain embodiments, the CAR comprises the

19

amino acid set forth in SEQ ID NO: 13. In certain embodiments, the CAR is encoded by the nucleotide sequence set forth in SEQ ID NO: 14.

Tolerable variations of the CAR sequences will be known to those of skill in the art. For example, in some embodiments the CAR comprises an amino acid sequence that has at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 81%, at least 82%, at least 83%, at least 84%, at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99% sequence identity to the amino acid sequence set forth in SEQ ID NOs: 13. In some embodiments the CAR is encoded by a nucleic acid sequence that has at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 81%, at least 82%, at least 83%, at least 84%, at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99% sequence identity to the nucleic acid sequence set forth in SEQ ID NO: 33 or 35.

TIM-3 CAR amino acid sequence

(SEQ ID NO: 13)

MALPVTALLPLALLHAARPGSAQAQVQLQQPGAELVKPGASVKMS
CKASGYTFTSYNMHWIKQTPGGLEWIGDIYPNGDTSYNQKFKGKATL
TADKSSSTVYMLSSLTSEDSAVVYCARVGGAFPMGYWQGTSTVTSSG
GGSGGGSGGGSGGGSGGGSDIVLTQSPASLAVSLGQRATISCRASESVE
YYGTSMLQWYQQKPGQPPKLLIYAASNVESGVPARFSGSGSGTDFSLNI
HPVEEDDIAIYFCQQSRKDPSTFGGGTKLEIKHMQAGQSGESKYGPCC
PPCPASYIWAPLAGTCGVLLSLVITLYCKRGRKLLYIFKQPPMRPVQ
TTQEDGDCSRPPEEEEGGCELRVKFSRSDAPAYKQGNQLYNELNLG
RREEYDVLDRKRRDPEMGGKPRRKNPQEGLYNELQDKMAEAYSEIGM
KGERRRGKHGDLGYQLSTATKDTYDALHMQALPPR

TIM-3 CAR nucleotide sequence

(SEQ ID NO: 14)

ATGGCCTTACCACTGACCGCCTTGCTCGCCGCTGGCCTTGCTGCTCC
ACGCCGCCAGGCCGGATCCGCGGCCAGCGGCCAGGTGCAACTGCA
GCAGCCTGGGGCTGAGCTGGTGAAGCCTGGGGCCTCAGTGAAGATGTCC
TGCAAGGCTTCTGGCTACACATTTACCAGTTACAATATGCACTGGATAA
AGCAGACACCTGGACAGGCCCTGGAATGGATTGGAGATATTTATCCAGG
AAATGGTGATACTTCTACAATCAGAAATTCAGGCAAGGCCACATTG
ACTGCAGACAAATCTCCAGCAGCTTACATGCAGCTCAGCAGCCTGA
CATCTGAGGACTCTGCGGTCTATTACTGTGCAAGAGTGGGGGTGCCTT
TCCTATGGACTACTGGGTCAAGGAACCTCAGTCACCGTCTCTCTCAGGA
GGCGGAGGATCTGGCGCGGAGGAAGTGGCGGAGGGGATCAGGGGGAG
GCGGATCTGACATTGTGCTACCCAATCTCCAGCTTCTTTGGCTGTGTC
TCTAGGGCAGAGAGCCACCATCTCTGCAGAGCCAGTGAAAGTGTGAA
TATTATGGCACAAGTTTAAATGCAGTGGTACCAACAGAAACAGGACAGC
CACCCAACTCCTCATCTATGCTGCATCCAACGTAGAATCTGGGGTCCC
TGCCAGGTTTAGTGGCAGTGGTCTGGGACAGACTTCAGCCTCAACATC

20

-continued

CATCCTGTGGAGGAGGATGATATTGCAATATATTCTGTGCAAGAACTA
GGAAGGATCCTTCGACGTTCCGTGGAGGCCAAGCTGGAGATCAAACA
TATGGGCCAGGCCGCCAGTCCGGAGAGAGCAAGTACGGCCCTCCCTGC
CCCCCTTGCCCTGCTAGCTACATCTGGGCGCCCTTGCCGGGACTTGTG
GGGTCTTCTCTGTCACTGGTTATCACCCCTTTACTGCAACGGGGCAG
AAAGAACTCCTGTATATATTCAAACAACCATTTATGAGACCAGTACAA
ACTACTCAAGAGGAAGATGGCTGTAGCTGCCGATTTCAGAAAGAAGAG
AAGGAGGATGTGAACGTGAGAGTGAAGTTCAGCAGGAGCGCAGACGCCCC
CGCGTACAAGCAGGGCCAGAACCAGCTCTATAACGAGCTCAATCTAGGA
CGAAGAGAGGAGTACGATGTTTGGACAAGAGAGCTGGCCGGGACCCCTG
AGATGGGGGAAAGCCGAGAAGGAAGAACCTCAGGAAGGCCTGTACAA
TGAAGTGCAGAAAGATAAGATGGCGGAGGCCCTACAGTGAAGTGGGATG
AAAGCGCAGCGCCGGAGGGCAAGGGGCACGATGGCCTTTACCAGGGTC
TCAGTACAGCCACCAAGGACACCTACGACGCCCTTCACATGCAGGCCCT
GCCCTTCGCTAA

Included in the invention are isolated polypeptides comprising CARs, isolated nucleic acids comprising CARs, vectors comprising nucleic acids comprising CARs, and modified cells (e.g. T cells) comprising CARs, nucleic acids encoding CARs, or vectors comprising CARs.

Bispecific CARs

Certain aspects of the invention provide bispecific CARs. A bispecific CAR comprises two different binding specificities and thus binds to two different antigens. In certain embodiments, the bispecific CAR comprises a first antigen binding domain that binds to a first antigen and a second antigen binding domain that binds to a second antigen.

In one aspect, the invention provides a bispecific CAR comprising a first antigen binding domain capable of binding CD13, and a second antigen binding domain capable of binding TIM-3. In certain embodiments, the bispecific CAR comprises a first antigen binding domain capable of binding CD13, a first intracellular domain, a second antigen binding domain capable of binding TIM-3, a transmembrane domain, and a second intracellular domain.

In certain embodiments, the first and/or second antigen binding domain of the bispecific CAR is selected from the group consisting of an antibody, a nanobody, a Fab, an scFv, or any fragment thereof. The antigen binding domains of the bispecific CAR can be combined with any of the transmembrane domains described herein, any of the intracellular domains described herein, any of the hinge domains described herein, or any of the other domains described herein that may be included in the bi-specific CAR.

In certain embodiments, the bispecific CAR comprises a first antigen binding domain comprising a nanobody and a second antigen binding domain comprising an scFv. In certain embodiments, the first antigen binding domain comprising a nanobody is capable of specifically binding CD13 and/or the second antigen binding domain comprising an scFv is capable of specifically binding TIM-3. In certain embodiments, the bi-specific CAR comprises a first antigen binding domain comprising a nanobody capable of binding CD13, a CD3 zeta intracellular domain, a linker, a second antigen binding domain capable of binding TIM-3, a CD28 transmembrane domain, and a 4-1BB intracellular domain.

In certain embodiments, the nanobody capable of binding CD13 is Nb157 and may comprise SEQ ID NO: 1. In certain embodiments, the bi-specific CAR comprises the amino acid sequence set forth in SEQ ID NO: 15, and may be encoded by the nucleotide sequence set forth in SEQ ID NO: 16.

In certain embodiments, the bispecific CAR comprises a first antigen binding domain capable of binding CD13 and a second antigen binding domain capable of binding TIM-3. In certain embodiments, the first antigen binding domain comprises a first nanobody and the second antigen binding domain comprises a second nanobody. In certain embodiments, the second antigen binding domain comprises an anti-TIM-3 nanobody (VHH). In certain embodiments, the CAR comprises an anti-TIM-3 nanobody comprising an amino acid sequence selected from the group consisting of SEQ ID NO: 20, 22, 24, 26, 28, 30, and 32. In certain embodiments, the CAR comprises an anti-TIM-3 nanobody encoded by a nucleotide sequence selected from the group consisting of SEQ ID NO: 19, 21, 23, 25, 27, 29, and 31. In certain embodiments, the bispecific CAR is encoded by a nucleotide sequence selected from the group consisting of SEQ ID NOs: 33-39.

In certain embodiments, the bispecific CAR may comprise a first nucleic acid sequence encoding a first CAR and a second nucleic acid sequence encoding a second CAR, wherein the first nucleic acid sequence and the second nucleic acid sequence are separated by a linker. Any linker known to one of ordinary skill in the art may be used. In certain embodiments, the linker comprises a cleavage site and/or a self-cleaving peptide. In certain embodiments, the linker is a 2A peptide. In certain embodiments, the 2A peptide is selected from the group consisting of porcine teschovirus-1 2A (P2A), Thoseaasigna virus 2A (T2A), equine rhinitis A virus 2A (E2A), and foot-and-mouth disease virus 2A (F2A).

The bispecific CAR, while exhibiting a dual-specificity, may also exhibit split-signaling properties. For example, the a CAR-T cell comprising a TIM-3-specific CAR operably linked to 4-1BBz and a CD13-specific CAR operably linked to CD3z will signal through both 4-1BB and CD3z and synergize to kill target cells when the bispecific CARs bind to the two respective antigens on the cancer cells. In addition, when TIM-3-specific CAR linked to CD3z and a CD13-specific CAR linked to 4-1BB or CD23/4-1BB domain, they can also synergize to kill the target cells when the target cells express both of the respective cell surface antigens.

In certain embodiments, the bispecific CAR comprises a bispecific antibody. In such embodiments, the bispecific antibody comprises an antigen binding domain comprising a first and a second single chain variable fragment (scFv) molecules. The first and a second scFv are capable of binding two different antigens.

Also provided in the invention is a bispecific CAR comprising an inducible (switchable) element. For example, the bispecific CAR may comprise a switchable CAR (sCAR). In certain embodiments, the sCAR refers to a CAR comprising a Peptide-Neo-Epitope (PNE) binding domain, and optionally a transmembrane domain, and/or an intracellular domain. The switchable CAR can be used in conjunction with a molecule comprising a nanobody fused to a PNE molecule (e.g. a switchable CAR system). When the nanobody-PNE molecule comes into contact with the sCAR, the "switch" is turned on and the CAR T cell is activated.

The nanobody can be fused to the C-terminal region of the PNE or the N-terminal region of the PNE. In certain embodiments, nanobody comprises Nb157 (VHH157) and is fused to the C-terminal region of PNE. In certain embodiments, nanobody is Nb157 and is fused to the N-terminal region of PNE.

In certain embodiments, the inducible bispecific CAR comprises a first antigen binding domain capable of binding Peptide-Neo-Epitope (PNE), a first transmembrane domain, a first intracellular domain, a second antigen binding domain capable of binding TIM-3, a transmembrane domain, and a second intracellular domain. In certain embodiments, the first and/or second transmembrane domain comprises CD28. In certain embodiments, the first intracellular domain comprises CD3 zeta. In certain embodiments, the second intracellular domain comprises 4-1BB. In certain embodiments, the inducible bispecific CAR comprises the amino acid sequence set forth in SEQ ID NO: 17, which may be encoded by the nucleotide sequence set forth in SEQ ID NO: 18.

Included in the invention are isolated polypeptides comprising CARs, isolated nucleic acids comprising CARs, vectors comprising nucleic acids comprising CARs, and modified cells (e.g. T cells) comprising CARs, nucleic acids encoding CARs, or vectors comprising CARs.

Tolerable variations of the CAR sequences will be known to those of skill in the art. For example, in some embodiments the CAR comprises an amino acid sequence that has at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 81%, at least 82%, at least 83%, at least 84%, at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99% sequence identity to any of the amino acid sequences set forth in SEQ ID NOs: 15 or 17. In some embodiments the CAR is encoded by a nucleic acid sequence that has at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 81%, at least 82%, at least 83%, at least 84%, at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99% sequence identity to the nucleic acid sequence set forth in SEQ ID NO: 16 or 18.

TIM-3&CD13 bispecific CAR amino acid sequence

(SEQ ID NO: 15)

```
MALPVTALLPLALLHAARPGSAAQAQVQLQESGGGLVQPGGSLSLSTASG
FTFSSYSMAWRQAPGKGPPEWVSGIYPSDGKTRYADFKGRFSISRDNKNNMLY
LQMNLEPEDTALYYCARGITGLGPRGGQTQVTVSSAAATSGQTVSSSESKYGGP
CPPCPYIWAFLAGTCGVLLLSLVITLYCRVKFSRSADAPAYKQGQNLNELNLG
RREEYDVLDRKRRGDPPEMGGKPRRKNPQEGLYNELQKDKMAEAYSEIGMKGER
RRGKGHDGLYQGLSTATKDTYDALHMQALPPRLEGSGATNFSLLKQAGDVEEN
PGPPRMALPVTALLPLALLHAARPGSAAQAQVQLQPGAEVLKPGASVKMS
CKASGYTFTSYNMHWIKQTPGGLEWIGDIYPNGDTSYNQKFKGKATLTADKS
SSTVYMQLSLTSSEDSAVVYCARVGGAPPMQYWGQTSVTVSSGGGGSGGGGS
GGGGSGGGSDIVLTQSPASLAVSLGQRATISCRASESVEYYGTSLMQWYQQKP
GQPPKLLIYAASNVESGVPARFSGSGGTDFSLNIHPVEEDDIAIYFCQSRKDPST
```

-continued

FGGGTKLEIKHMGKHLCPSPFPSPKPFVWLVVVGGLACYSLLVTVAFIIFWV
RSKRRLHSDYNNMTPRRPGPTRKHYPYAPPRDFAAYRSKRGRKLLYIFKQ
PMPRPVQTTQEEDGCSCRFPEEEEGGCEL

TIM-3&CD13 bispecific CAR nucleotide sequence

(SEQ ID NO: 16)

ATGGCCTTACCACTGACCGCCTTGCTCCTGCCGCTGGCCTTGCTGCTCCACGC
CGCCAGGCCCGGATCCGCGGCCAGGCGGCCAGGTGCAGCTGCAGGAGTCT
GGGGGAGGCTTGGTGCAGCCTGGGGGTCTCTGAGCCTCTCTGTACAGCCTC
TGGATTACAGTTTCAGTAGTTACTCCATGGCCTGGGTCCGCCAGGCTCCAGGGA
AGGGACCCGAATGGGTCTCAGGGATTACCTTCTGATGGTAAGACAAGGTA
TGCAGACTTCGTGAAGGGCCGATTAGCATCTCCAGAGACACGCCAAGAAT
ATGTTGTATCTGCAAAATGAACAACCTGGAACCTGAGGACACGGCCCTATATT
ACTGTGCGAGAGGTATCAGCGGATTGGGACCCCGGGGCCAGGGGACCCAGGT
CACCTCTCTCTCAGCGGCCGCACTAGTGGCCAGACCGTGTCTAGCGAGTCTA
AGTACGGCCCTCCCTGCCCTCCTTGCCCATACATCTGGGCGCCCTTGCCCGGG
ACTTGTGGGGTCTCTCTCTGTCAGTGTATCACCCTTACTGCAGAGTGAA
GTTTACGAGAGCGCAGACGCCCCCGCTACAGCAGGGCCAGAACAGCTC
TATAACGAGCTCAATCTAGGACGAAGAGAGGAGTACGATGTTTTGGACAAGA
GACGTGGCCGGGACCTGAGATGGGGGGAAGCCGAGAAGGAAGAACCTC
AGGAAGGCCTGTACAATGAATGCAAGATAAGATGGCGGAGGCTTACA
GTGAGATTGGGATGAAGGCGAGCGCCGGAGGGGCAAGGGGACGATGGCC
TTTACCAGGGTCTCAGTACAGCCACCAAGGACACCTACGACGCCCTTACAT
GCAGGCCCTGCCCCCTCGCCTCGAGGGAAGCGGAGCTACTAATTACGCTG
CTGAAGCAGGCTGGAGAGCTGGAGGAGAACCCTGGACCTCTAGGATGGCCT
TACCAGTGACCGCCTTGCTCCTGCCGCTGGCCTTGCTGCTCCACGCCGAGG
CCGGGATCCGCGGCCAGGCGGCCAGGTGCAACTGCAGCAGCCTGGGGCTG
AGCTGGTGAAGCCTGGGGCTCAGTGAAGATGCTCTGCAAGGCTTCTGGCTA
CACATTTACAGTTACAATATGCACTGGATAAAGCAGACACCTGGACAGGGC
CTGGAATGGATTGGAGATATTTATCCAGGAATGGTGATCTTCTTACAATCA
GAAATTCAGGCAAGGCCACATTGACTGCAGACAAATCTCCAGCACAGTC
TACATGCAGCTCAGCAGCCTGACATCTGAGGACTCTGCGGTCTATTACTGTGC
AAGAGTGGGGGTGCTTCTCTATGGACTACTGGGGTCAAGGAACCTCAGTC
ACCGTCTCTCAGGAGGCGGAGGATCTGGCGCGGAGGAAGTGGCGGAGGG
GGATCAGGGGAGGCGGATCTGACATTGTGCTCACCAATCTCCAGCTTCTTT
GGCTGTGTCTCTAGGGCAGAGAGCCACCATCTCTGCAGAGCAGTGAAAGT
GTTGAATATTATGGCACAGTTTAAATGCAGTGGTACCAACAGAAACCAGGAC
AGCCACCAAACTCCTCATCTATGTCATCAACAGTAGAATCTGGGGTCCCT
GCCAGGTTTATGTCAGTGGGTCTGGGACAGACTTCAGCCTCAACATCCATCC
TGTGAGGAGGATGATATTGCAATATATTTCTGTGAGCAAGTAGGAAGGAT
CCTTCGACGTTCCGTGGAGGCACCAAGCTGGAGATCAACATATGGGGAAC
ACCTTGTGCAAGTCCCTATTTCCCGGACCTTCTAAGCCCTTTTGGGTGCTG
TGGTGGTGGTGGAGTCTGGCTTGCTATAGCTTGCTAGTAACAGTGGCCTTT
ATTATTTCTGGGTGAGGAGTAAGAGGAGCAGGCTCCTGCACAGTGACTACA
TGAAATGACTCCCGCGGCCCGGGCCACCCGCAAGCATTACAGCCCTA
TGCCCCACCACGCACTTCGAGCCTATCGCTCCAAACGGGGCAGAAAGAAA
CTCTGTATATATTCAAACAACCATTTATGAGACAGTACAACTACTCAAGA
GGAAATGAGTGTAGCTGCCGATTTCAGAGAAGAAAGAGGAGGATGTGA
ACTGTAA

TIM-3&PNE inducible bispecific CAR amino acid sequence (FIGs. 8A-8B)

(SEQ ID NO: 17)

MALPVTALLPLALLLHAARPGSAAQAAQVQLQPPGAEIVKPGASVKMSCKAS
GYFTFSYNNHWIKQTPGQGLEWIGDIYPNGDTSYNQKFKGKATLTADKSSSTV
YMQLSLSTSEDSAVYYCARVGGAFPMQYWGQTSVTVSSGGGSGGGGSGGG
SGGGGSDIVLTQSPASLAVSLGQRATISCRASESVYYGTSIMQWYQQKPGQP
KLLIYAASNVESGVPARFSGSGSTDFSLNIHPVEEDDIAIYFCQQSRKDPSTFGG
TKLEIKHMGKHLCPSPFPSPKPFVWLVVVGGLACYSLLVTVAFIIFWVRSKR
SRLHSDYNNMTPRRPGPTRKHYPYAPPRDFAAYRSKRGRKLLYIFKQPFMR
PVQTTQEEDGCCRFPEEEEGGCELLEGSGATNFSLLKQAGDVEENPGPPRMALP
VTALLPLALLLHAARPDVVTQESALTSSPGETVTLTCSRSTGAVTTSNYASWV
QEKPDHLFTGLIGGTNNRAPGVPARFSGSLIGDKAALTITGAQTEDEAIYFCVLW
YSDHWVFGGKTLTVLGGGGSGGGSGGGSGGGSDVQLQESGPGLVAPSQ
SLISITCTVSGFLITDYGVNWRQSPGKGLEWLGVIWGDITDYNALSKRLSVTK
DNSKQVFLKMNLSQSGDSARYYCVTGLFDYWGQGTTLTVSSESKYGPCCPCP
YIWAPLAGTCVGLLSLVITLYCRVKFSRSADAPAYKQGNQLYNELNLGRREE
YVDLDRKRRDPEMGGKPRRKNPQEGLYNELQDKMAEAYSEIGMKGERRRG
KGHDGLYQLSTATKDTYDALHMQALPPR

TIM-3&PNE inducible bispecific CAR nucleotide sequence (FIGs. 8A-8B)

(SEQ ID NO: 18)

ATGGCCTTACCACTGACCGCCTTGCTCCTGCCGCTGGCCTTGCTGCTCCACGC
CGCCAGGCCCGGATCCGCGGCCAGGCGGCCAGGTGCAACTGCAGCAGCCT
GGGGCTGAGCTGGTGAAGCTTGGGGCTCAGTGAAGATGCTCTGCAAGGCTT
CTGGCTACACATTTACAGTTACAATATGCACTGGATAAAGCAGACACCTGG
ACAGGGCTTGAATGGATTGGAGATATTTATCCAGGAATGGTGATACTTCTC
TACAATCAGAAATCAAAGGCAAGGCCAATTGACTGCAGACAAATCTCCCA
GCACAGTCTACATGCAGCTCAGCAGCCTGACATCTGAGGACTCTGCGGTCTAT
TACTGTGCAAGAGTGGGGGTGCCCTTCTCTATGGACTACTGGGGTCAAGGAA
CCTCAGTCACCGTCTCTCAGGAGGCGGAGGATCTGGCGCGGAGGAAGTGG
CGGAGGGGATCAGGGGAGGCGGATCTGACATTGTGCTACCAATCTCCA

-continued

GCTTCTTTGGCTGTGTCTCTAGGGCAGAGAGCCACCATCTCCTGCAGAGCCAG
 TGAAGTGTGTAATATTATGGCACAAAGTTTAAATGCAGTGGTACCAACAGAAA
 CCAGGACAGCCACCCAAACTCCTCATCTATGCTGCATCCAACGTAGAATCTG
 GGGTCCCTGCCAGGTTTAGTGGCAGTGGGTCTGGGACAGACTTCAGCCTCAA
 CATCCATCCTGTGGAGGAGGATGATATTGCAATATATTCTGTGAGCAAGTA
 GGAAGGATCCTTCGACGTTTCGGTGGAGGCACCAAGCTGGAGATCAACATAT
 GGGGAAACACCTTTGTCCAAGTCCCTATTTCCCGGACCTTCTAAGCCCTTTT
 GGGTCTGGTGGTGGTGGTGGAGTCTGGCTTGCTATAGCTTGCTAGTAACA
 GTGGCCTTTATTATTTCTGGGTGAGGAGTAAGAGGAGCAGGCTCCTGCACAG
 TGACTACATGAACATGACTCCCGCGCGCCCGGGCCACCCGCAAGCATTAC
 CAGCCCTATGCCCCACCGCGACTTCGCAGCCTATCGCTCCAAACGGGGCA
 GAAAGAACTCCTGTATATATTCAAACAACCTTTATGAGACCAGTACAAAC
 TACTCAAGAGGAAGATGGCTGTAGCTGCCGATTTCCAGAAGAAGAAGGA
 GGATGTAACTGCTCGAGGGAAGCGGAGCTACTAAGCTTCAGCCTGTGAAGC
 AGGCTGGAGACGTGGAGGAGAACCCTGGACCTCCTAGGATGGCTCTGCCTGT
 GACAGCTCTGTGCTGCCTCTGGCCCTGCTGCTGCATGCCGTAGACCTGATG
 CCGTCTGTGACCCAGGAAAGCGCCCTGACAAGCAGCCCTGGCGAGACAGTGAC
 CTTGACCTGCAGATCTAGCACAGGCGCGTGACACCAGCAACTACGCCAGC
 TGGGTGCAGGAAAAGCCGACCACTGTTTACCGGCCTGATCGGCGGCACCA
 ACAATAGAGCACCTGGCGTGCCCGCAGATTACGCGGCTCTCTGATCGGAGA
 TAAGCCCGCCCTGACCATCACTGGCGCCAGACAGAGGACGAGGCCATCTAC
 TTTTGCCTGCTGTGGTACAGCGACCACTGGGTGTTTCGGCGGAGGCACCAAGCT
 GACAGTGTGGGCGGAGGCGGAGGATCTGGCGGCGGAGGAAGTGGCGGAGG
 GGGATCAGGGGAGGCGGATCTGATGTGCAGCTGCAGGAATCTGGCCAGGA
 CTGGTGGCCCCCTAGCCAGAGCTGAGCATCACTGTACCGTGTCCGGCTTCCT
 GCTGACCGACTACGGCGTGAACTGGGTGCCAGCTCTCTGGCAAGGCCTG
 GAATGGCTGGGAGTGATCTGGGGCGACGGAATCACCAGCTACAACTCCGCCC
 TGAAGTCCCGGCTGAGCGTGACCAAGGACAACAGCAAGAGCCAGGTGTTCT
 GAAGATGAACAGCCTGCAGAGCGGCGACAGCGCCCGGTACTATTGTGAGC
 GGCTGTTCGACTACTGGGGCCAGGGCAACCCCTGACCGTGTCTAGCGAGT
 CTAAGTACGGCCCTCCCTGCCCTCCTTGCCCATACATCTGGGCGCCCTTGGCC
 GGGACTTGTGGGGTCTCTCTCTGTCACTGGTTATCACCTTTACTGAGAGT
 GAAGTTCAGCAGGAGCGCAGACGCCCCCGCTACAGCAGGGCCAGAACCA
 GCTCTATAACGAGCTCAATCTAGGACGAAGAGAGGAGTACGATGTTTTGGAC
 AAGAGACGTGGCCGGGACCTGAGATGGGGGGAAGCCGAGAAGGAAGAAC
 CCTCAGGAAGGCCTGTACAATGAATGCAGAAAGATAAGATGGCGGAGGCCT
 ACAGTGAGATTGGGATGAAAGCGAGCGCCGAGGGGCAAGGGGCACGATG
 GCCTTTACAGGGTCTCAGTACAGCCACCAAGGACACCTACGACGCCCTTCA
 CATGCAGGCCCTGCCCCCTCGTAA

BiCAR2 VHH12

(SEQ ID NO: 33)

GTGCACGAGTGGGTACATCGAACTGGATCTCAACAGCGGTAAGATCCTTGA
 GAGTTTTTCGCCCCGAAGAACGTTTTCCAAATGATGAGCACTTTTAAAGTTCTGC
 TATGTGGCGCGGTATTATCCCGTATTGACGCGGGCAAGAGCAACTCGGTCTG
 CCGCATACACTATTCTCAGAAAGACTTGGTTGAGTACTCACCAGTCACAGAAA
 AGCATCTTACGGATGGCATGACAGTAAGAGAATTATGCAAGTCTGCCATAAC
 CATGAGTGATAACACTGCGGCCAACTTACTTCTGACAACGATCGGAGGACCG
 AAGGAGCTAACCGCTTTTTTGCAACATGGGGGATCATGTAACTCGCCCTTGA
 TCGTTGGGAACCGGAGCTGAATGAAGCCATACCAACGACGAGCGTGACACC
 ACGATGCCCTGTAGCAATGGCAACAACGTTGCGCAAACTATTAACTGGCGAAC
 TACTTACTCTAGCTTCCCGCAACAATTAATAGACTGGATGGAGGCGGATAA
 AGTTGCAGGACCACTTCTGCGCTCGGCCCTTCCGGCTGGCTGGTTTATTGCTG
 ATAAATCTGGAGCCGGTGAGCGTGGGTCTCGCGGTATCATTTGCAGCACTGGG
 GCCAGATGGTAAGCCCTCCCGTATCGTAGTTATCTACACGACGGGAGTCAG
 GCAACTATGGATGAACGAAATAGACAGATCGCTGAGATAGGTGCCCTCACTGA
 TTAAGCATTTGGTAAGTGTGAGACCAAGTTACTCATATATACTTTAGATTGAT
 TTAAGAACTCATTTTTTAATTTAAAGGATCTAGGTGAAGATCCTTTTTTGATAA
 TCTCATGACCAAAATCCCTTAACGTGAGTTTTTCGTTCCACTGAGCGTCAGACC
 CCGTAGAAAAGATCAAAGGATCTTCTTGAGATCCTTTTTTCTGCGCGTAATC
 TGCTGCTTGCAAAACAAAAAACCCCGTACCAGCGGTGGTTTGTTCGCCG
 ATCAAGAGCTACCAACTCTTTTTCCGAAGGTAAGTGGCTTCAGCAGAGCGCA
 GATACCAAACTAGTTCTTCTAGTGTAGCCGTAGTTAGGCCACCACTTCAAGA
 ACTCTGTAGCACCGCCTACATACCTCGCTCTGCTAATCCTGTTACCAAGTGGCT
 GCTGCCAGTGGCGATAAGTCTGTCTTACCGGTTGGACTCAAGACGATAGTT
 ACCGGATAAGGCGCAGCGGTCTGGGCTGAACGGGGGTTCTGTGCACACAGCCC
 AGCTTGGAGCGAACGACCTACACCGAAGTGAATACCTACAGCGTGAGCTAT
 GAGAAGCGCCACGCTTCCCGAAGGGGAGAAAGCGGACAGGTATCCGGTAA
 GCGGCGAGGTCTGGAACAGGAGAGCGCACGAGGGAGCTTCCAGGGGGAACG
 CCTGGTATCTTTATAGTCTGTTCGGGTTTCGCCACCTCTGACTTGAGCGTCGAT
 TTTTGTGATGCTCGTCAGGGGGCGGAGCCTATGGAATAACGCCAGCAACGC
 GGCTTTTTTACGGTTCTTGGCTTTTGTGCGCTTTTGTCTCACATGTTCTTTCT
 GCGTTATCCCCCTGATTCTGTGGATAACCGTATTACCGCCTTTGAGTGAGCTGA
 TACCGCTCGCGCAGCCGAACGACCGAGCGCAGCGAGTCAGTGAGCGAGGA
 AGCGGAAGAGCGCCCAATACGCAAAACCGCTCTCCCGCGCGTGGCCGATT
 CATTAAATGCAGCTGGCACGACAGGTTTCCCGACTGGAAAGCGGGCAGTGAGC
 GCAACGCAATTAATGTGAGTTAGCTCACTCATTAGGCACCCAGGCTTTACAC
 TTTATGCTTCCGGCTCGTATGTTGTGTGGAATGTGAGCGGATAACAATTTCA
 CACAGGAACAGCTATGACCATGATTACGCCAAGCGCAATTAACCTCAC
 TAAAGGGAAACAAAAGCTGGAGCTGCAAGCTTAATGTAGTCTTATGCAATACT
 CTTGTAGTCTTGCAACATGGTAACGATGAGTTAGCAACATGCCTTACAAGGA

-continued

GAGAAAAAGCACCGTGCATGCCGATTGGTGGAAAGTAAGGTGGTACGATCGTG
 CCTTATTAGGAAGGCAACAGACGGGTCTGACATGGATTGGACGAACCACTGA
 ATTGCCGCATTGCAGAGATATTGTATTTAAGTGCCTAGCTCGATACATAAACG
 GGTCTCTCTGGTTAGACCAGATCTGAGCCTGGGAGCTCTCTGGCTAACTAGGG
 AACCCACTGCTTAAGCCTCAATAAAGCTTGCTTGAGTGCTTCAAGTAGTGTG
 TGCCCGTCTGTTGTGTGACTCTGGTAAC TAGAGATCCCTCAGACCCCTTTAGT
 CAGTGTGAAAAATCTCTAGCAGTGGCGCCCGAACAGGGACTTGAAAGCGAAA
 GGGAAACCAGAGGAGCTCTCTCGACGACGACTCGGCTTGCTGAAAGCGCGCA
 CGGCAAGAGGCGAGGGGCGGCGACTGGTGAGTACGCCAAAAATTTTACTAG
 CGGAGGCTAGAAAGGAGAGAGATGGGTGCGAGAGCGTCAGTATTAAGCGGGG
 GAGAATTAGATCGCGATGGGAAAAAATTCGGTTAAGGCCAGGGGGAAAGAA
 AAAATATAAATTAAACATATAGTATGGGCAAGCAGGGAGCTAGAACGATTC
 GCAGTTAATCTGGCCTGTAGAAACATCAGAAGGCTGTAGACAAATCTGG
 GACAGCTACAACCACTCCCTTCAGACAGGATCAGAAGAACTAGATCATTATA
 TAATACAGTAGCAACCTCTATTGTGTGCATCAAAGGATAGAGATAAAGAC
 ACCAAGGAAGCTTTAGACAAGATAGAGGAAGAGCAAAACAAAAGTAAGACC
 ACCGCACAGCAAGCGGCGCTGATCTTCAGACCTGGAGGAGGAGATATGAGG
 GCAATTGGAGAAGTGAATTATATAAATATAAAGTAGTAAAAATTTGAACCAT
 TAGGAGTAGCACCCACCAAGGCAAGAGAAGAGTGGTGACAGAGAAAAAA
 GAGCAGTGGGAATAGGAGCTTTGTTCTTGGGTTCTTGGAGCAGCAGGAAG
 CACTATGGGCGCAGCGTCAATGACGCTGACGGTACAGGCCAGACAAATTATTG
 TCTGTATAGTGCAGCAGCAGAACAAATTTGTGAGGGCTATTGAGGCGCAAC
 AGCATCTGTTGCAACTCACAGTCTGGGGCATCAAGCAGCTCCAGGCAAGAAAT
 CCTGGCTGTGGAAGATACCTAAAGGATCAACAGCTCCTGGGGATTGGGGT
 TGCTCTGGAAACTCATTGACCACTGCTGTGCTTGGAAATGCTAGTTGGAG
 TAATAAATCTCTGGAACAGATTGGAATCACACGACCTGGATGGAGTGGGAC
 AGAGAAATTAACAATTACACAAGCTTAATACACTCCTTAATTGAAGAATCGC
 AAAACAGCAAGAAAAAATGAACAAGAAATTTTGAATTAGATAAATGGG
 CAAGTTTGTGGAATTTGGTTAAACATAACAATAATTTGGCTGTGGTATATAAATTA
 TTCTAATAGTAGTAGGAGGCTTGGTAGGTTTAAAGAAATAGTTTTTGTGTACT
 TTCTATAGTGAATAGAGTTAGGCGGGGATATTCACCATTAATCGTTTCAGACCC
 ACCTCCCAACCCCGAGGGGACCCGACAGGCCCGAAGGAATAGAAGAAGAAG
 GTGGAGAGAGACAGAGACAGATCCATTCGATTAGTGAACGGATCTCGACG
 GTATCGATTAGACTGTAGCCCAGGAATATGGCAGCTAGATTGTACACATTTAG
 AAGGAAAAGTTATCTTGGTAGCAGTTTATGTAGCAGTGGATATATAGAAGC
 AGAAGTAATTCAGCAGAGACAGGGCAAGAAACAGCATACTTCTCTTAAAA
 TTAGCAGGAAGATGGCCAGTAAAAACAGTACATACAGACAATGGCAGCAATT
 TCACCACTACTACAGTTAAGGCGGCTGTGGTGGGCGGGGATCAAGCAGGA
 ATTTGGCATTCCCTACAATCCCAAGTCAAGGAGTAATAGAACTATGAATA
 AAGAATTAAAGAAAATATAGGACAGGTAAGAGATCAGGCTGAACATCTTAA
 GACAGCAGTACAAAATGGCAGTATTCATCCACAATTTAAAGAAAAGGGGGG
 ATTTGGGGGTACAGTGCAGGGGAAAGAAATAGTAGACATAATAGCAACAGAC
 ATACAAACTAAAGAAATACAAAAACAAATACAAAAATTCAAAAATTTTCGGG
 TTTATTACAGGGACAGCAGAGATCCAGTTTGGCTGCATACGCTCGTGAGGCT
 CCGGTGCCCGTCAGTGGGCGAGCGCACATCGCCACAGTCCCCGAGAAGTT
 GGGGGAGGGGTCGGCAATTGAACCGGTGCCTAGAGAAGGTGGCGCGGGGT
 AAACCTGGGAAAGTGATGTCGTGACTGGCTCCGCTTTTCCCGAGGGTGGGG
 GAGAACCCTATATAAGTGCAGTAGTCGCGGTGAACGTTCTTTTCGCAACGGG
 TTTGCCCGCAGAACACAGGTAAGTGCCGTGTGTGTTTCCCGCGGCTGGCCT
 CTTTACGGGTATGGCCCTTGCGTGCTTGAATTACTTCCACCTGGCTGCAGT
 ACGTGATTCTTGATCCCGAGCTTCGGGTGGAAGTGGGTGGGAGAGTTTCGAG
 GCCTTGCGCTTAAGGAGCCCTTCGCTCGTGTGAGTTGAGGCTGGCCTG
 GGCGCTGGGGCCGCGCGTGCAGTCTGGTGGCACCTTCGCGCTGTCTCGCT
 GCTTTCGATAAGTCTCTAGCCATTTAAATTTTGTATGACTGTCTGCGACGCTT
 TTTTCTGGCAAGATAGTCTTGTAAATCGCGGCCAAGATCTGCACACTGGTAT
 TTCGTTTGTGGGGCCGCGGCGGCGACGCGGCGCTGCGTCCAGCGCACAC
 TGTTGCGCGAGGCGGGGCTGCGAGCGCGGCCACCGAGAATCGGACGGGGT
 AGTCTCAAGCTGGCGGCTGTCTGGTGCCTGGCCTCGCGCCGCGGTGATC
 GCCCGCCCTGGGCGGCAAGGCTGGCCCGTGGCACCAAGTTGCGTGAGCGG
 AAAGATGGCCGCTTCCCGGCTGTCTGAGGAGCTCAAAATGGAGGACGCG
 GCGCTCGGAGAGCGGGCGGGTGAGTCACCCACACAAAGGAAAAGGGCCTT
 TCCGCTCTAGCCGTCGCTTCATGTGACTCCACTGAGTACCGGCGCGGCTCCA
 GGCACCTCGATTAGTTCTGCTGCTTTTGAGTACGTCGCTTTAGGTTGGGG
 GAGGGGTTTTATGCGATGGAGTTTCCCACTGAGTGGGTGGAGACTGAAG
 TTAGGCCAGCTTGGCACTTGATGTAATTTCTCTTGAATTTGCCCTTTTGTAGT
 TTGGATCTTGGTTTCTTCTCAAGCCTCAGACAGTGGTTCAAAGTTTTTTCTTC
 CATTTCAGGTGCTGAGCTAGCTCTAGAATGGCCTTACCAGTGACCGCTTG
 CTCCTGGCCGTGGCTTGTGCTCCACGCGCGCAGGCGGcaggtgcagctgcaggagtctg
 ggggaggtctggtgcagctggggggtctctgagcctctcctgtacagcctctggattcacgttc
 agtagttactccatggcctgggtccgcccaggtccaggggaagggaccgaatgggtctcagggga
 ttacccctctgatggtgagacaaggtatgcagactctgtgaagggcgagttcagcatctccagagac
 aacgccaagaatagtgtgatctgcaaatgaacaacctggaacctgaggacacggccctataattactgtg
 cgagaggtatcaccggattgggacccccggggccaggggaccaggtcacgctctcctcagcgccgcaac
 tagtgagcttaagtacggccctccctggcctcttggcccatacatctggcgccct
 TTGGCCGGGACTTGTGGGTCTCTCTGTGCTGCTGCTTATCACCTTTACTG
 AAACGGGGCAGAAAGAACTCTGTATATATTCAAACAACCATTTATGAGAC
 CAGTACAACTACTCAAGAGGAAGATGGCTGTAGCTGCCGATTTCCAGAAGA
 AGAAGAAGGAGGATGTGAACCTGCTCAGAGGAAGCGGAGCTACTAACTTCAG
 CCTGCTGAAGCAGGCTGGAGACGTGGAGGAGAACCTGGACCTCTAGGATG
 GCCTTACCAGTGACCGCTTGTCTCTGCGCTGGCCTTGTGCTCCACGCGC
 CAGGCCGGGATCCAGGTGCAGTGCAGGAGTCTGGAGGAGGATTGGTGACG

-continued

ACTGGGGACTCTCTGAGACTCTCCTGTGTAGTCTCTGGAGGCACCTTCAGAAA
 CTATGTTATGGGCTGGTTCCGCCAGGCTCCAGGGAAGGAGCGTGAGTTTGTGT
 CTGCTATGAACCTGGAGTGGCGGCATCAGTCTATGCAGACTCCGTGAAGGG
 CCGATTACCATCTCCAGAGACAACGCCAAGAACGCGGTGTATCTGCAAAATG
 GGCAGCCTGAAACCTGGCGACACGCGCGTTTATTACTGTGCAGCTGCTGCAAT
 CGATGGTGAACCGTCAGAAGCATTAACAGTTATGCCTACTGGGGCCAGGGG
 ACCCAGGTACCGTCTCCTCAGCGGCCGCCACTAGTTCCGGAACCACTACACC
 AGCGCCACAGACCACCTACCCGGCTCCTACCATCGCATCTCAGCCCTTGAGTC
 TTAGACCCGAGGCATGTGCGGCCAGCGCGGGGGCGCAGTGCACACGAGGG
 GGCTGGACTTCGCCCTGTGATTACATCTGGGCGCCCTTGGCCGGGACTTGTGGG
 GTCCCTTCTCCTGTCTACTGGTTATCACCCCTTACTGCAGAGTGAAGTTGAGCAG
 GAGCGCAGACGCCCCCGGTACAAGCAGGGCCAGAACCAGCTCTATAACGA
 GCTCAATCTAGGACGAAGAGGAGTACGATGTTTTGGACAAGAGACGTGGC
 CGGGACCTGAGATGGGGGGAAGCCGAGAAGGAAGAACCCTCAGGAAGGC
 CTGTACAATGAACCTGCAGAAGATAAGATGGCGGAGGCTACAGTGAGATTG
 GGATGAAAGGCGAGCGCCGAGGGGCAAGGGGCACGATGGCCCTTACCAGG
 GTCTCAGTACAGCCACCAAGGACACCTACGACGCCCTTACATGCAGGCCCT
 GCCCCCTCGCTAAGTCGACAATCAACCTCTGGATTACAAAATTTGTGAAAGAT
 TGACTGGTATTCTTAACATATGTTGCTCCTTTTACGCTATGTGGATACGCTGCTT
 TAATGCCCTTTGTATCATGCTATTGCTTCCCGTATGGCTTTCATTTCTCCTCCTT
 GTATAAATCCTGGTTGCTGCTCTTTATGAGGAGTTGTGGCCCGTTGTGAGGC
 AACGTGGCGTGGTGTGCTGTGTTTGTGTCAGCAACCCCACTGGTTGGGGC
 ATTGCCACCACCTGTGCTGCTCCTTTCCGGGACTTTTCGCTTTCCCCCTCCCTAT
 GCCAGCGCGGAACCTCATCGCCCGCTGCCTTGCCTGCTGACAGGGGCTC
 GGCTGTTGGGCACTGACAATCCGTGGTGTGTGTCGGGAAGCTGACGTCCTTT
 CCTTGGCTGCTCGCCTGTGTTGCCACCTGGATTCTGCGCGGACGCTCCTTCTG
 CTACGTCCCTTCGGCCCTCAATCCAGCGGACCTTCTTCCCGCGCCTGCTGC
 CGGCTCTGCGGCCCTTTCGCGCTTTCGCTTTCGCTCAGACGAGTGGGATC
 TCCTTTTGGGCGCCTCCCGCTTGAATTCGAGCTCGGTACCTTTAAGACCA
 ATGACTTACAAGGCAGCTGTAGATCTTAGCCACTTTTAAAGAAAGGGGG
 GACTGGAAGGGCTAATCACTCCCAACGAAGACAAGATCTGCTTTTGTCTGT
 ACTGGGTCTCTGTGTTAGACAGATCTGAGCCTGGGAGCTCTCTGGCTAAT
 AGGGAACCCACTGCTTAAGCCCTCAATAAAGCTTGCTTTGAGTGCTTCAAGTAG
 TGTGTGCCCGTCTGTTGTGTGACTCTGGTAACTAGAGATCCCTCAGACCCCTTT
 AGTCAGTGTGGAATAATCTCTAGCAGTAGTAGTTTATGTCATCTTATTATTAG
 TATTATATACTTGCAAAGAAATGAATATCAGAGAGTGAGAGGAACCTGTTTA
 TTGCAGCTTATAATGGTTACAAATAAAGCAATAGCATCACAAATTTACAAAT
 AAAGCATTTTTTTTCTACTGCATCTAGTTGTGGTTTGTCCAAACTCATCAATGTA
 TCTTATCATGTCTGGCTTAGCTATCCCGCCCTAACTCCGCCCAGTTCCGCCC
 ATTCTCCGCCCATGGCTGACTAATTTTTTTTATTTATGACAGAGGCCGAGGCC
 GCCTCGGCCCTGAGCTATTCCAGAAGTAGTGAGGAGGCTTTTTGGAGGCTC
 AGCTAGGAGACTACCAATTCGCCCTATAGTGAGTCTGATTACGCGCCTCAC
 TGGCCGTCGTTTTACAACGTCGTGACTGGGAAAACCTGGCGTTACCAACTT
 AATCGCCTTGACGACATCCCTTTTCGCCAGCTGGCGTAATAGCAAGAGG
 CCGCACCGATCGCCTTCCCAACAGTTGCGCAGCTGAATGGCGAATGGGA
 CGCGCCCTGTAGCGCGCATTAAGCGCGCGGTTGTGGTGTACGCGCAGC
 GTGACCGCTACACTTGCCAGCGCCCTAGCGCCCGCTCCTTTCGCTTTCTTCCCT
 TCCTTTCTCGCCACGTTCCGCCGGCTTCCCGCTCAAGCTCTAAATCGGGGGCT
 CCCTTTAGGGTTCCGATTATAGTGCTTTACGGCACCTCGACCCCAAAAACTTG
 ATTAGGGTGATGGTTACGATAGTGGCCATCGCCCTGATAGACGGTTTTTCGC
 CCTTTGACGTTGGAGTCCACGTTCTTTAATAGTGGACTCTTGTTCAAAACG
 AACAACTCAACCTATCTCGGTCTATTCTTTTGTATTATAAGGATTTTGCC
 GATTTTCGGCTATTGGTTAAAAAATGAGCTGATTTAACAATAATTTAACGCA
 ATTTTAAACAAATATTAACGCTTACAATTTAGGTGGCACTTTTCGGGAAATG
 TGCGCGGAACCCCTATTGTTATTTTCTAAATACATTCAATATGTATCCGC
 TCATGAGACAATAACCCGTATAAATGCTCAATAATATTGAAAAAGGAAG
 TATGAGTATTCAACATTTCCGTGTGCGCCTTATTCCTTTTTCGCGCATTTTG
 CCTTCTGTTTTTGTCTACCCAGAAACGCTGGTGAAAGTAAAGATGCTGAAG
 ATCAGTTGG

BiCAR2 VHH13

(SEQ ID NO: 34)

GTGCACGAGTGGGTACATCGAAGTGGATCTCAACAGCGGTAAGATCCTTGA
 GAGTTTTTCGCCCCGAAGACGTTTTTCCAAATGATGAGCACTTTTAAAGTTCTGC
 TATGTGGCGCGGTATTTATCCCGTATTGACCGCGGCAAGAGCAACTCGGTG
 CCGCATACACTATTCTCAGAATGACTTGGTTGAGTACTCACCAGTCACAGAAA
 AGCATCTTACGGATGGCATGACAGTAAGAGAATTATGCACTGCTGCCATAAC
 CATGAGTGATAAACAATGCGGCCAACTTACTTCTGACAACGATCGGAGGACCG
 AAGGAGCTAACCGCTTTTTTGACAACATGGGGGATCATGTAACCTCGCCTTGA
 TCGTTGGGAACCGGAGCTGAATGAAGCCATACCAACGACGAGCGTGACACC
 ACGATGCCCTGATGCAATGGCAACAACGTTGCGCAAACTATTAACTGGCGAAC
 TACTTACTCTAGCTTCCCGGCAACAATTAATAGACTGGATGGAGGCGGATAA
 AGTTGCGAGACCACTTCTGCGCTCGGCCCTTCCGGCTGGCTGGTTATTGCTG
 ATAAATCTGGAGCCGGTGAGCGTGGGTCTCGCGGTATCATTCAGCACTGGG
 GCCAGATGGTAAGCCCTCCCGTATCGTAGTTATCTACACGACGGGAGTCAG
 GCAACTATGGATGAACGAATAGACAGATCGCTGAGATAGGTGCCCTCACTGA
 TTAAGCATTTGGTAACTGTCAGACCAAGTTTACTCATATATACTTTAGATTGAT
 TTAACAACTTCATTTTAAATTTAAAGGATCTAGGTGAAGATCCTTTTGTATAA
 TCTCATGACCAAAATCCCTTAACGTGAGTTTTCGTTCCACTGAGCGTCAGACC
 CCGTAGAAAAAGATCAAGGATCTTCTTGAGATCCTTTTTTCTGCGCGTAATC
 TGCTGCTTGCAACAAAAAACCCGCTACCGAGCGGTGGTTTGTTCGCGG

-continued

ATCAAGAGCTACCAACTCTTTTCCGAAGGTAAC TGGCTTCAGCAGAGCGCA
 GATACCAAATACTGTCTTCTAGTGTAGCCGTAGTTAGGCCACCACTTCAAGA
 ACTCTGTAGCACCGCTACATACCTCGCTCTGCTAATCTGTACCAGTGGCT
 GCTGCCAGTGGCGATAAGTCGTGCTTACC GG GTTGGACTCAAGACGATAGTT
 ACCGGATAAGGCGCAGCGGTGCGGCTGAACGGGGGTTCTGTGCACACAGCCC
 AGCTTGGAGCGAACGACCTACACCGAACTGAGATACCTACAGCGTGAGCTAT
 GAGAAAGCGCCACGCTTCCCGAAGGGAGAAAGGCGGACAGGTATCCGGTAA
 GCGGCAGGGTCGGAACAGGAGAGCGCACGAGGGAGCTTCCAGGGGGAACG
 CCTGTGTATCTTTATAGTCTGTGCGGTTTCGCCACCTCTGACTTGAGCGTTCGAT
 TTTTGTGTGCTCGTCAGGGGGCGGAGCCTATGGAAAAACGCCAGCAACGC
 GGCCTTTTTACGGTTCCTGGCCTTTTGTGTCCTTTTGTCTCACATGTTCTTTCCT
 GCGTTATCCCTGATCTGTGGATAACCGTATTACCGCTTTGAGTGAGCTGA
 TACCGCTCGCCGACGCCAACGACCGAGCGCAGCGAGTCACTGAGCGGAGGA
 AGCGGAAGAGCGCCCAATACGCAAAACCGCCTTCCCGCGCGTTGGCCGATT
 CATTAATGCAGCTGCGACGACAGGTTTCCCGACTGGAAAGCGGGCAGTGAGC
 GCAACGCAATTAATGTGAGTTAGCTCACTCATTAGGCACCCAGGCTTTACAC
 TTTATGCTTCGGCTCGTATGTTGTGTGGAATTGTGAGCGGATAACAATTTCA
 CACAGGAAACAGCTATGACCATGATTACGCCAAGCGCGCAATTAACCTCAC
 TAAAGGGAACAAAAGCTGGAGCTGCAAGCTTAATGTAGTCTTATGCAATACT
 CTTGTAGTCTTGCAACATGGTAACGATGAGTTAGCAACATGCCTTACAAGGA
 GAGAAAAAGCACCGTGCATGCCGATTGGTGGAAAGTAAGTGGTACGATCGTG
 CCTTATTAGGAAGGCAACAGACGGGTCGTGACATGGATTGGACGAACCACTGA
 ATTGCCGATTCGAGAGATATTGTATTTAAGTGCCTAGCTCGATACATAAAGC
 GGCTCTCTGTTAGACAGATCTGAGCCTGGGAGCTCTCTGGCTAACTAGGG
 AACCCACTGCTTAAGCCTCAATAAAGCTTGCTTGTAGTGTCTCAAGTAGTGTG
 TGCCGCTCTGTTGTGTGACTCTGGTAAC TAGAGATCCCTCAGACCTTTTAGT
 CAGTGTGAAAAATCTCTAGCAGTGGCGCCGAACAGGACTTGAAAGCGAAA
 GGGAAACAGAGGAGCTCTCTCGACGCGAGGACTCGGCTTGCTGAAGCGCGCA
 CGGCAAGAGGCGAGGGGCGGCGACTGGTGAGTACGCCAAAAATTTTACTAG
 CGGAGGCTAGAAAGGAGAGATGGGTGCGAGAGCGTCAGTATTAAGCGGGG
 GAGAATTAGATCGCGATGGGAAAAAATTCGGTTAAGGCCAGGGGGAAGAA
 AAAATATAAATTAAACATATAGTATGGGCAAGCAGGGAGCTAGAACGATT
 GCAGTTAATCTGGCTGTAGAAACATCAGAAGCTGTAGACAAATACTGG
 GACAGCTACAACCATCCCTTCAGACAGGATCAGAAGAACTTAGATCATTATA
 TAATACAGTAGCAACCTCTATTGTGTGCATCAAAGGATAGAGATAAAAGAC
 ACCAAGGAAGCTTTAGACAAGATAGAGGAAGAGCAAAACAAAAGTAAGACC
 ACCGCACAGCAAGCGGCGCTGATCTTCAGACCTGGAGGAGGAGATATGAGG
 GACAATTGGAGAAGTGAATTATATAAATATAAAGTAGTAAAAATTGAACCAT
 TAGGAGTAGCACCCACCAAGGCAAGAGAGAGTGGTGCAGAGAGAAAAA
 GAGCAGTGGGAATAGGAGCTTTGTTCTTTGGGTTCTTGGGAGCAGCAGGAAG
 CACTATGGGCGCAGCGTCAATGACGCTGACGGTACAGGCCAGACAAATTATTG
 TCTGTATAGTGCAGCAGCAGAAATTTGCTGAGGGCTATTGAGGCGCAAC
 AGCATCTGTTGCAACTCACAGTCTGGGGCATCAAGCAGCTCCAGGCAAGAAT
 CCTGGCTGTGGAAGATACCTAAAGGATCAACAGCTCCTGGGGATTGGGGT
 TGCTCTGGAATACTATTGCACTGCTGTGCTTGGAAATGTAGTTGGAG
 TAATAAATCTCTGGAACAGATTGGAATCACACGACCTGGATGGAGTGGGAC
 AGAGAAATTAAACAATTACACAAGCTTAATACACTCCTTAATTGAAGAATCG
 AAAACAGCAAGAAAGAAATGAACAAGAAATTATTGGAATTAGATAAATGGG
 CAAGTTTGGAATTTGTTTAAACATAACAAATTTGGCTGTGGTATATAAAATTA
 TTCATAATGATAGTAGGAGGCTTGGTAGGTTTAAAGAAAGTTTGTGCTGACT
 TTCTATAGTGAATAGAGTTAGGCAGGGATATTACCATTATCGTTTCAGACCC
 ACCTCCCAACCCCGAGGGGACCCGACAGGCCCGAAGGAATAGAAGAAGAAG
 GTGGAGAGAGAGACAGAGACAGATCCATTGATTAGTGAACGGATCTCGACG
 GTATCGATTAGACTGTAGCCCAGGAATATGGCAGCTAGATTGTACACATTTAG
 AAGGAAAAGTTATCTTGTTAGCAGTTTCATGTAGCCAGTGGATATATAGAAGC
 AGAAGTAAATTCAGCAGAGACAGGGCAAGAAACAGCATACTTCCCTTAAAA
 TTAGCAGGAAGATGCCAGTAAAAACAGTACATACAGACAATGGCAGCAATT
 TCACCAGTACTACAGTTAAGGCCGCTGTTGGTGGGCGGGATCAAGCAGGA
 ATTTGGCATTTCCCTACAATCCCAAGTCAAGGAGTAATAGAATCTATGAATA
 AAGAATTAAAGAAATTTAGGACAGGTAAGAGATCAGGCTGAACATCTTAA
 GACAGCAGTACAAATGGCAGTATTATCCACAATTTTAAAGAAAAGGGGGG
 ATTGGGGGTACAGTGCAGGGGAAAGAAATAGTAGACATAATAGCAACAGAC
 ATACAAACTAAAGAAATTACAAAAACAAATTACAAAAATTCAAAATTTTCGGG
 TTTATTACAGGGACAGCAGAGATCCAGTTTGGCTGCATACCGCTCGTGAGGCT
 CGCGTGCCGTCAGTGGGCGAGCGCACATCGCCACAGTCCCGAGAGAGTT
 GGGGGGAGGGGTGCGCAATTGAACCGGTGCTAGAGAAGGTGGCGCGGGGT
 AAAC TGGGAAAGTGATGCTGTACTGGCTCCGCCTTTTCCCGAGGGTGGGG
 GAGAACCGTATATAAGTGCAGTAGTCGCGCTGAACGTTCTTTTCGCAACGGG
 TTTGCGCGCAGAACACAGGTAAGTGCCGTGTGTGGTTCCCGCGGGCTTGGCCT
 CTTTACGGGTATGGCCCTTGCCTGCTTGAATTACTTCCACCTGGCTGCAGT
 ACGTGATTCTTGATCCCGAGCTTGGGTTGGAAGTGGGTGGGAGAGTTTCGAG
 GCCTTGCCTTAAGGAGCCCTTCGCTCTGTGCTTGAAGTGGGCTGGCCTG
 GCGCTGGGGCGCGCGCTGCGAATCTGGTGGCACCTTCGCGCTGTCTCGCT
 GCTTTCGATAAGTCTCTAGCCATTTAAATTTTGTAGACTGCTGCGACGCTT
 TTTTCTGGCAAGATAGTCTTGTAAATGCGGGCCAGATCTGCACACTGGTAT
 TTCGTTTTCGGGGCCGCGGCGCGCAGCGGGCCCGTGCCTCCAGCGCACA
 TGTTCGGCGAGGCGGGGCTGCGAGCGCGGCCACGAGAATCGGACGGGGT
 AGTCTCAAGCTGGCGGCTGCTCTGGTGCCTGGCCTCGCGCCCGGTGTATC
 GCCCGCCCTGGGCGGCAAGGCTGGCCCGGTGCGCACAGTTGCGTGAGCGG
 AAAGATGGCCGCTTCCCGCCCTGCTGCAAGGAGCTCAAAATGGAGGACGCG
 GCGCTCGGAGAGCGGGCGGGTGAGTCAACCACACAAGGAAAAGGGCCTT

-continued

TCCGTCCTCAGCCGTCGCTTCATGTGACTCCACTGAGTACCGGGCGCGTCCA
 GGCACCTCGATTAGTTCTCGTGCTTTTGGAGTACGTCTCTTTAGGTTGGGGG
 GAGGGGTTTTATGCGATGGAGTTTCCACACTGAGTGGGTGGAGACTGAAG
 TTAGGCCAGCTTGGCACTTGATGTAATTTCTCCTTGAATTTGCCCTTTTGTAGT
 TTGGATCTTGGTTTCTTCTCAAGCCTCAGACAGTGGTTCAAAGTTTTTTTCTTC
 CATTTTCAGGTGTCTGAGCTAGCTCTAGAGCCAGCATGGCCTTACCAGTGACC
 GCCTTGCTCCTGCCCTGGCCTTGCTGTCTCCACGCCGCCAGGCCGcaggtgcagctgc
 aggaggtctgggggagggcttggtgcagcctggggggtctctgagcctctcctgtacagcctctgg
 attcacgttccagtagttactccatggcctgggtccggcaggtccagggaagggaccggaatgggtct
 cagggatttacccttctgatggtaagacaaggtatgcagacttcgtgaagggccgattcagcatctcca
 gagacaacgcccaagaatatgttgatctgcaaatgaacaacctggaacctgaggacacggccctatatt
 actgtgcgagaggtatcacggattgggaccccggggcccaggggaccaggtcaccgtctcctcagcg
 gcggccactagtGAGTCTAAGTACGGCCCTCCCTGCCCTCCTTGCCCATACATCTTG
 GCGCCCTTGGCCGGGACTTGTTGGGGTCTTCTCCTGTCACTGGTTATCACCTTG
 TACTGCAAAACGGGGCAGAAAGAACTCTGTATATATTCAAACAACCATTTA
 TGAGACCAGTACAACTACTCAAGAGGAAGATGGCTGTAGCTGCCGATTTCC
 AGAAGAAGAAGAAGGAGGATGTGAACCTGCTCGAGGGAAGCGGAGCTACTAA
 CTTACAGCTGTCTGAAGCAGGCTGGAGAGCTGGAGGAGAACCCTGGACCTCCT
 AGGATGGCCTTACCAGTGACCGCCTTGCTCCTGCGCTGGCCTTGCTGCTCCA
 CGCCGCCCAGGCCGGGATCCAGGTGCAGCTGCAGGAGTCTGGAGGAGGATTG
 GTGCAGGCTGGGGGCTCTCTGAGCCTCTCCTGTGCAGCTCTGGACGCACCTT
 CAAGAACTATCTCATGGCCTGGTTCCGCCAGACTCCAGGGAAGGAGCGTGAG
 TTTGTGGCAGCTATTACTCAGCTTGGTACTAGATCATTAAATGAAGACTTCGT
 GAAGGGCCGATTACCATCTCCAGGGACAACGCCAAGAACACGGTGTATCTG
 CAAATGAACGACCTGAAACTGACGACACGGGCGTTTATTCTTGTGCAGCAA
 GGCTACAGAGTGGGGGTCACCTACGGTACGCGAAGTATGACTATTGGGGCCA
 GGGGACCCAGGTACCGTCTCCTCAGCGGCCGCCACTAGTTCCGGAAACCACT
 ACACCAGCGCCAGACCACCTACCCCGGCTCCTACCATCGCATCTCAGCCCTT
 GAGTCTTAGACCCGAGGATGTGCGCCAGCGCGGGGGCGCAGTGACACAG
 AGGGGGCTGGACTTCGCTGTGATTACATCTGGGCGCCCTTGGCCGGGACTTG
 TGGGGTCTTCTCCTGTCACTGGTTATCACCTTTACTGCAGAGTGAAGTTCA
 GCAGGAGCGCAGACGCCCCCGGTACAGCAGGGCCAGAACCACTCTATA
 ACGAGCTCAATCTAGGACGAAGAGAGGAGTACATGTTTTGGACAAGAGACG
 TGGCCGGGACCTTGAGATGGGGGGAAGCCGAGAAGGAAGAACCTCAGGA
 AGGCTGTACAAATGAACCTGCAGAAAGATAAGATGGCGGAGGCTTACAGTGA
 GATTGGGATGAAGGCGAGCGCCGAGGGGCAAGGGGCAGATGGCCTTTA
 CCAGGGTCTCAGTACAGCCACCAAGGACACCTACGACGCCCTTACATGCAG
 GCCCTGCCCCCTCGCTAAGTCGACAATCAACCTCTGGATTACAAAATTTGTGA
 AAGATTGACTGGTATTTCTAATATGTTGCTCCTTTTACGCTATGTGGATACGC
 TGCTTTAATGCTTTGTATCATGCTATTGCTTCCCGTATGGCTTTTCTCTCC
 TCCTTGATATAAATCTGTTGCTGTCTCTTTATGAGGAGTTGTGGCCCGTTGTG
 AGGCAACGTGGCGTGGTGTGCACTGTGTTGTGACGCAACCCCACTGGTTG
 GGGCATTTGCCACCACCTGTGAGCTCCTTTCCGGGACTTTCTGCTTTCCCCCTCCC
 TATTGCCACGGCGGAACCTCATCGCCGCTGCTTTGCCGCTGTGGACAGGG
 GCTCGGCTGTGGGCACTGACAATTCGGTGTGTTGTGCGGGAAGCTGACGTC
 CTTTCCTTGGCTGCTCGCTGTGTTGCCACCTGGATTCTGCGCGGAGCGTCCTT
 CTGCTACGTCCCTTCGGCCCTCAATCCAGCGGACCTTCTTCCCGCGCCCTG
 TGCCGGCTCTGCGGCCCTCTTCCGCTCTTCCGCTTCCGCCCTCAGACGAGTCGG
 ATCTCCCTTTGGGCGCCTCCCGCCTGGAATTCGAGCTCGGTACCTTTAAGA
 CCAATGACTTACAAGGAGCTGTAGATCTTAGCCACTTTTAAAGAAAAGG
 GGGGACTGGAAGGGCTAATTCACCTCCCAACGAAGACAAGATCTGCTTTTTC
 TTGTACTGGGCTCTCTGTTTAGACAGATCTGAGCCTGGGAGCTCTCTGGCT
 AACTAGGGAACCACTGCTTAAGCCTCAATAAAGCTTGCCCTTGAGTGTCTCAA
 GTAGTGTGTGCCCGTCTGTTGTGTGACTCTGGTAACCTAGAGATCCCTCAGACC
 CTTTTAGTCAGTGTGGAAATCTTAGCAGTAGTAGTTTATGTCATCTTATTAT
 TCAGTATTATAAATTGCAAGAAATGAATATCAGAGAGTGAGAGGAACCTG
 TTTATTGCACTTATAATGGTTACAAATAAAGCAATAGCATCAAAATTTAC
 AAATAAAGCATTTTTTCACTGCATTTAGTTGTGGTTTGTCCAAACTCATCAA
 TGTATCTTATCATGTCTGGCTTAGCTATCCCGCCCTAATCCGCCCAAGTTCC
 GCCCATTCTCGCCCATAGGCTGACTAATTTTTTTTATTATGAGAGGCCGA
 GGCCGCTCGGCTCTGAGCTATCCAGAAGTAGTGAGGAGGCTTTTTGGAG
 GCCTAGCTAGGGACGTACCCAATTCCGCCCTATAGTGAGTCTATTACGCGCGC
 TCACTGGCCGTCGTTTTACAACGTCGTGACTGGGAAAACCTGGCGTTACCCA
 ACTTAATCGCCTTGACGACATCCCTTTTCGCCAGCTGGCGTAATAGCGAAG
 AGGCCCGCACCGATCGCCCTTCCCAACAGTTGCGCAGCTGAATGGCGAATG
 GGACGCGCCCTGTAGCGCGCATTAAGCGCGCGGGGTGTGGTGTGTACGCGC
 ACGGTGACCGCTACACTTGCCAGCGCCCTAGCGCCGCTCCTTTTCGCTTTCTT
 CCTTCTCTTTCTCGCCAGTTGCGCGGCTTTCCCGCTCAAGCTCTAAATCGGG
 GGCTCCCTTTAGGGTTCCGATTAGTGCTTTACGGCACCTCGACCCCAAAAAA
 CTTGATTAGGGTGTGGTTACGTAAGTGGCCATCGCCCTGATAGACGGTTTT
 TCGCCCTTTGACGTTGGAGTCCACGTTCTTAATAGTGGACTTTGTTCCAAAC
 TGGAACAACACTCAACCTATCTCGGTCTATTCTTTGATTATTAAGGGATTTT
 GCCGATTTCCGGCTATTGGTTAAAAAATGAGCTGATTTAAACAAAAATTAACG
 CGAATTTTAAACAAAAATTAACGCTTACAATTTAGGTGGCACTTTTCGGGGAA
 ATGTGCGCGGAACCCCTATTGTTTATTTTCTAAATACATTCAAATATGTATC
 CGCTCATGAGACAATAACCTGATAAATGCTTCAATAATATTGAAAAAGGAA
 GAGTATGAGTATTCAACATTTCCGTGTCGCCCTTATCCCTTTTTTGGCGCAT
 TTGCTTCTGTTTTTGTCTACCCAGAACGCTGGTGAAAGTAAAGATGCTG
 AAGATCAGTTGG

-continued

BiCAR2 VHH28

(SEQ ID NO: 35)

GTGCACGAGTGGGTACATCGAACTGGATCTCAACAGCGGTAAGATCCTTGA
GAGTTTTCGCCCGAAGAACGTTTCCAAATGATGAGCACTTTTAAAGTTCTGC
TATGTGGCGCGGTATTATCCCGTATTGACGCCGGCAAGAGCAACTCGGTCCG
CCGCATACACTATTCTCAGAACTGACTTGGTTGAGTACTCACCAGTCACAGAAA
AGCATCTTACGGATGGCATGACAGTAAGAGATTATGCAGTGCTGCCATAAC
CATGAGTGATAAAGCTGCGGCCAACTTACTTCTGACAAAGATCGGAGGACCG
AAGGAGCTAACCGCTTTTGTGACAAACATGGGGGATCATGTAACCTCGCCTTGA
TCGTTGGGAACCGGAGCTGAATGAAGCCATACCAAACGACGAGCGTGACACC
ACGATGCCCTGTAGCAATGGCAACAACGTTGCCGAACTATTAACTGGCGAAC
TACTTACTCTAGCTTCCCGGCAACAATTAATAGACTGGATGGAGGCGGATAA
AGTTGCAGGACCACTTCTGCGCTCGGCCCTTCCGGCTGGCTGGTTTATTGCTG
ATAAATCTGGAGCCGCTGAGCGTGGGTCTCGCGGTATCATTCAGCACTGGG
GCCAGATGGTAAGCCCTCCCGTATCGTAGTTATCTACACGACGGGAGTCAAG
GCAACTATGGATGAACGAAATAGACAGATCGCTGAGATAGGTGCTCACTGA
TTAAGCATTGGTAACGTGTCAGACCAAGTTACTCATATATACCTTTAGATTGAT
TTAAAACTTCATTTTAAATTTAAAGGATCTAGGTGAAGATCCCTTTTGATAA
TCTCATGACCAAAATCCCTTAACGTGAGTTTTCGTTCCACTGAGCGTCAGACC
CCGTAGAAAAGATCAAAGGATCTTCTTGAGATCCTTTTCTGCGCGTAATC
TGCTGCTTGCAAAACAAAAAACCCCGCTACACGCGGTGGTTTGTTCGCCG
ATCAAGAGCTACCAACTCTTTTCCGAAGGTAACCTGGCTTCAGCAGAGCGCA
GATACCAAACTAGTGTCTTCTAGTGTAGCCGTAGTAGGCCACCACTTCAAGA
ACTCTGTAGCACCGCTACATACCTCGCTCTGCTAATCCTGTTACCAGTGGCT
GCTGCCAGTGGCGATAAGTCTGTCTTACCGGGTTGGACTCAAGACGATAGTT
ACCGGATAAGGCGCAGCGGTCTGGGCTGAACGGGGGTTCTGTCACACAGCCC
AGCTTGGAGCGAACGACCTACACCGAAGTGAATACCTACAGCGTGAGCTAT
GAGAAAGCGCCACGCTTCCGGAAGGAGAAAGGCGGACAGGTATCCGGTAA
GCGGCGAGGTCGGAACAGGAGAGCGCACGAGGGAGCTTCCAGGGGAAACG
CCTGGTATCTTTATAGTCTGTGCGGTTTCCGCCCTCTGACTTGAGCGTCGAT
TTTTGTGATGCTCGTCAGGGGGCGGAGCCTATGGAACCAACGACGCAACG
GGCTTTTTCAGGTTCCGTGGCTTTTGTGCGCTTTTGTCTACATGTTCTTCTC
GCGTTATCCCCGTATCTGTGGATAACCGTATTACCGCTTTGAGTGAGCTGA
TACCGCTCGCGCAGCCGAACGACCGAGCGCAGCGAGTCAGTGAGCGAGGA
AGCGGAAGAGCGCCCAATACGCAACCGCCTCTCCCGCGCGTTGGCCGATT
CATTAACTGAGCTGGCAGCAGAGGTTTCCCGACTGGAAGCGGGCAGTGAGC
GCAACGCAATTAATGTGAGTTAGCTCACTCATTAGGCACCCAGGCTTTACAC
TTTATGCTTCCGGCTCGTATGTTGTGTGGAATTGTGAGCGGATAACAATTTCA
CACAGGAACAGCTATGACCATGATTACGCCAAGCGCGCAATTAACCTCAC
TAAAGGGGAACAAAAGCTGGAGCTGCAAGCTTAATGTAGTCTTATGCAATACT
CTTGTAGTCTTGCAACATGGTAACGATGAGTTAGCAACATGCCTTACAGGA
GAGAAAAAGCACCGTGCATGCCGATTTGGTGAAGTAAGGTGGTACGATCGTG
CCTTATTAGGAAGGCAACAGACGGGTCTGACATGGATTGGACGAACCACTGA
ATTGCCGCTATGACAGATATTGTATTAAAGTGCCTAGCTCGATACATAAAGC
GGTCTCTCTGGTTAGACCAGATCTGAGCCTGGGAGCTCTCTGGCTAACTAGGG
AACCCTAGCTTAAAGCTCAATAAAGCTTGCCCTTGAAGCTTCAAGTAGTGTG
TGCCCGCTGTGTTGTGAGCTCTGGTAACATAGAGATCCCTCAGACCTTTTAGT
CAGTGTGGAATCTCTAGCAGTGGCGCCCAACAGGGACTTGAAAGCGAAA
GGGAACCAAGAGGAGCTCTCTGACGACGAGCTCGGCTTGCTGAAGCGCGCA
CGGCAAGAGGCGAGGGCGGCGACTGGTGAGTACGCCAAAATTTTACTAG
CGGAGGCTAGAGGAGAGAGATGGGTGCGAGAGCGTCAGTATTAAAGCGGG
GAGAATTAGATCGCGATGGGAAAAAATTCGGTTAAGGCCAGGGGGAAGAA
AAAAATATAAATTAACATATAGTATGGCAAGCAGGAGCTAGAACGATTC
GCAGTTAATCTCGGCTGTTAGAAACATCAGAAGGCTGTAGACAAATCTGG
GACAGCTACAACCATCCCTTCAGACAGGATCAGAAGAACTAGATCATTATA
TAATACAGTAGCAACCTCTATTGTGTGCATCAAAGGATAGAGATAAAGAC
ACCAAGGAAGCTTTAGACAAGATAGAGGAAGAGCAAAACAAAAGTAAGACC
ACCGCACAGCAAGCGGCCGCTGATCTTCAGACCTGGAGGAGGAGATATGAGG
GACAATTGGAGAAGTGAATTATATAAATATAAAGTAGTAAAAATTGAACCAT
TAGGAGTAGCACCCACCAAGGCAAGAGAGAGTGGTGCAGAGAGAAAAA
GAGCAGTGGGAATAGGAGCTTTGTTCTTGGGTTCTTGGGAGCAGCAGGAAG
CACTATGGGCGCAGCGTCAATGACGCTGACGGTACAGGCCAGACAATTATTG
TCTGTATAGTGACGACGAGCAACAATTTGCTGAGGGCTATTGAGGCGCAAC
AGCATCTGTTGCAACTCACAGTCTGGGGCATCAAGCAGCTCCAGGCAAGAA
CCTGGCTGTGGAAGATACCTAAAGGATCAACAGCTCCTGGGGATTGGGGT
TGCTCTGGAATCTCATTGACCACTGCTGTGCCTTGAATGCTAGTTGGAG
TAATAAATCTCTGGAACAGATTGGAATCACACGACCTGGATGGATGGGAC
AGAGAAATTAACAATTACACAAGCTTAATACACTCCTTAATTGAAGAATCGC
AAAACAGCAAGAAAAAAGTAACAAGAAATATTGGAATTAGATAAATGGG
CAAGTTTGTGGAATTGGTTTAAACATAACAATTTGGCTGTGGTATATAAATTA
TTCAATAATGATAGTAGGAGGCTTGGTAGGTTTAAAGAAAGTTTTGCTGTACT
TTCTATAGTGAATAGAGTTAGCGAGGGATATTACCATTATCGTTTCAGACCC
ACCTCCCAACCCGAGGGGACCCGACAGGCCGAAGGAATAGAAGAAGAAG
GTGGAGAGAGACAGAGACAGATCCATTTCGATTAGTGAACGGATCTCGACG
GTATCGATTAGACTGTAGCCCAGGAATATGGCAGCTAGATTGTACACATTTAG
AAGGAAAAGTTATCTTGGTAGCAGTTTATGTAGCCAGTGGATATATAGAAGC
AGAAGTAATCCAGCAGAGACAGGGCAAGAAACAGCATACTTCTCTTAAAA
TTAGCAGGAAGATGGCCAGTAAAAACAGTACATACAGACAATGGCAGCAATT
TCACAGTACTACAGTTAAGGCCGCTGTGGTGGGCGGGGATCAAGCAGGA
ATTTGGCATTCCCTACAATCCCAAGTCAAGGAGTAATAGAACTATGAATA

-continued

AAGAATTAAAGAAAATTATAGGACAGGTAAGAGATCAGGCTGAACATCTTAA
 GACAGCAGTACAAAATGGCAGTATTCATCCACAATTTTAAAGAAAAGGGGGG
 ATTGGGGGGTACAGTGCAGGGGAAAGAATAGTAGACATAATAGCAACAGAC
 ATACAAAATAAAGAATTACAAAACAAATTACAAAAATTCAAAAATTTTCGGG
 TTTATTACAGGGACAGCAGAGATCCAGTTTGGCTGCATACGCGTCGTGAGGCT
 CCGGTGCCCGTCAGTGGGCAGAGCGACATCGCCACAGTCCCCGAGAAGTT
 GGGGGGAGGGGTCGGCAATTGAACCGGTGCCCTAGAGAAGGTGGCGCGGGGT
 AAAC TGGGAAAGTGATGTCGTGTAAGTGGCTCCGCTTTTCCCGAGGGTGGGG
 GAGAACCGTATATAAGTGCAGTAGTCGCGGTGAACGTTCTTTTCGCAACGGG
 TTTGCGCCGAGAACACAGGTAAGTGGCGTGTGTGGTTCCCGCGGGCTGGCCT
 CTTTACGGGTATGGCCCTTGGCTGCCCTTGAATTACTTCCACCTGGCTGCAGT
 ACCTGATTCTTGATCCGAGCTTCCGGTTGGAAGTGGGTGGGAGAGTTTCGAG
 GCCTTGGCTTAAAGAGCCCTTCGCCCTCGTCTGAGTTGAGGCTGGCCTG
 GGCGCTGGGGCCGCGCGCTGCGAATCTGGTGGCACCTTCGCGCTGTCTCGCT
 GCTTTCGATAAGTCTCTAGCCATTTAAATTTTGTGACCTGCTGCGACGCTT
 TTTTCTGGCAAGATAGTCTTGTAAATGCGGGCCAAAGATCTGCACACTGGTAT
 TTCGTTTTTTGGGGCCGCGGGCGGCGAGGGGCCGTGCGTCCAGCGCACA
 TGTTCGGCGAGGCGGGGCTGCGAGCGCGGCCACCGAGAATCGGACGGGGT
 AGTCTCAAGCTGGCGGCTGCTCTGGTGGCTGGCCTCGCGCCGCGGTGTATC
 GCCCGCCCTGGGCGGCAAGGCTGGCCGCTGGCACCAAGTTGCGTGAGCGG
 AAGATGGCCGCTTCCCGCCCTGCTGCAGGGAGCTCAAAATGGAGGACGCG
 GCGCTCGGGAGAGCGGGCGGGTGAGTCACCCACACAAAGGAAAAGGGCCTT
 TCCGCTCTCAGCGCTGCTTCATGTGACTCCACTGAGTACCGGGCGCGCTCCA
 GGCACCTCGATTAGTCTCTGCTCTTTGGAGTACGTCGCTTTAGGTTGGGGG
 GAGGGGTTTTATGCGATGGAGTTTCCCCCACTGAGTGGGTGGAGACTGAAG
 TTAGGCGAGCTTGGCACTTGATGTAATTTCTCCTTGAATTTGCCCTTTTGTAGT
 TTGGATCTTGGTTCATTCTCAAGCCTCAGACAGTGGTTCAAAGTTTTTTCTTC
 CATTTTCAGGTGTCGTGAGCTAGCTCTAGAGCCAGCATGGCCTTACCAGTGACC
 GCCTTGTCTCTGCGCTGGCCTTGTGCTCCACGCGCCAGGCGCaggtgcagctgc
 aggtgtctgggggaggtctggtgcagcctggggggtctctgagcctctcctgtacag
 cctctggatttcagcttcagtagttactccatggcctgggtccgcccaggtccagga
 agggaccggaatgggtctcagggatttaccctctgatggtaagacaaggtatgcag
 acttcgtgaagggcgattcagcatctccagagacaacgccaaagaatagtgtatct
 gcaaatgaacaacctggaacctgaggacacggccctataattactgtgcgagaggtatca
 ccggatggggacccgggggaggggacccaggtcacgtctcctcagcg
 gccgcccactagtGAGTCTAAGTACGGCCCTCCTGCCCTCCTTGCCCATACATCTGG
 GCGCCTTGGCGGGACTTGTGGGGTCTTCTCCTGTCACTGGTTATCACCTT
 TACTGCAAAACGGGGCAGAAAGAACTCCTGTATATATTCAAAACACCTTTA
 TGAGACCAGTACAACTACTCAAGAGGAAGATGGCTGTAGCTGCCGATTTC
 AGAAGAAGAAGAGGAGATGTGAAGTCTCGAGGGAAGCGGAGCTACTAA
 CTTAGCCTGCTGAAGCAGGCTGGAGACGTGGAGGAGAACCCTGGACCTCCT
 AGGATGGCCTTACCAGTGACCGCTTGCTCTGCGCTGGCCTTGCTGCTCCA
 CGCCGCCAGGCGGGATCCAGGTGCAGCTGCAGGAGTCTGGGGGAGGATTG
 GTGAGGCTGGGGGCTCTCTGAGACTTCTCTGTGAGCCTCTGAAGGACCGGT
 CAGCACCACACCATGGCCTGGTTCCGCGAGGCTCCAGGGAAGGAGCGTGAG
 TTTGTAGCCAGGATTACTGGTGTAGTACGGCTGTGAAGGGCCGGTTACCTT
 CTCAGAGACGAGCCCAAAAACACAGTGTATCTGCAATGAACAGCCTGAAA
 CTTGAGGACACGGCCGTCTATTACTGCGCGGCACACTATTTGGGTGGTCTGCC
 AGATATGCCGACTCAGTATCAATACTTGGGCCAGGGGACCCAGGTACCCGTC
 TCCTCAGCGGCCGCCACTAGTTCCGGAACCACTACACAGCGCCAGACCA
 CTACCCCGGCTCTACCATCGCATCTCAGCCTTGAGTCTTAGACCCGAGGCA
 TGTGCGGCAGCGCGGGGGCGCAGTGACACACGAGGGGGCTGGACTTCGCCT
 GTGATTACATCTGGGCGCCCTTGGCGGGACTTGTGGGGTCTTCTCCTGTCA
 CTGGTTATCACCTTTACTGCAAGTGAAGTTGAGCAGGAGCGCAGACGCCC
 CCGCTACAGCAGGGCCAGAACCAGCTCTATAACGAGCTCAATCTAGGACG
 AAGAGAGGAGTACGATGTTTTGGACAAGAGAGTGGCCGGGACCTGAGATG
 GGGGAAAGCCGAGAAGGAAGAACCTCAGGAAGGCCTGTACAATGAAGTGA
 CAGAAAGATAAGATGGCGAGGCTTACAGTGAAGTGGGATGAAGGGCGAG
 CGCCGAGGGGCAAGGGGCACGATGGCCTTTACCAGGCTCTCAGTACAGCCA
 CCAAGGACACCTACGACGCCCTTACATGACGGCCTGCCCTCTCGTAAAGT
 GACAATCAACCTCTGGATTACAAAATTTGTGAAAGATTGACTGGTATTCTTAA
 CTATGTTGCTCCTTTTACGCTATGTGGATACGCTGCTTAAATGCTTTGTATCA
 TGCTATTGCTTCCCGTATGGCTTTCATTTCTCCTCTGTATAAATCTGGTT
 GCTGTCTCTTTATGAGGAGTTGTGGCCGTTGTGAGGCAAGTGGCGTGGTGT
 GCAGTGTGTTTGTGACGCAACCCCACTGGTTGGGGCATTGCCACCCAGCTG
 CAGCTCTCTTCCGGGACTTTCGCTTTCCTCTCCTATGCCCACGGCGGAACCT
 ATCGCCGCTGCTTGGCCGCTGCTGGACAGGGGCTCGGCTGTTGGGCACTGA
 CAATTCGCTGGTGTGTGCGGGAAGCTGACGCTCTTCTTGGCTGCTCGCTG
 GTGTGCGACCTGGATTCTGCGCGGACGCTCTTCTGCTACGCTCCCTCGGCC
 CTCAATCCAGCGGACCTTCTTCCCGCGCTGCTGCGCGCTCTGCGGCTCT
 TCCGCTCTTCCGCTTCCGCTCAGACGAGTGGATCTCCCTTTGGGGCGCT
 CCCCCGCTGGAATTCGAGCTCGGTACCTTAAAGACCAATGACTTACAAGGCA
 GCTGTAGATCTTAGCCACTTTTAAAGAAAAGGGGGACTGGAAGGGCTAA
 TTCACTCCCAACGAAGACAAGATCTGCTTTTGTGTTGACTGGGTCTCTCTGGT
 TAGACCAGATCTGAGCTGGGAGCTCTGCTGCTAACTAGGGAACCCACTGCTT
 AAGCCTCAATAAAGCTTGCCTTGAAGTCTTCAAGTAGTGTGCGCCGCTGTT
 GTGTGACTCTGGTAAGTACAGATCCCTCAGACCTTTTGTAGTGTGGGAAA
 TCTCTAGCAGTAGTAGTTCATGTCTCTTATTATTAGTATTATAACTTGCAA
 AGAAATGAATATCAGAGAGTGAAGGAAGTGTGTTATTGACGCTTATAATGG
 TTACAAATAAGCAATAGCATCACAAATTTCAAAATAAGCATTTTTTTCAC
 TGCAATCTAGTTGTGGTTTGTCCAACTCATCAATGTATCTTATCATGTCTGG

-continued

TCTAGCTATCCCGCCCCCTAACTCCGCCCCAGTTCGCCCCATTCTCCGCCCCATG
 GCTGACTAATTTTTTTTATTTATGAGAGGCCGAGGCCGCTCGGCCCTCTGAG
 CTATTCCAGAAAGTAGTGAGGAGGCTTTTTGGAGGCCTAGCTAGGGACGTAC
 CCAATTCCGCCCTATAGTGAGTCGTATTACGCGCGCTCACTGGCCGTCGTTTTA
 CAACGTCGTGACTGGGAAAACCTGGCGTTACCCAACTTAATCGCCTTGCAGC
 ACATCCCCCTTTCGCCAGCTGGCGTAATAGCGAAGAGGCCCGCACCGATCGC
 CCTTCCCAACAGTTGCGCAGCCTGAATGGCGAATGGGACGCGCCCTGTAGCG
 GCGCATTAAGCGCGCGGGTGTGGTGGTTACGCGCAGCGTGACCGCTACACT
 TGCCAGCGCCCTAGCGCCCGCTCTTTTCGCTTCTTCCCTTCTTCTCGCCAC
 GTTTCGCGGCTTTCCCCGTCAAGCTCTAAATCGGGGGCTCCCTTTAGGGTTCC
 GATTTAGTGCTTTACGGCACCTCGACCCCAAAAACTTGATTAGGGTATGGT
 TCACGTAGTGGGCCATCGCCCTGATAGACGGTTTTTCGCCCTTTGACGTTGGA
 GTCCACGTTCTTTAATAGTGGACTCTTGTTCCAAACCTGGAACAACACTCAACC
 CTATCTCGGTCTATTCTTTGATTTATAAGGGATTTGCCGATTTTCGGCCTATT
 GGTTAAAAATGAGCTGATTTAACAAAAATTTAACGCGAATTTTAAACAAAT
 ATTAACGCTTACAATTTAGGTGGCACTTTTCGGGGAAATGTGCGCGGAACCCC
 TATTTGTTTATTTTCTAAATACATTCAAATATGTATCCGCTCATGAGACAATA
 ACCCTGATAAATGCTTCAATAATATGAAAAAGGAAGAGTATGAGTATTCAA
 CATTTCCGTGTGCGCCCTTATTCCTTTTTTTCGCGCATTTTGCCCTTCTGTTTTG
 CTCACCCAGAAACGCTGGTGAAAGTAAAGATGCTGAAGATCAGTTTG

BiCAR2 VHH30

(SEQ ID NO: 36)

GTGCACGAGTGGGTACATCGAACTGGATCTCAACAGCGGTAAGATCCTTGA
 GAGTTTTTCGCCCCGAAGAACGTTTTTCCAATGATGAGCACTTTTAAAGTTCTGC
 TATGTGGCGCGGTATTATCCCGTATTGACGCCGGGCAAGAGCAACTCGGTG
 CCGCATACACTATTCTCAGAATGACTTGGTTGAGTACTCACCAGTCACAGAAA
 AGCATCTTACGGATGGCATGACAGTAAGAGAATTATGCACTGCTGCCATAAC
 CATGAGTGATAAACAACCTGCGGCCAACTTACTTCTGACAACGATCGGAGGACCG
 AAGGAGCTAACCGCTTTTTTGACACAACATGGGGGATCATGTAACCTCGCCTTGA
 TCGTTGGGAACCGGAGCTGAATGAAGCCATACCAACGACGAGCGTGACACC
 ACGATGCCCTGTAGCAATGGCAACAACGTTGCGCAACTATTAACCTGGCGAAC
 TACTTACTCTAGCTTCCCGGCAACAATTAATAGACTGGATGGAGGCGGATAA
 AGTTGCGAGACCACTTCTGCGCTCGGCCCTTCCGGCTGGCTGGTTTATTGCTG
 ATAAATCTGGAGCCGGTGAGCGTGGGTCTCGCGGTATCATGACGACTGGG
 GCCAGATGGTAAGCCCTCCCGTATCGTAGTTATCTACACGACGGGAGTCAG
 GCAACTATGGATGAACGAAATAGACAGATCGCTGAGATAGGTGCCTCACTGA
 TTAAGCATTTGGTAACCTGTCAGACCAAGTTTACTCATATATACTTTAGATTGAT
 TTAAGAACTTCATTTTTAATTTAAAGGATCTAGGTGAAGATCCTTTTTTGATAA
 TCTCATGACCAAAATCCCTTAACGTGAGTTTTCGTTCCACTGAGCGTCAGACC
 CCGTAGAAAAGATCAAAGGATCTTCTTGAGATCCTTTTTTCTGCGCGTAATC
 TGCTGCTTGCAAAACAAAAAACACCGCTACACGCGGTGGTTTGTTCGCCG
 ATCAAGAGCTACCAACTCTTTTTCCGAAGGTAACCTGGCTTACGACGAGCGCA
 GATACCAATACTGTCTTCTAGTGATAGCCGTAGTTAGGCCACCACTTCAAGA
 ACTCTGTAGCACCGCTACATACCTCGCTCTGCTAATCTGTACCAGTGGCT
 GCTGCCAGTGGCGATAAGTCGTGCTTACCAGGTTGGACTCAAGACGATAGTT
 ACCGGATAAGGCGCAGCGGTGCGGCTGAACGGGGGTTTCGTGCACACAGCCC
 AGCTTGGAGCGAACGACCTACACCGAAGTGAAGTACCTACAGCGTGAGCTAT
 GAGAAAGCGCCACGCTTCCCGAAGGGAGAAAGGCGGACAGGTATCCGGTAA
 CGCGCAGGTCGGAACAGGAGAGCGCACGAGGGAGCTTCCAGGGGGAACG
 CCTGTGATCTTTATAGTCTGTGCGGTTTCGCCACCTCTGACTTGAGCGTCGAT
 TTTTGTGATGCTCGTCAGGGGGCGGAGCCTATGGAAAAACGCCAGCAACGC
 GGCCTTTTTACGGTTCCTGGCCTTTTGTGCGCTTTTGTGCATGTTCTTTCT
 GCGTTATCCCTGATTTCTGTGGATAACCGTATTACCGCTTTGAGTGAGCTGA
 TACCGCTCGCCGACGCGAACGACCGAGCGCAGCGAGTCAGTGAGCGAGGA
 AGCGGAAGAGCGCCCAATACGCAACCGCCTCTCCCGCGCGTTGGCGGAT
 CATTAATGACGCTGGCAGCAGAGGTTTCCCGACTGGAAGCGGGCAGTGAGC
 GCAACGCAATTAATGTGAGTTAGCTCACTCATTAGGCACCCAGGCTTTACAC
 TTTATGCTTCGCGCTCGTATGTTGTGGAATTTGTAGCGGATAACAATTTCA
 CACAGGAAACAGCTATGACCATGATTACGCAAGCGCGCAATTAACCCCTCAC
 TAAAGGGAACAAAGCTGGAGCTGCAAGCTTAATGTAGTCTTATGCAATACT
 CTTGTAGCTTGCAACATGGTAACGATGAGTTAGCAACATGCCTTACAAGGA
 GAGAAAAAGCACCGTGATGCCGATTGGTGGAAGTAAGTGGTACGATCGTG
 CCTTATTAGGAAGGCAACAGCGGGTCTGCATGGATTGGACGAACCACTGA
 ATTGCCGCTATGCAAGATATGTATTTAAGTGCCCTAGCTCGATACATAAAGC
 GGTCCTCTGGTTAGACAGATCTGAGCCTGGGAGCTCTCTGGCTAACTAGGG
 AACCCACTGCTTAAGCCTCAATAAAGCTTGCTTGTAGTGCTTCAAGTAGTGTG
 TGCCCGCTGTTGTGTGACTCTGGTAACCTAGAGATCCCTCAGACCTTTTAGT
 CAGTGTGAAAAATCTCTAGCAGTGGCGCCCGAACAGGACTTGAAAGCGAAA
 GGGAAACAGAGGAGCTCTCTCGACGAGGACTCGGCTTGCTGAAGCGCGCA
 CGGCAAGAGCGGAGGGGCGGCACTGGTGAGTACGCCAAAAATTTGACTAG
 CGGAGGCTAGAAGGAGAGAGATGGGTGCGAGAGCGTCAGTATTAAAGCGGG
 GAGAATTAGATCGCGATGGGAAAAATTCGGTTAAGGCCAGGGGGAAAGAA
 AAAATATAAATTAACATATAGTATGGCAAGCAGGAGCTAGAACGATTC
 GCAGTTAATCCTGGCTGTTAGAAACATCAGAAGGCTGTAGACAAATACTGG
 GACAGCTACAACCATCCCTTCAGACAGGATCAGAAGAACTTAGATCATTATA
 TAATACAGTAGCAACCTCTATTGTGTGATCAAGGATAGAGATAAAGAGC
 ACCAAGGAAGCTTTAGACAAGATAGAGGAAGAGCAAAACAAAGTAAGACC
 ACCGCACAGCAAGCGGCGCTGATCTTCAGACCTGGAGGAGGAGATATGAGG
 GACAATTGGAGAAGTGAATTATATAAATAAAGTAGTAAAAATTGAACCAT
 TAGGAGTAGCACCCACCAAGGCAAGAGAGAGTGGTGACAGAGAAAAAA

-continued

GAGCAGTGGGAATAGGAGCTTTGTTCCCTGGGTTCTTGGGAGCAGCAGGAAG
 CACTATGGGCGCAGCGTCAATGACGCTGACGGTACAGGCCAGACAAATTATTG
 TCTGCTATAGTGCAGCAGCAGAACAAATTGCTGAGGGCTATTGAGGCGCAAC
 AGCATCTGTTGCAACTCAGCTCTGGGGCATCAAGCAGCTCCAGGCAAGAAT
 CCTGGCTGTGAAAAGATACCTAAAGGATCAACAGCTCCTGGGGATTGGGGT
 TGCTCTGGAATACTATTGCACTGCTGTGCTTGGAAATGCTAGTTGGAG
 TAATAAATCTTGGAACAGATTGGAAATCACACGACCTGGATGGAGTGGGAC
 AGAGAAATTAACAATTACACAAGCTTAATACACTCCTTAATTGAAGAATCGC
 AAAACAGCAAGAAAGAAATGAACAAGAAATTTTGAATTAGATAAATGGG
 CAAGTTTGTGGAATGGTTTAAACATAACAAATTTGGCTGTGGTATATAAAATTA
 TTCATAATGATAGTAGGAGGCTTGGTAGGTTTAAAGAATAGTTTGGTGTACT
 TTCTATAGTGAATAGAGTTAGGCAGGGATATTACCATTATCGTTTCAGACCC
 ACCTCCCAACCCGAGGGGACCCGACAGGCCCGAAGGAATAGAAGAAGAAG
 GTGGAGAGAGAGACAGAGACAGATCCATTGATTAGTGAAACGGATCTCGACG
 GTATCGATTAGACTGTAGCCCAGGAATATGGCAGCTAGATTGTACACATTTAG
 AAGGAAAAGTTATCTTGGTAGCAGTTTCATGTAGCCAGTGGATATATAGAAGC
 AGAAGTAATTCCAGCAGAGACAGGGCAAGAAACAGCATACTTCTCTTAAAA
 TTAGCAGGAAGATGCCAGTAAAAACAGTACATACAGACAATGGCAGCAATT
 TCACCAGTACTACAGTTAAGGCCGCTGTTGGTGGGCGGGATCAAGCAGGA
 ATTTGGCATTCCCTACAATCCCAAGTCAAGGAGTAATAGAATCTATGAATA
 AAGATTAAGAAAAATTTAGGACAGGTAAGAGATCAGGCTGAACATCTTAA
 GACAGCAGTACAAATGGCAGTATTCATCCACAATTTTAAAGAAAAGGGGGG
 ATTGGGGGTACAGTGCAGGGGAAAGAATAGTAGACATAATAGCAACAGAC
 ATACAACATAAGAAATTACAAAACAAATTACAAAAATCAAAATTTTCGGG
 TTTATTACAGGGACAGCAGAGATCCAGTTTGGCTGCATACGCGTCGTGAGGCT
 CCGGTGCCCGTCAGTGGGCAGAGCGCACATCGCCACAGTCCCGAGAGATT
 GGGGGAGGGGTGCGCAATTGAACCGGTGCTTAGAGAAGGTGGCGCGGGT
 AAACCTGGGAAAGTGATGTCGTGACTGGCTCCGCTTTTCCCGAGGGTGGGG
 GAGAACCGTATATAAGTGCAAGTAGTCGCGTGAACGTTCTTTTCGCAACGGG
 TTTGCGCCGAGAACACAGGTAAGTGCCGTGTGTGTTCCCGCGGGCTGGCCT
 CTTTACGGGTTATGGCCCTTGCCTGCCCTGAATTACTTCCACCTGGCTGCAGT
 ACGTGATTCTTGATCCCGAGCTTCCGGTTGGAAGTGGGTGGGAGAGTTCCAG
 GCCTTGCGCTTAAGGAGCCCTTCGCTCGTGTGAGTTGAGGCTTGGCCTG
 GCGCTGGGGCCGCGCTGCGAATCTGGTGGCACCTTCGCGCTGTCTCGCT
 GCTTTCGATAAGTCTCTAGCCATTTAAATTTTGGATGACCTGCTGCGACGCTT
 TTTTCTGCAAGATAGTCTTGTAATGCGGGCCAGATCTGCACACTGGTAT
 TTCGGTTTTTGGGGCCGCGGGCGGCGAGCGGGCCCGTGCCTCCAGCGACA
 TGTTCGGCGAGGCGGGCTTGGAGCGCGGCCACCGAGAATCGGACGGGGT
 AGTCTCAAGCTGGCGGCTGCTCTGGTGCCTGGCCTCGCGCCCGCTGTATC
 GCCCCGCTGGGGCGCAAGGCTGGCCCGCTGGCCAGCAGTTGCGTGAGCGG
 AAAGATGGCCGCTTCCCGCCCTGCTGCAAGGAGCTCAAAATGGAGGACGCG
 GCGCTCGGAGAGCGGGCGGGTGAGTACCCACACAAAGGAAAAGGGCCTT
 TCCGCTCTCAGCCGCTGCTTCATGTGACTCCACTGAGTACCGGGCGCGTCCA
 GGCACCTCGATTAGTTCTCGTGTCTTGGAGTACGTGCTTTAGGTTGGGGT
 GAGGGGTTTTATGCGATGGAGTTTCCCGACACTGAGTGGGTGGAGACTGAAG
 TTAGGCCAGCTTGGCACTTGATGTAATCTCCTTGAATTTGCCCTTTTGGAT
 TTGGATCTTGGTTTATTCTCAAGCCTCAGACAGTGGTTCAAGATTTTTTCTTC
 CATTTAGGTGTGCTGAGCTAGCTTAGAGCCAGCATGGCCTTACCAGTGACC
 GCCTTGCTCCTGCCGCTGGCTTGTGCTCCAGCCGCGAGGCGCaggtgcagctgc
 aggtgctgggggaggttggtgcagcctggggggtctctgagcctctcgtacagcct
 ctggatctacgtctcagtagttactccatggcctgggtccgcccaggtccagggaaggg
 acccgaatgggtctcagggattacccttctgatggtaagacaaggtatgca
 gactctgtaaggggaggttcagcatctccagagacaacgccaagaatatgtgtatc
 tgcaaatgaacaactggaacctgaggacacggccctattactgtgagagagg
 tatcaccggattgggaccccggggcccaggggacccaggtcaccgtctcctcagcg
 gccgccactagtGAGTCTAAGTACGGCCTCCTGCCCTCCTTGCCCATACATCTGG
 GCGCCTTGGCGGACTTGTGGGTCTTCTCCTGTCACTGGTTATCACCCCT
 TACTGCAACCGGGCAGAAAGAACTCCTGTATATTTCAAAACACCATTTA
 TGAGACAGTACAACTACTCAAGAGGAAGATGGCTGTAGCTGCCGATTTC
 AGAAGAAGAAGAGGAGATGTGAAGTCTCGAGGGAAGCGAGCTACTAA
 CTTACGCTGTGAAGCAGGCTGGAGAGCTGGAGGAGAACCCTGGACCTCCT
 AGGATGGCCTTACCAGTGACCGCCTTGTCTTGGCGCTGGCCTTGTGCTCCA
 CGCCGCGAGGCCGGGATCCAGGTGCAGCTGCAGGAGTCTGGGGGAGGATTG
 GTGCAGGCTGGGGGCTCTCTGAGACTCTCCTGTGCGAGCTCTGGATTACGTT
 TGGTATGTTATGTTATGGGCTGGTTCCGCCAGGCTCCAGGGAAGGAGCGTGAA
 TTTGTGGCAAGTATTAGTACGAGTGGTGGCATAACATCTTATGCAGACTCCGT
 GAAGGGCCGATTCACTGTCTCCAGAGACAACGCCAAGAATACGGTCTACTTA
 CAAATGAACAGCCTGAAACCTGAGGACACGGCCGTTTATTACTGCGACGAG
 ATCTGACATACTATCGTACTGGTGGTAGGTTACCAGATAACGCTAATGGATAT
 GCGTACTGGGGCCAGGATACCAGGTCACCGTCTCCTCAGCGGCCGCCACTA
 GTTCCGGAACCACTACACAGCGGCCAGACCCTACCCCGGCTCCTACCATC
 GCATCTCAGCCCTTGAAGTCTTAGACCCGAGGCTGTGCGCCAGCGGCGGGGG
 GCGCAGTGACACGAGGGGGCTGGACTTCGCTGTGATTACATCTGGGCGCC
 CTTGGCCGGGACTTGTGGGCTCTTCTCCTGTCACTGGTTATCACCCCTTACTG
 CAGAGTGAAGTTCAGCAGGAGCGCAGACGCCCCCGCGTACAAGCAGGGCCA
 GAACAGCTCTATAACGAGCTCAATCTAGGACGAAGAGAGGAGTACGATGTT
 TTGGACAAGAGAGCTGGCCGGGACCTTGAGATGGGGGAAAGCCGAGAGG
 AAGAACCCTCAGGAAGGCTGTACAATGAATGCAAGAAAGATAAGATGGCG
 GAGGCCACAGTGAGATTGGGATGAAAGGCGAGCGCCGAGGGGGCAAGGGG
 CACGATGGCCTTACCAGGCTCAGTACAGCCACCAAGGACACCTACGACG
 CCCTTCATATGACGGCCTGCCCTTCGCTAAGTCGACAATCAACCTCTGGAT

-continued

TACAAAATTGTGAAAGATTGACTGGTATTCTTAACTATGTTGCTCCTTTTACG
 CTATGTGGATACGCTGCTTTAATGCCTTTGTATCATGCTATTGCTTCCCGTATG
 GCTTTTCATTTTCTCCTCTTGTATAAATCCTGGTTGCTGTCTCTTTATGAGGAG
 TTGTGGCCCGTTGT CAGGCAACGTGGCGTGGTGTGCACTGTGTTTGTGACGC
 AACCCCACTGGTTGGGGCATTGCCACCACCTGT CAGCTCCTTTCCGGGACTT
 TCGCTTTCCCCCTCCTTATTGCCACGGCGGAACATCGCCGCTGCCTTGCC
 CGCTGCTGGACAGGGGCTCGGCTGTTGGGCACTGACAATTCGCTGGTGTGTC
 GGGGAAGCTGACGTCTTTCTTGGCTGCTCGCCTGTGTTGCCACCTGGATT
 TCGCGGGGACGTCTTCTGCTACGTCCCTTCGGCCCTCAATCCAGCGACCTT
 CCTTCCCGCGGCTGCTGCCGGCTCTGCGGCTCTTCCGCGTCTTCCGCTTCGC
 CCTCAGACGAGTCGATCTCCTTTGGGCGGCTCCCGGCTGGAATTCGAGC
 TCGGTACCTTTAAGACCAATGACTTACAAGGCAGCTGTAGATCTTAGCCACTT
 TTTAAAGAAAAGGGGGGACTGGAAGGGCTAATTCAC'TCCCAACGAAGACA
 AGATCTGCTTTTGTGTTGACTGGGTCTCTCTGGTTAGACCAGATCTGAGCTG
 GGAGTCTCTGGCTAACTAGGGAACCCACTGCTTAAGCTCAATAAAGCTTGC
 CTTGAGTGCTTCAAGTAGTGTGTCGCCGCTCTGTTGTGTGACTCTGGTAACTAG
 AGATCCCTCAGACCTTTTAGTACAGTGTGGAATACTCTAGCAGTAGTAGTTC
 ATGTATCTTATTATCTAGTATTTATACTTGCAAGAAATGAATATCAGAGA
 GTGAGAGGAAC'TGTTTATGTCAGCTTATAATGGTTACAAAATAAGCAATAG
 CATCAAAATTTCAAAAATAAGCATT'TTTTCTACTGCATTCTAGTTGTGGTTT
 GTCCAAACTCATCAATGTATCTTATCATGTCTGGCTCTAGCTATCCGCCCTCA
 ACTCCGCCAGTTCGCCCATTTCTCCGCCCATGGCTGACTAATTTTTTTTAT
 TATGTCAGAGGCGGAGGCGGCTCGGCCCTCTGAGCTATTCCAGAAGTAGTGAG
 GAGGCTTTTTTGGAGGCTAGCTAGGGAGCTACCAATTCGCCCTATAGTGAG
 TCGTATTACGCGGCTCACTGGCCGTCGTTTACAAACGTCGTGACTGGGAAAA
 CCTGGCGTTTACCAACTTAATCGCCTTGAGCACATCCCTTTCCGCGAGCT
 GGCGTAATAGCGAAGAGGCGCCGACCGATCGCCCTTCCCAACAGTTGCGCAG
 CCTGAATGGCGAATGGGACGCGCCCTGTAGCGGCGCATTAAGCGCGGCGGGT
 GTGGTGGTTACGCGCAGCGTGACCGCTACACTTGCCAGCGCCCTAGCGCCG
 CTCTTTCTGCTTCTTCCCTTCTTCTCGCCACGTTGCGCGGCTTTCCCGCTCA
 AGCTCTAATCGGGGCTCCCTTTAGGGTTCGATTTAGTGCTTTACGGCACC
 TCGACCCCAAAAACTTGATTAGGGTGATGGTTACGTAAGTGGGCAATCGCC
 CTGATAGACGGTTTTTCCGCCCTTGACGTTGGAGTCCAGCTTCTTAAATAGTG
 GACTCTGTTCCAAAC'TGGAACAACACTCAACCTTATCTCGTCTATTCTTTTG
 ATTTATAAGGGATTTTCCGATTTCGGCTATTTGGTTAAAAAATGAGCTGATT
 TAACAAAAATTTAACGCGAATTTTAACAAAAATTAACGCTTACAATTTAGGT
 GGCATTTTCCGGGAAATGTGCGCGGAACCCCTATTGTGTTATTTTCTAAAT
 ACATTCAAATATGTATCCGCTCATGAGACAATAACCTGATAAATGCTTCAAT
 AATATTGAAAAAGGAAGAGTATGAGTATTAACATTTCCGTGTGCGCCTTATT
 CCCTTTTTTGGCGCATTTTGCTTCTGCTTTTGTCTACCCAGAAACGCTGGTG
 AAAGTAAAGATGCTGAAGATCAGTTG

BiCAR2 VHH32

(SEQ ID NO: 37)

GTGCACGAGTGGGTACATCGAACTGGATCTCAACAGCGGTAAGATCCTTGA
 GAGTTTTCCGCCCGGAAGAACGTTTTCCAATGATGAGCACTTTTAAAGTTCTGC
 TATGTGGCGCGGTATTATCCCGTATTGACCGCGGCAAGAGCAACTCGGTG
 CCGCATACACTATTCTCAGAAATGAGTTGGTTGAGTACTACCAAGTACAGAAA
 AGCATCTTACGGATGGCATGACAGTAAGAGAATTATGCACTGCTGCCATAAC
 CATGAGTGATAAACACTGCGGCCAACTTACTCTGACAACGATCGGAGGACCG
 AAGGAGCTAACCGCTTTTGTGACAACATGGGGGATCATGTAAC'TCGCCTTGA
 TCGTTGGGAACCGGAGCTGAATGAAGCCATACCAACGACGAGCGTGACACC
 ACGATGCCCTGTAGCAATGGCAACAACGTTGCGCAAACTATTAACTGGCGAAC
 TACTTACTCTAGCTTCCCGGCAACAATTAATAGACTGGATGGAGGCGGATAA
 AGTTGCGAGACCACTTCTGCGCTCGGCCCTTCCGGCTGGCTGGTTATTGCTG
 ATAAATCTGGAGCCGGTGAGCGTGGGTCTCGCGGTATCATGACGACTGGG
 GCCAGATGGTAAGCCCTCCCGTATCGTAGTTATCTACAGACGGGGAGTCAG
 GCAACTATGGATGAACGAAATAGACAGATCGCTGAGATAGGTGCCCTCACTGA
 TTAAGCATTTGGTAACTGTCAGACCAAGTTTACTCATATATACTTAGATTGAT
 TTAAGACTCATTTTAAATTTAAAGGATCTAGGTGAAGATCCTTTTGTATAA
 TCTCATGACCAAAATCCCTTAACGTGAGTTTTCGTTCCACTGAGCGTCAGACC
 CCGTAGAAAAGATCAAAGGATCTTCTTGAGATCCTTTTCTGCGCGTAATC
 TGCTGCTTGCAAAACAAAAACCACCGCTACCAAGCGGTGGTTTGTGCGCG
 ATCAAGAGCTACCAACTCTTTTCCGAAGGTAAC'TGGCTTCAGCAGAGCGCA
 GATACCAATACTGTCTTCTAGTGAGCCGTAGTTAGGCCACCACTTCAAGA
 ACTCTGTAGCACCGCTACATACCTCGCTCTGCTAATCCTGTTACAGTGGCT
 GCTGCCAGTGGCGATAAGTCGTGCTTACC'GGGTGGACTCAAGACGATAGTT
 ACCGGATAAGGCGCAGCGGTGCGGCTGAACGGGGGTTTCGTGCACACAGCC
 AGCTTGGAGCGAACGACTACACCGAAGTACGATACCTACAGCGTGAAGTAT
 GAGAAAGCGCCACGCTTCCCGAAGGGAGAAAGGCGGACAGGTATCCGGTAA
 GCGGCAAGGTGCGAACAGGAGAGCGCACGAGGGAGCTTCCAGGGGGAACG
 CCTGCTATCTTTATAGTCTGTGCGGTTTCGCCACCTCTGACTTGAGCGTCGAT
 TTTTGTAGTGTCTCAGGGGGGCGGAGCCTATGGAACCGCCAGCAACGC
 GGCTTTTACGGTTCTTGGCTTTTGTGCTGGCTTTTGTCTCACATGTTCTTCT
 GCGTTATCCCTGATCTGTGATAACCGTATTACC'GCTTTGAGTGAGCTGA
 TACC'GCTCGCCGACCGAACGACCGAGCGCAGCGAGTCACTGAGCGAGGA
 AGCGGAAGAGCGCCCAATACGCAACCGCCTTCTCCCGCGGTTGGCGATT
 CATTAATGAGCTGGCACGACAGGTTTCCCGACTGGAAGCGGGCAGTGAGC
 GCAACGCAATTAATGTGAGTTAGCTCACTCATTAGGCACCCAGGCTTTACAC
 TTTATGCTTCGGCTCGTATGTTGTGGAATTGTGAGCGGATAACAATTTCA
 CACAGGAACAGCTATGACCATGATTACGCCAAGCGCGCAATTAACCTCAC

-continued

TAAAGGGAACAAAAGCTGGAGCTGCAAGCTTAATGTAGTCTTATGCAATACT
 CTTGTAGTCTTGCAACATGGTAACGATGAGTTAGCAACATGCCTTACAAAGGA
 GAGAAAAAGCACCGTGCATGCCGATTTGGTGGAAAGTAAGGTGGTACGATCGTG
 CCTTATTAGGAAGGCAACAGACGGGTCTGACATGGATTGGACGAACCACTGA
 ATTGCCGCATTGCAGAGATATTGTATTTAAGTGCCTAGCTCGATACATAAACG
 GGTCCTCTGGTTAGACCAGATCTGAGCCTGGGAGCTCTCTGGCTAACTAGGG
 AACCCACTGCTTAAGCCTCAATAAAGCTTGCCCTTGAGTGCTTCAAGTAGTGTG
 TGCCCGTCTGTTGTGTGACTCTGGTAAGTACGATCCCTCAGACCTTTTAGT
 CAGTGTGGAAAACTCTCTAGCAGTGGCGCCGAACAGGGACTTGAAAGCGAAA
 GGGAAACAGAGGAGCTCTCTCGACGCAGGACTCGGCTTGCTGAAGCGCGCA
 CGGCAAGAGGCGAGGGGCGGCGACTGGTGAGTACGCCAAAATTTTACTAG
 CGGAGGCTAGAAGGAGAGATGGGTGCGAGAGCGTCAGTATTAAAGCGGG
 GAGAATTAGATCGCGATGGGAAAAAATTCGGTTAAGGCCAGGGGGAAAGAA
 AAAATATAAATTAAACATATAGTATGGGCAAGCAGGGAGCTAGAACGATTC
 GCAGTTAATCCTGGCTGTAGAAAATCAGAAAGCTGTAGACAAATACTGG
 GACAGCTACAACCATCCCTTCAGACAGGATCAGAAGAACTTAGATCATTATA
 TAATACAGTAGCAACCTCTATTGTGTGCATCAAAGGATAGAGATAAAAGAC
 ACCAAGGAAGCTTTAGACAAGATAGAGGAAGAGCAAAACAAAAGTAAGACC
 ACCGCACAGCAAGCGGCGCTGATCTTCAGACCTGGAGGAGGAGATATGAGG
 GACAATTGGAGAAGTGAATTATATAAATATAAAGTAGTAAAAATTGAACCAT
 TAGGAGTAGCACCCACAGGCAAGAGAGAGTGGTGCAGAGAGAAAAA
 GAGCAGTGGGAATAGGAGCTTTGTTCTCTGGGTTCTTGGGAGCAGCAGGAAG
 CACTATGGGCGCAGCGTCAATGACGCTGACGGTACAGGCCAGACAAATTATTG
 TCTGTGTATAGTGACAGCAGCAGAACAAATTGTCTGAGGGCTATTGAGGCCAAC
 AGCATCTGTTGCAACTCACAGTCTGGGGCATCAAGCAGCTCCAGGCAAGAAT
 CCTGGCTGTGAAAGATACCTAAAGGATCAACAGCTCCTGGGATTTGGGGT
 TGCTCTGGAAAACTCATTTGCACCTGCTGTGCCTTGAATGTAGTTGGAG
 TAATAAATCTCTGGAACAGATTGGGAATCACACGACCTGGATGGAGTGGGAC
 AGAGAAATTAAACAATTACACAAGCTTAATACACTCCTTAATTGAAGAATCG
 AAAACAGCAAGAAAGAAATGAACAAGAAATTATTGGAATTAGATAAATGGG
 CAAGTTTGTGGAATTTGTTTAAACATAACAAATTTGGCTGTGGTATATAAAATTA
 TTTATAATGATAGTAGGAGGCTTGGTAGGTTTAAAGAAAGTTTGTGTACT
 TTCTATAGTGAATAGAGTTAGGACAGGATATTACCATTATCGTTTCAGACCC
 ACCTCCCAACCCCGAGGGGACCCGACAGGCCCGAAGGAATAGAAGAAGAG
 GTGGAGAGAGAGACAGAGACAGATCCATTTCGATTAGTGAACGGATTCGACG
 GTATCGATTAGACTGTAGCCCAGGAATATGGCAGCTAGATTGTACACATTTAG
 AAGGAAAAAGTTATCTTGGTAGCAGTTTCATGTAGCCAGTGGATATATAGAAGC
 AGAAGTAATTCCAGCAGAGACAGGGCAAGAAACAGCATACTTCCTCTTAA
 TTAGCAGGAAGATGGCCAGTAAAAACAGTACATACAGACAATGGCAGCAATT
 TCACCAGTACTACAGTTAAGGCCGCTGTTGGTGGGCGGGGATCAAGCAGGA
 ATTTGGCATTCCCTACAATCCCAAGTCAAGGAGTAATAGAATCTATGAATA
 AAGAATTAAAGAAAAATTATAGGACAGGTAAGAGATCAGGCTGAACATCTTAA
 GACAGCAGTACAAATGGCAGTATTTCATCCACAATTTTAAAGAAAAGGGGG
 ATTTGGGGGTACAGTGCAGGGGAAAGAAATAGTAGACATAATAGCAACAGAC
 ATACAAACTAAAGAAATTACAAAAACAAATTACAAAAATTCAAAATTTTCGGG
 TTTATTACAGGGACAGCAGAGATCCAGTTTGGCTGCATACGCGTCGTGAGGCT
 CGGCTGCCCGTCAAGTGGGCGAGCGCACATCGCCACAGTCCCGAGAGAGTT
 GGGGGAGGGGTGCGCAATTGAACCGGTGCTAGAGAAGGTGGCGCGGGT
 AAACCTGGGAAAGTGATGTCGTGACTGGCTCCGCTTTTCCCGAGGGTGGGG
 GAGAACCCTATATAAGTGCAGTAGTCCGCGTGAACGTTCTTTTCGCAACGGG
 TTTGCGCGCAGAACACAGGTAAGTGCCGTGTGTGGTTCCCGCGGGCTTGGCCT
 CTTTACGGGTATGGCCCTTGCGTGCCTTGAATTACTTCCACCTGGCTGCAGT
 ACGTGATTCTTGATCCCGAGCTTCCGGTTGGAAGTGGGTGGGAGAGTTTCAG
 GCCTTGCGCTTAAGGAGCCCTTCGCTCGTGTGAGTTGAGGCTTGGCCTG
 GCGCTGGGGCGCGCGGTGCGAATCTGGTGGCACCTTCGCGCTGTCTCGCT
 GCTTTCGATAAGTCTCTAGCCATTTAAATTTTGTGATGACCTGCTGCACGCTT
 TTTTCTGGCAAGATAGTCTTGTAAATGCGGGCCAGATCTGCACACTGGTAT
 TTCGTTTTCGGGGCGCGGGCGGCGAGCGGGCCGTCGCTCCAGCGCACAT
 TGTTGCGCGAGGCGGGCTGCGAGCGCGGCCACCGAGAATCGGACGGGGT
 AGTCTCAAGCTGGCGGCTGCTCTGGTGCCTGGCCTCGCGCCCGGTGTATC
 GCCCCGCTGGGCGGCAAGGCTGGCCCGGTGCGGCACAGTTGCGTGAGCGG
 AAAGATGGCCGCTTCCCGGCTGCTGCAAGGAGCTCAAAATGGAGGACGCG
 GCGCTCGGAGAGCGGGCGGGTGAGTACCCACACAAAGGAAAAGGGCCTT
 TCCGCTCTCAGCCGTCGCTTCATGTGACTCCACTGAGTACCGGGCGCGTCCA
 GGCACCTCGATTAGTTCTCGTGTCTTTGGAGTACGTCGTCTTAGTTTGGGG
 GAGGGGTTTTATGCGATGGAGTTTCCCGACACTGAGTGGGTGGAGACTGAAG
 TTAGGCCAGCTTGGCACTTGATGTAATCTCCTTGAATTTGCCCTTTTGTAGT
 TTGGATCTTGGTTCATTCTCAAGCCTCAGACAGTGGTTCAAAGTTTTCCTTC
 CATTTTCAGGTGTCTGAGCTAGCTCTAGAGCCAGCATGGCCTTACAGTGACC
 GCCTTGCTCTGCGCTGGCCTTGCTGCTCCAGCCGCCAGGCCGcaggtgcagctgc
 aggagtcctgggggaggttgggtgcagcctggggggtctctgagcctctcgtgacagcctct
 ggattcaggttcagtagttactccatggcctgggtcccgccaggtccaggggaagggacc
 cgaatgggtctcagggatttacccttctgatggtaagacaaggatgca
 gacttcgtgaaggccgattcagcatctccagagacaacgccaagaatatgtgtatctgcaaa
 tgaacaacctggaaacctgaggacacggccctattactgtgagagaggtatcaccgga
 ttgggaccccggggacaggggacccaggtcaccgtctctcagcg
 gccgacctagtGAGTCTAAGTACGGCCCTCCCTGCCCTCCTTGCCCATACATCTGG
 GCGCCCTTGGCGGGACTTGTGGGGTCTTCTCCTGTCACTGGTTATCACCTT
 TACTGCAACCGGGCAGAAAGAACTCCTGTATATATCAAAACAACCATTTA
 TGAGACAGTACAACTACTCAAGAGGAAGATGGCTGTAGCTGCGGATTTCC
 AGAAGAAGAGAGGAGGATGTGAAGTCTCGAGGGAAGCGGAGCTACTAA

-continued

CTTCAGCCTGCTGAAGCAGGCTGGAGACGTGGAGGAGAACCCTGGACCTCCT
 AGGATGGCCTTACCACTGACCGCCTTGCTCCTGCCGCTGGCCTTGCTGCTCCA
 CGCCGCCAGGCCGGATCCAGGTGCAGCTGCAGGAGTCTGGAGGAGGCTTG
 GTGCAGGCTGGGGGTCTCTAAATCTCTCCTGTGCAGCCTCTGGAAGTTCTCT
 CAGACTCTATACCGTCGGCTGGCAGCCAGCCAGCGCCAGGGAAGCAGCGCAG
 TTGGTCGCATGGATTAGTGGTGGCGGCAGCACAACATCATTCGTCGGTGAA
 GGGCCGATTACCATCTCCAGAGACAACGCCAAGAACACGGCACTCTTGCAA
 ATGAACAACCTGGCACCTGAAGACACGGCCGTCTATTACTGTAATCTACTGA
 ACTACTGGGGCCAGGGGACCCAGGTACCGTCTCCTCAGCGGCCGCCACTAG
 TTCCGGAACCACTACACAGCGCCAGACCACCTACCCCGGCTCTTACCATCG
 CATCTCAGCCCTTGAGTCTTAGACCCGAGGCATGTCCGCCAGCGCGGGGG
 CGCAGTGCACACGAGGGGGCTGGACTTCGCTGTGATTACATCTGGCGCCCC
 TTGGCCGGGACTTGTGGGGTCTCTCTCTGTCACTGGTTATCACCCCTTTACTGC
 AGAGTGAAGTTCAGCAGGAGCGCAGACGCCCGCGGTACAAGCAGGGCCAG
 AACCACTCTATAACGAGCTCAATCTAGGACGAAGAGAGGAGTACGATGTTT
 TGGACAAGAGACGTGGCCGGGACCTGAGATGGGGGAAAGCCGAGAAGGA
 AGAACCTTCAGGAAGGCTGTACAATGAACCTGCAGAAAGATAAGATGGCGG
 AGGCCTACAGTGAATGGGATGAAGGCGAGCGCCGAGGGGCAAGGGGC
 ACGATGGCCTTTACCAGGGTCTCAGTACAGCCACCAAGGACACCTACGACGC
 CCTTCACATGCGAGCCCTGCCCGCTCGCTAAGTCGACAATCAACCTCTGGATT
 ACAAAATTTGTAAAGATTGACTGGTATTTCTTAATATGTTGCTCCTTTTACG
 CTATGTGGATACGCTGCTTTAATGCCTTTGTATCATGCTATTGCTTCCCGTATG
 GCTTTCAATTTCTCTCTCTGTATAAACTCCTGGTTGCTGTCTCTTTATGAGGAG
 TTGTGGCCCGTTGTGAGGCAACGTGGCGTGGTGTGCACTGTGTTTGTGTCAGCG
 AACCCCACTGGTTGGGGCATTGCCACCACTGTGAGCTCCTTTCCGGGACTT
 TCGCTTTCCCGCTCCTATTGCCACGGCGGAACCTCATCGCGCCTGCTTGC
 CGCTGCTGGACAGGGGCTCGGCTGTGGGCACTGACAATTCGCTGGTGTGTC
 GGGGAAGCTGACGTCTTCTTGGCTGCTCGCCTGTGTTGCCACCTGGATTTC
 TGCGCGGGACGTCTTCTGCTACGTCCCTTCGGCCCTCAATCCAGCGGACCTT
 CCTTCCCGCGCTGCTGCGGCTCTGCGGCTCTTCCGCTCTTTCGCTTCG
 CCTCAGACGAGTCGGATCTCCTTTGGGCGCCTCCCGCCTGGAATTCGAGC
 TCGGTACCTTTAAGACCAATGACTTACAAGGCGAGCTGTAGATCTTAGCCACTT
 TTTAAAGAAAAGGGGGGACTGGAAGGGCTAATCACTCCCAACGAAGACA
 AGATCTGCTTTTGTGTTGACTGGGTCTCTCTGGTTAGACAGATCTGAGCCTG
 GGAGCTCTCTGGCTAACTAGGGAACCACTGCTTAAGCCTCAATAAAGCTTGC
 CTTGAGTGCTTCAAGTAGTGTGTGCCCCGTCTGTTGTGTGACTCTGGTAACAG
 AGATCCCTCAGACCCCTTTTAGTCAGTGTGAAAACTCTAGCAGTAGTAGTTC
 ATGTCACTTATTATTAGTATTATAACTTGCAAGAAATGAATATCAGAGA
 GTGAGAGGAACCTGTTTATTGACGCTTATAATGGTTACAATAAAGCAATAG
 CATCACAAAATTTACAAAATAAGCAATTTTTTCACTGCATTCTAGTTGTGGTTT
 GTCCAACTCATCAATGTATCTTATCATGTCTGGCTCTAGCTATCCCGCCCTA
 ACTCCGCCCAGTTCCGCCCATCTCCGCCCATGGCTGACTAATTTTTTTTATT
 TATGACAGAGCGCAGGCGCCTCGGCCCTCTGAGCTATTCCAGAAGTAGTGAG
 GAGGCTTTTTTGGAGGCTAGCTAGGAGCTACCCAATTCCGCCCTATAGTGAG
 TCGTATTACGCGCTCACTGGCGCTGTTTACAACGTCGTGACTGGGAAAA
 CCCTGGCGTTACCCAACCTAATCGCCTTGACGACATCCCGCTTTCGCCAGCT
 GGCGTAATAGCGAAGAGGCGCCGACCGATCGCCCTTCCCAACAGTTGCGCAG
 CCTGAATGGCGAATGGGACGCGCCTGTAGCGGCGCATTAAGCGCGGCGGGT
 GTGGTGGTTACGCGCAGCGTGACCGCTACACTTGCCAGCGCCCTAGCGCCCG
 CTCCTTTGCTTTCTTCCCTTCTTCTCGCCACGTTGCGCGGCTTTCCCGCTGA
 AGCTCTAAATCGGGGCTCCCTTTAGGGTTCGATTAGTGCTTTACGGCACC
 TCGACCCCAAAACCTTGATTAGGGTGATGGTTACGCTAGTGGCCATCGCC
 CTGATAGACGGTTTTTTCGCCCTTGACGTTGGAGTCCACGTTCTTTAATAGTG
 GACTCTGTTCCAAACCTGGAACAACACTCAACCTTATCTCGGTCTATTCTTTG
 ATTTATAAGGGATTTTCCGATTTTCGGCCTATTGGTTAAAAAATGAGCTGATT
 TAACAAAAATTTAACGCGAATTTTAACAAAAATTAACGCTTACAATTTAGGT
 GGCACCTTTTCGGGAAATGTGCGCGGAACCCCTATTGTTTATTTTCTAAAT
 ACATTTCAATATGTATCCGCTCATGAGACAATAACCTGATAAATGCTTCAAT
 AATATTGAAAAAGGAAGATATGAGTATCAACATTTCGCTGCGCCCTTATT
 CCCTTTTTTTCGGGCAATTTGCTCTCTGTTTTTGTCTACCCAGAACGCTGGTG
 AAAGTAAAGATGCTGAAGATCAGTTGG

BiCAR2 VHH33

(SEQ ID NO: 38)

GTGCACGAGTGGGTTACATCGAACTGGATCTCAACAGCGGTAAGATCCTTGA
 GAGTTTTTCGCCCGCAAGAACGTTTTCCAATGATGAGCACTTTAAAGTTCTGC
 TATGTGGCGCGGTATTATCCGCTATTGACGCCGGGCAAGAGCAACTCGGTG
 CCGCATACACTATTCTCAGAAATGACTTGGTTGAGTACTCACCAGTCACAGAAA
 AGCATCTTACGGATGGCATGACAGTAAGAGAATTATGCACTGCTGCCATAAC
 CATGAGTGATAAACACTGCGGCCAATTAATCTTGACAACGATCGGAGGACCG
 AAGGAGCTAACCGCTTTTTTGACAAACATGGGGGATCATGTAATCGCCTTGA
 TCGTTGGGAACCGGAGCTGAATGAAGCCATACCAAACGACGAGCGTGACACC
 ACGATGCTGTAGCAATGGCAACAACGTTGCGCAAACTATTAACTGGCGAAC
 TACTTACTCTAGCTTCCCGGCAACAATTAATAGACTGGATGGAGGCGGATAA
 AGTTGACGACCACTTCTGCGCTCGGCCCTTCCGGCTGGCTGGTTTATTGCTG
 ATAAATCTGGAGCCGGTGAGCGTGGGTCTCGCGGTATCATTCGAGCACTGGG
 GCCAGATGGTAAGCCCTCCCGTATCGTAGTTATCTACACGACGGGAGTCAG
 GCAACTATGGATGAACGAATAGACAGATCGCTGAGATAGGTGCTCACTGA
 TTAAGCATTTGTAACCTGTCAGACCAAGTTTACTCATATATACTTTAGATTGAT
 TTAACATTCATTTTTAATTTAAAGGATCTAGGTGAAGATCCTTTTTGATAA
 TCTCATGACCAAAATCCCTTAACGTGAGTTTTCTGTTCCACTGAGCGTCAGACC

-continued

CCGTAGAAAAGATCAAAGGATCTTCTTGAGATCCTTTTTTCTGCGCGTAATC
 TGCTGCTTGC AAAACAAAAAACCCGCTACCAGCGGTGGTTTGTTCGCGG
 ATCAAGAGCTACCAACTCTTTTCCGAAGGTAAC TGGCTTCAGCAGAGCGCA
 GATACCAAACTACTGTTCTTCTAGTGTAGCCGTAGTTAGGCCACCACTTCAAGA
 ACTCTGTAGCACCGCTACATACCTCGCTCTGCTAATCCTGTTACCACTGGCT
 GCTGCGCAGTGGCGATAAGTCTGTCTTACCGGTTGGACTCAAGACGATAGTT
 ACCGGATAAGGCGCAGCGGTCGGGCTGAACGGGGGGTTCGTGCACACAGCCC
 AGCTTGGAGCGAACGACCTACACCGAACTGAGATACCTACAGCGTGAGCTAT
 GAGAAAGCGCCACGCTTCCCGAAGGGAGAAAGGCGGACAGGTATCCGGTAA
 GCGGCAGGGTCGGAACAGGAGAGCGCACGAGGGAGCTTCCAGGGGGAAACG
 CCTGCTATCTTTATAGTCTGTGCGGTTTCGCCACCTCTGACTTGAGCGTGCAT
 TTTTGTGATGCTCGTCAGGGGGCGGAGCCTATGAAAAACGCCAGCAACGC
 GGCTTTTTTACGGTTCCTGGCTTTTGTGTCGCTTTTGTCTCACATGTTCTTTCT
 GCGTTATCCCTGATTCTGTGGATAACCGTATTACCGCTTTGAGTGAGCTGA
 TACCGCTCGCCGACGCCAACGACCGAGCGCAGCGAGTCAGTGAGCGAGGA
 AGCGGAAGAGCGCCCAATACGCAAAACCGCTCTCCCGCGCGTGGCCGATT
 CATTAAATGAGCTGGCACGACAGGTTTCCCGACTGGAAGCGGGCAGTGAGC
 GCAACGCAATTAATGTAGTTAGCTCACTCATTAGGCACCCAGGCTTTACAC
 TTTATGCTTCCGGCTCGTATGTTGTGTGGAATTGTGAGCGGATAACAATTTCA
 CACAGGAACAGCTATGACCATGATTACGCCAAGCGCGCAATTAACCTCAC
 TAAAGGGAACAAAAGCTGGAGTGC AAGCTTAATGTAGTCTTATGCAATACT
 CTTGTAGTCTTGCAACATGGTAACGATGAGTTAGCAACATGCCCTTACAAGGA
 GAGAAAAAGCACCGTGCATGCCGATTGGTGAAGTAAGGTGGTACGATCGTG
 CCTTATTAGGAAGGCAACAGCGGGTCTGACATGGAATTGGACGAACCACTGA
 ATTGCCGCATTGCAGAGATATGTAATTTAAGTGCCTAGCTCGATACATAAACG
 GGTCTCTCTGGTTAGACCAGATCTGAGCCTGGGAGCTCTCTGGCTAACTAGGG
 AACCCACTGCTTAAGCCTCAATAAAGCTTGCTTGAAGTGTTCAGTAGTGTG
 TGCCCGTCTGTTGTGACTCTGGTAAC TAGAGATCCCTCAGACCCCTTTAGT
 CAGTGTGGAATACTCTAGCAGTGGCGCCGAAACAGGGACTTGAAAGCGAAA
 GGGAAACAGAGGAGCTCTCTCGACGCGAGACTCGGCTTGCTGAAGCGCGCA
 CGGCAAGAGGCGAGGGCGGCGACTGGTGAGTACGCCAAAAATTTGACTAG
 CGGAGGCTAGAAGGAGAGAGATGGGTGCGAGAGCGTCAGTATTAAGCGGGG
 GAGAATTAGATCGCGATGGGAAAAAATTCGGTTAAGGCCAGGGGGAAAGAA
 AAAATATAAATTAACATATAGTATGGGCAAGCAGGAGCTAGAACGATTTC
 GCAGTTAATCTGGCTGTAGAAACATCAGAAGCTGTAGACAAATCTGG
 GACAGCTACAACCATCCCTTCAGACAGGATCAGAAGAACTTAGATCATTATA
 TAATACAGTAGCAACCTCTATTGTGTGCATCAAAGGATAGAGATAAAAGAC
 ACCAAGGAAGCTTTAGACAAGATAGAGGAAGAGCAAAACAAAAGTAAGACC
 ACCGCACAGCAAGCGGCGCTGATCTTCAGACCTGGAGGAGGAGATATGAGG
 GACAATTGGAGAAGTGAATTATATAAATATAAAGTAGTAAAAATTGAACCAT
 TAGGAGTAGCACCCCAAGGCAAGAGAGAAGTGGTGACAGAGAAAAAA
 GAGCAGTGGGAATAGGAGCTTTGTTCTTGGGTTCTTGGGAGCAGCAGGAAG
 CACTATGGGCGCAGCGTCAATGACGCTGACGGTACAGGCCAGACAATTATTG
 TCTGTATAGTGCAGCAGCAGAACAAATTGCTGAGGGCTATTGAGGCGCAAC
 AGCATCTGTTGCAACTCACAGTCTGGGGCATCAAGCAGCTCCAGGCAAGAAT
 CCTGGCTGTGGAAGATACCTAAAGGATCAACAGCTCCTGGGGATTGGGGT
 TGCTCTGGAATACTATTGCACTGCTGTGCTTGGAAATGCTAGTTGGAG
 TAATAAATCTCTGGAACAGATTGGAAATCACACGACCTGGATGGAGTGGGAC
 AGAGAAATTAACAATTACACAAGCTTAATACACTCCTTAATTGAAGAATCGC
 AAAACCGCAAGAAAGAAATGAACAAGAAATTATTGGAATTAGATAAATGGG
 CAAGTTTGTGGAATTGGTTAACATAACAAATTGGCTGTGTATATAAATTA
 TTCATAATGATAGTAGGAGGCTTGGTAGGTTAAGAATAGTTTTTGTGTACT
 TTCTATAGTGAATAGAGTTAGGCAGGGATATTACCATTATCGTTTCAGACCC
 ACCTCCCAACCCGAGGGGACCCGACAGGCCCGAAGGAATAGAAGAAGAG
 GTGGAGAGAGAGACAGAGACAGATCCATTGCTAGTGAACGGATCTCGACG
 GTATCGATTAGACTGTAGCCCAGGAATATGGCAGCTAGATTGTACACATTTAG
 AAGGAAAAGTTATCTTGGTAGCAGTTTATGTAGCCAGTGGATATATAGAAGC
 AGAAGTAATCCAGCAGAGACAGGGCAAGAAACAGCATACTTCTCTTAAAA
 TTAGCAGGAAGATGGCCAGTAAAAACAGTACATACAGACAATGGCAGCAAT
 TCACCAGTACTACAGTTAAGGCCGCTGTTGGTGGGCGGGGATCAAGCAGGA
 ATTTGGCATTCCCTACAATCCCAAGTCAAGGAGTAATAGAATCTATGAATA
 AAGAATTAAAGAAAATTATAGGACAGGTAAGAGATCAGGCTGAACATCTTAA
 GACAGCAGTACAAATGGCAGTATTTCATCCACAATTTTAAAGAAAAGGGGGG
 ATTGGGGGTACAGTGCAGGGGAAAGAAATAGTAGACATAATAGCAACAGAC
 ATACAAACTAAAGAAATTACAAAAACAAATTACAAAAATTCAAAAATTTTCGGG
 TTTATTACAGGGACAGCAGAGATCCAGTTTGGCTGCATACGCGCTCGTGAGGCT
 CCGGTGCCCGTCAGTGGGCGAGCGCACATCGCCACAGTCCCGGAGAAGTT
 GGGGGGAGGGGTTCGCAATTGAACCGGTGCC TAGAGAAGGTGGCGCGGGGT
 AAAC TGGGAAAGTGATGTCGTGACTGGCTCCGCCTTTTCCCGAGGGTGGGG
 GAGAACCCTATATAAGTGCAGTAGTCGCCGTGAACGTTCTTTTCGCAACGGG
 TTTCCGCGCAGAACACAGGTAAGTGGCGTGTGTTTCCCGCGGCTGGCTCT
 CTTTACGGGTATGCCCCCTTGCCTGCTTGAATTACTTCCACCTGGCTGCAGT
 ACGTGATTCTTGATCCCGAGCTTCGGGTGGAAGTGGGTGGGAGAGTTTCGAG
 GCCTTGCGCTTAAGGAGCCCCCTTCGCTCGTGTGTTGAGTTGAGGCTGGCTG
 GCGCTGGGGCCGCGCGTGC GAATCTGGTGGCACCTTCGCGCTGTCTCGCT
 GCTTTCGATAAGTCTCTAGCCATTTAAATTTTGTGACCTGCTGCGACGCTT
 TTTTCTGGCAAGATAGTCTTGAATGCGGGCCAGATCTGCACACTGGTAT
 TTCGGTTTTTGGGGCCGCGGCGGCGACGGGGCCCGTGCCTCCAGCGCACA
 TGTTCCGCGAGGCGGGGCTGCGAGCGCGGCCACCGAGAATCGGACGGGGGT
 AGTCTCAAGCTGGCCGGCTGCTCTGGTGCCTGGCTCGCGCCGCGCTGTATC
 GCCCCGCTTGGGCGGCAAGGCTGGCCCGGTGCGCACAGTTGCGTGAGCGG

-continued

AAAGATGGCCGCTTCCCGGCCCTGCTGCAGGGAGCTCAAAATGGAGGACGCG
 GCGCTCGGGAGAGCGGGCGGGTGAGTCACCCACACAAAGGAAAAGGGCCTT
 TCCGTCTCAGCCGTCGCTTTCATGTGACTCCACTGAGTACCGGGCGCGCTCCA
 GGCACCTCGATTAGTTCTCGTGCTTTTGGAGTACGTCTCTTTAGGTTGGGGG
 GAGGGGTTTTATGCGATGGAGTTTCCCACTGAGTGGGTGGAGACTGAAG
 TTAGGCCAGCTTGGCACTTGATGTAATTCCTTGGAAATTTGCCCTTTTGTAGT
 TTGGATCTTGGTTCATTCTCAAGCCTCAGACAGTGGTTCAAAGTTTTTTCTTC
 CATTTACAGTGTGTCGAGCTAGCTCTAGAGCCAGCATGGCCTTACCAGTGACC
 GCCTTGCTCCTGCCGTGGCCTTGCTGCTCCAGCCGCCAGGCCGcaggtgcagctgc
 aggagtcctgggggaggtcttggtgcagcctggggggtctctgagcctctcctgtacagcctct
 ggattcacgttcagtagttactccatggcctgggtccgccaggtccaggaagggaacccg
 aatgggtctcagggaattaccctctctgatggttaagacaaggtatgcagactctgtgaagg
 gccgattcagcatctccagagacaacgccaagaatatgtgtatctgcaaatgaaca
 acctggaacctgaggacacggccctattactgtgcgagaggtatcacccgga
 ttgggacccccggggccaggggacccaggtcacctctcctcagcg
 gccgcactagtGAGTCTAAGTACGGCCCTCCCTGCCCTCCTTGCCCATACATCTGG
 GCGCCCTTGGCCGGGACTTGTTGGGCTCCTTCTCCTGTCACTGGTTATCACCTT
 TACTGCAAAACGGGGCAGAAAGAACTCCTGTATATATTCAAACAACCATTTA
 TGAGACCACTACAACACTCAAGAGGAAGATGGCTGTAGCTGCCGATTTC
 AGAAGAAGAAAGAGGAGGATGTGAACCTGCTCGAGGGAAGCGGAGCTACTAA
 CTTACGCTTGCTGAAGCAGGCTGGAGACGTGGAGGAGAACCCTGGACCTCCT
 AGGATGGCCTTACCAGTGACCGCCTTGCTCCTGCCGTGGCCTTGCTGCTCCA
 CGCCGCCAGGCCGGGATCCAGGTGCAGCTGCAGGAGTCTGGGGGAGGCTTG
 GTGCAGCCTGGGGGTCTCTGAGACTCTCCTGTGCACTCTTGAGTCAACGCC
 GGATGCTTATGTCAATGGCTGGTTCCGCCAGGCCCCAGGGAAGGAGCGCGAG
 GGGGTCTCATGTATTAGTCTTAGTGGTGGTACTACAAGCTATCCAGACTCCGT
 GAAGGGCCGATTACCATCTCCAGAGACAATGCCAAGAACCGGTGTACCTG
 CAAATGAACAGCCTGAAACCTGAGGACACGGGCGTTTATTACTGTGCGGCAG
 TTGCGGGCCGCTGGTGTGACTACGGCATGAACACTACTACGCAAAAGGACCCA
 GGTCACCGCTCTCCTCAGCGGCCGCCACTAGTTCGGGAACCACTACACCAGCG
 CCCAGACCACTACCCCGCTCCTACCATCGCATCTCAGCCCTTGAGTCTTAG
 ACCCGAGGCATGTCCGCCAGCGCGGGGGCGCAGTGACACAGAGGGGCT
 GGACTTCGCCCTGTGATTACATCTGGGCGCCCTTGCCCGGACTTGTGGGTCC
 TTCTCCTGTCACTGGTTATCACCTTTACTGCAGAGTGAAGTTACGAGGAGC
 GCAGACGCCCCCGCTACAAGCAGGGCCAGAACCAGCTCTATAACGAGCTCA
 ATCTAGGACGAAGAGAGGAGTACGATGTTTTGGACAAGAGACGTGGCCGGG
 ACCCTGAGATGGGGGAAAGCCGAGAAGGAAGAACCTCAGGAAGGCCCTGT
 ACAATGAACCTGAGAAAGATAAGATGGCGGAGGCCCTACAGTGAAGATTGGGA
 TGAAAGGCGAGCGCCGGAGGGGCAAGGGGCACGATGGCCTTACCAGGCTCT
 CAGTACAGCCACCAAGGACACCTACGACGCCCTTACATGACGGCCCTGCC
 CCTCGCTAAGTCGACAATCAACCTCTGGATTACAAAATTTGTGAAGATTGAC
 TGGTATTCTTAACATATGTTGCTCTTTTACGCTATGTGGATACGCTGCTTTAAT
 GCCTTTGTATCATGTATTGCTTCCCGTATGGCTTTCATTTTCTCTCTCTGTAT
 AAATCCTGGTTGCTGTCTTTATGAGGAGTTGTGGCCGTTGTGAGCAACG
 TGGCTGGTGTGCACTGTGTTTGCTGACGCAACCCCACTGGTTGGGGCATTG
 CCACCACCTGTGAGCTCCTTTCCGGGACTTTCGCTTTCCCTCTCTATTGCCA
 CGGCGGAACCTCATCGCCGCTGCTTGGCCGCTGCTGGACAGGGGCTCGGCT
 GTTGGGCACTGACAATTCGTTGGTGTGTCGGGGAAGCTGACGCTCTTCTCTT
 GGCTGCTCGCCTGTGTTGCCACCTGGATTCTGCGCGGACGCTCTCTGCTAC
 GTCCCTTCGGCCCTCAATCCAGCGGACCTTCTTCCCGCGCCTGCTGCCGGC
 TCTGCGGCTCTTCCGCTCTTCCGCTTCCGCTCAGACGAGTCGATCTCCTT
 TTGGGCGCCTCCCCGCTGGAATTCGAGCTCGGTACCTTTAAGACCAATGAC
 TTACAAGGCAGCTGTAGATCTTAGCCACTTTTAAAAGAAAAGGGGGGACTG
 GAAGGGCTAATCACTCCCAAGCAAGACAGATCTGCTTTTGTCTGTACTGG
 GTCTCTCTGGTTAGACAGATCTGAGCCTGGGAGCTCTCTGGCTAACTAGGGA
 ACCCACTGCTTAAGCCTCAATAAGCTTGCTTGGTGTCTCAAGTGTGTGT
 GCCCCTGTGTTGTGTGACTCTGGTAACTAGAGATCCCTCAGACCTTTTAGTC
 AGTGTGAAAAATCTAGCAGTAGTAGTTTATGTATCTTATTATTAGTATT
 TATAACTTGCAAGAAATGAATATCAGAGAGTGAGAGGAACCTGTTTATTGC
 AGCTTATAATGGTTACAATAAAGCAATAGCATCACAAATTCACAAATAAA
 GCATTTTTTCACTGCATTCTAGTTGTGGTTTGTCCAACTCATCAATGTATCT
 TATCATGTCTGGCTAGCTATCCCGCCCTTAACCTCGCCAGTTCCGCCCAT
 CTCCGCCCATGCTGACTAATTTTTTTTATTATGACAGAGCCGAGGCCGCC
 TCGCCCTCTGAGCTATTCCAGAAGTAGTGAGGAGGCTTTTTTGGAGGCCCTAGC
 TAGGGACGTACCAATTCGCCCTATAGTGAGTCGTATTACGCGCGCTCACTGG
 CCGTGGTTTTACAACGTCGTGACTGGGAAAACCTGGCGTTACCCAATTAA
 CGCCTTGACGACATCCCCCTTTCCCGAGCTGGCGTAATAGCGAAGAGGCC
 GCACCGATCGCCCTTCCAACAGTTGCGCAGCCTGAATGGCGAATGGGACGC
 GCCCTGTAGCGGCGCATTAAGCGCGGGGGTGTGGTGGTTACGCGCAGCGTG
 ACCGCTACACTTGCAGCGCCCTAGCGCCGCTCCTTTCGCTTTCTTCCCTTC
 TTTCTCGCACGTTTCGCCGCTTTCCCGCTCAAGCTCTAAATCGGGGCTCCC
 TTTAGGGTTCGATTAGTGCTTTACCGCACCTCGACCCCAAAACCTTGATT
 AGGGTGTAGGTTACGTAGTGGCCATCGCCCTGATAGACGGTTTTTCCGCCCT
 TTGACGTTGGAGTCCACGTTCTTTAATAGTGGACTCTTGTTCCAAACCTGGAAC
 AACACTCAACCTATCTCGGTCTATCTTTTGTATTATAAGGGATTTTGCCGAT
 TTCGGCTATTGGTTAAAAATGAGCTGATTAAACAAAAATTTAACCGCAATT
 TTAACAAATATTAACGCTTACAATTTAGGTGGCACTTTTCGGGGAATGTGC
 CGGAACCCCTATTGTTTATTTTCTAAATACATTCAAATATGTATCCGCTCA

-continued

TGAGACAATAACCCCTGATAAATGCTTCAATAATATTGAAAAAGGAAGAGTAT
GAGTATTCACACATTTCCGTGTGCGCCTTATTCCTTTTTTTCGGCATTGTCCT
TCCTGTTTTTGTCTACCCAGAAACGCTGGTGAAAGTAAAAGATGCTGAAGATC
AGTTGG

BiCAR2 VHH38

(SEQ ID NO: 39)

GTGCACGAGTGGGTTACATCGAACTGGATCTCAACAGCGGTAAGATCCTTGA
GAGTTTTTCGCCCGAAGAACGTTTTCCAAATGATGAGCACTTTTAAAGTTCTGC
TATGTGGCGCGGTATTATCCCGTATTGACGCCGGGCAAGAGCAACTCGGTGCG
CCGCATACACTATTCTCAGAATGACTTGGTTGAGTACTCACCAGTCAAGAAA
AGCATCTTACGGATGGCATGACAGTAAGAGAATTATGCACTGCTGCCATAAC
CATGAGTGATAACACTGCGGCCAACTTACTTCTGACAACGATCGGAGGACCG
AAGGAGCTAACCGCTTTTTTGCACAACATGGGGGATCATGTAACCTCGCTTGA
TCGTTGGGAACCGGAGCTGAATGAAGCCATACCAAACGACGAGCGTGACACC
ACGATGCCGTGTAGCAATGGCAACAACGTTGCGCAAACTATTAACTGGCGAAC
TACTTACTCTAGCTTCCCGGCAACAATTAAAGACTGGATGGAGGCGGATAA
AGTTGCAGGACCACTTCTGCGCTCGGCCCTTCCGGCTGGCTGGTTTATGCTG
ATAAATCTGGAGCCGGTGAGCGTGGGTCTCGCGGTATCATGTCAGCACTGGG
GCCAGATGGTAAGCCCTCCCGTATCGTAGTTATCTACACGACGGGAGTCAG
GCAACTATGGATGAACGAAATAGACAGATCGCTGAGATAGGTGCCCTACTGA
TTAAGCATTGGTAACCTGTCAGACCAAGTTTACTCATATATACTTTAGATTGAT
TTAAAACCTCATTTTTTAATTTAAAAGGATCTAGGTGAAGATCCTTTTTGATAA
TCTCATGACCAAAATCCCTTAACTGAGTGTTCGTTCCACTGAGCGTCAGACC
CCGTAGAAAAGATCAAAGGATCTTCTTGAGATCCTTTTTTCTGCGCGTAATC
TGCTGCTTGCAAAACAAAAAACACCGCTACCGAGCGGTGGTTGTTTGCCTG
ATCAAGAGCTACCAACTCTTTTCCGAAGGTAAGTGGCTTACGACAGCGCA
GATACCAAACTACTGTTCTTCTAGTGTAGCCGTAGTTAGGCCACCACTTCAAGA
ACTCTGTAGCACCGCCTACATACCTCGCTCTGCTAATCCTGTTACAGTGGCT
GCTGCGCAGTGGCGATAAGTCTGCTTACCGGTTGGACTCAAGACGATAGTT
ACCGGATAAAGGCGCAGCGGTGCGGCTGAACGGGGGGTTCGTGCACACAGCCC
AGCTTGGAGCGAACGACCTACACCGAACTGAGATACCTACAGCGTGAGCTAT
GAGAAAGCGCCACGCTTCCCGAAGGGAGAAAGGCGGACAGGTATCCGGTAA
GCGGCAGGGTCGGAACAGGAGAGCGCACGAGGGAGCTTCCAGGGGGAAACG
CCTGCTATCTTTATAGTCTGTGCGGTTTCGCCACCTCTGACTTGAGCGTCGAT
TTTTGTGATGCTCGTCAGGGGGCGGAGCCTATGGAAAACGCCAGCAACGC
GGCCTTTTACGGTTCCTGGCCTTTTGTGCGCCTTTTGTCTCACATGTTCTTTCT
GCGTTATCCCTGATTCTGTGATAAACCGTATTACCGCCTTTGAGTGAGCTGA
TACCGCTCGCCGACGCCGAACGACCGAGCGCAGCGAGTCACTGAGCGAGGA
AGCGGAAGAGCGCCCAATACGCAAAACCGCCTCTCCCGCGCGTTGGCCGATT
CATTAATGACAGCTGGCACGACAGGTTTCCGACTGGAAGCGGGCAGTGAGC
GCAACGCAATTAATGTAGTTAGTCACTATTAGGCACCCAGGCTTTACAC
TTTATGCTTCCGGCTCGTATGTTGTGTGGAATTGTGAGCGGATAACAATTTCA
CACAGGAACAGCTATGACCATGATTACGCCAAGCGCGCAATTAACCTCAC
TAAAGGGAACAAAAGCTGGAGCTGAAGCTTAATGTAGTCTTATGCAATACT
CTTGTAGTCTTGCAACATGGTAACGATGAGTTAGCAACATGCCCTTACAAGGA
GAGAAAAAGCACCGTGATGCGGATTGGTGAAGTAAGGTGGTACGATCGTG
CCTTATTAGGAAGGCAACAGACGGGTCTGACATGGATTGGACGAACCACTGA
ATTGCCGCTTGCAGAGATATGTAATTTAAGTGCCTAGCTCGATACATAAACG
GGTCTCTCTGGTTAGACAGATCTGAGCCTGGGAGCTCTCTGGCTAACTAGGG
AACCCTACTGCTTAAGCCTCAATAAAGCTTGCCCTGAGTGTCTCAAGTAGTGTG
TGCCCGCTGTTGTGTGACTCTGGTAACAGATCCCTCAGACCCCTTTTAGT
CAGTGTGAAAAATCTCTAGCAGTGGCGCCGAACAGGACTTGAAAGCGGAA
GGGAAACAGAGGAGCTCTCTGACGCGAGGACTCGGCTTGCTGAAGCGCGCA
CGGCAAGAGGCGAGGGGCGGCGACTGGTGAGTACGCCAAAAATTTTACTAG
CGGAGGCTAGAAGGAGAGAGATGGGTGCGAGAGCGTCAGTATTAAGCGGGG
GAGAATTAGATCGCGATGGGAAAAAATTCGGTTAAGGCCAGGGGGAAAGAA
AAAAATATAAATTAACAATATAGTATGGGCAAGCAGGAGCTAGAACGATTC
GCAGTTAATCTGGCCTGTTAGAAACATCAGAAGGCTGTAGACAAATCTGG
GACAGCTACAACCATCCCTTCAGACAGGATCAGAAGAACTTAGATCATTATA
TAATACAGTAGCAACCTCTATTGTGTGCATCAAAGGATAGAGATAAAAGAC
ACCAAGGAAGCTTTAGACAAGATAGAGGAAGAGCAAAACAAAAGTAAGACC
ACCGCACAGCAAGCGGCCGCTGATCTTCAGACCTGGAGGAGGAGATATGAGG
GACAATTGGAGAAGTGAATTATATAAATATAAAGTAGTAAAAATTTGAACCAT
TAGGAGTAGCACCCCAAGGCAAGAGAGAGAGTGGTGACAGAGAGAAAAA
GAGCAGTGGGAATAGGAGCTTTGTTCTTGGGTTCTTGGGAGCAGCAGGAAG
CACTATGGGCGCAGCGTCAATGACGCTGACGGTACAGGCCAGACAATTTATG
TCTGTTATAGTGCAGCAGCAGAACAAATTTGCTGAGGGCTATTGAGGCGCAAC
AGCATCTGTTGCAACTCACAGTCTGGGGCATCAAGCAGCTCCAGGCAAGAAT
CCTGGCTGTGGAAGATACCTAAAGGATCAACAGCTCCTGGGGATTGGGGT
TGCTCTGGAAAACTCATTGCAACCTGCTGTGCTTGGAAATGCTAGTTGGAG
TAATAAATCTCTGGAACAGATTGGGAATCACACGACCTGGATGGAGTGGGAC
AGAGAAATTAACAATTACACAAGCTTAATACACTCCTTAATTGAAGAATCGC
AAAAACGCAAGAAAAAGAAATGAACAAGAAATTTGGAATTAGATAAAATGGG
CAAGTTTGTGGAATTGGTTTAACATAACAAATTTGGCTGTGTTATATAAAATTA
TTCATAATGATAGTAGGAGGCTTGGTAGGTTAAGAATAGTTTTTGTGCTACT
TCTATAGTGAATAGAGTTAGGCAGGGATATTACCATTTATCGTTTCAGACCC
ACCTCCCAACCCCGAGGGGACCCGACAGGCCCGAAGGAATAGAAGAAGAG
GTGGAGAGAGAGACAGAGACAGATCCATTTCGATTAGTGAACGGATCTCGACG
GTATCGATTAGACTGAGCCAGGAATATGGCAGCTAGATTGTACACATTTAG
AAGGAAAAAGTTATCTTGGTAGCAGTTTATGAGCAGTGGATATATAGAAGC

-continued

AGAAGTAATTCAGCAGAGACAGGGCAAGAAACAGCATACTTCTCTTAAAA
 TTAGCAGGAAGATGGCCAGTAAAAACAGTACATACAGACAATGGCAGCAATT
 TCACCAGTACTACAGTTAAGGCCGCTGTTGGTGGGCGGGATCAAGCAGGA
 ATTTGGCATTCCCTACAATCCCCAAGTCAAGGAGTAATAGAATCTATGAATA
 AAGAATTAAAGAAAATTATAGGACAGGTAAGAGATCAGGCTGAACATCTTAA
 GACAGCAGTACAAATGGCAGTATTCATCCACAATTTTAAAGAAAAGGGGG
 ATTGGGGGTACAGTGCAGGGGAAAGAATAGTAGACATAATAGCAACAGAC
 ATACAACTAAAGAATTACAAAAACAATTACAAAAATTCAAAAATTTTCGGG
 TTTATTACAGGGACAGCAGAGATCCAGTTTGGCTGCATACGCGTCTGAGGCT
 CCGGTGCCCGTCAGTGGGCAGAGCGCACATCGCCACAGTCCCCGAGAAGTT
 GGGGGAGGGGTTCGCAATTGAACCGGTGCCCTAGAGAAGGTGGCGCGGGT
 AAAC TGGGAAAGTGATGTCGTGACTGGCTCCGCTTTTCCCGAGGGTGGG
 GAGAACCCTATATAAGTGCAGTAGTCGCCGTGAACGTTCTTTTCGCAACGGG
 TTTGCCCGCAGAACACAGGTAAGTGCCGTGTGTGGTTCCCGCGGCGTGGCT
 CTTTACGGGTATAGGCCCTTGCGTGCCTTGAATTACTTCCACCTGGCTGCAGT
 ACGTGATTCTTGATCCCAGCTTCGGGTGGAAGTGGGTGGGAGAGTTTCGAG
 GCCTTGCGCTTAAGGAGCCCCCTCGCCTCGTGCTTGAGTTGAGGCTGGCGTG
 GCGCTGGGGCGCGCGCTGCGAATCTGGTGGCACCTTCGCGCTGTCTCGCT
 GCTTTCGATAAGTCTCTAGCCATTTAAATTTTGTGATGACCTGTGCGACGCT
 TTTTCTGGCAAGATAGTCTTGAATGCGGGCCAGATCTGCACACTGGTAT
 TTCGGTTTTTGGGGCGCGGGCGGCGACGGGGCCGTGCGTCCACGCGACA
 TGTTCCGGCAGGGGGGCTGCGAGCGCGGCCACCGAGAATCGGACGGGGT
 AGTCTCAAGCTGGCGCGCTGCTCTGGTGCTGGCTCGCGCGCGCGTGTATC
 GCGCGCGCTGGGGCGCAAGGCTGGCCGGTGGCACCAAGTTGCGTGAGCGG
 AAAGATGGCGCTTCCCGGCCCTGCTGCAGGGAGCTCAAAATGGAGGACGCG
 GCGCTCGGAGAGCGGGCGGGTGAAGTCAACACAAAGGAAAAGGGCTT
 TCCGCTCTCAGCGCTCGCTTCAATGTGACTCCACTGAGTACCGGGCGCGTCCA
 GGCACCTCGATTAGTTCTCGTGCTTTTGGAGTACGTCTCTTAGGTTGGGG
 GAGGGTTTTATGCGATGGAGTTTCCCACTGAGTGGGTGGAGACTGAAG
 TTAGGCCAGCTTGGCACTTGATGTAATCTCCTTGAATTTGCCCTTTTGTAGT
 TTGGATCTTGGTTCTCAAGCCTCAGACAGTGGTTCAAAGTTTTTTCTTC
 CATTTCAAGTGTGCTGAGCTAGCTCTAGAGCCAGCATGGCTTACCAGTGACC
 GCCTTGCTCTGCCGTGGCTTGCTGCTCCACGCCCGCAGGCCGaggtgcaetgc
 aggtgctgggggaggttgggtgcaetgctgggggctctctgagcctctctgtacagcc
 tctggattcacgttcagtagttactccatggcctgggtccgccaaggtccaggggaaggg
 accccaatgggtctcagggatttacccttctgatggtaagacaaggtatgca
 gacttcgtgaagggccgattcagcatctccagagacaacgccaagaatatgtgtatct
 gcaaatgaacaacctggaaacctgaggacacggccctatatactgtgcgag
 aggtatcacccggtatgggaccccggggacccaggtcacctctctcagcg
 gccgccaactagtGAGTCTAAGTACGGCCCTCCCTGCCCTCCTTGCCCATACATCTGG
 GCGCCCTTGCGCGGACTTGTGGGTCTCTCTCTGCTACTGGTTATCACCTT
 TACTGCAAAACGGGCGAGAAAGAACTCTGTATATATCAAAACAACTTTA
 TGAGACCAGTACAACTACTCAAGAGGAAGATGGCTGTAGCTGCCGATTTCC
 AGAAGAAGAAGAAGGAGGATGTGAATGCTCGAGGGAAGCGGAGCTACTAA
 CTTCAAGCTGTGAAGCAGGCTGGAGACGTGGAGGAGAACCTGGACCTCCT
 AGGATGGCCTTACCAGTGACCGCTTGCTCTGCGCTGGCCTTGCTGCTCCA
 CGCCGCCAGGCGGGATCCAGGTGCAGCTGCAGGAGTCTGGGGGAGGTTTG
 GTGCAAGCTGGGGACTCTCTGAGACTCTCTGTGCACTCGGACGCACGTTTCA
 TGCGTCAACCTTGGGCTGGTTCGCGCAGTCTCCAGGGAAGGAGCGTGAGTTTG
 TCGCAGCGATTAGTTGGTGGCTGGTGAGGCATACTATGGGGACTCCGTGAA
 GGGCGGATTACCATCTCCAGAGACAACACCAAGACAACGATCAATCTGCAA
 ATGAATAGCTGAAACCTGAGGACACGGCCGTTTATTACTGTGACGAGGCC
 AATTGATGGCGCACACGGGAGATGACTATGACAACCTGGGTGAGGGGCA
 CCAGGTACCGTCTCCTCAGCGGCCGCCACTAGTTCCGAACCACTACACCA
 GCGCCAGACCACTACCCCGCTCCTACCATCGCATCTCAGCCCTTGAGTCT
 TAGACCCAGGCACTGTGCGCCAGCGCGGGGGCGCAGTGCAACGAGGGG
 GCTGACTTCGCTGTGATTACATCTGGGCGCCCTTGCCCGGACTTGTGGGG
 TCCTTCTCTGTCACTGGTTATCACCCCTTACTGCGAGTGAAGTTTCAAGCAGG
 AGCGCAGACGCCCCCGCTACAGCAGGGCCAGAACAGCTCTATAACGAGC
 TCAATCTAGGACGAAGAGAGGAGTACGATGTTTGGACAAGAGAGTGGCCG
 GGACCTTGAGATGGGGGGAAGCCGAGAAGGAAGAACCTCAGGAAGGCCT
 GTACAATGAACCTGCAGAAAGATAAGATGGCGGAGGCTACAGTGAGATTGG
 GATGAAGGCGAGCGCCGAGGGGCAAGGGGCACGATGGCTTTTACCAGG
 TCTCAGTACAGCCACCAAGGACACCTACGACGCCCTTACATGACGGCCCTG
 CCCCCTCGCTAAGTCGACAATCAACCTCTGGATTACAAAATTTGTGAAGATT
 GACTGGTATTCTTAATATGTTGCTCTTTTACGCTATGTGGATACGCTGCTT
 AATGCCCTTTGTATCATGCTATGCTTCCCGTATGGCTTTCATTTTCTCCTCTTG
 TATAAATCTGGTTGCTGTCTCTTTATGAGGAGTTGTGGCCCGTTGTGAGGCA
 ACGTGGCGTGGTGTGCACTGTGTTTGTGACGCAACCCCACTGGTTGGGGCA
 TTGCCACCACTGTGAGCTCTTCCGGGACTTTCGCTTTCCTCTCCTATTG
 CCACGGCGGAACCTATCGCGCTGCTTGGCGCTGCTGGACAGGGGCTCG
 GCTGTTGGGCACTGACAATTCGCTGGTGTGTCGGGGAAGCTGACGCTCTTC
 CTTGGCTGCTCGCTGTGTTGCCACCTGGATTCTGCGCGGAGCTCTTCTGCT
 ACGTCCCTTCGGCCCTCAATCCAGCGGACCTTCTTCCCGCGCTGCTGCGG
 GCTCTGCGGCTCTTCCGCTCTTCGCTTTCGCTCAGACGAGTCGGATCTC
 CTTTGGGCGGCTCCCCGCTGGAATTCGAGCTCGGTACCTTTAAGACCAAT
 GACTTACAAGGAGCTGTAGATCTTAGCCACTTTTAAAGAAAAGGGGGGA
 CTGGAAGGGCTAATCACTCCCAACGAAGACAAAGATCTGCTTTTGTGTGTAC
 TGGGTCTCTCTGGTTAGACCAGATCTGAGCTGGGAGCTCTCTGGCTAACTAG
 GGAACCACTGCTTAAGCCTCAATAAAGCTTGGCTTGAAGTCTCAAGTAGTG
 GTGCCCGCTGTTGTGTGACTCTGGTAACTAGAGATCCCTCAGACCTTTTA

-continued

GTCAGTGTGGAAATCTCTAGCAGTAGTAGTTCATGTCATCTATTATTTCAGT
 ATTTATAACTTGCAAAGAAATGAATATCAGAGAGTGAGAGGAAGTGTGTTAT
 TGCAGCTTATAATGTTTACAAATAAGCAATAGCATCACAAATTTACAAAT
 AAAGCATTTTTTCTACTGCATTCTAGTTGTGGTTTGTCCAACTCATCAATGTA
 TCTTATCATGTCTGGCTCTAGCTATCCCGCCCTAACTCCGCCAGTTCGCC
 ATTCTCCGCCCATGGCTGACTAATTTTTTTTATTATGCAGAGGCCGAGGCC
 GCCTCGGCCTCTGAGCTATTCCAGAAGTAGTGAGGAGGCTTTTTTGGAGGCC
 AGCTAGGGACGTACCCAATTCGCCCTATAGTGAGTCGATTACGCGCGCTCAC
 TGGCGTCGTTTTACAACGTCGTGACTGGGAAACCTGGCGTTACCCAATT
 AATCGCCTTGACGACATCCCCCTTTCGCCAGCTGGCGTAATAGCGAAGAGG
 CCCGACCCGATCGCCCTTCCCAACAGTTGCGCAGCCTGAATGGCGAATGGGA
 CGCGCCCTGAGCGCGCATTAAGCGCGCGGGTGTGGTGGTTACGCGCAGC
 GTGACCGCTACACTTGCCAGCGCCCTAGCGCCCGCTCCTTTCGCTTTCTTCCCT
 TCCTTTCTCGCCACGTTTCGCCGGCTTCCCGTCAAGCTCTAAATCGGGGGCT
 CCCTTTAGGGTTCCGATTAGTGCTTTACGGCACCTCGACCCAAAAAAGTTG
 ATTAGGGTGATGGTTACGTAAGTGGCCATCGCCCTGATAGACGGTTTTTCGC
 CTTTTGACGTGGAGTCCACGTTCTTAAATAGTGAGTCTTGTTCAACTGG
 AACACACTCAACCCCTATCTCGGTCTATCTTTTGATTATAAGGGATTTTGC
 GATTTTCGGCCTATTGGTTAAAAAATGAGCTGATTTAACAAAAATTAACGCGA
 ATTTTAAACAAAATATTAACGCTTACAATTTAGGTGGCACTTTTCGGGGAATG
 TCGCGGGAACCCCTATTGTTTATTTTCTAATACATTCAAATATGTATCCGC
 TCATGAGACAATAACCCGATAAATGCTTCAATAATATTGAAAAAGGAAGAG
 TATGAGTATTCACATTTCCGTGTCGCCCTTATTCCTTTTTCGGGCAATTTG
 CCTTCTGTGTTTGTCTACCCAGAACGCTGGTGAAAGTAAAGATGCTGAAG
 ATCAGTTGG

Antibodies and Nanobodies

In certain aspects, the invention provides anti-TIM3 anti-
 bodies and nanobodies. In certain embodiments, the anti-
 body or nanobody comprises an amino acid sequence at least
 85%, at least 86%, at least 87%, at least 88%, at least 89%,
 at least 90%, at least 91%, at least 92%, at least 93%, at least
 94%, at least 95%, at least 96%, at least 97%, at least 98%,
 at least 99%, or 100% identical to any of the amino acid
 sequences set forth in SEQ ID NO: 20, 22, 24, 26, 28, 30,
 and 32. In certain embodiments, the antibody or nanobody
 is encoded by a nucleotide sequence at least 85%, at least
 86%, at least 87%, at least 88%, at least 89%, at least 90%,
 at least 91%, at least 92%, at least 93%, at least 94%, at least
 95%, at least 96%, at least 97%, at least 98%, at least 99%,
 or 100% identical to any of the nucleotide sequences set
 forth in SEQ ID NO: 19, 21, 23, 25, 27, 29, and 31.

Modified Immune Cells

The present invention provides modified immune cells or
 precursors thereof (e.g., T cells) comprising chimeric anti-
 gen receptors (CARs) or bispecific CARs capable of binding
 TIM-3. Also provided are modified immune cells or precu-
 sors thereof (e.g., T cells) comprising bispecific CARs
 capable of binding TIM-3 and CD13. The invention includes
 modified immune cells or precursors thereof comprising any
 of the CARs or bispecific CARs disclosed herein. The
 invention also includes modified immune cells or precursors
 thereof comprising any of the nucleic acids disclosed herein
 or any of the vectors disclosed herein.

In certain embodiments, the modified cell is a modified
 immune cell. In certain embodiments, the modified cell is a
 modified T cell. In certain embodiments, the modified cell is
 an autologous cell. In certain embodiments, the modified
 cell is an autologous cell obtained from a human subject.

Methods of Treatment

The modified cells (e.g., CAR T cells) described herein,
 may be included in a composition for immunotherapy. The
 composition may include a pharmaceutical composition and
 further include a pharmaceutically acceptable carrier. A
 therapeutically effective amount of the pharmaceutical com-
 position comprising the modified T cells may be adminis-
 tered.

In one aspect, the invention includes a method for adop-
 tive cell transfer therapy comprising administering to a
 subject in need thereof a modified T cell of the present

invention. In another aspect, the invention includes a method
 of treating a disease or condition in a subject comprising
 administering to a subject in need thereof a population of
 modified T cells. In certain embodiments, the disease to be
 treated is cancer. In certain embodiments, the cancer is acute
 myeloid leukemia (AML).

Methods for administration of immune cells for adoptive
 cell therapy are known in the art and may be used in
 connection with the provided methods and compositions.
 For example, adoptive T cell therapy methods are described,
 e.g., in US Patent Application Publication No. 2003/
 0170238 to Gruenberg et al; U.S. Pat. No. 4,690,915 to
 Rosenberg; Rosenberg (2011) Nat Rev Clin Oncol. 8 (10):
 577-85). See, e.g., Themeli et al. (2013) Nat Biotechnol. 31
 (10): 928-933; Tsukahara et al. (2013) Biochem Biophys
 Res Commun 438 (1): 84-9; Davila et al. (2013) PLOS ONE
 8 (4): e61338. In some embodiments, the cell therapy, e.g.,
 adoptive T cell therapy is carried out by autologous transfer,
 in which the cells are isolated and/or otherwise prepared
 from the subject who is to receive the cell therapy, or from
 a sample derived from such a subject. Thus, in some aspects,
 the cells are derived from a subject, e.g., patient, in need of
 a treatment and the cells, following isolation and processing
 are administered to the same subject.

In some embodiments, the cell therapy, e.g., adoptive T
 cell therapy, is carried out by allogeneic transfer, in which
 the cells are isolated and/or otherwise prepared from a
 subject other than a subject who is to receive or who
 ultimately receives the cell therapy, e.g., a first subject. In
 such embodiments, the cells then are administered to a
 different subject, e.g., a second subject, of the same species.
 In some embodiments, the first and second subjects are
 genetically identical. In some embodiments, the first and
 second subjects are genetically similar. In some embodi-
 ments, the second subject expresses the same HLA class or
 supertype as the first subject.

In some embodiments, the subject has been treated with
 a therapeutic agent targeting the disease or condition, e.g.
 the tumor, prior to administration of the cells or composition
 containing the cells. In some aspects, the subject is refrac-
 tory or non-responsive to the other therapeutic agent. In
 some embodiments, the subject has persistent or relapsed
 disease, e.g., following treatment with another therapeutic
 intervention, including chemotherapy, radiation, and/or

hematopoietic stem cell transplantation (HSCT), e.g., allogeneic HSCT. In some embodiments, the administration effectively treats the subject despite the subject having become resistant to another therapy.

In some embodiments, the subject is responsive to the other therapeutic agent, and treatment with the therapeutic agent reduces disease burden. In some aspects, the subject is initially responsive to the therapeutic agent, but exhibits a relapse of the disease or condition over time. In some embodiments, the subject has not relapsed. In some such embodiments, the subject is determined to be at risk for relapse, such as at a high risk of relapse, and thus the cells are administered prophylactically, e.g., to reduce the likelihood of or prevent relapse. In some aspects, the subject has not received prior treatment with another therapeutic agent.

The modified immune cells of the present invention can be administered to an animal, preferably a mammal, even more preferably a human, to treat a cancer (e.g. AML). In addition, the cells of the present invention can be used for the treatment of any condition related to a cancer, especially a cell-mediated immune response against a tumor cell(s), where it is desirable to treat or alleviate the disease. The types of cancers to be treated with the modified cells or pharmaceutical compositions of the invention include, acute myeloid leukemia, chronic myeloid leukemia, pancreatic neuroendocrine tumor (PNETs), gastrointestinal NETs, and lung and prostate cancer NETs, carcinoma, blastoma, and sarcoma, and certain leukemia or lymphoid malignancies, benign and malignant tumors, and malignancies e.g., sarcomas, carcinomas, and melanomas. Other exemplary cancers include but are not limited breast cancer, prostate cancer, ovarian cancer, cervical cancer, skin cancer, pancreatic cancer, colorectal cancer, renal cancer, liver cancer, brain cancer, lymphoma, leukemia, lung cancer, thyroid cancer, and the like. The cancers may be non-solid tumors (such as hematological tumors) or solid tumors. Adult tumors/cancers and pediatric tumors/cancers are also included. In one embodiment, the cancer is a solid tumor or a hematological tumor. In one embodiment, the cancer is a carcinoma. In one embodiment, the cancer is a sarcoma. In one embodiment, the cancer is a leukemia. In one embodiment the cancer is a solid tumor. In one embodiment, the cancer is ovarian cancer. In one embodiment, the cancer is endometrial cancer. In one embodiment, the cancer is AML.

Solid tumors are abnormal masses of tissue that usually do not contain cysts or liquid areas. Solid tumors can be benign or malignant. Different types of solid tumors are named for the type of cells that form them (such as sarcomas, carcinomas, and lymphomas). Examples of solid tumors, such as sarcomas and carcinomas, include fibrosarcoma, myxosarcoma, liposarcoma, chondrosarcoma, osteosarcoma, and other sarcomas, synovioma, mesothelioma, Ewing's tumor, leiomyosarcoma, rhabdomyosarcoma, colon carcinoma, lymphoid malignancy, pancreatic cancer, breast cancer, lung cancers, ovarian cancer, prostate cancer, hepatocellular carcinoma, squamous cell carcinoma, basal cell carcinoma, adenocarcinoma, sweat gland carcinoma, medullary thyroid carcinoma, papillary thyroid carcinoma, pheochromocytomas sebaceous gland carcinoma, papillary carcinoma, papillary adenocarcinomas, medullary carcinoma, bronchogenic carcinoma, renal cell carcinoma, hepatoma, bile duct carcinoma, choriocarcinoma, Wilms' tumor, cervical cancer, testicular tumor, seminoma, bladder carcinoma, melanoma, and CNS tumors (such as a glioma (such as brainstem glioma and mixed gliomas), glioblastoma (also known as glioblastoma multiforme) astrocytoma, CNS lymphoma, germinoma, medulloblastoma, Schwannoma cran-

iopharyngioma, ependymoma, pinealoma, hemangioblastoma, acoustic neuroma, oligodendroglioma, meningioma, neuroblastoma, retinoblastoma and brain metastases).

Carcinomas that can be amenable to therapy by a method disclosed herein include, but are not limited to, esophageal carcinoma, hepatocellular carcinoma, basal cell carcinoma (a form of skin cancer), squamous cell carcinoma (various tissues), bladder carcinoma, including transitional cell carcinoma (a malignant neoplasm of the bladder), bronchogenic carcinoma, colon carcinoma, colorectal carcinoma, gastric carcinoma, lung carcinoma, including small cell carcinoma and non-small cell carcinoma of the lung, adrenocortical carcinoma, thyroid carcinoma, pancreatic carcinoma, breast carcinoma, ovarian carcinoma, prostate carcinoma, adenocarcinoma, sweat gland carcinoma, sebaceous gland carcinoma, papillary carcinoma, papillary adenocarcinoma, cystadenocarcinoma, medullary carcinoma, renal cell carcinoma, ductal carcinoma in situ or bile duct carcinoma, choriocarcinoma, seminoma, embryonal carcinoma, Wilm's tumor, cervical carcinoma, uterine carcinoma, testicular carcinoma, osteogenic carcinoma, epithelial carcinoma, and nasopharyngeal carcinoma, ovarian cancer, endometrial cancer, uterine sarcoma, cervical carcinoma, breast cancer, lung cancer, prostate cancer, ocular melanoma, and any MISIR-expressing tumor.

Sarcomas that can be amenable to therapy by a method disclosed herein include, but are not limited to, fibrosarcoma, myxosarcoma, liposarcoma, chondrosarcoma, chordoma, osteogenic sarcoma, osteosarcoma, angiosarcoma, endotheliosarcoma, lymphangiosarcoma, lymphangioendotheliosarcoma, synovioma, mesothelioma, Ewing's sarcoma, leiomyosarcoma, rhabdomyosarcoma, and other soft tissue sarcomas.

In certain exemplary embodiments, the modified immune cells of the invention are used to treat a myeloma, or a condition related to myeloma. Examples of myeloma or conditions related thereto include, without limitation, light chain myeloma, non-secretory myeloma, monoclonal gammopathy of undetermined significance (MGUS), plasmacytoma (e.g., solitary, multiple solitary, extramedullary plasmacytoma), amyloidosis, and multiple myeloma. In one embodiment, a method of the present disclosure is used to treat multiple myeloma. In one embodiment, a method of the present disclosure is used to treat refractory myeloma. In one embodiment, a method of the present disclosure is used to treat relapsed myeloma.

In certain exemplary embodiments, the modified immune cells of the invention are used to treat a melanoma, or a condition related to melanoma. Examples of melanoma or conditions related thereto include, without limitation, superficial spreading melanoma, nodular melanoma, lentigo maligna melanoma, acral lentiginous melanoma, amelanotic melanoma, or melanoma of the skin (e.g., cutaneous, eye, vulva, vagina, rectum melanoma). In one embodiment, a method of the present disclosure is used to treat cutaneous melanoma. In one embodiment, a method of the present disclosure is used to treat refractory melanoma. In one embodiment, a method of the present disclosure is used to treat relapsed melanoma.

In yet other exemplary embodiments, the modified immune cells of the invention are used to treat a sarcoma, or a condition related to sarcoma. Examples of sarcoma or conditions related thereto include, without limitation, angiosarcoma, chondrosarcoma, Ewing's sarcoma, fibrosarcoma, gastrointestinal stromal tumor, leiomyosarcoma, liposarcoma, malignant peripheral nerve sheath tumor, osteosarcoma, pleomorphic sarcoma, rhabdomyosarcoma,

and synovial sarcoma. In one embodiment, a method of the present disclosure is used to treat synovial sarcoma. In one embodiment, a method of the present disclosure is used to treat liposarcoma such as myxoid/round cell liposarcoma, differentiated/dedifferentiated liposarcoma, and pleomorphic liposarcoma. In one embodiment, a method of the present disclosure is used to treat myxoid/round cell liposarcoma. In one embodiment, a method of the present disclosure is used to treat a refractory sarcoma. In one embodiment, a method of the present disclosure is used to treat a relapsed sarcoma.

The cells of the invention to be administered may be autologous, with respect to the subject undergoing therapy.

The administration of the cells of the invention may be carried out in any convenient manner known to those of skill in the art. The cells of the present invention may be administered to a subject by aerosol inhalation, injection, ingestion, transfusion, implantation or transplantation. The compositions described herein may be administered to a patient transarterially, subcutaneously, intradermally, intratumorally, intranodally, intramedullary, intramuscularly, by intravenous (i.v.) injection, or intraperitoneally. In other instances, the cells of the invention are injected directly into a site of inflammation in the subject, a local disease site in the subject, a lymph node, an organ, a tumor, and the like.

In some embodiments, the cells are administered at a desired dosage, which in some aspects includes a desired dose or number of cells or cell type(s) and/or a desired ratio of cell types. Thus, the dosage of cells in some embodiments is based on a total number of cells (or number per kg body weight) and a desired ratio of the individual populations or sub-types, such as the CD4⁺ to CD8⁺ ratio. In some embodiments, the dosage of cells is based on a desired total number (or number per kg of body weight) of cells in the individual populations or of individual cell types. In some embodiments, the dosage is based on a combination of such features, such as a desired number of total cells, desired ratio, and desired total number of cells in the individual populations.

In some embodiments, the populations or sub-types of cells, such as CD8⁺ and CD4⁺ T cells, are administered at or within a tolerated difference of a desired dose of total cells, such as a desired dose of T cells. In some aspects, the desired dose is a desired number of cells or a desired number of cells per unit of body weight of the subject to whom the cells are administered, e.g., cells/kg. In some aspects, the desired dose is at or above a minimum number of cells or minimum number of cells per unit of body weight. In some aspects, among the total cells, administered at the desired dose, the individual populations or sub-types are present at or near a desired output ratio (such as CD4⁺ to CD8⁺ ratio), e.g., within a certain tolerated difference or error of such a ratio.

In some embodiments, the cells are administered at or within a tolerated difference of a desired dose of one or more of the individual populations or sub-types of cells, such as a desired dose of CD4⁺ cells and/or a desired dose of CD8⁺ cells. In some aspects, the desired dose is a desired number of cells of the sub-type or population, or a desired number of such cells per unit of body weight of the subject to whom the cells are administered, e.g., cells/kg. In some aspects, the desired dose is at or above a minimum number of cells of the population or subtype, or minimum number of cells of the population or sub-type per unit of body weight. Thus, in some embodiments, the dosage is based on a desired fixed dose of total cells and a desired ratio, and/or based on a desired fixed dose of one or more, e.g., each, of the individual sub-types or sub-populations. Thus, in some embodi-

ments, the dosage is based on a desired fixed or minimum dose of T cells and a desired ratio of CD4⁺ to CD8⁺ cells, and/or is based on a desired fixed or minimum dose of CD4⁺ and/or CD8⁺ cells.

In certain embodiments, the cells, or individual populations of sub-types of cells, are administered to the subject at a range of about one million to about 100 billion cells, such as, e.g., 1 million to about 50 billion cells (e.g., about 5 million cells, about 25 million cells, about 500 million cells, about 1 billion cells, about 5 billion cells, about 25 billion cells, about 30 billion cells, about 40 billion cells, or a range defined by any two of the foregoing values), such as about 10 million to about 100 billion cells (e.g., about 20 million cells, about 30 million cells, about 40 million cells, about 60 million cells, about 70 million cells, about 80 million cells, about 90 million cells, about 10 billion cells, about 25 billion cells, about 50 billion cells, about 75 billion cells, about 90 billion cells, or a range defined by any two of the foregoing values), and in some cases about 100 million cells to about 50 billion cells (e.g., about 120 million cells, about 250 million cells, about 350 million cells, about 450 million cells, about 650 million cells, about 800 million cells, about 900 million cells, about 3 billion cells, about 30 billion cells, about 45 billion cells) or any value in between these ranges.

In some embodiments, the dose of total cells and/or dose of individual sub-populations of cells is within a range of between at or about 1×10^5 cells/kg to about 1×10^{11} cells/kg 10^4 and at or about 10^{11} cells/kilograms (kg) body weight, such as between 10^5 and 10^6 cells/kg body weight, for example, at or about 1×10^5 cells/kg, 1.5×10^5 cells/kg, 2×10^5 cells/kg, or 1×10^6 cells/kg body weight. For example, in some embodiments, the cells are administered at, or within a certain range of error of, between at or about 10^4 and at or about 10^9 T cells/kilograms (kg) body weight, such as between 10^5 and 10^6 T cells/kg body weight, for example, at or about 1×10^5 T cells/kg, 1.5×10^5 T cells/kg, 2×10^5 T cells/kg, or 1×10^6 T cells/kg body weight. In other exemplary embodiments, a suitable dosage range of modified cells for use in a method of the present disclosure includes, without limitation, from about 1×10^5 cells/kg to about 1×10^6 cells/kg, from about 1×10^6 cells/kg to about 1×10^7 cells/kg, from about 1×10^7 cells/kg about 1×10^8 cells/kg, from about 1×10^8 cells/kg about 1×10^9 cells/kg, from about 1×10^9 cells/kg about 1×10^{10} cells/kg, from about 1×10^{10} cells/kg about 1×10^{11} cells/kg. In an exemplary embodiment, a suitable dosage for use in a method of the present disclosure is about 1×10^8 cells/kg. In an exemplary embodiment, a suitable dosage for use in a method of the present disclosure is about 1×10^7 cells/kg. In other embodiments, a suitable dosage is from about 1×10^7 total cells to about 5×10^7 total cells. In some embodiments, a suitable dosage is from about 1×10^8 total cells to about 5×10^8 total cells. In some embodiments, a suitable dosage is from about 1.4×10^7 total cells to about 1.1×10^9 total cells. In an exemplary embodiment, a suitable dosage for use in a method of the present disclosure is about 7×10^9 total cells.

In some embodiments, the cells are administered at or within a certain range of error of between at or about 10^4 and at or about 10^9 CD4⁺ and/or CD8⁺ cells/kilograms (kg) body weight, such as between 10^5 and 10^6 CD4⁺ and/or CD8⁺ cells/kg body weight, for example, at or about 1×10^5 CD4⁺ and/or CD8⁺ cells/kg, 1.5×10^5 CD4⁺ and/or CD8⁺ cells/kg, 2×10^5 CD4⁺ and/or CD8⁺ cells/kg, or 1×10^6 CD4⁺ and/or CD8⁺ cells/kg body weight. In some embodiments, the cells are administered at or within a certain range of error of, greater than, and/or at least about 1×10^6 , about 2.5×10^6 , about 5×10^6 , about 7.5×10^6 , or about 9×10^6 CD4⁺ cells,

and/or at least about 1×10^6 , about 2.5×10^6 , about 5×10^6 , about 7.5×10^6 , or about 9×10^6 CD8⁺ cells, and/or at least about 1×10^6 , about 2.5×10^6 , about 5×10^6 , about 7.5×10^6 , or about 9×10^6 T cells. In some embodiments, the cells are administered at or within a certain range of error of between about 10^8 and 10^{12} or between about 10^{10} and 10^{11} T cells, between about 10^8 and 10^{12} or between about 10^{10} and 10^{11} CD4⁺ cells, and/or between about 10^8 and 10^{12} or between about 10^{10} and 10^{11} CD8⁺ cells.

In some embodiments, the cells are administered at or within a tolerated range of a desired output ratio of multiple cell populations or sub-types, such as CD4⁺ and CD8⁺ cells or sub-types. In some aspects, the desired ratio can be a specific ratio or can be a range of ratios, for example, in some embodiments, the desired ratio (e.g., ratio of CD4⁺ to CD8⁺ cells) is between at or about 5:1 and at or about 5:1 (or greater than about 1:5 and less than about 5:1), or between at or about 1:3 and at or about 3:1 (or greater than about 1:3 and less than about 3:1), such as between at or about 2:1 and at or about 1:5 (or greater than about 1:5 and less than about 2:1, such as at or about 5:1, 4.5:1, 4:1, 3.5:1, 3:1, 2.5:1, 2:1, 1.9:1, 1.8:1, 1.7:1, 1.6:1, 1.5:1, 1.4:1, 1.3:1, 1.2:1, 1.1:1, 1:1, 1:1.1, 1:1.2, 1:1.3, 1:1.4, 1:1.5, 1:1.6, 1:1.7, 1:1.8, 1:1.9, 1:2, 1:2.5, 1:3, 1:3.5, 1:4, 1:4.5, or 1:5. In some aspects, the tolerated difference is within about 1%, about 2%, about 3%, about 4%, about 5%, about 10%, about 15%, about 20%, about 25%, about 30%, about 35%, about 40%, about 45%, about 50% of the desired ratio, including any value in between these ranges.

In some embodiments, a dose of modified cells is administered to a subject in need thereof, in a single dose or multiple doses. In some embodiments, a dose of modified cells is administered in multiple doses, e.g., once a week or every 7 days, once every 2 weeks or every 14 days, once every 3 weeks or every 21 days, once every 4 weeks or every 28 days. In an exemplary embodiment, a single dose of modified cells is administered to a subject in need thereof. In an exemplary embodiment, a single dose of modified cells is administered to a subject in need thereof by rapid intravenous infusion.

For the prevention or treatment of disease, the appropriate dosage may depend on the type of disease to be treated, the type of cells or recombinant receptors, the severity and course of the disease, whether the cells are administered for preventive or therapeutic purposes, previous therapy, the subject's clinical history and response to the cells, and the discretion of the attending physician. The compositions and cells are in some embodiments suitably administered to the subject at one time or over a series of treatments.

In some embodiments, the cells are administered as part of a combination treatment, such as simultaneously with or sequentially with, in any order, another therapeutic intervention, such as an antibody or engineered cell or receptor or agent, such as a cytotoxic or therapeutic agent. The cells in some embodiments are co-administered with one or more additional therapeutic agents or in connection with another therapeutic intervention, either simultaneously or sequentially in any order. In some contexts, the cells are co-administered with another therapy sufficiently close in time such that the cell populations enhance the effect of one or more additional therapeutic agents, or vice versa. In some embodiments, the cells are administered prior to the one or more additional therapeutic agents. In some embodiments, the cells are administered after the one or more additional therapeutic agents. In some embodiments, the one or more additional agents include a cytokine, such as IL-2, for

example, to enhance persistence. In some embodiments, the methods comprise administration of a chemotherapeutic agent.

In certain embodiments, the modified cells of the invention (e.g., a modified cell comprising a CAR) may be administered to a subject in combination with an immune checkpoint antibody (e.g., an anti-PD1, anti-CTLA-4, or anti-PDL1 antibody). For example, the modified cell may be administered in combination with an antibody or antibody fragment targeting, for example, PD-1 (programmed death 1 protein). Examples of anti-PD-1 antibodies include, but are not limited to, pembrolizumab (KEYTRUDA®, formerly lambrolizumab, also known as MK-3475), and nivolumab (BMS-936558, MDX-1106, ONO-4538, OPDIVA®) or an antigen-binding fragment thereof. In certain embodiments, the modified cell may be administered in combination with an anti-PD-L1 antibody or antigen-binding fragment thereof. Examples of anti-PD-L1 antibodies include, but are not limited to, BMS-936559, MPDL3280A (TECEN-TRIQ®, Atezolizumab), and MEDI4736 (Durvalumab, Imfinzi). In certain embodiments, the modified cell may be administered in combination with an anti-CTLA-4 antibody or antigen-binding fragment thereof. An example of an anti-CTLA-4 antibody includes, but is not limited to, Ipilimumab (trade name Yervoy). Other types of immune checkpoint modulators may also be used including, but not limited to, small molecules, siRNA, miRNA, and CRISPR systems. Immune checkpoint modulators may be administered before, after, or concurrently with the modified cell comprising the CAR. In certain embodiments, combination treatment comprising an immune checkpoint modulator may increase the therapeutic efficacy of a therapy comprising a modified cell of the present invention.

Following administration of the cells, the biological activity of the engineered cell populations in some embodiments is measured, e.g., by any of a number of known methods. Parameters to assess include specific binding of an engineered or natural T cell or other immune cell to antigen, in vivo, e.g., by imaging, or ex vivo, e.g., by ELISA or flow cytometry. In certain embodiments, the ability of the engineered cells to destroy target cells can be measured using any suitable method known in the art, such as cytotoxicity assays described in, for example, Kochenderfer et al., *J. Immunotherapy*, 32 (7): 689-702 (2009), and Herman et al. *J. Immunological Methods*, 285 (1): 25-40 (2004). In certain embodiments, the biological activity of the cells is measured by assaying expression and/or secretion of one or more cytokines, such as CD 107a, IFN γ , IL-2, and TNF. In some aspects the biological activity is measured by assessing clinical outcome, such as reduction in tumor burden or load.

In certain embodiments, the subject is provided a secondary treatment. Secondary treatments include but are not limited to chemotherapy, radiation, surgery, and medications.

In some embodiments, the subject can be administered a conditioning therapy prior to CAR T cell therapy. In some embodiments, the conditioning therapy comprises administering an effective amount of cyclophosphamide to the subject. In some embodiments, the conditioning therapy comprises administering an effective amount of fludarabine to the subject. In preferred embodiments, the conditioning therapy comprises administering an effective amount of a combination of cyclophosphamide and fludarabine to the subject. Administration of a conditioning therapy prior to CAR T cell therapy may increase the efficacy of the CAR T cell therapy. Methods of conditioning patients for T cell

therapy are described in U.S. Pat. No. 9,855,298, which is incorporated herein by reference in its entirety.

In some embodiments, a specific dosage regimen of the present disclosure includes a lymphodepletion step prior to the administration of the modified T cells. In an exemplary embodiment, the lymphodepletion step includes administration of cyclophosphamide and/or fludarabine.

In some embodiments, the lymphodepletion step includes administration of cyclophosphamide at a dose of between about 200 mg/m²/day and about 2000 mg/m²/day (e.g., 200 mg/m²/day, 300 mg/m²/day, or 500 mg/m²/day). In an exemplary embodiment, the dose of cyclophosphamide is about 300 mg/m²/day. In some embodiments, the lymphodepletion step includes administration of fludarabine at a dose of between about 20 mg/m²/day and about 900 mg/m²/day (e.g., 20 mg/m²/day, 25 mg/m²/day, 30 mg/m²/day, or 60 mg/m²/day). In an exemplary embodiment, the dose of fludarabine is about 30 mg/m²/day.

In some embodiment, the lymphodepletion step includes administration of cyclophosphamide at a dose of between about 200 mg/m²/day and about 2000 mg/m²/day (e.g., 200 mg/m²/day, 300 mg/m²/day, or 500 mg/m²/day), and fludarabine at a dose of between about 20 mg/m²/day and about 900 mg/m²/day (e.g., 20 mg/m²/day, 25 mg/m²/day, 30 mg/m²/day, or 60 mg/m²/day). In an exemplary embodiment, the lymphodepletion step includes administration of cyclophosphamide at a dose of about 300 mg/m²/day, and fludarabine at a dose of about 30 mg/m²/day.

In an exemplary embodiment, the dosing of cyclophosphamide is 300 mg/m²/day over three days, and the dosing of fludarabine is 30 mg/m²/day over three days.

Dosing of lymphodepletion chemotherapy may be scheduled on Days -6 to -4 (with a -1 day window, i.e., dosing on Days -7 to -5) relative to T cell (e.g., CAR-T.) infusion on Day 0.

In an exemplary embodiment, for a subject having cancer, the subject receives lymphodepleting chemotherapy including 300 mg/m² of cyclophosphamide by intravenous infusion 3 days prior to administration of the modified T cells. In an exemplary embodiment, for a subject having cancer, the subject receives lymphodepleting chemotherapy including 300 mg/m² of cyclophosphamide by intravenous infusion for 3 days prior to administration of the modified T cells.

In an exemplary embodiment, for a subject having cancer, the subject receives lymphodepleting chemotherapy including fludarabine at a dose of between about 20 mg/m²/day and about 900 mg/m²/day (e.g., 20 mg/m²/day, 25 mg/m²/day, 30 mg/m²/day, or 60 mg/m²/day). In an exemplary embodiment, for a subject having cancer, the subject receives lymphodepleting chemotherapy including fludarabine at a dose of 30 mg/m² for 3 days.

In an exemplary embodiment, for a subject having cancer, the subject receives lymphodepleting chemotherapy including cyclophosphamide at a dose of between about 200 mg/m²/day and about 2000 mg/m²/day (e.g., 200 mg/m²/day, 300 mg/m²/day, or 500 mg/m²/day), and fludarabine at a dose of between about 20 mg/m²/day and about 900 mg/m²/day (e.g., 20 mg/m²/day, 25 mg/m²/day, 30 mg/m²/day, or 60 mg/m²/day). In an exemplary embodiment, for a subject having cancer, the subject receives lymphodepleting chemotherapy including cyclophosphamide at a dose of about 300 mg/m²/day, and fludarabine at a dose of 30 mg/m² for 3 days.

Cells of the invention can be administered in dosages and routes and at times to be determined in appropriate pre-clinical and clinical experimentation and trials. Cell com-

positions may be administered multiple times at dosages within these ranges. Administration of the cells of the invention may be combined with other methods useful to treat the desired disease or condition as determined by those of skill in the art.

It is known in the art that one of the adverse effects following infusion of CAR T cells is the onset of immune activation, known as cytokine release syndrome (CRS). CRS is immune activation resulting in elevated inflammatory cytokines. CRS is a known on-target toxicity, development of which likely correlates with efficacy. Clinical and laboratory measures range from mild CRS (constitutional symptoms and/or grade-2 organ toxicity) to severe CRS (sCRS; grade ≥ 3 organ toxicity, aggressive clinical intervention, and/or potentially life threatening). Clinical features include: high fever, malaise, fatigue, myalgia, nausea, anorexia, tachycardia/hypotension, capillary leak, cardiac dysfunction, renal impairment, hepatic failure, and disseminated intravascular coagulation. Dramatic elevations of cytokines including interferon-gamma, granulocyte macrophage colony-stimulating factor, IL-10, and IL-6 have been shown following CAR T-cell infusion. One CRS signature is elevation of cytokines including IL-6 (severe elevation), IFN-gamma, TNF-alpha (moderate), and IL-2 (mild). Elevations in clinically available markers of inflammation including ferritin and C-reactive protein (CRP) have also been observed to correlate with the CRS syndrome. The presence of CRS generally correlates with expansion and progressive immune activation of adoptively transferred cells. It has been demonstrated that the degree of CRS severity is dictated by disease burden at the time of infusion as patients with high tumor burden experience a more sCRS.

Accordingly, the invention provides for, following the diagnosis of CRS, appropriate strategies for CRS management strategies to mitigate the physiological symptoms of uncontrolled inflammation without dampening the antitumor efficacy of the engineered cells (e.g., CAR T cells). CRS management strategies are known in the art. For example, systemic corticosteroids may be administered to rapidly reverse symptoms of sCRS (e.g., grade 3 CRS) without compromising initial antitumor response.

In some embodiments, an anti-IL-6R antibody may be administered. An example of an anti-IL-6R antibody is the Food and Drug Administration-approved monoclonal antibody tocilizumab, also known as atilizumab (marketed as Actemra, or RoActemra). Tocilizumab is a humanized monoclonal antibody against the interleukin-6 receptor (IL-6R). Administration of tocilizumab has demonstrated near-immediate reversal of CRS.

CRS is generally managed based on the severity of the observed syndrome and interventions are tailored as such. CRS management decisions may be based upon clinical signs and symptoms and response to interventions, not solely on laboratory values alone.

Mild to moderate cases generally are treated with symptom management with fluid therapy, non-steroidal anti-inflammatory drug (NSAID) and antihistamines as needed for adequate symptom relief. More severe cases include patients with any degree of hemodynamic instability; with any hemodynamic instability, the administration of tocilizumab is recommended. The first-line management of CRS may be tocilizumab, in some embodiments, at the labeled dose of 8 mg/kg IV over 60 minutes (not to exceed 800 mg/dose); tocilizumab can be repeated Q8 hours. If suboptimal response to the first dose of tocilizumab, additional doses of tocilizumab may be considered. Tocilizumab can be administered alone or in combination with corticosteroid

therapy. Patients with continued or progressive CRS symptoms, inadequate clinical improvement in 12-18 hours or poor response to tocilizumab, may be treated with high-dose corticosteroid therapy, generally hydrocortisone 100 mg IV or methylprednisolone 1-2 mg/kg. In patients with more severe hemodynamic instability or more severe respiratory symptoms, patients may be administered high-dose corticosteroid therapy early in the course of the CRS. CRS management guidance may be based on published standards (Lee et al. (2019) *Biol Blood Marrow Transplant*, doi.org/10.1016/j.bbmt.2018.12.758; Neelapu et al. (2018) *Nat Rev Clin Oncology*, 15:47; Teachey et al. (2016) *Cancer Discov*, 6 (6): 664-679).

Features consistent with Macrophage Activation Syndrome (MAS) or Hemophagocytic lymphohistiocytosis (HLH) have been observed in patients treated with CAR-T therapy (Henter, 2007), coincident with clinical manifestations of the CRS. MAS appears to be a reaction to immune activation that occurs from the CRS, and should therefore be considered a manifestation of CRS. MAS is similar to HLH (also a reaction to immune stimulation). The clinical syndrome of MAS is characterized by high grade non-remitting fever, cytopenias affecting at least two of three lineages, and hepatosplenomegaly. It is associated with high serum ferritin, soluble interleukin-2 receptor, and triglycerides, and a decrease of circulating natural killer (NK) activity.

In one aspect, the invention includes a method of treating cancer in a subject in need thereof, comprising administering to the subject any one of the modified immune or precursor cells disclosed herein. Yet another aspect of the invention includes a method of treating cancer in a subject in need thereof, comprising administering to the subject a modified immune or precursor cell generated by any one of the methods disclosed herein.

In one aspect, the invention includes a method for treating cancer in a subject in need thereof. The method comprises administering to the subject a modified T cell or precursor thereof comprising a bispecific CAR comprising a first antigen binding domain comprising a nanobody capable of binding CD13, a first intracellular domain, a second antigen binding domain capable of binding TIM-3, a transmembrane domain, and a second intracellular domain.

In another embodiment, the method comprises administering to the subject a modified T cell or precursor thereof comprising a bispecific CAR comprising a first antigen binding domain comprising Nb157, a first intracellular domain comprising CD3 zeta, a second antigen binding domain capable of binding TIM-3, a CD28 transmembrane domain, and a second intracellular domain comprising 4-1BB.

In another aspect, the invention includes a method of treating cancer in a subject in need thereof comprising administering to the subject a modified T cell or precursor thereof comprising an inducible bispecific CAR comprising a first antigen binding domain capable of binding Peptide-Neo-Epitope (PNE), a first transmembrane domain, a first intracellular domain, a second antigen binding domain capable of binding TIM-3, a transmembrane domain, and a second intracellular domain.

In another embodiment, the method comprises administering to the subject a modified T cell or precursor thereof comprising an inducible bispecific CAR comprising a first antigen binding domain capable of binding Peptide-Neo-Epitope (PNE), a first transmembrane domain, a first intracellular domain comprising CD3 zeta, a second antigen

binding domain capable of binding TIM-3, a CD28 transmembrane domain, and a second intracellular domain comprising 4-1BB.

The method may further comprise administering, along with the inducible bispecific CAR, a nanobody fused to PNE. In certain embodiments, the nanobody is specific for CD13. In certain embodiments, the nanobody is Nb157 and may comprise the amino acid sequence set forth in SEQ ID NO: 1.

In certain embodiments, the T cell is a human cell. In certain embodiments, the T cell is autologous.

Vectors

A vector may be used to introduce the CAR into a T cell as described elsewhere herein. In certain aspects, the invention includes vectors comprising nucleic acid sequences encoding a CAR. The vector can comprise a plasmid vector, viral vector, retrotransposon (e.g. piggyback, sleeping beauty), site directed insertion vector (e.g. CRISPR, Zn finger nucleases, TALEN), suicide expression vector, lentiviral vector, RNA vector, or other known vector in the art.

The production of any of the molecules described herein can be verified by sequencing. Expression of the full length proteins may be verified using immunoblot, immunohistochemistry, flow cytometry or other technology well known and available in the art.

The present invention also provides a vector in which DNA of the present invention is inserted. Vectors, including those derived from retroviruses such as lentivirus, are suitable tools to achieve long-term gene transfer since they allow long-term, stable integration of a transgene and its propagation in daughter cells. Lentiviral vectors have the added advantage over vectors derived from onco-retroviruses, such as murine leukemia viruses, in that they can transduce non-proliferating cells, such as hepatocytes. They also have the added advantage of resulting in low immunogenicity in the subject into which they are introduced.

The expression of natural or synthetic nucleic acids is typically achieved by operably linking a nucleic acid or portions thereof to a promoter, and incorporating the construct into an expression vector. The vector is one generally capable of replication in a mammalian cell, and/or also capable of integration into the cellular genome of the mammal. Typical vectors contain transcription and translation terminators, initiation sequences, and promoters useful for regulation of the expression of the desired nucleic acid sequence.

The nucleic acid can be cloned into any number of different types of vectors. For example, the nucleic acid can be cloned into a vector including, but not limited to a plasmid, a phagemid, a phage derivative, an animal virus, and a cosmid. Vectors of particular interest include expression vectors, replication vectors, probe generation vectors, and sequencing vectors.

The expression vector may be provided to a cell in the form of a viral vector. Viral vector technology is well known in the art and is described, for example, in Sambrook et al., 2012, *MOLECULAR CLONING: A LABORATORY MANUAL*, volumes 1-4, Cold Spring Harbor Press, NY), and in other virology and molecular biology manuals. Viruses, which are useful as vectors include, but are not limited to, retroviruses, adenoviruses, adeno-associated viruses, herpes viruses, and lentiviruses. In general, a suitable vector contains an origin of replication functional in at least one organism, a promoter sequence, convenient restriction endonuclease sites, and one or more selectable markers, (e.g., WO 01/96584; WO 01/29058; and U.S. Pat. No. 6,326,193).

Additional promoter elements, e.g., enhancers, regulate the frequency of transcriptional initiation. Typically, these are located in the region 30-110 bp upstream of the start site, although a number of promoters have recently been shown to contain functional elements downstream of the start site as well. The spacing between promoter elements frequently is flexible, so that promoter function is preserved when elements are inverted or moved relative to one another. In the thymidine kinase (tk) promoter, the spacing between promoter elements can be increased to 50 bp apart before activity begins to decline. Depending on the promoter, it appears that individual elements can function either cooperatively or independently to activate transcription.

An example of a promoter is the immediate early cytomegalovirus (CMV) promoter sequence. This promoter sequence is a strong constitutive promoter sequence capable of driving high levels of expression of any polynucleotide sequence operatively linked thereto. However, other constitutive promoter sequences may also be used, including, but not limited to the simian virus 40 (SV40) early promoter, mouse mammary tumor virus (MMTV), human immunodeficiency virus (HIV) long terminal repeat (LTR) promoter, MoMuLV promoter, an avian leukemia virus promoter, an Epstein-Barr virus immediate early promoter, a Rous sarcoma virus promoter, the EF-1 alpha promoter, as well as human gene promoters such as, but not limited to, the actin promoter, the myosin promoter, the hemoglobin promoter, and the creatine kinase promoter. Further, the invention should not be limited to the use of constitutive promoters. Inducible promoters are also contemplated as part of the invention. The use of an inducible promoter provides a molecular switch capable of turning on expression of the polynucleotide sequence which it is operatively linked when such expression is desired, or turning off the expression when expression is not desired. Examples of inducible promoters include, but are not limited to a metallothioneine promoter, a glucocorticoid promoter, a progesterone promoter, and a tetracycline promoter.

In order to assess expression of a polypeptide or portions thereof, the expression vector to be introduced into a cell can also contain either a selectable marker gene or a reporter gene or both to facilitate identification and selection of expressing cells from the population of cells sought to be transfected or infected through viral vectors. In other aspects, the selectable marker may be carried on a separate piece of DNA and used in a co-transfection procedure. Both selectable markers and reporter genes may be flanked with appropriate regulatory sequences to enable expression in the host cells. Useful selectable markers include, for example, antibiotic-resistance genes, such as neo and the like.

Reporter genes are used for identifying potentially transfected cells and for evaluating the functionality of regulatory sequences. In general, a reporter gene is a gene that is not present in or expressed by the recipient organism or tissue and that encodes a polypeptide whose expression is manifested by some easily detectable property, e.g., enzymatic activity. Expression of the reporter gene is assessed at a suitable time after the DNA has been introduced into the recipient cells. Suitable reporter genes may include genes encoding luciferase, beta-galactosidase, chloramphenicol acetyl transferase, secreted alkaline phosphatase, or the green fluorescent protein gene (e.g., Ui-Tei et al., 2000 FEBS Letters 479:79-82). Suitable expression systems are well known and may be prepared using known techniques or obtained commercially. In general, the construct with the minimal 5' flanking region showing the highest level of expression of reporter gene is identified as the promoter.

Such promoter regions may be linked to a reporter gene and used to evaluate agents for the ability to modulate promoter-driven transcription.

Introduction of Nucleic Acids

Methods of introducing nucleic acids into a cell include physical, biological and chemical methods. Physical methods for introducing a polynucleotide, such as RNA, into a host cell include calcium phosphate precipitation, lipofection, particle bombardment, microinjection, electroporation, and the like. RNA can be introduced into target cells using commercially available methods which include electroporation (Amaxa Nucleofector-II (Amaxa Biosystems, Cologne, Germany)), (ECM 830 (BTX) (Harvard Instruments, Boston, Mass.) or the Gene Pulser II (BioRad, Denver, Colo.), Multiporator (Eppendorf, Hamburg Germany). RNA can also be introduced into cells using cationic liposome mediated transfection using lipofection, using polymer encapsulation, using peptide mediated transfection, or using biolistic particle delivery systems such as "gene guns" (see, for example, Nishikawa, et al. Hum Gene Ther., 12 (8): 861-70 (2001).

Biological methods for introducing a polynucleotide of interest into a host cell include the use of DNA and RNA vectors. Viral vectors, and especially retroviral vectors, have become the most widely used method for inserting genes into mammalian, e.g., human cells. Other viral vectors can be derived from lentivirus, poxviruses, herpes simplex virus 1, adenoviruses and adeno-associated viruses, and the like. See, for example, U.S. Pat. Nos. 5,350,674 and 5,585,362.

Chemical means for introducing a polynucleotide into a host cell include colloidal dispersion systems, such as macromolecule complexes, nanocapsules, microspheres, beads, and lipid-based systems including oil-in-water emulsions, micelles, mixed micelles, and liposomes. An exemplary colloidal system for use as a delivery vehicle in vitro and in vivo is a liposome (e.g., an artificial membrane vesicle).

Lipids suitable for use can be obtained from commercial sources. For example, dimyristyl phosphatidylcholine ("DMPC") can be obtained from Sigma, St. Louis, MO; dicetyl phosphate ("DCP") can be obtained from K & K Laboratories (Plainview, NY); cholesterol ("Choi") can be obtained from Calbiochem-Behring; dimyristyl phosphatidylglycerol ("DMPG") and other lipids may be obtained from Avanti Polar Lipids, Inc. (Birmingham, AL). Stock solutions of lipids in chloroform or chloroform/methanol can be stored at about -20° C. Chloroform is used as the only solvent since it is more readily evaporated than methanol. "Liposome" is a generic term encompassing a variety of single and multilamellar lipid vehicles formed by the generation of enclosed lipid bilayers or aggregates. Liposomes can be characterized as having vesicular structures with a phospholipid bilayer membrane and an inner aqueous medium. Multilamellar liposomes have multiple lipid layers separated by aqueous medium. They form spontaneously when phospholipids are suspended in an excess of aqueous solution. The lipid components undergo self-rearrangement before the formation of closed structures and entrap water and dissolved solutes between the lipid bilayers (Ghosh et al., 1991 Glycobiology 5:505-10). However, compositions that have different structures in solution than the normal vesicular structure are also encompassed. For example, the lipids may assume a micellar structure or merely exist as nonuniform aggregates of lipid molecules. Also contemplated are lipofectamine-nucleic acid complexes.

Regardless of the method used to introduce exogenous nucleic acids into a host cell or otherwise expose a cell to the inhibitor of the present invention, in order to confirm the

presence of the nucleic acids in the host cell, a variety of assays may be performed. Such assays include, for example, "molecular biological" assays well known to those of skill in the art, such as Southern and Northern blotting, RT-PCR and PCR; "biochemical" assays, such as detecting the presence or absence of a particular peptide, e.g., by immunological means (ELISAs and Western blots) or by assays described herein to identify agents falling within the scope of the invention.

Moreover, the nucleic acids may be introduced by any means, such as transducing the expanded T cells, transfecting the expanded T cells, and electroporating the expanded T cells. One nucleic acid may be introduced by one method and another nucleic acid may be introduced into the T cell by a different method.

RNA

In one embodiment, the nucleic acids introduced into the T cell are RNA. In another embodiment, the RNA is mRNA that comprises in vitro transcribed RNA or synthetic RNA. The RNA is produced by in vitro transcription using a polymerase chain reaction (PCR)-generated template. DNA of interest from any source can be directly converted by PCR into a template for in vitro mRNA synthesis using appropriate primers and RNA polymerase. The source of the DNA can be, for example, genomic DNA, plasmid DNA, phage DNA, cDNA, synthetic DNA sequence or any other appropriate source of DNA. The desired template for in vitro transcription is a chimeric membrane protein. By way of example, the template encodes an antibody, a fragment of an antibody or a portion of an antibody. By way of another example, the template comprises an extracellular domain comprising a single chain variable domain of an antibody, such as anti-CD3, and an intracellular domain of a co-stimulatory molecule. In one embodiment, the template for the RNA chimeric membrane protein encodes a chimeric membrane protein comprising an extracellular domain comprising an antigen binding domain derived from an antibody to a co-stimulatory molecule, and an intracellular domain derived from a portion of an intracellular domain of CD28 and 4-1BB.

PCR can be used to generate a template for in vitro transcription of mRNA which is then introduced into cells. Methods for performing PCR are well known in the art. Primers for use in PCR are designed to have regions that are substantially complementary to regions of the DNA to be used as a template for the PCR. "Substantially complementary", as used herein, refers to sequences of nucleotides where a majority or all of the bases in the primer sequence are complementary, or one or more bases are non-complementary, or mismatched. Substantially complementary sequences are able to anneal or hybridize with the intended DNA target under annealing conditions used for PCR. The primers can be designed to be substantially complementary to any portion of the DNA template. For example, the primers can be designed to amplify the portion of a gene that is normally transcribed in cells (the open reading frame), including 5' and 3' UTRs. The primers can also be designed to amplify a portion of a gene that encodes a particular domain of interest. In one embodiment, the primers are designed to amplify the coding region of a human cDNA, including all or portions of the 5' and 3' UTRs. Primers useful for PCR are generated by synthetic methods that are well known in the art. "Forward primers" are primers that contain a region of nucleotides that are substantially complementary to nucleotides on the DNA template that are upstream of the DNA sequence that is to be amplified. "Upstream" is used herein to refer to a location 5' to the

DNA sequence to be amplified relative to the coding strand. "Reverse primers" are primers that contain a region of nucleotides that are substantially complementary to a double-stranded DNA template that are downstream of the DNA sequence that is to be amplified. "Downstream" is used herein to refer to a location 3' to the DNA sequence to be amplified relative to the coding strand.

Chemical structures that have the ability to promote stability and/or translation efficiency of the RNA may also be used. The RNA preferably has 5' and 3' UTRs. In one embodiment, the 5' UTR is between zero and 3000 nucleotides in length. The length of 5' and 3' UTR sequences to be added to the coding region can be altered by different methods, including, but not limited to, designing primers for PCR that anneal to different regions of the UTRs. Using this approach, one of ordinary skill in the art can modify the 5' and 3' UTR lengths required to achieve optimal translation efficiency following transfection of the transcribed RNA.

The 5' and 3' UTRs can be the naturally occurring, endogenous 5' and 3' UTRs for the gene of interest. Alternatively, UTR sequences that are not endogenous to the gene of interest can be added by incorporating the UTR sequences into the forward and reverse primers or by any other modifications of the template. The use of UTR sequences that are not endogenous to the gene of interest can be useful for modifying the stability and/or translation efficiency of the RNA. For example, it is known that AU-rich elements in 3' UTR sequences can decrease the stability of mRNA. Therefore, 3' UTRs can be selected or designed to increase the stability of the transcribed RNA based on properties of UTRs that are well known in the art.

In one embodiment, the 5' UTR can contain the Kozak sequence of the endogenous gene. Alternatively, when a 5' UTR that is not endogenous to the gene of interest is being added by PCR as described above, a consensus Kozak sequence can be redesigned by adding the 5' UTR sequence. Kozak sequences can increase the efficiency of translation of some RNA transcripts, but does not appear to be required for all RNAs to enable efficient translation. The requirement for Kozak sequences for many mRNAs is known in the art. In other embodiments the 5' UTR can be derived from an RNA virus whose RNA genome is stable in cells. In other embodiments various nucleotide analogues can be used in the 3' or 5' UTR to impede exonuclease degradation of the mRNA.

To enable synthesis of RNA from a DNA template without the need for gene cloning, a promoter of transcription should be attached to the DNA template upstream of the sequence to be transcribed. When a sequence that functions as a promoter for an RNA polymerase is added to the 5' end of the forward primer, the RNA polymerase promoter becomes incorporated into the PCR product upstream of the open reading frame that is to be transcribed. In one embodiment, the promoter is a T7 polymerase promoter, as described elsewhere herein. Other useful promoters include, but are not limited to, T3 and SP6 RNA polymerase promoters. Consensus nucleotide sequences for T7, T3 and SP6 promoters are known in the art.

In one embodiment, the mRNA has both a cap on the 5' end and a 3' poly(A) tail which determine ribosome binding, initiation of translation and stability mRNA in the cell. On a circular DNA template, for instance, plasmid DNA, RNA polymerase produces a long concatameric product which is not suitable for expression in eukaryotic cells. The transcription of plasmid DNA linearized at the end of the 3' UTR results in normal sized mRNA which is not effective in eukaryotic transfection even if it is polyadenylated after transcription.

On a linear DNA template, phage T7 RNA polymerase can extend the 3' end of the transcript beyond the last base of the template (Schenborn and Mierendorf, *Nuc Acids Res.*, 13:6223-36 (1985); Nacheva and Berzal-Herranz, *Eur. J. Biochem.*, 270:1485-65 (2003)).

The conventional method of integration of polyA/T stretches into a DNA template is molecular cloning. However polyA/T sequence integrated into plasmid DNA can cause plasmid instability, which is why plasmid DNA templates obtained from bacterial cells are often highly contaminated with deletions and other aberrations. This makes cloning procedures not only laborious and time consuming but often not reliable. That is why a method which allows construction of DNA templates with polyA/T 3' stretch without cloning highly desirable.

The polyA/T segment of the transcriptional DNA template can be produced during PCR by using a reverse primer containing a polyT tail, such as 100T tail (size can be 50-5000 T), or after PCR by any other method, including, but not limited to, DNA ligation or in vitro recombination. Poly(A) tails also provide stability to RNAs and reduce their degradation. Generally, the length of a poly(A) tail positively correlates with the stability of the transcribed RNA. In one embodiment, the poly(A) tail is between 100 and 5000 adenosines.

Poly(A) tails of RNAs can be further extended following in vitro transcription with the use of a poly(A) polymerase, such as *E. coli* polyA polymerase (E-PAP). In one embodiment, increasing the length of a poly(A) tail from 100 nucleotides to between 300 and 400 nucleotides results in about a two-fold increase in the translation efficiency of the RNA. Additionally, the attachment of different chemical groups to the 3' end can increase mRNA stability. Such attachment can contain modified/artificial nucleotides, aptamers and other compounds. For example, ATP analogs can be incorporated into the poly(A) tail using poly(A) polymerase. ATP analogs can further increase the stability of the RNA.

5' caps also provide stability to RNA molecules. In a preferred embodiment, RNAs produced by the methods disclosed herein include a 5' cap. The 5' cap is provided using techniques known in the art and described herein (Cougot, et al., *Trends in Biochem. Sci.*, 29:436-444 (2001); Stepinski, et al., *RNA*, 7:1468-95 (2001); Elango, et al., *Biochim. Biophys. Res. Commun.*, 330:958-966 (2005)).

The RNAs produced by the methods disclosed herein can also contain an internal ribosome entry site (IRES) sequence. The IRES sequence may be any viral, chromosomal or artificially designed sequence which initiates cap-independent ribosome binding to mRNA and facilitates the initiation of translation. Any solutes suitable for cell electroporation, which can contain factors facilitating cellular permeability and viability such as sugars, peptides, lipids, proteins, antioxidants, and surfactants can be included.

In some embodiments, the RNA is electroporated into the cells, such as in vitro transcribed RNA.

The disclosed methods can be applied to the modulation of T cell activity in basic research and therapy, in the fields of cancer, stem cells, acute and chronic infections, and autoimmune diseases, including the assessment of the ability of the genetically modified T cell to kill a target cancer cell.

The methods also provide the ability to control the level of expression over a wide range by changing, for example, the promoter or the amount of input RNA, making it possible to individually regulate the expression level. Furthermore, the PCR-based technique of mRNA production

greatly facilitates the design of the mRNAs with different structures and combination of their domains.

One advantage of RNA transfection methods of the invention is that RNA transfection is essentially transient and a vector-free. A RNA transgene can be delivered to a lymphocyte and expressed therein following a brief in vitro cell activation, as a minimal expressing cassette without the need for any additional viral sequences. Under these conditions, integration of the transgene into the host cell genome is unlikely. Cloning of cells is not necessary because of the efficiency of transfection of the RNA and its ability to uniformly modify the entire lymphocyte population.

Genetic modification of T cells with in vitro-transcribed RNA (IVT-RNA) makes use of two different strategies both of which have been successively tested in various animal models. Cells are transfected with in vitro-transcribed RNA by means of lipofection or electroporation. It is desirable to stabilize IVT-RNA using various modifications in order to achieve prolonged expression of transferred IVT-RNA.

Some IVT vectors are known in the literature which are utilized in a standardized manner as template for in vitro transcription and which have been genetically modified in such a way that stabilized RNA transcripts are produced. Currently protocols used in the art are based on a plasmid vector with the following structure: a 5' RNA polymerase promoter enabling RNA transcription, followed by a gene of interest which is flanked either 3' and/or 5' by untranslated regions (UTR), and a 3' polyadenyl cassette containing 50-70 A nucleotides. Prior to in vitro transcription, the circular plasmid is linearized downstream of the polyadenyl cassette by type II restriction enzymes (recognition sequence corresponds to cleavage site). The polyadenyl cassette thus corresponds to the later poly(A) sequence in the transcript. As a result of this procedure, some nucleotides remain as part of the enzyme cleavage site after linearization and extend or mask the poly(A) sequence at the 3' end. It is not clear, whether this nonphysiological overhang affects the amount of protein produced intracellularly from such a construct.

RNA has several advantages over more traditional plasmid or viral approaches. Gene expression from an RNA source does not require transcription and the protein product is produced rapidly after the transfection. Further, since the RNA has to only gain access to the cytoplasm, rather than the nucleus, and therefore typical transfection methods result in an extremely high rate of transfection. In addition, plasmid based approaches require that the promoter driving the expression of the gene of interest be active in the cells under study.

In another aspect, the RNA construct is delivered into the cells by electroporation. See, e.g., the formulations and methodology of electroporation of nucleic acid constructs into mammalian cells as taught in US 2004/0014645, US 2005/0052630A1, US 2005/0070841A1, US 2004/0059285A1, US 2004/0092907A1. The various parameters including electric field strength required for electroporation of any known cell type are generally known in the relevant research literature as well as numerous patents and applications in the field. See e.g., U.S. Pat. Nos. 6,678,556, 7,171,264, and 7,173,116. Apparatus for therapeutic application of electroporation are available commercially, e.g., the MedPulser™ DNA Electroporation Therapy System (Inovio/Genetronics, San Diego, Calif.), and are described in patents such as U.S. Pat. Nos. 6,567,694; 6,516,223, 5,993,434, 6,181,964, 6,241,701, and 6,233,482; electroporation may also be used for transfection of cells in vitro as described e.g. in US20070128708A1. Electroporation may

also be utilized to deliver nucleic acids into cells in vitro. Accordingly, electroporation-mediated administration into cells of nucleic acids including expression constructs utilizing any of the many available devices and electroporation systems known to those of skill in the art presents an exciting new means for delivering an RNA of interest to a target cell.

Sources of T Cells

In certain embodiments, a source of T cells is obtained from a subject. Non-limiting examples of subjects include humans, dogs, cats, mice, rats, and transgenic species thereof. Preferably, the subject is a human. T cells can be obtained from a number of sources, including peripheral blood mononuclear cells, bone marrow, lymph node tissue, spleen tissue, umbilical cord, and tumors. In certain embodiments, any number of T cell lines available in the art, may be used. In certain embodiments, T cells can be obtained from a unit of blood collected from a subject using any number of techniques known to the skilled artisan, such as Ficoll separation. In one embodiment, cells from the circulating blood of an individual are obtained by apheresis or leukapheresis. The apheresis product typically contains lymphocytes, including T cells, monocytes, granulocytes, B cells, other nucleated white blood cells, red blood cells, and platelets. The cells collected by apheresis may be washed to remove the plasma fraction and to place the cells in an appropriate buffer or media, such as phosphate buffered saline (PBS) or wash solution lacks calcium and may lack magnesium or may lack many if not all divalent cations, for subsequent processing steps. After washing, the cells may be resuspended in a variety of biocompatible buffers, such as, for example, Ca-free, Mg-free PBS. Alternatively, the undesirable components of the apheresis sample may be removed and the cells directly resuspended in culture media.

In another embodiment, T cells are isolated from peripheral blood by lysing the red blood cells and depleting the monocytes, for example, by centrifugation through a PERCOLL™ gradient. Alternatively, T cells can be isolated from umbilical cord. In any event, a specific subpopulation of T cells can be further isolated by positive or negative selection techniques.

The cord blood mononuclear cells so isolated can be depleted of cells expressing certain antigens, including, but not limited to, CD34, CD8, CD14, CD19 and CD56. Depletion of these cells can be accomplished using an isolated antibody, a biological sample comprising an antibody, such as ascites, an antibody bound to a physical support, and a cell bound antibody.

Enrichment of a T cell population by negative selection can be accomplished using a combination of antibodies directed to surface markers unique to the negatively selected cells. A preferred method is cell sorting and/or selection via negative magnetic immunoadherence or flow cytometry that uses a cocktail of monoclonal antibodies directed to cell surface markers present on the cells negatively selected. For example, to enrich for CD4+ cells by negative selection, a monoclonal antibody cocktail typically includes antibodies to CD14, CD20, CD11b, CD16, HLA-DR, and CD8.

For isolation of a desired population of cells by positive or negative selection, the concentration of cells and surface (e.g., particles such as beads) can be varied. In certain embodiments, it may be desirable to significantly decrease the volume in which beads and cells are mixed together (i.e., increase the concentration of cells), to ensure maximum contact of cells and beads. For example, in one embodiment, a concentration of 2 billion cells/ml is used. In one embodiment, a concentration of 1 billion cells/ml is used. In a

further embodiment, greater than 100 million cells/ml is used. In a further embodiment, a concentration of cells of 10, 15, 20, 25, 30, 35, 40, 45, or 50 million cells/ml is used. In yet another embodiment, a concentration of cells from 75, 80, 85, 90, 95, or 100 million cells/ml is used. In further embodiments, concentrations of 125 or 150 million cells/ml can be used. Using high concentrations can result in increased cell yield, cell activation, and cell expansion.

T cells can also be frozen after the washing step, which does not require the monocyte-removal step. While not wishing to be bound by theory, the freeze and subsequent thaw step provides a more uniform product by removing granulocytes and to some extent monocytes in the cell population. After the washing step that removes plasma and platelets, the cells may be suspended in a freezing solution. While many freezing solutions and parameters are known in the art and will be useful in this context, in a non-limiting example, one method involves using PBS containing 20% DMSO and 8% human serum albumin, or other suitable cell freezing media. The cells are then frozen to -80° C. at a rate of 1° per minute and stored in the vapor phase of a liquid nitrogen storage tank. Other methods of controlled freezing may be used as well as uncontrolled freezing immediately at -20° C. or in liquid nitrogen.

In one embodiment, the population of T cells is comprised within cells such as peripheral blood mononuclear cells, cord blood cells, a purified population of T cells, and a T cell line. In another embodiment, peripheral blood mononuclear cells comprise the population of T cells. In yet another embodiment, purified T cells comprise the population of T cells.

In certain embodiments, T regulatory cells (Tregs) can be isolated from a sample. The sample can include, but is not limited to, umbilical cord blood or peripheral blood. In certain embodiments, the Tregs are isolated by flow-cytometry sorting. The sample can be enriched for Tregs prior to isolation by any means known in the art. The isolated Tregs can be cryopreserved, and/or expanded prior to use. Methods for isolating Tregs are described in U.S. Pat. Nos. 7,754,482, 8,722,400, and 9,555,105, and U.S. patent application Ser. No. 13/639,927, contents of which are incorporated herein in their entirety.

Expansion of T Cells

In certain embodiments, the T cells disclosed herein can be multiplied by about 10 fold, 20 fold, 30 fold, 40 fold, 50 fold, 60 fold, 70 fold, 80 fold, 90 fold, 100 fold, 200 fold, 300 fold, 400 fold, 500 fold, 600 fold, 700 fold, 800 fold, 900 fold, 1000 fold, 2000 fold, 3000 fold, 4000 fold, 5000 fold, 6000 fold, 7000 fold, 8000 fold, 9000 fold, 10,000 fold, 100,000 fold, 1,000,000 fold, 10,000,000 fold, or greater, and any and all whole or partial integers therebetween. In one embodiment, the T cells expand in the range of about 20 fold to about 50 fold.

Following culturing, the T cells can be incubated in cell medium in a culture apparatus for a period of time or until the cells reach confluency or high cell density for optimal passage before passing the cells to another culture apparatus. The culturing apparatus can be of any culture apparatus commonly used for culturing cells in vitro. Preferably, the level of confluence is 70% or greater before passing the cells to another culture apparatus. More preferably, the level of confluence is 90% or greater. A period of time can be any time suitable for the culture of cells in vitro. The T cell medium may be replaced during the culture of the T cells at any time. Preferably, the T cell medium is replaced about every 2 to 3 days. The T cells are then harvested from the culture apparatus whereupon the T cells can be used imme-

diately or cryopreserved to be stored for use at a later time. In one embodiment, the invention includes cryopreserving the expanded T cells. The cryopreserved T cells are thawed prior to introducing nucleic acids into the T cell.

In another embodiment, the method comprises isolating T cells and expanding the T cells. In another embodiment, the invention further comprises cryopreserving the T cells prior to expansion. In yet another embodiment, the cryopreserved T cells are thawed for electroporation with the RNA encoding the chimeric membrane protein.

Another procedure for ex vivo expansion cells is described in U.S. Pat. No. 5,199,942 (incorporated herein by reference). Expansion, such as described in U.S. Pat. No. 5,199,942 can be an alternative or in addition to other methods of expansion described herein. Briefly, ex vivo culture and expansion of T cells comprises the addition to the cellular growth factors, such as those described in U.S. Pat. No. 5,199,942, or other factors, such as flt3-L, IL-1, IL-3 and c-kit ligand. In one embodiment, expanding the T cells comprises culturing the T cells with a factor selected from the group consisting of flt3-L, IL-1, IL-3 and c-kit ligand.

The culturing step as described herein (contact with agents as described herein or after electroporation) can be very short, for example less than 24 hours such as 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, or 23 hours. The culturing step as described further herein (contact with agents as described herein) can be longer, for example 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, or more days.

Various terms are used to describe cells in culture. Cell culture refers generally to cells taken from a living organism and grown under controlled condition. A primary cell culture is a culture of cells, tissues or organs taken directly from an organism and before the first subculture. Cells are expanded in culture when they are placed in a growth medium under conditions that facilitate cell growth and/or division, resulting in a larger population of the cells. When cells are expanded in culture, the rate of cell proliferation is typically measured by the amount of time required for the cells to double in number, otherwise known as the doubling time.

Each round of subculturing is referred to as a passage. When cells are subcultured, they are referred to as having been passaged. A specific population of cells, or a cell line, is sometimes referred to or characterized by the number of times it has been passaged. For example, a cultured cell population that has been passaged ten times may be referred to as a P10 culture. The primary culture, i.e., the first culture following the isolation of cells from tissue, is designated P0. Following the first subculture, the cells are described as a secondary culture (P1 or passage 1). After the second subculture, the cells become a tertiary culture (P2 or passage 2), and so on. It will be understood by those of skill in the art that there may be many population doublings during the period of passaging; therefore the number of population doublings of a culture is greater than the passage number. The expansion of cells (i.e., the number of population doublings) during the period between passaging depends on many factors, including but is not limited to the seeding density, substrate, medium, and time between passaging.

In one embodiment, the cells may be cultured for several hours (about 3 hours) to about 14 days or any hourly integer value in between. Conditions appropriate for T cell culture include an appropriate media (e.g., Minimal Essential Media or RPMI Media 1640 or, X-vivo 15, (Lonza)) that may contain factors necessary for proliferation and viability, including serum (e.g., fetal bovine or human serum), inter-

leukin-2 (IL-2), insulin, IFN-gamma, IL-4, IL-7, GM-CSF, IL-10, IL-12, IL-15, TGF-beta, and TNF- α . or any other additives for the growth of cells known to the skilled artisan. Other additives for the growth of cells include, but are not limited to, surfactant, plasmanate, and reducing agents such as N-acetyl-cysteine and 2-mercaptoethanol. Media can include RPMI 1640, AIM-V, DMEM, MEM, α -MEM, F-12, X-Vivo 15, and X-Vivo 20, Optimizer, with added amino acids, sodium pyruvate, and vitamins, either serum-free or supplemented with an appropriate amount of serum (or plasma) or a defined set of hormones, and/or an amount of cytokine(s) sufficient for the growth and expansion of T cells. Antibiotics, e.g., penicillin and streptomycin, are included only in experimental cultures, not in cultures of cells that are to be infused into a subject. The target cells are maintained under conditions necessary to support growth, for example, an appropriate temperature (e.g., 37° C.) and atmosphere (e.g., air plus 5% CO₂).

The medium used to culture the T cells may include an agent that can co-stimulate the T cells. For example, an agent that can stimulate CD3 is an antibody to CD3, and an agent that can stimulate CD28 is an antibody to CD28. This is because, as demonstrated by the data disclosed herein, a cell isolated by the methods disclosed herein can be expanded approximately 10 fold, 20 fold, 30 fold, 40 fold, 50 fold, 60 fold, 70 fold, 80 fold, 90 fold, 100 fold, 200 fold, 300 fold, 400 fold, 500 fold, 600 fold, 700 fold, 800 fold, 900 fold, 1000 fold, 2000 fold, 3000 fold, 4000 fold, 5000 fold, 6000 fold, 7000 fold, 8000 fold, 9000 fold, 10,000 fold, 100,000 fold, 1,000,000 fold, 10,000,000 fold, or greater. In one embodiment, the T cells expand in the range of about 20 fold to about 50 fold, or more by culturing the electroporated population. In one embodiment, human T regulatory cells are expanded via anti-CD3 antibody coated KT64.86 artificial antigen presenting cells (aAPCs). Methods for expanding and activating T cells can be found in U.S. Pat. Nos. 7,754,482, 8,722,400, and 9,555,105, contents of which are incorporated herein in their entirety.

In one embodiment, the method of expanding the T cells can further comprise isolating the expanded T cells for further applications. In another embodiment, the method of expanding can further comprise a subsequent electroporation of the expanded T cells followed by culturing. The subsequent electroporation may include introducing a nucleic acid encoding an agent, such as a transducing the expanded T cells, transfecting the expanded T cells, or electroporating the expanded T cells with a nucleic acid, into the expanded population of T cells, wherein the agent further stimulates the T cell. The agent may stimulate the T cells, such as by stimulating further expansion, effector function, or another T cell function.

Pharmaceutical Compositions

Pharmaceutical compositions of the present invention may comprise the modified T cell as described herein, in combination with one or more pharmaceutically or physiologically acceptable carriers, diluents or excipients. Such compositions may comprise buffers such as neutral buffered saline, phosphate buffered saline and the like; carbohydrates such as glucose, mannose, sucrose or dextrans, mannitol; proteins; polypeptides or amino acids such as glycine; antioxidants; chelating agents such as EDTA or glutathione; adjuvants (e.g., aluminum hydroxide); and preservatives. Compositions of the present invention are preferably formulated for intravenous administration.

Pharmaceutical compositions of the present invention may be administered in a manner appropriate to the disease to be treated (or prevented). The quantity and frequency of

administration will be determined by such factors as the condition of the patient, and the type and severity of the patient's disease, although appropriate dosages may be determined by clinical trials.

The cells of the invention to be administered may be autologous, allogeneic or xenogeneic with respect to the subject undergoing therapy.

Cells of the invention can be administered in dosages and routes and at times to be determined in appropriate pre-clinical and clinical experimentation and trials. Cell compositions may be administered multiple times at dosages within these ranges. Administration of the cells of the invention may be combined with other methods useful to treat the desired disease or condition as determined by those of skill in the art.

It can generally be stated that a pharmaceutical composition comprising the modified T cells described herein may be administered at a dosage of 10^4 to 10^9 cells/kg body weight, in some instances 10^5 to 10^6 cells/kg body weight, including all integer values within those ranges. T cell compositions may also be administered multiple times at these dosages. The cells can be administered by using infusion techniques that are commonly known in immunotherapy (see, e.g., Rosenberg et al., *New Eng. J. of Med.* 319:1676, 1988). The optimal dosage and treatment regime for a particular patient can readily be determined by one skilled in the art of medicine by monitoring the patient for signs of disease and adjusting the treatment accordingly.

The administration of the modified T cells of the invention may be carried out in any convenient manner known to those of skill in the art. The cells of the present invention may be administered to a subject by aerosol inhalation, injection, ingestion, transfusion, implantation or transplantation. The compositions described herein may be administered to a patient transarterially, subcutaneously, intradermally, intratumorally, intranodally, intramedullary, intramuscularly, by intravenous (i.v.) injection, or intraperitoneally. In other instances, the cells of the invention are injected directly into a site of inflammation in the subject, a local disease site in the subject, a lymph node, an organ, a tumor, and the like.

It should be understood that the method and compositions that would be useful in the present invention are not limited to the particular formulations set forth in the examples. The following examples are put forth so as to provide those of ordinary skill in the art with a complete disclosure and description of how to make and use the cells, expansion and culture methods, and therapeutic methods of the invention, and are not intended to limit the scope of what the inventors regard as their invention.

The practice of the present invention employs, unless otherwise indicated, conventional techniques of molecular biology (including recombinant techniques), microbiology, cell biology, biochemistry and immunology, which are well within the purview of the skilled artisan. Such techniques are explained fully in the literature, such as, "Molecular Cloning: A Laboratory Manual", fourth edition (Sambrook, 2012); "Oligonucleotide Synthesis" (Gait, 1984); "Culture of Animal Cells" (Freshney, 2010); "Methods in Enzymology" "Handbook of Experimental Immunology" (Weir, 1997); "Gene Transfer Vectors for Mammalian Cells" (Miller and Calos, 1987); "Short Protocols in Molecular Biology" (Ausubel, 2002); "Current Protocols in Immunology" (Coligan, 2002). These techniques are applicable to the production of the polynucleotides and polypeptides of the invention, and, as such, may be considered in making and

practicing the invention. Particularly useful techniques for particular embodiments will be discussed in the sections that follow.

EXPERIMENTAL EXAMPLES

The invention is further described in detail by reference to the following experimental examples. These examples are provided for purposes of illustration only, and are not intended to be limiting unless otherwise specified. Thus, the invention should in no way be construed as being limited to the following examples, but rather, should be construed to encompass any and all variations which become evident as a result of the teaching provided herein.

Without further description, it is believed that one of ordinary skill in the art can, using the preceding description and the following illustrative examples, make and utilize the compounds of the present invention and practice the claimed methods. The following working examples therefore, specifically point out the preferred embodiments of the present invention, and are not to be construed as limiting in any way the remainder of the disclosure.

The Materials and Methods used in the performance of the experiments disclosed herein are now described.

Nb phage library construction from THP-1 cell-immunized llama: A llama was immunized with 2×10^7 THP-1 cells (Caprologics, Hardwick, MA) once a month for 3 months. Peripheral blood mononuclear cell isolation, RNA extraction, and complementary DNA (cDNA) synthesis were performed as previously described (Zhang et al., *J Immunol.* 2016; 196 (4): 1591-1603).

Animals and in vivo models: All laboratory mice were maintained on a 12 hr light-dark cycle. NOD/Shi-scid/IL-2R⁰ (NSG) mice, 8-12 weeks old, were obtained from Jackson Laboratories. NSG mice were inoculated with 1×10^7 cells of THP-1 or HL60 subcutaneously, or with 0.5×10^7 cells of K562 subcutaneously. When tumor volume reached 100 mm³ about 12 days after xenograft, Nb CAR T cells or untransduced (UTD) human T cells (1×10^7 cells) were administered via tail vein. Mice and tumors were monitored every other day. Tumor dimensions were measured with Vernier calipers and tumor volume was calculated as $\frac{1}{2}$ larger diameter $\times$ (smaller diameter).

NSG mice were conditioned by Busulfex (30 mg/kg) 24 hrs prior to tail injection with 2×10^7 of patient-derived AML cells. Two weeks later CAR or UTD T cells were transduced into the mice. The recipient mice were sacrificed at the experimental end point based on the protocol, and the long bones (femurs), spleens and livers were collected for histological analysis by H & E staining. Mice were sacrificed according to protocol when moribund or upon the development of hind-limb paralysis.

Statistical analysis: Microsoft Excel and GraphPad Prism software was used for statistical analysis. Student's t test was used to determine the significance of the results unless otherwise indicated. Kaplan-Meier statistical analysis was performed using the log rank test. In the figures, asterisks denote statistically significant p values (*, $p < 0.05$, **, $p < 0.01$, *** $p < 0.001$), and "ns" indicates lack of statistical significance ($p > 0.05$).

Cell Lines, Cell Culture, Plasmids and Antibodies: The THP-1, Jurkat, K562, HL60, U937, MV4-11, NB4 and SKOV3 cell lines were obtained from the ATCC and maintained in RPMI1640 with 10% FBS and 1% penicillin/streptomycin (R10 medium) and maintained at 37° C. and 5% CO₂. HEK293T cells were obtained from ATCC and cultured in DMEM supplemented with 10% fetal bovine

serum (FBS). NET NT-3 cell line was cultured in RPMI medium supplemented with 10% FBS, penicillin/streptomycin, HEPES, EGF (20 ng/mL), and FGF2 (10 ng/mL). Deidentified Patient derived AML cells were obtained from the University of Pennsylvania Stem Cell and Xenograft Core facility, and maintained in the R10 medium. Normal donor total T cells were obtained from the Human Immunology Core at University of Pennsylvania, and maintained in the R10 medium.

pComb3XSS was a gift from Carlos Barbas (Addgene plasmid #63890). pHIV-EGFP was a gift from Bryan Welm & Zena Werb (Addgene plasmid #21373). lentiCRISPR v2 was a gift from Feng Zhang (Addgene plasmid #52961). Human membrane protein cDNA library were provided by High-throughput Screen Core at University of Pennsylvania.

In vitro analysis of T cell function: For T-cell transduction, HEK293T cells were co-transfected with lenti-vector plasmid, psPAX2 and VSV-G plasmid DNA to produce the lentivirus 48 h after transfection. Normal donor T cells were positively selected from leukapheresis packs using anti-CD4 and CD8 microbeads (Miltenyi), expanded in vitro with anti-CD3/CD28 beads (Invitrogen) for up to 12 days. Total T cells were transduced with lentivirus 24 hours after activation. The resulting virus from the supernatant were concentrated via ultracentrifugation at 25,000 g for 2.5 h at 4° C.

Killing assays were performed as previously described (Cao, L. F. et al. (2010) *Cytometry A* 77, 534-545). In brief, target cells were labeled by anti-CD33 (BD) for detecting cell number with flow cytometry analysis or labeled by CellTrace Far Red for tracing cell division. Target cells were incubated with effector T cells for 16 hrs at a series of ratios. Cells were then harvested, washed, and stained by Propidium Iodide prior to flow cytometry analysis. Quantification was calculated by either Countbright beads or volume.

To detect cytokine secretion, effector and target cells were incubated at a 1:1 ratio in R10 medium for 16 hrs as indicated. Supernatant was analyzed using Human TNF-alpha or IFN-gamma DuoSet ELISA kits according to the manufacturer's instructions (R&D System).

To detect cell degranulation, activated and Nb CAR transduced or untransduced T cells (1×10^5 cells) were co-cultured with THP-1 or K526 cells at a 1:1 ratio in 96-well plates for 4 hrs, in the presence of APC-conjugated anti-CD107a antibody, followed by washing and flow cytometry analysis.

To monitor cell proliferation assay, T cells were labeled by CellTrace™ Far Red Cell Proliferation Kit (Invitrogen) according to the manufacturer's instructions. The reaction was quenched with R10 medium, and the cells were washed twice. T cells were incubated at a 1:1 ratio with heat-inactivated target cells for 96 hrs.

Switchable CAR (sCAR) T system: Anti-PNE single chain variable fragment (scFv) (Zahnd C, et al. (2004) *J Biol Chem.* April 30; 279 (18): 18870-7) was custom synthesized by GeneArt (Rodgers, D. T. et al. (2016) *Proceedings of the National Academy of Sciences of the United States of America* 113, E459-468), followed by insertion into pHIV-41BB-CD3z vector. sCAR lentivirus was packaged and used to transduce human T cells. sCAR expression was detected by flow cytometry and western blot. Nb157 with C-terminal PNE (Nb157-C-PNE) or with N-terminal PNE (Nb157-N-PNE) were constructed by molecular cloning, followed by prokaryotic expression and purification via Ni-NTA affinity (QIAGEN) in TOP10 (Invitrogen) induced by isopropyl-β-D-thiogalactoside (IPTG).

The Results the experiments disclosed herein are now described.

Example 1: Anti-TIM-3 CAR

An anti-TIM-3 CAR comprised of an anti-TIM-3-scFv, an IgG4 hinge, a CD28 transmembrane domain, and 4-1BB and CD3z intracellular domains, was generated herein (FIG. 1C). TIM-3 was expressed on NB4-TIM-3 cell lines, as measured by Western Blot (FIG. 1A). NB4 or NB4-TIM-3 cells were incubated with anti-TIM-3-scFv-CAR T cells overnight and cytotoxicity was measured by flow cytometry analysis (FIG. 1B). Untransduced (UTD) T cells were used as a negative control. The data showed that anti-TIM3 CAR T cells specifically killed TIM-3-expressing myeloid leukemia cells. (FIG. 1D).

Example 2: Bispecific Split TIM-3&CD13 CAR

A bispecific split CAR was generated herein that specifically kills tumor cells expressing TIM-3 and CD13 (FIG. 2). The CAR was comprised of a nanobody specific for CD13 (Nb157), a CD3zeta domain, a P2A linker, an anti-TIM3-scFv, a CD28 transmembrane domain, and a 4-1BB intracellular domain. Bispecific split CAR T cells targeting CD13 and TIM-3 or control UTD T cells were injected into NSG mice transplanted with either NB4 cells or NB4-TIM3, and monitored for tumor growth. The results demonstrated that the bispecific split CAR (BissCAR) T cells eradicated the NB4-TIM3 tumors expressing both CD13 and TIM-3, but not the NB4 tumors that only express CD13.

Example 3: Inducible, Bispecific TIM-3&CD13 CAR

An inducible bispecific CAR was generated herein that specifically kills AML leukemic stem cells (LSCs) that express both TIM-3 and CD13 (FIG. 4B). Two CARs were linked by the P2A construct. The first CAR comprised an anti-TIM-3-scFv, a CD28 hinge, a CD28 transmembrane domain, and CD28 and 4-1BB intracellular domains. The second, switchable CAR (sCAR) was comprised of an anti-PNE-scFv, an IgG4 hinge, a CD8 transmembrane domain, and a CD3zeta intracellular domain (FIG. 3A). T cells expressing the bispecific CAR were incubated with human AML LSCs, which expressed both TIM-3 and CD13 (FIG. 3B). In the absence of Nb157-PNE, the sCAR bound the LSC by TIM-3 recognition, but didn't exhibit cytotoxicity (FIG. 3C). In the presence of the Nb157-PNE switch, the T cell fully activated and killed the LSC targets (FIG. 3C).

Example 4: Bispecific CARs of Nb157 and Anti-TIM3 Eradicate AML In Vivo in a Safer Manner

CAR T therapy may cause serious cytokine release syndrome and other on-target/off-tumor side effects. To reduce this risk, as well as further attenuate the potential side effects of targeting moderately expressed CD13 in non-AML cells with low CD13 expression, such as hematopoietic stem cells, a logic-gated and controllable system to manipulate the antitumor activity of Nb157 CAR T cells to AML was developed. TIM3, an immune suppressing receptor, is highly expressed on the majority of human AML leukemia stem cells (LSCs), but not on human HSCs. To overcome the challenge that Nb157 CAR T cells kill both AML cells and

HSCs, a combinational bispecific CAR T system was designed to specifically kill AML LSC that commonly express both TIM3 and CD13 (FIG. 4A), which effectively kills CD13+TIM3+ LSC cells, yet spares normal cells that only have CD13 expression.

To prove that the bispecific CAR T cells could eradicate LSCs but spare HSCs, a NB4 and NB4-TIM3 cell model was first constructed, which mimicked HSCs (CD13+TIM3-) and LSCs (CD13+TIM3+) (FIG. 1B). A TIM3 CAR T cell was constructed with a published anti-TIM3 antibody (U.S. Pat. No. 9,605,070B2), followed by a linker, a transmembrane domain (TM), 4-1BB domain, and CD3 zeta domain (FIG. 1C). An in vitro killing experiment showed that the TIM3 CAR T cell exhibited potent and specific cytotoxicity against NB4-TIM3 cells, but ignored the NB4 cells as UTD T cells (FIG. 1D).

An Nb157&TIM3 combinational bispecific CAR was generated (FIGS. 3A and 4A), wherein the Nb157 recognizes CD13 activated CD3z signaling, and the antiTIM3scFv recognizes TIM3 transduced CD28 and 4-1BB co-stimulatory signaling. To overcome the challenge that Nb157 CAR T cells may kill both AML and HSCs, the Nb157&TIM3 CAR was transduced into human primary T cells by lentivirus, and the resulting T cells were used for flow cytometry to detect expression of both Nb157 (using a rabbit anti-llama VHH) and TIM3 (using an anti-mouse scFv). The results showed that both CARs were co-expressed on the surface of the transduced CAR T cells simultaneously (FIG. 3B). An in vitro killing assays showed Nb157&TIM3 CAR T cells showed potent toxicity against both NB4 and NB4-TIM3 cells. The CD3zeta cytotoxicity signaling was elicited by CD13 recognition, which is commonly expressed on leukemia cells (FIG. 3C). In the in vivo tumor killing assay, Nb157&TIM3 CAR T cells suppressed NB4 tumor growth (FIG. 5A), but eradicated the NB4-TIM3 tumor (FIG. 5B), which confirmed that the combination of bispecific and split CAR was needed to completely regress the tumor while sparing the single-antigen-expressing normal cells. Meanwhile, the Nb157&TIM3 CAR T cells in the NB4-TIM3 tumor mice proliferated one-fold more than in the NB4 tumor mice (FIG. 6), which also supported that in vivo tumor eradication requires sustainability and enhanced activity of the T cells.

The combinational bispecific CAR system was tested to determine if it could suppress primary AML cells from patients. Patient-derived AML cells were injected into NSG mice to induce leukemia, as determined by detection of the human CD33+ AML cells in the peripheral blood of the recipient mice (FIG. 7A). The leukemic mice were treated with Nb157&TIM3 CAR or UTD T cells two weeks after leukemia injection (FIG. 7A). The appearance of CD33+ AML cells or CD3+ T cells in peripheral blood were monitored by flow cytometry analysis weekly (FIGS. 7A-7C). The results indicated that peripheral blood AML cells, following the first week of injection, gradually decreased in the Nb157&TIM3 CAR T group (FIG. 7B), consistent with heavy leukemia infiltration in the spleen in later stage. Notably, treatment with Nb157&TIM3 CAR, but not UTD T cells, increased the number of peripheral T cells one week after the T cell injection, reflecting the quick activation and proliferation of the CAR T cells to kill the AML cells (FIG. 7C). Consistent with this observation, Kaplan Maier analysis showed that treatment with Nb157&TIM3 CAR T cells significantly prolonged survival compared to mice treated with UTD T cells (FIG. 7D). Therefore, the results demonstrated that the Nb157&TIM3

CAR T cells targeting both CD13 and TIM3 can effectively eradicate the double-positive patient-derived AML cells in a clinically relevant model.

The impact of Nb157&TIM3 CAR T cells on normal hematopoiesis was investigated. Humanized immune system mice (HIS mice) were employed to assess hematopoietic toxicity of Nb157&TIM3 CAR T cells (FIG. 7E). NSG mice were conditioned by busulfan and engrafted with bone marrow CD34+ cells from normal adult donors, followed by treatment with Nb157&TIM3 CAR, Nb157 CAR, or UTD T cells four weeks later. Mice were bled before and after T cell treatment to confirm the engraftment and analyze the peripheral constitution of the mice. Bone marrow from the mice was collected for analysis three weeks after treatment (FIG. 7E). Based on CD13 expression on normal HSCs, analysis of the bone marrow three weeks after treatment showed near disappearance of both CD34+CD38- hematopoietic stem cells and CD34+CD38+ myeloid progenitors in the conventional Nb157 CAR group (FIGS. 87F-7H). However, the Nb157&TIM3 bispecific CARs showed ameliorated disruption in normal HSCs (FIGS. 7E-7F). Therefore, these results demonstrated that the Nb157&TIM3 CAR T cells effectively and safely eradicated patient-derived AML cells in the clinically relevant model.

Example 5: Combinatory Bispecific and Split CAR T Cells Targeting CD13 and TIM3 Redirect T Cells to Eradicate AML Xenografts and AML PDXs In Vivo

Because CAR T-cell therapy may cause on-target/off-tumor side effects, it is ideal to reduce the toxicity by increasing the specificity with multiple tumor markers. In this regard, novel bispecific CAR T cells were developed to synergistically kill the experimental tumor models by targeting >1 tumor-associated antigen (TAA).

One other potential TAA, TIM3, an immune-suppressing receptor, is highly expressed in the majority of human AML LSCs, but not in HSCs. A combinatory bispecific and split CAR (BissCAR) T-cell system was developed to effectively kill CD13+TIM3+ LSCs, while maintaining a reduced impact on normal cells that only express CD13 (FIG. 4A). TIM3 expression was extremely low in normal donor bone marrow but high in the LSC subset (CD34+CD38-CD90-) (FIG. 4B, upper panels). In contrast, a high percentage of TIM3 and CD13 double-positive cells was detected in the LSC-enriched population (CD34+CD38-) from PD AML cells but not normal donor bone marrow (FIG. 4B), indicating the high coexpression of CD13 and TIM3 in LSGs.

NB4 (CD13+TIM3-) and NB4-TIM3 (CD13+TIM3+) cell lines were generated to mimic the HSG and LSC models (FIG. 1A-1B). Next, a conventional TIM3-BBz CAR was generated (FIG. 1C), which guided the T cells to kill NB4-TIM3 cells potently and specifically in vitro and suppressed NB4-TIM3 tumor growth in vivo (FIG. 1D).

Next, the BissCAR was constructed, in which Nb157 recognizing CD13 was linked to CD3z and anti-TIM3 scFv recognizing TIM3 was linked to CD28 and 4-1BB costimulatory domains (FIG. 2; FIG. 4A). The resulting BissCAR expression on the T cells was verified by flow cytometry (FIG. 3B). An in vitro killing assay showed that BissCAR T cells killed NB4 and NB4-TIM3 cells, because the CD13 recognition elicited CD3z signaling to induce target death in vitro (FIG. 3C).

In the NB4 xenograft models, BissCAR T cells only moderately suppressed tumor growth compared with complete elimination when using Nb157 CAR T-cell treatment

(FIG. 5A). However, BissCAR T cells could eradicate the NB4-TIM3 tumor as potently as Nb157 CAR T cells (FIG. 5B). These results indicate that BissCAR T cells are capable of completely shrinking the tumor expressing GDIS and TIMS, but they spared the cells expressing only CD13. Consistently, BissCAR T-cell number in peripheral blood in NB4-TIM3 tumor-bearing mice was significantly higher than in NB4 tumor-bearing mice (FIG. 6).

It was explored whether BissCAR T cells could suppress RD AML cells. To this end, RD AML cells were transplanted into NSG mice to induce leukemia, followed by treatment with BissCAR or UTD T cells 2 weeks later (FIG. 7A). The appearance of CD33⁺ AML cells or CD3⁺ T cells in peripheral blood was monitored weekly (FIGS. 7B-7C). The results indicated that, following the first week of injection, peripheral blood AML cells gradually decreased in the BissCAR T-cell group (FIG. 7B), consistent with heavy leukemic infiltration in the spleen in the later stage. Notably, treatment with BissCAR T cells, but not with UTD T cells, increased peripheral T-cell number 1 week after the T-cell injection, reflecting the quick activation and proliferation of CAR T cells to kill AML cells (FIG. 7C). Consistently, BissCAR T-cell treatment significantly prolonged survival of the mice compared with the UTD T-cell group (FIG. 7D). It has been reported that various immune-suppressing factors weaken the immunotherapy for AML, such as the PD-1, TIM3 immune checkpoint molecules, and regulatory T cells (Tregs). BissCAR T cells and UTD T cells have similar low PD-1 and TIMS expression in the mouse spleen; however, the PD-1/TIM3 levels were not correlated with resistance to CAR T cells, because CAR T cells eradicated AML in the xenograft and PDX models. T-cell suppression from Tregs was not observed, because of the robust elimination of the leukemia. Therefore, the results demonstrate that BissCAR T cells can effectively eradicate the double-positive PD AML cells in this clinically relevant model.

Example 6: Combinatory BissCAR T Cells Targeting CD13 and TIMS have Reduced Toxicity to HSCs In Vivo

The impact of BissCAR T cells on normal human HSCs was also investigated. Humanized immune system (HIS) mice were used to assess hematopoietic toxicity of BissCAR T cells (FIG. 7E). NSG mice were conditioned with busulfan and engrafted with bone marrow CD34⁺ cells from a normal adult donor, followed by treatment with BissCAR, Nb157 CAR, or UTD T cells 4 weeks later. Bone marrow from these mice was collected for analysis 3 weeks after treatment. Nb157 CAR T cells almost completely depleted CD34⁺CD38⁻ HSCs, CD34⁺CD38⁺ myeloid progenitors, and peripheral monocytes (FIGS. 7F-7I). Notably, BissCAR T cells significantly reduced the toxicity to HSCs, retaining ~50% of the human HSC-enriched population and the myeloid progenitors of normal control mice (FIGS. 7F-7H). Moreover, BissCAR T cells significantly reduced the monocytes in peripheral blood and allowed the protection of part of the monocytes in peripheral blood in BissCAR T-cell-injected mice compared with Nb157 CAR T-cell-injected mice (FIG. 7I).

Together, these results indicate that BissCAR T cells effectively eradicate RD AML cells (FIGS. 7B-7D) and have much reduced toxicity to sensitive human HSCs (FIGS. 7F-7I), suggesting BissCAR T cells as a valuable approach to treat human AML with reduced and tolerable hematopoietic toxicity.

Example 7: Generation of Unique Individual Anti-TIM3 VHHs

Multiple novel VHHs targeting human TIM-3 were generated herein. Briefly, 3 llamas were immunized with purified human TIM-3 protein 4 times (Caprologics, Hardwick, MA). Peripheral blood mononuclear cells (PBMCs) were isolated, RNA extracted and cDNA synthesis performed as previously described (He et al., *Blood*. 2020; 135 (10): 713-723). Nanobody encoding fragments were amplified from llama PBMC cDNA with PCR primers, and then cloned into phage display vector pCOMB3X as previously described (He et al., *Blood*. 2020; 135 (10): 713-723). The resulting phage library was generated by infection with VCSM13 helper phage and PEG-precipitated from the bacterial supernatant in preparation for cell-surface selection, followed by panning on control NB4 cells and NB4 cells-expressing human TIM-3, using procedures as previously described (He et al., *Blood*. 2020; 135 (10): 713-723). Among multiple clones selected, three phage clones, i.e. VHH30, 32, and 33 showed specific binding to NB4-expressing human TIM-3, but not the TIM-3 negative NB4 cells (FIG. 9).

Example 8: Sequences of the Isolated VHHs Targeting Human TIM-3 Protein

To generate VHHs targeting human TIM-3, human recombinant extracellular TIM-3 purified from HEK293 cells was used to immunize llamas, and the resulting VHH phage display libraries were constructed. The phage VHH clones targeting TIM-3 were screened by panning through TIM-3 expressing NB4 cells. The positive clones specifically binding to TIM-3 expressing NB4 cells were isolated. DNA encoding each of the VHHs, including VHH30, 32, and 33, were sequenced. The sequences were consistent with the predicted sequences for VHHs. Each of the VHHs, with both nucleotide and amino acid sequences, are listed below. Sequences of Isolated VHHs Targeting Human TIM-3 Protein:

Anti-TIM3 VHH12 nucleotide sequence
(SEQ ID NO: 19):
CAGGTGCAGCTGCAGGAGTCTGGAGGAGGATTGGTGCAGACTGGGGACT
CTCTGAGACTCTCTGTGTAGTCTCTGGAGGCACCTTCAGAAATATGT
TATGGGCTGGTTCGCCAGGCTCCAGGAAGGAGCGTGAGTTTGTGTCT
GCTATGAACTGGAGTGGCGGCATCAGTCTATGCAGACTCCGTGAAGG
GCCGATTACCATCTCCAGAGACAACGCCAAGAACGCGGTATCTGCA
AATGGGCAGCCTGAAACCTGGCGACACGGCCGTTTATTACTGTGCAGCT
GCTGCAATCGATGGTGGAAACCGTCAGAAGCATTAAAGTTATGCTTACT
GGGGCCAGGGGACCCAGGTACCGTCTCTCTCAGCGGCCCACTAGT
Anti-TIM3 VHH12 amino acid sequence
(SEQ ID NO: 20):
QVQLQESGGGLVQGTGDSLRLSCVVSGGTFRNYVMGWFQAPGKEREFVS
AMNWSGGITVYADSVKGRFTISRDNKNAVYLMQMSLKPQDITAVYYCAA
AAIDGGTVRSINSYAYWGQGTQVTVSSAAATS

87

-continued

Anti-TIM3 VHH13 nucleotide sequence

(SEQ ID NO: 21):

CAGGTGCAGCTGCAGGAGTCTGGAGGAGATTGGTGCAGGCTGGGGGCT

CTCTGAGCCTCTCCTGTGCAGCCTCTGGACGCACCTTCAAGAACTATCT

CATGGCCTGGTCCGCCAGACTCCAGGGAAGGAGCGTGAGTTGTGGCA

GCTATTACTCAGCTTGGTACTAGATCATTAAATGAAGACTTCGTGAAGG

GCCGATTACCATCTCCAGGGACAACGCCAAGAACACGGTGTATCTGCA

AATGAACGACCTGAAAAGTACGACACGGGCGTTTATTCTTGTGCAGCA

AGCCTACAGAGTGGGGGCTACTACGGTACGCGAAGTATGACTATTGGG

GCCAGGGGACCCAGGTACCGTCTCCTCAGCGGCCGCCACTAGT

Anti-TIM3 VHH13 amino acid sequence

(SEQ ID NO: 22):

QVQLQESGGGLVQAGGSLRLSCAASGRFTFKNYLMAWFRQTPGKEREFVA

AITQLGTRSLNEDFVKGRFTISRDNKNTVYLQMNLDKTDGTGVYSCAA

SLQSGGSLRYAKYDYWGQGTQVTVSSAAATS

Anti-TIM3 VHH28 nucleotide sequence

(SEQ ID NO: 23):

CAGGTGCAGCTGCAGGAGTCTGGGGAGGATTGGTGCAGGCTGGGGGCT

CTCTGAGACTCTCCTGTGCAGCCTCTGAAGGCACCGTCAGCACCTACAC

CATGGCCTGGTCCGCCAGGCTCCAGGGAAGGAGCGTGAGTTGTAGCC

AGGATTACTGGTGTAGTAGCGCTGTGAAGGCCCGTTACCTTCTCCA

GAGACGAGCCCAAAACACAGTGTATCTGCAAAATGAACAGCTGAAACC

TGAGGACACGGCCGCTCTATTACTGCGCGGCACACTATTTGGGTGGTCGT

CCAGATATGCCGACTCAGTATCAATACTTGGGCCAGGGGACCCAGGTCA

CCGTCTCCTCAGCGGCCGCCACTAGT

Anti-TIM3 VHH28 amino acid sequence

(SEQ ID NO: 24):

QVQLQESGGGLVQAGGSLRLSCAASEGTVSTYTMWFRQAPGKEREFVA

RITGVSTAVKGRFTFSRDEPKNTVYLQMNLSLKPEDTAVYYCAAHYLGGR

PDMPYQYQLGQGTQVTVSSAAATS

Anti-TIM3 VHH30 nucleotide sequence

(SEQ ID NO: 25):

CAGGTGCAGCTGCAGGAGTCTGGGGAGGATTGGTGCAGGCTGGGGGCT

CTCTGAGACTCTCCTGTGCAGCCTCTGGATTACGTTTGGTAGTTATGT

TATGGGCTGGTCCGCCAGGCTCCAGGGAAGGAGCGTGAATTTGTGGCA

AGTATTAGTACAGTGGTGGCATAACATCTTATGCAGACTCCGTGAAGG

GCCGATTCACTGTCTCCAGAGACAACGCCAAGAATACGGTCTACTTACA

AATGAACAGCCTGAAACCTGAGGACACGGCCGTTTATTACTGCGCACGA

GATCTGACATACTATCGTACTGGTGGTAGGTTACCAGATAACGCTAATG

GATATGCGTACTGGGGCCAGGGTACCCAGGTACCGTCTCCTCAGCGGC

CGCCACTAGT

Anti-TIM3 VHH30 amino acid sequence

(SEQ ID NO: 26):

QVQLQESGGGLVQAGGSLRLSCAASGFTFGSYVMGWFRQAPGKEREFVA

SISTSGGITSYADSVKGRFTVSRDNKNTVYLQMNLSLKPEDTAVYYCAR

DLTYRTTGGRLPDNANGYAYWGQGTQVTVSSAAATS

88

-continued

Anti-TIM3 VHH32 nucleotide sequence

(SEQ ID NO: 27):

CAGGTGCAGCTGCAGGAGTCTGGAGGAGGCTTGGTGCAGGCTGGGGGCT

5 CTCTAAATCTCTCCTGTGCAGCCTCTGGAAGTTCCTTCAGACTCTATAC

CGTCGGCTGGCACC GCCAGGCGCCAGGGAAGCAGCGCAGTTGGTCGCA

TGGATTAGTGGTGCGGGCAGCACAACTATCATTCTGTCGTGAAGGGCC

10 GATTACCATCTCCAGAGACAACGCCAAGAACACGGCACTCTGCAAAAT

GAACAACCTGGCACTGAAGACACGGCCGTCTATTACTGTAATCTACTG

AACTACTGGGGCCAGGGGACCCAGGTACCGTCTCCTCAGCGGCCGCCA

15 CTAGT

Anti-TIM3 VHH32 amino acid sequence

(SEQ ID NO: 28):

QVQLQESGGGLVQAGGSLRLSCAASGSSFRLYTVGWHRQAPGKQRELVA

20 WISGAGSTNYHSSVKGRFTISRDNKNTALLQMNLPEDTAVYYCNLL

NYWGQGTQVTVSSAAATS

Anti-TIM3 VHH33 nucleotide sequence

(SEQ ID NO: 29):

25 CAGGTGCAGCTGCAGGAGTCTGGGGAGGCTTGGTGCAGCCTGGGGGCT

CTCTGAGACTCTCCTGTGCAGTCTCTGGACTCACGCCGATGCTTATGT

CATGGGCTGGTTCGCCAGGCCCCAGGGAAGGAGCGCAGGGGGTCTCA

30 TGTATTAGTCTAGTGGTGGTACTACAAGCTATCCAGACTCCGTGAAGG

GCCGATTACCATCTCCAGAGACAATGCCAAGAACACGGTGTACCTGCA

AATGAACAGCCTGAAACCTGAGGACACGGGCGTTTATTACTGTGCGGCA

35 GTTGCGGGCCGCTGGTGTGACTACGGCATGAACTACTACGGCAAAGGGA

CCCAGGTACCGTCTCCTCAGCGGCCGCCACTAGT

Anti-TIM3 VHH33 amino acid sequence

(SEQ ID NO: 30):

40 QVQLQESGGGLVQPGGSLRLSCAVSGLTPDAYVMGWFRQAPGKEREGVS

CISPSGGTTSYPDSVKGRFTISRDNKNTVYLQMNLSLKPEDTGVYYCAA

VAGRWCDYGMNYYGKGTQVTVSSAAATS

45 Anti-TIM3 VHH38 nucleotide sequence

(SEQ ID NO: 31):

CAGGTGCAGCTGCAGGAGTCTGGGGAGGTTGGTGCAGGCTGGGGACT

50 CTCTGAGACTCTCCTGTGCAGTCCGACGCACGTTCACTGCGTCAACCTT

GGGCTGGTTCGCCAGTCTCCAGGGAAGGAGCGTGAGTTTGTGCGAGCG

ATTAGTTGGTGGCGTGGTGAAGCATACTATGGGGACTCCGTGAAGGGCC

55 GATTACCATCTCCAGAGACAACACCAAGACAACGATCAATCTGCAAAAT

GAATAGCCTGAAACCTGAGGACACGGCCGTTTATTACTGTGCACGAGCC

CAATTTGATGGCGCGACACGGGCAGATGACTATGACAACTGGGGTCAGG

GGACCCAGGTACCGTCTCCTCAGCGGCCGCCACTAGT

60 Anti-TIM3 VHH38 amino acid sequence

(SEQ ID NO: 32):

QVQLQESGGGLVQAGDSLRLSCAVGRFTFSASTLGWFRQSPGKEREFVAA

ISWWRGEAYYGDVSKGRFTISRDNKNTTINLQMNLSLKPEDTAVYYCARA

65 QFDGATRADDYDNWGQGTQVTVSSAAATS

Example 9: Generation of CD13/TIM-3 VHH
Bi-CARs Using Newly Generated Anti-TIM3
VHHs, and Evaluation of the biCARs on Primary
Human T Cells

To generate more choices and better CD13-TIM-3 biCARs, each of the three new VHHs targeting TIM-3 were cloned downstream of the 2A sequence, as shown in FIG. 10A. The resulting constructs were packaged into lentiviruses, which were transduced to human primary T cells. Flow cytometry analysis showed that transduction of T cells with each of the biCARs resulted in expression of the CARs on the T cell surface that bind both CD13 protein antigen (FIG. 10B) and TIM-3 (FIG. 10C). Sequences for each of the Bi-CARs, i.e. Bi-CAR2 VHH12 (SEQ ID NO: 33), VHH13 (SEQ ID NO: 34), VHH28 (SEQ ID NO: 35), VHH30 (SEQ ID NO: 36), VHH32 (SEQ ID NO: 37), VHH33 (SEQ ID NO: 38), and VHH38 (SEQ ID NO: 39) are provided herein. Together, these results demonstrated that each of the biCARs are expressed on the T cell surface, and are functionally capable of binding both targets, CD13 and TIM-3.

The bispecific CARs demonstrated in vitro killing against NB4 (FIG. 11A) and NB4-TIM3 (FIG. 11B) cells.

The various bispecific CARTs were also capable of suppressing tumors in vivo (FIGS. 12A-12E). The anti-tumor effects of bispecific CAR T cells against NB4-CD13KO (FIG. 12A), NB4 (FIG. 12B) and NB4-TIM3 (FIG. 12C) tumors were evaluated. Various NB4 cells were injected subcutaneously into each flank of a NSG mice (n=3), and the indicated CARTs (5×10^6) were injected into each mouse via tail vein at 7 days after tumor cell injection. The number of human T cells in peripheral blood of mice bearing NB4-CD13KO, NB4 and NB4-TIM3 tumors was measured by flow cytometry 7 days (FIG. 12D) and 14 days (FIG. 12E) after T cell infusion.

The potential toxicity of the bispecific CAR T cells against human bone marrow CD34+ cells was evaluated (FIGS. 13A-13B). BM CD34+ cells (5000 per well) were co-cultured with the indicated T cells (0.3:1, 1:1, 3:1) for 4 hours. Cells were transferred into 12-well plates and cultured in MethoCult™ H4435 Enriched medium. Two weeks later, the number of clones was measured. FIG. 13A shows the number of colonies from control (UTD) or the bispecific CART treated plates. FIG. 13B is a linear graph comparing the dose-dependent effect of the CARTs based on colony number. Overall, the results demonstrated that generation of multiple TIM-3 VHHs allowed construction of CD13-TIM3 biCARs that express the split CAR components to specifically target CD13-TIM-3 dual positive cancer cells, yet reduce the toxicity to normal cells with single target.

Other Embodiments

The recitation of a listing of elements in any definition of a variable herein includes definitions of that variable as any single element or combination (or subcombination) of listed elements. The recitation of an embodiment herein includes that embodiment as any single embodiment or in combination with any other embodiments or portions thereof.

The disclosures of each and every patent, patent application, and publication cited herein are hereby incorporated herein by reference in their entirety. While this invention has been disclosed with reference to specific embodiments, it is apparent that other embodiments and variations of this invention may be devised by others skilled in the art without departing from the true spirit and scope of the invention. The appended claims are intended to be construed to include all such embodiments and equivalent variations.

SEQUENCE LISTING

```
<160> NUMBER OF SEQ ID NOS: 40

<210> SEQ ID NO 1
<211> LENGTH: 123
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: VHH157

<400> SEQUENCE: 1

Ala Ala Gln Ala Ala Gln Val Gln Leu Gln Glu Ser Gly Gly Gly Leu
1          5          10          15

Val Gln Pro Gly Gly Ser Leu Ser Leu Ser Cys Thr Ala Ser Gly Phe
20          25          30

Thr Phe Ser Ser Tyr Ser Met Ala Trp Val Arg Gln Ala Pro Gly Lys
35          40          45

Gly Pro Glu Trp Val Ser Gly Ile Tyr Pro Ser Asp Gly Lys Thr Arg
50          55          60

Tyr Ala Asp Phe Val Lys Gly Arg Phe Ser Ile Ser Arg Asp Asn Ala
65          70          75          80

Lys Asn Met Leu Tyr Leu Gln Met Asn Asn Leu Glu Pro Glu Asp Thr
85          90          95

Ala Leu Tyr Tyr Cys Ala Arg Gly Ile Thr Gly Leu Gly Pro Arg Gly
100         105         110

Gln Gly Thr Gln Val Thr Val Ser Ser Ala Ala
115         120
```

-continued

<210> SEQ ID NO 2
 <211> LENGTH: 363
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: VHH157

<400> SEQUENCE: 2

```
gcggcccagg tgcagctgca ggagtctggg ggaggcttgg tgcagcctgg ggggtctctg      60
agcctctcct gtacagcctc tggattcacg ttcagtagtt actccatggc ctgggtccgc      120
caggctccag ggaagggacc cgaatgggtc tcagggattt acccttctga tggtaagaca      180
aggtatgcag acttcgtgaa gggccgattc agcatctcca gagacaacgc caagaatatg      240
ttgtatctgc aaatgaacaa cctggaacct gaggacacgg ccctatatta ctgtgcgaga      300
ggtatcacgg gattgggacc ccggggccag gggaccagg tcacogtctc ctcagcgggc      360
gcc                                                                                   363
```

<210> SEQ ID NO 3
 <211> LENGTH: 5
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: VHH157 CDR1

<400> SEQUENCE: 3

```
Ser Tyr Ser Met Ala
1                5
```

<210> SEQ ID NO 4
 <211> LENGTH: 18
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: VHH157 CDR2

<400> SEQUENCE: 4

```
Gly Ile Tyr Pro Ser Asp Gly Lys Thr Arg Tyr Ala Asp Phe Val Lys
1                5                10                15
Gly Arg
```

<210> SEQ ID NO 5
 <211> LENGTH: 9
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: VHH157 CDR3

<400> SEQUENCE: 5

```
Ala Arg Gly Ile Thr Gly Leu Gly Pro
1                5
```

<210> SEQ ID NO 6
 <211> LENGTH: 249
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: TIM3 scFv

<400> SEQUENCE: 6

```
Gln Val Gln Leu Gln Gln Pro Gly Ala Glu Leu Val Lys Pro Gly Ala
1                5                10                15
Ser Val Lys Met Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Ser Tyr
```

[illegible]

-continued

<210> SEQ ID NO 8
 <211> LENGTH: 10
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: TIM3 CDR1

<400> SEQUENCE: 8

Gly Tyr Thr Phe Thr Ser Tyr Asn Met His
 1 5 10

<210> SEQ ID NO 9
 <211> LENGTH: 17
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: TIM3 CDR2

<400> SEQUENCE: 9

Asp Ile Tyr Pro Gly Asn Gly Asp Thr Ser Tyr Asn Gln Lys Phe Lys
 1 5 10 15

Gly

<210> SEQ ID NO 10
 <211> LENGTH: 9
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: TIM3 CDR3

<400> SEQUENCE: 10

Val Gly Gly Ala Phe Pro Met Asp Tyr
 1 5

<210> SEQ ID NO 11
 <211> LENGTH: 248
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: PNE scFv

<400> SEQUENCE: 11

His Ala Ala Arg Pro Asp Ala Val Val Thr Gln Glu Ser Ala Leu Thr
 1 5 10 15

Ser Ser Pro Gly Glu Thr Val Thr Leu Thr Cys Arg Ser Ser Thr Gly
 20 25 30

Ala Val Thr Thr Ser Asn Tyr Ala Ser Trp Val Gln Glu Lys Pro Asp
 35 40 45

His Leu Phe Thr Gly Leu Ile Gly Gly Thr Asn Asn Arg Ala Pro Gly
 50 55 60

Val Pro Ala Arg Phe Ser Gly Ser Leu Ile Gly Asp Lys Ala Ala Leu
 65 70 75 80

Thr Ile Thr Gly Ala Gln Thr Glu Asp Glu Ala Ile Tyr Phe Cys Val
 85 90 95

Leu Trp Tyr Ser Asp His Trp Val Phe Gly Gly Gly Thr Lys Leu Thr
 100 105 110

Val Leu Gly Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Asp Val Gln Leu Gln Glu Ser Gly Pro
 130 135 140

-continued

Gly Leu Val Ala Pro Ser Gln Ser Leu Ser Ile Thr Cys Thr Val Ser
145 150 155 160

Gly Phe Leu Leu Thr Asp Tyr Gly Val Asn Trp Val Arg Gln Ser Pro
165 170 175

Gly Lys Gly Leu Glu Trp Leu Gly Val Ile Trp Gly Asp Gly Ile Thr
180 185 190

Asp Tyr Asn Ser Ala Leu Lys Ser Arg Leu Ser Val Thr Lys Asp Asn
195 200 205

Ser Lys Ser Gln Val Phe Leu Lys Met Asn Ser Leu Gln Ser Gly Asp
210 215 220

Ser Ala Arg Tyr Tyr Cys Val Thr Gly Leu Phe Asp Tyr Trp Gly Gln
225 230 235 240

Gly Thr Thr Leu Thr Val Ser Ser
245

<210> SEQ ID NO 12
 <211> LENGTH: 744
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: PNE scFv

<400> SEQUENCE: 12

```

catgccgcta gacctgatgc cgtcgtgacc caggaaagcg ccctgacaag cagccctggc   60
gagacagtga ccctgacctg cagatctagc acaggcgccg tgaccaccag caactacgcc   120
agctgggtgc agggaaagcc cgaccacctg ttcaccggcc tgatcggcgg caccaacaat   180
agagcacctg gcgtgcccgc cagattcagc ggctctctga tcggagataa ggccgcccctg   240
accatcactg gcgcccagac agaggacgag gccatctact tttgcgtgct gtggtacagc   300
gaccactggg tgttcggcgg aggcaccaag ctgacagtgc tgggcggagg cggaggatct   360
ggcggcggag gaagtggcgg aggggggatca gggggaggcg gatctgatgt gcagctgcag   420
gaatctggcc caggactggt ggcccctagc cagagcctga gcatcacctg taccgtgtcc   480
ggcttctctg tgaccgacta cggcgtgaac tgggtgcgcc agtctcctgg caagggcctg   540
gaatgggtgg gagtgatctg gggcgacgga atcaccgact acaactccgc cctgaagtcc   600
cggctgagcg tgaccaagga caacagcaag agccaggtgt tcctgaagat gaacagcctg   660
cagagcggcg acagcgcccg gtactattgt gtgaccggcc tgttcgacta ctggggccag   720
ggcacaaccc tgaccgtgtc tagc                                     744

```

<210> SEQ ID NO 13
 <211> LENGTH: 477
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: TIM3 CAR

<400> SEQUENCE: 13

Met Ala Leu Pro Val Thr Ala Leu Leu Leu Pro Leu Ala Leu Leu Leu
1 5 10 15

His Ala Ala Arg Pro Gly Ser Ala Ala Gln Ala Ala Gln Val Gln Leu
20 25 30

Gln Gln Pro Gly Ala Glu Leu Val Lys Pro Gly Ala Ser Val Lys Met
35 40 45

Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Ser Tyr Asn Met His Trp
50 55 60

-continued

Ile	Lys	Gln	Thr	Pro	Gly	Gln	Gly	Leu	Glu	Trp	Ile	Gly	Asp	Ile	Tyr	65	70	75	80
Pro	Gly	Asn	Gly	Asp	Thr	Ser	Tyr	Asn	Gln	Lys	Phe	Lys	Gly	Lys	Ala	85	90	95	
Thr	Leu	Thr	Ala	Asp	Lys	Ser	Ser	Ser	Thr	Val	Tyr	Met	Gln	Leu	Ser	100	105	110	
Ser	Leu	Thr	Ser	Glu	Asp	Ser	Ala	Val	Tyr	Tyr	Cys	Ala	Arg	Val	Gly	115	120	125	
Gly	Ala	Phe	Pro	Met	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Ser	Val	Thr	Val	130	135	140	
Ser	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	145	150	155	160
Ser	Gly	Gly	Gly	Gly	Ser	Asp	Ile	Val	Leu	Thr	Gln	Ser	Pro	Ala	Ser	165	170	175	
Leu	Ala	Val	Ser	Leu	Gly	Gln	Arg	Ala	Thr	Ile	Ser	Cys	Arg	Ala	Ser	180	185	190	
Glu	Ser	Val	Glu	Tyr	Tyr	Gly	Thr	Ser	Leu	Met	Gln	Trp	Tyr	Gln	Gln	195	200	205	
Lys	Pro	Gly	Gln	Pro	Pro	Lys	Leu	Leu	Ile	Tyr	Ala	Ala	Ser	Asn	Val	210	215	220	
Glu	Ser	Gly	Val	Pro	Ala	Arg	Phe	Ser	Gly	Ser	Gly	Ser	Gly	Thr	Asp	225	230	235	240
Phe	Ser	Leu	Asn	Ile	His	Pro	Val	Glu	Glu	Asp	Asp	Ile	Ala	Ile	Tyr	245	250	255	
Phe	Cys	Gln	Gln	Ser	Arg	Lys	Asp	Pro	Ser	Thr	Phe	Gly	Gly	Gly	Thr	260	265	270	
Lys	Leu	Glu	Ile	Lys	His	Met	Gly	Gln	Ala	Gly	Gln	Ser	Gly	Glu	Ser	275	280	285	
Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Pro	Cys	Pro	Ala	Ser	Tyr	Ile	Trp	Ala	290	295	300	
Pro	Leu	Ala	Gly	Thr	Cys	Gly	Val	Leu	Leu	Leu	Ser	Leu	Val	Ile	Thr	305	310	315	320
Leu	Tyr	Cys	Lys	Arg	Gly	Arg	Lys	Lys	Leu	Leu	Tyr	Ile	Phe	Lys	Gln	325	330	335	
Pro	Phe	Met	Arg	Pro	Val	Gln	Thr	Thr	Gln	Glu	Glu	Asp	Gly	Cys	Ser	340	345	350	
Cys	Arg	Phe	Pro	Glu	Glu	Glu	Glu	Gly	Gly	Cys	Glu	Leu	Arg	Val	Lys	355	360	365	
Phe	Ser	Arg	Ser	Ala	Asp	Ala	Pro	Ala	Tyr	Lys	Gln	Gly	Gln	Asn	Gln	370	375	380	
Leu	Tyr	Asn	Glu	Leu	Asn	Leu	Gly	Arg	Arg	Glu	Glu	Tyr	Asp	Val	Leu	385	390	395	400
Asp	Lys	Arg	Arg	Gly	Arg	Asp	Pro	Glu	Met	Gly	Gly	Lys	Pro	Arg	Arg	405	410	415	
Lys	Asn	Pro	Gln	Glu	Gly	Leu	Tyr	Asn	Glu	Leu	Gln	Lys	Asp	Lys	Met	420	425	430	
Ala	Glu	Ala	Tyr	Ser	Glu	Ile	Gly	Met	Lys	Gly	Glu	Arg	Arg	Arg	Gly	435	440	445	
Lys	Gly	His	Asp	Gly	Leu	Tyr	Gln	Gly	Leu	Ser	Thr	Ala	Thr	Lys	Asp	450	455	460	
Thr	Tyr	Asp	Ala	Leu	His	Met	Gln	Ala	Leu	Pro	Pro	Arg	465	470	475				

-continued

<210> SEQ ID NO 14
 <211> LENGTH: 1434
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: TIM3 CAR

<400> SEQUENCE: 14

```

atggccttac cagtgaccgc cttgtcctcg ccgctggcct tgctgtccca cgccgccagg      60
ccgggatccg cggcccaggc ggcccagggt caactgcagc agcctggggc tgagctgggt      120
aagctggggc cctcagttaa gatgtcctgc aaggcttctg gctacacatt taccagttac      180
aatatgcact ggataaagca gacacctgga cagggcctgg aatggattgg agatatttat      240
ccaggaaatg gtgatacttc ctacaatcag aaattcaaag gcaaggccac attgactgca      300
gacaaatcct ccagcacagt ctacatgcag ctcagcagcc tgacatctga ggactctgcg      360
gtctattact gtgcaagagt ggggggtgcc ttctctatgg actactgggg tcaaggaacc      420
tcagtcaccg tctcctcagg aggcggagga tctggcggcg gaggaagtgg cggaggggga      480
tcagggggag gcgcatctga cattgtgtct acccaatctc cagcttcttt ggctgtgtct      540
ctagggcaga gagccaccat ctctgcaga gccagtgaag gtgttgaata ttatggcaca      600
agttaaatgc agtggtacca acagaaacca ggacagccac ccaaactcct catctatgct      660
gcatccaacg tagaatctgg ggtccctgcc aggttttagt gcagtgggtc tgggacagac      720
ttcagcctca acatccatcc tgtggaggag gatgatattg caatatattt ctgtcagcaa      780
agtaggaagg atccttcgac gttcgggtga ggcaccaagc tggagatcaa acatatgggc      840
caggccggcc agtcgggaga gagcaagtac ggcctccctc gcccccttg cctgtctagc      900
tacatctggg cgcccttggc cgggacttgt ggggtccttc tctgtcact ggttatcacc      960
ctttactgca aacggggcag aaagaaactc ctgtatatat tcaaacacc atttatgaga     1020
ccagtacaaa ctactcaaga ggaagatggc tgtagctgcc gatttccaga agaagaagaa     1080
ggaggatgtg aactgagagt gaagttcagc aggagcgcag acgccccgc gtacaagcag     1140
ggccagaacc agctctataa cgagctcaat ctaggacgaa gagaggagta cgatgttttg     1200
gacaagagac gtggccggga cctgagatg gggggaaagc cgagaaggaa gaaccctcag     1260
gaaggcctgt acaatgaact gcagaaagat aagatggcgg aggcctacag tgagattggg     1320
atgaaaggcg agcgcgggag gggcaagggg cacgatggcc ttaccaggg tctcagtaca     1380
gccaccaagg acacctacga cgcccttcac atgcaggccc tgccccctcg ctaa         1434
  
```

<210> SEQ ID NO 15
 <211> LENGTH: 733
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: TIM3 CD13 biCAR

<400> SEQUENCE: 15

```

Met Ala Leu Pro Val Thr Ala Leu Leu Leu Pro Leu Ala Leu Leu Leu
 1             5             10            15

His Ala Ala Arg Pro Gly Ser Ala Ala Gln Ala Ala Gln Val Gln Leu
      20             25             30

Gln Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly Ser Leu Ser Leu
      35             40             45

Ser Cys Thr Ala Ser Gly Phe Thr Phe Ser Ser Tyr Ser Met Ala Trp
 50             55             60
  
```

-continued

Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Pro	Glu	Trp	Val	Ser	Gly	Ile	Tyr	65	70	75	80
Pro	Ser	Asp	Gly	Lys	Thr	Arg	Tyr	Ala	Asp	Phe	Val	Lys	Gly	Arg	Phe	85	90	95	
Ser	Ile	Ser	Arg	Asp	Asn	Ala	Lys	Asn	Met	Leu	Tyr	Leu	Gln	Met	Asn	100	105	110	
Asn	Leu	Glu	Pro	Glu	Asp	Thr	Ala	Leu	Tyr	Tyr	Cys	Ala	Arg	Gly	Ile	115	120	125	
Thr	Gly	Leu	Gly	Pro	Arg	Gly	Gln	Gly	Thr	Gln	Val	Thr	Val	Ser	Ser	130	135	140	
Ala	Ala	Ala	Thr	Ser	Gly	Gln	Thr	Val	Ser	Ser	Glu	Ser	Lys	Tyr	Gly	145	150	155	160
Pro	Pro	Cys	Pro	Pro	Cys	Pro	Tyr	Ile	Trp	Ala	Pro	Leu	Ala	Gly	Thr	165	170	175	
Cys	Gly	Val	Leu	Leu	Leu	Ser	Leu	Val	Ile	Thr	Leu	Tyr	Cys	Arg	Val	180	185	190	
Lys	Phe	Ser	Arg	Ser	Ala	Asp	Ala	Pro	Ala	Tyr	Lys	Gln	Gly	Gln	Asn	195	200	205	
Gln	Leu	Tyr	Asn	Glu	Leu	Asn	Leu	Gly	Arg	Arg	Glu	Glu	Tyr	Asp	Val	210	215	220	
Leu	Asp	Lys	Arg	Arg	Gly	Arg	Asp	Pro	Glu	Met	Gly	Gly	Lys	Pro	Arg	225	230	235	240
Arg	Lys	Asn	Pro	Gln	Glu	Gly	Leu	Tyr	Asn	Glu	Leu	Gln	Lys	Asp	Lys	245	250	255	
Met	Ala	Glu	Ala	Tyr	Ser	Glu	Ile	Gly	Met	Lys	Gly	Glu	Arg	Arg	Arg	260	265	270	
Gly	Lys	Gly	His	Asp	Gly	Leu	Tyr	Gln	Gly	Leu	Ser	Thr	Ala	Thr	Lys	275	280	285	
Asp	Thr	Tyr	Asp	Ala	Leu	His	Met	Gln	Ala	Leu	Pro	Pro	Arg	Leu	Glu	290	295	300	
Gly	Ser	Gly	Ala	Thr	Asn	Phe	Ser	Leu	Leu	Lys	Gln	Ala	Gly	Asp	Val	305	310	315	320
Glu	Glu	Asn	Pro	Gly	Pro	Pro	Arg	Met	Ala	Leu	Pro	Val	Thr	Ala	Leu	325	330	335	
Leu	Leu	Pro	Leu	Ala	Leu	Leu	Leu	His	Ala	Ala	Arg	Pro	Gly	Ser	Ala	340	345	350	
Ala	Gln	Ala	Ala	Gln	Val	Gln	Leu	Gln	Gln	Pro	Gly	Ala	Glu	Leu	Val	355	360	365	
Lys	Pro	Gly	Ala	Ser	Val	Lys	Met	Ser	Cys	Lys	Ala	Ser	Gly	Tyr	Thr	370	375	380	
Phe	Thr	Ser	Tyr	Asn	Met	His	Trp	Ile	Lys	Gln	Thr	Pro	Gly	Gln	Gly	385	390	395	400
Leu	Glu	Trp	Ile	Gly	Asp	Ile	Tyr	Pro	Gly	Asn	Gly	Asp	Thr	Ser	Tyr	405	410	415	
Asn	Gln	Lys	Phe	Lys	Gly	Lys	Ala	Thr	Leu	Thr	Ala	Asp	Lys	Ser	Ser	420	425	430	
Ser	Thr	Val	Tyr	Met	Gln	Leu	Ser	Ser	Leu	Thr	Ser	Glu	Asp	Ser	Ala	435	440	445	
Val	Tyr	Tyr	Cys	Ala	Arg	Val	Gly	Gly	Ala	Phe	Pro	Met	Asp	Tyr	Trp	450	455	460	
Gly	Gln	Gly	Thr	Ser	Val	Thr	Val	Ser	Ser	Gly	Gly	Gly	Gly	Ser	Gly	465	470	475	480
Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Asp	Ile				

-continued

485							490					495				
Val	Leu	Thr	Gln	Ser	Pro	Ala	Ser	Leu	Ala	Val	Ser	Leu	Gly	Gln	Arg	
500							505					510				
Ala	Thr	Ile	Ser	Cys	Arg	Ala	Ser	Glu	Ser	Val	Glu	Tyr	Tyr	Gly	Thr	
515							520					525				
Ser	Leu	Met	Gln	Trp	Tyr	Gln	Gln	Lys	Pro	Gly	Gln	Pro	Pro	Lys	Leu	
530							535					540				
Leu	Ile	Tyr	Ala	Ala	Ser	Asn	Val	Glu	Ser	Gly	Val	Pro	Ala	Arg	Phe	
545							550					555				
Ser	Gly	Ser	Gly	Ser	Gly	Thr	Asp	Phe	Ser	Leu	Asn	Ile	His	Pro	Val	
565							570					575				
Glu	Glu	Asp	Asp	Ile	Ala	Ile	Tyr	Phe	Cys	Gln	Gln	Ser	Arg	Lys	Asp	
580							585					590				
Pro	Ser	Thr	Phe	Gly	Gly	Gly	Thr	Lys	Leu	Glu	Ile	Lys	His	Met	Gly	
595							600					605				
Lys	His	Leu	Cys	Pro	Ser	Pro	Leu	Phe	Pro	Gly	Pro	Ser	Lys	Pro	Phe	
610							615					620				
Trp	Val	Leu	Val	Val	Val	Gly	Gly	Val	Leu	Ala	Cys	Tyr	Ser	Leu	Leu	
625							630					635				
Val	Thr	Val	Ala	Phe	Ile	Ile	Phe	Trp	Val	Arg	Ser	Lys	Arg	Ser	Arg	
645							650					655				
Leu	Leu	His	Ser	Asp	Tyr	Met	Asn	Met	Thr	Pro	Arg	Arg	Pro	Gly	Pro	
660							665					670				
Thr	Arg	Lys	His	Tyr	Gln	Pro	Tyr	Ala	Pro	Pro	Arg	Asp	Phe	Ala	Ala	
675							680					685				
Tyr	Arg	Ser	Lys	Arg	Gly	Arg	Lys	Lys	Leu	Leu	Tyr	Ile	Phe	Lys	Gln	
690							695					700				
Pro	Phe	Met	Arg	Pro	Val	Gln	Thr	Thr	Gln	Glu	Glu	Asp	Gly	Cys	Ser	
705							710					715				
Cys	Arg	Phe	Pro	Glu	Glu	Glu	Gly	Gly	Cys	Glu	Leu					
725							730									

<210> SEQ ID NO 16

<211> LENGTH: 2202

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: TIM3 CD13 biCAR

<400> SEQUENCE: 16

```

atggccttac cagtgaccgc cttgctcctg ccgctggcct tgctgctcca cgccgccagg      60
cgggatccg cggcccaggc ggcccagggt cagctgcagg agtctggggg aggcttggtg      120
cagctggggg ggtctctgag cctctcctgt acagcctctg gattcacgtt cagtagttac      180
tccatggcct gggctccgcc ggctccaggg aagggaacct aatgggtctc agggatttac      240
ccttctgatg gtaagacaag gtatgcagac ttcgtgaagg gccgattcag catctccaga      300
gacaacgcca agaatatgtt gtatctgcaa atgaacaacc tggaacctga ggacacggcc      360
ctatattact gtgcgagagg tatcacggga ttgggacccc ggggccaggg gacctaggtc      420
accgtctcct cagcggccgc cactagtggc cagaccgtgt ctagegagtc taagtacggc      480
cctccctgcc ctccttgccc atacatctgg gcgcccttgg ccgggacttg tggggtcctt      540
ctcctgtcac tggttatcac cctttactgc agagtgaagt tcagcaggag cgcagacgcc      600
cccgcgtaca agcagggcca gaaccagctc tataacgagc tcaatctagg acgaagagag      660

```

-continued

```

gagtagcatg ttttgacaa gagacgtggc cgggacctg agatggggg aaagccgaga 720
aggaagaacc ctcaggaagg cctgtacaat gaactgcaga aagataagat ggcgagggcc 780
tacagtgaga ttgggatgaa aggcgagcgc cggaggggca aggggcacga tggcctttac 840
caggggtctca gtacagccac caaggacacc tacgacgccc ttcacatgca ggccctgccc 900
cctcgccctg aggggaagcgg agctactaac ttcagcctgc tgaagcaggc tggagacgtg 960
gaggagaacc ctggacctcc taggatggcc ttaccagtga ccgccttgct cctgcgctg 1020
gccttgctgc tccacgcgcg caggccggga tccgcggccc aggcggccca ggtgcaactg 1080
cagcagcctg gggctgagct ggtgaagcct ggggcctcag tgaagatgct ctgcaaggct 1140
tctggctaca catttaccag ttacaatatg cactggataa agcagacacc tggacagggc 1200
ctggaatgga ttggagatat ttatccagga aatggtgata cttcctacaa tcagaaattc 1260
aaaggcaagg ccacattgac tgcagacaaa tctccagca cagtctacat gcagctcagc 1320
agcctgacat ctgaggactc tgcggtctat tactgtgcaa gagtggggg tgcctttcct 1380
atggactact ggggtcaagg aacctcagtc accgtctcct caggagggcg aggatctggc 1440
ggcgaggagaa gtggcgagg gggatcaggg ggagcggat ctgacattgt gctcacccaa 1500
tctccagctt ctttggtgtg gtctctaggg cagagagcca ccatctcctg cagagccagt 1560
gaaagtgttg aatattatgg cacaagtta atgcagtggg accaacagaa accaggacag 1620
ccacccaaac tctcatctca tgtgcatcc aacgtagaat ctgggggtccc tgccaggttt 1680
agtggcagtg ggtctgggac agacttcagc ctcaacatcc atcctgtgga ggaggatgat 1740
attgcaatat atttctgtca gcaaagtagg aaggatcctt cgacgttcgg tggaggcacc 1800
aagctggaga tcaaacatat ggggaacac ctttgtecaa gtcccctatt tcccggacct 1860
tctaagccct tttgggtgct ggtggtggtt ggtggagtcc tggettgtga tagcttgcta 1920
gtaacagtgg cctttattat tttctgggtg aggagtaaga ggagcaggct cctgcacagt 1980
gactacatga acatgactcc ccgccgcccc gggcccaccc gcaagcatta ccagccctat 2040
gccccaccac gcgacttcgc agcctatcgc tccaaacggg gcagaaagaa actcctgtat 2100
atattcaaac aaccatttat gagaccagta caaactactc aagaggaaga tggtgtagc 2160
tgccgatttc cagaagaaga agaaggagga tgtgaactgt aa 2202

```

<210> SEQ ID NO 17

<211> LENGTH: 842

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: TIM3 PNE inducible bispecific CAR

<400> SEQUENCE: 17

```

Met Ala Leu Pro Val Thr Ala Leu Leu Pro Leu Ala Leu Leu Leu
1           5           10          15

His Ala Ala Arg Pro Gly Ser Ala Ala Gln Ala Ala Gln Val Gln Leu
20          25          30

Gln Gln Pro Gly Ala Glu Leu Val Lys Pro Gly Ala Ser Val Lys Met
35          40          45

Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Ser Tyr Asn Met His Trp
50          55          60

Ile Lys Gln Thr Pro Gly Gln Gly Leu Glu Trp Ile Gly Asp Ile Tyr
65          70          75          80

Pro Gly Asn Gly Asp Thr Ser Tyr Asn Gln Lys Phe Lys Gly Lys Ala
85          90          95

```

Thr	Leu	Thr	Ala	Asp	Lys	Ser	Ser	Ser	Thr	Val	Tyr	Met	Gln	Leu	Ser
			100					105					110		
Ser	Leu	Thr	Ser	Glu	Asp	Ser	Ala	Val	Tyr	Tyr	Cys	Ala	Arg	Val	Gly
		115					120					125			
Gly	Ala	Phe	Pro	Met	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Ser	Val	Thr	Val
	130					135					140				
Ser	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly
145					150					155					160
Ser	Gly	Gly	Gly	Gly	Ser	Asp	Ile	Val	Leu	Thr	Gln	Ser	Pro	Ala	Ser
				165					170					175	
Leu	Ala	Val	Ser	Leu	Gly	Gln	Arg	Ala	Thr	Ile	Ser	Cys	Arg	Ala	Ser
			180					185					190		
Glu	Ser	Val	Glu	Tyr	Tyr	Gly	Thr	Ser	Leu	Met	Gln	Trp	Tyr	Gln	Gln
		195					200					205			
Lys	Pro	Gly	Gln	Pro	Pro	Lys	Leu	Leu	Ile	Tyr	Ala	Ala	Ser	Asn	Val
	210					215					220				
Glu	Ser	Gly	Val	Pro	Ala	Arg	Phe	Ser	Gly	Ser	Gly	Ser	Gly	Thr	Asp
225					230					235					240
Phe	Ser	Leu	Asn	Ile	His	Pro	Val	Glu	Glu	Asp	Asp	Ile	Ala	Ile	Tyr
				245					250					255	
Phe	Cys	Gln	Gln	Ser	Arg	Lys	Asp	Pro	Ser	Thr	Phe	Gly	Gly	Gly	Thr
			260					265					270		
Lys	Leu	Glu	Ile	Lys	His	Met	Gly	Lys	His	Leu	Cys	Pro	Ser	Pro	Leu
	275						280					285			
Phe	Pro	Gly	Pro	Ser	Lys	Pro	Phe	Trp	Val	Leu	Val	Val	Val	Gly	Gly
	290					295					300				
Val	Leu	Ala	Cys	Tyr	Ser	Leu	Leu	Val	Thr	Val	Ala	Phe	Ile	Ile	Phe
305					310					315					320
Trp	Val	Arg	Ser	Lys	Arg	Ser	Arg	Leu	Leu	His	Ser	Asp	Tyr	Met	Asn
				325					330					335	
Met	Thr	Pro	Arg	Arg	Pro	Gly	Pro	Thr	Arg	Lys	His	Tyr	Gln	Pro	Tyr
			340					345					350		
Ala	Pro	Pro	Arg	Asp	Phe	Ala	Ala	Tyr	Arg	Ser	Lys	Arg	Gly	Arg	Lys
		355					360					365			
Lys	Leu	Leu	Tyr	Ile	Phe	Lys	Gln	Pro	Phe	Met	Arg	Pro	Val	Gln	Thr
	370					375					380				
Thr	Gln	Glu	Glu	Asp	Gly	Cys	Ser	Cys	Arg	Phe	Pro	Glu	Glu	Glu	Glu
385					390					395					400
Gly	Gly	Cys	Glu	Leu	Leu	Glu	Gly	Ser	Gly	Ala	Thr	Asn	Phe	Ser	Leu
				405					410					415	
Leu	Lys	Gln	Ala	Gly	Asp	Val	Glu	Glu	Asn	Pro	Gly	Pro	Pro	Arg	Met
			420					425					430		
Ala	Leu	Pro	Val	Thr	Ala	Leu	Leu	Leu	Pro	Leu	Ala	Leu	Leu	Leu	His
		435					440				445				
Ala	Ala	Arg	Pro	Asp	Ala										

-continued

Pro Ala Arg Phe Ser Gly Ser Leu Ile Gly Asp Lys Ala Ala Leu Thr
 515 520 525
 Ile Thr Gly Ala Gln Thr Glu Asp Glu Ala Ile Tyr Phe Cys Val Leu
 530 535 540
 Trp Tyr Ser Asp His Trp Val Phe Gly Gly Gly Thr Lys Leu Thr Val
 545 550 555 560
 Leu Gly Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly
 565 570 575
 Ser Gly Gly Gly Gly Ser Asp Val Gln Leu Gln Glu Ser Gly Pro Gly
 580 585 590
 Leu Val Ala Pro Ser Gln Ser Leu Ser Ile Thr Cys Thr Val Ser Gly
 595 600 605
 Phe Leu Leu Thr Asp Tyr Gly Val Asn Trp Val Arg Gln Ser Pro Gly
 610 615 620
 Lys Gly Leu Glu Trp Leu Gly Val Ile Trp Gly Asp Gly Ile Thr Asp
 625 630 635 640
 Tyr Asn Ser Ala Leu Lys Ser Arg Leu Ser Val Thr Lys Asp Asn Ser
 645 650 655
 Lys Ser Gln Val Phe Leu Lys Met Asn Ser Leu Gln Ser Gly Asp Ser
 660 665 670
 Ala Arg Tyr Tyr Cys Val Thr Gly Leu Phe Asp Tyr Trp Gly Gln Gly
 675 680 685
 Thr Thr Leu Thr Val Ser Ser Glu Ser Lys Tyr Gly Pro Pro Cys Pro
 690 695 700
 Pro Cys Pro Tyr Ile Trp Ala Pro Leu Ala Gly Thr Cys Gly Val Leu
 705 710 715 720
 Leu Leu Ser Leu Val Ile Thr Leu Tyr Cys Arg Val Lys Phe Ser Arg
 725 730 735
 Ser Ala Asp Ala Pro Ala Tyr Lys Gln Gly Gln Asn Gln Leu Tyr Asn
 740 745 750
 Glu Leu Asn Leu Gly Arg Arg Glu Glu Tyr Asp Val Leu Asp Lys Arg
 755 760 765
 Arg Gly Arg Asp Pro Glu Met Gly Gly Lys Pro Arg Arg Lys Asn Pro
 770 775 780
 Gln Glu Gly Leu Tyr Asn Glu Leu Gln Lys Asp Lys Met Ala Glu Ala
 785 790 795 800
 Tyr Ser Glu Ile Gly Met Lys Gly Glu Arg Arg Arg Gly Lys Gly His
 805 810 815
 Asp Gly Leu Tyr Gln Gly Leu Ser Thr Ala Thr Lys Asp Thr Tyr Asp
 820 825 830
 Ala Leu His Met Gln Ala Leu Pro Pro Arg
 835 840

<210> SEQ ID NO 18

<211> LENGTH: 2529

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: TIM3 PNE inducible bispecific CAR

<400> SEQUENCE: 18

atggccttac cagtgaccgc cttgctcctg ccgctggcct tgctgctcca cgccgccagg 60

ccgggatccg cggcccaggc ggcccagggtg caactgcagc agcctggggc tgagctgggtg 120

aagcctgggg cctcagtgaa gatgtcctgc aaggettctg gctacacatt taccagttac 180

-continued

aatatgcact	ggataaagca	gacacctgga	cagggcctgg	aatggattgg	agatatttat	240
ccaggaaatg	gtgatacttc	ctacaatcag	aaattcaaag	gcaaggccac	attgactgca	300
gacaaatcct	ccagcacagt	ctacatgcag	ctcagcagcc	tgacatctga	ggactctgcg	360
gtctattact	gtgcaagagt	ggggggtgcc	tttctatagg	actactgggg	tcaaggaacc	420
tcagtcaccg	tctcctcagg	aggcggagga	tctggcggcg	gaggaagtgg	cggaggggga	480
tcagggggag	gcggtatctga	cattgtgctc	acccaatctc	cagcttcttt	ggctgtgtct	540
ctagggcaga	gagccaccat	ctcctgcaga	gccagtgaag	gtgtgaata	ttatggcaca	600
agtttaatgc	agtgtgacca	acagaaacca	ggacagccac	ccaaactcct	catctatgct	660
gcatccaacg	tagaatctgg	ggctcctgcc	aggtttagtg	gcagtgggtc	tgggacagac	720
ttcagctcca	acatccatcc	tgtggaggag	gatgatattg	caatatattt	ctgtcagcaa	780
agtaggaagg	atccttcgac	gttcggtgga	ggcaccaagc	tggagatcaa	acatatgggg	840
aaacaccttt	gtccaagtcc	cctatttccc	ggaccttcta	agcccttttg	ggtgtgtgtg	900
gtggttggtg	gagtctggc	ttgctatagc	ttgctagtaa	cagtggcctt	tattattttc	960
tgggtgagga	gtaagaggag	caggctcctg	cacagtgact	acatgaacat	gactccccgc	1020
cgcgccgggc	ccaccgcgaa	gcattaccag	ccctatgccc	caccacgcga	cttcgcagcc	1080
tatcgctcca	aacggggcag	aaagaaactc	ctgtatatat	tcaaacaacc	atttatgaga	1140
ccagtacaaa	ctactcaaga	ggaagatggc	tgtagctgcc	gatttccaga	agaagaagaa	1200
ggaggatgtg	aactgctcga	gggaagcgga	gctactaact	tcagcctgct	gaagcaggct	1260
ggagacgtgg	aggagaaccc	tggacctcct	aggatggctc	tgcctgtgac	agctctgctg	1320
ctgcctctgg	ccctgctgct	gcctgcccgt	agacctgatg	ccgtcgtgac	ccaggaaagc	1380
gcccctgcaa	gcagccctgg	cgagacagtg	accctgacct	gcagatctag	cacaggcgcc	1440
gtgaccacca	gcaactacgc	cagctgggtg	caggaaaagc	ccgaccacct	gttcaccggc	1500
ctgatcggcg	gcaccaacaa	tagagcacct	ggcgtgcccc	ccagattcag	cggctctctg	1560
atcggagata	aggcgcgcct	gaccatcact	ggcgcccaga	cagaggacga	ggccatctac	1620
ttttgcgtgc	tgtggtacag	cgaccactgg	gtgttcggcg	gaggaccaa	gctgacagtg	1680
ctgggcgag	gcggaggatc	tggcgcgga	ggaagtggcg	gagggggatc	agggggaggc	1740
ggatctgatg	tgcagctgca	ggaatctggc	ccaggactgg	tggcccttag	ccagagcctg	1800
agcatcacct	gtaccgtgtc	cggtctcctg	ctgaccgact	acggcgtgaa	ctgggtgcgc	1860
cagtctcctg	gcaagggcct	ggaatggctg	ggagtgatct	ggggcgacgg	aatcaccgac	1920
tacaactccg	ccctgaagtc	ccggctgagc	gtgaccaagg	acaacagcaa	gagccagggtg	1980
ttcctgaaga	tgaacagcct	gcagagcggc	gacagcgccc	ggtactattg	tgtgaccggc	2040
ctgttcgact	actggggcca	gggcacaacc	ctgaccgtgt	ctagcgagtc	taagtacggc	2100
cctccctgcc	ctccttgccc	atacatctgg	gcgccttg	ccgggacttg	tggggctcct	2160
ctcctgtcac	tggttatcac	cctttactgc	agagtgaagt	tcagcaggag	cgcagacgcc	2220
cccgcgtaca	agcaggggcca	gaaccagctc	tataacgagc	tcaatctagg	acgaagagag	2280
gagtacgatg	ttttggacaa	gagacgtggc	cgggaccctg	agatgggggg	aaagccgaga	2340
aggaagaacc	ctcaggaagg	cctgtacaat	gaactgcaga	aagataagat	ggcggaggcc	2400
tacagtgaga	ttgggatgaa	aggcgagcgc	cggaggggca	aggggcacga	tggcctttac	2460
caggggtctca	gtacagccac	caaggacacc	tacgacgccc	ttcacatgca	ggccctgccc	2520
cctcgctaa						2529


```

<210> SEQ ID NO 21
<211> LENGTH: 387
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Anti TIM3 VHH13

<400> SEQUENCE: 21

cagggtgcagc tgcaggagtc tggaggagga ttggtgcagg ctgggggctc tctgagcctc      60
tcctgtgcag cctctggacg cacettcaag aactatctca tggcctgggt ccgccagact      120
ccagggaagg agcgtgagtt tgtggcagct attactcagc ttggtactag atcattaaat      180
gaagacttcg tgaagggccg attcaccatc tccagggaca acgccaagaa cagggtgtat      240

```

-continued

```

ctgcaaatga acgacctgaa aactgacgac acgggcggtt attcttgtgc agcaagccta 300
cagagtgggg ggtcactacg gtacgcgaag tatgactatt ggggccaggg gacctcaggtc 360
accgtctcct cagcgccgc cactagt 387

```

```

<210> SEQ ID NO 22
<211> LENGTH: 129
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Anti TIM3 VHH13

```

```

<400> SEQUENCE: 22

```

```

Gln Val Gln Leu Gln Glu Ser Gly Gly Gly Leu Val Gln Ala Gly Gly
1      5      10      15
Ser Leu Ser Leu Ser Cys Ala Ala Ser Gly Arg Thr Phe Lys Asn Tyr
20     25     30
Leu Met Ala Trp Phe Arg Gln Thr Pro Gly Lys Glu Arg Glu Phe Val
35     40     45
Ala Ala Ile Thr Gln Leu Gly Thr Arg Ser Leu Asn Glu Asp Phe Val
50     55     60
Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Thr Val Tyr
65     70     75     80
Leu Gln Met Asn Asp Leu Lys Thr Asp Asp Thr Gly Val Tyr Ser Cys
85     90     95
Ala Ala Ser Leu Gln Ser Gly Gly Ser Leu Arg Tyr Ala Lys Tyr Asp
100    105    110
Tyr Trp Gly Gln Gly Thr Gln Val Thr Val Ser Ser Ala Ala Ala Thr
115    120    125
Ser

```

```

<210> SEQ ID NO 23
<211> LENGTH: 369
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Anti TIM3 VHH28

```

```

<400> SEQUENCE: 23

```

```

caggtgcagc tgcaggagtc tgggggagga ttggtgcagg ctgggggctc tctgagactc 60
tcctgtgcag cctctgaagg caccgtcagc acctacacca tggcctgggt ccgccaggct 120
ccaggaagg agcgtgagtt ttagccagg attactggtg ttagtacggc tgtgaagggc 180
cggttcacct tctccagaga cgagcccaaa aacacagtgt atctgcaaat gaacagcctg 240
aaacctgagg acacggccgt ctattactgc gcggcacact atttgggtgg tcgtccagat 300
atgccgactc agtatcaata cttgggccag gggacccagg tcaccgtctc ctcagcggcc 360
gccactagt 369

```

```

<210> SEQ ID NO 24
<211> LENGTH: 123
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Anti TIM3 VHH28

```

```

<400> SEQUENCE: 24

```

```

Gln Val Gln Leu Gln Glu Ser Gly Gly Gly Leu Val Gln Ala Gly Gly
1      5      10      15

```

-continued

Ser Leu Arg Leu Ser Cys Ala Ala Ser Glu Gly Thr Val Ser Thr Tyr
20 25 30

Thr Met Ala Trp Phe Arg Gln Ala Pro Gly Lys Glu Arg Glu Phe Val
35 40 45

Ala Arg Ile Thr Gly Val Ser Thr Ala Val Lys Gly Arg Phe Thr Phe
50 55 60

Ser Arg Asp Glu Pro Lys Asn Thr Val Tyr Leu Gln Met Asn Ser Leu
65 70 75 80

Lys Pro Glu Asp Thr Ala Val Tyr Tyr Cys Ala Ala His Tyr Leu Gly
85 90 95

Gly Arg Pro Asp Met Pro Thr Gln Tyr Gln Tyr Leu Gly Gln Gly Thr
100 105 110

Gln Val Thr Val Ser Ser Ala Ala Ala Thr Ser
115 120

<210> SEQ ID NO 25
<211> LENGTH: 402
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Anti TIM3 VHH30

<400> SEQUENCE: 25

cagggtgcagc tgcaggagtc tgggggagga ttggtgcagg ctgggggctc tctgagactc	60
tcctgtgcag cctctggatt cacgtttggt agttatgtta tgggctggtt ccgccaggct	120
ccaggaagg agcgtgaatt tgtggcaagt attagtagca gtggtggcat aacatcttat	180
gcagactccg tgaagggcgc attcactgtc tccagagaca acgccaagaa tacgggtctac	240
ttacaaatga acagcctgaa acctgaggac acggccggtt attactgcgc acgagatctg	300
acatactatc gtactggtgg taggttacca gataacgcta atggatatgc gtactggggc	360
cagggtaccc aggtcacctg ctctcagcg gccgccacta gt	402

<210> SEQ ID NO 26
<211> LENGTH: 134
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Anti TIM3 VHH30

<400> SEQUENCE: 26

Gln Val Gln Leu Gln Glu Ser Gly Gly Gly Leu Val Gln Ala Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Gly Ser Tyr
20 25 30

Val Met Gly Trp Phe Arg Gln Ala Pro Gly Lys Glu Arg Glu Phe Val
35 40 45

Ala Ser Ile Ser Thr Ser Gly Gly Ile Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Val Ser Arg Asp Asn Ala Lys Asn Thr Val Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Lys Pro Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Asp Leu Thr Tyr Tyr Arg Thr Gly Gly Arg Leu Pro Asp Asn
100 105 110

Ala Asn Gly Tyr Ala Tyr Trp Gly Gln Gly Thr Gln Val Thr Val Ser
115 120 125

Ser Ala Ala Ala Thr Ser
130

```
<210> SEQ ID NO 27
<211> LENGTH: 348
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Anti TIM3 VHH32
```

<400> SEQUENCE: 27

cagggtgcagc	tcgaggagtc	tggaggaggc	ttggtgcagg	ctgggggggc	tctaaatctc	60
tcctgtgcag	cctctggaag	ttccttcaga	ctctataccg	tgggtgggca	ccgccaggcg	120
ccaggggaag	agcgcgagtt	ggtcgcattg	attagtgggt	cgggcagcac	aaactatcat	180
tcgtccgtga	agggccgatt	caccatctcc	agagacaacg	ccaagaacac	ggcactcctg	240
caaatgaaca	acctggcacc	tgaagacacg	gccgtctatt	actgtaatct	actgaactac	300
tggggccacg	ggacccaggt	caccgtctcc	tcagcggccg	ccactagt		348

```
<210> SEQ ID NO 28
<211> LENGTH: 116
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Anti TIM3 VHH32
```

<400> SEQUENCE: 28

Gln Val Gln Leu Gln Glu Ser Gly Gly Gly Leu Val Gln Ala Gly Gly
1 5 10 15

Ser Leu Asn Leu Ser Cys Ala Ala Ser Gly Ser Ser Phe Arg Leu Tyr
20 25 30

Thr Val Gly Trp His Arg Gln Ala Pro Gly Lys Gln Arg Glu Leu Val
35 40 45

Ala Trp Ile Ser Gly Ala Gly Ser Thr Asn Tyr His Ser Ser Val Lys
50 55 60

Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Thr Ala Leu Leu
65 70 75 80

Gln Met Asn Asn Leu Ala Pro Glu Asp Thr Ala Val Tyr Tyr Cys Asn
85 90 95

Leu Leu Asn Tyr Trp Gly Gln Gly Thr Gln Val Thr Val Ser Ser Ala
100 105 110

Ala Ala Thr Ser
115

```
<210> SEQ ID NO 29
<211> LENGTH: 378
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Anti TIM3 VHH33
```

<400> SEQUENCE: 29

caggtgcagc	tcgaggagtc	tgggggaggc	ttggtgcagc	ctggggggtc	tctgagactc	60
tctctgtcag	tctctggact	cacgccggat	gcttatgtca	tgggctgggt	ccgccaggcc	120
ccagggaag	agcgcgagg	ggtctcatgt	attagtcccta	gtggtgttac	tacaagctat	180
ccagactccg	tgaagggccg	attcaccatc	tccagagaca	atgccaaaga	cacggtgtac	240
ctqcaaatqa	acagcctqaa	acctgaqqac	acqqgcqttt	attactgtgc	gqcaatttcq	300

-continued

ggccgctggt gtgactacgg catgaactac tacggcaaag ggaccacaggt caccgtctcc 360

tcagcggccg ccactagt 378

<210> SEQ ID NO 30

<211> LENGTH: 126

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Anti TIM3 VHH33

<400> SEQUENCE: 30

Gln Val Gln Leu Gln Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Leu Thr Pro Asp Ala Tyr
20 25 30

Val Met Gly Trp Phe Arg Gln Ala Pro Gly Lys Glu Arg Glu Gly Val
35 40 45

Ser Cys Ile Ser Pro Ser Gly Gly Thr Thr Ser Tyr Pro Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Thr Val Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Lys Pro Glu Asp Thr Gly Val Tyr Tyr Cys
85 90 95

Ala Ala Val Ala Gly Arg Trp Cys Asp Tyr Gly Met Asn Tyr Tyr Gly
100 105 110

Lys Gly Thr Gln Val Thr Val Ser Ser Ala Ala Ala Thr Ser
115 120 125

<210> SEQ ID NO 31

<211> LENGTH: 381

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Anti TIM3 VHH38

<400> SEQUENCE: 31

cagggtgcagc tgcaggagtc tgggggaggt ttggtgcagg ctgggggactc tctgagactc 60

tcctgtgcag tcggacgcac gtctcagtcg tcaaccttgg gctgggtccg ccagtctcca 120

gggaaggagc gtgagtttgt cgcagcgatt agttggtggc gtggtgaggc atactatggg 180

gactccgtga agggccgatt caccatctcc agagacaaca ccaagacaac gatcaatctg 240

caaatgaata gcctgaaacc tgaggacacg gccgtttatt actgtgcacg agcccaattt 300

gatggcgcca caggggcaga tgactatgac aactgggggc agggggaccca ggtcaccgtc 360

tcctcagcgg ccgccactag t 381

<210> SEQ ID NO 32

<211> LENGTH: 127

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Anti TIM3 VHH38

<400> SEQUENCE: 32

Gln Val Gln Leu Gln Glu Ser Gly Gly Gly Leu Val Gln Ala Gly Asp
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Val Gly Arg Thr Phe Ser Ala Ser Thr
20 25 30

-continued

Leu Gly Trp Phe Arg Gln Ser Pro Gly Lys Glu Arg Glu Phe Val Ala
 35 40 45

Ala Ile Ser Trp Trp Arg Gly Glu Ala Tyr Tyr Gly Asp Ser Val Lys
 50 55 60

Gly Arg Phe Thr Ile Ser Arg Asp Asn Thr Lys Thr Thr Ile Asn Leu
 65 70 75 80

Gln Met Asn Ser Leu Lys Pro Glu Asp Thr Ala Val Tyr Tyr Cys Ala
 85 90 95

Arg Ala Gln Phe Asp Gly Ala Thr Arg Ala Asp Asp Tyr Asp Asn Trp
 100 105 110

Gly Gln Gly Thr Gln Val Thr Val Ser Ser Ala Ala Ala Thr Ser
 115 120 125

<210> SEQ ID NO 33

<211> LENGTH: 9439

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: BiCAR VHH12

<400> SEQUENCE: 33

gtgcacgagt gggttacatc gaactggatc tcaacagcgg taagatcctt gagagttttc 60
 gccccgaaga acgtttttcca atgatgagca cttttaaagt tctgctatgt ggcgcggtat 120
 tatcccgat tgacgcgggg caagagcaac tcggtcgccg catacactat tctcagaatg 180
 acttggttga gtactcacca gtcacagaaa agcatcttac ggatggcatg acagtaagag 240
 aattatgcag tgctgccata accatgagtg ataactctgc ggccaactta cttctgacaa 300
 cgatcggagg accgaaggag ctaaccgctt ttttgacaaa catgggggat catgtaactc 360
 gccttgatcg ttgggaaccg gagctgaatg aagccatacc aaacgacgag cgtgacacca 420
 cgatgcctgt agcaatggca acaacgttgc gcaaactatt aactggcgaa ctacttactc 480
 tagcttcccc gcaacaatta atagactgga tggaggcgga taaagttgca ggaccacttc 540
 tgcgctcggc ccttcgggtt ggttggttta ttgctgataa atctggagcc ggtgagcgtg 600
 ggtctcgcg tatcattgca gcaactgggc cagatggtaa gccctccgt atcgtagtta 660
 tctacacgac ggggagtcag gcaactatgg atgaacgaaa tagacagatc gctgagatag 720
 gtgcctcact gattaagcat tggtaactgt cagaccaagt ttactcatat atactttaga 780
 ttgatttaaa acttcatttt taatttaaaa ggatctaggt gaagatcctt tttgataatc 840
 tcatgaccaa aatcccttaa cgtgagtttt cgttcactg agcgtcagac cccgtagaaa 900
 agatcaaaag atcttcttga gatccttttt ttctgcgcgt aatctgctgc ttgcaacaaa 960
 aaaaaccacc gctaccagcg gtggtttgtt tgccggatca agagctacca actctttttc 1020
 cgaaggtaac tggcttcagc agagcgcaga taccaaatac tgttcttcta gtgtagccgt 1080
 agttaggcca ccacttcaag aactctgtag caccgcctac atacctcgct ctgctaatcc 1140
 tgttaccagt ggctgctgcc agtggcgata agtcgtgtct taccgggttg gactcaagac 1200
 gatagttacc ggataaggcg cagcggtcgg gctgaacggg gggttcgtgc acacagccca 1260
 gcttgagcgc aacgacctac accgaactga gatacctaca gcgtgagcta tgagaaagcg 1320
 ccacgcttcc cgaagggaga aaggcggaca ggtatccggt aagcggcagg gtcggaacag 1380
 gagagcgcac gagggagctt ccagggggaa acgcctggtt tctttatagt cctgtcgggt 1440
 ttcgccacct ctgacttgag cgtcgatttt tgtgatgctc gtcagggggg cggagcctat 1500
 ggaaaaacgc cagcaacgcg gccttttttac ggttcctggc cttttgctgg cttttgctc 1560

-continued

acatgttctt	tctgcgtta	tccctgatt	ctgtggataa	ccgtattacc	gcctttgagt	1620
gagctgatac	cgctcgccgc	agccgaacga	ccgagcgag	cgagtcagtg	agcgaggaag	1680
cggaagagcg	ccaatacgc	aaaccgcctc	tccccgcgcg	ttggccgatt	cattaatgca	1740
gctggcacga	caggtttccc	gactggaaa	cgggcagtg	gcgcaacgca	attaatgtga	1800
gttagctcac	tcattaggca	ccccaggett	tacactttat	gcttcgggt	cgatgttgt	1860
gtggaattgt	gagcggataa	caatttcaca	caggaaacag	ctatgaccat	gattacgcca	1920
agcgcgcaat	taacctcac	taaagggaa	aaaagctgga	gctgcaagct	taatgtagt	1980
ttatgcaata	ctctttagt	cttgcaacat	ggtaacgatg	agttagcaac	atgccttaca	2040
aggagagaaa	aagcacctg	catgccgatt	ggtggaagta	aggtggtacg	atcggtcctt	2100
attaggaagg	caacagacgg	gtctgacatg	gattggacga	accactgaat	tgccgattg	2160
cagagatatt	gtatttaagt	gcctagctcg	atacataaac	gggtctctct	ggttagacca	2220
gatctgagcc	tgggagctct	ctggctaact	agggaaacca	ctgcttaagc	ctcaataaag	2280
cttgccctga	gtgcttaag	tagtgtgtgc	ccgtctgttg	tgtgactctg	gtaactagag	2340
atccctcaga	cccttttagt	cagtgtggaa	aatctctagc	agtggcgccc	gaacagggac	2400
ttgaaagcga	aagggaaacc	agaggagctc	tctcgacgca	ggactcggct	tgctgaagcg	2460
cgcacggcaa	gaggcgaggg	gcggcgactg	gtgagtacgc	caaaaatttt	gactagcgga	2520
ggctagaagg	agagagatgg	gtcgagagac	gtcagtatta	agcgggggag	aattagatcg	2580
cgatgggaaa	aaattcggtt	aaggccaggg	ggaaagaaaa	aatataaatt	aaaacatata	2640
gtatgggcaa	gcagggagct	agaacgattc	gcagttaatc	ctggcctgtt	agaaacatca	2700
gaaggctgta	gacaaatact	gggacagcta	caaccatccc	ttcagacagg	atcagaagaa	2760
cttagatcat	tataataac	agtagcaacc	ctctattgtg	tgcatcaaag	gatagagata	2820
aaagacacca	aggaagcttt	agacaagata	gaggaagagc	aaaacaaaag	taagaccacc	2880
gcacagcaag	cggccgctga	tcttcagacc	tggaggagga	gatatgaggg	acaattggag	2940
aagtgaatta	tataaatata	aagtagtaaa	aattgaacca	ttaggagtag	caccaccaa	3000
ggcaaagaga	agagtgggtc	agagagaaaa	aagagcagtg	ggaataggag	ctttgttcct	3060
tgggttcttg	ggagcagcag	gaagcactat	gggcgcagcg	tcaatgacgc	tgacggtaca	3120
ggccagacaa	ttattgtctg	gtatagtgc	gcagcagaac	aatttgctga	gggctattga	3180
ggcgcaacag	catctgttgc	aactcacagt	ctggggcatc	aagcagctcc	aggcaagaat	3240
cctggctgtg	gaaagatacc	taaaggatca	acagctcctg	gggatttggg	gttgctctgg	3300
aaaactcatt	tgaccactg	ctgtgccttg	gaatgctagt	tggagtaata	aatctctgga	3360
acagatttgg	aatcacacga	cctggatgga	gtgggacaga	gaaattaaca	attacacaag	3420
cttaatacac	tccttaattg	aagaatcgca	aaaccagcaa	gaaagaatg	aacaagaatt	3480
attggaatta	gataaatggg	caagtttgtg	gaattgggtt	aacataacaa	attggctgtg	3540
gtatataaaa	ttattcataa	tgatagtagg	aggcttggt	ggtttaagaa	tagtttttgc	3600
tgtactttct	atagtgaata	gagttaggca	gggatattca	ccattatcgt	ttcagacca	3660
cctcccaacc	ccgaggggac	ccgacaggcc	cgaaggaata	gaagaagaag	gtggagagag	3720
agacagagac	agatccattc	gattagtga	cggatctcga	cggatcga	tagactgtag	3780
cccaggaata	tggcagctag	attgtacaca	tttagaagga	aaagtatat	tggtagcagt	3840
tcatgtagcc	agtgatata	tagaagcaga	agtaattcca	gcagagacag	ggcaagaaac	3900

-continued

agcatacttc	ctcttaaaat	tagcaggaag	atggccagta	aaaacagtac	atacagacaa	3960
tggcagcaat	ttcaccagta	ctacagttaa	ggccgcctgt	tggtaggcgg	ggatcaagca	4020
ggaatttggc	attccctaca	atccccaaag	tcaaggagta	atagaatcta	tgaataaaga	4080
attaaagaaa	attataggac	aggtaagaga	tcaggctgaa	catcttaaga	cagcagtaca	4140
aatggcagta	ttcatccaca	attttaaaag	aaaagggggg	attggggggg	acagtgcagg	4200
ggaaagaata	gtagacataa	tagcaacaga	catacaaaact	aaagaattac	aaaaacaaat	4260
tacaaaaatt	caaaattttc	gggtttatta	cagggacagc	agagatccag	tttggtgca	4320
tacgcgtcgt	gaggctccgg	tgcccgtcag	tgggcagagc	gcacatcgcc	cacagtcccc	4380
gagaagttag	ggggaggggt	cggcaattga	accggtgcct	agagaagggtg	gcgcggggta	4440
aactgggaaa	gtgatgtcgt	gtactggctc	cgcccttttc	cgcagggtgg	gggagaaccg	4500
tatataagtg	cagtagtcgc	cgtgaacgtt	ctttttcgca	acgggtttgc	cgccagaaca	4560
caggtaatag	cgtgtgtggt	ttcccgcggg	cctggcctct	ttacgggtta	tggcccttgc	4620
gtgccttgaa	ttacttccac	ctggctgcag	tacgtgattc	ttgatccga	gcttcgggtt	4680
ggaagtgggt	gggagagtgc	gaggccttgc	gcttaaggag	ccccttcgcc	tcgtgcttga	4740
gttaggcct	ggcctggggt	ctggggccgc	cgcgtgcgaa	tctggtggca	ccttcgcgcc	4800
tgtctcgtg	ctttcgataa	gtctctagcc	atttaaaatt	tttgatgacc	tgctgcgacg	4860
ctttttttct	ggcaagatag	tcttgtaa	at	atctgcacac	tggtatttcg	4920
gtttttgggg	ccgcgggggt	cgacggggcc	cgtgcgtccc	agcgcacatg	ttcggcgagg	4980
cggggcctgc	gagcgcggcc	accgagaatc	ggacgggggt	agtcctcaagc	tggccggcct	5040
gctctggtgc	ctggcctcgc	gccgcctgt	atcgcgccgc	cctgggcggc	aaggctggcc	5100
cggtcggcac	cagttgcgtg	agcggaaaga	tggccgcttc	ccggccctgc	tgacgggagc	5160
tcaaaatgga	ggacgcggcg	ctcgggagag	cgggcgggtg	agtcacccac	acaaaggaaa	5220
agggccttct	cgtctcagc	cgtcgcttca	tgtgactcca	ctgagtaccg	ggcgcctgct	5280
agggcctcgc	attagtctct	gtgcttttgg	agtcgctcgt	ctttagggtg	gggggagggg	5340
ttttatgcga	tggagtcttc	ccacactgag	tgggtggaga	ctgaagttag	gccagcttgg	5400
cacttgatgt	aattctcctt	ggaatttgcc	ctttttgagt	ttgatcttg	gttcattctc	5460
aagcctcaga	cagtgttcca	aagttttttt	cttccatttc	aggtgtcgtg	agctagctct	5520
agaatggcct	taccagtgc	cgccttgctc	ctgcgctgg	ccttgctgct	ccacgcgcgc	5580
agggcgcagg	tgcagctgca	ggagtctggg	ggaggcttgg	tgcagcctgg	ggggctctctg	5640
agcctctcct	gtacagctc	tggattcacg	ttcagtagtt	actccatggc	ctgggtccgc	5700
caggctccag	ggaagggacc	cgaatgggtc	tcagggattt	acccttctga	tggttaagaca	5760
aggtatgcag	acttcgtgaa	gggccgattc	agcatctcca	gagacaacgc	caagaatatg	5820
ttgtatctgc	aaatgaacaa	cctggaacct	gaggacacgg	ccctatatta	ctgtgcgaga	5880
ggtatcaccg	gattgggacc	ccggggccag	gggacccagg	tcaccgtctc	ctcagcggcc	5940
gccactagtg	agtcctaa	cgccctctcc	tgccctcctt	gccatacat	ctgggcggcc	6000
ttggccggga	cttggtgggt	ccttctcctg	tcactgggtta	tcacccttta	ctgcaaacgg	6060
ggcagaaa	aactcctgta	tatatccaaa	caaccattta	tgagaccagt	acaaactact	6120
caagaggga	atggctgtag	ctgccgattt	ccagaagaag	aagaaggagg	atgtgaactg	6180
ctcgagggaa	gcggagctac	taacttcagc	ctgctgaagc	aggtcggaga	cgtggaggag	6240
aacctggac	ctcctaggat	ggccttacca	gtgaccgcct	tgctcctgcc	gctggccttg	6300

-continued

ctgctccacg	cggccaggcc	gggatcccag	gtgcagctgc	aggagtctgg	aggaggattg	6360
gtgcagactg	gggactctct	gagactctcc	tgtgtagtct	ctggaggcac	cttcagaaac	6420
tatgttatgg	gctggttccg	ccaggctcca	gggaaggagc	gtgagtttgt	gtctgctatg	6480
aactggagtg	gcggcatcac	agtctatgca	gactccgtga	agggccgatt	caccatctcc	6540
agagacaacg	ccaagaacgc	ggtgtatctg	caaatgggca	gcctgaaacc	tggcgacacg	6600
gcggtttatt	actgtgcagc	tgttgcaatc	gatggtggaa	ccgtcagaag	cattaacagt	6660
tatgcctact	ggggccaggg	gacccaggtc	accgtctcct	cagcggccgc	cactagtctc	6720
ggaaccacta	caccagcgcc	cagaccacct	accccggtcc	ctaccatcgc	atctcagccc	6780
ttgagtctta	gacccgaggc	atgtcggcca	gcggcggggg	gcgcagtgc	cacgaggggg	6840
ctggacttcg	cctgtgatta	catctgggcg	cccttgcccg	ggacttgtgg	ggtccttctc	6900
ctgtcactgg	ttatcacctt	ttactgcaga	gtgaagttca	gcaggagcgc	agacgcccc	6960
gcgtacaagc	agggccagaa	ccagctctat	aacgagctca	atctaggacg	aagagaggag	7020
tacgatgttt	tggacaagag	acgtggcccg	gacctgaga	tggggggaaa	gccgagaagg	7080
aagaaccctc	aggaaggcct	gtacaatgaa	ctgcagaaa	ataagatggc	ggaggcctac	7140
agtgaagtgg	ggatgaaagg	cgagcgcccg	aggggcaagg	ggcacgatgg	cctttaccag	7200
ggtctcagta	cagccacca	ggacacctac	gacgcccctc	acatgcaggc	cctgccccct	7260
cgctaagtcg	acaatcaacc	tctggattac	aaaatttgtg	aaagattgac	tggtattctt	7320
aactatgttg	ctccttttac	gctatgtgga	tacgtctgct	taatgccttt	gtatcatgct	7380
attgtctccc	gtatggcttt	cattttctcc	tccttgata	aatcctgggt	gctgtctctt	7440
tatgaggagt	tgtggcccg	tgtcaggcaa	cgtggcgtgg	tgtgcactgt	gtttgctgac	7500
gcaaccccca	ctggttgggg	cattgccacc	acctgtcagc	tcctttcccg	gactttcgct	7560
ttccccctcc	ctattgccac	ggcggaactc	atcgccgcct	gccttgcccg	ctgctggaca	7620
ggggctcggc	tgttgggcac	tgacaattcc	gtggtgttgt	cggggaagct	gacgtccttt	7680
ccttggtcgc	tgcctgtgt	tgccacctgg	attctgcgcg	ggacgtcctt	ctgctacgtc	7740
ccttcggccc	tcaatccagc	ggaccttctt	tcccgcggcc	tgctgcgggc	tctgcggcct	7800
cttcgcgcgc	ttcgcttcg	ccctcagacg	agtcggatct	cccttggggc	cgctccccg	7860
cctggaatc	gagctcggta	cctttaagac	caatgactta	caaggcagct	gtagatctta	7920
gccacttttt	aaaagaaaag	gggggactgg	aagggtcaat	tcaactccaa	cgaagacaag	7980
atctgctttt	tgcttgact	gggtctctct	ggtagacca	gatctgagcc	tggaagctct	8040
ctggctaact	aggaacccca	ctgcttaagc	ctcaataaag	cttgccctga	gtgcttcaag	8100
tagtgtgtgc	ccgtctgttg	tgtgactctg	gtaactagag	atccctcaga	cccttttagt	8160
cagtgtggaa	aatctctagc	agtagtagtt	catgtcatct	tattattcag	tatttataac	8220
ttgcaaagaa	atgaatatca	gagagtgaga	ggaacttgtt	tattgcagct	tataatgggt	8280
acaaataaag	caatagcatc	acaaatttca	caaataaagc	atTTTTTTca	ctgcattcta	8340
gttgtgggtt	gtccaaactc	atcaatgtat	cttatcatgt	ctggctctag	ctatcccgcc	8400
cctaactccg	cccagttccg	ccattctctc	gccccatggc	tgactaatTT	TTTTtattta	8460
tgcagaggcc	gaggccgect	cgccctctga	gctattccag	aagtagtgag	gaggcttttt	8520
tggaggcccta	gctagggacg	tacccaattc	gccctatagt	gagtcgtatt	acgcgcgctc	8580
actggccgct	gttttacaac	gtcgtgactg	ggaaaaccct	ggcgttaccc	aacttaatcg	8640

-continued

```

ccttgacgca catccccctt tcgccagctg gcgtaatagc gaagaggccc gcaccgatcg 8700
cccttcccaa cagttgcgca gcttgaatgg cgaatgggac gcgcctgtga gcggcgcat 8760
aagcgcgcg ggtgtggtgg ttacgcgcag cgtgaccgct acacttgcca gcgccctagc 8820
gcccgctcct ttcgctttct tcccttcctt tctcgccacg ttcgcgggtt ttccccgtca 8880
agctctaaat cgggggctcc ctttaggggt ccgatttagt gctttacggc acctcgaccc 8940
caaaaaactt gattaggggt atgggttcacg tagtgggcca tcgcctgat agacggtttt 9000
tcgccctttg acgttgaggt ccacgttctt taatagtggc ctctgttcc aaactggaac 9060
aacactcaac cctatctcgg tctattcttt tgatttataa gggattttgc cgatttcggc 9120
ctattgggta aaaaatgagc tgatttaaca aaaatttaac gcgaatttta aaaaaatatt 9180
aacgcttaca atttaggtgg cacttttcgg ggaaatgtgc gcggaacccc tatttggtta 9240
tttttctaaa tacattcaaa tatgtatccg ctcatgagac aataaccctg ataaatgctt 9300
caataatatt gaaaaaggaa gagtatgagt attcaacatt tccgtgtcgc cttatttccc 9360
ttttttgcgg cattttgect tctgtttttt gctcaccag aaacgctggt gaaagtaaaa 9420
gatgctgaag atcagttgg 9439

```

```

<210> SEQ ID NO 34
<211> LENGTH: 9442
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: BiCAR2 VHH13

<400> SEQUENCE: 34

```

```

gtgcacgagt gggttacatc gaactggatc tcaacagcgg taagatcctt gagagttttc 60
gccccgaaga acgttttcca atgatgagca cttttaaaagt tctgctatgt ggcgcgggtat 120
tatcccgat tgacgcgggg caagagcaac tcggtcgccg catacactat tctcagaatg 180
acttggttga gtactcacca gtcacagaaa agcatcttac ggatggcatg acagtaagag 240
aattatgcag tgctgccata accatgagtg ataacactgc ggccaactta cttctgacaa 300
cgatcgagg accgaaggag ctaaccgctt ttttgcaaa catgggggat catgtaactc 360
gccttgatcg ttgggaaccg gagctgaatg aagccatacc aaacgacgag cgtgacacca 420
cgatgcctgt agcaatggca acaacgttgc gcaaaactatt aactggcgaa ctacttactc 480
tagcttccc gcaacaatta atagactgga tggaggcgga taaagttgca ggaccacttc 540
tcgctcggc ccttcgggtt ggctggttta ttgctgataa atctggagcc ggtgagcgtg 600
ggtctcgcgg tatcattgca gcaactgggc cagatggtaa gccctcccgat atcgtagtta 660
tctacacgac ggggagtcag gcaactatgg atgaacgaaa tagacagatc gctgagatag 720
gtgcctcact gattaagcat tggttaactgt cagaccaagt ttactcatat atactttaga 780
ttgatttaaa acttcatttt taatttaaaa ggatctaggt gaagatcctt ttgataatc 840
tcatgaccaa aatcccttaa cgtgagtttt cgttccactg agcgtcagac cccgtagaaa 900
agatcaaagg atcttcttga gatccttttt ttctgcgcgt aatctgctgc ttgcaacaaa 960
aaaaaccacc gctaccagcg gtggtttgtt tgccggatca agagctacca actctttttc 1020
cgaaggtaac tggcttcagc agagcgcaga taccaaatac tgttcttcta gtgtagccgt 1080
agttaggcca ccacttcaag aactctgtag caccgcctac atacctcgct ctgctaatac 1140
tgttaccagt ggctgctgcc agtggcgata agtcgtgtct taccgggttg gactcaagac 1200
gatagttacc ggataaggcg cagcggtcgg gctgaacggg gggttcgtgc acacagocca 1260

```

-continued

gcttgagcgc aacgacctac accgaactga gatacctaca gcgtgagcta tgagaaagcg	1320
ccacgcttcc cgaagggaga aaggcggaca ggtatccggt aagcggcagg gtcggaacag	1380
gagagcgcac gagggagcct ccagggggaa acgccttgta tctttatagt cctgtcgggt	1440
ttcgccacct ctgacttgag cgtcgatttt tgtgatgctc gtcagggggg cggagcctat	1500
ggaaaaacgc cagcaacgcg gcctttttac ggttcctggc cttttgctgg ccttttgcctc	1560
acatgttctt tcctgcgtta tcccttgatt ctgtggataa ccgtattacc gcctttgagt	1620
gagctgatac cgctcgccgc agccgaacga ccgagcgcag cgagtcagtg agcaggaag	1680
cggaaagagcg cccaatacgc aaaccgcctc tccccgcgcg ttggccgatt cattaatgca	1740
gctggcacga caggtttccc gactggaaag cgggcagtg gcgcaacgca attaatgtga	1800
gttagctcac tcattagcca cccagggctt tacactttat gcttcggctc cgtatgttgt	1860
gtggaattgt gagcggataa caatttcaca caggaaacag ctatgaccat gattacgcca	1920
agcgcgcaat taaccctcac taaagggaaac aaaagctgga gctgcaagct taatgtagtc	1980
ttatgcaata ctctttagtg cttgcaacat ggtaacgatg agttagcaac atgccttaca	2040
aggagagaaa aagcaccgtg catgccgatt ggtggaagta aggtggtacg atcgtgcctt	2100
attaggaagg caacagacgg gctcgacatg gattggacga accactgaat tgccgcattg	2160
cagagatatt gtatttaagt gcttagctcg atacataaac gggctctctt ggtagacca	2220
gatctgagcc tgggagctct ctggctaact agggaaccca ctgcttaagc ctcaataaag	2280
cttgccctga gtgcttcaag tagtgtgtgc ccgtctgttg tgtgactctg gtaactagag	2340
atccctcaga cccttttagt cagtgtggaa aatctctagc agtggcgccc gaacagggac	2400
ttgaaagcga aagggaaacc agaggagctc tctcgacgca ggactcggct tgctgaagcg	2460
cgcacggcaa gagcgaggg gcggcgactg gtgagtacgc caaaaatttt gactagcgga	2520
ggctagaagg agagagatgg gtgcgagagc gtcagtatta agcgggggag aattagatcg	2580
cgatgggaaa aaattcgggt aaggccaggg ggaaagaaaa aatataaatt aaaacatata	2640
gtatgggcaa gcaggagct agaacgattc gcagttaatc ctggcctgtt agaaacatca	2700
gaaggctgta gacaaatact gggacagcta caaccatccc ttcagacagg atcagaagaa	2760
cttagatcat tatataatac agtagcaacc ctctattgtg tgcataaag gatagagata	2820
aaagacacca aggaagcttt agacaagata gaggaagagc aaaacaaaag taagaccacc	2880
gcacagcaag cggccgctga tcttcagacc tggaggagga gatatgaggg acaattggag	2940
aagtgaatta tataaatata aagtagtaaa aattgaacca ttaggagtag caccaccaa	3000
ggcaaagaga agagtgtgct agagagaaaa aagagcagtg ggaataggag ctttgttcct	3060
tgggttcttg ggagcagcag gaagcactat gggcgacgcg tcaatgacgc tgacggtaca	3120
ggccagacaa ttattgtctg gtatagtga gcagcagaac aatttgctga gggtattga	3180
ggcgcaacag catctgttgc aactcacagt ctggggcatc aagcagctcc aggcaagaat	3240
cctggctgtg gaaagatacc taaaggatca acagctcctg gggatttggg gttgctctgg	3300
aaaactcatt tgcaccactg ctgtgccttg gaatgctagt tggagtaata aatctctgga	3360
acagatttgg aatcacacga cctggatgga gtgggacaga gaaattaaca attacacaag	3420
cttaatacac tccttaattg aagaatcgca aaaccagcaa gaaaagaatg aacaagaatt	3480
attggaatta gataaatggg caagtttgtg gaattggttt aacataacaa attggctgtg	3540
gtatataaaa ttattcataa tgatagtagg aggcctggta ggtttaagaa tagtttttgc	3600

-continued

tgtactttct atagtgaata gagttaggca gggatattca ccattatcgt ttcagaccca	3660
cctcccaacc ccgaggggac ccgacaggcc cgaaggaata gaagaagaag gtggagagag	3720
agacagagac agatocattc gattagtga cggatctcga cggtatcgat tagactgtag	3780
cccaggaata tggcagctag attgtacaca tttagaagga aaagtatatc tggtagcagt	3840
tcattgtagcc agtggatata tagaagcaga agtaattcca gcagagacag ggcaagaaac	3900
agcactactc ctcttaaaat tagcaggaag atggccagta aaaacagtac atacagacaa	3960
tggcagcaat ttcaccagta ctacagttaa ggccgctgt tgggtggcgg ggatcaagca	4020
ggaatttgcc attccctaca atcccaaaag tcaaggagta atagaatcta tgaataaaga	4080
attaagaaa attataggac aggttaagaga tcaggctgaa catcttaaga cagcagtaca	4140
aatggcagta ttcattccaca attttaaaag aaaagggggg attggggggg acagtgcagg	4200
ggaaagaata gtagacataa tagcaacaga catacaaaact aaagaattac aaaaacaaat	4260
tacaaaaatt caaaattttc ggggtttatta cagggacagc agagatccag tttggctgca	4320
tacgcgtcgt gaggtccgg tgcccgctcag tgggcagagc gcacatcgcc cacagtcccc	4380
gagaagtgg ggggaggggt cggcaattga accggtgcct agagaagggt gcgcggggta	4440
aaactggaaa gtgatgtcgt gtactggctc cgcctttttc ccgagggtgg gggagaaccg	4500
tatataagtg cagtagtcgc cgtgaacgtt ctttttcgca acgggtttgc cgccagaaca	4560
caggtaagtg ccgtgtgtgg ttcccgcggg cctggcctct ttacgggtta tggcccttgc	4620
gtgccttgaa ttacttccac ctggctgcag tacgtgatc ttgatccga gcttcgggtt	4680
ggaagtgggt gggagagttc gaggccttgc gcttaaggag ccccttcgcc tcgtgcttga	4740
gttagaggct ggctgggag ctggggccgc cgcgtgcgaa tctggtgga ccttcgcgcc	4800
tgtctcgtg ctttgcataa gtctctagcc atttaaaatt tttgatgacc tgetgcgacg	4860
ctttttttct ggcaagatag tcttgtaa atcgggccaag atctgcacac tggattttcg	4920
gtttttggg ccgcgggcgg cgacggggcc cgtgcgtccc agcgcacatg ttcggcgagg	4980
cggggcctgc gagcgcggcc accgagaatc ggacgggggt agtctcaagc tggccggcct	5040
gctctggtgc ctggcctcgc gccgcggtgt atcgccccgc cctgggcggc aaggctggcc	5100
cggtcggcac cagttgcgtg agcggaaaga tggccgcttc ccggccctgc tcagggagc	5160
tcaaaatgga ggacgcggcg ctccggagag cgggcgggtg agtcacccac acaaaggaaa	5220
agggccttcc cgtcctcagc cgtcgttca tgtgactcca ctgagtaccg ggcccgctcc	5280
aggcacctcg attagtctc gtgcttttgg agtacgtcgt ctttaggttg gggggagggg	5340
ttttatgcga tggagtttcc ccacactgag tgggtggaga ctgaagttag gccagcttgg	5400
cacttgatgt aattctcctt ggaatttgcc ctttttgagt ttggatcttg gttcattctc	5460
aagcctcaga cagtggttca aagttttttt cttccatttc aggtgtcgtg agctagctct	5520
agagccagca tggccttacc agtgaccgcc ttgctcctgc cgtggcctt gctgctccac	5580
gccgccaggc cgcaggtgca gctgcaggag tctgggggag gcttgggtgca gcctgggggg	5640
tctctgagcc tctcctgtac agcctctgga ttcacgttca gtagttaetc catggcctgg	5700
gtccgccagg ctccagggaa gggaccgaa tgggtctcag ggatttacc ttctgatggt	5760
aagacaaggt atgcagactt cgtgaagggc cgattcagca tctccagaga caacgccaag	5820
aatatgttgt atctgcaaat gaacaacctg gaacctgagg acacggcctt atattactgt	5880
gcgagaggta tcaccgatt gggaccccg ggccagggga ccaggtcac cgtctcctca	5940
gcggccgcca ctagtgagtc taagtacggc cctccctgcc ctcttgccc atacatctgg	6000

-continued

gcgccttgg	cgggacttg	tggggtcctt	ctcctgtcac	tggttatcac	cctttactgc	6060
aaacggggca	gaaagaaact	cctgtatata	ttcaaacaac	catttatgag	accagtacaa	6120
actactcaag	aggaagatgg	ctgtagctgc	cgatttcag	aagaagaaga	aggaggatgt	6180
gaactgctcg	aggaagcgg	agctactaac	ttcagcctgc	tgaagcaggc	tggagacgtg	6240
gaggagaacc	ctggacctcc	taggatggcc	ttaccagtga	cgccttgc	cctgccgctg	6300
gccttgcctg	tccacgccgc	caggccggga	tccaggtgc	agctgcagga	gtctggagga	6360
ggattggtgc	aggctggggg	ctctctgagc	ctctcctgtg	cagcctctgg	acgcaccttc	6420
aagaactatc	tcatggcctg	gttcgccag	actccaggga	aggagcgtga	gtttgtggca	6480
gctattactc	agcttggtac	tagatcatta	aatgaagact	tcgtgaaggg	cggattcacc	6540
atctccaggg	acaacgccaa	gaacacggtg	tatctgcaaa	tgaacgacct	gaaaactgac	6600
gacacgggcg	tttattcttg	tgcagcaagc	ctacagagtg	gggggtcact	acggtacgcg	6660
aagtatgact	attggggcca	ggggacccag	gtcacctgtc	cctcagcggc	cgccactagt	6720
tccggaacca	ctacaccagc	gccagacca	cctaccccg	ctcctaccat	cgcactctag	6780
cccttgagtc	ttagaccga	ggcatgtcgg	ccagcggcgg	ggggcgcagt	gcacacgagg	6840
gggttgact	tcgcctgtga	ttacatctgg	gcgccttgg	cgggacttg	tggggtcctt	6900
ctcctgtcac	tggttatcac	cctttactgc	agagtgaagt	tcagcaggag	cgcagacgcc	6960
cccgctaca	agcagggcc	gaaccagctc	tataacgagc	tcaatctagg	acgaagagag	7020
gagtacgatg	ttttggacaa	gagacgtggc	cgggacctg	agatgggggg	aaagccgaga	7080
aggaagaacc	ctcaggaagg	cctgtacaat	gaactgcaga	aagataagat	ggcggaggcc	7140
tacagtgaga	ttgggatgaa	aggcagcgc	cggaggggca	aggggcacga	tggcctttac	7200
cagggtctca	gtacagccac	caaggacacc	tacgacgcc	ttcacatgca	ggccctgccc	7260
cctcgctaag	tcgacaatca	acctctggat	tacaaaattt	gtgaaagatt	gactggtatt	7320
cttaactatg	ttgctccttt	tacgtatgt	ggatacgtg	ctttaatgcc	tttgtatcat	7380
gctattgctt	cccgatggc	tttcattttc	tctccttgt	ataaatcctg	gttgcgtgct	7440
ctttatgagg	agttgtggcc	cgttgtcagg	caacgtggcg	tggtgtgcac	tgtgtttgct	7500
gacgcaacc	ccactggttg	gggcattgcc	accacctgtc	agctcctttc	cgggactttc	7560
gctttccccc	tccctattgc	cacggcgga	ctcatcgccg	cctgccttgc	ccgctgctgg	7620
acaggggctc	ggctgttggg	cactgacaat	tccgtggtgt	tgtcggggaa	gctgacgtcc	7680
tttccttggc	tgtcgcctg	tgttgccacc	tggattctgc	gcgggacgtc	cttctgetac	7740
gtcccttcgg	ccctcaatcc	agcggacctt	ccttcccg	gcctgctgcc	ggctctgcgg	7800
cctcttccgc	gtcttcgct	tcgcctcag	acgagtcgga	tctcccttgg	ggccgcctcc	7860
ccgctggaa	ttcgagctcg	gtaccttta	gaccaatgac	ttacaaggca	gctgtagatc	7920
ttagccactt	tttaaaagaa	aaggggggac	tgggaagggt	aattcactcc	caacgaagac	7980
aagatctgct	ttttgcttgt	actgggtctc	tctggttaga	ccagatctga	gcctgggagc	8040
tctctggcta	actagggaac	ccactgctta	agcctcaata	aagcttgctc	tgagtgttc	8100
aagtagtgtg	tgcccgctg	ttgtgtgact	ctggtaacta	gagatccctc	agaccctttt	8160
agtcagtgtg	gaaaatctct	agcagtagta	gttcagtca	tcttattatt	cagtatttat	8220
aacttgcaaa	gaaatgaata	tcagagagtg	agaggaactt	gtttattgca	gcttataatg	8280
gttacaata	aagcaatagc	atcacaatt	tcacaaata	agcatttttt	tcactgcatt	8340

-continued

ctagttgtgg tttgtccaaa ctcacatg tatcttatca tgtctggctc tagctatccc	8400
gcccctaact cgcagcagtt cgcagcattc ccgccccat ggctgactaa ttttttttat	8460
ttatgcagag gccgaggcgc cctcgccctc tgagctattc cagaagtagt gaggaggctt	8520
ttttggaggc ctagctaggg acgtacccaa ttcgccctat agtgagtcgt attacgcgcg	8580
ctcactggcc gtcgttttac aacgtcgtga ctgggaaaac cctggcgta cccaacttaa	8640
tcgccttgca gcacatcccc ctttcgccag ctggcgtaat agcgaagagg ccgcaccca	8700
tcgcccttcc caacagttgc gcagcctgaa tggcgaatgg gacgcgccct gtagcggcgc	8760
attaagcgcg cggggtgtgg tggttacgcg cagcgtgacc gctacacttg ccagcgccct	8820
agcgcccgct cctttcgctt tcttccttc ctttctcgcc acgttcgcgc gctttccccg	8880
tcaagctcta aatcgggggc tccctttagg gttccgattt agtgctttac ggcacctcga	8940
ccccaaaaa cttgattagg gtgatgggtc acgtagtggg ccatcgccct gatagacggt	9000
ttttcgccct ttgagtttg agtccagtt ctttaaatag ggactcttgt tccaaactgg	9060
aacaacactc aaccctatct cggctctattc ttttgattta taagggattt tgccgatttc	9120
ggcctatttg ttaaaaaatg agctgattta acaaaaattt aacgcgaatt ttaacaaaat	9180
attaacgctt acaatttagg tggcactttt cggggaaatg tgccggaac cctattttgt	9240
ttatttttct aaatacattc aaatatgtat ccgctcatga gacaataacc ctgataaatg	9300
cttcaataat attgaaaaag gaagagtatg agtattcaac atttcctgtg cgccttatt	9360
cccttttttg cggcattttg ccttctggtt tttgctcacc cagaaacgct ggtgaaagta	9420
aaagatgctg aagatcagtt gg	9442

<210> SEQ ID NO 35

<211> LENGTH: 9424

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: BiCAR2 VHH28

<400> SEQUENCE: 35

gtgcacgagt gggttacatc gaactggatc tcaacagcgg taagatcctt gagagttttc	60
gccccgaaga acgttttcca atgatgagca cttttaaagt tctgctatgt ggcgcggtat	120
tatcccgat tgacgcggg caagagcaac tcggctcgcc catacactat tctcagaatg	180
acttggttga gtactcacca gtcacagaaa agcatcttac ggatggcatg acagtaagag	240
aattatgcag tgctgccata accatgagtg ataactctgc ggccaactta cttctgacaa	300
cgatcggagg accgaaggag ctaaccgctt ttttgcacaa catgggggat catgtaactc	360
gccttgatcg ttgggaaccg gagctgaatg aagccatacc aaacgacgag cgtgacacca	420
cgatgcctgt agcaatggca acaacgttgc gcaaactatt aactggcgaa ctacttactc	480
tagcttcccc gcaacaatta atagactgga tggaggcgga taaagttgca ggaccacttc	540
tgcgctcggc ccttcggct ggctggttta ttgctgataa atctggagcc ggtgagcgtg	600
ggtctcgcg tatcattgca gcaactgggc cagatggtaa gccctccgt atcgtagtta	660
tctacacgac ggggagtcag gcaactatgg atgaacgaaa tagacagatc gctgagatag	720
gtgcctcact gattaagcat tggttaactgt cagaccaagt ttactcatat atactttaga	780
ttgatttaaa acttcatttt taatttaaaa ggatctaggt gaagatcctt ttgataatc	840
tcatgaccaa aatcccttaa cgtgagtttt cgttccactg agcgtcagac ccgtagaaa	900
agatcaaagg atcttcttga gatccttttt ttctgcgcgt aatctgctgc ttgcaacaa	960

-continued

aaaaaccacc	gctaccagcg	gtgggttgg	tgccggatca	agagctacca	actctttttc	1020
cgaaggtaac	tggttcagc	agagcgcaga	taccaaatac	tgttcttcta	gtgtagccgt	1080
agttaggcca	ccacttcaag	aactctgtag	caccgcctac	atacctcgct	ctgctaatac	1140
tgttaccagt	ggctgctgcc	agtggcgata	agtcgtgtct	taccgggttg	gactcaagac	1200
gatagttacc	ggataaggcg	cagcggtcgg	gctgaacggg	gggttcgtgc	acacagccca	1260
gcttgagcgc	aacgacctac	accgaactga	gatacctaca	gcgtgagcta	tgagaaagcg	1320
ccacgcttcc	cgaagggaga	aaggcggaca	ggtatccggt	aagcggcagg	gtcggaaacg	1380
gagagcgcac	gagggagcct	ccagggggaa	acgcctggta	tctttatagt	cctgtcgggt	1440
ttcgccacct	ctgacttgag	cgtecgattt	tgtgatgctc	gtcagggggg	cggagcctat	1500
ggaaaaacgc	cagcaacgcg	gcctttttac	ggttcctggc	cttttctgtg	ccttttgcct	1560
acatgttctt	tcctgcgtta	tcccttgatt	ctgtggataa	ccgtattacc	gcctttgagt	1620
gagctgatac	cgctcgccgc	agccgaacga	cagagcgcag	cgagtcagtg	agcgaaggaag	1680
cggaaagagcg	cccaataacg	aaaccgcctc	tcccgcgcgc	ttggccgatt	cattaatgca	1740
gctggcacga	caggtttccc	gactggaaag	cgggcagtg	gcgcaacgca	attaatgtga	1800
gttagctcac	tcattaggca	ccccaggcct	tacactttat	gcttcgggct	cgtatgttgt	1860
gtggaattgt	gagcggataa	caatttcaca	caggaaacag	ctatgaccat	gattacgcca	1920
agcgcgcaat	taacctcac	taaagggaac	aaaagctgga	gctgcaagct	taatgtagtc	1980
ttatgcaata	ctcttgtagt	cttgcaacat	ggtaacgatg	agttagcaac	atgccttaca	2040
aggagagaaa	aagcacctg	catgccgatt	ggtggaagta	aggtggtacg	atcgtgcctt	2100
attaggaagg	caacagacgg	gtctgacatg	gattggacga	accactgaat	tgccgcattg	2160
cagagatatt	gtatttaagt	gcctagctcg	atacataaac	gggtctctct	ggttagacca	2220
gatctgagcc	tgggagctct	ctggctaact	agggaaacca	ctgcttaagc	ctcaataaag	2280
cttgccctga	gtgcttcaag	tagtgtgtgc	ccgtctgttg	tgtgactctg	gtaactagag	2340
atccctcaga	cccttttagt	cagtgtggaa	aatctctagc	agtgggcgcc	gaacagggac	2400
ttgaaagcga	aagggaaacc	agaggagctc	tctcgacgca	ggactcggct	tgtggaagcg	2460
cgcacggcaa	gaggcgaggg	gcggcgactg	gtgagtacgc	caaaaatttt	gactagcgga	2520
ggctagaagg	agagagatgg	gtcgcgagac	gtcagtatta	agcgggggag	aattagatcg	2580
cgatgggaaa	aaattcgggt	aaggccaggg	ggaaagaaaa	aatataaatt	aaaacatata	2640
gtatgggcaa	gcaggagcct	agaacgattc	gcagttaatc	ctggcctggt	agaaacatca	2700
gaaggctgta	gacaaatact	gggacagcta	caaccatccc	ttcagacagg	atcagaagaa	2760
cttagatcat	tataataatc	agtagcaacc	ctctattgtg	tgcataaag	gatagagata	2820
aaagacacca	aggaagcttt	agacaagata	gaggaagagc	aaaacaaaag	taagaccacc	2880
gcacagcaag	cggccgctga	tcttcagacc	tggaggagga	gatatgaggg	acaattggag	2940
aagtgaatta	tataaatata	aagtagtaaa	aattgaacca	ttaggagtag	caccaccaa	3000
ggcaaagaga	agagtgggtc	agagagaaaa	aagagcagtg	ggaataggag	ctttgttcct	3060
tgggttcttg	ggagcagcag	gaagcactat	gggcgcagcg	tcaatgacgc	tgacggtaca	3120
ggccagacaa	ttattgtctg	gtatagtga	gcagcagaac	aatttgctga	gggtatttga	3180
ggcgcaacag	catctgtgtc	aactcacagt	ctggggcatc	aagcagctcc	aggcaagaat	3240
cctggctgtg	gaaagatacc	taaaggatca	acagctcctg	gggatttggg	gttgctctgg	3300

-continued

aaaactcatt tgcaccactg ctgtgccttg gaatgctagt tggagtaata aatctctgga	3360
acagatttgg aatcacacga cctggatgga gtgggacaga gaaattaaca attacacaag	3420
cttaatacac tccttaattg aagaatcgca aaaccagcaa gaaaagaatg aacaagaatt	3480
attggaatta gataaatggg caagtttgtg gaattggttt aacataacaa attggctgtg	3540
gtatataaaa ttattcataa tgatagtagg aggcttgta ggtttaagaa tagtttttgc	3600
tgtactttct atagtgaata gagttaggca gggatattca ccattatcgt ttcagacca	3660
cctccaacc ccgaggggac cgcacaggcc cgaaggaata gaagaagaag gtggagagag	3720
agacagagac agatccattc gatttagtaa cggatctcga cggtatcgat tagactgtag	3780
cccaggaata tggcagctag attgtacaca tttagaagga aaagtatatc tggtagcagt	3840
tcatgtagcc agtggatata tagaagcaga agtaattcca gcagagacag ggcaagaaac	3900
agcactactc ctcttaaaat tagcaggaag atggccagta aaaacagtac atacagacaa	3960
tggcagcaat ttcaccagta ctacagttaa ggcgcctgt tgggtggcgg ggatcaagca	4020
ggaatttggc attccctaca atcccaaaag tcaaggagta atagaatcta tgaataaaga	4080
attaagaaa attataggac aggttaagaga tcaggctgaa catcttaaga cagcagtaca	4140
aatggcagta ttcattccaca attttaaaag aaaagggggg attggggggg acagtgcagg	4200
ggaaagaata gtagacataa tagcaacaga catacaaact aaagaattac aaaaacaaat	4260
tacaaaaatt caaaatttct ggggtttatta cagggacagc agagatccag ttggtctgca	4320
tacgcgtcgt gaggtccgg tgcccgctcag tgggcagagc gcacatcgcc cacagtcccc	4380
gagaagttgg ggggaggggt cggcaattga accggtgcct agagaagggt gcgcggggta	4440
aactgggaaa gtgatgtcgt gtactggctc cgccttttct ccgaggggtg gggagaaccg	4500
tatataagtg cagtgtcgc cgtgaacgtt ctttttcgca acgggtttgc cgcagaaca	4560
caggtaagtg ccgtgtgttg ttcccgccgg cctggcctct ttacgggtta tggcccttgc	4620
gtgccttgaa ttacttcac ctggctgcag tacgtgatc ttgatccga gcttcgggtt	4680
ggaagtgggt gggagagtgc gaggccttgc gcttaaggag ccccttcgcc tctgtcttga	4740
gttagggcct ggccctggcg ctggggccgc cgcgtgcgaa tctggtggca ccttcgcgcc	4800
tgtctcgctg ctttcgataa gtctctagcc atttaaaatt tttgatgacc tgctgcgacg	4860
ctttttttct ggcaagatag tcttgtaaat gcgggccaag atctgcacac tggatattcg	4920
gtttttgggg ccgcgggcgg cgacggggcc cgtgcgtccc agcgcacatg ttcggcgagg	4980
cggggcctgc gagcgccgcc accgagaatc ggacgggggt agtctcaagc tggccggcct	5040
gctctggtgc ctggcctcgc gccgcctgt atcgccccgc cctgggcggc aaggctggcc	5100
cggtcggcac cagttgcgtg agcggaaaga tggccgcttc ccggccctgc tgcaggagac	5160
tcaaaatgga ggacgcggcg ctccgggagag cgggcgggtg agtcacccac acaaaggaaa	5220
agggccttct cgtctcagc cgtcgttca tgtgactcca ctgagtaccg ggcgcgtcc	5280
aggcacctcg attagtctc gtgcttttgg agtacgtcgt ctttaggttg gggggagggg	5340
ttttatgcga tggagtctcc ccacactgag tgggtggaga ctgaagttag gccagcttgg	5400
cacttgatgt aattctcctt ggaatttgcc ctttttgagt ttggtcttg gttcattctc	5460
aagcctcaga cagtggttca aagttttttt cttccatttc aggtgtcgtg agctagctct	5520
agagccagca tggccttacc agtgacggcc ttgctcctgc cgtggcctt gctgctccac	5580
gccgccaggc cgcaggtgca gctgcaggag tctgggggag gcttgggtgca gcctgggggg	5640
tctctgagcc tctcctgtac agcctctgga ttcacgttca gtagttactc catggcctgg	5700

-continued

gtccgccagg ctccaggga gggaccgaa tgggtctcag ggattttacc ttctgatggt	5760
aagacaaggt atgcagactt cgtgaagggc cgattcagca tctccagaga caacgccaa	5820
aatatgttgt atctgcaaat gaacaacctg gaacctgagg acacggccct atattactgt	5880
gcgagaggta tcaccggatt gggaccccg ggcaggga cccaggtcac cgtctcctca	5940
gcggccgcca ctagttagtc taagtacggc cctccctgcc ctcttgccc atacatctgg	6000
gcgcccttgg ccgggacttg tgggtctcct ctctgtcac tggttatcac cctttactgc	6060
aaacggggca gaaagaaact cctgtatata ttcaacaac catttatgag accagtacaa	6120
actactcaag aggaagatgg ctgtagctgc cgatttccag aagaagaaga aggaggatgt	6180
gaactgctcg agggaagcgg agtactaac ttcagcctgc tgaagcaggc tggagacgtg	6240
gaggagaacc ctggacctcc taggatggcc ttaccagtga ccgccttgct cctgcgctg	6300
gccttgctgc tccacgccgc caggccggga tcccagggtgc agctgcagga gtctggggga	6360
ggattggtgc aggttgggg ctctctgaga ctctcctgtg cagcctctga aggcaccgtc	6420
agcacctaca ccatggcctg gtccgccag gctccaggga aggagcgtga gttttagacc	6480
aggattactg gtgttagtac ggctgtgaag ggcgggttca ccttctccag agacgagccc	6540
aaaaacacag tgtatctgca aatgaacagc ctgaaacctg aggcacggc cgtctattac	6600
tgcgcggcac actatttggg tggctgtcca gatatgccg ctacgtatca atactggggc	6660
caggggaccc aggtcacctg ctctcagcg gccgccacta gttccggaac cactacacca	6720
gcgccagac cacctacccc ggctcctacc atcgcatctc agcccttgag tcttagaccc	6780
gaggcatgtc ggcagcggc ggggggcgca gtgcacagca gggggctgga cttcgcctgt	6840
gattacatct gggcgccctt ggcgggact tgtgggttcc ttctcctgtc actggttatc	6900
accctttact gcagagtga gtctcagcag agcgcagacg ccccgcgta caagcagggc	6960
cagaaccagc tctataacga gctcaatcta ggacgaagag aggagtacga tgttttgga	7020
aagagacgtg gccgggaccc tgagatgggg ggaagccga gaaggaagaa ccctcaggaa	7080
ggcctgtaca atgaactgca gaaagataag atggcggagg cctacagtga gattgggatg	7140
aaagcgagc gccgggggg caagggggc gatggcctt accagggtct cagtacagcc	7200
accaaggaca cctacgagc ccttcacatg caggccctgc cccctcgta agtcgacaat	7260
caacctctgg attacaaaat ttgtgaaaga ttgactgta ttcttaacta tgttgcctct	7320
tttacgctat gtggatacgc tgccttaatg cctttgtatc atgctattgc ttcctgtatg	7380
gctttcattt tctcctcctt gtataaatcc tggttgctgt ctctttatga ggagtgtgg	7440
ccgcttgta ggcaacgtgg cgtggtgtgc actgtgtttg ctgacgcaac cccactggt	7500
tggggcattg ccaccacctg tcagctcctt tccgggactt tcgctttccc cctccctatt	7560
gccacggcgg aactcctgc cgctgcctt gcccgctgct ggacaggggc tcggctgttg	7620
ggcactgaca attcctgggt gttgtcgggg aagctgacgt cctttccttg gctgctcgcc	7680
tgtgttgcca cctggattct gcgcgggagc tctctctgct acgtcccttc ggccctcaat	7740
ccagcggacc ttccttccc cggtctgtg ccggtctgc ggctcttcc gcgtcttcgc	7800
cttcgccctc agacgagtc gatctccctt tgggcgcct ccccgctgg aattcgagct	7860
cggtaacctt aagaccaatg acttacaagg cagctgtaga tcttagccac tttttaaag	7920
aaaaggggg actggaagg ctaattcact ccaacgaag acaagatctg ctttttgctt	7980
gtactgggtc tctctggta gaccagatct gagcctggga gctctctggc taactaggga	8040

-continued

```

accactgct taagcctcaa taaagcttgc cttgagtgc tcaagtagtg tgtgcccgtc 8100
tgttgtgtga ctctggtaac tagagatccc tcagaccctt ttagtcagtg tggaaaatct 8160
ctagcagtag tagttcatgt catcttatta ttcagtattt ataacttgca aagaaatgaa 8220
tatcagagag tgagaggaac ttgtttattg cagcttataa tggttacaaa taaagcaata 8280
gcatcacaaa tttcacaaat aaagcatttt ttctactgca ttctagtgtg ggtttgtcca 8340
aactcatcaa tgtatcttat catgtctggc tctagctatc ccgcccctaa ctccgccag 8400
ttccgcccct tctccgcccc atggctgact aatttttttt atttatgcag aggcgcaggc 8460
cgctcggcc tctgagctat tccagaagta gtgaggaggc ttttttgag gcctagctag 8520
ggacgtaccc aattggccct atagtgcgc gtattacgcg cgtcactgg ccgtcgtttt 8580
acaacgtcgt gactgggaaa accctggcgt tacccaactt aatcgcttg cagcacatcc 8640
ccctttcgcc agctggcgta atagcgaaga ggcccgacc gatcgccctt cccaacagtt 8700
gcgcagcctg aatggcgaat gggacgcgcc ctgtagcgcc gcattaagcg cggcgggtgt 8760
ggtggttacg cgcagcgtga ccgctacact tgccagcgcc ctacgcccc ctcctttcgc 8820
tttcttccct tcctttctcg ccacgttcgc cggctttccc cgtcaagtc taaatcgggg 8880
gtcccttta gggttccgat ttagtgcttt acggcacctc gaccccaaaa aacttgatta 8940
gggtgatggt tcacgtagtg ggccatcgcc ctgatagacg gtttttcgcc ctttgacgtt 9000
ggagtcacg ttctttaata gtggactctt gttccaaact ggaacaacac tcaacctat 9060
ctcgtctat tcttttgatt tataagggat tttgccgatt tcggcctatt ggtaaaaaa 9120
tgagctgatt taacaaaaat ttaacgcgaa ttttaacaaa atattaacgc ttacaattta 9180
ggtggcactt ttcgggaaa tgtgcgcgga acccctattt gtttattttt ctaaatacat 9240
tcaaatatgt atccgctcat gagacaataa cctgataaa tgcttcaata atattgaaaa 9300
aggaagagta tgagtattca acatttcctg gtccgctta tcccttttt tgccgcattt 9360
tgccctctcg tttttgctca ccagaaaacg ctggtgaaag taaaagatgc tgaagatcag 9420
ttgg 9424

```

```

<210> SEQ ID NO 36
<211> LENGTH: 9457
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: BiCAR2 VHH30

```

```

<400> SEQUENCE: 36

```

```

gtgcacgagt gggttacatc gaactggatc tcaacagcgg taagatcctt gagagttttc 60
gcccgaaga acgttttcca atgatgagca cttttaaagt tctgctatgt ggcgcggtat 120
tatcccgat tgacgcgggg caagagcaac tcggtcgccc catacactat tctcagaatg 180
acttggttga gtactcacca gtcacagaaa agcatcttac ggatggcatg acagtaagag 240
aattatgcag tgctgccata accatgagtg ataactgc ggccaactta cttctgacaa 300
cgatcggagg accgaaggag ctaaccgctt ttttgcaaa catgggggat catgtaactc 360
gccttgatcg ttgggaaccg gagctgaatg aagccatacc aaacgacgag cgtgacacca 420
cgatgcctgt agcaatggca acaacgttgc gcaaaactatt aactggcgaa ctacttactc 480
tagcttccc gcaacaatta atagactgga tggaggcgga taaagttgca ggaccacttc 540
tgcgctcggc ccttcggct ggctggttta ttgctgataa atctggagcc ggtgagcgtg 600
ggtctcgcgg tatcattgca gcactggggc cagatggtaa gccctccgt atcgtagtta 660

```

-continued

tctacacgac	ggggagtcag	gcaactatgg	atgaacgaaa	tagacagatc	gctgagatag	720
gtgectcact	gattaagcat	tggttaactgt	cagaccaagt	ttactcatat	atactttaga	780
ttgatttaaa	acttcatttt	taatttaaaa	ggatctaggt	gaagatcctt	tttgataatc	840
tcatgaccaa	aatcccttaa	cgtgagtttt	cgttccactg	agcgtcagac	cccgtagaaa	900
agatcaaagg	atcttcttga	gatecttttt	ttctgcgcgt	aatctgctgc	ttgcaaaaa	960
aaaaaccacc	gctaccagcg	gtgggttgg	tgccggatca	agagctacca	actctttttc	1020
cgaaggtaac	tggcttcagc	agagcgcaga	taccaaatac	tggtcttcta	gtgtagccgt	1080
agttaggcca	ccacttcaag	aactctgtag	caccgcctac	atacctcgct	ctgctaatcc	1140
tgttaccagt	ggctgctgcc	agtggcgata	agtcgtgtct	taccgggttg	gactcaagac	1200
gatagttacc	ggataaggcg	cagcggctcg	gctgaacggg	gggttcgtgc	acacagccca	1260
gcttgaggcg	aacgacctac	accgaactga	gatacctaca	gcgtgagcta	tgagaaagcg	1320
ccacgcttcc	cgaagggaga	aaggcggaca	ggtatccggt	aagcggcagg	gtcggaacag	1380
gagagcgcac	gagggagctt	ccagggggaa	acgcctggta	tctttatagt	cctgtcgggt	1440
ttcgccacct	ctgacttgag	cgtcgatttt	tgtgatgctc	gtcagggggg	cggagcctat	1500
ggaaaaacgc	cagcaacgcg	gcctttttac	ggttctctggc	cttttgcctg	ccttttgctc	1560
acatgttctt	tcctgcgtta	tcctctgatt	ctgtggataa	ccgtattacc	gcctttgagt	1620
gagctgatac	cgctcgccgc	agccgaacga	ccgagcgcag	cgagtcagtg	agcgagggaag	1680
cggaaagagc	cccaatacgc	aaaccgcctc	tcccgcgcgc	ttggccgatt	cattaatgca	1740
gctggcacga	caggtttccc	gactggaaa	cgggcagtg	gcgcaacgca	attaatgtga	1800
gttagctcac	tcattagcca	ccccaggctt	tacactttat	gcttccggct	cgtagttgt	1860
gtggaattgt	gagcggataa	caatttcaca	caggaaacag	ctatgaccat	gattacgcca	1920
agcgcgcaat	taacctcac	taaaggggaac	aaaagctgga	gctgcaagct	taatgtagtc	1980
ttatgcaata	ctctttagt	cttgcaacat	ggtaacgatg	agttagcaac	atgccttaca	2040
aggagagaaa	aagcacctg	catgccgatt	ggtggaagta	aggtggtacg	atcgtgcctt	2100
attaggaagg	caacagacgg	gtctgacatg	gattggacga	accactgaat	tgccgcattg	2160
cagagatatt	gtatttaagt	gcctagctcg	atacataaac	gggtctctct	ggttagacca	2220
gatctgagcc	tgggagctct	ctggctaaact	agggaaacca	ctgcttaagc	ctcaataaag	2280
cttgcccttg	gtgcttcaag	tagtgtgtgc	ccgtctgttg	tgtgactctg	gtaactagag	2340
atccctcaga	cccttttagt	cagtgtggaa	aatctctagc	agtggcgccc	gaacagggac	2400
ttgaaagcga	aagggaaacc	agaggagctc	tctcgacgca	ggactcggct	tgctgaagcg	2460
cgcacggcaa	gaggcgaggg	gcggcgactg	gtgagtacgc	caaaaatttt	gactagcgga	2520
ggctagaagg	agagagatgg	gtgcgagagc	gtcagtatta	agcgggggag	aattagatcg	2580
cgatgggaaa	aaattcgggt	aaggccaggg	ggaaagaaaa	aataataaatt	aaaacatata	2640
gtatgggcaa	gcaggagct	agaacgattc	gcagttaatc	ctggcctggt	agaaacatca	2700
gaaggctgta	gacaaatact	gggacagcta	caaccatccc	ttcagacagg	atcagaagaa	2760
cttagatcat	tatataatac	agtagcaacc	ctctattgtg	tgcatcaaag	gatagagata	2820
aaagacacca	aggaagcttt	agacaagata	gaggaagagc	aaaacaaaag	taagaccacc	2880
gcacagcaag	cggccgctga	tcttcagacc	tggaggagga	gatatgaggg	acaattggag	2940
aagtgaatta	tataaatata	aagtagtaaa	aattgaacca	ttaggagtag	caccacccaa	3000

-continued

ggcaaagaga agagtgggtgc agagagaaaa aagagcagtg ggaataggag ctttgttcct	3060
tgggttcttg ggagcagcag gaagcactat gggcgacgcg tcaatgacgc tgacggtaca	3120
ggccagacaa ttattgtctg gtatagtgcg gcagcagaac aatttgctga gggctattga	3180
ggcgcaacag catctgttgc aactcacagt ctggggcatc aagcagctcc aggcaagaat	3240
cctggctgtg gaaagatacc taaaggatca acagctcctg gggatttggg gttgctctgg	3300
aaaactcatt tgcaccactg ctgtgccttg gaatgctagt tggagtaata aatctctgga	3360
acagatttgg aatcacacga cctggatgga gtgggacaga gaaattaaca attacacaag	3420
cttaatacac tccttaattg aagaatcgca aaaccagcaa gaaaagaatg aacaagaatt	3480
attggaatta gataaatggg caagtttgtg gaattggttt aacataacaa attggctgtg	3540
gtatataaaa ttattcataa tgatagtagg aggcttggtg ggtttaagaa tagtttttgc	3600
tgtactttct atagtgaata gagttaggca gggatattca ccattatcgt ttcagaccca	3660
cctcccaacc ccgaggggac ccgacaggcc cgaaggaata gaagaagaag gtggagagag	3720
agacagagac agatccattc gattagtga cggatctcga cggtatcgat tagactgtag	3780
cccaggaata tggcagctag attgtacaca tttagaagga aaagtatatc tggtagcagt	3840
tcagtgtacc agtggatata tagaagcaga agtaattcca gcagagacag ggcaagaaac	3900
agcactcttc ctcttaaaat tagcaggaag atggccagta aaaacagtac atacagacaa	3960
tggcagcaat ttcaccagta ctacagttaa ggccgcctgt tgggtggcgg ggatcaagca	4020
ggaatttggc attccctaca atccccaaag tcaaggagta atagaatcta tgaataaaga	4080
attaaagaaa attataggac aggtaagaga tcaggctgaa catcttaaga cagcagtaca	4140
aatggcagta ttcattccaca attttaaaag aaaagggggg attggggggt acagtgcagg	4200
ggaaagaata gtagacataa tagcaacaga catacaaaact aaagaattac aaaaacaaat	4260
tacaaaaatt caaaattttc gggtttatta cagggacagc agagatccag tttggctgca	4320
tacgcgtcgt gaggtcccg tgcctcgtcag tgggcagagc gcacatcgcc cacagtcccc	4380
gagaagttgg ggggaggggt cggcaattga accggtgcct agagaagggt gcgcggggta	4440
aactgggaaa gtgatgtcgt gtactggctc cgcctttttc ccgaggggtg gggagaaccg	4500
tatataagtg cagtagtcgc cgtgaacggt ctttttcgca acgggtttgc cgcagaca	4560
caggtaagtg ccgtgtgtgg ttcccgcggg cctggcctct ttacgggtta tggcccttgc	4620
gtgccttgaa ttacttccac ctggctgcag tacgtgattc ttgatccga gcttcgggtt	4680
ggaagtgggt gggagagtgc gaggccttgc gcttaaggag ccccttcgcc tcgtgcttga	4740
gttgaggcct ggctggggc ctggggccgc cgcgtgcgaa tctgggtggca ccttcgcgcc	4800
tgtctcgtg ctttcgataa gtctctagcc atttaaaatt tttgatgacc tgctgcgacg	4860
ctttttttct ggcaagatag tcttgtaaat gcgggccaaag atctgcacac tggatattcg	4920
gtttttgggg ccgcggggcg cgacggggcc cgtgcgtccc agcgcacatg ttcggcgagg	4980
cggggcctgc gagcgcggcc accgagaatc ggacgggggt agtctcaagc tggccggcct	5040
gctctggtgc ctggcctcgc gccgcgtgt atcgccccgc cctgggcggc aaggctggcc	5100
cggtcggcac cagttgcgtg agcggaaaga tggccgcttc ccggccctgc tgcagggagc	5160
tcaaaatgga ggacgcggcg ctccgggagag cgggcgggtg agtcacccac acaaaggaaa	5220
agggcctttc cgtcctcage cgtcgttca tgtgactcca ctgagtaccg ggccgcgtcc	5280
aggcacctcg attagtctc gtgcttttgg agtacgtcgt ctttaggttg gggggagggg	5340
ttttatgcga tggagtttcc ccacactgag tgggtggaga ctgaagttag gccagcttgg	5400

-continued

cacttgatgt aattotcctt ggaatttgcc etttttgagt ttggatcttg gttcattctc	5460
aagcctcaga cagtgggtca aagttttttt cttccatttc aggtgtcgtg agctagctct	5520
agagccagca tggccttacc agtgaccgcc ttgctcctgc cgctggcctt gctgctccac	5580
gccgccaggc cgcaggtgca gctgcaggag tctgggggag gcttggtgca gectgggggg	5640
tctctgagcc tctcctgtac agcctctgga ttcacgttca gtagttactc catggcctgg	5700
gtccgccagg ctccagggaa gggaccgaa tgggtctcag ggatttacc ttctgatggt	5760
aagacaaggt atgcagactt cgtgaaggc cgattcagca tctccagaga caacgccaag	5820
aatatgttgt atctgcaaat gaacaacctg gaacctgagg acacggccct atattactgt	5880
gcgagaggta tcaccggatt gggaccccg ggcaggggga cccaggtcac cgtctcctca	5940
gcggccgcca ctagttagtc taagtacggc cctccctgcc ctcttgccc atacatctgg	6000
gcgcccttgg ccgggacttg tggggtcctt ctctgtcac tggttatcac cctttactgc	6060
aaacggggca gaaagaaact cctgtatata ttcaaacac catttatgag accagtacaa	6120
actactcaag aggaagatgg ctgtagctgc cgatttcag aagaagaaga aggaggatgt	6180
gaactgctcg agggaagcgg agctactaac ttcagcctgc tgaagcaggc tggagacgtg	6240
gaggagaacc ctggacctcc taggatggcc ttaccagtga ccgccttgc cctgccgctg	6300
gccttgcctc tccacgcgc caggccggga tcccagggtc agctgcagga gtctggggga	6360
ggattggtgc aggtggggg ctctctgaga ctctcctgtg cagcctctgg attcacgttt	6420
ggtagttagt ttatgggctg gttccgccag gctccaggga aggagcgtga atttgtggca	6480
agtattagta cgagtggtag cataacatct tatgcagact ccgtgaaggg ccgattcact	6540
gtctccagag acaacgcca gaatacggc tacttacaaa tgaacagcct gaaacctgag	6600
gacacggccg tttattactg cgcacgagat ctgacatact atcgtactgg tggtaggtta	6660
ccagataacg ctaatggata tgcgtactgg ggcagggtta cccaggtcac cgtctcctca	6720
gcggccgcca ctagtcccg aacctacta ccagcgcca gaccacctac cccggctcct	6780
accatcgcat ctacgccctt gagtcttaga cccaggcat gtcggccagc ggcggggggc	6840
gcagtgcaca cgaggggggt ggacttcgcc tgtgattaca tctgggcgcc cttggccggg	6900
acttgtgggg tccttctcct gtcactggtt atcacccttt actgcagagt gaagtccagc	6960
aggagcgcag acgccccgc gtacaagcag ggcagaacc agctctataa cgagctcaat	7020
ctaggacgaa gagaggagta cgatgttttg gacaagagac gtggccggga ccctgagatg	7080
gggggaaagc cgagaaggaa gaacctcag gaaggcctgt acaatgaact gcagaaagat	7140
aagatggcgg aggcctacag tgagattggg atgaaaggcg agcgccggag gggcaagggg	7200
cacgatggcc tttaccaggg tctcagtaca gccaccaagg acacctacga cgccttcac	7260
atgcaggccc tgccccctcg ctaagtcgac aatcaacctc tggattacaa aatttgtgaa	7320
agattgactg gtattcttaa ctatgttgct ccttttacgc tatgtggata cgctgcttta	7380
atgcctttgt atcatgctat tgcttccgt atggctttca tttctctc cttgtataaa	7440
tcctggttgc tgtctcttta tgaggagtgt tggccggtg tcaggcaacg tggcgtggtg	7500
tgcactgtgt ttgctgacgc aacccccact ggttggggca ttgccaccac ctgtcagctc	7560
ctttccggga ctttcgcttt cccctccct attgccacgg cggaactcat cgcgcctgc	7620
cttgcgcgt gctggacagg ggctcggtg ttgggcaact acaattccgt ggtgtgtcgc	7680
gggaagctga cgtcctttcc ttggctgctc gcctgtgttg ccacctggat tctgcgcggg	7740

-continued

acgtccttct gctacgtccc ttcggccctc aatccagcgg accttccttc ccgcggcctg	7800
ctgcgcggcto tgcggcctct tccgcgtctt cgccttcgcc ctacagcagag tcggatctcc	7860
ctttgggcgg cctccccgcc tggaaattcga gctcggtagc ttttaagacca atgacttaca	7920
aggcagctgt agatcttagc cactttttta aagaaaaggg gggactggaa gggctaattc	7980
actcccaacg aagacaagat ctgctttttg cttgtactgg gtctctctgg ttagaccaga	8040
tctgagcctg ggagctctct ggctaactag ggaacccact gcttaagcct caataaagct	8100
tgccttgagt gcttcaagta gtgtgtgccc gtctgttgtg tgactctggg aactagagat	8160
ccctcagacc ctttttagtca gtgtggaaaa tctctagcag tagtagttca tgtcatctta	8220
ttattcagta ttataactt gcaagaaat gaatatcaga gagtgaaggg aacttgttta	8280
ttgcagctta taatggttac aaataaagca atagcatcac aaatttcaca aataaagcat	8340
ttttttcact gcattctagt tgtggtttgt ccaaactcat caatgtatct tatcatgtct	8400
ggctctagct atcccgcccc taactccgcc cagttccgcc cattctccgc cccatggctg	8460
actaattttt tttatttatg cagagggcga ggccgcctcg gcctctgagc tattccagaa	8520
gtagtgagga ggcttttttg gaggcctagc tagggacgta cccaattcgc cctatagtga	8580
gtcgtattac gcgcgtcac tggcgcgtct tttacaacgt cgtgactggg aaaaccctgg	8640
cgttacccaa cttaatcgcc ttgcagcaca tcccccttc gccagctggc gtaatagcga	8700
agaggcccg accgatcgcc ctcccaaca gttgcgcagc ctgaatggcg aatgggacgc	8760
gcccgtgtag ggcgcattaa gcgcggcggg tgtggtggtt acgcgcagcg tgaccgctac	8820
acttgccagc gccctagcgc ccgctccttt cgtttcttc ccttccttc tcgccacgtt	8880
cgccggcttt ccccgtaag ctctaaatcg ggggctccct ttagggttcc gatttagtgc	8940
tttacggcac ctgcaccca aaaaacttga ttagggatg ggttcacgta gtgggccatc	9000
gcccgtatag acggtttttc gccctttgac gttggagtcc acgttcttta atagtggact	9060
cttgttccaa actggaacaa cactcaacc tatctcggtc tattcttttg atttataagg	9120
gattttgccc atttggcct attggttaaa aatgagctg atttaacaaa aatttaacgc	9180
gaattttaac aaaatattaa cgcttacaat ttaggtggca cttttcgggg aaatgtgcgc	9240
ggaaccccta tttgtttatt ttctaaata cattcaaata tgtatccgct catgagacaa	9300
taacctgat aaatgcttca ataatttga aaaaggaaga gtatgagtat tcaacatttc	9360
cgtgtcggcc ttattccctt ttttgcggca ttttgcttc ctgtttttgc tcaccagaa	9420
acgctggtga aagtaaaaga tgcgaagat cagttgg	9457

<210> SEQ ID NO 37
 <211> LENGTH: 9403
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: BiCAR2 VHH32

 <400> SEQUENCE: 37

gtgcacgagt gggttacatc gaactggatc tcaacagcgg taagatcctt gagagttttc	60
gccccgaaga acgttttcca atgatgagca cttttaaagt tctgctatgt ggcgcggtat	120
tatcccgat tgacgcggg caagagcaac tcggtcgccc catacactat ttcagaatg	180
acttggttga gtactacca gtcacagaaa agcatcttac ggatggcatg acagtaagag	240
aattatgcag tgctgccata accatgagtg ataacactgc ggccaactta cttctgacaa	300
cgatcgagg accgaaggag ctaaccgctt ttttcacaa catgggggat catgtaactc	360

-continued

gccttgatcg ttgggaaccg gagctgaatg aagccatacc aaacgacgag cgtgacacca	420
cgatgcctgt agcaatggca acaacgttgc gcaaactatt aactggcgaa ctacttactc	480
tagcttcccc gcaacaatta atagactgga tggaggcgga taaagttgca ggaccacttc	540
tgcgctcggc ccttcggctt ggctggttta ttgctgataa atctggagcc ggtgagcgtg	600
ggtctcgcgg tatcattgca gcaactgggc cagatggtaa gccctcccgat atcgtagtta	660
tctacacgac ggggagtcag gcaactatgg atgaacgaaa tagacagatc gctgagatag	720
gtgcctcact gattaagcat tggtaactgt cagaccaagt ttactcatat atactttaga	780
ttgatttaaa acttcatttt taatttaaaa ggatctaggt gaagatcctt ttgataatc	840
tcatgaccaa aatcccttaa cgtgagtttt cgttccactg agcgtcagac cccgtagaaa	900
agatcaaaag atcttcttga gatccttttt ttctgcgcgt aatctgctgc ttgcaacaa	960
aaaaaccacc gctaccagcg gtggtttgtt tgccggatca agagctacca actctttttc	1020
cgaaggtaac tggcttcagc agagcgcaga taccaaatac tgttcttcta gtgtagccgt	1080
agttaggcca ccacttcaag aactctgtag caccgectac atacctcgct ctgctaatac	1140
tgttaccagt ggctgctgcc agtggcgata agtcgtgtct taccgggttg gactcaagac	1200
gatagtacc ggataaggcg cagcggtcgg gctgaacggg gggttcgtgc acacagccca	1260
gcttgagcgc aacgacctac accgaactga gatacctaca gcgtgagcta tgagaaagcg	1320
ccacgcttcc cgaagggaga aaggcggaca ggtatccggt aagcggcagg gtcggaacag	1380
gagagcgcac gagggagctt ccagggggaa acgctgtgta tctttatagt cctgtcgggt	1440
ttcgccacct ctgacttgag cgtcgatttt tgtgatgctc gtcagggggg cggagcctat	1500
ggaaaaacgc cagcaacgcg gcctttttac ggttcctggc cttttgctgg ctttttgcgc	1560
acatgttctt tcctgcgtta tcccttgatt ctgtggataa ccgtattacc gcctttgagt	1620
gagctgatac cgctgcgcgc agccgaacga ccgagcgag cgagtcagtg agcaggaag	1680
cggaagagcg cccaatacgc aaaccgctc tccccgcgcg ttggccgatt cattaatgca	1740
gctggcacga caggtttccc gactggaaag cgggcagtg gcgcaacgca attaatgtga	1800
gttagctcac tcattagcca cccagggctt tacactttat gcttcggct cgtatgttgt	1860
gtggaattgt gagcggataa caatttcaca caggaaacag ctatgacat gattacgcca	1920
agcgcgcaat taacctcac taaagggaac aaaagctgga gctgcaagct taatgtagtc	1980
ttatgcaata ctctttagt ctgcaacat ggtaacgatg agttagcaac atgccttaca	2040
aggagagaaa aagcaccgtg catgccgatt ggtggaagta aggtggtacg atcgtgcctt	2100
attaggaagg caacagacgg gctcgacatg gattggacga accactgaat tgccgattg	2160
cagagatatt gtatttaagt gcctagctcg atacataaac gggctctctt ggttagacca	2220
gatctgagcc tgggagctct ctggctaact agggaaccca ctgcttaagc ctcaataaag	2280
cttgcttga gtgcttcaag tagtgtgtgc ccgtctgttg tgtgactctg gtaactagag	2340
atccctcaga cccttttagt cagtgtggaa aatctctagc agtggcgccc gaacagggac	2400
ttgaaagcga aagggaacc agaggagctc tctcgacgca ggactcggct tgcggaagcg	2460
cgcacggcaa gaggcgaggg gcggcgactg gtgagtacgc caaaaatttt gactagcgga	2520
ggctagaagg agagagatgg gtgcgagagc gtcagtatta agcgggggag aattagatcg	2580
cgatgggaaa aaattcgggt aaggccaggg ggaaagaaaa aatataaatt aaaacatata	2640
gtatgggcaa gcaggagct agaacgattc gcagttaatc ctggcctgtt agaaacatca	2700

-continued

gaaggctgta gacaaatact gggacagcta caaccatccc ttcagacagg atcagaagaa	2760
cttagatcat tatataatac agtagcaacc ctctattgtg tgcacaaag gatagagata	2820
aaagacacca aggaagcttt agacaagata gaggaagagc aaaacaaaag taagaccacc	2880
gcacagcaag cggccgctga tcttcagacc tggaggagga gatatgaggg acaattggag	2940
aagtgaatta tataaatata aagtagtaaa aattgaacca ttaggagtag caccaccaa	3000
ggcaaagaga agagtgtgac agagagaaaa aagagcagtg ggaataggag ctttgttcct	3060
tgggttcttg ggagcagcag gaagcactat gggcgagcgc tcaatgacgc tgacgttaca	3120
ggccagacaa ttattgtctg gtatagtga gcagcagaac aatttgctga gggctattga	3180
ggcgcaacag catctgttgc aactcacagt ctggggcagc aagcagctcc aggcaagaat	3240
cctggctgtg gaaagatacc taaaggatca acagctcctg gggatttggg gttgctctgg	3300
aaaactcatt tgcaccactg ctgtgccttg gaatgctagt tggagtaata aatctctgga	3360
acagatttgg aatcacacga cctggatgga gtgggacaga gaaattaaca attacacaag	3420
cttaatacac tccttaattg aagaatcgca aaaccagcaa gaaaagaatg aacaagaatt	3480
attggaatta gataaatggg caagtttgtg gaattgggtt aacataacaa attggctgtg	3540
gtatataaaa ttattcataa tgatagtagg aggcttggtg ggtttaagaa tagtttttgc	3600
tgtactttct atagtgaata gagttaggca gggatattca ccattatcgt ttcagacca	3660
cctcccaacc ccgaggggac ccgacaggcc cgaagggaata gaagaagaag gtggagagag	3720
agacagagac agatccattc gattagtga cggatctcga cggtatcgat tagactgtag	3780
cccaggaata tggcagctag attgtacaca tttagaagga aaagtatatc tggtagcagt	3840
tcatgtagcc agtgatata tagaagcaga agtaattcca gcagagacag ggcaagaaac	3900
agcactactc ctcttaaaat tagcaggaag atggccagta aaaacagtac atacagacaa	3960
tggcagcaat ttcaccagta ctacagttaa ggcgcctgt tggtagggcg ggatcaagca	4020
ggaatttggc attccctaca atcccaaaag tcaaggagta atagaatcta tgaataaaga	4080
attaagaaaa attataggac aggtgaagga tcaggctgaa catcttaaga cagcagtaca	4140
aatggcagta ttcaccacga attttaaaag aaaagggggg attggggggg acagtgcagg	4200
ggaaagaata gtacacataa tagcaacaga catacaaaat aaagaattac aaaaacaaat	4260
tacaaaaatt caaaatttct gggtttatta cagggacagc agagatccag tttggctgca	4320
tacgcgtcgt gaggtccgg tgcccgtcag tgggcagagc gcacatcgcc cacagtcccc	4380
gagaagtggg ggggaggggt cggcaattga accggtgcct agagaagggt gcgcggggta	4440
aaactgggaaa gtgatgtcgt gtactggctc cgccttttct ccgagggtgg gggagaaccg	4500
tatataagtg cagtagtcgc cgtgaacgtt ctttttcgca acgggtttgc cgccagaaca	4560
caggtaagtg ccgtgtgtgg ttcccgcggg cctggcctct ttacgggtta tggcccttgc	4620
gtgccttgaa ttacttccac ctgggtgcag tacgtgatto ttgatccga gcttcgggtt	4680
ggaagtgggt gggagagtgc gaggccttgc gcttaaggag ccccttcgcc tcgtgcttga	4740
gttagaggct ggcctgggag ctggggccgc cgcgtgcgaa tctggtggca ccttcgcgcc	4800
tgtctcgctg ctttcgataa gtctctagcc atttaaaatt tttgatgacc tgctgcgacg	4860
ctttttttct ggcaagatag tcttgtaaat gcgggccaag atctgcacac tggattttgc	4920
gtttttgggg ccgcggggcg cgacggggcc cgtgcgtccc agcgacatg ttcggcgagg	4980
cggggcctgc gagcggggac accgagaatc ggacgggggt agtctcaagc tggccggcct	5040
gctctggtgc ctggcctcgc gccgcgtgt atcgccccc cctggggcgc aaggctggcc	5100

-continued

cggtcggcac	cagttgcgtg	agcggaaaga	tggccgcttc	ccggccctgc	tgcagggagc	5160
tcaaaatgga	ggacgcggcg	ctcgggagag	cgggcgggtg	agtcacccac	acaaaggaaa	5220
agggcctttc	cgtcctcagc	cgtcgcttca	tgtgactcca	ctgagtaccg	ggcgcctgcc	5280
aggcacctcg	attagttctc	gtgcttttgg	agtacgtcgt	ctttaggttg	gggggagggg	5340
ttttatgcga	tggagtttcc	ccacactgag	tgggtggaga	ctgaagttag	gccagcttgg	5400
cacttgatgt	aattctcctt	ggaatttgcc	ctttttgagt	ttggatcttg	gttcattctc	5460
aagcctcaga	cagtggttca	aagttttttt	cttcatttcc	aggtgtcgtg	agctagctct	5520
agagccagca	tggccttacc	agtgaccgcc	ttgctcctgc	cgtggcctt	gctgctccac	5580
gccgccaggc	cgcagggtca	gctgcaggag	tctgggggag	gcttggtgca	gcctgggggg	5640
tctctgagcc	tctcctgtac	agcctctgga	ttcacgttca	gtagttactc	catggcctgg	5700
gtccgccagg	ctccagggaa	gggacccgaa	tgggtctcag	ggatttacc	ttctgatggg	5760
aagacaaggt	atgcagactt	cgtgaagggc	cgattcagca	tctccagaga	caacgccaa	5820
aatatgttgt	atctgcaaat	gaacaacctg	gaacctgagg	acacggccct	atattactgt	5880
gcgagaggta	tcaccggtt	gggaccccg	ggccagggga	cccaggtcac	cgtctcctca	5940
gcggccgcc	ctagttagtc	taagtacggc	cctccctgcc	ctccttgccc	atacatctgg	6000
gcgccttgg	ccgggacttg	tggggtcctt	ctcctgtcac	tggttatcac	cctttactgc	6060
aaacggggca	gaaagaaact	cctgtatata	ttcaaacaac	catttatgag	accagtacaa	6120
actactcaag	aggaagatgg	ctgtagctgc	cgatttccag	aagaagaaga	aggaggatgt	6180
gaactgctcg	aggggaagcg	agctactaac	ttcagcctgc	tgaagcaggc	tggagacgtg	6240
gaggagaacc	ctggacctcc	taggatggcc	ttaccagtga	ccgccttget	cctgccgctg	6300
gccttgctgc	tccacgccgc	caggccggga	tcccagggtc	agctgcagg	gtctggagg	6360
ggcttggtgc	aggtcggggg	gtctctaaat	ctctcctgtg	cagcctctgg	aagttccttc	6420
agactctata	ccgtcgctg	gcaccgccag	gcgccaggga	agcagcgcca	gttggtcgca	6480
tggatttagt	gtgcgggcag	cacaaactat	cattcgtccg	tgaagggccg	attcaccatc	6540
tccagagaca	acgccaaaga	cacggcactc	ctgcaaatga	acaacctggc	acctgaagac	6600
acggccgtct	attactgtaa	tctactgaac	tactggggcc	aggggaccca	ggtcaccgtc	6660
tctcagcgg	ccgccactag	ttccggaacc	actacaccag	cgcccagacc	acctaccccg	6720
gtcctacc	tcgcactcca	gcccttgagt	cttagaccgg	aggcatgtcg	gccagcgcg	6780
gggggcgcag	tgcacacgag	ggggctggac	ttgcctgtg	attacatctg	ggcgcccttg	6840
gccgggactt	gtggggctct	tctcctgtca	ctggttatca	ccctttactg	cagagtgaag	6900
ttcagcagga	gcgcagacgc	ccccgcgtac	aagcaggggc	agaaccagct	ctataacgag	6960
ctcaatctag	gacgaagaga	ggagtacgat	gttttgga	agagacgtgg	ccgggaccct	7020
gagatggggg	gaaagccgag	aaggaagaac	cctcaggaag	gcctgtacaa	tgaactgcag	7080
aaagataaga	tggcggaggc	ctacagtgag	attgggatga	aaggcgagcg	ccggaggggc	7140
aaagggcacg	atggccttta	ccagggtctc	agtacagcca	ccaaggacac	ctacgacgcc	7200
cttcacatgc	aggccctgcc	cctcgcctaa	gtcgacaatc	aacctctgga	ttacaaaatt	7260
tgtgaaagat	tgactggtat	tcttaactat	gttgctcctt	ttacgctatg	tggatacgtc	7320
gctttaatgc	ctttgatca	tgctattgct	tcccgatgg	ctttcatttt	ctcctccttg	7380
tataaatcct	ggttgctgtc	tctttatgag	gagttgtggc	ccgttgctcag	gcaacgtggc	7440

-continued

gtggtgtgca ctgtgtttgc tgacgcaacc cccactgggt ggggcattgc caccacctgt	7500
cagctccctt cgggacttt cgttttcccc ctccctattg ccacggcgga actcatcgcc	7560
gcctgccttg cccgctgctg gacaggggct cggctgttgg gcactgacaa ttccgtggtg	7620
ttgtcgggga agctgacgtc ctttcttgg ctgctcgct gtgttgccac ctggattctg	7680
cgcgggacgt ccttctgcta cgtcccttcg gccctcaatc cagcggacct tcttccccgc	7740
ggcctgctgc cggctctgcg gctcttccg cgtcttcgcc ttccctca gacgagtcgg	7800
atctcccttt gggcgcctc cccgctgga attcgagctc ggtaccttta agaccaatga	7860
cttacaaggc agctgtagat cttagccact ttttaaaaga aaagggggga ctggaagggc	7920
taattcactc ccaacgaaga caagatctgc tttttgcttg tactgggtct ctctggttag	7980
accagatctg agcctgggag ctctctggct aactagggaa cccactgctt aagcctcaat	8040
aaagcttgcc ttgagtgcct caagtagtgt gtgcccgctc gttgtgtgac tctggtaact	8100
agagatccct cagacccttt tagtcagtgt ggaaaatctc tagcagtagt agttcatgtc	8160
atcttattat tcagtattta taacttgcaa agaaatgaat atcagagagt gagaggaact	8220
tgtttattgc agcttataat ggttacaaat aaagcaatag catcacaaat ttcacaaata	8280
aagcattttt ttcactgcct tctagtgtg gtttgtccaa actcatcaat gtatcttctc	8340
atgtctggct ctagctatcc cgcctctaac tccgcccagt tccgccatt ctccgccca	8400
tggtgacta atttttttta tttatgcaga ggcgaggcc gcctcgccct ctgagctatt	8460
ccagaagtag tgaggaggct tttttggagg cctagctagg gacgtacca attcgcccta	8520
tagtgagtcg tattacgcgc gctcactggc cgtcgtttta caacgtcgtg actgggaaaa	8580
ccctggcggt acccaactta atcgccctgc agcacatccc cctttcgcca gctggcgtaa	8640
tagcgaagag gcccgacccg atcgcccttc ccaacagttg cgcagcctga atggcgaatg	8700
ggacgcgccc tgtagcggcg cattaagcgc ggcgggtgtg gtggttacgc gcagcgtgac	8760
cgtacactt gccagcgccc tagcgccgc tcccttcgct ttcttccctt cctttctcgc	8820
cacgttcgcc ggttttcccc gtcaagctct aaatcggggg ctcccttag ggttcgatt	8880
tagtgcttta cggcacctcg acccaaaaa acttgattag ggtgatggtt cacgtagtgg	8940
gccatcgccc tgatagacgg tttttcgccc tttgacgttg gagtccactg tctttaatag	9000
tggactcttg ttccaaactg gaacaacact caacctatc tcggtctatt cttttgattt	9060
ataagggtt ttgctgattt cggcctattg gttaaaaat gagctgattt aacaaaaatt	9120
taacgcgaat ttttaaaaa tattaacgct tacaatttag gtggcacttt tcggggaaat	9180
gtgcgcggaa cccctatttg tttatttttc taaatacatt caaatatgta tccgctcatg	9240
agacaataac cctgataaat gcttcaataa tattgaaaaa ggaagagtat gagtattcaa	9300
catttcctg tcgcccttat tccctttttt gcggcatttt gccttctctg ttttctcac	9360
ccagaaacgc tgggtgaaagt aaaagatgct gaagatcagt tgg	9403

<210> SEQ ID NO 38

<211> LENGTH: 9433

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: BiCAR2 VHH33

<400> SEQUENCE: 38

gtgcacgagt gggttacatc gaactggatc tcaacagcgg taagatcctt gagagttttc	60
gccccgaaga acgtttttcca atgatgagca cttttaaagt tctgctatgt ggcgcggtat	120

-continued

tatcccgat	tgacgccggg	caagagcaac	tcggtcgccg	catacactat	tctcagaatg	180
acttggttga	gtactcacca	gtcacagaaa	agcatcttac	ggatggcatg	acagtaagag	240
aattatgcag	tgctgccata	accatgagtg	ataacactgc	ggccaactta	cttctgacaa	300
cgatcggagg	accgaaggag	ctaaccgctt	ttttgcacaa	catgggggat	catgtaactc	360
gccttgatcg	ttgggaaccg	gagctgaatg	aagccatacc	aaacgacgag	cgtgacacca	420
cgatgcctgt	agcaatggca	acaacgttgc	gcaaactatt	aactggcgaa	ctacttactc	480
tagcttcccg	gcaacaatta	atagactgga	tggaggcgga	taaagttgca	ggaccacttc	540
tgcgctcggc	ccttcgggt	ggctggttta	ttgctgataa	atctggagcc	ggtagcgctg	600
ggtctcgccg	tatcattgca	gcactggggc	cagatggtaa	gccctcccg	atcgtagtta	660
tctacacgac	ggggagtcag	gcaactatgg	atgaacgaaa	tagacagatc	gctgagatag	720
gtgcctcact	gattaagcat	tggttaactgt	cagaccaagt	ttactcatat	atactttaga	780
ttgatttaaa	acttcatttt	taattttaaa	ggatctaggt	gaagatcctt	tttgataatc	840
tcatgaccaa	aatcccttaa	cgtgagtttt	cgttccactg	agcgtcagac	cccgtagaaa	900
agatcaaagg	atcttcttga	gacccctttt	ttctgcgcgt	aatctgctgc	ttgcaaaaa	960
aaaaaccacc	gctaccagcg	gtgggtttgt	tgccggatca	agagctacca	actctttttc	1020
cgaaggtaac	tggttcagc	agagcgaga	taccaaatac	tggtcttcta	gtgtagccgt	1080
agttaggcca	ccacttcaag	aactctgtag	caccgcttac	atacctcgct	ctgctaatcc	1140
tgttaccagt	ggctgctgcc	agtggcgata	agtcgtgtct	taccgggttg	gactcaagac	1200
gatatgtacc	ggataaggcg	cagcggtcgg	gctgaacggg	gggttcgtgc	acacagccca	1260
gcttgaggcg	aacgacctac	accgaactga	gatacctaca	gcgtgagcta	tgagaaagcg	1320
ccacgcttcc	cgaagggaga	aaggcggaca	ggtatccggt	aagcggcagg	gtcggaacag	1380
gagagcgcac	gagggagctt	ccagggggaa	acgcctggta	tctttatagt	cctgtcgggt	1440
ttogccacct	ctgaactgag	cgtcgatttt	tgtgatgctc	gtcagggggg	cgagacctat	1500
ggaaaaacgc	cagcaacgcg	gcctttttac	ggttcctggc	cttttgctgg	ccttttgctc	1560
acatgttctt	tcctgcgtta	tccctgatt	ctgtggataa	ccgtattacc	gcctttgagt	1620
gagctgatac	cgctcgccgc	agccgaacga	ccgagcgag	cgagtcagtg	agcgaggaa	1680
cggaaagagc	cccaatacgc	aaaccgcctc	tcccgcgcg	ttggccgatt	cattaatgca	1740
gctggcacga	caggtttccc	gactggaaa	cgggcagtga	gcgcaacgca	attaatgtga	1800
gttagctcac	tcattaggca	ccccaggctt	tacactttat	gcttcgggt	cgtagttgt	1860
gtggaattgt	gagcggataa	caatttcaca	caggaaacag	ctatgaccat	gattacgcca	1920
agcgcgcaat	taacctcacc	taaaggggaa	aaaagctgga	gctgcaagct	taatgtagtc	1980
ttatgcaata	ctctttagtg	cttgcaacat	ggtaacgatg	agttagcaac	atgccttaca	2040
aggagagaaa	aagcacctg	catgccgatt	ggtggaagta	aggtggtacg	atcgtcctt	2100
attaggaagg	caacagacgg	gtctgacatg	gattggacga	accactgaat	tgccgattg	2160
cagagatatt	gtatttaagt	gcctagctcg	atacataaac	gggtctctct	ggttagacca	2220
gatctgagcc	tgggagctct	ctggctaact	agggaaacca	ctgcttaagc	ctcaataaag	2280
cttgccctga	gtgcttcaag	tagtgtgtgc	ccgtctgttg	tgtgactctg	gtaactagag	2340
atccctcaga	cccttttagt	cagtgtggaa	aatctctagc	agtgggcccc	gaacagggac	2400
ttgaaagcga	aagggaacc	agaggagctc	tctcgacgca	ggactcggct	tgctgaagcg	2460

-continued

cgcacggcaa	gaggcgaggg	gcgcgactg	gtgagtacg	caaaaatttt	gactagcgga	2520
ggctagaagg	agagagatgg	gtgcgagagc	gtcagtatta	agcgggggag	aattagatcg	2580
cgatgggaaa	aaattcgggt	aaggccaggg	ggaaagaaaa	aatataaatt	aaaacatata	2640
gtatgggcaa	gcaggagagct	agaacgattc	gcagttaatc	ctggcctgtt	agaacatca	2700
gaaggctgta	gacaaatact	gggacagcta	caaccatccc	ttcagacagg	atcagaagaa	2760
cttagatcat	tatataatac	agtagcaacc	ctctattgtg	tgcataaaag	gatagagata	2820
aaagacacca	aggaagcttt	agacaagata	gaggaagagc	aaaacaaaag	taagaccacc	2880
gcacagcaag	cggccgctga	tcttcagacc	tggaggagga	gatatgaggg	acaattggag	2940
aagtgaatta	tataaatata	aagtagtaaa	aattgaacca	ttaggagtag	caccacccaa	3000
ggcaaagaga	agagtgggtg	agagagaaaa	aagagcagtg	ggaataggag	ctttgttcct	3060
tgggttcttg	ggagcagcag	gaagcactat	gggcgacg	tcaatgacgc	tgacggtaca	3120
ggccagacaa	ttattgtctg	gtatagtgc	gcagcagaac	aatttgctga	gggctattga	3180
ggcgcaacag	catctgttgc	aactcacagt	ctggggcatc	aagcagctcc	aggcaagaat	3240
cctggctgtg	gaaagatacc	taaaggatca	acagctcctg	gggatttggg	gttgctctgg	3300
aaaactcatt	tgaccactg	ctgtgccttg	gaatgctagt	tggagtaata	aatctctgga	3360
acagatttgg	aatcacacga	cctggatgga	gtgggacaga	gaaattaaca	attacacaag	3420
cttaatacac	tccttaattg	aagaatcgca	aaaccagcaa	gaaaagaatg	aacaagaatt	3480
attggaatta	gataaatggg	caagtttgtg	gaattggttt	aacataacaa	attggctgtg	3540
gtatataaaa	ttattcataa	tgatagtagg	aggcttggtg	ggtttaagaa	tagtttttgc	3600
tgtactttct	atagtgaata	gagttaggca	gggatattca	ccattatcgt	ttcagaccca	3660
cctcccaacc	cggaggggac	cgcacaggcc	cgaaggaata	gaagaagaag	gtggagagag	3720
agacagagac	agatccattc	gattagtga	cggatctcga	cggatcgcg	tagactgtag	3780
cccaggaata	tggcagctag	attgtacaca	tttagaagga	aaagtatatc	tggtagcagt	3840
tcattgtagc	agtgatata	tagaagcaga	agtaattcca	gcagagacag	ggcaagaaac	3900
agcactactc	ctcttaaaat	tagcaggaag	atggccagta	aaaacagtac	atacagacaa	3960
tggcagcaat	ttcaccagta	ctacagttaa	ggccgcctgt	tgggtggcgg	ggatcaagca	4020
ggaatttggc	attccctaca	atccccaaag	tcaaggagta	atagaatcta	tgaataaaga	4080
attaaagaaa	attataggac	aggtaaagga	tcaggctgaa	catcttaaga	cagcagtaca	4140
aatggcagta	ttcatccaca	attttaaaag	aaaagggggg	attggggggg	acagtgcagg	4200
ggaaagaata	gtagacataa	tagcaacaga	catacaaaat	aaagaattac	aaaaacaaat	4260
tacaaaaatt	caaaattttc	gggtttatta	cagggacagc	agagatccag	tttggctgca	4320
tacgcgtcgt	gaggctccgg	tgcccgtcag	tgggcagagc	gcacatcgcc	cacagtcccc	4380
gagaagtgtg	ggggaggggg	cggcaattga	accggtgcct	agagaagggtg	gcgcggggta	4440
aactgggaaa	gtgatgtcgt	gtactggctc	cgcctttttc	cgcaggggtg	gggagaaccg	4500
tatataagtg	cagtgtcgc	cgtgaacgtt	ctttttcgc	acgggtttgc	cgcaggaaca	4560
caggtaagtg	cgtgtgtgtg	ttcccgcggg	cctggcctct	ttacgggtta	tggcccttgc	4620
gtgccttgaa	ttacttccac	ctggctgcag	tacgtgattc	ttgatccga	gcttcgggtt	4680
ggaagtgggt	gggagagtgc	gaggccttgc	gcttaaggag	ccccttcgcc	tcgtgcttga	4740
gttgaggcct	ggcctggggg	ctggggccgc	cgcgtgcgaa	tctgggtggc	ccttcgcgcc	4800
tgtctcgtg	ctttogataa	gtctctagcc	atttaaaatt	tttgatgacc	tgctgcgacg	4860

-continued

ctttttttct	ggcaagatag	tcttgtaa	at	gcgagccaag	atctgcacac	tggtatttcg	4920
gtttttgggg	ccgcgggcgg	cgacggggcc	cgtgcgtccc	agcgacatg	ttcggcgagg		4980
cggggcctgc	gagcgcgcc	accgagaatc	ggacgggggt	agtctcaagc	tgcccgccct		5040
gctctggtgc	ctggcctcgc	gcccgcgtgt	atcgccccgc	cctgggcggc	aaggctggcc		5100
cggtcggcac	cagttgcgtg	agcggaaaga	tgcccgcttc	ccggccctgc	tgcagggagc		5160
tcaaaatgga	ggacgcggcg	ctcgggagag	cgggcggggtg	agtcacccac	acaaaggaaa		5220
agggcctttc	cgtcctcagc	cgtcgcttca	tgtgactcca	ctgagtaccg	ggcgccgtcc		5280
aggcacctcg	attagttctc	gtgcttttgg	agtacgtcgt	ctttaggttg	gggggagggg		5340
ttttatgcga	tggagtttcc	ccacactgag	tgggtggaga	ctgaagttag	gccagcttgg		5400
cacttgatgt	aattctcctt	ggaatttgcc	ctttttgagt	ttggatcttg	gttcattctc		5460
aagcctcaga	cagtggttca	aagttttttt	cttcatttcc	aggtgtcgtg	agctagctct		5520
agagccagca	tggccttacc	agtgaccgcc	ttgctcctgc	cgctggcctt	gctgctccac		5580
gcccgcaggc	cgaggtgca	gctgcaggag	tctgggggag	gcttggtgca	gctggggggg		5640
tctctgagcc	tctcctgtac	agcctctgga	ttcacgttca	gtagttactc	catggcctgg		5700
gtccgccagg	ctccagggaa	gggacccgaa	tgggtctcag	ggatttacct	ttctgatggt		5760
aagacaaggt	atgcgactt	cgtgaagggc	cgattcagca	tctccagaga	caacgccaag		5820
aatatgttgt	atctgcaaat	gaacaacctg	gaacctgagg	acacggccct	atattactgt		5880
gcgagaggta	tcaccggatt	gggaccccg	ggccagggga	cccaggtcac	cgtctcctca		5940
gcccgcggca	ctagttagtc	taagtacggc	cctccctgcc	ctccttgccc	atacatctgg		6000
gcgcctcttg	ccgggacttg	tggggctcct	ctcctgtcac	tggttatcac	cctttactgc		6060
aaacggggca	gaaagaaact	cctgtatata	ttcaaacac	catttatgag	accagtacaa		6120
actactcaag	aggaagatgg	ctgtagctgc	cgatttccag	aagaagaaga	aggaggatgt		6180
gaactgctcg	aggaagcgg	agctactaac	ttcagcctgc	tgaagcaggc	tgagacgtg		6240
gaggagaacc	ctggacctcc	taggatggcc	ttaccagtga	ccgccttgct	cctgcgcgtg		6300
gccttgctgc	tccacgcgc	caggccggga	tcccagggtc	agctgcagga	gtctggggga		6360
ggcttggtgc	agcctggggg	gtctctgaga	ctctcctgtg	cagtctctgg	actcacgccg		6420
gatgcttatg	tcattgggtg	gttcgccag	gcccagggga	aggagcgga	gggggtctca		6480
tgtattagtc	ctagtgtgtg	tactacaagc	tatccagact	ccgtgaaggg	ccgattcacc		6540
atctccagag	acaatgcaa	gaacacgggt	tacctgcaaa	tgaacagcct	gaaacctgag		6600
gacacgggcg	tttattactg	tgcggcagtt	gcgggccgct	ggtgtgacta	cggcatgaac		6660
tactacggca	aagggaccca	ggtcaccgtc	tctcagcg	ccgccactag	ttccggaacc		6720
actacaccag	cgccagacc	acctacccc	gctcctacca	tcgcatctca	gcccttgagt		6780
cttagacccc	aggcatgtcg	gccagcgcg	gggggcgcag	tgcacacgag	ggggctggac		6840
ttcgctgtg	attacatctg	ggcgcccttg	gcgggactt	gtgggtcct	tctcctgtca		6900
ctggttatca	ccctttactg	cagagtgaag	ttcagcagga	gcgcagacgc	ccccgcgtac		6960
aagcagggcc	agaaccagct	ctataacgag	ctcaatctag	gacgaagaga	ggagtacgat		7020
gttttgga	agagacgtgg	ccgggaccct	gagatggggg	gaaagccgag	aaggaagaac		7080
cctcaggaag	gcctgtacaa	tgaactgcag	aaagataaga	tggcggaggc	ctacagtgag		7140
attgggatga	aaggcgagcg	ccggaggggc	aaggggcacg	atggccttta	ccagggtctc		7200

-continued

```

agtacagcca ccaaggacac ctacgacgcc cttcacatgc aggccectgcc ccctcgctaa 7260
gtcgacaato aacctctgga ttacaaaatt tgtgaaagat tgactgggtat tcttaactat 7320
gttgctcctt ttacgctatg tggatacgtc gctttaatgc ctttgatca tgcatttgc 7380
tcccgatagg ctttcatttt ctccctcttg tataaatcct gggtgctgct tctttatgag 7440
gagttgtggc cgggtgtcag gcaacgtggc gtggtgtgca ctgtgtttgc tgacgcaacc 7500
cccactggtt ggggcattgc caccacotgt cagctccttt cggggacttt cgttttcccc 7560
ctccctattg ccacggcgga actcctcgcc gcctgccttg cccgctgctg gacaggggct 7620
cggctgttgg gcactgacaa ttccgtgggtg ttgtcgggga agctgacgtc ctttccttgg 7680
ctgctcgctt gtgttgccac ctggattctg cgggggacgt ccttctgcta cgtcccttcg 7740
gcctcaatc cagcggacct tccttccgc gcctgctgc cggctctgcg gcctcttccg 7800
cgtcttcgcc ttccctcctc gacgagtcgg atctcccttt gggccgcctc cccgcctgga 7860
attcgagctc ggtaccttta agaccaatga cttacaaggc agctgtagat cttagccact 7920
ttttaaaaga aaagggggga ctggaagggc taattcactc ccaacgaaga caagatctgc 7980
tttttgcttg tactgggtct ctctggttag accagatctg agcctgggag ctctctggct 8040
aactagggaa cccactgctt aagcctcaat aaagcttgcc ttgagtgtt caagtagtgt 8100
gtgccgtct gttgtgtgac tctggttaact agagatccct cagacccttt tagtcagtgt 8160
ggaaaatctc tagcagtagt agttcatgtc atcttattat tcagtattta taacttgcaa 8220
agaaatgaat atcagagagt gagagggaact tgtttattgc agcttataat ggttacaaat 8280
aaagcaatag catcacaaat ttacaaaata aagcattttt ttactgcat tctagttgtg 8340
gtttgtccaa actcatcaat gtatcttata atgtctggct ctactatcc cggccctaac 8400
tccgcccagt tccgccatt ctccgcccga ttggtgacta atttttttta ttatgcaga 8460
ggccgaggcc gcctcgccct ctgagctatt ccagaagtag tgaggaggct ttttggagg 8520
cctagctagg gacgtaccca attcgcccta tagtgagtcg tattacgcgc gctcaactggc 8580
cgtcgtttta caacgtcgtg actgggaaaa ccttggcgtt acccaactta atcgcttgc 8640
agcacatccc ccttcgccca gctggcgtaa tagcgaagag gcccgcaacc atcgcccttc 8700
ccaacagttg cgcagcctga atggcggaat ggacgcgcc tgtagcggcg cattaagcgc 8760
ggcgggtgtg gtggttacgc gcagcgtgac cgtacactt gccagcgccc tagcgccgc 8820
tccttctgt ttcttccct cctttctgc cagcttcgcc ggctttcccc gtcaagctct 8880
aaatcgggg ctccctttag ggttccgatt tagtgcttta cggcacctcg acccaaaaa 8940
acttgattag ggtgatggtt cagtagtggt gccatcgccc tgatagacgg ttttctgcgc 9000
tttgacgttg gagtccactt tcttaaatag tggactcttg ttccaaactg gaacaacact 9060
caaccctatc tcggtctatt cttttgattt ataagggtt ttgccgattt cggcctattg 9120
gttaaaaaat gagctgattt aacaaaaatt taacgcgaat ttaacaaaa tattaacgt 9180
tacaatttag gtggcacttt tcggggaaat gtgcgcggaa cccctatttg tttattttc 9240
taaatacatt caaatatgta tccgctcatg agacaataac cctgataaat gcttcaataa 9300
tattgaaaaa ggaagagtat gagtattcaa catttccgtg tcgcccctat tcccttttt 9360
gcggcatttt gccttctgt ttttctcac ccagaaacgc tgggtgaaagt aaaagatgct 9420
gaagatcagt tgg 9433

```

<210> SEQ ID NO 39

<211> LENGTH: 9436

-continued

<212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: BiCAR2 VHH38

<400> SEQUENCE: 39

gtgcacgagt gggttacatc gaactggatc tcaacagcgg taagatcctt gagagttttc	60
gccccgaaga acgtttttcca atgatgagca cttttaaagt tctgctatgt ggcgcggtat	120
tatcccgat tgacgcgggg caagagcaac tcggtcgccc catacactat tctcagaatg	180
acttggttga gtactcacca gtcacagaaa agcatcttac ggatggcatg acagtaagag	240
aattatgcag tgctgccata accatgagtg ataactctgc ggccaactta cttctgacaa	300
cgatcggagg accgaaggag ctaaccgctt ttttgacaaa catgggggat catgtaactc	360
gccttgatcg ttgggaaccg gagctgaatg aagccatacc aaacgacgag cgtgacacca	420
cgatgcctgt agcaatggca acaacgttgc gcaaaactatt aactggcgaa ctacttactc	480
tagcttcccc gcaacaatta atagactgga tggaggcgga taaagttgca ggaccacttc	540
tgcgctcggc ccttcggctt ggctggttta ttgctgataa atctggagcc ggtgagcgtg	600
ggtctcgcg tatcattgca gcaactgggc cagatggtaa gccctccgt atcgtagtta	660
tctacacgac ggggagtcag gcaactatgg atgaacgaaa tagacagatc gctgagatag	720
gtgcctcact gattaagcat tggtaactgt cagaccaagt ttactcatat atactttaga	780
ttgatttaaa acttcatttt taatttaaaa ggatctaggt gaagatcctt tttgataatc	840
tcatgaccaa aatcccttaa cgtgagtttt cgttcactcg agcgtcagac cccgtagaaa	900
agatcaaagg atcttcttga gatccttttt ttctgcgcgt aatctgctgc ttgcaaaaaa	960
aaaaaccacc gctaccagcg gtggtttgtt tgccggatca agagctacca actctttttc	1020
cgaaggtaac tggcttcagc agagcgcaga taccaaatac tgttcttcta gtgtagccgt	1080
agttaggcca ccacttcaag aactctgtag caccgcctac atacctcgct ctgctaatac	1140
tgttaccagt ggctgctgcc agtggcgata agtcgtgtct taccgggttg gactcaagac	1200
gatagttacc ggataaggcg cagcggtcgg gctgaacggg gggttcgtgc acacagccca	1260
gcttggagcg aacgacctac accgaactga gatacctaca gcgtgagcta tgagaaagcg	1320
ccacgcttcc cgaagggaga aaggcggaca ggtatccgtt aagcggcagg gtcggaacag	1380
gagagcgcac gagggagctt ccagggggaa acgcctggtt tctttatagt cctgtcgggt	1440
ttcgccacct ctgacttgag cgtcgatttt tgtgatgctc gtcagggggg cggagcctat	1500
ggaaaaacgc cagcaacgcg gcctttttac ggttcctggc cttttgctgg ctttttgcctc	1560
acatgttctt tcctgcgtta tccccgtatt ctgtggataa ccgtattacc gcctttgagt	1620
gagctgatac cgctcgccgc agccgaacga ccgagcgag cgagtcagtg agcgaggaag	1680
cggagagagc cccaatacgc aaaccgcctc tccccgcgcg ttggccgatt cattaatgca	1740
gctggcacga caggtttccc gactggaaag cgggcagtg ggcgaacgca attaatgtga	1800
gttagctcac tcattaggca cccaggcctt tacactttat gcttcggcgt cgtatgttgt	1860
gtggaattgt gagcggataa caatttcaca caggaaacag ctatgacat gattacgcca	1920
agcgcgcaat taacctcac taaagggaaac aaaagctgga gctgcaagct taatgtagtc	1980
ttatgcaata ctctttagt cttgcaacat ggtaacgatg agttagcaac atgccttaca	2040
aggagagaaa aagcacctg catgccgatt ggtggaagta aggtggtacg atcgtgcctt	2100
attaggaagg caacagacgg gtctgacatg gattggacga accactgaat tgccgcattg	2160

-continued

cagagatatt	gtatttaagt	gcctagctcg	atacataaac	gggtctctct	ggtagacca	2220
gatctgagcc	tgggagctct	ctggctaact	agggaaacca	ctgcttaagc	ctcaataaag	2280
cttgccctga	gtgcttcaag	tagtgtgtgc	cgtctgttg	tgtgactctg	gtaactagag	2340
atccctcaga	cccttttagt	cagtgtggaa	aatctctagc	agtggcgccc	gaacagggac	2400
ttgaaagcga	aagggaaacc	agaggagctc	tctcgacgca	ggactcggct	tgctgaagcg	2460
cgcacggcaa	gaggcgaggg	gcggcgactg	gtgagtacgc	caaaaatttt	gactagcgga	2520
ggctagaagg	agagagatgg	gtgcgagagc	gtcagtatta	agcgggggag	aattagatcg	2580
cgatgggaaa	aaattcgggt	aaggccaggg	ggaaagaaaa	aataaaatt	aaaacatata	2640
gtatgggcaa	gcagggagct	agaacgattc	gcagttaatc	ctggcctgtt	agaaacatca	2700
gaaggctgta	gacaaatact	gggacagcta	caaccatccc	ttcagacagg	atcagaagaa	2760
cttagatcat	tataataac	agtagcaacc	ctctattgtg	tgcataaag	gatagagata	2820
aaagacacca	aggaagcttt	agacaagata	gaggaagagc	aaaacaaaag	taagaccacc	2880
gcacagcaag	cggccgctga	tcttcagacc	tggaggagga	gatatgaggg	acaattggag	2940
aagtgaatta	tataaatata	aagtagtaaa	aattgaacca	ttaggagtag	caccaccaa	3000
ggcaaagaga	agagtgtgtc	agagagaaaa	aagagcagtg	ggaataggag	ctttgttcct	3060
tgggttcttg	ggagcagcag	gaagcactat	gggcgcagcg	tcaatgacgc	tgacggtaca	3120
ggccagacaa	ttattgtctg	gtatagtgtc	gcagcagaac	aatttgctga	gggctattga	3180
ggcgcaacag	catctgttgc	aactcacagt	ctggggcacc	aagcagctcc	aggcaagaat	3240
cctggctgtg	gaaagatacc	taaaggatca	acagctcctg	gggatttggg	gttgctctgg	3300
aaaactcatt	tgcaccactg	ctgtgccttg	gaatgctagt	tggagtaata	aatctctgga	3360
acagatttgg	aatcacacga	cctggatgga	gtgggacaga	gaaattaaca	attacacaag	3420
cttaatacac	tccttaattg	aagaatcgca	aaaccagcaa	gaaaagaatg	aacaagaatt	3480
attggaatta	gataaatggg	caagtttgtg	gaattgggtt	aacataacaa	attggctgtg	3540
gtatataaaa	ttattcataa	tgatagtagg	aggcttggtg	ggtttaagaa	tagtttttgc	3600
tgtactttct	atagtgaata	gagttaggca	gggatattca	ccattatcgt	ttcagacca	3660
cctcccaacc	cggaggggac	cgcacaggcc	cgaagggaata	gaagaagaag	gtggagagag	3720
agacagagac	agatccattc	gattagttaa	cggatctcga	cggatcgcgt	tagactgtag	3780
cccaggaata	tggcagctag	attgtacaca	tttagaagga	aaagtatatc	tggtagcagt	3840
tcatgtagcc	agtggatata	tagaagcaga	agtaattcca	gcagagacag	ggcaagaaac	3900
agcactactc	ctcttaaaat	tagcaggaag	atggccagta	aaaacagtac	atacagacaa	3960
tggcagcaat	ttcaccagta	ctacagttaa	ggccgcctgt	tggtagggcg	ggatcaagca	4020
ggaatttggc	attccctaca	atcccaaaag	tcaaggagta	atagaatcta	tgaataaaga	4080
attaagaaaa	attataggac	aggtaagaga	tcaggctgaa	catcttaaga	cagcagtaca	4140
aatggcagta	ttcatccaca	attttaaaag	aaaagggggg	attggggggg	acagtgcagg	4200
ggaaagaata	gtagacataa	tagcaacaga	catacaaaact	aaagaattac	aaaaacaaat	4260
tacaaaaatt	caaaattttc	gggtttatta	cagggacagc	agagatccag	tttggctgca	4320
tacgcgtcgt	gaggctccgg	tgcccgtcag	tgggcagagc	gcacatcgcc	cacagtcccc	4380
gagaagtggg	ggggaggggt	cggcaattga	accggtgcct	agagaagggtg	gcgcggggta	4440
aactgggaaa	gtgatgtcgt	gtactggctc	cgcctttttc	cagaggggtg	gggagaaccg	4500
tatataagtg	cagtgtcgc	cgtgaacgtt	ctttttcgca	acgggtttgc	cgccagaaca	4560

-continued

caggtaagtg	cogtgtgtgg	ttcccgcg	ctggcctct	ttacgggtta	tggcccttgc	4620
gtgccttgaa	ttacttccac	ctggetgcag	taegtgatc	ttgatccga	gcttcgggtt	4680
ggaagtgggt	gggagagttc	gaggccttgc	gcttaaggag	ccccttcg	tcgtgcttga	4740
gttagaggct	ggcctggg	ctggggccgc	cgcgtgcgaa	tctggtgga	ccttcgcgc	4800
tgtctcgctg	ctttcgataa	gtctctagcc	atttaaaatt	tttgatgacc	tgctgcgacg	4860
ctttttttct	ggcaagatag	tcttgtaaat	cggggccaag	atctgcacac	tggtatttcg	4920
gtttttgggg	cgcggggcgg	cgacggggcc	cgtgcgtccc	agcgcacatg	ttcggcgagg	4980
cggggcctgc	gagcgcggcc	accgagaatc	ggacgggggt	agtcctcaagc	tggccggcct	5040
gctctggtgc	ctggcctcgc	gccgcctgt	atcgccccgc	cctgggcggc	aaggctggcc	5100
cggtcggcac	cagttgcgtg	agcggaaaga	tggcgcgttc	cggccctgc	tcaggggagc	5160
tcaaaatgga	ggacgcggcg	ctcgggagag	cgggcgggtg	agtcacccac	acaaaggaaa	5220
agggccttct	cgctctcagc	cgctcgcttca	tgtgactcca	ctgagtaccg	ggcgcctgc	5280
aggcacctcg	attagtctct	gtgcttttgg	agtcgctcgt	ctttaggttg	gggggagggg	5340
ttttatgcga	tggagtctcc	ccacactgag	tgggtggaga	ctgaagttag	gccagcttgg	5400
cacttgatgt	aattctcctt	ggaatttgcc	ctttttgagt	ttgatcttg	gttcattctc	5460
aagctcaga	cagtggttca	aagttttttt	cttccttttc	aggtgtcgtg	agctagctct	5520
agagccagca	tggccttacc	agtgaccgcc	ttgctcctgc	cgtggcctt	gctgctccac	5580
gccgccaggc	cgcagggtca	gctgcaggag	tctgggggag	gcttggtgca	gcctgggggg	5640
tctctgagcc	tctcctgtac	agcctctgga	ttcacgttca	gtagttactc	catggcctgg	5700
gtccgccagg	ctccagggaa	gggaccgaa	tgggtctcag	ggatttacc	ttctgatgg	5760
aagacaaggt	atgcagactt	cgtgaagggc	cgattcagca	tctccagaga	caacccaag	5820
aatatgttgt	atctgcaaat	gaacaacctg	gaacctgagg	acacggccct	atattactgt	5880
gcgagaggtg	tcaccggtt	gggaccccg	ggccagggga	cccaggtcac	cgtctcctca	5940
gcggccgcca	ctagttagtc	taagtacggc	cctccctgcc	ctccttgccc	atacatctgg	6000
gcgccttgg	cggggaactg	tgggttcctt	ctcctgtcac	tggttatcac	cctttactgc	6060
aaacggggca	gaaagaaact	cctgtatata	ttcaaacaac	catttatgag	accagtacaa	6120
actactcaag	aggaagatgg	ctgtagctgc	cgatttcag	aagaagaaga	aggagatgt	6180
gaactgctcg	aggggaagcg	agctactaac	ttcagcctgc	tgaagcaggc	tggagacgtg	6240
gaggagaacc	ctggacctcc	taggatggcc	ttaccagtga	cgccttgct	cctgcgctg	6300
gccttgctgc	tccacgcgc	caggccggga	tcccagggtc	agctgcagga	gtctggggga	6360
ggtttggtgc	aggctgggga	ctctctgaga	ctctcctgtg	cagtcggacg	cacgttcagt	6420
gcgtcaacct	tgggtgggtt	ccgccagtct	ccagggaagg	agcgtgagtt	tgtcgcagcg	6480
attagtgtgt	ggcgtgtgta	ggcatactat	ggggactccg	tgaagggcg	attcaccatc	6540
tccagagaca	acaccaagac	aacgatcaat	ctgcaaatga	atagcctgaa	acctgaggac	6600
acggccgttt	attactgtgc	acgagcccaa	tttgatggcg	cgacacgggc	agatgactat	6660
gacaactggg	gtcaggggac	ccaggtcacc	gtctcctcag	cggccgccac	tagttccgga	6720
accactacac	cagcgcctcag	accacctacc	cgggctccta	ccatcgcac	tcagcccttg	6780
agtcttagac	ccgagggatg	tcggccagcg	cgggggggcg	cagtgcacac	gagggggctg	6840
gacttcgcct	gtgattacat	ctgggcgcgc	ttggccggga	cttggtgggt	ccttctcctg	6900

-continued

tcactgggta tcacccttta ctgcagagtg aagttcagca ggagcgcaga cgcccccgcg	6960
tacaagcagg gccagaacca gctctataac gagtcaatc taggacgaag agaggagtac	7020
gatgttttgg acaagagacg tggccgggac cctgagatgg ggggaaagcc gagaagggaag	7080
aacctcagg aaggcctgta caatgaactg cagaaagata agatggcgga ggcctacagt	7140
gagattggga tgaaggcgga gcgccggagg ggcaaggggc acgatggcct ttaccagggt	7200
ctcagtagag ccaccaagga cacctacgac gcccttcaca tgcaggccct gccccctcgc	7260
taagtcgaca atcaacctct ggattacaaa atttgtgaaa gattgactgg tattcttaac	7320
tatgttgctc cttttacgct atgtggatac gctgctttaa tgcctttgta tcatgctatt	7380
gcttcccgta tggctttcat tttctcctcc ttgtataaat cctgggtgct gtctctttat	7440
gaggagtgtg ggcccggtgt caggcaacgt ggcggtggtg gcaactgtgt tgctgacgca	7500
acccccactg gttggggcat tgcaccacc tgcagctcc tttccgggac tttcgctttc	7560
cccccccta ttgccacgga ggaactcacc gccgcctgcc ttgcccgctg ctggacaggg	7620
gctcggctgt tgggcaactga caattccgtg gtgttgctcg ggaagctgac gtcctttcct	7680
tggctgctcg cctgtgttgc cacctggatt ctgcgcggga cgctcctctg ctacgtccct	7740
tcggccctca atccagcgga ccttccttcc cgcggcctgc tgcggctctg gcggcctctt	7800
ccgctcttcc gccttcgccc tcagacgagt cggatctccc tttgggcccgc ctccccgct	7860
ggaattcgag ctcggtacct ttaagaccaa tgacttacaa ggcagctgta gatcttagcc	7920
actttttaaa agaaaagggg ggactggaag ggctaattca ctcccaacga agacaagatc	7980
tgccttttgc ttgtactggg tctctctggt tagaccagat ctgagcctgg gagctctctg	8040
gctaactagg gaacccactg cttaaagctc aataaagctt gccttgagtg cttcaagtag	8100
tgtgtgcccc tctgttgtgt gactctggta actagagatc cctcagaccc ttttagtcag	8160
tgtggaaaat ctctagcagt agtagttcat gtcactttat tattcagtat ttataacttg	8220
caaagaaatg aatatcagag agtgagagga acttgtttat tgcagcttat aatgggttaca	8280
aataaagcaa tagcatcaca aatttcacaa ataaagcatt tttttcactg cattctagtt	8340
gtggtttgc caaactcacc aatgtatctt atcatgtctg gctctagcta tcccgccct	8400
aactccgccc agttccgccc attctccgcc ccatggctga ctaatttttt ttatttatgc	8460
agaggccgag gccgcctcgg cctctgagct attccagaag tagtgaggag gcttttttgg	8520
aggcctagct agggacgtac ccaattcgcc ctatagttag tcgtattacg cgcgctcact	8580
ggccgtcggt ttacaacgtc gtgactggga aaacctggc gttaccgaac ttaatcgct	8640
tgcagcacat ccccccttcg ccagctggcg taatagcgaa gaggcccga ccgatcgccc	8700
ttcccaacag ttgcgcagcc tgaatggcga atgggacgcg ccctgtagcg gcgcattaag	8760
cgcggcgggt gtggtgggta cgcgcagcgt gaccgctaca cttgccagcg ccctagcgcc	8820
cgtctcttcc gctttcttcc ctctcttctt cgcacgcttc gccggcttcc cccgtcaage	8880
tctaaatcgg gggctccctt tagggttccg atttagtgct ttacggcacc tcgaccccaa	8940
aaaacttgat tagggtagtg gttcacgtag tgggcatcg ccctgataga cggtttttcg	9000
ccctttgacg ttggagtcca cgttctttaa tagtggactc ttgttccaaa ctggaacaac	9060
actcaacct atctcggtct attcttttga tttataaggg attttgccga tttcggccta	9120
ttggttaaaa aatgagctga ttttaaaaa atttaacgcg aattttaaca aaatattaac	9180
gcttacaatt taggtggcac ttttcgggga aatgtgcgcg gaaccttat ttgtttattt	9240
ttctaaatac attcaaatat gtatccgctc atgagacaat aacctgata aatgcttcaa	9300

-continued

```

taatattgaa aaaggaagag tatgagtatt caacatttcc gtgtgcgccct tattcccttt 9360
tttgcggcat tttgccttcc tgtttttgct caccagagaa cgctgggtgaa agtaaaagat 9420
gctgaagatc agttgg 9436

```

```

<210> SEQ ID NO 40
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Octretotide
<220> FEATURE:
<221> NAME/KEY: SITE
<222> LOCATION: (1)..(1)
<223> OTHER INFORMATION: Phe is a D-amino acid.
<220> FEATURE:
<221> NAME/KEY: SITE
<222> LOCATION: (4)..(4)
<223> OTHER INFORMATION: Trp is a D-amino acid.

<400> SEQUENCE: 40

```

```

Phe Cys Phe Trp Lys Thr Cys Thr
1          5

```

What is claimed is:

1. A bispecific chimeric antigen receptor (CAR) comprising a first antigen binding domain capable of binding CD13, a first intracellular domain, a second antigen binding domain capable of binding TIM-3, a transmembrane domain, and a second intracellular domain, wherein the first antigen binding domain comprises the amino acid sequence set forth in SEQ ID NO: 1.

2. The bispecific CAR of claim 1, wherein the first and/or second antigen binding domain is selected from the group consisting of an antibody, a nanobody, a Fab, and an scFv.

3. The bispecific CAR of claim 1, wherein the second antigen binding domain comprises the amino acid sequence set forth in SEQ ID NO: 6.

4. The bispecific CAR of claim 1, wherein the second antigen binding domain comprises an amino acid sequence selected from the group consisting of SEQ ID NO: 20, 22, 24, 26, 28, 30, and 32.

5. The bispecific CAR of claim 1, wherein the second antigen binding domain is encoded by a nucleotide sequence selected from the group consisting of SEQ ID NO: 19, 21, 23, 25, 27, 29, and 31.

6. The bispecific CAR of claim 1, wherein the transmembrane domain comprises CD28.

7. The bispecific CAR of claim 1, wherein the first intracellular domain is selected from the group consisting of 4-1BB, CD28, and CD3 zeta.

8. The bispecific CAR of claim 1, wherein the second intracellular domain is selected from the group consisting of 4-1BB, CD28, and CD3 zeta.

9. The bispecific CAR of claim 1, wherein the bispecific CAR further comprises a hinge domain selected from the group consisting of a CD8 hinge, an IgG3s hinge, and an IgG4m hinge.

10. The bispecific CAR of claim 1, wherein the bispecific CAR is encoded by a nucleotide sequence selected from the group consisting of SEQ ID NOs: 33-39.

11. A modified T cell or precursor thereof, comprising the bispecific CAR of claim 1.

12. The cell of claim 11, wherein the T cell is autologous.

13. A nucleic acid encoding the bispecific CAR of claim 1.

14. A method for treating cancer in a subject in need thereof, the method comprising administering to the subject a modified T cell or precursor thereof comprising the bispecific CAR of claim 1.

15. The method of claim 14, wherein the cancer is acute myeloid leukemia (AML).

* * * * *