

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12412455
Kind Code	B2
Date of Patent	September 09, 2025
Inventor(s)	Jaffe; Joel R.

Gaming system and method with a persistent element feature

Abstract

There are provided a gaming machine and method that utilize game-logic circuitry and a presentation assembly configured to present a plurality of symbol-bearing reels, an array, and a plurality of persistent elements. The plurality of reels are spun and stopped to land symbols from the reels in the array. In response to the landed symbols including at least one accumulation condition, an animation portraying an increase in size or value of at least one of the plurality of persistent elements is presented. A random determination is made whether or not to award one or more of three game features associated with the persistent elements, the game features affecting either a determined outcome of the game, affecting the next purchased spin of the game, or initiating free spins of the game.

Inventors:	Jaffe; Joel R. (Glenview, IL)
Applicant:	LNW Gaming, Inc. (Las Vegas, NV)
Family ID:	92216038
Assignee:	LNW Gaming, Inc. (Las Vegas, NV)
Appl. No.:	18/169242
Filed:	February 15, 2023

Prior Publication Data

Document Identifier	Publication Date
US 20240273975 A1	Aug. 15, 2024

Publication Classification

Int. Cl.: G07F17/00 (20060101); G07F17/32 (20060101)

U.S. Cl.:

Field of Classification Search**USPC:** None**References Cited****U.S. PATENT DOCUMENTS**

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
3733075	12/1972	Hooker et al.	N/A	N/A
4198052	12/1979	Gauselmann	N/A	N/A
4732386	12/1987	Rayfiel	N/A	N/A
5100137	12/1991	Fulton	N/A	N/A
5152529	12/1991	Okada	N/A	N/A
5205555	12/1992	Hamano	N/A	N/A
5342047	12/1993	Heidel et al.	N/A	N/A
5356140	12/1993	Dabrowski et al.	N/A	N/A
5393061	12/1994	Manship et al.	N/A	N/A
5395111	12/1994	Inoue	N/A	N/A
5431408	12/1994	Adams	N/A	N/A
5511781	12/1995	Wood et al.	N/A	N/A
5618232	12/1996	Martin	N/A	N/A
5695188	12/1996	Shibashi	N/A	N/A
5704835	12/1997	Dietz	N/A	N/A
5722891	12/1997	Inoue	N/A	N/A
5752881	12/1997	Inoue	N/A	N/A
5766074	12/1997	Cannon et al.	N/A	N/A
5788573	12/1997	Baerlocher et al.	N/A	N/A
5807177	12/1997	Takemoto et al.	N/A	N/A
5810665	12/1997	Takemoto et al.	N/A	N/A
5833537	12/1997	Barrie	N/A	N/A
5848932	12/1997	Adams	N/A	N/A
5855515	12/1998	Pease et al.	N/A	N/A
5876284	12/1998	Acres et al.	N/A	N/A
5882259	12/1998	Holmes, Jr. et al.	N/A	N/A
5882261	12/1998	Adams	N/A	N/A
5890962	12/1998	Takemoto	N/A	N/A
5911418	12/1998	Adams	N/A	N/A
5947820	12/1998	Morro et al.	N/A	N/A
5951397	12/1998	Dickinson	N/A	N/A
5988638	12/1998	Rodesch et al.	N/A	N/A
6004207	12/1998	Wilson, Jr. et al.	N/A	N/A
6027115	12/1999	Griswold et al.	N/A	N/A
6033307	12/1999	Vancura	N/A	N/A
6048269	12/1999	Burns et al.	N/A	N/A
6050895	12/1999	Luciano, Jr. et al.	N/A	N/A
6056642	12/1999	Bennett	N/A	N/A
6089976	12/1999	Schneider et al.	N/A	N/A

6089977	12/1999	Bennett	N/A	N/A
6102798	12/1999	Bennett	N/A	N/A
6120031	12/1999	Adams	N/A	N/A
6142873	12/1999	Weiss et al.	N/A	N/A
6159097	12/1999	Gura	N/A	N/A
6162121	12/1999	Morro et al.	N/A	N/A
6168520	12/2000	Baerlocher et al.	N/A	N/A
6186894	12/2000	Mayeroff	N/A	N/A
6203429	12/2000	Demar et al.	N/A	N/A
6213875	12/2000	Suzuki	N/A	N/A
6224482	12/2000	Bennett	N/A	N/A
6224483	12/2000	Mayeroff	N/A	N/A
6224484	12/2000	Okuda et al.	N/A	N/A
6227971	12/2000	Weiss	N/A	N/A
6241607	12/2000	Payne et al.	N/A	N/A
6251013	12/2000	Bennett	N/A	N/A
6270411	12/2000	Gura et al.	N/A	N/A
6270412	12/2000	Crawford et al.	N/A	N/A
6290600	12/2000	Glasson	N/A	N/A
6309300	12/2000	Glavich	N/A	N/A
6319124	12/2000	Baerlocher et al.	N/A	N/A
6346043	12/2001	Colin et al.	N/A	N/A
6364766	12/2001	Anderson et al.	N/A	N/A
6375567	12/2001	Acres	N/A	N/A
6375570	12/2001	Poole	N/A	N/A
6413162	12/2001	Baerlocher et al.	N/A	N/A
6481713	12/2001	Perrie et al.	N/A	N/A
6517432	12/2002	Jaffe	N/A	N/A
6537150	12/2002	Luciano et al.	N/A	N/A
6544120	12/2002	Ainsworth	N/A	N/A
6547242	12/2002	Sugiyama et al.	N/A	N/A
6551187	12/2002	Jaffe	N/A	N/A
6554704	12/2002	Nicastro et al.	N/A	N/A
6558254	12/2002	Baelocher et al.	N/A	N/A
6561900	12/2002	Baerlocher et al.	N/A	N/A
6561904	12/2002	Locke et al.	N/A	N/A
6565434	12/2002	Acres	N/A	N/A
6641477	12/2002	Dietz	N/A	N/A
6652378	12/2002	Cannon et al.	N/A	N/A
6656040	12/2002	Brosnan et al.	N/A	N/A
6657923	12/2002	Laughlin	N/A	N/A
6692356	12/2003	Baerlocher et al.	N/A	N/A
6702675	12/2003	Poole et al.	N/A	N/A
6731313	12/2003	Kaminkow	N/A	N/A
6749502	12/2003	Baerlocher	N/A	N/A
6786818	12/2003	Rothschild et al.	N/A	N/A
6832957	12/2003	Falconer	N/A	N/A
6837790	12/2004	Kaminkow	N/A	N/A
6855053	12/2004	Baerlocher	N/A	N/A
6869360	12/2004	Marks et al.	N/A	N/A

6878061	12/2004	Baerlocher et al.	N/A	N/A
6896617	12/2004	Daly	N/A	N/A
6910962	12/2004	Marks et al.	N/A	N/A
6916243	12/2004	Yoshida	N/A	N/A
6918834	12/2004	Vancura	N/A	N/A
6921334	12/2004	Bennett	N/A	N/A
6926609	12/2004	Martin	N/A	N/A
6960134	12/2004	Hartl et al.	N/A	N/A
6964416	12/2004	Mcclintic et al.	N/A	N/A
7018293	12/2005	Brown et al.	N/A	N/A
7029395	12/2005	Baerlocher	N/A	N/A
7029396	12/2005	Jaffe et al.	N/A	N/A
7065215	12/2005	Shirakawa et al.	N/A	N/A
7112136	12/2005	Anderson et al.	N/A	N/A
7121945	12/2005	Suganuma et al.	N/A	N/A
7137886	12/2005	Locke et al.	N/A	N/A
7147559	12/2005	Englman	N/A	N/A
7156740	12/2006	Kaminkow	N/A	N/A
7179169	12/2006	Beaulieu et al.	N/A	N/A
7252591	12/2006	Van Asdale	N/A	N/A
7294055	12/2006	Baerlocher et al.	N/A	N/A
7316613	12/2007	Luccesi et al.	N/A	N/A
7371170	12/2007	Cregan et al.	N/A	N/A
7377850	12/2007	Shackelford et al.	N/A	N/A
7431646	12/2007	Jackson	N/A	N/A
7452276	12/2007	Loose et al.	N/A	N/A
7458890	12/2007	Loose et al.	N/A	N/A
7488252	12/2008	Griswold et al.	N/A	N/A
7494412	12/2008	Baerlocher	N/A	N/A
7503847	12/2008	Baerlocher	N/A	N/A
7526736	12/2008	Kaminkow et al.	N/A	N/A
7553231	12/2008	Rodgers et al.	N/A	N/A
7578735	12/2008	Frizzell et al.	N/A	N/A
7601062	12/2008	Cole et al.	N/A	N/A
7604538	12/2008	Pacey	N/A	N/A
7618319	12/2008	Casey et al.	N/A	N/A
7625278	12/2008	Paulsen et al.	N/A	N/A
7628690	12/2008	Englman et al.	N/A	N/A
7631872	12/2008	Roemer et al.	N/A	N/A
7654895	12/2009	Pacey	N/A	N/A
7654899	12/2009	Durham et al.	N/A	N/A
7699699	12/2009	Gilliland et al.	N/A	N/A
7704141	12/2009	Marks et al.	N/A	N/A
7744460	12/2009	Walker et al.	N/A	N/A
7785191	12/2009	Marks et al.	N/A	N/A
7789744	12/2009	Fiden	N/A	N/A
7841934	12/2009	Gauselmann	N/A	N/A
7980936	12/2010	Mead	N/A	N/A
8021223	12/2010	Rose	N/A	N/A
8021225	12/2010	Okada	N/A	N/A

8066563	12/2010	Schultz et al.	N/A	N/A
8083581	12/2010	Marks et al.	N/A	N/A
8105145	12/2011	Jaffe	N/A	N/A
8105151	12/2011	Caputo et al.	N/A	N/A
8113940	12/2011	Hornik	N/A	N/A
8147322	12/2011	Walker et al.	N/A	N/A
8162740	12/2011	Aoki	N/A	N/A
8162741	12/2011	Wadleigh et al.	N/A	N/A
8192275	12/2011	Aoki et al.	N/A	N/A
8246442	12/2011	Barrie	N/A	N/A
8272938	12/2011	Gilmore et al.	N/A	N/A
8287357	12/2011	Evans	N/A	N/A
8323091	12/2011	Frank et al.	N/A	N/A
8357041	12/2012	Saunders	N/A	N/A
8360851	12/2012	Aoki et al.	N/A	N/A
8366538	12/2012	Saunders et al.	N/A	N/A
8371930	12/2012	Saunders et al.	N/A	N/A
8388432	12/2012	Mattice et al.	N/A	N/A
8414380	12/2012	Saunders et al.	N/A	N/A
8465358	12/2012	Kemper	N/A	N/A
8480473	12/2012	Villejo et al.	N/A	N/A
8496522	12/2012	Caputo et al.	N/A	N/A
8512121	12/2012	Macvittie et al.	N/A	N/A
8512124	12/2012	Bramble et al.	N/A	N/A
8512138	12/2012	Saunders	N/A	N/A
8523659	12/2012	Evans	N/A	N/A
8574059	12/2012	Rodgers et al.	N/A	N/A
8602868	12/2012	Johnson et al.	N/A	N/A
8608545	12/2012	Arora et al.	N/A	N/A
8662986	12/2013	Rodgers et al.	N/A	N/A
8678908	12/2013	Nicely	N/A	N/A
8690660	12/2013	Saunders et al.	N/A	N/A
8696434	12/2013	Tsukahara	N/A	N/A
8702487	12/2013	Thomas	N/A	N/A
8771054	12/2013	Aoki et al.	N/A	N/A
8790169	12/2013	Saunders	N/A	N/A
8795059	12/2013	Aoki et al.	N/A	N/A
8821254	12/2013	Tsukahara	N/A	N/A
8834258	12/2013	Gobe et al.	N/A	N/A
8851974	12/2013	Caputo et al.	N/A	N/A
8870642	12/2013	Leupp et al.	N/A	N/A
8882578	12/2013	Saunders	N/A	N/A
8961291	12/2014	Dias Pires et al.	N/A	N/A
9005022	12/2014	Saunders	N/A	N/A
9011233	12/2014	Ryan	N/A	N/A
9098847	12/2014	Basallo et al.	N/A	N/A
9098973	12/2014	Basallo et al.	N/A	N/A
9147321	12/2014	Moody	N/A	N/A
9165433	12/2014	Caputo	N/A	N/A
9177447	12/2014	Zoltewicz et al.	N/A	N/A

9202345	12/2014	Zoltewicz et al.	N/A	N/A
9214011	12/2014	Wei et al.	N/A	N/A
9230410	12/2015	Saunders et al.	N/A	N/A
9245421	12/2015	Saunders et al.	N/A	N/A
9251667	12/2015	Marks et al.	N/A	N/A
9257017	12/2015	Saunders et al.	N/A	N/A
9262895	12/2015	Rodgers et al.	N/A	N/A
9275524	12/2015	Nicely	N/A	N/A
9299224	12/2015	Leupp	N/A	N/A
9311781	12/2015	Edwards	N/A	N/A
9349251	12/2015	Caputo et al.	N/A	N/A
9355528	12/2015	Nicely	N/A	N/A
9418521	12/2015	Henrick et al.	N/A	N/A
9424720	12/2015	Suda	N/A	N/A
9430900	12/2015	Zoltewicz et al.	N/A	N/A
9466169	12/2015	Basallo et al.	N/A	N/A
9474972	12/2015	Lenger	N/A	N/A
9495839	12/2015	Aoki et al.	N/A	N/A
9595157	12/2016	Rasmussen et al.	N/A	N/A
9633506	12/2016	Basallo et al.	N/A	N/A
9704342	12/2016	Aoki et al.	N/A	N/A
9928691	12/2017	Olive	N/A	N/A
10013855	12/2017	Nakamura	N/A	N/A
10037651	12/2017	You et al.	N/A	N/A
10043350	12/2017	Gomez et al.	N/A	N/A
10062237	12/2017	Devine et al.	N/A	N/A
10204473	12/2018	Lenger	N/A	N/A
10242533	12/2018	Okada et al.	N/A	N/A
10339761	12/2018	Olive	N/A	N/A
10366575	12/2018	Visser	N/A	N/A
10388112	12/2018	You et al.	N/A	N/A
10410472	12/2018	Moody	N/A	N/A
10417877	12/2018	Gomez et al.	N/A	N/A
10475294	12/2018	Gomez et al.	N/A	N/A
10497203	12/2018	Elmqvist	N/A	N/A
10672220	12/2019	Lenger	N/A	N/A
10706664	12/2019	Boese et al.	N/A	N/A
10726676	12/2019	You et al.	N/A	N/A
10769888	12/2019	You et al.	N/A	N/A
10839648	12/2019	Okada et al.	N/A	N/A
10957161	12/2020	Chesworth et al.	N/A	N/A
11017638	12/2020	Chesworth et al.	N/A	N/A
11488445	12/2021	Fong	N/A	G07F 17/3241
2001/0021666	12/2000	Yoshida et al.	N/A	N/A
2001/0041610	12/2000	Luciano	463/16	G07F 17/3248
2002/0016200	12/2001	Baerlocher et al.	N/A	N/A
2002/0045474	12/2001	Singer et al.	N/A	N/A
2002/0119818	12/2001	Savio et al.	N/A	N/A
2002/0142846	12/2001	Paulsen	463/43	G07F 17/3262
2002/0155881	12/2001	Yoshida	N/A	N/A

2002/0183105	12/2001	Cannon et al.	N/A	N/A
2003/0017865	12/2002	Beaulieu et al.	N/A	N/A
2003/0027619	12/2002	Nicastro, Sr.	N/A	N/A
2003/0035346	12/2002	Laughlin	N/A	N/A
2003/0064782	12/2002	Beaulieu et al.	N/A	N/A
2003/0064801	12/2002	Breckner et al.	N/A	N/A
2003/0064802	12/2002	Rodgers et al.	N/A	N/A
2003/0069063	12/2002	Bilyeu et al.	N/A	N/A
2003/0130034	12/2002	Suganuma et al.	N/A	N/A
2003/0157978	12/2002	Englman	463/16	G07F 17/32
2003/0157980	12/2002	Loose et al.	N/A	N/A
2003/0216165	12/2002	Singer et al.	N/A	N/A
2003/0236116	12/2002	Marks	463/16	G07F 17/3244
2004/0012145	12/2003	Inoue	N/A	N/A
2004/0023714	12/2003	Asdale	N/A	N/A
2004/0043815	12/2003	Kaminkow	N/A	N/A
2004/0048646	12/2003	Visocnik	N/A	N/A
2004/0092315	12/2003	Boyd et al.	N/A	N/A
2004/0137982	12/2003	Cuddy et al.	N/A	N/A
2004/0171417	12/2003	Beaulieu et al.	N/A	N/A
2004/0198489	12/2003	Kaminkow et al.	N/A	N/A
2005/0054442	12/2004	Anderson et al.	N/A	N/A
2005/0130731	12/2004	Englman et al.	N/A	N/A
2005/0159208	12/2004	Pacey	N/A	N/A
2005/0239542	12/2004	Olsen	463/27	G07F 17/3258
2006/0009286	12/2005	Durham et al.	N/A	N/A
2006/0035706	12/2005	Thomas	463/27	G07F 17/3258
2006/0063581	12/2005	Harris	463/16	G07F 17/3232
2006/0063588	12/2005	Poole	N/A	N/A
2006/0073889	12/2005	Edidin	463/27	G07F 17/32
2006/0111173	12/2005	Yang	N/A	N/A
2006/0135254	12/2005	Thomas	463/25	G07F 17/32
2006/0142080	12/2005	Enzminger	N/A	N/A
2006/0178206	12/2005	Kraft	463/25	G07F 17/32
2006/0189369	12/2005	Taylor	N/A	N/A
2006/0205469	12/2005	Schultz et al.	N/A	N/A
2006/0247002	12/2005	Yoshimi et al.	N/A	N/A
2007/0060248	12/2006	Rodgers et al.	N/A	N/A
2007/0060255	12/2006	Baerlocher et al.	N/A	N/A
2007/0060275	12/2006	Gilmore et al.	N/A	N/A
2007/0129135	12/2006	Marks	463/20	G07F 17/3262
2007/0149267	12/2006	Ross et al.	N/A	N/A
2007/0232387	12/2006	Pace	463/25	G07F 17/3241
2007/0281784	12/2006	Seelig et al.	N/A	N/A
2007/0287529	12/2006	Kojima	N/A	N/A
2008/0003278	12/2007	Mondelo	N/A	N/A
2008/0004532	12/2007	Rubey et al.	N/A	N/A
2008/0032784	12/2007	Englman	N/A	N/A
2008/0045298	12/2007	Yoshizawa	N/A	N/A
2008/0045320	12/2007	Kato	N/A	N/A

2008/0076515	12/2007	Baerlocher	463/20	G07F 17/32
2008/0076531	12/2007	Baerlocher	463/25	G07F 17/32
2008/0108408	12/2007	Wolf	N/A	N/A
2008/0108411	12/2007	Jensen et al.	N/A	N/A
2008/0108422	12/2007	Hedrick et al.	N/A	N/A
2008/0108431	12/2007	Cuddy et al.	N/A	N/A
2008/0113779	12/2007	Cregan	463/27	G07F 17/3258
2008/0132321	12/2007	Pau	N/A	N/A
2008/0182647	12/2007	Brunet De Courssou et al.	N/A	N/A
2008/0274789	12/2007	Singer et al.	N/A	N/A
2009/0036202	12/2008	Baerlocher	463/25	G07F 17/3244
2009/0036208	12/2008	Pennington et al.	N/A	N/A
2009/0124350	12/2008	Iddings	463/20	G07F 17/3262
2009/0156287	12/2008	Baumgartner	N/A	N/A
2009/0181755	12/2008	Gagner et al.	N/A	N/A
2009/0239634	12/2008	Nguyen	N/A	N/A
2009/0291741	12/2008	Schofield	N/A	N/A
2010/0075737	12/2009	Bluemel	N/A	N/A
2010/0113133	12/2009	Leupp	N/A	N/A
2010/0167815	12/2009	Gagner et al.	N/A	N/A
2010/0203948	12/2009	Falciglia, Sr.	N/A	N/A
2010/0210343	12/2009	Englman et al.	N/A	N/A
2010/0234092	12/2009	Gomez et al.	N/A	N/A
2010/0304832	12/2009	Kup-Ferroth	N/A	N/A
2011/0244943	12/2010	Milford et al.	N/A	N/A
2011/0300937	12/2010	Crowder, Jr. et al.	N/A	N/A
2012/0015707	12/2011	Hornik	463/20	G07F 17/3258
2012/0034965	12/2011	Masen et al.	N/A	N/A
2012/0077564	12/2011	Collette et al.	N/A	N/A
2012/0094738	12/2011	Aoki et al.	N/A	N/A
2012/0122532	12/2011	Berman et al.	N/A	N/A
2012/0178517	12/2011	Montenegro et al.	N/A	N/A
2012/0184351	12/2011	Hornik	463/25	G07F 17/3274
2012/0220360	12/2011	Mcallister et al.	N/A	N/A
2012/0252562	12/2011	Aoki	463/25	G07F 17/34
2013/0053124	12/2012	Masen et al.	N/A	N/A
2013/0065663	12/2012	Johnson et al.	N/A	N/A
2013/0102375	12/2012	Aoki et al.	N/A	N/A
2013/0157741	12/2012	Pacey	463/20	G07F 17/3265
2013/0225262	12/2012	Thompson	463/43	G07F 17/3248
2013/0225263	12/2012	Thompson	463/31	G07F 17/3267
2013/0252704	12/2012	Gilbertson et al.	N/A	N/A
2013/0260861	12/2012	Vann et al.	N/A	N/A
2013/0324217	12/2012	Gilbertson et al.	N/A	N/A
2014/0014186	12/2013	Bhattacharya et al.	N/A	N/A
2014/0024429	12/2013	Aoki et al.	N/A	N/A
2014/0051496	12/2013	Meyer	N/A	N/A
2014/0141860	12/2013	Meyer	N/A	N/A
2014/0179396	12/2013	Aoki et al.	N/A	N/A

2014/0248938	12/2013	Tidke	463/20	G07F 17/32
2014/0274292	12/2013	Suda	N/A	N/A
2014/0274348	12/2013	Baerlocher	463/26	G07F 17/3267
2014/0287812	12/2013	Friedman	463/20	G07F 17/34
2014/0315619	12/2013	Bowers	463/31	G07F 17/3213
2014/0323198	12/2013	Tuck	N/A	N/A
2015/0031437	12/2014	Gomez et al.	N/A	N/A
2015/0170462	12/2014	Berman et al.	N/A	N/A
2015/0206386	12/2014	Jaffe et al.	N/A	N/A
2015/0269809	12/2014	Smith	N/A	N/A
2015/0287269	12/2014	Berman	N/A	N/A
2015/0356833	12/2014	Aoki et al.	N/A	N/A
2015/0379831	12/2014	Lee et al.	N/A	N/A
2016/0042597	12/2015	Olive	N/A	N/A
2016/0055718	12/2015	Lyons	463/27	G07F 17/3258
2016/0155303	12/2015	Aoki et al.	N/A	N/A
2017/0092048	12/2016	Fujisawa	N/A	G07F 17/3211
2017/0154498	12/2016	Olive	N/A	N/A
2017/0372558	12/2016	You et al.	N/A	N/A
2018/0130303	12/2017	Lamb	N/A	N/A
2018/0268655	12/2017	Olive	N/A	N/A
2018/0268659	12/2017	Chesworth et al.	N/A	N/A
2019/0051097	12/2018	Marks et al.	N/A	N/A
2019/0102992	12/2018	You et al.	N/A	N/A
2019/0236905	12/2018	Washington et al.	N/A	N/A
2019/0340886	12/2018	Humphrey	N/A	G07F 17/3293
2020/0090467	12/2019	Marks	N/A	G07F 17/3225
2020/0111322	12/2019	Däumling	N/A	G06Q 50/34
2020/0250921	12/2019	Hiten	N/A	G07F 17/3209
2020/0342715	12/2019	Hiten	N/A	G07F 17/3267
2021/0049869	12/2020	Chan	N/A	G07F 17/3267
2021/0056809	12/2020	Harris	N/A	G07F 17/42
2021/0082249	12/2020	Kleine-Vossbeck	N/A	G07F 17/3209
2021/0110633	12/2020	Halvorson	N/A	G07F 17/3206
2021/0110634	12/2020	Hiten	N/A	G07F 17/3213
2021/0110657	12/2020	Hiten	N/A	G07F 17/3244
2021/0110661	12/2020	Däumling	N/A	G07F 17/3213
2021/0142621	12/2020	Halvorson	N/A	G07F 17/3213
2021/0217276	12/2020	Sidoti	N/A	G07F 17/3213
2021/0241572	12/2020	Marks	N/A	G07F 17/3213
2021/0256812	12/2020	Kearns	N/A	G07F 17/3213
2021/0366237	12/2020	Bouvier	N/A	G07F 17/34
2021/0390821	12/2020	Hawkins	N/A	G07F 17/3213

FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
2013251288	12/2013	AU	N/A
2014202042	12/2013	AU	N/A
2015210489	12/2015	AU	N/A
2097160	12/1981	GB	N/A

2097160	12/1983	GB	N/A
2144568	12/1984	GB	N/A
2144568	12/1984	GB	N/A
2251112	12/1991	GB	N/A

Primary Examiner: D'Agostino; Paul A

Background/Summary

COPYRIGHT

(1) A portion of the disclosure of this patent document contains material which is subject to copyright protection. The copyright owner has no objection to the facsimile reproduction by anyone of the patent disclosure, as it appears in the Patent and Trademark Office patent files or records, but otherwise reserves all copyright rights whatsoever. Copyright 2023, LNW Gaming, Inc.

FIELD OF THE INVENTION

(2) The present invention relates to a technological improvement to gaming systems, gaming machines, and methods and, more particularly, to technological improvements in connection with a persistent element feature.

BACKGROUND OF THE INVENTION

(3) The gaming industry depends upon player participation. Players are generally “hopeful” players who either think they are lucky or at least think they can get lucky—for a relatively small investment to play a game, they can get a disproportionately large return. To create this feeling of luck, a gaming apparatus relies upon an internal or external random element generator to generate one or more random elements such as random numbers. The gaming apparatus determines a game outcome based, at least in part, on the one or more random elements.

(4) A significant technical challenge is to improve the operation of gaming apparatus and games played thereon, including the manner in which they leverage the underlying random element generator, by making them yield a negative return on investment in the long run (via a high quantity and/or frequency of player/apparatus interactions) and yet random and volatile enough to make players feel they can get lucky and win in the short run. Striking the right balance between yield versus randomness and volatility to create a feeling of luck involves addressing many technical problems, some of which can be at odds with one another. This luck factor is what appeals to core players and encourages prolonged and frequent player participation. As the industry matures, the creativity and ingenuity required to improve such operation of gaming apparatus and games grows accordingly.

(5) Another significant technical challenge is to improve the operation of gaming apparatus and games played thereon by increasing processing speed and efficiency of usage of processing and/or memory resources. To make games more entertaining and exciting, they often offer the complexities of advanced graphics and special effects, multiple game features with different game formats, and multiple random outcome determinations per feature. The game formats may, for example, include picking games, reel spins, wheel spins, and other arcade-style play mechanics. Inefficiencies in processor execution of the game software can slow down play of the game and prevent a player from playing the game at their desired pace.

(6) Yet another significant technical challenge is to provide a new and improved level of game play that uses new and improved gaming apparatus animations. Improved animations represent improvements to the underlying technology or technical field of gaming apparatus and, at the same time, have the effect of encouraging prolonged and frequent player participation.

SUMMARY OF THE INVENTION

(7) There are provided a gaming machine and method that utilize game-logic circuitry and a presentation assembly configured to present a plurality of symbol-bearing reels, an array, and a plurality of persistent elements. The plurality of reels are spun and stopped to land symbols from the reels in the array. In response to the landed symbols including at least one accumulation condition, an animation portraying an increase in size or value of at least one of the persistent elements is presented. A random determination whether or not to award one or more game features is made. If the determination is to award the one or more game features, the one or more game features are implemented via the game-logic circuitry for either the current or one or more subsequent spins of the game. In accordance with one or more embodiments, the game includes three persistent elements. The first persistent element is associated with a game feature that, when awarded, affects an already determined outcome of the game. The second persistent element is associated with a game feature that, when awarded, affects the next purchased spin of the game. The third persistent element is associated with a game feature that, when awarded, may initiate free spins of the game. If the game feature associated with the third persistent element is awarded simultaneously with either of the other two game features, or both, the free spins are enhanced according to the additionally awarded game features.

(8) Additional aspects of the invention will be apparent to those of ordinary skill in the art in view of the detailed description of various embodiments, which is made with reference to the drawings, a brief description of which is provided below.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

(1) FIG. 1 is a front view of a free-standing gaming machine according to an embodiment of the present invention.

(2) FIG. 2 is a block diagram of a gaming system according to an embodiment of the present invention.

(3) FIGS. 3A and 3B are a flow diagram for a data processing method that corresponds to instructions executed by a controller, according to an embodiment of the present invention. FIG. 3A generally relates to a base-game portion of a wagering game; FIG. 3B generally relates to the awarding of one or more game features.

(4) FIGS. 4-8 are exemplary presentations of game spin outcomes resulting from the flow diagram in FIGS. 3A-3B.

(5) FIGS. 9-12 are exemplary presentations of game spin outcomes in accordance with alternate embodiments of the invention.

(6) While the invention is susceptible to various modifications and alternative forms, specific embodiments have been shown by way of example in the drawings and will be described in detail herein. It should be understood, however, that the invention is not intended to be limited to the particular forms disclosed. Rather, the invention is to cover all modifications, equivalents, and alternatives falling within the spirit and scope of the invention as defined by the appended claims.

DETAILED DESCRIPTION

(7) While this invention is susceptible of embodiment in many different forms, there is shown in the drawings and will herein be described in detail preferred embodiments of the invention with the understanding that the present disclosure is to be considered as an exemplification of the principles of the invention and is not intended to limit the broad aspect of the invention to the embodiments illustrated. For purposes of the present detailed description, the singular includes the plural and vice versa (unless specifically disclaimed); the words “and” and “or” shall be both conjunctive and disjunctive; the word “all” means “any and all”; the word “any” means “any and all”; and the word

“including” means “including without limitation.”

(8) For purposes of the present detailed description, the terms “wagering game,” “casino wagering game,” “gambling,” “slot game,” “casino game,” and the like include games in which a player places at risk a sum of money or other representation of value, whether or not redeemable for cash, on an event with an uncertain outcome, including without limitation those having some element of skill. In some embodiments, the wagering game involves wagers of real money, as found with typical land-based or online casino games. In other embodiments, the wagering game additionally, or alternatively, involves wagers of non-cash values, such as virtual currency, and therefore may be considered a social or casual game, such as would be typically available on a social networking web site, other web sites, across computer networks, or applications on mobile devices (e.g., phones, tablets, etc.). When provided in a social or casual game format, the wagering game may closely resemble a traditional casino game, or it may take another form that more closely resembles other types of social/casual games.

(9) Referring to FIG. 1, there is shown a gaming machine **10** similar to those operated in gaming establishments, such as casinos. With regard to the present invention, the gaming machine **10** may be any type of gaming terminal or machine and may have varying structures and methods of operation. For example, in some aspects, the gaming machine **10** is an electromechanical gaming terminal configured to play mechanical slots, whereas in other aspects, the gaming machine is an electronic gaming terminal configured to play a video casino game, such as slots, keno, poker, blackjack, roulette, craps, etc. The gaming machine **10** may take any suitable form, such as floor-standing models as shown, handheld mobile units, bartop models, workstation-type console models, etc. Further, the gaming machine **10** may be primarily dedicated for use in playing wagering games, or may include non-dedicated devices, such as mobile phones, personal digital assistants, personal computers, etc. Exemplary types of gaming machines are disclosed in U.S. Pat. Nos. 6,517,433, 8,057,303, and 8,226,459, which are incorporated herein by reference in their entireties.

(10) The gaming machine **10** illustrated in FIG. 1 comprises a gaming cabinet **12** that securely houses various input devices, output devices, input/output devices, internal electronic/electromechanical components, and wiring. The cabinet **12** includes exterior walls, interior walls, and shelves for mounting the internal components and managing the wiring, and one or more front doors that are locked and require a physical or electronic key to gain access to the interior compartment of the cabinet **12** behind the locked door. The cabinet **12** forms an alcove **14** configured to store one or more beverages or personal items of a player. A notification mechanism **16**, such as a candle or tower light, is mounted to the top of the cabinet **12**. It flashes to alert an attendant that change is needed, a hand pay is requested, or there is a potential problem with the gaming machine **10**.

(11) The input devices, output devices, and input/output devices are disposed on, and securely coupled to, the cabinet **12**. By way of example, the output devices include a primary presentation device **18**, a secondary presentation device **20**, and one or more audio speakers **22**.

(12) The primary presentation device **18** or the secondary presentation device **20** may be a mechanical-reel display device, a video display device, or a combination thereof. In one such combination disclosed in U.S. Pat. No. 6,517,433, a transmissive video display is disposed in front of the mechanical reel display to portray a video image superimposed upon electro-mechanical reels. In another combination disclosed in U.S. Pat. No. 7,654,899, a projector projects video images onto stationary or moving surfaces. In yet another combination disclosed in U.S. Pat. No. 7,452,276, miniature video displays are mounted to electro-mechanical reels and portray video symbols for the game. In a further combination disclosed in U.S. Pat. No. 8,591,330, flexible displays such as OLED or e-paper displays are affixed to electro-mechanical reels. The aforementioned U.S. Pat. Nos. 6,517,433, 7,654,899, 7,452,276, and 8,591,330 are incorporated herein by reference in their entireties.

(13) The presentation devices **18**, **20**, the audio speakers **22**, lighting assemblies, and/or other devices associated with presentation are collectively referred to as a “presentation assembly” of the gaming machine **10**. The presentation assembly may include one presentation device (e.g., the primary presentation device **18**), some of the presentation devices of the gaming machine **10**, or all of the presentation devices of the gaming machine **10**. The presentation assembly may be configured to present a unified presentation sequence formed by visual, audio, tactile, and/or other suitable presentation means, or the devices of the presentation assembly may be configured to present respective presentation sequences or respective information.

(14) The presentation assembly, and more particularly the primary presentation device **18** and/or the secondary presentation device **20**, variously presents information associated with wagering games, non-wagering games, community games, progressives, advertisements, services, premium entertainment, text messaging, emails, alerts, announcements, broadcast information, subscription information, etc. appropriate to the particular mode(s) of operation of the gaming machine **10**. The gaming machine **10** may include a touch screen(s) **24** mounted over the primary or secondary presentation devices, buttons **26** on a button panel, a bill/ticket acceptor **28**, a card reader/writer **30**, a ticket dispenser **32**, and player-accessible ports (e.g., audio output jack for headphones, video headset jack, USB port, wireless transmitter/receiver, etc.). It should be understood that numerous other peripheral devices and other elements exist and are readily utilizable in any number of combinations to create various forms of a gaming machine in accord with the present concepts.

(15) The player input devices, such as the touch screen **24**, buttons **26**, a mouse, a joystick, a gesture-sensing device, a voice-recognition device, and a virtual-input device, accept player inputs and transform the player inputs to electronic data signals indicative of the player inputs, which correspond to an enabled feature for such inputs at a time of activation (e.g., pressing a “Max Bet” button or soft key to indicate a player's desire to place a maximum wager to play the wagering game). The inputs, once transformed into electronic data signals, are output to game-logic circuitry for processing. The electronic data signals are selected from a group consisting essentially of an electrical current, an electrical voltage, an electrical charge, an optical signal, an optical element, a magnetic signal, and a magnetic element.

(16) The gaming machine **10** includes one or more value input/payment devices and value output/payout devices. In order to deposit cash or credits onto the gaming machine **10**, the value input devices are configured to detect a physical item associated with a monetary value that establishes a credit balance on a credit meter such as the “credits” meter **200** (see FIG. 4). The physical item may, for example, be currency bills, coins, tickets, vouchers, coupons, cards, and/or computer-readable storage mediums. The deposited cash or credits are used to fund wagers placed on the wagering game played via the gaming machine **10**. Examples of value input devices include, but are not limited to, a coin acceptor, the bill/ticket acceptor **28**, the card reader/writer **30**, a wireless communication interface for reading cash or credit data from a nearby mobile device, and a network interface for withdrawing cash or credits from a remote account via an electronic funds transfer. In response to a cashout input that initiates a payout from the credit balance on the “credits” meter **200** (see FIG. 4), the value output devices are used to dispense cash or credits from the gaming machine **10**. The credits may be exchanged for cash at, for example, a cashier or redemption station. Examples of value output devices include, but are not limited to, a coin hopper for dispensing coins or tokens, a bill dispenser, the card reader/writer **30**, the ticket dispenser **32** for printing tickets redeemable for cash or credits, a wireless communication interface for transmitting cash or credit data to a nearby mobile device, and a network interface for depositing cash or credits to a remote account via an electronic funds transfer.

(17) Turning now to FIG. 2, there is shown a block diagram of the gaming-machine architecture. The gaming machine **10** includes game-logic circuitry **40** securely housed within a locked box inside the gaming cabinet **12** (see FIG. 1). The game-logic circuitry **40** includes a central processing unit (CPU) **42** connected to a main memory **44** that comprises one or more memory

devices. The CPU **42** includes any suitable processor(s), such as those made by Intel and AMD. By way of example, the CPU **42** includes a plurality of microprocessors including a master processor, a slave processor, and a secondary or parallel processor. Game-logic circuitry **40**, as used herein, comprises any combination of hardware, software, or firmware disposed in or outside of the gaming machine **10** that is configured to communicate with or control the transfer of data between the gaming machine **10** and a bus, another computer, processor, device, service, or network. The game-logic circuitry **40**, and more specifically the CPU **42**, comprises one or more controllers or processors and such one or more controllers or processors need not be disposed proximal to one another and may be located in different devices or in different locations. The game-logic circuitry **40**, and more specifically the main memory **44**, comprises one or more memory devices which need not be disposed proximal to one another and may be located in different devices or in different locations. The game-logic circuitry **40** is operable to execute all of the various gaming methods and other processes disclosed herein. The main memory **44** includes a wagering-game unit **46**. In one embodiment, the wagering-game unit **46** causes wagering games to be presented, such as video poker, video blackjack, video slots, video lottery, etc., in whole or part.

(18) The game-logic circuitry **40** is also connected to an input/output (I/O) bus **48**, which can include any suitable bus technologies, such as an AGTL+ frontside bus and a PCI backside bus. The I/O bus **48** is connected to various input devices **50**, output devices **52**, and input/output devices **54** such as those discussed above in connection with FIG. **1**. The I/O bus **48** is also connected to a storage unit **56** and an external-system interface **58**, which is connected to external system(s) **60** (e.g., wagering-game networks).

(19) The external system **60** includes, in various aspects, a gaming network, other gaming machines or terminals, a gaming server, a remote controller, communications hardware, or a variety of other interfaced systems or components, in any combination. In yet other aspects, the external system **60** comprises a player's portable electronic device (e.g., cellular phone, electronic wallet, etc.) and the external-system interface **58** is configured to facilitate wireless communication and data transfer between the portable electronic device and the gaming machine **10**, such as by a near-field communication path operating via magnetic-field induction or a frequency-hopping spread spectrum RF signals (e.g., Bluetooth, etc.).

(20) The gaming machine **10** optionally communicates with the external system **60** such that the gaming machine **10** operates as a thin, thick, or intermediate client. The game-logic circuitry **40**—whether located within (“thick client”), external to (“thin client”), or distributed both within and external to (“intermediate client”) the gaming machine **10**—is utilized to provide a wagering game on the gaming machine **10**. In general, the main memory **44** stores programming for a random number generator (RNG), game-outcome logic, and game assets (e.g., art, sound, etc.)—all of which obtained regulatory approval from a gaming control board or commission and are verified by a trusted authentication program in the main memory **44** prior to game execution. The authentication program generates a live authentication code (e.g., digital signature or hash) from the memory contents and compare it to a trusted code stored in the main memory **44**. If the codes match, authentication is deemed a success and the game is permitted to execute. If, however, the codes do not match, authentication is deemed a failure that must be corrected prior to game execution. Without this predictable and repeatable authentication, the gaming machine **10**, external system **60**, or both are not allowed to perform or execute the RNG programming or game-outcome logic in a regulatory-approved manner and are therefore unacceptable for commercial use. In other words, through the use of the authentication program, the game-logic circuitry facilitates operation of the game in a way that a person making calculations or computations could not.

(21) When a wagering-game instance is executed, the CPU **42** (comprising one or more processors or controllers) executes the RNG programming to generate one or more pseudo-random numbers. The pseudo-random numbers are divided into different ranges, and each range is associated with a respective game outcome. Accordingly, the pseudo-random numbers are utilized by the CPU **42**

when executing the game-outcome logic to determine a resultant outcome for that instance of the wagering game. The resultant outcome is then presented to a player of the gaming machine **10** by accessing the associated game assets, required for the resultant outcome, from the main memory **44**. The CPU **42** causes the game assets to be presented to the player as outputs from the gaming machine **10** (e.g., audio and video presentations). Instead of a pseudo-RNG, the game outcome may be derived from random numbers generated by a physical RNG that measures some physical phenomenon that is expected to be random and then compensates for possible biases in the measurement process. Whether the RNG is a pseudo-RNG or physical RNG, the RNG uses a seeding process that relies upon an unpredictable factor (e.g., human interaction of turning a key) and cycles continuously in the background between games and during game play at a speed that cannot be timed by the player. Accordingly, the RNG cannot be carried out manually by a human and is integral to operating the game.

(22) The gaming machine **10** may be used to play central determination games, such as electronic pull-tab and bingo games. In an electronic pull-tab game, the RNG is used to randomize the distribution of outcomes in a pool and/or to select which outcome is drawn from the pool of outcomes when the player requests to play the game. In an electronic bingo game, the RNG is used to randomly draw numbers that players match against numbers printed on their electronic bingo card.

(23) The gaming machine **10** may include additional peripheral devices or more than one of each component shown in FIG. **2**. Any component of the gaming-machine architecture includes hardware, firmware, or tangible machine-readable storage media including instructions for performing the operations described herein. Machine-readable storage media includes any mechanism that stores information and provides the information in a form readable by a machine (e.g., gaming terminal, computer, etc.). For example, machine-readable storage media includes read only memory (ROM), random access memory (RAM), magnetic-disk storage media, optical storage media, flash memory, etc.

(24) In accordance with various methods of conducting a wagering game on a gaming system in accord with the present concepts, the wagering game includes a game sequence in which a player makes a wager, and a wagering-game outcome is provided or displayed in response to the wager being received or detected. The wagering-game outcome, for that particular wagering-game instance, is then revealed to the player in due course following initiation of the wagering game. The method comprises the acts of conducting the wagering game using a gaming apparatus, such as the gaming machine **10** depicted in FIG. **1**, following receipt of an input from the player to initiate a wagering-game instance. The gaming machine **10** then communicates the wagering-game outcome to the player via one or more output devices (e.g., primary presentation device **18** or secondary presentation device **20**) through the presentation of information such as, but not limited to, text, graphics, static images, moving images, etc., or any combination thereof. In accord with the method of conducting the wagering game, the game-logic circuitry **40** transforms a physical player input, such as a player's pressing of a "Spin" touch key or button, into an electronic data signal indicative of an instruction relating to the wagering game (e.g., an electronic data signal bearing data on a wager amount).

(25) In the aforementioned method, for each data signal, the game-logic circuitry **40** is configured to process the electronic data signal, to interpret the data signal (e.g., data signals corresponding to a wager input), and to cause further actions associated with the interpretation of the signal in accord with stored instructions relating to such further actions executed by the controller. As one example, the CPU **42** causes the recording of a digital representation of the wager in one or more storage media (e.g., storage unit **56**), the CPU **42**, in accord with associated stored instructions, causes the changing of a state of the storage media from a first state to a second state. This change in state is, for example, effected by changing a magnetization pattern on a magnetically coated surface of a magnetic storage media or changing a magnetic state of a ferromagnetic surface of a magneto-

optical disc storage media, a change in state of transistors or capacitors in a volatile or a non-volatile semiconductor memory (e.g., DRAM, etc.). The noted second state of the data storage media comprises storage in the storage media of data representing the electronic data signal from the CPU **42** (e.g., the wager in the present example). As another example, the CPU **42** further, in accord with the execution of the stored instructions relating to the wagering game, causes the primary presentation device **18**, other presentation device, or other output device (e.g., speakers, lights, communication device, etc.) to change from a first state to at least a second state, wherein the second state of the primary presentation device comprises a visual representation of the physical player input (e.g., an acknowledgement to a player), information relating to the physical player input (e.g., an indication of the wager amount), a game sequence, an outcome of the game sequence, or any combination thereof, wherein the game sequence in accord with the present concepts comprises acts described herein. The aforementioned executing of the stored instructions relating to the wagering game is further conducted in accord with a random outcome (e.g., determined by the RNG) that is used by the game-logic circuitry **40** to determine the outcome of the wagering-game instance. In at least some aspects, the game-logic circuitry **40** is configured to determine an outcome of the wagering-game instance at least partially in response to the random parameter.

(26) In one embodiment, the gaming machine **10** and, additionally or alternatively, the external system **60** (e.g., a gaming server), means gaming equipment that meets the hardware and software requirements for fairness, security, and predictability as established by at least one state's gaming control board or commission. Prior to commercial deployment, the gaming machine **10**, the external system **60**, or both and the casino wagering game played thereon may need to satisfy minimum technical standards and require regulatory approval from a gaming control board or commission (e.g., the Nevada Gaming Commission, Alderney Gambling Control Commission, National Indian Gaming Commission, etc.) charged with regulating casino and other types of gaming in a defined geographical area, such as a state. By way of non-limiting example, a gaming machine in Nevada means a device as set forth in NRS **463.0155**, **463.0191**, and all other relevant provisions of the Nevada Gaming Control Act, and the gaming machine cannot be deployed for play in Nevada unless it meets the minimum standards set forth in, for example, Technical Standards **1** and **2** and Regulations **5** and **14** issued pursuant to the Nevada Gaming Control Act. Additionally, the gaming machine and the casino wagering game must be approved by the commission pursuant to various provisions in Regulation **14**. Comparable statutes, regulations, and technical standards exist in or are used in other gaming jurisdictions, including for example GLI Standard #11 of Gaming Laboratories International (which defines a gaming device in Section 1.5) and N.J.S.A 5:12-23, 5:12-45, and all other relevant provisions of the New Jersey Casino Control Act. As can be seen from the description herein, the gaming machine **10** may be regulatorily approved and thus implemented with hardware and software architectures, circuitry, and other special features that differentiate it from general-purpose computers (e.g., desktop PCs, laptops, and tablets).

(27) Referring now to FIGS. **3A-3B**, there is shown a flow diagram representing one data processing method corresponding to at least some instructions stored and executed by the game-logic circuitry **40** in FIG. **2** to perform operations according to an embodiment of the present invention. The data processing method is described below in connection with the exemplary presentations of different spin outcomes in FIGS. **4-8**.

(28) Game Play Initiation

(29) Referring to FIG. **3A**, the data processing method commences at step **300**. At step **302**, the game-logic circuitry controls one or more presentation devices (e.g., mechanical-reel display device, video display device, or a combination thereof) to present a plurality of symbol-bearing reels, an array of symbol positions, and a plurality of persistent elements. Although the method is described with respect to one presentation device, it is to be understood that the presentation

described herein may be performed by a presentation assembly including more than one presentation device. The symbol positions of the array may be arranged in a variety of configurations, formats, or structures and may comprise a plurality of rows and columns. The rows of the array are oriented in a generally horizontal direction, and the columns of the array are oriented in a generally vertical direction. The symbol positions in each row of the array are horizontally aligned with each other, and the symbol positions in each column of the array are vertically aligned with each other. Alternatively, the symbol positions may be arranged in a honeycomb configuration with adjacent columns vertically offset from each other by one-half symbol position or adjacent rows horizontally offset from each other by one-half symbol position. The number of symbol positions in different rows and/or different columns may vary from each other. The reels may be associated with the respective columns of the array such that the reels spin vertically, and each reel populates a respective column. In another embodiment, the reels may be associated with the respective rows of the array such that the reels spin horizontally, and each reel populates a respective row. In some embodiments, the reels are associated with respective individual symbol positions of the array such that each reel animates in place and populates only its respective symbol position. The symbol array configuration may vary between the base game (a spin of the game purchased via an accepted wager and not subject to any bonus rules) and any free games or other bonus games utilizing the array.

(30) Referring to FIGS. **4-8**, which illustrate examples of the display at the conclusion of various representative game spins, the symbol array **210** in the base game has a three-by-five rectangular configuration, and each symbol position is associated with a respective independent reel. The reels bear a plurality of symbols that may, for example, include various base game symbols **10**, J, Q, K, A and a WILD symbol that can substitute for any of the base game symbols. The plurality of symbols may also include accumulation symbols, described below. An example of landed base game symbols is shown in FIG. **4**. The symbol array need not have a three-by-five rectangular configuration. As one example, FIGS. **11-14** illustrate a four-by-five symbol array variation.

(31) Each reel may contain one or more stacks (i.e., clumps) of symbols that appear adjacent to each other along the reel. Some or all of a stack may land in the array when its reel stops spinning. A stack of symbols may consist of two, three, four, or more like adjacent symbols. For example, in FIG. **4**, two K symbols is illustrated in the third column of the symbol array **210** and three K symbols in the fourth column of the symbol array **210** are examples of landed symbols belonging to stacks.

(32) Different game features of various types may be associated with the persistent elements **212**, **214** and **216**. In some embodiments, a game feature simply awards a prize, for example a fixed or progressive jackpot amount. In some embodiments, a game feature may comprise any type of bonus game. Non-limiting examples of bonus games include a certain number of free games (i.e., spins of the reels), a “pick’ em” bonus game, a wheel-spinning game, etc. In still other embodiments, a bonus game may be played to determine payment of prize, for example, a fixed or progressive jackpot. In some embodiments, a game feature may comprise an enhancement to the game. An enhancement may include, without limitation, pay table modifiers such as multipliers, increased values on value-bearing symbols, modification to the reels to include improved symbols, such as wild symbols, modification of symbol weights or the removal of certain “blocking symbols”, additional rows or columns added to the array, additional free spins, replacement symbols for symbols already present in the array, etc. The enhancement may be applied to the current base game outcome or may be applied to one or more subsequent bonus games or wagered base game plays, as will be shown. In some embodiments, a game feature may provide a second plurality of symbol-bearing reels and a second array of symbol positions to be filled, as described above, for a certain number of game cycles. Each game feature has a different impact on the expected value (EV) of the game. The relative frequency of the game features may be controlled by adjusting which coin pot they are associated with in the cascade sequence, for example. Thus, a

less lucrative game feature may be won more frequently, for example, approximately once in every ten game spin cycles, while a higher paying game feature may only occur approximately once in every one hundred game spin cycles according to a weighted cascade value determination. This allows game features to be awarded more often, for player enjoyment, while maintaining the overall expected EV of the wagering game. In the examples described and illustrated by FIGS. 4-8 and the description of method 300, a “Respin” game feature is associated with the first persistent element 212, a “Wild Stack” game feature is associated with the second persistent element 214, and a “Free Spins” game feature is associated with the third persistent element 216.

(33) In FIGS. 4-8, the persistent elements are represented as triangles. The persistent elements 212, 214 and 216 may take forms other than triangles, including, for example, unicorns, castles, coin pots, urns, vases, jars, jugs, cans, bowls, piggy banks, beehives, inflating balloons, ladders, dials, meters, etc. Similarly, the accumulation symbols associated with the persistent elements may take forms other than coins, including, for example, balloons, colored dollar signs, etc. The accumulation symbols may but need not be color-matched to their respective persistent elements, provided that their association to a persistent element is indicated. For example, the BLUE coins and the first persistent element 212 may be labeled or colored blue, the GOLD coins and the second persistent element 214 may be labeled or colored gold, and the RED coins and the third persistent element 216 may be labeled or colored red. Each accumulation symbol may have a unique form. In accordance with one or more embodiments, the accumulation symbol for each of the persistent elements may vary in form from one accumulation symbol to another. For example, one accumulation symbol may be a balloon while a second accumulation symbol may be a dollar sign and a third accumulation symbol may be coin, two accumulation symbols may be coins while a third accumulation symbol may be a dollar sign, etc.

(34) At step 304, the game-logic circuitry detects, via a value input device, a physical item associated with a monetary value that establishes a monetary balance in the form of cash or credits. In FIGS. 4-8, the monetary balance may be shown on a meter 200.

(35) Game Spin

(36) At step 306, the game-logic circuitry initiates a game of a wagering game cycle (i.e., spin cycle) in response to an input indicative of a wager covered by the monetary balance. To initiate a spin of the reels, the player may press a “Spin” or “Max Bet” key on a button panel or touch screen. In FIGS. 4-8 the wager may be shown on a bet meter 202.

(37) At step 308, using an RNG, the game-logic circuitry spins and stops the reels to randomly land symbols from the reels in the array in visual association with one or more paylines (also known as lines, ways, patterns, or arrangements). The reel spin may be animated on a video display by depicting symbol-bearing strips moving vertically across the display and synchronously updating the symbols visible on each strip as the strip moves across the display. Alternatively, the reels may be physical/electromechanical reels. FIGS. 4-8 depict various game spin outcomes.

(38) At step 310, the game-logic circuitry determines whether or not an accumulation condition appears in the array 210. An accumulation condition may be an individual accumulation symbol, as in the coin examples described here or a designated symbol combination (described below). FIG. 5 illustrates that the plurality of symbols also includes accumulation symbols in the form of BLUE, GOLD and RED coin symbols. Players hope to land the BLUE, GOLD or RED coin symbols in the symbol array 210 to win the application of the game features associated with three persistent elements 212, 214, 216. In the example of FIG. 5, a BLUE COIN is associated with the first persistent element 212, a GOLD coin is associated with the second persistent element 214, and a RED coin is associated with the third persistent element 216.

(39) If no accumulation condition appears in the array 210, the game-logic circuitry proceeds to step 312, to be described later. If the game-logic circuitry determines that an accumulation condition appears in array 210, flow proceeds to step 324 of FIG. 3B, which will be described first.

(40) Animation of Persistent Element Growth

(41) During a player's gaming session, any growth in size of the persistent elements **212**, **214** and **216** persists from one wagering game cycle to the next such that the player perceives that a game feature corresponding to a persistent element may be getting closer to being awarded. When the size of the persistent elements has no bearing on whether the associated game feature will actually be awarded, this is known as “perceived persistence.” When a game feature associated with a persistent element is awarded, at least some of the contents of the persistent element are visually removed and the accumulation of value in that persistent element during subsequent game spin cycles resumes from that point. Each of the persistent elements **212**, **214** and **216** exhibits perceived persistence.

(42) FIG. **6** illustrates the results of a game spin in which accumulation symbols have landed in the array. At step **324**, the game-logic circuitry animates, via the one or more presentation devices, an addition of any coin in the array to the persistent element associated with the coin. To show the transfer of a coin symbol to a persistent element, the coin may be animated to “fly” from the array to land in its associated persistent element. To represent the gradual addition of coins to the persistent element, the persistent element and/or the volume of coins therein may appear to grow in size. In accordance with some embodiments, the persistent element may be an object of fixed size accompanied by some other indication of accumulating value, for example, by a gradual change in color shading, for example, from light red to dark red. In other embodiments, the persistent element may change size and also show some other indication of increasing value, for example, the color of the display in the immediate area of the persistent element may gradually change as its value increases. The size of a persistent element may or may not indicate the likelihood that its associated game feature will be awarded. This will be discussed further below.

(43) In one or more embodiments, the coin symbols may be carried on the reels as “stickers” applied over an underlying standard reel symbol. As part of the animation sequence at step **324**, in which the coin is transferred to its respective persistent element, the coin “sticker” is removed from its location in the reel array to reveal the standard reel symbol underneath. In other embodiments, the coin symbols may simply be removed from the array and replacement symbols may be randomly selected to take their places. In some embodiments, the coin symbols may remain in the array as “blocking symbols” that break up other potentially winning combinations of standard symbols. These approaches or combinations thereof all fall within the spirit and scope of the invention.

(44) In FIG. **6**, each transfer of a coin to the persistent elements **212**, **214**, **216** is represented by a “coin” circle and an arrow. See, for example, the arrow from the BLUE coin in the second column of the array **210**, the arrow from the GOLD coin in the fourth column of the array **210**, and the arrow from the RED coin in the fifth column of the array **210** in FIG. **6**. Though not shown in FIG. **6**, no coins, coins of only one or two colors or multiple coins of the same color/type may appear in the array at the same time. Animation representing the transfer each coin from the array **210** to its respective persistent element may be presented sequentially or in parallel.

(45) Awarding of Game Features

(46) At step **326**, the game-logic circuitry randomly determines, via the RNG, whether or not to award the game features associated with any coin symbols detected at step **310**. This random determination is independent of any prior wagering game cycles. A single determination may be made whether to award all of the game features associated with persistent elements that underwent accumulation at step **324** or step **326** may simply test to see whether it is possible that an RNG determination made at each of steps **328**, **33** and **336** may award a game feature.

(47) In accordance with one or more embodiments, the odds of awarding the game features with a single RNG determination at step **326** may increase according to the number of coins appearing in the array. This may be accomplished, for example, by changing weights associated with the random determination. In other embodiments, the appearance of multiple coins in the array has no effect on the probability of awarding the game features associated with the persistent elements corresponding

to the coins appearing in the array. If the game features are awarded, for each coin symbol detected at step **310**, an indication such as a “WINNER!” label may appear next to each respective coin's associated persistent element, or the respective persistent element may be otherwise highlighted. Persistent elements associated with non-awarded game features may be further deemphasized, for example, by shading or “greying” them out. FIG. 7 illustrates an example of a game spin in which only the RED game feature has been won.

(48) If it is determined at step **326** that no game features will be awarded, the game-logic circuitry returns to FIG. 3A and proceeds to step **312**, described further below. If, however, at least one game feature will be awarded, the game-logic circuitry instead proceeds to step **328** to begin the process of awarding the one or more game features.

(49) At step **328**, if at least one BLUE coin associated with the first persistent element **212** was present in the array **210** at step **310** and it was determined at step **326** that the BLUE game feature would be awarded, the game logic circuitry awards the game feature associated with the first persistent element **212** at step **330**. As mentioned above, in some embodiments, step **328** may also include a separate RNG determination of whether or not to award the BLUE game feature. If such an additional determination is made at step **328** and it is determined that the BLUE game feature will not be awarded, the game-logic circuitry continues the flow at step **332** and step **330** is not performed.

(50) In the examples shown in FIGS. 4-8, the game feature associated with the first persistent element **212** is “Respin.” This exemplar game feature holds certain symbols in place in the array, for example all K and WILD symbols, and respins the reels to land new symbols in the remaining locations in the array to determine a final outcome for the spin. Thus, the “Respin” game feature is an “instant” game feature that is applied only to the current game outcome. Once the “Respin” game feature has been awarded at step **330**, including modification of the landed symbols in the array, the game logic circuitry proceeds to step **332**.

(51) At step **332**, if at least one GOLD coin associated with the second persistent element **214** was present in the array **210** at step **310** and it was determined at step **326** that the GOLD game feature would be awarded, the game logic circuitry awards the game feature associated with the second persistent element **214** at step **334**. As mentioned above, in some embodiments, step **332** may also include a separate RNG determination of whether or not to award the GOLD game feature. In these situations, if, at step **332**, it is determined that the GOLD game feature will not be awarded, the game-logic circuitry continues the flow at step **336** and step **334** is not performed.

(52) In the example shown, the game feature associated with the second persistent element **214** is “Wild Stack,” in which a full stack of symbols on a reel will be replaced by wild symbols and held in place on the next spin. Thus, the “Wild Stack” game feature is a “deferred” game feature that is applied to and affects the next game spin. Once the “Wild Stack” game feature has been awarded at step **334**, the game logic circuitry proceeds to step **336**.

(53) At step **336**, if at least one RED coin associated with the third persistent element **216** was present in the array **210** at step **310** and it was determined at step **326** that the RED game feature would be awarded, the game logic circuitry awards the game feature associated with the third persistent element **216** at step **338**. Again, in some embodiments, step **336** may also include a separate RNG determination of whether or not to award the RED game feature. In these cases, if, at step **336**, it is determined that the RED game feature will not be awarded, the game-logic circuitry continues the flow at step **340** and step **338** is not performed.

(54) In the example shown, the game feature associated with the third persistent element **216** is a “Free Spins” game feature. FIG. 7 illustrates an example of a game outcome that awards free spins. In some embodiments, the number of free spins is predetermined. A certain number of free spins, for example, five free spins, will be initiated with the number of free spins remaining tracked by a free spin counter **230**. In other embodiments, the number of free spins may be randomly determined and vary between each awarding of free spins. The free spins may be played in a “hold

and spin” manner where certain types of symbols, once landed in the array, are held in place and may variously persist in the array for at least one additional free spin cycle, until they contribute to a winning outcome, until all of the free spins have been played, etc. In some embodiments, wild symbols or other symbols that may improve the chances of winning or provide higher pays may also be held. Like the “Wild Stack” game feature, the “Free Games” feature is a “deferred” game feature. Once applied, as described below with respect to step **314**, reel strip layouts may remain the same as those of the base game or may be different. Once the game feature has been awarded at step **338**, the game logic circuitry proceeds to step **340**.

(55) Applying Non-Deferred Game Features

(56) Once all of the eligible game features have been awarded at one or more of steps **330**, **334** and **338**, subsequent games will be played according to game rules and conditions set by the one or more awarded game features, enhancing the excitement and EV of the game.

(57) At step **340**, any non-deferred game features are applied. Any deferred game features will be applied later (at step **316**). In this example, if the “Respin” game feature was awarded at step **330**, the reels will be respun and any locations in the array not held in place will receive newly landed symbols. Thus, the game feature is applied to the original outcome of the current game cycle prior to win evaluation. The game logic circuitry then returns to FIG. 3A, step **312**.

(58) Win Evaluation

(59) Once any animation of persistent element growth has occurred, any game features have been awarded and any instant game features applied, the game-logic circuitry evaluates the symbols in the array at step **312**. Payouts are awarded in accordance with pay rules. The pay rules may include a pay table. The pay table may, for example, include “line pays,” “ways pays” and “scatter pays.” Line pays occur when a predetermined type and number of symbols appear along an activated payline, typically in a particular order such as left to right, right to left, top to bottom, bottom to top, etc. Ways pays appear on adjacent reels without the requirement to be on a specified pay line or directly adjacent to one another. Scatter pays occur when a predetermined type and number of symbols appear anywhere in the displayed array without regard to position or paylines. Each payline preferably consists of a single symbol position in each column of the array. The number of paylines may be as few as one or as many as possible given each payline consists of a single symbol position in each column of the array. To animate a standard pay, the display may apply a border, pattern, color change, background change, watermark, or other distinguishing characteristic to the winning payline and/or winning symbols that contributed to the pay. For the sake of simplicity, the examples shown here are line pays. FIG. 8, for example, depicts a line pay of three K symbols in the bottom row of the array **210**. The awarded pay is added to a win meter **204**.

(60) Applying Deferred Game Features

(61) At step **314**, a check for any awarded but deferred game features is performed. If no deferred game features have been awarded, flow proceeds to step **318**, otherwise, the deferred game features are applied at step **316**. Because deferred game features are applied to the game after win evaluation, deferred game features apply to one or more subsequent game spins.

(62) For example, if the “Wild Stack” game feature was awarded at step **334**, the symbols in the array positions containing the triggering stack of symbols will be replaced with wild symbols to be held in place when the next reel spin occurs at step **308**. If current game cycle is a regular paid game cycle financed by a wager (a base game), this deferred game feature will be applied to the next paid game spin.

(63) In another example, if the “Free Spins” game feature was awarded at step **338**, the free spin counter **230** will be initialized and the game placed in a free spin state. Other free spin rule changes or reel layouts may also be applied at this time and will be in effect for the duration of the free spins. Thus, this game feature also applies to subsequent game spins, the primary difference between this feature and the “Wild Stack” feature being that the subsequent spins do not require a wager.

(64) It should be noted that multiple game features may be awarded if coins of more than one color appear simultaneously in the array **210**. Thus, one, two or three game features may be awarded as the result of a single spin and complement one another in increasing the excitement of the game. For example, in the case where all three game features are simultaneously awarded, the current array **210** will be modified per the “Respin” feature, any wins will be paid, then the “Wild Stack” modification will be applied to the reels in advance of the next spin, which, because the “Free Spins” game feature was awarded, will also not require placement of a wager.

(65) At step **318**, the game-logic circuitry checks to see whether the game is in a free spin state as a result of free games having been previously initiated at step **316** in either the current or a prior game cycle. If the game is in a free game state, the game logic circuitry returns to step **308** for another spin without requiring a wager.

(66) Game Play Continuation/Termination

(67) At step **320**, the game-logic circuitry determines whether or not it has received a cashout input via at least one of the one or more player input devices of the gaming machine. If it has not received a cashout input, the game-logic circuitry waits for the next wager input at step **306**. If it has received a cashout input, the game-logic circuitry initiates a payout from the monetary balance on the meter **200** in FIGS. **4-8**. The data processing method then ends at step **322**.

(68) The recitations of a value input device for establishing a credit balance, an input device for accepting a wager input that initiates a spin, and a value output device for paying out the credit balance are integrally incorporated within the steps of the data processing method. For example, the presentation of game outcomes through the spinning and stopping of the reels is essential to the game outcome determinations, which may only be initiated by the accepted wager input.

Furthermore, a value input device for establishing a credit balance, an input device for accepting a wager that initiates a spin, and a value output device for paying out the credit balance are physical, structural elements that are not shared by generic or well-known computing devices but, rather, are particular to gaming machines.

(69) Embodiments of the present invention realize benefits in increased computer processing efficiency with minimized processing overhead, fewer rules to be evaluated, fewer player inputs to be monitored, and simpler graphical representations. With respect to the game feature awarding process, if accumulation condition appears in the array at step **310**, the game-logic circuitry foregoes any random determination of whether a game feature will be awarded. Furthermore, if any coin symbols do appear in the array, regardless of the number of pots and associated game features that may be won in parallel, only a single invocation of the RNG at step **326** is required to determine whether any game feature will actually be awarded. In contrast, in typical prior art systems with mystery bonus triggers, the game-logic circuitry makes a random determination in each and every wagering game cycle and for each and every game feature that may be won, thereby reducing processing efficiency compared to the method presented herein.

(70) In this description, numerous specific details are set forth. However, it is understood that embodiments of the invention may be practiced without these specific or with slightly varying details.

(71) For example, in accordance with one or more embodiments, the displayed size of a perceived persistence/true persistence persistent element may partially represent the likelihood that its associated game feature will be awarded.

(72) In another example, in accordance with still other embodiments, each persistent element need not be of the same form, for example, the triangles of FIGS. **4-8** may vary from one persistent element to the next, for example, persistent element may be represented as triangle, one as a square and one as a circle. As a further example, FIG. **9** illustrates that two of the persistent elements **212**, **216** may be portrayed as unicorns, while one persistent element **214** may be portrayed as a castle.

(73) In accordance with some embodiments, certain combinations of symbols may take the place of the discrete designated symbols such as the BLUE, GOLD and RED accumulation symbols of

FIGS. 4-8. In one example, a winning combination of designated symbols, in addition to earning an award, may increase the perceived persistence aspect of an associated persistent element and potentially trigger the awarding of its associated game feature. To illustrate, a winning combination of a designated symbols, as represented by a box around three unicorn symbols in the bottom row of FIG. 10, increases the size of the first persistent element **212** and potentially triggers awarding the “Respin” game element. In the example of FIG. 10, the first persistent element **212** has increased in size compared to its size in FIG. 9 while the other two persistent elements **214** and **216** have remained the same size. In addition, the “Respin” game element has been awarded, as indicated by the highlighted nature of its label in FIG. 10 compared to its appearance in FIG. 9. In the example of FIG. 10, as a non-deferred game feature, the application of the “Respin” game feature has held all unicorn and wild symbols (the “pearl” symbol in the fourth column of the array) and the reels are currently being re-spun as described above with respect to step **330**.

(74) In another example, the combination of symbols need not be a winning combination of symbols. In the illustration of FIG. 11, a full stack of unicorn symbols appears in the first column of the array. A full column of a designated symbol may be defined as the triggering combination for increasing the size of a persistent element, in this case, the third persistent element **216**, and potentially awarding its associated game feature. In the example of FIG. 11, the third persistent element **216** has increased in size compared to its size in FIG. 9. In addition, the deferred “Wild Stack” game element has been awarded, as indicated by the highlighted nature of its label in FIG. 11 compared to its appearance in FIG. 9. In the example of FIG. 12, which represents the next paid spin, application of the “Wild Stack” game feature has held the triggering stack of symbols in place and replaced them with wild symbols, as indicated by the stack of “pearl” symbols in the first column of the array. The reels are currently being re-spun as described above with respect to step **334**.

(75) In other instances, well-known circuits, structures and techniques have not been shown in detail in order not to obscure the understanding of this description. Note that in this description, references to “one embodiment” or “an embodiment” mean that the feature being referred to is included in at least one embodiment of the invention. Further, separate references to “one embodiment” in this description do not necessarily refer to the same embodiment; however, neither are such embodiments mutually exclusive, unless so stated and except as will be readily apparent to those of ordinary skill in the art. Thus, the present invention can include any variety of combinations and/or integrations of the embodiments described herein. Each claim, as may be amended, constitutes an embodiment of the invention, incorporated by reference into the detailed description. Moreover, in this description, the phrase “exemplary embodiment” means that the embodiment being referred to serves as an example or illustration.

(76) Block diagrams illustrate exemplary embodiments of the invention. Flow diagrams illustrate operations of the exemplary embodiments of the invention. The operations of the flow diagrams are described with reference to the example embodiments shown in the block diagrams. However, it should be understood that the operations of the flow diagrams could be performed by embodiments of the invention other than those discussed with reference to the block diagrams, and embodiments discussed with references to the block diagrams could perform operations different than those discussed with reference to the flow diagrams. Additionally, some embodiments may not perform all the operations shown in a flow diagram. Moreover, it should be understood that although the flow diagrams depict serial operations, certain embodiments could perform certain of those operations in parallel or in a different sequence.

(77) Each of these embodiments and obvious variations thereof is contemplated as falling within the spirit and scope of the claimed invention, which is set forth in the following claims. Moreover, the present concepts expressly include any and all combinations and subcombinations of the preceding elements and aspects.

Claims

1. A method of operating a gaming machine, the method comprising the operations of: accepting, via a value input device, a physical item associated with a monetary value to establish a monetary balance; conducting, by game-logic circuitry, a game including: presenting, by a presentation assembly, a plurality of symbol-bearing reels, an array, a first persistent element comprising an associated first game feature and an associated first accumulation condition, a second persistent element comprising an associated second game feature and an associated second accumulation condition, and a third persistent element comprising an associated third game feature and an associated third accumulation condition; spinning and stopping the plurality of reels to land symbols from the reels in the array to produce a first outcome purchased via an accepted wager; and in response to the first outcome including the first accumulation condition: animating accumulation of the first persistent element; and randomly determining whether or not to award the first game feature; and in response to awarding the first game feature, applying changes associated with the first game feature to the landed symbols; in response to the first outcome including the second accumulation condition: animating accumulation of the second persistent element; and randomly determining whether or not to award the second game feature; and in response to awarding the second game feature, applying changes associated with the second game feature to the game, prior to a second outcome purchased via an accepted wager; in response to the first outcome including the third accumulation condition: animating accumulation of the third persistent element; and randomly determining whether or not to award the third game feature; and in response to awarding the third game feature, applying changes associated with the third game feature to the game prior to spinning and stopping the plurality of reels to land symbols from the reels in the array to produce a third outcome, wherein the changes associated with the third game feature comprise awarding of free spins such that the third outcome is a free outcome not requiring acceptance of a wager; and receiving, via at least one of one or more electronic input devices, a cash out input that initiates a payout from the monetary balance via a value output device.
2. The method of claim 1, wherein the accumulation conditions comprise a single designated reel symbol in the array.
3. The method of claim 1, wherein the accumulation conditions comprise a winning combination of designated symbols in the array.
4. The method of claim 1, wherein the accumulation conditions comprise a non-winning combination of designated symbols in the array.
5. The method of claim 4, wherein the non-winning combination of symbols comprises a stack of like symbols.
6. The method of claim 1, wherein the free spins comprise a randomly determined number of spins.
7. The method of claim 1, wherein the gaming machine is primarily dedicated to playing a wagering game.
8. The method of claim 1, wherein the animating operations include increasing a size of each respective persistent element or a volume of items therein.
9. The method of claim 8, wherein randomly determining whether or not to award the game features is based, at least in part, on the size of the persistent element associated with each respective persistent element or the volume of items therein.
10. The method of claim 1, wherein applying the changes associated with the second game feature occurs after evaluation of the array for winning symbol combinations in the first outcome.
11. A gaming machine comprising: a presentation assembly; a value input device configured to accept a physical item associated with a monetary value to establish a credit balance; a value output device configured to dispense a payout from the credit balance in response to a cashout input; and game-logic circuitry configured to perform the operations of: conducting a game including:

presenting, by the presentation assembly, a plurality of symbol-bearing reels, an array, a first persistent element comprising an associated first game feature and an associated first accumulation condition, a second persistent element comprising an associated second game feature and an associated second accumulation condition, and a third persistent element comprising an associated third game feature and an associated third accumulation condition; spinning and stopping the plurality of reels to land symbols from the reels in the array to produce a first outcome purchased via an accepted wager; and in response to the first outcome including the first accumulation condition: animating accumulation of the first persistent element; and randomly determining whether or not to award the first game feature; and in response to awarding the first game feature, applying changes associated with the first game feature to the landed symbols; in response to the first outcome including the second accumulation condition: animating accumulation of the second persistent element; and randomly determining whether or not to award the second game feature; and in response to awarding the second game feature, applying changes associated with the second game feature to the game, prior to a second outcome purchased via an accepted wager; in response to the first outcome including the third accumulation condition: animating accumulation of the third persistent element; and randomly determining whether or not to award the third game feature; and in response to awarding the third game feature, applying changes associated with the third game feature to the game prior to spinning and stopping the plurality of reels to land symbols from the reels in the array to produce a third outcome, wherein the changes associated with the third game feature comprise awarding of free spins such that the third outcome is a free outcome not requiring acceptance of a wager.

12. The gaming machine of claim 11, wherein the accumulation conditions comprise a single designated reel symbol in the array.

13. The gaming machine of claim 11, wherein the accumulation conditions comprise a winning combination of designated symbols in the array.

14. The gaming machine of claim 11, wherein the accumulation conditions comprise a non-winning combination of designated symbols in the array.

15. The gaming machine of claim 14, wherein the non-winning combination of symbols comprises a stack of like symbols.

16. The gaming machine of claim 11, wherein the free spins comprise a randomly determined number of spins.

17. The gaming machine of claim 11, wherein the gaming machine is primarily dedicated to playing a wagering game.

18. The gaming machine of claim 11, wherein the animating operations include increasing a size of each respective persistent element or a volume of items therein.

19. The gaming machine of claim 11, wherein randomly determining whether or not to award the game features is based, at least in part, on the size of the persistent element associated with each respective persistent element or the volume of items therein.

20. The gaming machine of claim 11, wherein applying the changes associated with the second game feature occurs after evaluation of the array for winning symbol combinations in the first outcome.
