

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent

12413174

Kind Code

B2

Date of Patent

September 09, 2025

Inventor(s)

Bunea; Gabriela et al.

Roofing system including photovoltaic module wireway cover, and associated method

Abstract

A system, including: a roof deck; a first photovoltaic module above the roof deck, where the first photovoltaic module includes: a first solar cell, where the first photovoltaic module includes a first end, a second end opposite the first end; a first wireway portion above the roof deck, where the first wireway portion is proximate the first end of the first photovoltaic module; and a first cover, where the first cover is removably attached to the first wireway portion, where the first cover comprises: a second solar cell.

Inventors: Bunea; Gabriela (San Jose, CA), Perkins; Richard (San Jose, CA), Grigsby; Matthew (San Francisco, CA)

Applicant: GAF Energy LLC (Parsippany, NJ)

Family ID: 92303777

Assignee: GAF Energy LLC (Parsippany, NJ)

Appl. No.: 18/436773

Filed: February 08, 2024

Prior Publication Data

Document Identifier

Publication Date

US 20240283387 A1

Aug. 22, 2024

Related U.S. Application Data

us-provisional-application US 63486219 20230221

Publication Classification

Int. Cl.: H02S20/23 (20140101); H02S40/36 (20140101)

U.S. Cl.:

CPC H02S20/23 (20141201); H02S40/36 (20141201);

Field of Classification Search

USPC: None

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
1981467	12/1933	Radtke	N/A	N/A
3156497	12/1963	Lessard	N/A	N/A
3581779	12/1970	Gilbert, Jr.	N/A	N/A
4258948	12/1980	Hoffmann	N/A	N/A
4349220	12/1981	Carroll et al.	N/A	N/A
4499702	12/1984	Turner	N/A	N/A
4636577	12/1986	Peterpaul	N/A	N/A
5167579	12/1991	Rotter	N/A	N/A
5437735	12/1994	Younan et al.	N/A	N/A
5590495	12/1996	Bressler et al.	N/A	N/A
5642596	12/1996	Waddington	N/A	N/A
5768831	12/1997	Melchior	52/522	F24S 20/69
6008450	12/1998	Ohtsuka et al.	N/A	N/A
6033270	12/1999	Stuart	N/A	N/A
6046399	12/1999	Kapner	N/A	N/A
6201180	12/2000	Meyer et al.	N/A	N/A
6220329	12/2000	King et al.	N/A	N/A
6308482	12/2000	Strait	N/A	N/A
6320114	12/2000	Kuechler	N/A	N/A
6320115	12/2000	Kataoka et al.	N/A	N/A
6336304	12/2001	Mimura et al.	N/A	N/A
6341454	12/2001	Koleoglou	N/A	N/A
6407329	12/2001	Iino et al.	N/A	N/A
6576830	12/2002	Nagao et al.	N/A	N/A
6928781	12/2004	Desbois et al.	N/A	N/A
6972367	12/2004	Federspiel et al.	N/A	N/A
7138578	12/2005	Komamine	N/A	N/A
7155870	12/2006	Almy	N/A	N/A
7178295	12/2006	Dinwoodie	N/A	N/A
7487771	12/2008	Eiffert et al.	N/A	N/A
7587864	12/2008	McCaskill et al.	N/A	N/A
7678990	12/2009	McCaskill et al.	N/A	N/A
7678991	12/2009	McCaskill et al.	N/A	N/A
7748191	12/2009	Podirsky	N/A	N/A
7819114	12/2009	Augenbraun et al.	N/A	N/A

7824191	12/2009	Podirsky	N/A	N/A
7832176	12/2009	McCaskill et al.	N/A	N/A
8118109	12/2011	Hacker	N/A	N/A
8168880	12/2011	Jacobs et al.	N/A	N/A
8173889	12/2011	Kalkanoglu et al.	N/A	N/A
8210570	12/2011	Railkar et al.	N/A	N/A
8276329	12/2011	Lenox	N/A	N/A
8312693	12/2011	Cappelli	N/A	N/A
8319093	12/2011	Kalkanoglu et al.	N/A	N/A
8333040	12/2011	Shiao et al.	N/A	N/A
8371076	12/2012	Jones et al.	N/A	N/A
8375653	12/2012	Shiao et al.	N/A	N/A
8404967	12/2012	Kalkanoglu et al.	N/A	N/A
8410349	12/2012	Kalkanoglu et al.	N/A	N/A
8418415	12/2012	Shiao et al.	N/A	N/A
8438796	12/2012	Shiao et al.	N/A	N/A
8468754	12/2012	Railkar et al.	N/A	N/A
8468757	12/2012	Krause et al.	N/A	N/A
8505249	12/2012	Geary	N/A	N/A
8512866	12/2012	Taylor	N/A	N/A
8513517	12/2012	Kalkanoglu et al.	N/A	N/A
8586856	12/2012	Kalkanoglu et al.	N/A	N/A
8601754	12/2012	Jenkins et al.	N/A	N/A
8629578	12/2013	Kurs et al.	N/A	N/A
8646228	12/2013	Jenkins	N/A	N/A
8656657	12/2013	Livsey et al.	N/A	N/A
8671630	12/2013	Lena et al.	N/A	N/A
8677702	12/2013	Jenkins	N/A	N/A
8695289	12/2013	Koch et al.	N/A	N/A
8713858	12/2013	Xie	N/A	N/A
8713860	12/2013	Railkar et al.	N/A	N/A
8733038	12/2013	Kalkanoglu et al.	N/A	N/A
8776455	12/2013	Azoulay	N/A	N/A
8789321	12/2013	Ishida	N/A	N/A
8793940	12/2013	Kalkanoglu et al.	N/A	N/A
8793941	12/2013	Bosler et al.	N/A	N/A
8826607	12/2013	Shiao et al.	N/A	N/A
8835751	12/2013	Kalkanoglu et al.	N/A	N/A
8863451	12/2013	Jenkins et al.	N/A	N/A
8898970	12/2013	Jenkins et al.	N/A	N/A
8925262	12/2014	Railkar et al.	N/A	N/A
8943766	12/2014	Gombarick et al.	N/A	N/A
8946544	12/2014	Jabos et al.	N/A	N/A
8950128	12/2014	Kalkanoglu et al.	N/A	N/A
8959848	12/2014	Jenkins et al.	N/A	N/A
8966838	12/2014	Jenkins	N/A	N/A
8966850	12/2014	Jenkins et al.	N/A	N/A
8994224	12/2014	Mehta et al.	N/A	N/A
9032672	12/2014	Livsey et al.	N/A	N/A
9153950	12/2014	Yamanaka et al.	N/A	N/A

9166087	12/2014	Chihlas et al.	N/A	N/A
9169646	12/2014	Rodrigues et al.	N/A	N/A
9170034	12/2014	Bosler et al.	N/A	N/A
9178465	12/2014	Shiao et al.	N/A	N/A
9202955	12/2014	Livsey et al.	N/A	N/A
9212832	12/2014	Jenkins	N/A	N/A
9217584	12/2014	Kalkanoglu et al.	N/A	N/A
9270221	12/2015	Zhao	N/A	N/A
9273885	12/2015	Rordigues et al.	N/A	N/A
9276141	12/2015	Kalkanoglu et al.	N/A	N/A
9331224	12/2015	Koch et al.	N/A	N/A
9356174	12/2015	Duarte et al.	N/A	N/A
9359014	12/2015	Yang et al.	N/A	N/A
9412890	12/2015	Meyers	N/A	N/A
9528270	12/2015	Jenkins et al.	N/A	N/A
9605432	12/2016	Robbins	N/A	N/A
9711672	12/2016	Wang	N/A	N/A
9755573	12/2016	Livsey et al.	N/A	N/A
9786802	12/2016	Shiao et al.	N/A	N/A
9831818	12/2016	West	N/A	N/A
9912284	12/2017	Svec	N/A	N/A
9923515	12/2017	Rodrigues et al.	N/A	N/A
9938729	12/2017	Coon	N/A	N/A
9991412	12/2017	Gonzalez et al.	N/A	N/A
9998067	12/2017	Kalkanoglu et al.	N/A	N/A
10027273	12/2017	West et al.	N/A	N/A
10115850	12/2017	Rodrigues et al.	N/A	N/A
10128660	12/2017	Apte et al.	N/A	N/A
10156075	12/2017	McDonough	N/A	N/A
10187005	12/2018	Rodrigues et al.	N/A	N/A
10256765	12/2018	Rodrigues et al.	N/A	N/A
10284136	12/2018	Mayfield et al.	N/A	N/A
10454408	12/2018	Livsey et al.	N/A	N/A
10530292	12/2019	Cropper et al.	N/A	N/A
10560048	12/2019	Fisher et al.	N/A	N/A
10563406	12/2019	Kalkanoglu et al.	N/A	N/A
D879031	12/2019	Lance et al.	N/A	N/A
10579028	12/2019	Jacob	N/A	N/A
10784813	12/2019	Kalkanoglu et al.	N/A	N/A
D904289	12/2019	Lance et al.	N/A	N/A
11012026	12/2020	Kalkanoglu et al.	N/A	N/A
11177639	12/2020	Nguyen et al.	N/A	N/A
11217715	12/2021	Sharenko et al.	N/A	N/A
11251744	12/2021	Bunea et al.	N/A	N/A
11258399	12/2021	Kalkanoglu et al.	N/A	N/A
11283394	12/2021	Perkins et al.	N/A	N/A
11309828	12/2021	Sirski et al.	N/A	N/A
11394344	12/2021	Perkins et al.	N/A	N/A
11424379	12/2021	Sharenko et al.	N/A	N/A
11431280	12/2021	Liu et al.	N/A	N/A

11431281	12/2021	Perkins et al.	N/A	N/A
11444569	12/2021	Clemente et al.	N/A	N/A
11454027	12/2021	Kuiper et al.	N/A	N/A
11459757	12/2021	Nguyen et al.	N/A	N/A
11486144	12/2021	Bunea et al.	N/A	N/A
11489482	12/2021	Peterson et al.	N/A	N/A
11496088	12/2021	Sirski et al.	N/A	N/A
11508861	12/2021	Perkins et al.	N/A	N/A
11512480	12/2021	Achor et al.	N/A	N/A
11527665	12/2021	Boitnott	N/A	N/A
11545927	12/2022	Abra et al.	N/A	N/A
11545928	12/2022	Perkins et al.	N/A	N/A
11658470	12/2022	Nguyen et al.	N/A	N/A
11661745	12/2022	Bunea et al.	N/A	N/A
11689149	12/2022	Clemente et al.	N/A	N/A
11705531	12/2022	Sharenko et al.	N/A	N/A
11728759	12/2022	Nguyen et al.	N/A	N/A
11732490	12/2022	Achor et al.	N/A	N/A
11811361	12/2022	Farhangi et al.	N/A	N/A
11824486	12/2022	Nguyen et al.	N/A	N/A
11824487	12/2022	Nguyen et al.	N/A	N/A
11843067	12/2022	Nguyen et al.	N/A	N/A
2002/0053360	12/2001	Kinoshita et al.	N/A	N/A
2002/0129849	12/2001	Heckerorth	N/A	N/A
2003/0101662	12/2002	Ullman	N/A	N/A
2003/0132265	12/2002	Villela et al.	N/A	N/A
2003/0217768	12/2002	Guha	N/A	N/A
2004/0000334	12/2003	Ressler	N/A	N/A
2005/0030187	12/2004	Peress et al.	N/A	N/A
2005/0115603	12/2004	Yoshida et al.	N/A	N/A
2005/0144870	12/2004	Dinwoodie	N/A	N/A
2005/0178428	12/2004	Laaly et al.	N/A	N/A
2005/0193673	12/2004	Rodrigues et al.	N/A	N/A
2006/0042683	12/2005	Gangemi	N/A	N/A
2006/0046084	12/2005	Yang et al.	N/A	N/A
2007/0074757	12/2006	Mellott et al.	N/A	N/A
2007/0181174	12/2006	Ressler	N/A	N/A
2007/0193618	12/2006	Bressler et al.	N/A	N/A
2007/0249194	12/2006	Liao	N/A	N/A
2007/0295385	12/2006	Sheats et al.	N/A	N/A
2008/0006323	12/2007	Kalkanoglu et al.	N/A	N/A
2008/0035140	12/2007	Placer et al.	N/A	N/A
2008/0078440	12/2007	Lim et al.	N/A	N/A
2008/0185748	12/2007	Kalkanoglu	N/A	N/A
2008/0271774	12/2007	Kalkanoglu et al.	N/A	N/A
2008/0302030	12/2007	Stancel et al.	N/A	N/A
2008/0315061	12/2007	Placer et al.	N/A	N/A
2009/0000222	12/2008	Kalkanoglu et al.	N/A	N/A
2009/0014057	12/2008	Croft et al.	N/A	N/A
2009/0014058	12/2008	Croft et al.	N/A	N/A

2009/0019795	12/2008	Szacsvay et al.	N/A	N/A
2009/0044850	12/2008	Kimberley	N/A	N/A
2009/0114261	12/2008	Stancel et al.	N/A	N/A
2009/0133340	12/2008	Shiao et al.	N/A	N/A
2009/0159118	12/2008	Kalkanoglu et al.	N/A	N/A
2009/0178350	12/2008	Kalkanoglu et al.	N/A	N/A
2009/0229652	12/2008	Mapel et al.	N/A	N/A
2009/0275247	12/2008	Richter et al.	N/A	N/A
2010/0019580	12/2009	Croft et al.	N/A	N/A
2010/0095618	12/2009	Edison et al.	N/A	N/A
2010/0101634	12/2009	Frank et al.	N/A	N/A
2010/0116325	12/2009	Nikoonahad	N/A	N/A
2010/0131108	12/2009	Meyer	N/A	N/A
2010/0139184	12/2009	Williams et al.	N/A	N/A
2010/0146878	12/2009	Koch et al.	N/A	N/A
2010/0159221	12/2009	Kourtakis et al.	N/A	N/A
2010/0170169	12/2009	Railkar et al.	N/A	N/A
2010/0186798	12/2009	Tormen et al.	N/A	N/A
2010/0242381	12/2009	Jenkins	N/A	N/A
2010/0313499	12/2009	Gangemi	N/A	N/A
2010/0325976	12/2009	DeGenfelder et al.	N/A	N/A
2010/0326488	12/2009	Aue et al.	N/A	N/A
2010/0326501	12/2009	Zhao et al.	N/A	N/A
2011/0030761	12/2010	Kalkanoglu et al.	N/A	N/A
2011/0036386	12/2010	Browder	N/A	N/A
2011/0036389	12/2010	Hardikar et al.	N/A	N/A
2011/0048507	12/2010	Livsey	52/173.3	H02S 20/23
2011/0058337	12/2010	Han et al.	N/A	N/A
2011/0061326	12/2010	Jenkins	N/A	N/A
2011/0100436	12/2010	Cleereman et al.	N/A	N/A
2011/0104488	12/2010	Muessig et al.	N/A	N/A
2011/0132427	12/2010	Kalkanoglu et al.	N/A	N/A
2011/0168238	12/2010	Metin et al.	N/A	N/A
2011/0239555	12/2010	Cook et al.	N/A	N/A
2011/0302859	12/2010	Crasnianski	N/A	N/A
2011/0314753	12/2010	Farmer et al.	N/A	N/A
2012/0034799	12/2011	Hunt	N/A	N/A
2012/0060434	12/2011	Jacobs	N/A	N/A
2012/0060902	12/2011	Drake	N/A	N/A
2012/0085392	12/2011	Albert et al.	N/A	N/A
2012/0137600	12/2011	Jenkins	N/A	N/A
2012/0176077	12/2011	Oh et al.	N/A	N/A
2012/0212065	12/2011	Cheng et al.	N/A	N/A
2012/0233940	12/2011	Perkins et al.	N/A	N/A
2012/0240490	12/2011	Gangemi	N/A	N/A
2012/0260977	12/2011	Stancel	N/A	N/A
2012/0266942	12/2011	Komatsu et al.	N/A	N/A
2012/0279150	12/2011	Pisllkak et al.	N/A	N/A
2012/0282437	12/2011	Clark et al.	N/A	N/A

2012/0291848	12/2011	Sherman et al.	N/A	N/A
2013/0008499	12/2012	Verger et al.	N/A	N/A
2013/0014455	12/2012	Grieco	N/A	N/A
2013/0118558	12/2012	Sherman	N/A	N/A
2013/0193769	12/2012	Mehta et al.	N/A	N/A
2013/0247988	12/2012	Reese et al.	N/A	N/A
2013/0284267	12/2012	Plug et al.	N/A	N/A
2013/0306137	12/2012	Ko	N/A	N/A
2014/0090697	12/2013	Rodrigues et al.	N/A	N/A
2014/0150843	12/2013	Pearce et al.	N/A	N/A
2014/0173997	12/2013	Jenkins	N/A	N/A
2014/0179220	12/2013	Railkar et al.	N/A	N/A
2014/0182222	12/2013	Kalkanoglu et al.	N/A	N/A
2014/0208675	12/2013	Beerer et al.	N/A	N/A
2014/0254776	12/2013	O'Connor et al.	N/A	N/A
2014/0266289	12/2013	Della Sera et al.	N/A	N/A
2014/0311556	12/2013	Feng et al.	N/A	N/A
2014/0352760	12/2013	Haynes et al.	N/A	N/A
2014/0366464	12/2013	Rodrigues et al.	N/A	N/A
2015/0089895	12/2014	Leitch	N/A	N/A
2015/0162459	12/2014	Lu et al.	N/A	N/A
2015/0340516	12/2014	Kim et al.	N/A	N/A
2015/0349173	12/2014	Morad et al.	N/A	N/A
2016/0105144	12/2015	Haynes et al.	N/A	N/A
2016/0142008	12/2015	Lopez et al.	N/A	N/A
2016/0254776	12/2015	Rodrigues et al.	N/A	N/A
2016/0276508	12/2015	Huang et al.	N/A	N/A
2016/0359451	12/2015	Mao et al.	N/A	N/A
2017/0159292	12/2016	Chihlas et al.	N/A	N/A
2017/0179319	12/2016	Yamashita et al.	N/A	N/A
2017/0179726	12/2016	Garrity et al.	N/A	N/A
2017/0237390	12/2016	Hudson et al.	N/A	N/A
2017/0331415	12/2016	Koppi et al.	N/A	N/A
2018/0094438	12/2017	Wu et al.	N/A	N/A
2018/0097472	12/2017	Anderson et al.	N/A	N/A
2018/0115275	12/2017	Flanigan et al.	N/A	N/A
2018/0254738	12/2017	Yang et al.	N/A	N/A
2018/0294765	12/2017	Friedrich et al.	N/A	N/A
2018/0351502	12/2017	Almy et al.	N/A	N/A
2018/0367089	12/2017	Stutterheim et al.	N/A	N/A
2019/0030867	12/2018	Sun et al.	N/A	N/A
2019/0081436	12/2018	Onodi et al.	N/A	N/A
2019/0123679	12/2018	Rodrigues et al.	N/A	N/A
2019/0253022	12/2018	Hardar et al.	N/A	N/A
2019/0305717	12/2018	Allen et al.	N/A	N/A
2020/0109320	12/2019	Jiang	N/A	N/A
2020/0144958	12/2019	Rodrigues et al.	N/A	N/A
2020/0220819	12/2019	Vu et al.	N/A	N/A
2020/0224419	12/2019	Boss et al.	N/A	N/A
2020/0343397	12/2019	Hem-Jensen	N/A	N/A

2021/0083619	12/2020	Hegedus	N/A	N/A
2021/0115223	12/2020	Bonekamp et al.	N/A	N/A
2021/0159353	12/2020	Li et al.	N/A	N/A
2021/0301536	12/2020	Baggs et al.	N/A	N/A
2021/0343886	12/2020	Sharenko et al.	N/A	N/A
2022/0149213	12/2021	Mensink et al.	N/A	N/A

FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
2829440	12/2018	CA	N/A
700095	12/2009	CH	N/A
202797032	12/2012	CN	N/A
217150978	12/2021	CN	N/A
1958248	12/1970	DE	N/A
1039361	12/1999	EP	N/A
1837162	12/2006	EP	N/A
1774372	12/2010	EP	N/A
2446481	12/2011	EP	N/A
2784241	12/2013	EP	N/A
3772175	12/2020	EP	N/A
10046767	12/1997	JP	N/A
2002-106151	12/2001	JP	N/A
2001-098703	12/2001	JP	N/A
2017-027735	12/2016	JP	N/A
2018053707	12/2017	JP	N/A
20090084060	12/2008	KR	N/A
10-1348283	12/2013	KR	N/A
10-2019-0000367	12/2018	KR	N/A
10-2253483	12/2020	KR	N/A
2026856	12/2021	NL	N/A
2010/151777	12/2009	WO	N/A
2011/049944	12/2010	WO	N/A
2015/133632	12/2014	WO	N/A
2018/000589	12/2017	WO	N/A
2019/201416	12/2018	WO	N/A
2020-159358	12/2019	WO	N/A
2021-247098	12/2020	WO	N/A

OTHER PUBLICATIONS

Sunflare, Procduts: “Sunflare Develops Prototype For New Residential Solar Shingles”; 2019 <<sunflaresolar.com/news/sunflare-develops-prototype-for-new-residential-solar-shingles>> retrieved Feb. 2, 2021. cited by applicant

RGS Energy, 3.5KW Powerhouse 3.0 system installed in an afternoon; Jun. 7, 2019 <<facebook.com/RGSEnergy/>> retrieved Feb. 2, 2021. cited by applicant

Tesla, Solar Roof <<tesla.com/solarroof>> retrieved Feb. 2, 2021. cited by applicant

“Types of Roofing Underlayment”, Owens Corning Roofing; <<<https://www.owenscorning.com/en-us/roofing/tools/how-roofing-underlayment-helps-protect-your-home>>> retrieved Nov. 1, 2021. cited by applicant

Background/Summary

CROSS-REFERENCE TO RELATED APPLICATION (1) This application claims priority to U.S. provisional application No. 63/486,219, titled “ROOFING SYSTEM INCLUDING PHOTOVOLTAIC MODULE WIREWAY COVER, AND ASSOCIATED METHOD,” filed Feb. 21, 2023, the disclosure of which is incorporated by reference herein in its entirety.

FIELD

(1) The present invention relates to a roofing system, and, more particularly, to a roofing system that includes a photovoltaic module, a wireway, and a wireway cover.

BACKGROUND

(2) Photovoltaic systems having solar panels are commonly installed on roofing of structures.

SUMMARY

(3) The Claims, rather than the Summary, define covered embodiments of the present invention. The Summary is a high-level overview of various aspects of the invention, and introduces some concepts that are further described in the Detailed Description below. The Summary is not intended to identify key or essential features of the claimed subject matter, and also is not intended to be used in isolation to determine the scope of the claimed subject matter. Instead, the claimed subject matter should be understood by reference to appropriate portions of the Specification and drawings, as well as each claim.

(4) In some embodiments, the present invention provides a system, comprising: a roof deck; a first photovoltaic module above the roof deck, wherein the first photovoltaic module comprises a first solar cell, wherein the first photovoltaic module includes a first end, a second end opposite the first end, a first edge extending between the first end and the second end, and a second edge opposite the first edge, and extending between the first end and the second end; a first wireway portion above the roof deck, wherein the first wireway portion is proximate the first end of the first photovoltaic module; and a first cover, wherein the first cover is removably attached to the first wireway portion, wherein the first cover comprises a second solar cell.

(5) In some embodiments, the first photovoltaic module further comprises: a third solar cell, and a first ribbon, wherein the first solar cell is proximate the first end of the first photovoltaic module, wherein the third solar cell is proximate the first solar cell, wherein the first ribbon extends between the first solar cell and the third solar cell in a first direction, wherein the first ribbon is in electrical communication with the first solar cell and the third solar cell, and wherein the first cover further comprises: a fourth solar cell, and a second ribbon, wherein the second ribbon extends between the second solar cell and the fourth solar cell in a second direction, wherein the second ribbon is in electrical communication with the second solar cell and the fourth solar cell, wherein the second direction is different than the first direction.

(6) In some embodiments, the second direction is perpendicular to the first direction.

(7) In some embodiments, the system further comprises: a second photovoltaic module above the roof deck, wherein the second photovoltaic module comprises: a third solar cell; a second wireway portion above the roof deck, wherein one side of the second wireway portion is proximate an end of the second photovoltaic module, wherein another side of the second wireway portion is proximate a side of the first wireway portion; and a second cover, wherein the second cover is removably attached to the second wireway portion, wherein the second cover comprises a fourth solar cell.

(8) In some embodiments, the system further comprises: a second photovoltaic module above the roof deck, wherein the second photovoltaic module comprises: a third solar cell, wherein a portion of second photovoltaic module is proximate the second edge of the first photovoltaic module,

wherein the first wireway portion is proximate an end of the second photovoltaic module, wherein the first cover further comprises: a fourth solar cell, wherein the fourth solar cell is in electrical communication with the second solar cell.

(9) In some embodiments, the system further comprises: a first wire, wherein the first wire is in electrical communication with the first solar cell of the first photovoltaic module and the second solar cell of the first wireway portion; and a second wire, wherein the second wire is in electrical communication with the third solar cell of the second photovoltaic module and the first solar cell of the first photovoltaic module, and wherein an uppermost end of the ribbon is in electrical communication with the first solar cell of the first photovoltaic module.

(10) In some embodiments, the system further comprises: a second photovoltaic module above the roof deck, wherein the second photovoltaic module comprises: a third solar cell, wherein a bottom edge of the second photovoltaic module is proximate the second edge of the first photovoltaic module; a third photovoltaic module above the roof deck, wherein the third photovoltaic module comprises: a fourth solar cell, wherein a bottom edge of the third photovoltaic module is proximate a top edge of the second photovoltaic module; and a second wireway portion above the roof deck, wherein one side of the second wireway portion is proximate an end of the third photovoltaic module; and wherein the first cover further comprises: a fifth solar cell, and a ribbon, wherein the ribbon extends between the second solar cell and the fifth solar cell, wherein the ribbon is in electrical communication with the second solar cell and the fifth solar cell, wherein the first cover is removably attached to the first and second wireway portions.

(11) In some embodiments, the system further comprises: a first wire, wherein the first wire, wherein the first wire is in electrical communication with the first solar cell of the first photovoltaic module and the second solar cell of the first cover; a second wire, wherein the second wire is in electrical communication with the first solar cell of the first photovoltaic module and the third solar cell of the second photovoltaic module; and a third wire, wherein the third wire is in electrical communication with the fourth solar cell of the third photovoltaic module and the third solar cell of the second photovoltaic module.

(12) In some embodiments, the first cover comprises: a top surface, wherein the top surface comprises a channel, wherein the second solar cell is within the channel.

(13) In some embodiments, the first wireway portion comprises at least one slot, wherein the first cover comprises at least one rail, wherein the at least one rail is removably retained within the at least one slot.

(14) In some embodiments, the present invention provides a method, comprising: obtaining a first photovoltaic module, wherein the first photovoltaic module comprises: a first solar cell, wherein the first photovoltaic module includes a first end, a second end opposite the first end, a first edge extending between the first end and the second end, and a second edge opposite the first edge, and extending between the first end and the second end; obtaining a first wireway portion; obtaining a first cover, wherein the first cover comprises: a second solar cell; installing the first photovoltaic module above the roof deck; installing the first wireway portion above the roof deck, such that the first wireway portion is proximate the first end of the first photovoltaic module; and removably attaching the first cover to the first wireway portion.

(15) In some embodiments, the method further comprises: obtaining a second photovoltaic module, wherein the second photovoltaic module comprises: a third solar cell; obtaining a second wireway portion; obtaining a second cover, wherein the second cover comprises a fourth solar cell; installing the second photovoltaic module above the roof deck; installing the second wireway portion above the roof deck, such that one side of the second wireway portion is proximate an end of the second photovoltaic module; and removably attaching the second cover to the second wireway portion.

(16) In some embodiments, the method further comprises: obtaining a second photovoltaic module, wherein the second photovoltaic module comprises: a third solar cell; and installing the second photovoltaic module above the roof deck, such that a portion of second photovoltaic module is

proximate the second edge of the first photovoltaic module, and an end of the second photovoltaic module is proximate the first wireway portion.

(17) In some embodiments, the first cover further comprises: a fourth solar cell, wherein the fourth solar cell is in electrical communication with the second solar cell; and the method further comprises: obtaining a first wire; obtaining a second wire; installing the first wire to electrically connect the first solar cell of the first photovoltaic module and the second solar cell of the first wireway portion; and installing the second wire to electrically connect the third solar cell of the second photovoltaic module and the first solar cell of the first photovoltaic module.

(18) In some embodiments, the first cover further comprises: a fifth solar cell, and a ribbon, wherein the ribbon extends between the second solar cell and the fifth solar cell, wherein the ribbon is in electrical communication with the second solar cell and the fifth solar cell; wherein the method further comprises: obtaining a second photovoltaic module, wherein the second photovoltaic module comprises: a third solar cell; obtaining a third photovoltaic module, wherein the third photovoltaic module comprises: a fourth solar cell; obtaining a second wireway portion; installing the second photovoltaic module above the roof deck, such that a bottom edge of the second photovoltaic module is proximate the second edge of the first photovoltaic module; installing the third photovoltaic module above the roof deck, such that a bottom edge of the third photovoltaic module is proximate a top edge of the second photovoltaic module; installing the second wireway portion above the roof deck, such that one side of the second wireway portion is proximate an end of the third photovoltaic module, and another side of the second wireway portion is proximate a side of the first wireway portion; and removably attaching the first cover to the first and second wireway portions.

(19) In some embodiments, the method further comprises: obtaining a first wire; obtaining a second wire; obtaining a third wire; installing the first wire to electrically connect the first solar cell of the first photovoltaic module and the second solar cell of the first cover; installing the second wire to electrically connect the first solar cell of the first photovoltaic module and the third solar cell of the second photovoltaic module; and installing the third wire to electrically connect the fourth solar cell of the third photovoltaic module and the third solar cell of the second photovoltaic module.

(20) In some embodiments, the present invention provides a system, comprising: a roof deck; a first photovoltaic module above the roof deck, wherein the first photovoltaic module comprises a first solar cell, wherein the first photovoltaic module includes a first end, a second end opposite the first end, a first edge extending between the first end and the second end, and a second edge opposite the first edge, and extending between the first end and the second end; a second photovoltaic module proximate the first photovoltaic module above the roof deck, wherein the second photovoltaic module comprises a second solar cell, wherein the second photovoltaic module includes a first end, a second end opposite the first end, a first edge extending between the first end and the second end, and a second edge opposite the first edge, and extending between the first end and the second end; a first wireway portion above the roof deck, wherein the first wireway portion is proximate the first end of the first photovoltaic module; a second wireway portion above the roof deck, wherein the second wireway portion is proximate the first end of the second photovoltaic module; a first cover, wherein the first cover is removably attached to the first wireway portion and the second wireway portion, wherein the first cover comprises a third solar cell and a fourth solar cell; a first wire, wherein the first wire is in electrical communication with the first solar cell of the first photovoltaic module and the second solar cell of second solar cell of the second photovoltaic module; a second wire, wherein the second wire is in electrical communication with the first solar cell of the first photovoltaic module and the third solar cell of the cover; and a ribbon, wherein the ribbon is in electrical communication with the third solar cell of the cover and the fourth solar cell of the first cover, wherein the ribbon provides an electrical connection from a lower end of the first cover to an upper end of the first cover, and wherein the system does not include a return wire electrically connecting the lower end of the first cover to the upper end of the first cover.

Description

BRIEF DESCRIPTION OF THE FIGURES

- (1) This section refers to the drawings that form a part of this disclosure, and which illustrate some of the embodiments of structure, materials, and/or methods of the present invention described herein.
- (2) FIG. 1 shows a top view of an embodiment of a roofing system, in accordance with some embodiments of the invention;
- (3) FIG. 2 shows a top view of an embodiment of a roofing system, in accordance with some embodiments of the invention; and
- (4) FIG. 3 shows a top view of an embodiment of a photovoltaic module, in accordance with some embodiments of the invention.

DETAILED DESCRIPTION

- (5) In addition to the benefits and improvements that the Specification discloses, other objects and advantages of that the Specification provides will become apparent from the following description taken in conjunction with the accompanying figures. Although the description discloses and describes detailed embodiments of the present disclosure, the disclosed embodiments are merely illustrative of the disclosure that may be embodied in various forms. In addition, each of the examples given regarding the various embodiments of the disclosure are intended to be illustrative, and not restrictive.
- (6) Throughout the specification and claims, the following terms take the meanings explicitly associated herein, unless the context clearly dictates otherwise. The phrases “in an embodiment,” “in some embodiments,” and any similar phrase, as used herein, do not necessarily refer to the same embodiment or embodiments, though the phrases may refer to the same embodiment or embodiments. Furthermore, the phrases “in another embodiment,” and any similar phrase, as used herein, do not necessarily refer to a different embodiment, although the phrases may refer to a different embodiment. All embodiments of the disclosure are intended to be combinable without departing from the scope or spirit of the disclosure.
- (7) As used herein, terms such as “comprising,” “including,” “having,” and any similar phrase, do not limit the scope of a specific claim to the materials or steps recited by the claim.
- (8) As used herein, a “steep slope roof” is a roof that is disposed on a building, such as a house or other residential structure, having a pitch of Y/X, where Y and X are in a ratio of 4:12 to 20:12, where Y corresponds to the “rise” of the roof, and where X corresponds to the “run” of the roof.
- (9) As used herein, an “active” solar cell is a solar cell that converts light (such as, but not limited to, sunlight) into electricity by the photovoltaic effect.
- (10) As used herein, an “inactive” solar cell is one that does not convert light into electricity.
- (11) This application described components of a roofing system, including, for example a photovoltaic module, a wireway that is made up of wireway portions at ends of the photovoltaic modules, and a cover (also referred to as a wireway cover, and/or lid) on a roof deck. Any or all of these components, and/or other components, described herein may be in accordance with the corresponding description in U.S. Pat. No. 11,404,997, titled “Photovoltaic Shingles and Methods of Installing Same,” issued Aug. 2, 2022; U.S. Pat. No. 11,251,744, titled “Photovoltaic Shingles and Methods of Installing Same,” issued Feb. 15, 2022; and PCT International Patent Publication No. WO 2022/051593, Application No. PCT/US2021/049017, published Mar. 10, 2022, titled “Building Integrated Photovoltaic System,” all of the foregoing owned by GAF Energy LLC, and the disclosures of each of the foregoing patent properties are incorporated by reference herein in their entireties. The roofing system may be installed on a steep slope roof, on a roof that is sloped but has a slope less than that of a steep slope roof, or on a flat roof (that is, a roof with minimal, or no slope).

(12) In some embodiments, the present invention may provide a cover that includes at least one solar cell.

(13) In some embodiments, the solar cell of the wireway cover may be electrically active—that is, the solar cell may convert light into electricity by the photovoltaic effect.

(14) In some embodiments, the wireway portion may be proximate one of more photovoltaic modules on the roof deck. In some embodiments, the wireway portion may include an interior, in which may be disposed one or more components associated with control and/or operation of the photovoltaic modules. In some embodiments, one or more of the wireways may omit any or all of these components, and/or of another component or components, disposed within its interior. In some embodiments, ends of the wireway portions may be proximate one another, such that the wireway portions form a wireway.

(15) FIGS. **1** and **2** show top views of embodiments of a roofing system installed above a roof deck, where FIG. **2** includes a cover, while FIG. **1** does not include a cover; and FIG. **3** shows a top view of an embodiment of a photovoltaic module, in accordance with some embodiments of the invention.

(16) As the figures illustrate, in some embodiments, a roofing system **100** may include one or more photovoltaic modules **200**, one or more wireway portions **300**, where one or more sides of the wireway portions **300** are proximate portions of the photovoltaic modules **200**, and one or more covers **400**, installed above a roof deck **500**. As discussed, any or all of the photovoltaic module **200**, the wireway portion **300**, and the cover **400** may be in accordance with the corresponding description in U.S. Pat. No. 11,404,997, titled “Photovoltaic Shingles and Methods of Installing Same,” issued Aug. 2, 2022; U.S. Pat. No. 11,251,744, titled “Photovoltaic Shingles and Methods of Installing Same,” issued Feb. 15, 2022; and PCT International Patent Publication No. WO 2022/051593, Application No. PCT/US2021/049017, published Mar. 10, 2022, titled “Building Integrated Photovoltaic System,” all of the foregoing owned by GAF Energy LLC, and the disclosures of each of the foregoing patent properties are incorporated by reference herein in their entireties.

(17) Although not shown in the drawings, in some embodiments, the roofing system **100** may include other components, such as but not limited to an underlayment (such as between the photovoltaic modules **200** and the roof deck **500**), and/or non-photovoltaic roofing modules (for example, roofing shingles without any solar cell), proximate or spaced apart from the photovoltaic modules **200**.

(18) In some embodiments, the roofing system **100** may include one photovoltaic module **200**. In some embodiments, the roofing system **100** may include two or more photovoltaic modules **200**. In some embodiments, the number of photovoltaic modules **200** in the roofing system **100** may be limited by the area of the roof deck **500** and the area of the photovoltaic module(s) **200**.

(19) In some embodiments, any or all of the photovoltaic modules **200** may include at least one solar cell **210**. In some embodiments, the at least one solar cell **210** may be above a backsheet **220** of the photovoltaic module. In some embodiments, the backsheet **220** may be a nailable backsheet—that is, the backsheet **220** may be attachable to the roof deck **500** by one or more of the following types of mechanical fasteners that pierce the backsheet **220** and/or the roof deck **500**: one or more nails; one or more screws; one or more staples; and/or one or more rivets; and/or combinations or one or more of these fasteners. In some embodiments, the backsheet **220** may not be a nailable backsheet. In some embodiments, whether or not the backsheet **220** is nailable, the backsheet may be attachable to the roof deck **500** by one or more of welding (heat and/or ultrasonic, for example), and/or adhering using an adhesive.

(20) In some embodiments, the at least one solar cell **210** may be attachable to the backsheet **220**, and/or to another component or layer of the backsheet **220**, by one or more of: a mechanical fastener or fasteners, welding (heat and/or ultrasonic, for example), adhering using an adhesive, and/or laminating.

(21) In some embodiments, the at least one solar cell **210** may be indirectly attached to the backsheet **220**—that is, there may be at least one intervening layer between the at least one solar cell **210** and the backsheet **220**. In some embodiments, there may be one intervening layer between the at least one solar cell **210** and the backsheet **220**. In some embodiments, there may be two or more intervening layers between the at least one solar cell **210** and the backsheet **220**. In some embodiments, there may be at least two intervening layers between the at least one solar cell **210** and the backsheet **220**.

(22) In some embodiments, as shown in the figures, the photovoltaic module **200** may include two sets of the solar cells **210**, where each set of the solar cells **210** includes eight (8) of the solar cells **210**, where the sets of the solar cells **210** are separated from each other by a space. In some embodiments, however, the photovoltaic module **200** may include one set of the solar cells **210**, or more than two sets of the solar cells **210**. In some embodiments, each of the sets of the solar cells **210** may include less than eight of the solar cells **210**, or more than eight of the solar cells **210**. In some embodiments, the sets of the solar cells **210** may have a different number (or the same number) of the solar cells **210** as another set or other sets of the solar cells **210**. In some embodiments, the sets of the solar cells **210** may not be separated from one another by a space.

(23) In some embodiments, the photovoltaic module **200** includes at least one ribbon **230**. In some embodiments, the ribbons **230** may extend between, and/or may electrically connect (that is, may be in electrical communication with), components of the photovoltaic module **200**. In some embodiments, the ribbons **230** may extend between, and/or may electrically connect, the solar cells **210**.

(24) In some embodiments, as shown in the figures, each of the solar cells **210** may be attached to nine (9) of the ribbons **230**. In some embodiments, each of the solar cells **210** may be attached to less than nine of the ribbons **230**, or may be attached to more than nine of the ribbons **230**. In some embodiments, different ones of the solar cells **210** may be attached to a different number of the ribbons **230** than one or more others of the solar cells **210**; or may be attached to the same number of the ribbons **230** as some of the solar cells **210** as well as a different number of the ribbons **230** than others of the solar cells **210**. In some embodiments, the ribbons **230** may connect to, may extend between, and/or may provide an electrical connection with, some of the solar cells **210**.

(25) By way of example, in some embodiments, as shown in the drawings, ribbon “R1” may extend between solar cell “S1” and solar cell “S2” of photovoltaic module “P1,” thereby providing an electrical connection between solar cell “S1” and solar cell “S2.” By way of another example, in some embodiments, as shown in the drawings, ribbon “R2” may extend between solar cell “S3” and solar cell “S4” of photovoltaic module “P2,” thereby providing an electrical connection between solar cell “S3” and solar cell “S4.” By way of another example, in some embodiments, as shown in the drawings, ribbon “R3” may extend between solar cell “S5” and solar cell “S6” of photovoltaic module “P3,” thereby providing an electrical connection between solar cell “S5” and solar cell “S6.”

(26) In some embodiments, each of the photovoltaic modules **200** may have a first end **201** (for example, a left end), a second end **202** (for example, a right end), a first edge **203** (for example, a top edge), and a second edge **204** (for example, a bottom edge). In some embodiments, the first end **201** and the second end **202** may be opposite each other. In some embodiments, the first edge **203** may extend between the first end **201** and the second end **202**. In some embodiments, the first edge **203** and the second edge **204** may be opposite one another, and the second edge **204** also may extend between the first end **201** and the second end **202**.

(27) In some embodiments, as shown in the drawings, the first edge **203** of photovoltaic module “P1” may be proximate the second edge **204** of photovoltaic module “P2.” Also as shown, in some embodiments, the first edge **203** of photovoltaic module “P2” may be proximate the second edge **204** of photovoltaic module “P3.”

(28) As shown in FIGS. 1 and 2, in some embodiments, the roofing system **100** may include one or

more wireway portions **300**. In some embodiments, the roofing system **100** may include only one wireway portion **300**, and thus the wireway portion **300** may be a wireway. In some embodiments, as the figures show, the roofing system **100** may include two or more wireway portions **300**, wherein one end of one wireway portion **300** is proximate one end of another wireway portion **300**, such that the wireway portions **300** forming the wireway. As discussed, in some embodiments, the wireway portion **300** may include one or more components associated with control and/or operation of the photovoltaic modules **200**, and/or other components of the roofing system **100**.

(29) In some embodiments, as shown in the drawings, the wireway portion **300** may be installed on the photovoltaic module **200**. In some embodiments, the wireway portion **300** may be installed on the backsheet **220** of the photovoltaic module **200**. In some embodiments, the wireway portion **300** may be installed on another layer of the photovoltaic module **200**. In some embodiments, the wireway portion **300** may be installed off of, while proximate, the photovoltaic module **200**. In some embodiments, the wireway portion **300** may be installed off of, as well as spaced apart from, the photovoltaic module **200**.

(30) In some embodiments, the wireway portion **300** may be installed proximate an end portion of the photovoltaic module **200**. Thus, as shown in the figures, in some embodiments, the wireway portion **300** may be installed proximate the first end **201** of the photovoltaic module **200**. In some embodiments, the wireway portion **300** may be installed proximate the second end **202** of the photovoltaic module **200**. In some embodiments, the wireway portion **300** may be installed proximate the first edge **203** of the photovoltaic module **200**. In some embodiments, the wireway portion **300** may be installed proximate the second edge **204** of the photovoltaic module **200**. In some embodiments, the wireway portion **300** may be installed spaced apart from the first end **201**, the second end **202**, the first edge **203**, and/or the second edge **204** of the photovoltaic module **200**.

(31) By way of example, in some embodiments, as shown in the drawings, the first end **201** of photovoltaic module “P1” is proximate wireway portion “WW1.” By way of further example, in some embodiments, the first end **201** of photovoltaic module “P2” is proximate wireway portion “WW2.” By way of further example, the first end **201** of photovoltaic module “P3” is proximate wireway portion “WW3.” By way of further examples, an end of wireway portion “WW1” is proximate an end of wireway portion “WW2,” and an opposite end of wireway portion “WW2” is proximate an end of wireway portion “WW3.”

(32) As discussed, further details of some embodiments of the wireway portions **300** that form the wireway may be in accordance with the corresponding description in U.S. Pat. No. 11,404,997, titled “Photovoltaic Shingles and Methods of Installing Same,” issued Aug. 2, 2022; U.S. Pat. No. 11,251,744, titled “Photovoltaic Shingles and Methods of Installing Same,” issued Feb. 15, 2022; and PCT International Patent Publication No. WO 2022/051593, Application No.

PCT/US2021/049017, published Mar. 10, 2022, titled “Building Integrated Photovoltaic System,” all of the foregoing owned by GAF Energy LLC, and the disclosures of each of the foregoing patent properties are incorporated by reference herein in their entirety.

(33) As shown in FIGS. **1** and **2**, in some embodiments, the roofing system **100** may one or more covers **400**. In some embodiments, the roofing system **100** may include one cover **400**. In some embodiments, the roofing system **100** may include more than one cover **400**. In some embodiments, the roofing system **100** may include one cover **400** that is sized (that is, has a length sufficient) to cover all of the wireway portions **300** of the roofing system **100**. In some embodiments, the roofing system **100** may include multiple covers **400** to cover all of the wireway portions **300** of the roofing system **100**. In some embodiments, the roofing system **100** may include multiple covers **400** of the same length. In some embodiments, the roofing system **100** may include multiple covers **400** of different lengths.

(34) In some embodiments, as shown in the drawings, the cover **400** may be installed on the photovoltaic module **200**. In some embodiments, as shown in the drawings, the cover **400** may be installed on the wireway portion **300**. In some embodiments, the cover **400** may be removably

installed (that is, may be able to be removed without damage to either or both of the cover **400** and/or the wireway portion **300**) on the wireway portion **300**. In some embodiments, the cover **400** may be permanently or irremovably installed on the wireway portion **300**.

(35) In some embodiments, the cover **400** may be installed on one wireway portion **300**. In some embodiments, the cover **400** may be installed on two wireway portions **300**. In some embodiments, the cover **400** may be installed on more than two wireway portions **300**. In some embodiments, a single cover **400** may be installed on each of the wireway portions **300** on the roof deck **500**.

(36) By way of example, in some embodiments, as shown in the drawings, cover “C1” is removably attached to wireway portion “WW1” as well as to wireway portion “WW2.” By way of further example, in some embodiments, cover “C2” is removably attached to wireway portion “WW3.” In some embodiments, one cover **400** may attach to one wireway portion **300**, two wireway portions **300**, three wireway portions **300**, or all of the wireway portions **300** of the roofing system **100**.

(37) In some embodiments, either the wireway portion **300** or the cover **400** may include a rail, and the other one of the cover **400** and the wireway portion **300** may include a slot. Accordingly, in some embodiments, the rail is received at least partially within the slot, thereby to attach (removably or irremovably) the cover **400** to the wireway portion **300**. In some embodiments, other cooperating fasteners may be included in either or both of the wireway portion **300** and the cover **400**, thereby to permit removable or irremovable attachment of the cover **400** to the wireway portion **300**.

(38) As discussed, further details of some embodiments of the cover **400** may be in accordance with the corresponding description in U.S. Pat. No. 11,404,997, titled “Photovoltaic Shingles and Methods of Installing Same,” issued Aug. 2, 2022; U.S. Pat. No. 11,251,744, titled “Photovoltaic Shingles and Methods of Installing Same,” issued Feb. 15, 2022; and PCT International Patent Publication No. WO 2022/051593, Application No. PCT/US2021/049017, published Mar. 10, 2022, titled “Building Integrated Photovoltaic System,” all of the foregoing owned by GAF Energy LLC, and the disclosures of each of the foregoing patent properties are incorporated by reference herein in their entireties.

(39) As shown in the drawings, in some embodiments, the cover **400** may include at least one solar cell **410**. In some embodiments, the cover **400** may include two solar cells **410**. In some embodiments, depending on the length of the cover **400**, for example, the cover **400** may include more than two solar cells **410**. In some embodiments, the solar cells **410** may be disposed in a same orientation as one or more of the solar cells **210** of the photovoltaic modules **200** in the roofing system **100**. In some embodiments, the solar cells **410** may be disposed in a same orientation as all of the solar cells **210** of the photovoltaic modules **200** in the roofing system **100**. In some embodiments, the solar cells **410** may be disposed in a different orientation than at least one of the solar cells **210** of the photovoltaic modules **200** in the roofing system **100**. In some embodiments, the solar cells may be disposed in a different orientation than all of the solar cells **210** of the photovoltaic modules **200** in the roofing system **100**.

(40) In some embodiments, the at least one solar cell **410** may be disposed on a top surface of the cover **400**. In some embodiments, at least one solar cell **410** may be disposed within a channel or channels of the cover **400**, such as a channel or channels in the top surface. In some embodiments, the one or more solar cells **410** may be secured, bonded, or fastened to the cover **400**. In some embodiments, the one or more solar cells **410** may be mechanically fastened to the cover **400**, such as by one or more nails, screws, rivets, and/or staples. In some embodiments, the one or more solar cells **410** may be adhered to the cover **400**, such as by an adhesive. In some embodiments, the one or more solar cells **410** may be welded to the cover **400**, such as by ultrasonic or heat welding. In some embodiments, the one or more solar cells **410** may be retained with the channel or channels of the cover **400** by friction. In some embodiments, the one or more solar cells **410** may be snap fit into the cover **400**. In some embodiments, the one or more solar cells **410** may be adhered to a

surface of the cover **400**. In some embodiments, the one or more solar cells **410** may be removably attached to the cover **400** (that is, removable without damage to the cover **400** and/or the solar cell **410**). In some embodiments, the one or more solar cells **410** may be irreversibly attached to the cover **400** (that is, may not be removed without damage to the cover **400** and/or the solar cell **410**). (41) As discussed, one or more of the solar cells **410** may be active solar cells—that is, may convert light into electricity. In some embodiments, all of the solar cells **410** of one of the covers **400** are active. In some embodiments, at least one of the solar cells **410** of one of the covers **400** is active, and at least one other solar cell **410** is inactive. In some embodiments, at least one solar cell **410** of the roofing system **100** is active. In some embodiments, all of the solar cells **410** in the roofing system **100** are active. In some embodiments, at least one of the solar cells **410** of the roofing system **100** is active, and at least one other solar cell **410** is inactive.

(42) In some embodiments, each of the solar cells **410** may be attached to at least one ribbon **430**. In some embodiments, as shown in the figures, each of the solar cells **410** may be attached to five (5) of the ribbons **430**. In some embodiments, each of the solar cells **410** may be attached to less than five of the ribbons **430**, or may be attached to more than five of the ribbons **430**. In some embodiments, different ones of the solar cells **410** may be attached to a different number of the ribbons **430** than one or more others of the solar cells **410**, or may be attached to the same number of the ribbons **430** as some of the solar cells **410** as well as a different number of the ribbons **430** than others of the solar cells **410**. In some embodiments, the ribbons **430** may extend between, and/or may provide an electrical connection between, some of the solar cells **410**.

(43) By way of example, in some embodiments, as shown in the drawings, ribbon “R4” may extend between solar cell “S7” and solar cell “S8” of cover “C1,” thereby providing an electrical connection between solar cell “S7” and solar cell “S8.” By way of another example, in some embodiments, as shown in the drawings, ribbon “R5” may extend between solar cell “S9” and solar cell “S10” of cover “C2,” thereby providing an electrical connection between solar cell “S9” and solar cell “S10.”

(44) As shown in the drawings, in some embodiments, one or more of ribbon “R1,” ribbon “R2,” and/or ribbon “R3” of the photovoltaic module **200** may extend in a first direction. In some embodiments, one or more of ribbon “R4,” and/or ribbon “R5” of the cover **400** may extend in a second direction. In some embodiments, the first direction may be perpendicular to the second direction. In some embodiments, the first direction may be parallel to the second direction. In some embodiments, the first direction may be neither perpendicular nor parallel to the second direction.

(45) In some embodiments, the roofing system **100** includes the cover **400** with the active solar cell **410** may provide seventeen (17) solar cells per row, as compared to sixteen (16) solar cells that are provided by a roofing system that does not include an active solar cell on a cover. Accordingly, under certain environmental conditions, the roofing system **100** in accordance with the invention may provide 6.25% more power than a roofing system that does not include the active solar cell on a cover. In some embodiments, in the roofing system **100** that include the cover **400** having the active solar cell **410** and a photovoltaic module **200** with fifteen (15) solar cells, the roofing system **100** may provide 6.7% more power than a roofing system that does not include the active solar cell on a cover.

(46) As shown in FIGS. 1 and 2, the roofing system **100** may include at least one wire **600**. In some embodiments, the roofing system **100** may include a plurality of wires **600**. In some embodiments, the wire **600** may electrically connect components of the roofing system **100**. In some embodiments, the wire **600** is an electrical cable. In some embodiments, the wire **600** is a flat ribbon electrical cable. In some embodiments, the wire **600** may electrically connect the solar cell **210** of a first one of the photovoltaic modules **200** and the solar cell **410** of a first one of the covers **400**, such as through a bus or bussing, a wire or wires, and/or one or more additional and/or other electrical components. In some embodiments, the wire **600** may electrically connect the solar cell **210** of the first one of the photovoltaic modules **200** with the solar cell **210** of another, second one

of the photovoltaic modules **200**. In some embodiments, the wires **600** may be disposed within an interior of the wireway portions **300**, and/or otherwise may be covered by the covers **400**. In some embodiments, the wire **600** may be electrically connected to one or more bus bars and/or another component or other components of the photovoltaic module **200** and/or the cover **400**, to electrically connect one or more of the solar cells **210** and/or one or more of the solar cells **410**, for example.

(47) By way of example, in some embodiments, as shown in the drawings, wire “W1” provides an electrical connection between solar cell “S1” of photovoltaic module “P1” and solar cell “S7” of cover “C1.” Thus, in some embodiments, the solar cells and the ribbons of the cover or covers **400** provide an electrical connection to the solar cells of the photovoltaic module “P1,” such that, for example, ends of the ribbons on an uppermost end of the roof deck **500** may provide an electrical connection to the solar cells of the photovoltaic module on a lowermost end on the roof deck **500**. Therefore, in some embodiments of the invention, the roofing system **100** may not use a wire, such as a return wire within the wireway made up of the wireway portions **300**, to provide an electrical connection at an uppermost end of the wireway on the roof deck, to the photovoltaic module at a lowermost end of the roof deck **500** including an electrical connection to the solar cells thereof. In some embodiments, the roofing system **100** may include a power optimizer, in order to integrate power produced by one or more of the covers **400** including the solar cells **410**, with power produced by the solar cells **210** of the photovoltaic modules **200**.

(48) Although the figures show the covers **400** with the solar cells **410** spanning two photovoltaic modules **200**, one or more of the covers may span one photovoltaic module, and/or may span more than two photovoltaic modules, such as three, four, five, or more than five photovoltaic modules, and in some embodiments may span all of the photovoltaic modules in the column of photovoltaic modules installed on the roof deck **500**.

(49) By way of another example, in some embodiments, as shown in the drawings, wire “W2” provides an electrical connection between solar cell “S3” of photovoltaic module “P2” and solar cell “S1” of photovoltaic module “P1.”

(50) “In some embodiments, a method comprises obtaining one or more of the components discussed herein, and/or one or more other components, and installing any or all of the components above a roof deck, as described.

(51) Variations, modifications and alterations to embodiments of the present disclosure described above will make themselves apparent to those skilled in the art. All such variations, modifications, alterations and the like are intended to fall within the spirit and scope of the present disclosure, limited solely by the appended claims.

(52) While several embodiments of the present disclosure have been described, it is understood that these embodiments are illustrative only, and not restrictive, and that many modifications may become apparent to those of ordinary skill in the art. For example, all dimensions discussed herein are provided as examples only, and are intended to be illustrative and not restrictive.

(53) Any feature or element that is positively identified in this description may also be specifically excluded as a feature or element of an embodiment of the present as defined in the claims.

(54) The disclosure described herein may be practiced in the absence of any element or elements, limitation or limitations, which is not specifically disclosed herein. Thus, for example, in each instance herein, any of the terms “comprising,” “consisting essentially of” and “consisting of” may be replaced with either of the other two terms, without altering their respective meanings as defined herein. The terms and expressions which have been employed are used as terms of description and not of limitation, and there is no intention in the use of such terms and expressions of excluding any equivalents of the features shown and described or portions thereof, but it is recognized that various modifications are possible within the scope of the disclosure.

Claims

1. A system, comprising: a roof deck; a first photovoltaic module installed on the roof deck, wherein the first photovoltaic module comprises a first solar cell; a first wireway portion installed on the roof deck, wherein the first wireway portion is proximate to an end of the first photovoltaic module, wherein the first wireway portion comprises at least one slot; and a first cover, wherein the first cover is removably attached to the first wireway portion, wherein the first cover comprises a second solar cell and at least one rail, and wherein the at least one rail is removably retained within the at least one slot.
2. The system of claim 1, wherein the first photovoltaic module further comprises: a third solar cell, and a first ribbon, wherein the first ribbon extends between the first solar cell and the third solar cell in a first direction, wherein the first ribbon is in electrical communication with the first solar cell and the third solar cell; wherein the first cover further comprises: a fourth solar cell, and a second ribbon, wherein the second ribbon extends between the second solar cell and the fourth solar cell in a second direction, wherein the second ribbon is in electrical communication with the second solar cell and the fourth solar cell, wherein the second direction is different than the first direction.
3. The system of claim 2, wherein the second direction is perpendicular to the first direction.
4. The system of claim 1, further comprising: a second photovoltaic module installed on the roof deck, wherein the second photovoltaic module comprises a third solar cell; a second wireway portion installed on the roof deck, wherein one side of the second wireway portion is proximate the second photovoltaic module, wherein another side of the second wireway portion is proximate the first wireway portion; and a second cover, wherein the second cover is removably attached to the second wireway portion, wherein the second cover comprises a fourth solar cell.
5. The system of claim 1, further comprising: a second photovoltaic module installed on the roof deck, wherein the second photovoltaic module comprises a third solar cell, wherein a portion of second photovoltaic module is proximate the first photovoltaic module, wherein the first wireway portion is proximate the second photovoltaic module; wherein the first cover further comprises a fourth solar cell.
6. The system of claim 5, further comprising: a first wire, wherein the first wire is in electrical communication with the first solar cell of the first photovoltaic module and the second solar cell of the first cover; and a second wire, wherein the second wire is in electrical communication with the third solar cell of the second photovoltaic module and the first solar cell of the first photovoltaic module.
7. The system of claim 1, further comprising: a second photovoltaic module installed on the roof deck, wherein the second photovoltaic module comprises a third solar cell, wherein the second photovoltaic module is proximate the first photovoltaic module; a third photovoltaic module installed on the roof deck, wherein the third photovoltaic module comprises a fourth solar cell, wherein the third photovoltaic module is proximate the second photovoltaic module; and a second wireway portion installed on the roof deck, wherein the second wireway portion is proximate the third photovoltaic module, wherein the first cover further comprises: a fifth solar cell, and a ribbon, wherein the ribbon extends between the second solar cell and the fifth solar cell, wherein the ribbon is in electrical communication with the second solar cell and the fifth solar cell, wherein the first cover is removably attached to the first wireway portion and the second wireway portion.
8. The system of claim 7, further comprising: a first wire, wherein the first wire is in electrical communication with the first solar cell of the first photovoltaic module and the second solar cell of the first cover; a second wire, wherein the second wire is in electrical communication with the first solar cell of the first photovoltaic module and the third solar cell of the second photovoltaic module; and a third wire, wherein the third wire is in electrical communication with the fourth solar

cell of the third photovoltaic module and the third solar cell of the second photovoltaic module, and wherein an end of the ribbon is in electrical communication with the first solar cell of the first photovoltaic module.

9. The system of claim 1, wherein the first cover comprises a top surface, wherein the top surface comprises a channel, wherein the second solar cell is positioned within the channel.

10. A method, comprising: obtaining a first photovoltaic module, wherein the first photovoltaic module comprises a first solar cell; obtaining a first wireway portion, wherein the first wireway portion comprises at least one slot; obtaining a first cover, wherein the first cover comprises a second solar cell and at least one rail; installing the first photovoltaic module on a roof deck; installing the first wireway portion on the roof deck, such that the first wireway portion is proximate an end of the first photovoltaic module; and removably attaching the first cover to the first wireway portion, wherein the at least one rail is removably retained within the at least one slot.

11. The method of claim 10, wherein the first photovoltaic module further comprises: a third solar cell, and a first ribbon, wherein the first ribbon extends between the first solar cell and the third solar cell in a first direction, wherein the first ribbon is in electrical communication with the first solar cell and the third solar cell; wherein the first cover further comprises: a fourth solar cell, and a second ribbon, wherein the second ribbon extends between the second solar cell and the fourth solar cell in a second direction, wherein the second ribbon is in electrical communication with the second solar cell and the fourth solar cell, wherein the second direction is different than the first direction.

12. The method of claim 11, wherein the second direction is perpendicular to the first direction.

13. The method of claim 10, further comprising: obtaining a second photovoltaic module, wherein the second photovoltaic module comprises a third solar cell; obtaining a second wireway portion; obtaining a second cover, wherein the second cover comprises a fourth solar cell, wherein the fourth solar cell is in electrical communication with the second solar cell; installing the second photovoltaic module on the roof deck; installing the second wireway portion on the roof deck, such that: one side of the second wireway portion is proximate an end of the second photovoltaic module, and another side of the second wireway portion is proximate a side of the first wireway portion; and removably attaching the second cover to the second wireway portion.

14. The method of claim 10, further comprising: obtaining a second photovoltaic module, wherein the second photovoltaic module comprises a third solar cell; and installing the second photovoltaic module on the roof deck, such that: a portion of second photovoltaic module is proximate the first photovoltaic module, and an end of the second photovoltaic module is proximate the first wireway portion.

15. The method of claim 14, wherein the first cover further comprises a fourth solar cell; wherein the method further comprises: obtaining a first wire; obtaining a second wire; installing the first wire to electrically connect the first solar cell and the second solar cell; and installing the second wire to electrically connect the third solar cell and the fourth solar cell.

16. The method of claim 10, wherein the first cover further comprises: a fifth solar cell, and a ribbon, wherein the ribbon extends between the second solar cell and the fifth solar cell, wherein the ribbon is in electrical communication with the second solar cell and the fifth solar cell; wherein the method further comprises: obtaining a second photovoltaic module, wherein the second photovoltaic module comprises a third solar cell; obtaining a third photovoltaic module, wherein the third photovoltaic module comprises a fourth solar cell; obtaining a second wireway portion; installing the second photovoltaic module on the roof deck, such that the second photovoltaic module is proximate the first photovoltaic module; installing the third photovoltaic module on the roof deck, such that the third photovoltaic module is proximate the second photovoltaic module; installing the second wireway portion on the roof deck, such that one side of the second wireway portion is proximate an end of the third photovoltaic module; and removably attaching the first cover is removably attached to the first wireway portion and the second wireway portion.

17. The method of claim 16, further comprising: obtaining a first wire; obtaining a second wire; obtaining a third wire; installing the first wire to electrically connect the first solar cell and the second solar cell; installing the second wire to electrically connect the first solar cell and the third solar cell; and installing the third wire to electrically connect the fourth solar cell and the third solar cell.

18. The method of claim 10, wherein the first cover comprises a top surface, wherein the top surface comprises a channel, wherein the second solar cell is positioned within the channel.

19. A system, comprising: a roof deck; a first photovoltaic module installed on the roof deck, wherein the first photovoltaic module comprises a first solar cell, a second solar cell, and a first ribbon, wherein the first ribbon extends between the first solar cell and the second solar cell in a first direction, wherein the first ribbon is in electrical communication with the first solar cell and the second solar cell; a first wireway portion installed on the roof deck, wherein the first wireway portion is proximate to an end of the first photovoltaic module; and a first cover, wherein the first cover is removably attached to the first wireway portion, wherein the first cover comprises a third solar cell, a fourth solar cell, and a second ribbon, wherein the second ribbon extends between the third solar cell and the fourth solar cell in a second direction, wherein the second direction is different than the first direction, and wherein the second ribbon is in electrical communication with the third solar cell and the fourth solar cell.

20. The system of claim 19, wherein the second direction is perpendicular to the first direction.
