



US 20250281556A1

(19) **United States**

(12) **Patent Application Publication**
Kennedy et al.

(10) **Pub. No.: US 2025/0281556 A1**

(43) **Pub. Date: Sep. 11, 2025**

(54) **PRODUCTION OF RNA POLYNUCLEOTIDES
ENCODING PICORNAVIRUS**

Publication Classification

(71) Applicant: **ElevateBio Technologies, Inc.**,
Waltham, MA (US)

(72) Inventors: **Edward M. Kennedy**, Andover, MA
(US); **Anton ALENKO**, Medford, MA
(US); **Ana De Almeida**, Stoneham, MA
(US); **Jeffrey David BRYANT**,
Cambridge, MA (US)

(21) Appl. No.: **18/859,955**

(22) PCT Filed: **Apr. 28, 2023**

(86) PCT No.: **PCT/US2023/066352**

§ 371 (c)(1),

(2) Date: **Oct. 24, 2024**

(51) **Int. Cl.**

A61K 35/768 (2015.01)

A61K 9/1271 (2025.01)

A61K 9/51 (2006.01)

C12N 7/00 (2006.01)

C12N 15/86 (2006.01)

C12N 15/88 (2006.01)

(52) **U.S. Cl.**

CPC **A61K 35/768** (2013.01); **A61K 9/1271**

(2013.01); **A61K 9/5123** (2013.01); **C12N 7/00**

(2013.01); **C12N 15/86** (2013.01); **C12N**

15/88 (2013.01); **C12N 2770/32032** (2013.01);

C12N 2770/32043 (2013.01); **C12N 2830/50**

(2013.01)

(57)

ABSTRACT

The present disclosure relates to production of recombinant RNA molecules encoding an oncolytic virus genome, such as a picornavirus, with native 5' end of the viral genome utilizing ribozymes. The present disclosure further relates to the design of corresponding DNA template and the use of the recombinant RNA molecules and/or corresponding particles for the treatment and prevention of cancer.

Specification includes a Sequence Listing.

Related U.S. Application Data

(60) Provisional application No. 63/336,601, filed on Apr. 29, 2022.






Fig. 1



**** Two-way ANOVA, Tukey Test $p < 0.0001$

CVA21-encoding RNA formulated with Lipofectamine (positive control)

CVA21 LNP formulation # 70032-6.C

Fig. 2A




Fig. 2B




Fig. 3




Fig. 4




Fig. 5B




Fig. 5A




Fig. 6B





Fig. 6A



PMID: 22454536

Fig. 8




Fig. 9A




Fig. 9B




Fig. 10A




Fig. 10B




Fig. 10C




Fig. 11A





Fig. 11B






Fig. 12A




Fig. 12B

Fig. 12C

Measured % of correctly processed vRNA

RNA ID	% Active Ribozyme	
	RT-dPCR	RNA Digest
CVA21v1	10-23%	14-17%
Env27v2 Batch1	92%	
Env27v2 Batch2	93%	
Env27v2 Batch3	96%	
Env27v2 Batch4	95%	
Env27v2 Batch5	93%	99%

Two complementary assays show a high degree of processing

Fig. 13




Fig. 14A




Fig. 14B





Fig. 14C

CVA21v1 control



Env27v2




Fig. 15A

UV A280 Absorption of CVA21 Viral Genome with
Varying Poly-A Tail Length on Oligo-dT Chromatography




Fig. 15B

UV A280 Absorption of SVV Viral Genome with
Varying Poly-A Tail Length on Oligo-dT Chromatography




Fig. 16A






Fig. 16B

H1299 Tumor Size

CVA21 EF 30pA + SEQ ID NO: 17 ribozyme CVA21 EF 70pA + SEQ ID NO: 17 ribozyme



CVA21 EF 30pA + SEQ ID NO: 18 ribozyme CVA21 EF 70pA + SEQ ID NO: 18 ribozyme



PRODUCTION OF RNA POLYNUCLEOTIDES ENCODING PICORNAVIRUS

CROSS-REFERENCE TO RELATED APPLICATIONS

[0001] This application claims the benefit of U.S. Provisional Application No. 63/336,601, filed Apr. 29, 2022, the content of which is herein incorporated by reference in its entirety.

INCORPORATION OF THE TEXT FILE SUBMITTED ELECTRONICALLY

[0002] The contents of the text file submitted electronically herewith are incorporated herein by reference in its entirety. A computer readable format copy of the Sequence Listing (filename: ONCR_031_01WO_SeqList_ST26.xml, date created: Apr. 28, 2023, file size: 510,929 bytes).

FIELD

[0003] The present disclosure generally relates to the fields of immunology, inflammation, and cancer therapeutics. More specifically, the present disclosure relates to production of RNA polynucleotides encoding the viral genome of an oncolytic virus such as a picornavirus (e.g., a Coxsackievirus) and the design of recombinant DNA molecules for such viral genome expression. The disclosure further relates to the treatment and prevention of proliferative disorders such as cancer.

BACKGROUND

[0004] Oncolytic viruses are replication-competent viruses with lytic life-cycle able to infect and lyse tumor cells. Direct tumor cell lysis results not only in cell death, but also the generation of an innate and adaptive immune response against tumor antigens taken up and presented by local antigen presenting cells. Therefore, oncolytic viruses combat tumor cell growth through both direct cell lysis and by promoting antigen-specific adaptive responses capable of maintaining anti-tumor responses after viral clearance.

[0005] However, clinical use of replication-competent viruses poses several challenges. In general, viral exposure activates innate immune pathways, resulting in a broad, non-specific inflammatory response. If the patient has not been previously exposed to the virus, this initial innate immune response can lead to the development of an adaptive anti-viral response and the production of neutralizing antibodies. If a patient has been previously exposed to the virus, existing neutralizing anti-viral antibodies can prevent the desired lytic effects. In both instances, the presence of neutralizing antibodies not only prevents viral lysis of target cells, but also renders re-administration of the viral therapeutic ineffective. These factors limit the use of viral therapeutics in the treatment of metastatic cancers, as the efficacy of repeated systemic administration required for treatment of such cancers is hampered by naturally occurring anti-viral responses.

[0006] One strategy to overcome such challenges is to use artificial particles (e.g., lipid nanoparticles), rather than native viral particles, for delivering the polynucleotides that encode the viral genome to the target cells. Generating these artificial particles usually requires producing and packaging the recombinant polynucleotides encoding the viral genome in vitro, and such recombinant polynucleotides need to be

able to efficiently generate the viral RNAs once introduced in cells. However, many viral genomes (e.g., those of various picornaviruses) require native 5' and/or 3' ends of the viral genome to efficiently replicate. And there remains a long-felt and unmet need in the art for compositions and methods related to producing recombinant polynucleotides that contain native 5' and/or 3' ends of the corresponding viral genome in vitro. The present disclosure provides such compositions and methods, and more.

SUMMARY

[0007] In one aspect, the present disclosure provides a recombinant DNA molecule comprising, from 5' to 3', a promoter sequence, a 5' junctional cleavage sequence, and a polynucleotide sequence encoding an RNA molecule comprising a synthetic RNA viral genome, wherein the 5' junctional cleavage sequence comprises or consists of a ENV27 ribozyme encoding sequence.

[0008] In one aspect, the present disclosure provides a recombinant DNA molecule comprising, from 5' to 3', a promoter sequence, a 5' junctional cleavage sequence, a polynucleotide sequence encoding an RNA molecule comprising a synthetic RNA viral genome, a poly-A tail, and a 3' junctional cleavage sequence, wherein the 5' junctional cleavage sequence comprises or consists of a ENV27 ribozyme encoding sequence.

[0009] In some embodiments, the ENV27 ribozyme encoding sequence comprises or consists of a polynucleotide sequence (excluding P3 stem insert) having at least 80% identity to SEQ ID NO: 132 (excluding its P3 stem insert corresponding to nucleotides 49-54 of SEQ ID NO: 132). In some embodiments, the polynucleotide sequence (excluding P3 stem insert) is 100% identical, or has at most 1, at most 2, at most 3, at most 4, at most 5, at most 6, at most 7, at most 8, at most 9, at most 10, or at most 11 mutations (insertions, deletions or substitutions) as compared to, SEQ ID NO: 132 (excluding its P3 stem insert corresponding to nucleotides 49-54 of SEQ ID NO: 132). In some embodiments, the mutation(s) are substitution(s). In some embodiments, the ENV27 ribozyme encoding sequence comprises the polynucleotides "TTTATT" or "TTTGTT" at the positions corresponding to nucleotides 25-30 of SEQ ID NO: 132. In some embodiments, the ENV27 ribozyme encoding sequence comprises the polynucleotides "TTTATT" at the positions corresponding to nucleotides 25-30 of SEQ ID NO: 132. In some embodiments, the ENV27 ribozyme encoding sequence comprises the P3 stem insert of about 1-30, about 1-20, about 6-20, or about 6-10 polynucleotides in length. In some embodiments, the P3 stem insert is at least 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, or 20 polynucleotides in length. In some embodiments, the P3 stem insert is 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, or 20 polynucleotides in length. In some embodiments, the P3 stem insert comprises or consists of the polynucleotides "AGATCT" at the region corresponding to nucleotides 49-54 of SEQ ID NO: 132. In some embodiments, the P3 stem insert comprises or consists of the polynucleotides "AGAGAAATCT" (SEQ ID NO: 137) at the region corresponding to nucleotides 49-54 of SEQ ID NO: 132. In some embodiments, the P3 stem insert comprises or consists of the polynucleotides "AGAACGAGAAATCGTTCT" (SEQ ID NO: 138) at the region corresponding to nucleotides 49-54 of SEQ ID NO: 132.

[0010] In some embodiments, the recombinant DNA molecule comprises, from 5' to 3', the promoter sequence, the 5' junctional cleavage sequence, the polynucleotide sequence encoding the RNA molecule comprising the synthetic RNA viral genome, and a poly-A tail.

[0011] In some embodiments, the recombinant DNA molecule comprises, from 5' to 3', the promoter sequence, the 5' junctional cleavage sequence, the polynucleotide sequence encoding the RNA molecule comprising the synthetic RNA viral genome, and a 3' junctional cleavage sequence.

[0012] In some embodiments, the recombinant DNA molecule comprises, from 5' to 3', the promoter sequence, the 5' junctional cleavage sequence, the polynucleotide sequence encoding the RNA molecule comprising the synthetic RNA viral genome, a poly-A tail, and a 3' junctional cleavage sequence.

[0013] In some embodiments, the synthetic RNA viral genome encodes a picornavirus. In some embodiments, the picornavirus is a Cocksackievirus virus. In some embodiments, the 5' end of the RNA viral genome starts with "UUAAA". In some embodiments, the Cocksackievirus is a CVA21 strain. In some embodiments, the CVA21 strain is selected from the Kuykendall strain, the EF strain and the KY strain. In some embodiments, the 5' end of the RNA viral genome comprises or consists of a polynucleotide sequence having at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identity to nucleotides 1-260 of any one of SEQ ID NO: 1, 5, or 9.

[0014] In some embodiments, the recombinant DNA molecule does not comprise additional nucleic acid between the 5' junctional cleavage sequence and the polynucleotide sequence encoding the RNA molecule. In some embodiments, cleavage of the 5' junctional cleavage sequence and/or the 3' junctional cleavage sequence produces native 5' and/or 3' ends of the synthetic RNA viral genome after transcription.

[0015] In some embodiments, the recombinant DNA molecule of the disclosure further comprises a leader sequence between the promoter sequence and the 5' junctional cleavage sequence. In some embodiments, the leader sequence is less than 100 bp, less than 90 bp, less than 80 bp, less than 70 bp, less than 60 bp, less than 50 bp, or less than 40 bp in length. In some embodiments, the leader sequence comprises or consists of a polynucleotide sequence having at least 70%, at least 80%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% sequence identity according to SEQ ID NO: 135 or 136. In some embodiments, the leader sequence comprises or consists of a polynucleotide sequence having at least 70%, at least 80%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% sequence identity according to SEQ ID NO: 135.

[0016] In some embodiments, the recombinant DNA molecule does not comprise additional nucleic acid between the promoter sequence and the leader sequence. In some embodiments, the recombinant DNA molecule does not comprise additional nucleic acid between the leader sequence and the 5' junctional cleavage sequence.

[0017] In some embodiments, the promoter sequence is a T7 promoter sequence. In some embodiments, the T7 promoter sequence comprises or consists of SEQ ID NO: 91.

[0018] In some embodiments, the poly-A tail is about 50-90 bp in length or about 65-75 bp in length. In some embodiments, the poly-A tail is about 70 bp in length. In some embodiments, the poly-A tail is about 10-50 bp, or 25-35 bp in length.

[0019] In some embodiments, the 3' junctional cleavage sequence comprises or consists of a ribozyme sequence. In some embodiments, the 3' ribozyme sequence is a hepatitis delta virus ribozyme sequence.

[0020] In some embodiments, the 3' junctional cleavage sequence comprises or consists of a restriction enzyme recognition sequence. In some embodiments, the 3' junctional cleavage sequence comprises or consists of a Type IIS restriction enzyme recognition sequence. In some embodiments, the 3' junctional cleavage sequence comprises or consists of a BsmBI recognition sequence. In some embodiments, the 3' junctional cleavage sequence comprises or consists of a BsaI recognition sequence.

[0021] In some embodiments, the promoter sequence is a T7 promoter sequence, the leader sequence consists of a polynucleotide sequence according to SEQ ID NO: 135, the 5' junctional cleavage sequence comprises or consists of a ENV27 ribozyme sequence according to any one of SEQ ID NO: 132-134, the poly-A tail is about 70 bp in length, and the 3' junctional cleavage sequence comprises or consists of a BsmBI recognition sequence.

[0022] In some embodiments, the promoter sequence is a T7 promoter sequence, the leader sequence consists of a polynucleotide sequence according to SEQ ID NO: 135, the 5' junctional cleavage sequence comprises or consists of a ENV27 ribozyme sequence according to any one of SEQ ID NO: 132-134, the poly-A tail is about 70 bp in length, and the 3' junctional cleavage sequence comprises or consists of a BsaI recognition sequence.

[0023] In some embodiments, the recombinant DNA molecule does not comprise additional nucleic acid within the region spanning the promoter sequence and the 3' junctional cleavage sequence.

[0024] In one aspect, the disclosure provides methods of producing a recombinant RNA molecule, comprising in vitro transcription of the recombinant DNA molecule of the disclosure and purification of the resulting recombinant RNA molecule. In some embodiments, the recombinant RNA molecule comprises 5' and 3' ends that are native to the viral genome encoded by the recombinant RNA molecule.

[0025] In one aspect, the disclosure provides recombinant RNA molecules transcribed from the recombinant DNA molecule of the disclosure. In some embodiments, at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, at least 99.5%, or at least 99.9%, of the recombinant RNA molecules comprise 5' and 3' ends that are native to the viral genome encoded by the recombinant RNA molecule. In some embodiments, no more than 30%, no more than 25%, no more than 20%, no more than 15%, no more than 10%, no more than 5%, no more than 4%, no more than 3%, no more than 2%, no more than 1%, no more than 0.5%, or no more than 0.1%, of the recombinant RNA molecules comprise an RNA sequence encoded by the ENV27 ribozyme encoding sequence. In some embodiments, at least one of the recombinant RNA molecules comprises an RNA sequence encoded by the ENV27 ribozyme encoding sequence. In some embodiments, at least 0.0001%, at least 0.001%, at least 0.01%, at least 0.1%, or at least 1%, of the

recombinant RNA molecules comprise an RNA sequence encoded by the ENV27 ribozyme encoding sequence.

[0026] In one aspect, the disclosure provides compositions comprising an effective amount of the recombinant RNA molecule of the disclosure, and a carrier suitable for administration to a mammalian subject.

[0027] In one aspect, the disclosure provides particles comprising the recombinant RNA molecule of the disclosure. In some embodiments, the particle is selected from the group consisting of a nanoparticle, an exosome, a liposome, and a lipoplex. In some embodiments, the particle is a lipid nanoparticle.

[0028] In one aspect, the disclosure provides pharmaceutical compositions comprising a plurality of particles of the disclosure. In some embodiments, delivery of the composition to a subject delivers the encapsulated recombinant RNA molecule to a target cell, and wherein the encapsulated recombinant RNA molecule produces an infectious virus capable of lysing the target cell.

[0029] In one aspect, the disclosure provides methods of killing a cancerous cell comprising exposing the cancerous cell to the particle of the disclosure, or compositions thereof, under conditions sufficient for the intracellular delivery of the particle to said cancerous cell, wherein the replication-competent virus produced by the encapsulated polynucleotide results in killing of the cancerous cell. In one aspect, the disclosure provides methods of treating a cancer in a subject comprising administering to a subject suffering from the cancer an effective amount of the particle of the disclosure, or compositions thereof. In some embodiments, the method is performed in vivo, in vitro, or ex vivo. In some embodiments, the cancer is lung cancer, breast cancer, colon cancer, or pancreatic cancer, and wherein the synthetic RNA viral genome comprises a polynucleotide sequence derived from the KY strain. In some embodiments, the cancer is bladder cancer, renal cell carcinoma, ovarian cancer, gastric cancer or liver cancer, and wherein the synthetic RNA viral genome comprises a polynucleotide sequence derived from the EF strain. In some embodiments, the cancer is selected from lung cancer, breast cancer, ovarian cancer, cervical cancer, prostate cancer, testicular cancer, colorectal cancer, colon cancer, pancreatic cancer, liver cancer, renal cell carcinoma, gastric cancer, head and neck cancer, thyroid cancer, malignant glioma, glioblastoma, melanoma, B-cell chronic lymphocytic leukemia, multiple myeloma, monoclonal gammopathy of undetermined significance (MGUS), Merkel cell carcinoma, diffuse large B-cell lymphoma (DLBCL), sarcoma, a neuroblastoma, a neuroendocrine cancer, a rhabdomyosarcoma, a medulloblastoma, a bladder cancer, and marginal zone lymphoma (MZL). In some embodiments, the cancer is selected from the groups consisting of lung cancer, breast cancer, colon cancer, pancreatic cancer, bladder cancer, renal cell carcinoma, ovarian cancer, gastric cancer and liver cancer. In some embodiments, the cancer is renal cell carcinoma, lung cancer, or liver cancer. In some embodiments, the cancer is small cell lung cancer or non-small cell lung cancer (e.g., squamous cell lung cancer or lung adenocarcinoma). In some embodiments, the cancer is hepatocellular carcinoma (HCC) (e.g., Hepatitis B virus associated HCC). In some embodiments, the cancer is treatment-emergent neuroendocrine prostate cancer. In some embodiments, the cancer is lung cancer, liver cancer, prostate cancer (e.g., CRPC-NE), bladder cancer, pancreatic cancer, colon cancer, gastric cancer, breast cancer, neuro-

blastoma, renal cell carcinoma, ovarian cancer, rhabdomyosarcoma, medulloblastoma, neuroendocrine cancer, Merkel cell carcinoma, or melanoma. In some embodiments, the cancer is neuroblastoma.

BRIEF DESCRIPTION OF THE DRAWINGS

[0030] FIG. 1 shows tumor volume in SK-MEL-28 tumor-bearing mice following intratumoral administration of PBS or CVA21-RNA molecules formulated with Lipofectamine or intravenous administration of LNPs comprising CVA21-Kuykendall strain RNA molecules (formulation ID: 70032-6C).

[0031] FIG. 2A shows an overview of an in vitro transcriptional approach to generate an authentic 3' terminus for picornaviruses using 3' Type IIS restriction enzyme recognition sites. FIG. 2B shows electrophoresis of DNA digestion by BsmBI or BsaI restriction enzyme.

[0032] FIG. 3 shows an RNaseH approach for generating an authentic 5' terminus for picornaviruses using 5' DNA primers and an RNaseH enzyme.

[0033] FIG. 4 shows a ribozyme approach for generating authentic 5' termini for picornaviruses.

[0034] FIG. 5A-FIG. 5B show hammerhead ribozymes for generation of discrete 5' termini. FIG. 5A shows a structural model of a minimal hammerhead ribozyme (HHR) that anneals and cleaves at the 5' terminus at the arrow (SEQ ID NO: 75). FIG. 5B shows a structural model of a ribozyme with a stabilized stem I (STBL) for cleavage of 5' terminus at the arrow (SEQ ID NO: 76).

[0035] FIG. 6A-FIG. 6B show pistol ribozymes for generation of discrete 5' termini. FIG. 6A shows a schematic of wild type Pistol ribozyme characteristics (SEQ ID NO: 77). FIG. 6B shows Pistol ribozyme from *P. polomyxa* with a tetraloop added to fuse the P3 strands modeled by mFOLD. The dashed box is the area mutagenized to retain the fold of the ribozyme in the context of the viral sequence. The "GUC" sequence shown in the dashed box was mutated to "UCA" to generate Pistol 1 and the "GUC" sequence was mutated to "TTA" to generate Pistol 2. (SEQ ID NO: 78)

[0036] FIG. 7 shows the sequence alignment of multiple Pistol ribozyme variants and the location of the P2 motif.

[0037] FIG. 8 shows the in vitro transcription process for CVA21-RNA and Neg-RNA. Autocatalytic cleavage of CVA21-RNA by 5' and 3' ribozyme (Rib) generated CVA21-RNA with discrete 5' and 3' ends required for replication. In contrast, the Neg-RNA construct lacks ribozyme sequence and was not capable of replication and virion production.

[0038] FIG. 9A shows a general schematic of using junctional cleavage sequences to remove non-viral RNA polynucleotides from the genome transcripts in order to maintain the native 5' and 3' discrete ends of the virus. FIG. 9B shows a schematic of using junctional cleavage sequences to remove non-viral RNA polynucleotides from the genome transcripts in order to maintain the native 5' and 3' discrete ends of the virus wherein the 3' junctional cleavage sequence comprises a restriction enzyme recognition site.

[0039] FIG. 10A shows the schematics of a non-limiting example of the CVA21 expression construct design and corresponding in vitro transcription process to generate synthetic RNA viral genomes with precise ends at 5' and 3'. FIG. 10B shows the design of DNA constructs that test the cleavage efficiency of ribozymes as 5' junctional cleavage sequence. FIG. 10C is a gel electrophoresis image showing

the cleavage efficiency of the initial candidate ribozyme for either a shorter, ~60 nt virus start or a longer, ~260 nt virus start.

[0040] FIG. 11A shows the DNA sequences encoding various ENV27 ribozymes. FIG. 11B shows (left) a diagram of the ribozyme secondary structure and (right) the base pairings of the ribozyme P2 motif with the 5' end of the viral genome.

[0041] FIG. 12A and FIG. 12B are gel electrophoresis images showing the cleavage efficiency of the indicated ribozyme constructs. FIG. 12C is a table summarizing the cleavage efficiency of each indicated ribozyme incorporated into viral genome expression constructs.

[0042] FIG. 13 is a chart showing the virus titer produced by cells transfected with the viral genome RNAs produced by the indicated DNA template.

[0043] FIG. 14A is a chart showing the growth of tumor in animals treated with LNPs comprising the viral genome RNA produced by the indicated DNA templates. FIG. 14B is a chart showing the body weight change of animals treated with LNPs comprising the viral genome RNA produced by the indicated DNA template. FIG. 14C shows tumor growth charts for NCI-H1299 animal tumor model treated with LNPs comprising the viral genome RNA produced by the indicated DNA templates.

[0044] FIG. 15A shows the UV A280 absorption profile of CVA21 viral genome with varying poly-A tail length using Oligo-dT chromatography. FIG. 15B shows the UV A280 absorption profile of SVV viral genome with varying poly-A tail length using Oligo-dT chromatography.

[0045] FIG. 16A is a diagram plotting the change of tumor sizes over time in animals treated with the indicated LNPs comprising RNA viral genomes obtained from in vitro transcription of DNA templates with different designs (e.g., varying poly-A tail length and 5' ribozyme sequences), using a NCI-H1299 xenograft model. FIG. 16B shows diagrams plotting the change of tumor sizes over time in animals treated with the indicated LNPs.

DETAILED DESCRIPTION

[0046] The present disclosure provides recombinant polynucleotides encoding viral genomes and design of template vectors for viral expression in vitro. Especially, the recombinant polynucleotides may be required to expose native 5' and 3' ends of the viral genome to allow efficient viral replication in cells. Producing such recombinant polynucleotides requires optimization of the design of vector template as well as the manufacturing process (e.g., expression, purification, encapsulation, and storage).

[0047] In some embodiments, the viral genomes are replication competent. The present disclosure also provides viral genomes that can be encapsulated in a non-immunogenic particle, such as a lipid nanoparticle, polymeric nanoparticle, or an exosome, which can be repeatedly administered to a subject. In some embodiments, the particle further encapsulates a polynucleotide encoding a payload molecule. Accordingly, the present disclosure enables the systemic delivery of a safe, efficacious recombinant polynucleotide vector, and provides methods for the treatment and prevention of a broad array of proliferative disorders (e.g., cancers).

[0048] The section headings used herein are for organizational purposes only and are not to be construed as limiting the subject matter described. All documents, or portions of

documents, cited herein, including but not limited to patents, patent applications, articles, books, and treatises, are hereby expressly incorporated by reference in their entirety for any purpose. In the event that one or more of the incorporated documents or portions of documents define a term that contradicts that term's definition in the application, the definition that appears in this application controls. However, mention of any reference, article, publication, patent, patent publication, and patent application cited herein is not, and should not be taken as an acknowledgment, or any form of suggestion, that they constitute valid prior art or form part of the common general knowledge in any country in the world.

Definitions

[0049] In the present description, any concentration range, percentage range, ratio range, or integer range is to be understood to include the value of any integer within the recited range and, when appropriate, fractions thereof (such as one tenth and one hundredth of an integer), unless otherwise indicated. It should be understood that the terms "a" and "an" as used herein refer to "one or more" of the enumerated components unless otherwise indicated. The use of the alternative (e.g., "or") should be understood to mean either one, both, or any combination thereof of the alternatives. As used herein, the terms "include" and "comprise" are used synonymously. As used herein, "plurality" may refer to one or more components (e.g., one or more miRNA target sequences). In this application, the use of "or" means "and/or" unless stated otherwise.

[0050] As used in this application, the terms "about" and "approximately" are used as equivalents. Any numerals used in this application with or without about/approximately are meant to cover any normal fluctuations appreciated by one of ordinary skill in the relevant art. In certain embodiments, the term "approximately" or "about" refers to a range of values that fall within 10%, in either direction (greater than or less than) of the stated reference value unless otherwise stated or otherwise evident from the context (except where such number would exceed 100% of a possible value). In some embodiments, the term "approximately" or "about" refers to a range of values that fall within 10% in either direction (greater than or less than) of the stated reference value unless otherwise stated or otherwise evident from the context (except where such number would exceed 100% of a possible value).

[0051] "Decrease" or "reduce" refers to a decrease or a reduction in a particular value of at least 5%, for example, 5, 6, 7, 8, 9, 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 99, or 100% as compared to a reference value. A decrease or reduction in a particular value may also be represented as a fold-change in the value compared to a reference value, for example, at least 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 30, 40, 50, 60, 70, 80, 90, 100, 200, 500, 1000-fold, or more, decrease as compared to a reference value.

[0052] "Increase" refers to an increase in a particular value of at least 5%, for example, 5, 6, 7, 8, 9, 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 99, 100, 200, 300, 400, 500% or more as compared to a reference value. An increase in a particular value may also be represented as a fold-change in the value compared to a reference value, for example, at least 1-fold, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 30, 40, 50, 60, 70, 80, 90, 100, 200, 500, 1000-fold or more, increase as compared to the level of a reference value.

[0053] The term “sequence identity” refers to the percentage of bases or amino acids between two polynucleotide or polypeptide sequences that are the same, and in the same relative position. As such one polynucleotide or polypeptide sequence has a certain percentage of sequence identity compared to another polynucleotide or polypeptide sequence. For sequence comparison, typically one sequence acts as a reference sequence, to which test sequences are compared. The term “reference sequence” refers to a molecule to which a test sequence is compared. Unless noted otherwise, the term “sequence identity” in the claims refers to sequence identity as calculated by Clustal Omega® version 1.2.4 using default parameters.

[0054] The term “derived from” refers to a polypeptide or polynucleotide sequence that comprises all or a portion of a reference polypeptide or polynucleotide sequence. For example, an RNA polynucleotide encoding an SVV or CVA genome described herein may comprise a polynucleotide sequence derived from all or a portion of a reference SVV or CVA genome (e.g., a naturally occurring or modified SVV or CVA genome). A polypeptide or polynucleotide sequence “derived from” a reference polypeptide or polynucleotide sequence also includes polypeptide and/or polynucleotide sequences that comprise one more amino acid or nucleic acid mutations (e.g., substitutions, deletions, and/or insertions) relative to the reference polypeptide or polynucleotide sequence.

[0055] “Complementary” refers to the capacity for pairing, through base stacking and specific hydrogen bonding, between two sequences comprising naturally or non-naturally occurring (e.g., modified as described above) bases (nucleotides) or analogs thereof. For example, if a base at one position of a nucleic acid is capable of hydrogen bonding with a base at the corresponding position of a target, then the bases are considered to be complementary to each other at that position. Nucleic acids can comprise universal bases, or inert abasic spacers that provide no positive or negative contribution to hydrogen bonding. Base pairings may include both canonical Watson-Crick base pairing and non-Watson-Crick base pairing (e.g., Wobble base pairing and Hoogsteen base pairing). It is understood that for complementary base pairings, adenosine-type bases (A) are complementary to thymidine-type bases (T) or uracil-type bases (U), that cytosine-type bases (C) are complementary to guanosine-type bases (G), and that universal bases such as such as 3-nitropyrrole or 5-nitroindole can hybridize to and are considered complementary to any A, C, U, or T. Nichols et al., *Nature*, 1994; 369:492-493 and Loakes et al., *Nucleic Acids Res.*, 1994; 22:4039-4043. Inosine (I) has also been considered in the art to be a universal base and is considered complementary to any A, C, U, or T. See Watkins and SantaLucia, *Nucl. Acids Research*, 2005; 33 (19): 6258-6267.

[0056] An “expression cassette” or “expression construct” refers to a polynucleotide sequence operably linked to a promoter. “Operably linked” refers to a juxtaposition wherein the components so described are in a relationship permitting them to function in their intended manner. For instance, a promoter is operably linked to a polynucleotide sequence if the promoter affects the transcription or expression of the polynucleotide sequence.

[0057] The term “subject” includes animals, such as e.g. mammals. In some embodiments, the mammal is a primate. In some embodiments, the mammal is a human. In some

embodiments, subjects are livestock such as cattle, sheep, goats, cows, swine, and the like; or domesticated animals such as dogs and cats. In some embodiments (e.g., particularly in research contexts) subjects are rodents (e.g., mice, rats, hamsters), rabbits, primates, or swine such as inbred pigs and the like. The terms “subject” and “patient” are used interchangeably herein.

[0058] “Administration” refers herein to introducing an agent or composition into a subject or contacting a composition with a cell and/or tissue.

[0059] “Treating” as used herein refers to delivering an agent or composition to a subject to affect a physiologic outcome. In some embodiments, treating refers to the treatment of a disease in a mammal, e.g., in a human, including (a) inhibiting the disease, i.e., arresting disease development or preventing disease progression; (b) relieving the disease, i.e., causing regression of the disease state; and (c) curing the disease.

[0060] The term “effective amount” refers to the amount of an agent or composition required to result in a particular physiological effect (e.g., an amount required to increase, activate, and/or enhance a particular physiological effect). The effective amount of a particular agent may be represented in a variety of ways based on the nature of the agent, such as mass/volume, # of cells/volume, particles/volume, (mass of the agent)/(mass of the subject), # of cells/(mass of subject), or particles/(mass of subject). The effective amount of a particular agent may also be expressed as the half-maximal effective concentration (EC_{50}), which refers to the concentration of an agent that results in a magnitude of a particular physiological response that is half-way between a reference level and a maximum response level.

[0061] “Population” of cells refers to any number of cells greater than 1, but is preferably at least 1×10^3 cells, at least 1×10^4 cells, at least 1×10^5 cells, at least 1×10^6 cells, at least 1×10^7 cells, at least 1×10^8 cells, at least 1×10^9 cells, at least 1×10^{10} cells, or more cells. A population of cells may refer to an in vitro population (e.g., a population of cells in culture) or an in vivo population (e.g., a population of cells residing in a particular tissue).

[0062] “Effector function” refers to functions of an immune cell related to the generation, maintenance, and/or enhancement of an immune response against a target cell or target antigen.

[0063] The terms “microRNA,” “miRNA,” and “miR” are used interchangeably herein and refer to small non-coding endogenous RNAs of about 21-25 nucleotides in length that regulate gene expression by directing their target messenger RNAs (mRNA) for degradation or translational repression.

[0064] The term “composition” as used herein refers to a formulation of a recombinant RNA molecule or a particle-encapsulated recombinant RNA molecule described herein that is capable of being administered or delivered to a subject or cell.

[0065] The phrase “pharmaceutically acceptable” is employed herein to refer to those compounds, materials, compositions, and/or dosage forms which are, within the scope of sound medical judgment, suitable for use in contact with the tissues of human beings and animals without excessive toxicity, irritation, allergic response, or other problem or complication, commensurate with a reasonable benefit/risk ratio.

[0066] As used herein “pharmaceutically acceptable carrier, diluent or excipient” includes without limitation any

adjuvant, carrier, excipient, glidant, sweetening agent, diluent, preservative, dye/colorant, flavor enhancer, surfactant, wetting agent, dispersing agent, suspending agent, stabilizer, isotonic agent, solvent, surfactant, and/or emulsifier which has been approved by the United States Food and Drug Administration as being acceptable for use in humans and/or domestic animals.

[0067] The term “replication-competent viral genome” refers to a viral genome encoding all of the viral genes necessary for viral replication and production of an infectious viral particle.

[0068] The term “oncolytic virus” refers to a virus that has been modified to, or naturally, preferentially infect cancer cells.

[0069] The term “vector” is used herein to refer to a nucleic acid molecule capable of transferring, encoding, or transporting another nucleic acid molecule.

[0070] The terms “corresponding to” or “correspond to”, as used herein in relation to the amino acid or nucleic acid position(s), refer to the position(s) in a first polypeptide/polynucleotide sequence that aligns with a given amino acid/nucleic acid in a reference polypeptide/polynucleotide sequence when the first and the reference polypeptide/polynucleotide sequences are aligned. Alignment is performed by one of skill in the art using software designed for this purpose, for example, Clustal Omega version 1.2.4 with the default parameters for that version.

[0071] The term “encapsulation efficiency” or “EE %” refers to the percentage of a target molecule (e.g., synthetic RNA viral genome) that is successfully entrapped into LNP. Encapsulation efficiency may be calculated using the formula:

$$(EE\%) = (Wt/Wi) \times 100\%$$

[0072] where Wt is the total amount of drug in the LNP suspension and Wi is the total quantity of drug added initially during preparation. As an illustrative example, if 97 mg of the target molecule are entrapped into LNPs out of a total 100 mg of the target molecule initially provided to the composition, the encapsulation efficiency may be given as 97%.

[0073] The term “lipid-nitrogen-to-phosphate ratio” or “[N:P]” refers to the ratio of positively-chargeable lipid amine groups to nucleic acid phosphate groups in a lipid nanoparticle.

[0074] The term “half-life” refers to a pharmacokinetic property of a molecule (e.g., a molecule encapsulated in a lipid nanoparticle). Half-life can be expressed as the time required to eliminate through biological processes (e.g., metabolism, excretion, accelerated blood clearance, etc.) fifty percent (50%) of a known quantity of a molecule in vivo, following its administration, from the subject’s body (e.g., human patient or other mammal) or a specific compartment thereof, for example, as measured in serum, i.e., circulating half-life, or in other tissues. In general, an increase in half-life results in an increase in mean residence time (MRT) in circulation for the molecule administered.

[0075] The term “accelerated blood clearance” or “ABC” refers to a phenomenon in which certain pharmaceutical agents (e.g., PEG-containing LNPs) are rapidly cleared from the blood upon second and subsequent administrations. ABC has been observed for many lipid-delivery vehicles, including liposomes and LNPs.

[0076] As used herein, the term “ratio” when used in reference to lipid composition (e.g., as a percentage of total lipid content) refers to molar ratio, unless clearly indicated otherwise. The molar ratio as a percentage of total lipid content can also be represented by “mol %”. For example, “49:22:28.5:0.5 mol %” means a molar ratio of 49:22:28.5:0.5.

[0077] The term “aliphatic” or “aliphatic group,” as used herein, means a straight-chain (i.e., unbranched) or branched, substituted or unsubstituted hydrocarbon chain that is completely saturated or that contains one or more units of unsaturation, or a monocyclic hydrocarbon or bicyclic hydrocarbon that is completely saturated or that contains one or more units of unsaturation, but which is not aromatic (also referred to herein as “carbocycle,” “cycloaliphatic,” or “cycloalkyl”), that has a single point of attachment to the rest of the molecule. Unless otherwise specified, aliphatic groups contain 1-6 aliphatic carbon atoms. In some embodiments, aliphatic groups contain 1-5 aliphatic carbon atoms. In other embodiments, aliphatic groups contain 1-4 aliphatic carbon atoms. In still other embodiments, aliphatic groups contain 1-3 aliphatic carbon atoms, and in yet other embodiments, aliphatic groups contain 1-2 aliphatic carbon atoms. In some embodiments, “cycloaliphatic” (or “carbocycle” or “cycloalkyl”) refers to a monocyclic C₃-C₆ hydrocarbon that is completely saturated or that contains one or more units of unsaturation, but which is not aromatic, that has a single point of attachment to the rest of the molecule. Suitable aliphatic groups include, but are not limited to, linear or branched, substituted or unsubstituted alkyl, alkenyl, alkynyl groups and hybrids thereof such as (cycloalkyl)alkyl, (cycloalkenyl)alkyl or (cycloalkyl)alkenyl.

[0078] The term “alkyl” as used herein is a branched or unbranched saturated hydrocarbon group having a specified number of carbon atoms. In some embodiments, alkyl refers to a branched or unbranched saturated hydrocarbon group having three carbon atoms (C₃). In some embodiments, alkyl refers to a branched or unbranched saturated hydrocarbon group having six carbon atoms (C₆). In some embodiments, the term “alkyl” includes, but is not limited to, methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl, s-butyl, t-butyl, n-pentyl, isopentyl, s-pentyl, neopentyl, and hexyl.

[0079] As used herein, the term “alkylene” refers to a bivalent alkyl group. An “alkylene chain” is a polymethylene group, i.e., —(CH₂)_n—, wherein n is a positive integer, preferably from 1 to 6, from 1 to 4, from 1 to 3, from 1 to 2, or from 2 to 3. A substituted alkylene chain is a polymethylene group in which one or more methylene hydrogen atoms are replaced with a substituent. Suitable substituents include those described below for a substituted aliphatic group.

[0080] The term “aryl” used alone or as part of a larger moiety as in “aralkyl,” “aralkoxy,” or “aryloxyalkyl,” refers to monocyclic and bicyclic ring systems having a total of five to fourteen ring members, wherein at least one ring in the system is aromatic and wherein each ring in the system contains three to seven ring members. The term “aryl” may be used interchangeably with the term “aryl ring”. In certain embodiments of the present disclosure, “aryl” refers to an aromatic ring system which includes, but not limited to, phenyl, biphenyl, naphthyl, anthracyl and the like, which may bear one or more substituents. Also included within the scope of the term “aryl,” as it is used herein, is a group in which an aromatic ring is fused to one or more non-aromatic

rings, such as indanyl, phthalimidyl, naphthimidyl, phenanthridinyl, or tetrahydronaphthyl, and the like.

[0081] The terms “heteroaryl” and “heteroar-,” used alone or as part of a larger moiety, e.g., “heteroaralkyl,” or “heteroaralkoxy,” refer to groups having 5 to 10 ring atoms, preferably 5, 6, or 9 ring atoms; having 6, 10, or 14 π electrons shared in a cyclic array; and having, in addition to carbon atoms, from one to five heteroatoms. The term “heteroatom” refers to nitrogen, oxygen, or sulfur, and includes any oxidized form of nitrogen or sulfur, and any quaternized form of a basic nitrogen. Heteroaryl groups include, without limitation, thienyl, furanyl, pyrrolyl, imidazolyl, pyrazolyl, triazolyl, tetrazolyl, oxazolyl, isoxazolyl, oxadiazolyl, thiazolyl, isothiazolyl, thiadiazolyl, pyridyl, pyridazinyl, pyrimidinyl, pyrazinyl, indoliziny, purinyl, naphthyridinyl, and pteridinyl. The terms “heteroaryl” and “heteroar-,” as used herein, also include groups in which a heteroaromatic ring is fused to one or more aryl, cycloaliphatic, or heterocyclyl rings, where the radical or point of attachment is on the heteroaromatic ring. Nonlimiting examples include indolyl, isoindolyl, benzothienyl, benzofuran, dibenzofuran, indazolyl, benzimidazolyl, benzthiazolyl, quinolyl, isoquinolyl, cinnolyl, phthalazinyl, quinazolinyl, quinoxalyl, 4H-quinoliziny, carbazolyl, acridinyl, phenazinyl, phenothiazinyl, phenoxazinyl, tetrahydroquinolyl, tetrahydroisoquinolyl, and pyrido[2,3-b]-1,4-oxazin-3 (4H)-one. A heteroaryl group may be mono- or bicyclic. The term “heteroaryl” may be used interchangeably with the terms “heteroaryl ring,” “heteroaryl group,” or “heteroaromatic,” any of which terms include rings that are optionally substituted. The term “heteroaralkyl” refers to an alkyl group substituted by a heteroaryl, wherein the alkyl and heteroaryl portions independently are optionally substituted.

[0082] The term “haloaliphatic” refers to an aliphatic group that is substituted with one or more halogen atoms.

[0083] The term “haloalkyl” refers to a straight or branched alkyl group that is substituted with one or more halogen atoms.

[0084] The term “halogen” means F, Cl, Br, or I.

[0085] As used herein, the terms “heterocycle,” “heterocyclyl,” “heterocyclic radical,” and “heterocyclic ring” are used interchangeably and refer to a stable 5- to 7-membered monocyclic or 7-10-membered bicyclic heterocyclic moiety that is either saturated or partially unsaturated, and having, in addition to carbon atoms, one or more, preferably one to four, heteroatoms, as defined above. When used in reference to a ring atom of a heterocycle, the term “nitrogen” includes a substituted nitrogen. As an example, in a saturated or partially unsaturated ring having 0-3 heteroatoms selected from oxygen, sulfur or nitrogen, the nitrogen may be N (as in 3,4-dihydro-2H-pyrrolyl), NH (as in pyrrolidinyl), or ^+NR (as in TV-substituted pyrrolidinyl). A heterocyclic ring can be attached to its pendant group at any heteroatom or carbon atom that results in a stable structure and any of the ring atoms can be optionally substituted. Examples of such saturated or partially unsaturated heterocyclic radicals include, without limitation, tetrahydrofuran, tetrahydrothiophenyl pyrrolidinyl, piperidinyl, pyrrolinyl, tetrahydroquinolyl, tetrahydroisoquinolyl, decahydroquinolyl, oxazolidinyl, piperazinyl, dioxanyl, dioxolanyl, diazepinyl, oxazepinyl, thiazepinyl, morpholinyl, and quinuclidinyl. The terms “heterocycle,” “heterocyclyl,” “heterocyclyl ring,” “heterocyclic group,” “heterocyclic moiety,” and

“heterocyclic radical,” are used interchangeably herein, and also include groups in which a heterocyclyl ring is fused to one or more aryl, heteroaryl, or cycloaliphatic rings, such as indolyl, 3H-indolyl, chromanyl, phenanthridinyl, or tetrahydroquinolyl, where the radical or point of attachment is on the heterocyclyl ring. A heterocyclyl group may be mono- or bicyclic. The term “heterocyclylalkyl” refers to an alkyl group substituted by a heterocyclyl, wherein the alkyl and heterocyclyl portions independently are optionally substituted.

[0086] A heterocyclic ring can be attached to its pendant group at any heteroatom or carbon atom that results in a stable structure and any of the ring atoms can be optionally substituted. Examples of such saturated or partially unsaturated heterocyclic radicals include, without limitation, tetrahydrofuran, tetrahydrothiophenyl pyrrolidinyl, piperidinyl, pyrrolinyl, tetrahydroisoquinolyl, decahydroquinolyl, oxazolidinyl, piperazinyl, dioxanyl, dioxolanyl, diazepinyl, oxazepinyl, thiazepinyl, morpholinyl, and quinuclidinyl. The terms “heterocycle,” “heterocyclyl,” “heterocyclyl ring,” “heterocyclic group,” “heterocyclic moiety,” and “heterocyclic radical,” are used interchangeably herein, and also include groups in which a heterocyclyl ring is fused to one or more aryl, heteroaryl, or cycloaliphatic rings, such as indolyl, 3H-indolyl, chromanyl, phenanthridinyl, or tetrahydroquinolyl, where the radical or point of attachment is on the heterocyclyl ring. A heterocyclyl group may be mono- or bicyclic. The term “heterocyclylalkyl” refers to an alkyl group substituted by a heterocyclyl, wherein the alkyl and heterocyclyl portions independently are optionally substituted.

[0087] As described herein, compounds of the disclosure may contain “optionally substituted” moieties. In general, the term “substituted,” whether preceded by the term “optionally” or not, means that one or more hydrogens of the designated moiety are replaced with a suitable substituent. Unless otherwise indicated, an “optionally substituted” group may have a suitable substituent at each substitutable position of the group, and when more than one position in any given structure may be substituted with more than one substituent selected from a specified group, the substituent may be either the same or different at every position. Combinations of substituents envisioned by this disclosure are preferably those that result in the formation of stable or chemically feasible compounds. The term “stable,” as used herein, refers to compounds that are not substantially altered when subjected to conditions to allow for their production, detection, and, in certain embodiments, their recovery, purification, and use for one or more of the purposes disclosed herein.

[0088] Suitable monovalent substituents on a substitutable carbon atom of an “optionally substituted” group are independently halogen; $-(CH_2)_{0-4}R^{\circ}$; $-(CH_2)_{0-4}OR^{\circ}$; $-O(CH_2)_{0-4}R^{\circ}$; $-O(CH_2)_{0-4}C(O)OR^{\circ}$; $-(CH_2)_{0-4}CH(OR^{\circ})_2$; $-(CH_2)_{0-4}SR^{\circ}$; $-(CH_2)_{0-4}Ph$, which may be substituted with R° ; $-(CH_2)_{0-4}O(CH_2)_{0-1}Ph$ which may be substituted with R° ; $-CH=CHPh$, which may be substituted with R° ; $-(CH_2)_{0-4}O(CH_2)_{0-1}$ -pyridyl which may be substituted with R° ; $-NO_2$; $-CN$; $-N_3$; $-(CH_2)_{0-4}N(R^{\circ})_2$; $-(CH_2)_{0-4}N(R^{\circ})C(O)R^{\circ}$; $-N(R^{\circ})C(S)R^{\circ}$; $-(CH_2)_{0-4}N(R^{\circ})C(O)N(R^{\circ})C(O)NR^{\circ}_2$; $-N(R^{\circ})C(S)NR^{\circ}_2$; $-(CH_2)_{0-4}N(R^{\circ})C(O)OR^{\circ}$; $-N(R^{\circ})N(R^{\circ})C(O)R^{\circ}$; $-N(R^{\circ})N(R^{\circ})C(O)NR^{\circ}_2$; $-N(R^{\circ})N(R^{\circ})C(O)OR^{\circ}$; $-(CH_2)_{0-4}C(O)R^{\circ}$; $-C(S)R^{\circ}$; $-(CH_2)_{0-4}C(O)OR^{\circ}$; $-(CH_2)_{0-4}C(O)SR^{\circ}$; $-(CH_2)_{0-4}C$

(O)OSIR[°]; —(CH₂)₀₋₄OC(O)R[°]; —OC(O)(CH₂)₀₋₄SR[°]; SC(S)SR[°]; —(CH₂)₀₋₄SC(O)R[°]; —(CH₂)₀₋₄C(O)NR[°]₂; —C(S)NR[°]₂; —C(S)SR[°]; —SC(S)SR[°]; —(CH₂)₀₋₄OC(O)NR[°]₂; —C(O)N(OR[°])R[°]; —C(O)C(O)R[°]; —C(O)CH₂C(O)R[°]; —C(NOR[°])R[°]; —(CH₂)₀₋₄SSR[°]; —(CH₂)₀₋₄S(O)₂R[°]; (CH₂)₀₋₄S(O)₂OR[°]; —(CH₂)₀₋₄OS(O)₂R[°]; —S(O)₂NR[°]₂; (CH₂)₀₋₄S(O)R[°]; —N(R[°]S(O)₂)NR[°]₂; —N(R[°])S(O)₂R[°]; —N(OR[°])R[°]; —C(NH)NR[°]₂; —P(O)₂R[°]; —P(O)R[°]₂; —OP(O)R[°]₂; —OP(O)(OR[°])₂; SiR[°]₃; —(C₁₋₄ straight or branched alkylene)O—N(R[°])₂; or —(C₁₋₄ straight or branched alkylene)C(O)O—N(R[°])₂, wherein each R[°] may be substituted as defined below and is independently hydrogen, C₁₋₆ aliphatic, —CH₂Ph, —O(CH₂)₀₋₁Ph, —CH₂-(5-6 membered heteroaryl ring), or a 5-6-membered saturated, partially unsaturated, or aryl ring having 0-4 heteroatoms independently selected from nitrogen, oxygen, or sulfur, or, notwithstanding the definition above, two independent occurrences of R[°], taken together with their intervening atom(s), form a 3-12-membered saturated, partially unsaturated, or aryl mono- or bicyclic ring having 0-4 heteroatoms independently selected from nitrogen, oxygen, or sulfur, which may be substituted as defined below.

[0089] Suitable monovalent substituents on R[°] (or the ring formed by taking two independent occurrences of R[°] together with their intervening atoms), are independently halogen, —(CH₂)₀₋₂R*, —(haloR*), —(CH₂)₀₋₂OH, —(CH₂)₀₋₂OR*, —(CH₂)₀₋₂CH(OR)₂; —O(haloR*), —CN, —N₃, —(CH₂)₀₋₂C(O)R*, —(CH₂)₀₋₂C(O)OH, —(CH₂)₀₋₂C(O)OR*, —(CH₂)₀₋₂SR*, —(CH₂)₀₋₂SH, —(CH₂)₀₋₂NH₂, —(CH₂)₀₋₂NHR*, —(CH₂)₀₋₂NR*₂, —NO₂, —SiR*₃, —OSiR*₃, —C(O)SR*, —(C₁₋₄ straight or branched alkylene)C(O)OR*, or —SSR* wherein each R* is unsubstituted or where preceded by “halo” is substituted only with one or more halogens, and is independently selected from C₁₋₄ aliphatic, —CH₂Ph, —O(CH₂)₀₋₁Ph, or a 5-6-membered saturated, partially unsaturated, or aryl ring having 0-4 heteroatoms independently selected from nitrogen, oxygen, or sulfur. Suitable divalent substituents on a saturated carbon atom of R[°] include —O and =S.

[0090] Suitable divalent substituents on a saturated carbon atom of an “optionally substituted” group include the following: =O, =S, =NNR*₂, =NNHC(O)R*, =NNHC(O)OR*, =NNHS(O)₂R*, =NR*, =NOR*, —O(C(R*₂)₂₋₃O—, or —S(C(R*₂)₂₋₃S—, wherein each independent occurrence of R* is selected from hydrogen, C₁₋₆ aliphatic which may be substituted as defined below, or an unsubstituted 5-6-membered saturated, partially unsaturated, or aryl ring having 0-4 heteroatoms independently selected from nitrogen, oxygen, or sulfur. Suitable divalent substituents that are bound to vicinal substitutable carbons of an “optionally substituted” group include: —O(CR*₂)₂₋₃O—, wherein each independent occurrence of R* is selected from hydrogen, C₁₋₆ aliphatic which may be substituted as defined below, or an unsubstituted 5-6-membered saturated, partially unsaturated, or aryl ring having 0-4 heteroatoms independently selected from nitrogen, oxygen, or sulfur.

[0091] Suitable substituents on the aliphatic group of R* include halogen, —R*, —(haloR*), —OH, —OR*, —O(haloR*), —CN, —C(O)OH, —C(O)OR*, —NH₂, —NHR*, —NR*₂, or —NO₂, wherein each R* is unsubstituted or where preceded by “halo” is substituted only with one or more halogens, and is independently C₁₋₄ aliphatic, —CH₂Ph, —O(CH₂)₀₋₁Ph, or a 5-6-membered saturated,

partially unsaturated, or aryl ring having 0-4 heteroatoms independently selected from nitrogen, oxygen, or sulfur.

[0092] Suitable substituents on a substitutable nitrogen of an “optionally substituted” group include —R[†], —NR[†]₂, —C(O)R[†], —C(O)OR[†], —C(O)C(O)R[†], —C(O)CH₂C(O)R[†], —S(O)₂R[†], —S(O)₂NR[†]₂, —C(S)NR[†]₂, —C(NH)NR[†]₂, or —N(R[†])S(O)₂R[†]; wherein each R[†] is independently hydrogen, C₁₋₆ aliphatic which may be substituted as defined below, unsubstituted —OPh, or an unsubstituted 5-6-membered saturated, partially unsaturated, or aryl ring having 0-4 heteroatoms independently selected from nitrogen, oxygen, or sulfur, or, notwithstanding the definition above, two independent occurrences of R[†], taken together with their intervening atom(s) form an unsubstituted 3-12-membered saturated, partially unsaturated, or aryl mono- or bicyclic ring having 0-4 heteroatoms independently selected from nitrogen, oxygen, or sulfur.

[0093] Suitable substituents on the aliphatic group of R[†] are independently halogen, —R*, —(haloR*), —OH, —OR*, —O(haloR*), —CN, —C(O)OH, —C(O)OR*, —NH₂, —NHR*, —NR*₂, or —NO₂, wherein each R* is unsubstituted or where preceded by “halo” is substituted only with one or more halogens, and is independently C₁₋₄ aliphatic, —CH₂Ph, —O(CH₂)₀₋₁Ph, or a 5-6-membered saturated, partially unsaturated, or aryl ring having 0-4 heteroatoms independently selected from nitrogen, oxygen, or sulfur.

[0094] As used herein, the term “partially unsaturated” refers to a ring moiety that includes at least one double or triple bond. The term “partially unsaturated” is intended to encompass rings having multiple sites of unsaturation but is not intended to include aryl or heteroaryl moieties, as herein defined.

[0095] As used herein, the term “pharmaceutically acceptable salt” refers to those salts which are, within the scope of sound medical judgment, suitable for use in contact with the tissues of humans and lower animals without undue toxicity, irritation, allergic response and the like, and are commensurate with a reasonable benefit/risk ratio. Pharmaceutically acceptable salts are well known in the art. For example, S. M. Berge et al., describe pharmaceutically acceptable salts in detail in J. Pharmaceutical Sciences, 1977, 66, 1-19, incorporated herein by reference. Pharmaceutically acceptable salts of the compounds of this disclosure include those derived from suitable inorganic and organic acids and bases. Examples of pharmaceutically acceptable, nontoxic acid addition salts are salts of an amino group formed with inorganic acids such as hydrochloric acid, hydrobromic acid, phosphoric acid, sulfuric acid and perchloric acid or with organic acids such as acetic acid, oxalic acid, maleic acid, tartaric acid, citric acid, succinic acid or malonic acid or by using other methods used in the art such as ion exchange. Other pharmaceutically acceptable salts include adipate, alginate, ascorbate, aspartate, benzenesulfonate, benzoate, bisulfate, borate, butyrate, camphorate, camphorsulfonate, citrate, cyclopentanepropionate, digluconate, dodecylsulfate, ethanesulfonate, formate, fumarate, glucoheptonate, glycerophosphate, gluconate, hemisulfate, heptanoate, hexanoate, hydroiodide, 2-hydroxy-ethanesulfonate, lactobionate, lactate, laurate, lauryl sulfate, malate, maleate, malonate, methanesulfonate, 2-naphthalenesulfonate, nicotinate, nitrate, oleate, oxalate, palmitate, pamoate, pectinate, persulfate, 3-phenylpropionate, phosphate, pivalate, propionate, stearate, succinate, sulfate, tartrate, thiocyanate, p-toluenesulfonate, undecanoate, valerate salts, and the like.

[0096] Salts derived from appropriate bases include alkali metal, alkaline earth metal, ammonium and $N(C_{1-4}alkyl)_4$ salts. Representative alkali or alkaline earth metal salts include sodium, lithium, potassium, calcium, magnesium, and the like. Further pharmaceutically acceptable salts include, when appropriate, nontoxic ammonium, quaternary ammonium, and amine cations formed using counterions such as halide, hydroxide, carboxylate, sulfate, phosphate, nitrate, lower alkyl sulfonate and aryl sulfonate.

[0097] A “pharmaceutically acceptable derivative” means any non-toxic salt, ester, salt of an ester or other derivative of a compound of this disclosure that, upon administration to a recipient, is capable of providing, either directly or indirectly, a compound of this disclosure or an active metabolite or residue thereof.

[0098] The term “tertiary amine” is used to describe an amine (nitrogen atom) which is attached to three carbon-containing groups, each of the groups being covalently bonded to the amine group through a carbon atom within the group. A tertiary amine may be protonated or form a complex with a Lewis acid.

[0099] The recitation of a listing of chemical groups in any definition of a variable herein includes definitions of that variable as any single group or combination of listed groups.

[0100] The recitation of an embodiment for a variable herein includes that embodiment as any single embodiment or in combination with any other embodiments or portions thereof.

Unless otherwise stated, structures depicted herein are also meant to include all enantiomeric, diastereomeric, and geometric (or conformational) forms of the structure, for example, the R and S configurations for each asymmetric center, Z and E double bond isomers, and Z and E conformational isomers. Therefore, single stereochemical isomers as well as enantiomeric, diastereomeric, and geometric (or conformational) mixtures of the present compounds are within the scope of the present disclosure. Unless otherwise stated, all tautomeric forms of the compounds of the present disclosure are within the scope of the present disclosure.

[0101] General methods in molecular and cellular biochemistry can be found in such standard textbooks as *Molecular Cloning: A Laboratory Manual*, 3rd Ed. (Sambrook et al., HaRBor Laboratory Press 2001); *Short Protocols in Molecular Biology*, 4th Ed. (Ausubel et al. eds., John Wiley & Sons 1999); *Protein Methods* (Bollag et al., John Wiley & Sons 1996); *Nonviral Vectors for Gene Therapy* (Wagner et al. eds., Academic Press 1999); *Viral Vectors* (Kaplift & Loewy eds., Academic Press 1995); *Immunology Methods Manual* (I. Lefkovits ed., Academic Press 1997); and *Cell and Tissue Culture: Laboratory Procedures in Biotechnology* (Doyle & Griffiths, John Wiley & Sons 1998), the disclosures of which are incorporated herein by reference.

Synthetic RNA Viral Genomes

[0102] In some embodiments, the present disclosure provides a recombinant RNA molecule encoding an oncolytic virus (e.g., an RNA genome). Such recombinant RNA molecules are referred to herein as “synthetic viral genomes” or “synthetic RNA viral genomes”. In such embodiments, the synthetic RNA viral genome is capable of producing an infectious, lytic virus when introduced into a cell by a non-viral delivery vehicle and does not require additional exogenous genes or proteins to be present in the

cell in order to replicate and produce an infectious virus. Rather, the endogenous translational mechanisms in the host cell mediate expression of the viral proteins from the synthetic RNA viral genome. The expressed viral proteins then mediate viral replication and assembly into an infectious viral particle (which may comprise a capsid protein, an envelope protein, and/or a membrane protein) comprising the RNA viral genome. As such, the RNA polynucleotides described herein (i.e., the synthetic RNA viral genomes), when introduced into a host cell, produce a virus that can infect another host cell. In some embodiments, the oncolytic virus is a picornavirus. In some embodiments, the picornavirus is a CVA21. In some embodiments, the picornavirus is an SVV.

[0103] In some embodiments, the synthetic viral genome is provided as a recombinant ribonucleic acid (RNA) (i.e., a synthetic RNA viral genome). In some embodiments, the synthetic RNA viral genomes comprise one or more nucleic acid analogues. Examples of nucleic acid analogues include 2'-O-methyl-substituted RNA, 2'-O-methoxy-ethyl bases, 2' Fluoro bases, locked nucleic acids (LNAs), unlocked nucleic acids (UNA), bridged nucleic acids (BNA), morpholinos, and peptide nucleic acids (PNA). In some embodiments, the synthetic RNA viral genome is a replicon, a RNA viral genome encoding a transgene, an mRNA molecule, or a circular RNA molecule (circRNA). In some embodiments, the synthetic RNA viral genome comprises a single stranded RNA (ssRNA) viral genome. In some embodiments, the single-stranded genome may be a positive sense or negative sense genome.

[0104] In some embodiments, the recombinant RNA molecule is a circular RNA molecule (circRNA). CircRNA molecules lack the free ends necessary for exonuclease mediated degradation, thus extending the half-life of the RNA molecule and enabling more stable protein production over time (See e.g., Wesselhoeft et al., *Engineering circular RNA for potent and stable translation in eukaryotic cells*. *Nature Communications*. (2018) 9:2629). In order to produce a functional RNA virus from a circRNA molecule, it is necessary to “break open” the circular construct once inside a cell so that the linear RNA genome with the appropriate 3' and 5' native ends can be produced. Therefore, in some embodiments, the recombinant RNA molecule encoding the oncolytic virus is provided as a circRNA molecule and further comprises one or more additional RNA sequences that facilitate the linearization of the circRNA molecule inside a cell. Examples of such additional RNA sequences include siRNA target sites, miRNA target sites, and guide RNA target sites. The corresponding siRNA, miRNA, or gRNA can be co-formulated with the circRNA molecule. Alternatively, the miRNA target site can be selected based on the expression of the cognate miRNA in a target cell, such that cleavage of the circRNA molecule and initial expression of the encoded oncolytic virus is limited to target cells expressing a particular miRNA.

[0105] The synthetic RNA viral genomes described herein encode an oncolytic virus. Examples of oncolytic viruses are known in the art including, but not limited to a picornavirus (e.g., a coxsackievirus), a polio virus, a measles virus, a vesicular stomatitis virus, an orthomyxovirus, and a maraba virus. In some embodiments, the oncolytic virus encoded by the synthetic RNA viral genome is a virus in the family Picornaviridae family such as a coxsackievirus, a polio virus (including a chimeric polio virus such as PVS—RIPO and

other chimeric Picornaviruses), or a Seneca valley virus, or any virus of chimeric origin from any multitude of picornaviruses, a virus in the Arenaviridae family such a lassa virus, a virus in the Retroviridae family such as a murine leukemia virus, a virus in the family Orthomyxoviridae such as influenza A virus, a virus in the family Paramyxoviridae such as Newcastle disease virus or measles virus, a virus in

229E and HCoV-NL63, Betacoronaviruses such as HCoV—HKU1, HCoV-OC3, and MERS-CoV), the Retroviridae family (e.g., Murine leukemia virus), and the Togaviridae family (e.g., Alphaviruses such as the Semliki Forest virus, Sindbis virus, Ross River virus, or Chikungunya virus). Additional exemplary genera and species of positive-sense, ssRNA viruses are shown below in Table 1.

TABLE 1

Positive-sense ssRNA Viruses			
Family/Subfamily	Genus	Natural Host	Species
Picornaviridae	Cardiovirus	Human	
	Cosavirus	Human	
	Enterovirus	Human	Coxsackievirus
		Human	Poliovirus
	Hepatovirus	Human	
	Kobuvirus	Human	
	Parechovirus	Human	
	Rosavirus	Human	
	Salivirus	Human	
	Pasivirus	Pigs	
Caliciviridae	Senecavirus	Pigs	Seneca Valley Virus A
	Sapovirus	Human	
	Norovirus	Human	
	Nebovirus	Bovine	
Hepeviridae	Vesivirus	Felines/Swine	
Astroviridae	Orthohepevirus		
	Mamastrovirus	Human	
Flaviviridae	Avastrovirus	Birds	
	Hepacivirus	Human	
	Flavivirus	Arthropod	
	Pegivirus		
	Pestivirus	Mammals	
Coronaviridae/Coronavirinae	Alphacoronavirus		HCoV-229E HCoV-NL63 HCoV-HKU1 HCoV-OC3 MERS-CoV
	Betacoronavirus		
	Deltacoronavirus		
Coronaviridae/Torovirinae	Gammacoronavirus		
	Bafinivirus		
	Torovirus		
Retroviridae	Gammaretrovirus		Murine leukemia virus
Togaviridae	Alphavirus		Sindbis virus
			Semliki Forest virus
			Ross River virus
			Chikungunya virus
			Venezuelan equine encephalitis virus

the Reoviridae family such as mammalian orthoreovirus, a virus in the Togaviridae family such as sindbis virus, or a virus in the Rhabdoviridae family such as vesicular stomatitis virus (VSV) or a maraba virus.

Positive-Sense, Single-Stranded RNA Viruses

[0106] In some embodiments, the synthetic RNA viral genomes described herein encode a single-stranded RNA (ssRNA) viral genome. In some embodiments, the ssRNA virus is a positive-sense, ssRNA (+ sense ssRNA) virus. Exemplary+sense ssRNA viruses include members of the Picornaviridae family (e.g. coxsackievirus, poliovirus, and Seneca Valley virus (SVV), including SVV-A), the Coronaviridae family (e.g., Alphacoronaviruses such as HCoV-

[0107] In some embodiments, the recombinant RNA molecules described herein encode a Picornavirus selected from a coxsackievirus, poliovirus, and Seneca Valley virus (SVV). In some embodiments, the recombinant RNA molecules described herein encode a coxsackievirus. In some aspects of this embodiment, the recombinant RNA molecules a coxsackievirus and comprise the 5' UTR sequence of SEQ ID NO: 2 (See e.g., Brown et al., Complete Genomic Sequencing Shows that Polioviruses and Members of Human Enterovirus Species C Are Closely Related in the Noncapsid Coding Region. Journal of Virology, (2003) 77:16, p. 8973-8984. GenBank Accession No. AF546702). In such embodiments, the 5' UTR sequence of SEQ ID NO: 2 unexpectedly increases the production of a functional coxsackievirus compared to other previously described 5'

UTR sequences (See e.g., Newcombe et al., Cellular receptor interactions of C-cluster human group A coxsackieviruses *Journal of General Virology* (2003), 84, 3041-3050. GenBank Accession No. AF465515). In some aspects of this embodiment, the recombinant RNA molecules encode a coxsackievirus and comprise the sequence of SEQ ID NO: 1.

[0108] In some embodiments, the synthetic RNA viral genomes described herein encode a coxsackievirus. In some embodiments, the coxsackievirus is selected from CVB3, CVA21, and CVA9. The nucleic acid sequences of exemplary coxsackieviruses are provided GenBank Reference No. M33854.1 (CVB3), GenBank Reference No. KT161266.1 (CVA21), and GenBank Reference No. D00627.1 (CVA9). In some embodiments, the synthetic RNA viral genomes described herein encode a modified CVA21 virus comprising SEQ ID NO: 1, which is a Kuykendall (Kuyk) strain. In some embodiments, the sequence of the viral genome of the Kuykendall strain is according to GenBank Accession Number AF465515.1 or AF546702.1. In some embodiments, the synthetic RNA viral genomes described herein encode a chimeric coxsackievirus. In some embodiments, the synthetic RNA viral genomes described herein encode a CVA21 strain selected from the CVA21-EF strain and the CVA21-KY strain. In some embodiments, the synthetic RNA viral genomes described herein encode a CVA21-EF strain. An exemplary sequence of the viral genome of the EF strain is according to GenBank Accession Number EF015029.1. In some embodiments, the synthetic RNA viral genomes described herein encode a CVA21-KY strain. An exemplary sequence of the viral genome of the KY strain is according to GenBank Accession Number KY284011.1. As shown in FIGS. 11-26, the EF and KY strains provide therapeutic benefits over the Kuykendall lab strain and previously described synthetic picornavirus compositions.

[0109] The domain organization of the three CVA21 strains (EF, KY, and Kuykendall) are provided in FIG. 32 and the sequence identities between various regions of these three strains are provided below in Table 2.

TABLE 2			
Sequence Identity between the Corresponding Regions of Different CVA21 Strains			
Region	Strain 1 (Sequence)	Strain 2 (Sequence)	Sequence Identity
Whole Virus	CVA21-KY (SEQ ID NO: 5)	CVA21-Kuykendall (SEQ ID NO: 1)	88.8%
	CVA21-EF (SEQ ID NO: 9)	CVA21-Kuykendall (SEQ ID NO: 1)	79.6%
	CVA21-EF (SEQ ID NO: 9)	CVA21-KY (SEQ ID NO: 5)	79.4%
5' UTR (IRES)	CVA21-KY (SEQ ID NO: 6)	CVA21-Kuykendall (SEQ ID NO: 2)	91.2%
	CVA21-EF (SEQ ID NO: 10)	CVA21-Kuykendall (SEQ ID NO: 2)	85.0%
	CVA21-EF (SEQ ID NO: 10)	CVA21-KY (SEQ ID NO: 6)	86.1%
P1	CVA21-KY (SEQ ID NO: 7)	CVA21-Kuykendall (SEQ ID NO: 3)	87.5%
	CVA21-EF (SEQ ID NO: 11)	CVA21-Kuykendall (SEQ ID NO: 3)	78.6%
	CVA21-EF (SEQ ID NO: 11)	CVA21-KY (SEQ ID NO: 7)	78.3%

TABLE 2-continued			
Sequence Identity between the Corresponding Regions of Different CVA21 Strains			
Region	Strain 1 (Sequence)	Strain 2 (Sequence)	Sequence Identity
3D	CVA21-KY (SEQ ID NO: 8)	CVA21-Kuykendall (SEQ ID NO: 4)	89.9%
	CVA21-EF (SEQ ID NO: 12)	CVA21-Kuykendall (SEQ ID NO: 4)	82.7%
	CVA21-EF (SEQ ID NO: 12)	CVA21-KY (SEQ ID NO: 8)	82.5%

[0110] One or more specific regions in the viral genome of the CVA21 EF or KY strain may contribute to the beneficial therapeutic effect observed for the EF and KY strains over the Kuykendall lab strain. In some embodiments, the one or more specific regions are selected from the group consisting of the 5' UTR (IRES) region, the P1 region, and the 3D region. The nucleic acid positions of each of these specific regions for the virus strains described herein are as follows:

- [0111] (a) The 5' UTR (IRES) region of CVA21-Kuykendall encompasses nucleic acids 1-713 of SEQ ID NO: 1. The 5' UTR (IRES) region of CVA21-KY encompasses nucleic acids 1-713 of SEQ ID NO: 5. The 5' UTR (IRES) region of CVA21-EF encompasses nucleic acids 1-748 of SEQ ID NO: 9.
- [0112] (b) The P1 region of CVA21-Kuykendall encompasses nucleic acids 714-3350 of SEQ ID NO: 1. The P1 region of CVA21-KY encompasses nucleic acids 714-3350 of SEQ ID NO: 5. The P1 region of CVA21-EF encompasses nucleic acids 749-3385 of SEQ ID NO: 9.
- [0113] (c) The 3D region of CVA21-Kuykendall encompasses nucleic acids 5952-7340 of SEQ ID NO: 1. The 3D region of CVA21-KY encompasses nucleic acids 5952-7340 of SEQ ID NO: 5. The 3D region of CVA21-EF encompasses nucleic acids 5987-7375 of SEQ ID NO: 9.

[0114] In some embodiments, the synthetic RNA viral genome described herein encodes a CVA21-KY strain. In some embodiments, the synthetic RNA viral genome encoding the CVA21-KY strain comprises a polynucleotide sequence according to SEQ ID NO: 5. In some embodiments, the synthetic RNA viral genome encoding the CVA21-KY strain comprises a polynucleotide sequence having at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, at least 99.5%, at least 99.8%, at least 99.9%, or 100% (including all ranges and subranges therebetween) sequence identity to SEQ ID NO: 5. In some embodiments, the synthetic RNA viral genome encoding the CVA21-KY strain comprises a polynucleotide sequences that is less than 95%, less than 90%, less than 85%, or less than 80% identical (including all ranges and subranges therebetween) to SEQ ID NO: 1.

[0115] In some embodiments, the synthetic RNA viral genome described herein encodes a CVA21-KY strain and comprises a 5' UTR (IRES) sequence according to SEQ ID NO: 6 (corresponding to nucleic acids 1-713 of SEQ ID NO: 5). In some embodiments, the synthetic RNA viral genome described herein encodes a CVA21-KY strain and comprises a 5' UTR (IRES) sequence having at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, at least 99.5%, at least 99.8%, at least 99.9%,

or 100% (including all ranges and subranges therebetween) sequence identity to SEQ ID NO: 6. In some embodiments, the synthetic RNA viral genome encoding the CVA21-KY strain comprises a 5' UTR (IRES) sequence that is less than 95%, less than 90%, less than 85%, or less than 80% (including all ranges and subranges therebetween) identical to SEQ ID NO: 2.

[0116] In some embodiments, the synthetic RNA viral genome described herein encodes a CVA21-KY strain and comprises a P1 sequence according to SEQ ID NO: 7 (corresponding to nucleic acids 714-3350 of SEQ ID NO: 5). In some embodiments, the synthetic RNA viral genome described herein encodes a CVA21-KY strain and comprises a P1 sequence having at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, at least 99.5%, at least 99.8%, at least 99.9%, or 100% (including all ranges and subranges therebetween) sequence identity to SEQ ID NO: 7. In some embodiments, the synthetic RNA viral genome encoding the CVA21-KY strain comprises a P1 sequence that is less than 95%, less than 90%, less than 85%, or less than 80% (including all ranges and subranges therebetween) identical to SEQ ID NO: 3.

[0117] In some embodiments, the synthetic RNA viral genome described herein encodes a CVA21-KY strain and comprises a 3D sequence according to SEQ ID NO: 8 (corresponding to nucleic acids 5952-7340 of SEQ ID NO: 5). In some embodiments, the synthetic RNA viral genome described herein encodes a CVA21-KY strain and comprises a 3D sequence having at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, at least 99.5%, at least 99.8%, at least 99.9%, or 100% (including all ranges and subranges therebetween) sequence identity to SEQ ID NO: 8. In some embodiments, the synthetic RNA viral genome encoding the CVA21-KY strain comprises a 3D sequence that is less than 95%, less than 90%, less than 85%, or less than 80% (including all ranges and subranges therebetween) identical to SEQ ID NO: 4.

[0118] In some embodiments, the synthetic RNA viral genome described herein encodes a CVA21-EF strain. In some embodiments, the synthetic RNA viral genome encoding the CVA21-EF strain comprises a polynucleotide sequence according to SEQ ID NO: 9. In some embodiments, the synthetic RNA viral genome encoding the CVA21-EF strain comprises a polynucleotide sequence having at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, at least 99.5%, at least 99.8%, at least 99.9%, or 100% (including all ranges and subranges therebetween) sequence identity to SEQ ID NO: 9. In some embodiments, the synthetic RNA viral genome encoding the CVA21-EF strain comprises a polynucleotide sequences that is less than 95%, less than 90%, less than 85%, or less than 80% (including all ranges and subranges therebetween) identical to SEQ ID NO: 1.

[0119] In some embodiments, the synthetic RNA viral genome described herein encodes a CVA21-EF strain and comprises a 5' UTR (IRES) sequence according to SEQ ID NO: 10 (corresponding to nucleic acids 1-748 of SEQ ID NO: 9). In some embodiments, the synthetic RNA viral genome described herein encodes a CVA21-EF strain and comprises a 5' UTR (IRES) sequence having at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least

93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, at least 99.5%, at least 99.8%, at least 99.9%, or 100% (including all ranges and subranges therebetween) sequence identity to SEQ ID NO: 10. In some embodiments, the synthetic RNA viral genome encoding the CVA21-EF strain comprises a 5' UTR (IRES) sequence that is less than 95%, less than 90%, less than 85%, or less than 80% (including all ranges and subranges therebetween) identical to SEQ ID NO: 2.

[0120] In some embodiments, the synthetic RNA viral genome described herein encodes a CVA21-EF strain and comprises a P1 sequence according to SEQ ID NO: 11 (corresponding to nucleic acids 749-3385 of SEQ ID NO: 9). In some embodiments, the synthetic RNA viral genome described herein encodes a CVA21-EF strain and comprises a P1 sequence having at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, at least 99.5%, at least 99.8%, at least 99.9%, or 100% (including all ranges and subranges therebetween) sequence identity to SEQ ID NO: 11. In some embodiments, the synthetic RNA viral genome encoding the CVA21-EF strain comprises a P1 sequence that is less than 95%, less than 90%, less than 85%, or less than 80% (including all ranges and subranges therebetween) identical to SEQ ID NO: 3.

[0121] In some embodiments, the synthetic RNA viral genome described herein encodes a CVA21-EF strain and comprises a 3D sequence according to SEQ ID NO: 12 (corresponding to nucleic acids 5987-7375 of SEQ ID NO: 9). In some embodiments, the synthetic RNA viral genome described herein encodes a CVA21-EF strain and comprises a 3D sequence having at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, at least 99.5%, at least 99.8%, at least 99.9%, or 100% (including all ranges and subranges therebetween) sequence identity to SEQ ID NO: 12. In some embodiments, the synthetic RNA viral genome encoding the CVA21-EF strain comprises a 3D sequence that is less than 95%, less than 90%, less than 85%, or less than 80% (including all ranges and subranges therebetween) identical to SEQ ID NO: 4.

[0122] In some embodiments, the CVA21 RNA viral genome described herein does not comprise the nucleotide sequence CGUCUC (SEQ ID NO: 83) or GAGACG (SEQ ID NO: 84). The corresponding, complementary DNA sequences, CGTCTC (SEQ ID NO: 85) and GAGACG (SEQ ID NO: 86), are BsmBI restriction enzyme recognition sites.

[0123] In some embodiments, the CVA21 RNA viral genome described herein does not comprise the nucleotide sequence GGUCUC (SEQ ID NO: 87) or GAGACC (SEQ ID NO: 88). The corresponding, complementary DNA sequences, GGTCTC (SEQ ID NO: 89) and GAGACC (SEQ ID NO: 90), are BsaI restriction enzyme recognition sites.

[0124] In some embodiments, the synthetic RNA viral genomes described herein encode a Seneca Valley virus (SVV). In some embodiments, the SVV is selected from a wild-type SVV (such as SVV-001, SEQ ID NO: 25) or a mutant SVV or a chimeric SVV (such as SVV-001-S177A encoded by SEQ ID NO: 26; or SVV-IRES-2-S177A encoded by SEQ ID NO: 68 or SEQ ID NO: 73).

[0125] In some embodiments, the SVV is a SVV-S177 mutant. In some embodiments, the SVV is an SVV-S177A

mutant. As used herein in relation to the SVV viral genome, the term “S177 mutant” refers to a SVV viral genome encoding a VP2 protein comprising a mutation at amino acid S177 of the wildtype protein (amino acid numbering according to the VP2 protein encoded by SEQ ID NO: 25). Accordingly, the term “S177A mutant” refers to a SVV mutant having an amino acid substitution of S177A of the VP2 protein. In SEQ ID NO: 25, the VP2 S177 residue is encoded by the codon “UCU” at nucleic acid position 1645-1647. Accordingly, the SVV-S177 mutant comprises a nucleic acid mutation within the region corresponding to nucleic acid position 1645-1647 of SEQ ID NO: 25. In some embodiments, the SVV-S177A mutant comprises the codon sequence “GCU”, “GCC”, “GCA” or “GCG” at the region corresponding to nucleic acid position 1645-1647 of SEQ ID NO: 25. In some embodiments, the SVV-S177A mutant comprises the codon sequence “GCG” at the region corresponding to nucleic acid position 1645-1647 of SEQ ID NO: 25.

[0126] In some embodiments, the SVV RNA viral genome described herein does not comprise the nucleotide sequence GCUCUUC (SEQ ID NO: 79) or GAAGAGC (SEQ ID NO: 80). The corresponding, complementary DNA sequences, GCTCTTC (SEQ ID NO: 81) and GAAGAGC (SEQ ID NO: 82), are SapI restriction enzyme recognition sites. In some embodiments, a wildtype SVV RNA viral genome comprises SEQ ID NO: 79 at the position corresponding to nucleic acids 1504-1510 and/or nucleic acids 5293-5299 of SEQ ID NO: 25. In some embodiments, the SVV RNA viral genome of the disclosure comprises at least 1 nucleotide substitution as compared to SEQ ID NO: 79 within the region corresponding to nucleic acids 1504-1510 and/or nucleic acids 5293-5299 of SEQ ID NO: 25. In some embodiments, the at least 1 nucleotide substitution is a silent mutation that does not change the amino acids encoded by the corresponding region of the DNA. In some embodiments, the SVV RNA viral genome of the disclosure comprises a cytidine (“C”) at the position corresponding to nucleic acid 1509 and/or 5298 of SEQ ID NO: 25.

[0127] In some embodiments, the SVV RNA viral genome described herein does not comprise the nucleotide sequence GGUCUC (SEQ ID NO: 87) or GAGACC (SEQ ID NO: 88). The corresponding, complementary DNA sequences, GGTCTC (SEQ ID NO: 89) and GAGACC (SEQ ID NO: 90), are BsaI restriction enzyme recognition sites.

[0128] In some embodiments, the synthetic RNA viral genomes described herein encode a chimeric picornavirus (e.g., encode a virus comprising one portion, such as a capsid protein or an IRES, derived from a first picornavirus and another portion, such as a non-structural gene such as a protease or polymerase derived from a second picornavirus). In some embodiments, the synthetic RNA viral genomes described herein encode a chimeric SVV.

[0129] In some embodiments, the synthetic RNA viral genome described herein encodes a SVV comprising one or more specific regions derived from an SVV strain selected from the group consisting of SVV-001 (SEQ ID NO: 25 or SEQ ID NO: 72 (Genbank ID No.: DQ641257.1)), SVA/BRA/MG2/2015 (SEQ ID NO: 69; GenBank ID No.: KR063108.1), SVA/Canada/MB/NCFAD-104/2015 (SEQ ID NO: 70; GenBank ID No.: KY486156.1), and SVV-MN15-308 (SEQ ID NO: 71; GenBank ID No.: KU359214.1). In some embodiments, the one or more specific regions are selected from the group consisting of the 5' UTR (IRES)

region, the P1 region, and the P3 region. The nucleic acid positions of each of these specific regions for the virus strains described herein are as follows:

[0130] (a) The 5' UTR (IRES) region of SVV-001 encompasses nucleic acids 1-668 of SEQ ID NO: 25. The 5' UTR (IRES) region of SVA/BRA/MG2/2015 encompasses nucleic acids 1-656 of SEQ ID NO: 69. The 5' UTR (IRES) region of SVA/Canada/MB/NCFAD-104/2015 encompasses nucleic acids 1-612 of SEQ ID NO: 70. The 5' UTR (IRES) region of SVV-MN15-308 encompasses nucleic acids 1-610 of SEQ ID NO: 71.

[0131] (b) The P1 region of SVV-001 encompasses nucleic acids 669-3477 of SEQ ID NO: 25. The P1 region of SVA/BRA/MG2/2015 encompasses nucleic acids 657-3465 of SEQ ID NO: 69. The P1 region of SVA/Canada/MB/NCFAD-104/2015 encompasses nucleic acids 613-3421 of SEQ ID NO: 70. The P1 region of SVV-MN15-308 encompasses nucleic acids 611-3419 of SEQ ID NO: 71.

[0132] (c) The P3 region of SVV-001 encompasses nucleic acids 4855-7212 of SEQ ID NO: 25. The P3 region of SVA/BRA/MG2/2015 encompasses nucleic acids 4843-7200 of SEQ ID NO: 69. The P3 region of SVA/Canada/MB/NCFAD-104/2015 encompasses nucleic acids 4799-7156 of SEQ ID NO: 70. The P3 region of SVV-MN15-308 encompasses nucleic acids 4797-7154 of SEQ ID NO: 71.

[0133] In some embodiments, the synthetic RNA viral genome described herein encodes a SVV comprising a 5' UTR (IRES) region derived from SVA/BRA/MG2/2015 (nucleic acids 1-656 of SEQ ID NO: 69). In some embodiments, the synthetic RNA viral genome encoding the SVV comprises a polynucleotide sequence having at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, at least 99.5%, at least 99.8%, at least 99.9%, or 100% (including all ranges and subranges therebetween) sequence identity to nucleic acids 1-656 of SEQ ID NO: 69. In some embodiments, other than the one or more regions derived from SVA/BRA/MG2/2015, the rest of the SVV viral genome is derived from SVV-001 and comprises a polynucleotide sequence having at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, at least 99.5%, at least 99.8%, at least 99.9%, or 100% (including all ranges and subranges therebetween) sequence identity to the corresponding region of SEQ ID NO: 25. In some embodiments, the SVV is a SVV-S177 mutant (e.g., a S177A mutant).

[0134] In some embodiments, the synthetic RNA viral genome described herein encodes a SVV comprising a 5' UTR (IRES) region derived from SVA/Canada/MB/NCFAD-104/2015 (nucleic acids 1-612 of SEQ ID NO: 70). In some embodiments, the synthetic RNA viral genome encoding the SVV comprises a polynucleotide sequence having at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, at least 99.5%, at least 99.8%, at least 99.9%, or 100% (including all ranges and subranges therebetween) sequence identity to nucleic acids 1-612 of SEQ ID NO: 70. In some embodiments, other than the one or more regions derived from SVA/Canada/MB/NCFAD-104/2015, the rest of the SVV viral genome is

97%, at least 98%, at least 99%, at least 99.5%, at least 99.8%, at least 99.9%, or 100% (including all ranges and subranges therebetween) sequence identity to nucleic acids 4799-7156 of SEQ ID NO: 70. In some embodiments, other than the one or more regions derived from SVA/Canada/MB/NCFAD-104/2015, the rest of the SVV viral genome is derived from SVV-001 and comprises a polynucleotide sequence having at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, at least 99.5%, at least 99.8%, at least 99.9%, or 100% (including all ranges and subranges therebetween) sequence identity to the corresponding region of SEQ ID NO: 25. In some embodiments, the SVV is a SVV-S177 mutant (e.g., a S177A mutant).

[0141] In some embodiments, the synthetic RNA viral genome described herein encodes a SVV comprising a P3 region derived from SVV-MN15-308 (nucleic acids 4797-7154 of SEQ ID NO: 71). In some embodiments, the synthetic RNA viral genome encoding the SVV comprises a polynucleotide sequence having at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, at least 99.5%, at least 99.8%, at least 99.9%, or 100% (including all ranges and subranges therebetween) sequence identity to nucleic acids 4797-7154 of SEQ ID NO: 71. In some embodiments, other than the one or more regions derived from SVV-MN15-308, the rest of the SVV viral genome is derived from SVV-001 and comprises a polynucleotide sequence having at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, at least 99.5%, at least 99.8%, at least 99.9%, or 100% (including all ranges and subranges therebetween) sequence identity to the corresponding region of SEQ ID NO: 25. In some embodiments, the SVV is a SVV-S177 mutant (e.g., a S177A mutant).

[0142] In some embodiments, the synthetic RNA viral genome described herein encodes a chimeric SVV comprising a 5' UTR (IRES) region derived from SVA/Canada/MB/NCFAD-104/2015 (SEQ ID NO: 70) and the rest of the viral genome derived from SVV-001 (SEQ ID NO: 25). In some embodiments, the SVV is an SVV-S177 mutant (e.g., a S177A mutant). In some embodiments, the synthetic RNA viral genome has at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, at least 99.5%, at least 99.8%, at least 99.9%, or 100% (including all ranges and subranges therebetween) sequence identity to SEQ ID NO: 68.

[0143] In some embodiments, the synthetic RNA viral genome has been engineered and comprises less than 100% sequence identity to that of a wildtype virus (e.g., a wildtype CVA21 or a wildtype SVV). In some embodiments, the synthetic RNA viral genome comprises less than 99.9%, less than 99.8%, less than 99.7%, less than 99.6%, less than 99.5%, less than 99%, less than 98%, less than 97%, less than 96%, less than 95%, less than 94%, less than 93%, less than 92%, less than 91%, or less than 90%, sequence identity to that of a corresponding wildtype virus.

[0144] In some embodiments, the synthetic RNA viral genome comprises a microRNA (miRNA) target sequence (miR-TS) cassette, wherein the miR-TS cassette comprises one or more miRNA target sequences, and wherein expres-

sion of one or more of the corresponding miRNAs in a cell inhibits replication of the encoded oncolytic virus in the cell. In some embodiments, the one or more miRNAs are selected from miR-124, miR-1, miR-143, miR-128, miR-219, miR-219a, miR-122, miR-204, miR-217, miR-137, miR-142, and miR-126. In some embodiments, the miR-TS cassette comprises one or more copies of a miR-124 target sequence, one or more copies of a miR-1 target sequence, and one or more copies of a miR-143 target sequence. In some embodiments, the miR-TS cassette comprises one or more copies of a miR-128 target sequence, one or more copies of a miR-219a target sequence, and one or more copies of a miR-122 target sequence. In some embodiments, the miR-TS cassette comprises one or more copies of a miR-128 target sequence, one or more copies of a miR-204 target sequence, and one or more copies of a miR-219 target sequence. In some embodiments, the miR-TS cassette comprises one or more copies of a miR-217 target sequence, one or more copies of a miR-137 target sequence, and one or more copies of a miR-126 target sequence.

[0145] In some embodiments, the synthetic RNA viral genome comprises one or more miR-TS cassettes is incorporated into the 5' untranslated region (UTR) or 3' UTR of one or more essential viral genes. In some embodiments, the synthetic RNA viral genome comprises one or more miR-TS cassettes is incorporated into the 5' untranslated region (UTR) or 3' UTR of one or more non-essential genes. In some embodiments, the synthetic RNA viral genome comprises one or more miR-TS cassettes is incorporated 5' or 3' of one or more essential viral genes.

[0146] In some embodiments, the synthetic RNA viral genome comprises a heterologous polynucleotide encoding a payload molecule. In such embodiments, the synthetic RNA viral genome drives production of an infectious oncolytic virus as well as expression of the payload molecule. In some embodiments, the expression of the payload molecule can increase the therapeutic efficacy of the oncolytic virus. In some embodiments, the payload molecule is selected from IL-12, GM-CSF, CXCL10, IL-36Y, CCL21, IL-18, IL-2, CCL4, CCL5, an anti-CD3-anti-FAP BiTE, an antigen binding molecule that binds DLL3, or an antigen binding molecule that binds EpCAM. In some embodiments, the payload molecule comprises or consists of MLKL 4HB domain. In some embodiments, the payload molecule comprises or consists of Gasdermin D N-terminal fragment. In some embodiments, the payload molecule comprises or consists of Gasdermin E N-terminal fragment. In some embodiments, the payload molecule comprises or consists of HMGB 1 Box B domain. In some embodiments, the payload molecule comprises or consists of SMAC/Diablo. In some embodiments, the payload molecule comprises or consists of Melittin. In some embodiments, the payload molecule comprises or consists of L-amino-acid oxidase (LAO). In some embodiments, the payload molecule comprises or consists of disintegrin. In some embodiments, the payload molecule comprises or consists of TRAIL (TNFSF10). In some embodiments, the payload molecule comprises or consists of a nitroreductase (e.g., *E. coli* NfsB or NfsA). In some embodiments, the payload molecule comprises or consists of a reovirus FAST protein (e.g., ARV p14, BRV p15, or p14-p15 hybrid). In some embodiments, the payload molecule comprises or consists of a leptin/FOSL2. In some embodiments, the payload molecule comprises or consists of an α -1,3-galactosyltransferase. In some embodiments, the

payload molecule comprises or consists of an adenosine deaminase 2 (ADA2). In some embodiments, the payload molecule comprises or consists of a cytokine selected from IL-IL-36 γ , IL-7, IL-12, IL-18, IL-21, IL-2 or IFN γ . Further description of the types of payload molecules suitable for use in these embodiments is provided below.

Methods of Producing Recombinant RNA Viral Genomes

[0147] In some embodiments, the disclosure provides recombinant DNA molecules encoding the synthetic RNA viral genomes described herein. Such recombinant DNA molecules are referred to herein as “DNA templates” or “recombinant DNA templates”. In some embodiments, the recombinant DNA molecules are used as templates for in vitro transcription of the encoded synthetic RNA viral genomes. In some embodiments, the recombinant DNA molecules (e.g., DNA templates) comprises, from 5' to 3', one or more of the following elements: (i) a promoter; (ii) a 5' leader sequence; (iii) a 5' junctional cleavage sequence; (iv) a DNA polynucleotide sequence encoding the synthetic RNA genome; (v) a polyA tail; and/or (vi) a 3' junctional cleavage sequence. In some embodiments, the recombinant DNA molecules (e.g., DNA templates) encoding the recombinant RNA molecule comprises each of the following elements: (i) a promoter; (ii) a 5' leader sequence; (iii) a 5' junctional cleavage sequence; (iv) a DNA polynucleotide sequence encoding the synthetic RNA genome; (v) a polyA tail; and (vi) a 3' junctional cleavage sequence. Each of these elements are described in detail below. The description provided for each individual element is such that the specific embodiments of each element can be combined into the final recombinant DNA molecules (e.g., DNA templates). For example, the disclosure of a specific leader sequence can be combined with the disclosure of a specific 5' junctional cleavage sequence, etc.

[0148] In some embodiments, the recombinant DNA molecules (e.g., DNA templates) do not comprise additional nucleic acids between two adjacent elements but may comprise additional nucleic acids upstream to the promoter sequence or downstream to the 3' junctional cleavage sequence. In some embodiments, the promoter sequence is a T7 promoter sequence. In some embodiments, the T7 promoter sequence comprises or consists of SEQ ID NO: 91.

[0149] In some embodiments, the promoter is suitable for in vitro transcription. In some embodiments, the promoter is a T7 promoter.

[0150] In some embodiments, the synthetic RNA viral genomes described herein are produced in vitro using one or more recombinant DNA templates comprising a polynucleotide encoding the synthetic RNA viral genomes. In other words, the recombinant DNA templates are vectors comprising the polynucleotide encoding the synthetic RNA viral genomes. The term “vector” is used herein to refer to a nucleic acid molecule capable of transferring, encoding, or transporting another nucleic acid molecule. The transferred nucleic acid is generally inserted into the vector nucleic acid molecule. A vector may include sequences that direct autonomous replication in a cell and/or may include sequences sufficient to allow integration into host cell DNA. In some embodiments, the recombinant RNA molecule encoding an oncolytic virus described herein is produced using one or more DNA vectors.

[0151] In some embodiments, the synthetic RNA viral genomes described herein are produced by introducing a

recombinant DNA molecule (e.g., DNA template) comprising a polynucleotide encoding the recombinant RNA molecule (e.g., by means of transfection, transduction, electroporation, and the like) into a suitable host cell in vitro. Suitable host cells include insect and mammalian cell lines. The host cells are cultured for an appropriate amount of time to allow expression of the polynucleotides and production of the synthetic RNA viral genomes. The synthetic RNA viral genomes are then isolated from the host cell and formulated for therapeutic use (e.g., encapsulated in a particle). A schematic of the in vitro synthesis of the CVA21 RNA viral genomes with 3' and 5' ribozymes is shown in FIG. 8. The same schematic applies to the synthesis of RNA viral genomes (e.g., CVA21 or SVV viral genomes) using other combinations of junctional cleavage sequences (See e.g. FIG. 9A). When the 3' junctional cleavage sequence comprises or consists of a restriction enzyme recognition site, the recombinant DNA molecule (e.g., DNA template) may be digested with the corresponding restriction enzyme before the in vitro transcription process, as shown in FIG. 9B.

T7 Promoter

[0152] In some embodiments, the recombinant DNA molecule (e.g., DNA template) comprises a T7 promoter. In some embodiments, the T7 promoter comprises or consists of a polynucleotide sequence of SEQ ID NO: 91. In some embodiments, the T7 promoter comprises or consists of a polynucleotide sequence of SEQ ID NO: 91 with at most 1, 2, 3, or 4 mutations.

[0153] In some embodiments, the T7 promoter is placed immediately before the leader sequence, with no additional nucleotides in between. In some embodiments, the T7 promoter is placed immediately before the 5' junctional cleavage sequence, with no additional nucleotides in between. In some embodiments, the viral genome encodes CVA21 or SVV.

Junctional Cleavage Sequences

[0154] In some embodiments, the recombinant RNA molecules comprising the synthetic RNA viral genomes described herein require discrete 5' and 3' ends that are native to the virus. The RNA transcripts produced by T7 RNA polymerase in vitro or by mammalian RNA Pol II contain mammalian 5' and 3' UTRs do not contain the discrete, native ends required for production of an infectious RNA virus. For example, the T7 RNA polymerase requires a guanosine residue on the 5' end of the template polynucleotide in order to initiate transcription. However, SVV begins with a uridine residue on its 5' end. Thus, the T7 leader sequence, which is required for in vitro transcription of the SVV transcript must be removed to generate the native 5' SVV terminus required for production of a functional infectious SVV. Therefore, in some embodiments, recombinant DNA molecules (e.g., DNA templates) suitable for use in the production of the synthetic RNA viral genomes described herein require additional non-viral 5' and 3' sequences that enable generation of the discrete 5' and 3' ends native to the virus. Such sequences are referred to herein as junctional cleavage sequences (JCS). In some embodiments, the junctional cleavage sequences act to cleave the T7 RNA polymerase or Pol II-encoded RNA transcript at the junction of the viral RNA and the mammalian mRNA sequence such that the non-viral RNA polynucleotides are removed from

the transcript in order to maintain the native 5' and 3' discrete ends of the virus (See schematic shown in FIG. 9A). In some embodiments, the junctional cleavage sequences act to generate the appropriate ends during the linearization of the DNA plasmid encoding the synthetic viral genome (e.g., the use of 3' restriction enzyme recognition sequences to produce the appropriate 3' end upon linearization of the plasmid template and prior to in vitro transcription of the synthetic RNA genome).

[0155] In some embodiments, the recombinant DNA molecules (e.g., DNA templates) suitable for use in the production of the synthetic RNA viral genomes described herein comprise at least one 5' junctional cleavage sequence and at least one 3' junctional cleavage sequence. In some embodiments, the recombinant DNA molecules (e.g., DNA templates) suitable for use in the production of the synthetic RNA viral genomes described herein comprise one or more 5' junctional cleavage sequences and at least one 3' junctional cleavage sequence. In some embodiments, the recombinant DNA molecules (e.g., DNA templates) suitable for use in the production of the synthetic RNA viral genomes described herein comprise at least one 5' junctional cleavage sequence and one or more 3' junctional cleavage sequences. In some embodiments, the recombinant DNA molecules (e.g., DNA templates) suitable for use in the production of the synthetic RNA viral genomes described herein comprise one or more 5' junctional cleavage sequences and one or more 3' junctional cleavage sequences. In some embodiments, the recombinant DNA molecules (e.g., DNA templates) suitable for use in the production of the synthetic RNA viral genomes described herein comprise two 5' junctional cleavage sequences and at least one 3' junctional cleavage sequence. In some embodiments, the recombinant DNA molecules (e.g., DNA templates) suitable for use in the production of the synthetic RNA viral genomes described herein comprise at least one 5' junctional cleavage sequence and two 3' junctional cleavage sequences.

[0156] The nature of the junctional cleavage sequences and the removal of the non-viral RNA from the viral genome transcript can be accomplished by a variety of methods. For example, in some embodiments, the junctional cleavage sequences are targets for RNA interference (RNAi) molecules. "RNA interference molecule" as used herein refers to an RNA polynucleotide that mediates degradation of a target mRNA sequence through endogenous gene silencing pathways (e.g., Dicer and RNA-induced silencing complex (RISC)). Exemplary RNA interference agents include micro RNAs (miRNAs), artificial miRNA (amiRNAs), short hairpin RNAs (shRNAs), and small interfering RNAs (siRNAs). Further, any system for cleaving an RNA transcript at a specific site currently known the art or to be defined in the future can be used to generate the discrete ends native to the virus.

[0157] In some embodiments, the RNAi molecule is a miRNA. A miRNA refers to a naturally-occurring, small non-coding RNA molecule of about 18-25 nucleotides in length that is at least partially complementary to a target mRNA sequence. In animals, genes for miRNAs are transcribed to a primary miRNA (pri-miRNA), which is double stranded and forms a stem-loop structure. Pri-miRNAs are then cleaved in the nucleus by a microprocessor complex comprising the class 2 RNase III, Drosha, and the microprocessor subunit, DCGR8, to form a 70-100 nucleotide precursor miRNA (pre-miRNA). The pre-miRNA forms a

hairpin structure and is transported to the cytoplasm where it is processed by the RNase III enzyme, Dicer, into a miRNA duplex of ~ 18-25 nucleotides. Although either strand of the duplex may potentially act as a functional miRNA, typically one strand of the miRNA is degraded and only one strand is loaded onto the Argonaute (AGO) nuclease to produce the effector RNA-induced silencing complex (RISC) in which the miRNA and its mRNA target interact (Wahid et al., 1803:11, 2010, 1231-1243). In some embodiments, the 5' and/or 3' junctional cleavage sequences are miRNA target sequences.

[0158] In some embodiments, the RNAi molecule is an artificial miRNA (amiRNA) derived from a synthetic miRNA-embedded in a Pol II transcript. (See e.g., Liu et al., *Nucleic Acids Res* (2008) 36:9; 2811-2834; Zeng et al., *Molecular Cell* (2002), 9; 1327-1333; Fellman et al., *Cell Reports* (2013) 5; 1704-1713). In some embodiments, the 5' and/or 3' junctional cleavage sequences are amiRNA target sequences.

[0159] In some embodiments, the RNAi molecule is an siRNA molecule. siRNAs refer to double stranded RNA molecules typically about 21-23 nucleotides in length. The duplex siRNA molecule is processed in the cytoplasm by the associates with a multi protein complex called the RNA-induced silencing complex (RISC), during which the "passenger" sense strand is enzymatically cleaved from the duplex. The antisense "guide" strand contained in the activated RISC then guides the RISC to the corresponding mRNA by virtue of sequence complementarity and the AGO nuclease cuts the target mRNA, resulting in specific gene silencing. In some embodiments, the siRNA molecule is derived from an shRNA molecule. shRNAs are single stranded artificial RNA molecules ~50-70 nucleotides in length that form stem-loop structures. Expression of shRNAs in cells is accomplished by introducing a DNA polynucleotide encoding the shRNA by plasmid or viral vector. The shRNA is then transcribed into a product that mimics the stem-loop structure of a pre-miRNA, and after nuclear export the hairpin is processed by Dicer to form a duplex siRNA molecule which is then further processed by the RISC to mediate target-gene silencing. In some embodiments, the 5' and/or 3' junctional cleavage sequences are siRNA target sequences.

[0160] In some embodiments, the junctional cleavage sequences are guide RNA (gRNA) target sequences. In such embodiments, gRNAs can be designed and introduced with a Cas endonuclease with RNase activity (e.g., Cas13) to mediate cleavage of the viral genome transcript at the precise junctional site. In some embodiments, the 5' and/or 3' junctional cleavage sequences are gRNA target sequences.

[0161] In some embodiments, the junctional cleavage sequences are pri-miRNA-encoding sequences. Upon transcription of the polynucleotide encoding the viral genome (e.g., the recombinant RNA molecule), these sequences form the pri-miRNA stem-loop structure which is then cleaved in the nucleus by Drosha to cleave the transcript at the precise junctional site. In some embodiments, the 5' and/or 3' junctional cleavage sequences are pri-mRNA target sequences.

[0162] In some embodiments, the junctional cleavage sequences are primer binding sequences that facilitate cleavage by the endoribonuclease, RNaseH. In such embodiments, a primer that anneals to the 5' and/or 3' junctional cleavage sequence is added to the in vitro reaction along

with an RNaseH enzyme. RNaseH specifically hydrolyzes the phosphodiester bonds of RNA which is hybridized to DNA, therefore enabling cleavage of the synthetic RNA genome intermediates at the precise junctional cleavage sequence to produce the required 5' and 3' native ends.

[0163] In some embodiments, the junctional cleavage sequences comprise or consist of restriction enzyme recognition sites and result in the generation of discrete ends of viral transcripts during linearization of the plasmid template runoff RNA synthesis with T7 RNA Polymerase. In some embodiments, the junctional cleavage sequences are Type IIS restriction enzyme recognition sites. Type IIS restriction enzymes comprise a specific group of enzymes which recognize asymmetric DNA sequences and cleave at a defined distance outside of their recognition sequence, usually within 1 to 20 nucleotides. Exemplary Type IIS restriction enzymes include AcuI, AlwI, BaeI, BbsI, BbvI, BccI, BceAI, BglI, BciVI, BcoDI, BfuAI, Bmrl, BpmI, BpuEI, BsaI, BsaXI, BseRI, BsgI, BsmAI, BsmBi, BsmFI, BsmI, BspCNI, BspMI, BspQI, BsrDI, BsrI, BtgZI, BtsCI, BstI, CaspCI, EarI, EciI, Esp3I, FauI, FokI, HgaI, HphI, HpyAV, MbolI, MlyI, MmeI, MnlI, NmeAIII, PfiI, SapI, and SfaNI. The recognition sequences for these Type IIS restriction enzymes are known in the art. See the New England Biolabs website located at neb.com/tools-and-resources/selection-charts/type-iis-restriction-enzymes. In some embodiments, the junctional cleavage sequence comprises a SapI restriction enzyme recognition site. In some embodiments, the junctional cleavage sequence comprises a BsmBI restriction enzyme recognition site. In some embodiments, the junctional cleavage sequence comprises a BsaI restriction enzyme recognition site. A skilled person would understand that, because the cleavage site of the Type IIS restriction enzymes is typically outside the enzyme recognition site (e.g., offset by 1-5 nucleotides), the corresponding junctional cleavage sequence may also comprise the additional nucleotide(s) required by the corresponding restriction enzyme to create the discrete end of the viral transcript (e.g., the poly-A tail at 3' end).

[0164] In some embodiments, the junctional cleavage sequences are sequences encoding ligand-inducible self-cleaving ribozymes, referred to as "aptazymes". Aptazymes are ribozyme sequences that contain an integrated aptamer domain specific for a ligand. Ligand binding to the aptamer domain triggers activation of the enzymatic activity of the ribozyme, thereby resulting in cleavage of the RNA transcript. Exemplary aptazymes include theophylline-dependent aptazymes (e.g., hammerhead ribozyme linked to a theophylline-dependent aptamer, described in Auslander et al., *Mol BioSyst.* (2010) 6, 807-814), tetracycline-dependent aptazymes (e.g., hammerhead ribozyme linked to a Tet-dependent aptamer, described by Zhong et al., *eLife* 2016; 5: e18858 DOI: 10.7554/eLife.18858; Win and Smolke, *PNAS* (2007) 104: 14283-14288; Whittmann and Suess, *Mol Biosyst* (2011) 7: 2419-2427; Xiao et al., *Chem & Biol* (2008) 15: 125-1137; and Beilstein et al., *ACS Syn Biol* (2015) 4: 526-534), guanine-dependent aptazymes (e.g., hammerhead ribozyme linked to a guanine-dependent aptamer, described by Nomura et al., *Chem Commun.*, (2012) 48 (57); 7215-7217). In some embodiments, the 5' and/or 3' junctional cleavage sequences are aptazyme-encoding sequences.

[0165] In some embodiments, the junctional cleavage sequences are target sequences for an RNAi molecule (e.g., an siRNA molecule, an shRNA molecule, an miRNA mol-

ecule, or an amiRNA molecule), a gRNA molecule, or an RNaseH primer. In such embodiments, the junctional cleavage sequence is at least partially complementary to the sequence of the RNAi molecule, gRNA molecule, or primer molecule. Methods of sequence alignment for comparison and determination of percent sequence identity and percent complementarity are well known in the art. Optimal alignment of sequences for comparison can be conducted, e.g., by the homology alignment algorithm of Needleman and Wunsch, (1970) *J. Mol. Biol.* 48:443, by the search for similarity method of Pearson and Lipman, (1988) *Proc. Nat'l. Acad. Sci. USA* 85:2444, by computerized implementations of these algorithms (GAP, BESTFIT, FASTA, and TFASTA in the Wisconsin Genetics Software Package, Genetics Computer Group, 575 Science Dr., Madison, WI), by manual alignment and visual inspection (see, e.g., Brent et al., (2003) *Current Protocols in Molecular Biology*), by use of algorithms known in the art including the BLAST and BLAST 2.0 algorithms, which are described in Altschul et al., (1977) *Nuc. Acids Res.* 25:3389-3402; and Altschul et al., (1990) *J. Mol. Biol.* 215:403-410, respectively. Software for performing BLAST analyses is publicly available through the National Center for Biotechnology Information.

[0166] In some embodiments, the 5' junctional cleavage sequence and 3' junctional cleavage sequence are from the same group (e.g., are both RNAi target sequences, both ribozyme-encoding sequences, etc.). For example, in some embodiments, the junctional cleavage sequences are RNAi target sequences (e.g., siRNA, shRNA, amiRNA, or miRNA target sequences) and are incorporated into the 5' and 3' ends of the polynucleotide encoding the viral genome (e.g., the recombinant RNA molecule). In such embodiments, the 5' and 3' RNAi target sequence may be the same (i.e., targets for the same siRNA, amiRNA, or miRNA) or different (i.e., the 5' sequence is a target for one siRNA, shmiRNA, or miRNA and the 3' sequence is a target for another siRNA, amiRNA, or miRNA). In some embodiments, the junctional cleavage sequences are guide RNA target sequences and are incorporated into the 5' and 3' ends of the polynucleotide encoding the viral genome (e.g., the recombinant RNA molecule). In such embodiments, the 5' and 3' gRNA target sequences may be the same (i.e., targets for the same gRNA) or different (i.e., the 5' sequence is a target for one gRNA and the 3' sequence is a target for another gRNA). In some embodiments, the junctional cleavage sequences are pri-miRNA-encoding sequences and are incorporated into the 5' and 3' ends of the polynucleotide encoding the viral genome (e.g., the recombinant RNA molecule). In some embodiments, the junctional cleavage sequences are ribozyme-encoding sequences and are incorporated immediately 5' and 3' of the polynucleotide sequence encoding the viral genome (e.g., the recombinant RNA molecule).

[0167] In some embodiments, the 5' junctional cleavage sequence and 3' junctional cleavage sequence are from the same group but are different variants or types. For example, in some embodiments, the 5' and 3' junctional cleavage sequences may be target sequences for an RNAi molecule, wherein the 5' junctional cleavage sequence is an siRNA target sequence and the 3' junctional cleavage sequence is a miRNA target sequence (or vis versa). In some embodiments, the 5' and 3' junctional cleavage sequences may be ribozyme-encoding sequences, wherein the 5' junctional cleavage sequence is a hammerhead ribozyme-encoding

sequence and the 3' junctional cleavage sequence is a hepatitis delta virus ribozyme-encoding sequence.

[0168] In some embodiments, the 5' junctional cleavage sequence and 3' junctional cleavage sequence are different types. For example, in some embodiments, the 5' junctional cleavage sequence is an RNAi target sequence (e.g., an siRNA, an amiRNA, or a miRNA target sequence) and the 3' junctional cleavage sequence is a ribozyme sequence, an aptazyme sequence, a pri-miRNA sequence, or a gRNA target sequence. In some embodiments, the 5' junctional cleavage sequence is a ribozyme sequence and the 3' junctional cleavage sequence is an RNAi target sequence (e.g., an siRNA, an amiRNA, or a miRNA target sequence), an aptazyme sequence, a pri-miRNA-encoding sequence, or a gRNA target sequence. In some embodiments, the 5' junctional cleavage sequence is an aptazyme sequence and the 3' junctional cleavage sequence is an RNAi target sequence (e.g., an siRNA, an amiRNA, or a miRNA target sequence), a ribozyme sequence, a pri-miRNA sequence, or a gRNA target sequence. In some embodiments, the 5' junctional cleavage sequence is a pri-miRNA sequence and the 3' junctional cleavage sequence is an RNAi target sequence (e.g., an siRNA, an amiRNA, or a miRNA target sequence), a ribozyme sequence, an aptazyme sequence, or a gRNA target sequence. In some embodiments, the 5' junctional cleavage sequence is a gRNA target sequence and the 3' junctional cleavage sequence is an RNAi target sequence (e.g., an siRNA, an amiRNA, or a miRNA target sequence), a ribozyme sequence, a pri-miRNA sequence, or an aptazyme sequence.

[0169] Exemplary arrangements of the junctional cleavage sequences relative to the polynucleotide encoding the synthetic viral genome are shown below in Tables 3 and 4.

TABLE 3

Symmetrical Junctional Cleavage Sequence (JCS) Arrangements			
5'	JCS	JCS	3'
siRNA TS	synthetic genome	siRNA TS	
miR TS	synthetic genome	miR TS	
AmiR TS	synthetic genome	AmiR TS	
gRNA TS	synthetic genome	gRNA TS	
pri-miR	synthetic genome	pri-miR	
ribozyme	synthetic genome	ribozyme	
aptazyme	synthetic genome	aptazyme	
RNaseH primer TS	synthetic genome	RNaseH primer TS	

TABLE 4

Asymmetrical JCS Arrangements			
5'	JCS	JCS	3'
siRNA TS	synthetic genome	miR TS	
siRNA TS	synthetic genome	AmiR TS	
siRNA TS	synthetic genome	gRNA TS	
siRNA TS	synthetic genome	pri-miR	
siRNA TS	synthetic genome	ribozyme	
siRNA TS	synthetic genome	aptazyme	
siRNA TS	synthetic genome	RNaseH primer TS	
siRNA TS	synthetic genome	Restr Enz RS	
miR TS	synthetic genome	siRNA TS	
miR TS	synthetic genome	AmiR TS	
miR TS	synthetic genome	gRNA TS	
miR TS	synthetic genome	pri-miR	
miR TS	synthetic genome	ribozyme	

TABLE 4-continued

Asymmetrical JCS Arrangements			
5'	JCS	JCS	3'
miR TS	synthetic genome	aptazyme	
miR TS	synthetic genome	RNaseH primer TS	
miR TS	synthetic genome	Restr Enz RS	
AmiR TS	synthetic genome	siRNA TS	
AmiR TS	synthetic genome	miR TS	
AmiR TS	synthetic genome	gRNA TS	
AmiR TS	synthetic genome	pri-miR	
AmiR TS	synthetic genome	ribozyme	
AmiR TS	synthetic genome	aptazyme	
AmiR TS	synthetic genome	RNaseH primer TS	
AmiR TS	synthetic genome	Restr Enz RS	
gRNA TS	synthetic genome	siRNA TS	
gRNA TS	synthetic genome	miR TS	
gRNA TS	synthetic genome	AmiR TS	
gRNA TS	synthetic genome	pri-miR	
gRNA TS	synthetic genome	ribozyme	
gRNA TS	synthetic genome	aptazyme	
gRNA TS	synthetic genome	RNaseH primer TS	
gRNA TS	synthetic genome	Restr Enz RS	
pri-miR	synthetic genome	siRNA TS	
pri-miR	synthetic genome	miR TS	
pri-miR	synthetic genome	AmiR TS	
pri-miR	synthetic genome	gRNA TS	
pri-miR	synthetic genome	ribozyme	
pri-miR	synthetic genome	aptazyme	
pri-miR	synthetic genome	RNaseH primer TS	
pri-miR	synthetic genome	Restr Enz RS	
ribozyme	synthetic genome	siRNA TS	
ribozyme	synthetic genome	miR TS	
ribozyme	synthetic genome	AmiR TS	
ribozyme	synthetic genome	gRNA TS	
ribozyme	synthetic genome	pri-miR	
ribozyme	synthetic genome	aptazyme	
ribozyme	synthetic genome	RNaseH primer TS	
ribozyme	synthetic genome	Restr Enz RS	
aptazyme	synthetic genome	siRNA TS	
aptazyme	synthetic genome	miR TS	
aptazyme	synthetic genome	AmiR TS	
aptazyme	synthetic genome	gRNA TS	
aptazyme	synthetic genome	pri-miR	
aptazyme	synthetic genome	ribozyme	
aptazyme	synthetic genome	RNaseH primer TS	
aptazyme	synthetic genome	Restr Enz RS	
RNaseH primer TS	synthetic genome	siRNA TS	
RNaseH primer TS	synthetic genome	miR TS	
RNaseH primer TS	synthetic genome	AmiR TS	
RNaseH primer TS	synthetic genome	gRNA TS	
RNaseH primer TS	synthetic genome	pri-miR	
RNaseH primer TS	synthetic genome	ribozyme	
RNaseH primer TS	synthetic genome	aptazyme	
RNaseH primer TS	synthetic genome	Restr Enz RS	

**"Restr Enz RS" refers to restriction enzyme recognition site

[0170] In some embodiments, the junctional cleavage sequences are ribozyme-encoding sequences and mediate self-cleavage of the synthetic RNA genome intermediates to produce the native discrete 5' and/or 3' ends of required for the final synthetic viral RNA genome and subsequent production of infectious RNA viruses. Exemplary ribozymes include the Hammerhead ribozyme (e.g., the Hammerhead ribozymes shown in FIG. 5A), the Varkud satellite (VS) ribozyme, the hairpin ribozyme, the GIRI branching ribozyme, the glmS ribozyme, the twister ribozyme, the twister sister ribozyme (e.g., twister sister 1 or twister sister 2), the pistol ribozyme (e.g., the pistol ribozymes shown in FIGS. 6A-6B and 7, the Env25 pistol ribozyme, or the Alistipes Putredinis Pistol Ribozyme), the hatchet ribozyme, and the Hepatitis delta virus ribozyme. In some embodiments, the 5' and/or 3' junctional cleavage sequences are ribozyme encoding sequences.

[0171] In some embodiments, the 5' junctional cleavage sequence comprises or consists of a ribozyme sequence. In some embodiments, the 5' ribozyme sequence are selected from a Hammerhead ribozyme sequence, a Pistol ribozyme sequence, or a Twister Sister ribozyme sequence.

[0172] In some embodiments, the 5' junctional cleavage sequence comprises or consists of a 5' Pistol ribozyme sequence. In some embodiments, the 5' Pistol ribozyme sequence is derived from *P. polomyxa*. In some embodiments, the 5' Pistol ribozyme sequence derived from *P. polomyxa* comprises or consists of a sequence having at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% (including all ranges and subranges therebetween) sequence identity to any one of SEQ ID NO: 16-19 and 23-24. In some embodiments, the 5' Pistol ribozyme sequence comprises a P2 motif as indicated in FIGS. 6A and 6C, which is four nucleotides in length and locates at the region corresponding to nucleic acid positions 27-30 of SEQ ID NO: 16-19 and 23-24. In some embodiments, the 5' Pistol ribozyme sequence derived from *P. polomyxa* comprises or consists of a sequence having at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% (including all ranges and subranges therebetween) sequence identity to SEQ ID NO: 17, wherein the polynucleotide sequence of its P2 motif is "TTTA". In some embodiments, the 5' Pistol ribozyme sequence derived from *P. polomyxa* comprises or consists of a sequence having at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% (including all ranges and subranges therebetween) sequence identity to SEQ ID NO: 18, wherein the polynucleotide sequence of its P2 motif is "TTTT". In some embodiments, the 5' Pistol ribozyme sequence derived from *P. polomyxa* comprises or consists of a sequence having at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% (including all ranges and subranges therebetween) sequence identity to SEQ ID NO: 19, wherein the polynucleotide sequence of its P2 motif is "TTGT". In some embodiments, the 5' Pistol ribozyme sequence is incorporated into the recombinant DNA molecule for in vitro transcription of a Cocksackievirus (e.g., CVA21) RNA viral genome.

[0173] In some embodiments, the 5' junctional cleavage sequence comprises or consists of a 5' Pistol ribozyme sequence. In some embodiments, the 5' Pistol ribozyme sequence is derived from *P. polomyxa*. In some embodiments, the 5' Pistol ribozyme sequence derived from *P. polomyxa* comprises or consists of a sequence having at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% (including all ranges and subranges therebetween) sequence identity to SEQ ID NO: 64 or 65. In some embodiments, the 5' Pistol ribozyme sequence comprises a P2 motif, which is four nucleotides in length and locates at the region corresponding to nucleic acid positions 27-30 of SEQ ID NO: 64 or 65. In some embodiments, the 5' Pistol ribozyme sequence derived from *P. polomyxa* comprises or consists of a sequence having at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% (including all ranges and subranges therebetween) sequence identity to SEQ ID NO: 64, wherein the polynucleotide sequence of its P2 motif is "TCAA". In some embodiments, the 5' Pistol ribozyme sequence derived from

P. polomyxa comprises or consists of a sequence having at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% (including all ranges and subranges therebetween) sequence identity to SEQ ID NO: 65, wherein the polynucleotide sequence of its P2 motif is "TTAA". In some embodiments, the 5' Pistol ribozyme sequence is incorporated into the recombinant DNA molecule for in vitro transcription of an SVV (e.g., SVV-IRES-2) RNA viral genome.

[0174] In some embodiments, the 5' junctional cleavage sequence comprises or consists of a ENV27 ribozyme encoding sequence. In some embodiments, the ENV27 ribozyme encoding sequence comprises or consists of a sequence having at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% (including all ranges and subranges therebetween) sequence identity to any one of SEQ ID NO: 130-134. In some embodiments, the ENV27 ribozyme encoding sequence comprises or consists of a sequence having at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% (including all ranges and subranges therebetween) sequence identity to SEQ ID NO: 132.

[0175] In some embodiments, the ENV27 ribozyme encoding sequence contains modification (e.g., insertion) at the P3 stem insert region, which correspond to nucleotides 49-54 of SEQ ID NO: 132. Without wishing to be bound by any particular theory, it is hypothesized that extending the P3 stem insert region may facilitate the folding and/or cleavage efficiency of the ENV27 ribozyme. In some embodiments, the ENV27 ribozyme encoding sequence comprises a P3 stem insert of about 1-30, about 1-25, about 1-20, about 1-15, about 1-10, about 5-30, about 5-25, about 5-20, about 5-15, about 5-10, about 6-30, about 6-25, about 6-20, about 6-15, or about 6-10 polynucleotides in length. In some embodiments, the ENV27 ribozyme encoding sequence comprises the P3 stem insert of at least 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, or 20 polynucleotides in length. In some embodiments, the P3 stem insert comprises or consists of the polynucleotides "AGATCT" at the region corresponding to nucleotides 49-54 of SEQ ID NO: 132. In some embodiments, the P3 stem insert comprises or consists of the polynucleotides "AGAGAAATCT" (SEQ ID NO: 137) at the region corresponding to nucleotides 49-54 of SEQ ID NO: 132. In some embodiments, the P3 stem insert comprises or consists of the polynucleotides "AGAACGAGAAATCGTTCT" (SEQ ID NO: 138) at the region corresponding to nucleotides 49-54 of SEQ ID NO: 132.

[0176] In some embodiments, the ENV27 ribozyme encoding sequence comprises or consists of a sequence (excluding the P3 stem insert region) having at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% (including all ranges and subranges therebetween) sequence identity to SEQ ID NO: 132 (excluding its P3 stem insert corresponding to nucleotides 49-54 of SEQ ID NO: 132). In some embodiments, the ENV27 ribozyme encoding sequence comprises or consists of a sequence (excluding the P3 stem insert region) that is 100% identical to SEQ ID NO: 132 (excluding its P3 stem insert corresponding to nucleotides 49-54 of SEQ ID NO: 132). In some embodiments, the ENV27 ribozyme encoding sequence comprises or consists of a sequence (excluding the P3 stem insert region) having

at most 1, at most 2, at most 3, at most 5, at most 5, at most 6, at most 7, at most 8, at most 8, at most 10, or at most 11 mutations (insertions, deletions or substitutions) as compared to, SEQ ID NO: 132 (excluding its P3 stem insert corresponding to nucleotides 49-54 of SEQ ID NO: 132). In some embodiments, such mutation(s) are substitution(s).

[0177] In some embodiments, the ENV27 ribozyme encoding sequence comprises the polynucleotides “TTT-ATT” at the positions corresponding to nucleotides 25-30 of SEQ ID NO: 132.

[0178] In some embodiments, the ENV27 ribozyme encoding sequence comprises the polynucleotides “TTTGTT” at the positions corresponding to nucleotides 25-30 of SEQ ID NO: 132.

[0179] In some embodiments, the ENV27 sequence is incorporated into the recombinant DNA molecule for in vitro transcription of a Cocksackievirus (e.g., CVA21) RNA viral genome.

[0180] In some embodiments, the disclosure provides a plurality of recombinant RNA molecules, transcribed from the recombinant DNA molecule of the disclosure. In some embodiments, at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, at least 99.5%, or at least 99.9%, of the recombinant RNA molecules comprise 5' and 3' ends that are native to the viral genome encoded by the recombinant RNA molecule. In some embodiments, no more than 30%, no more than 25%, no more than 20%, no more than 15%, no more than 10%, no more than 5%, no more than 4%, no more than 3%, no more than 2%, no more than 1%, no more than 0.5%, or no more than 0.1%, of the recombinant RNA molecules comprise an RNA sequence encoded by the ENV27 ribozyme encoding sequence. In some embodiments, at least one of the recombinant RNA molecules comprises an RNA sequence encoded by the ENV27 ribozyme encoding sequence. In some embodiments, at least 0.0001%, at least 0.001%, at least 0.01%, at least 0.1%, or at least 1%, of the recombinant RNA molecules comprise the ENV27 ribozyme (which is encoded by the ENV27 ribozyme encoding sequence).

[0181] In some embodiments, the 5' junctional cleavage sequence comprises or consists of a Env25 Pistol Ribozyme. In some embodiments, the DNA sequence encoding the Env25 Pistol ribozyme comprises or consists of a sequence having at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% (including all ranges and subranges therebetween) sequence identity to SEQ ID NO: 96. In some embodiments, the Env25 Pistol ribozyme RNA sequence comprises or consists of a sequence having at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% (including all ranges and subranges therebetween) sequence identity to SEQ ID NO: 100.

[0182] In some embodiments, the 5' junctional cleavage sequence comprises or consists of a Alistipes Putredinis Pistol Ribozyme. In some embodiments, the DNA sequence encoding the Alistipes Putredinis Pistol Ribozyme comprises or consists of a sequence having at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% (including all ranges and subranges therebetween) sequence identity to SEQ ID NO: 97. In some embodiments, the Alistipes Putredinis Pistol Ribozyme RNA sequence comprises or consists of a

sequence having at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% (including all ranges and subranges therebetween) sequence identity to SEQ ID NO: 101.

[0183] In some embodiments, the 5' junctional cleavage sequence comprises or consists of a Twister Sister 1 Ribozyme. In some embodiments, the DNA sequence encoding the Twister Sister 1 Ribozyme comprises or consists of a sequence having at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% (including all ranges and subranges therebetween) sequence identity to SEQ ID NO: 98. In some embodiments, the Twister Sister1 Ribozyme RNA sequence comprises or consists of a sequence having at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% (including all ranges and subranges therebetween) sequence identity to SEQ ID NO: 102.

[0184] In some embodiments, the 5' junctional cleavage sequence comprises or consists of a Twister Sister 2 Ribozyme. In some embodiments, the DNA sequence encoding the Twister Sister 2 Ribozyme comprises or consists of a sequence having at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% (including all ranges and subranges therebetween) sequence identity to SEQ ID NO: 99. In some embodiments, the Twister Sister2 Ribozyme RNA sequence comprises or consists of a sequence having at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% (including all ranges and subranges therebetween) sequence identity to SEQ ID NO: 103.

Leader Sequence

[0185] In some embodiments, the recombinant DNA molecule (e.g., DNA template) comprises a leader sequence in between the promoter sequence and the 5' junctional cleavage sequence. In some embodiments, the presence of the leader sequence promotes or ensures the proper folding of the downstream 5' junctional cleavage sequence (e.g., a 5' ribozyme sequence).

[0186] In some embodiments, the leader sequence is about 5 bp, about 10 bp, about 15 bp, about 20 bp, about 25 bp, about 30 bp, about 35 bp, about 40 bp, about 45 bp, about 50 bp, about 55 bp, about 60 bp, about 65 bp, about 70 bp, about 75 bp, about 80 bp, about 85 bp, about 90 bp, about 95 bp, or about 100 bp in length, including all ranges and subranges therebetween. In some embodiments, the leader sequence is at least 5 bp, at least 10 bp, at least 15 bp, at least 20 bp, at least 25 bp, at least 30 bp, at least 35 bp, at least 40 bp, at least 45 bp, at least 50 bp, at least 55 bp, at least 60 bp, at least 65 bp, at least 70 bp, at least 75 bp, at least 80 bp, at least 85 bp, at least 90 bp, at least 95 bp, or at least 100 bp in length, including all ranges and subranges therebetween. In some embodiments, the leader sequence is less than 5 bp, less than 10 bp, less than 15 bp, less than 20 bp, less than 25 bp, less than 30 bp, less than 35 bp, less than 40 bp, less than 45 bp, less than 50 bp, less than 55 bp, less than 60 bp, less than 65 bp, less than 70 bp, less than 75 bp, less than 80 bp, less than 85 bp, less than 90 bp, less than 95 bp, or less than 100 bp in length, including all ranges and subranges therebetween. In some embodiments, the leader sequence is about 50-70 bp, about 40-60 bp, about 60-80 bp, about 40-80 bp, about 30-70 bp, about 50-90 bp, about 30-90

bp, about 20-60 bp, or about 60-100 bp in length, including all ranges and subranges therebetween. In some embodiments, the leader sequence is about 57 bp or about 55-60 bp in length.

[0187] In some embodiments, the leader sequence comprises or consists of a polynucleotide sequence having at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% (including all ranges and subranges therebetween) sequence identity according to any one of SEQ ID NO: 13-15. In some embodiments, the leader sequence comprises or consists of a polynucleotide sequence according to any one of SEQ ID NO: 13-15. In some embodiments, the leader sequence comprises or consists of a polynucleotide sequence having at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% (including all ranges and subranges therebetween) sequence identity according to SEQ ID NO: 15. In some embodiments, the leader sequence comprises or consists of a polynucleotide sequence according to SEQ ID NO: 15. In some embodiment, the leader sequence is followed, or immediately followed, by a 5' Pistol ribozyme sequence (e.g., a Pistol ribozyme from *P. polymyxa* or a variant thereof). In some embodiments, the leader sequence is incorporated into a recombinant DNA molecule (e.g., DNA template) for in vitro transcription of a CVA21 RNA viral genome.

[0188] In some embodiments, the leader sequence comprises or consists of a polynucleotide sequence having at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% (including all ranges and subranges therebetween) sequence identity according to any one of SEQ ID NO: 135-136. In some embodiments, the leader sequence comprises or consists of a polynucleotide sequence according to any one of SEQ ID NO: 135-136. In some embodiments, the leader sequence comprises or consists of a polynucleotide sequence having at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% (including all ranges and subranges therebetween) sequence identity according to SEQ ID NO: 135. In some embodiments, the leader sequence comprises or consists of a polynucleotide sequence according to SEQ ID NO: 135. In some embodiment, the leader sequence is followed, or immediately followed, by a ENV27 ribozyme sequence (e.g., any one of SEQ ID NO: 130-134 or a variant thereof). In some embodiments, the leader sequence is incorporated into a recombinant DNA molecule (e.g., DNA template) for in vitro transcription of a CVA21 RNA viral genome.

[0189] In some embodiments, the leader sequence comprises or consists of a polynucleotide sequence having at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% (including all ranges and subranges therebetween) sequence identity according to any one of SEQ ID NO: 53-63. In some embodiments, the leader sequence comprises or consists of a polynucleotide sequence having at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% (including all ranges and subranges

therebetween) sequence identity according to any one of SEQ ID NO: 53-60 and 62-63. In some embodiments, the leader sequence comprises or consists of a polynucleotide sequence according to any one of SEQ ID NO: 53-60 and 62-63.

[0190] In some embodiments, the leader sequence comprises or consists of a polynucleotide sequence having at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% (including all ranges and subranges therebetween) sequence identity according to SEQ ID NO: 53. In some embodiments, the leader sequence comprises or consists of a polynucleotide sequence according to SEQ ID NO: 53.

[0191] In some embodiments, the leader sequence comprises or consists of a polynucleotide sequence having at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% (including all ranges and subranges therebetween) sequence identity according to SEQ ID NO: 58. In some embodiments, the leader sequence comprises or consists of a polynucleotide sequence according to SEQ ID NO: 58.

[0192] In some embodiment, the leader sequence is followed, or immediately followed, by a 5' Pistol ribozyme sequence (e.g., a Pistol ribozyme according to SEQ ID NO: 64 or 65 or a variant thereof). In some embodiments, the leader sequence is incorporated into a recombinant DNA molecule (e.g., DNA template) for in vitro transcription of a SVV RNA viral genome.

Poly-A Tail

[0193] In some embodiments, the recombinant DNA molecule (e.g., DNA template) comprises a sequence encoding a polyA tail. In some embodiments, a poly-A tail is attached to the 3' end of the synthetic RNA viral genome. In some embodiments, the poly-A tail is 2-500 bp in length (i.e., 2-500 pA). In some embodiments, the poly-A tail is 2-100, 2-150, 2-200, 2-250, 2-300, 2-400, or 2-500 bp in length, including all ranges and subranges therebetween. In some embodiments, the poly-A tail is about 5, 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, or 200 bp in length, including all ranges and subranges therebetween. In some embodiments, the poly-A tail is about 10-30, 20-40, 30-50, 40-60, 50-70, 60-80, 70-90, 80-100, 90-110, 100-120, 110-130, 120-140, 130-150, 140-160, 150-170, 160-180, 170-190, or 180-200 bp in length, including all ranges and subranges therebetween. In some embodiments, the poly-A tail is about 65-75, 60-80, 55-85, 50-90, 45-95, or 40-100 bp in length, including all ranges and subranges therebetween. In some embodiments, the poly-A tail is about 70 bp in length. In some embodiments, a longer poly-A tail (e.g., about 70 bp in length) improves the loading capacity of the synthetic RNA viral genome on an Oligo-dT chromatography as compared to a corresponding synthetic RNA viral genome with a shorter poly-A tail (e.g., about 30 bp in length). In some embodiments, the loading capacity is improved by at least 10%, at least 20%, at least 30%, at least 40%, at least 50%, at least 60%, at least 70%, at least 80%, at least 90%, at least 1-fold, at least 2-fold, at least 3-fold, at least 4-fold, at least 5-fold, at least 7-fold, or at least 10-fold, as compared to the synthetic RNA viral genome with a poly-A tail of about 30 bp in length.

Non-Limiting Examples of Recombinant DNA Molecule Designs

[0194] In some embodiments, the synthetic RNA viral genomes described herein are produced in vitro by in vitro RNA transcription (See, e.g., schematic in FIG. 8, FIG. 9A, FIG. 9B and FIG. 10A). The synthetic RNA viral genomes are then purified and formulated for therapeutic use (e.g., encapsulated into a lipid nanoparticle).

[0195] In some embodiments, the recombinant DNA molecule (e.g., DNA template) comprises, from 5' to 3': (i) a promoter sequence (e.g., a T7 polymerase promoter); (ii) a 5' junctional cleavage sequence comprising or consisting of a ribozyme sequence; (iii) a polynucleotide encoding the synthetic RNA viral genome; and (iv) a 3' junctional cleavage sequence comprising or consisting of a ribozyme sequence. In some embodiments, the recombinant DNA molecule (e.g., DNA template) comprises, from 5' to 3': (i) a promoter sequence (e.g., a T7 polymerase promoter); (ii) a 5' Hammerhead ribozyme sequence (e.g., a wild type HHR or a modified HHR such as that provided in FIG. 5A and FIG. 5B); (iii) a polynucleotide encoding the synthetic RNA viral genome; and (iv) a 3' hepatitis delta virus ribozyme sequence.

[0196] In some embodiments, the recombinant DNA molecule (e.g., DNA template) comprises, from 5' to 3': (i) a promoter sequence (e.g., a T7 polymerase promoter); (ii) a 5' junctional cleavage sequence comprising or consisting of a ribozyme sequence; (iii) a polynucleotide encoding the synthetic RNA viral genome; and (iv) a 3' junctional cleavage sequence comprising a restriction enzyme recognition site. In some embodiments, the recombinant DNA molecule (e.g., DNA template) comprises, from 5' to 3': (i) a promoter sequence (e.g., a T7 polymerase promoter); (ii) a 5' Hammerhead ribozyme sequence (e.g., a wild type HHR or a modified HHR such as that provided in FIG. 5A and FIG. 5B); (iii) a polynucleotide encoding the synthetic RNA viral genome; and (iv) a 3' junctional cleavage sequence comprising or consisting of a SapI restriction enzyme recognition site.

[0197] In some embodiments, the recombinant DNA molecule (e.g., DNA template) comprises, from 5' to 3': (i) a promoter sequence (e.g., a T7 polymerase promoter); (ii) a 5' junctional cleavage sequence comprising or consisting of a ribozyme sequence; (iii) a polynucleotide encoding the synthetic RNA viral genome; and (iv) a 3' junctional cleavage sequence comprising or consisting of a restriction enzyme recognition site. In some embodiments, the DNA template comprises, from 5' to 3': (i) a promoter sequence (e.g., a T7 polymerase promoter); (ii) a 5' Hammerhead ribozyme sequence (e.g., a wild type HHR or a modified HHR such as that provided in FIG. 5A and FIG. 5B); (iii) a polynucleotide encoding the synthetic RNA viral genome; and (iv) a 3' junctional cleavage sequence comprising or consisting of a BsaI restriction enzyme recognition site.

[0198] In some embodiments, the recombinant DNA molecule (e.g., DNA template) comprises, from 5' to 3': (i) a promoter sequence (e.g., a T7 polymerase promoter); (ii) a 5' junctional cleavage sequence comprising or consisting of an ENV27 ribozyme sequence; (iii) a polynucleotide encoding the synthetic RNA viral genome; and (iv) a 3' junctional cleavage sequence comprising or consisting of a SapI restriction enzyme recognition site.

[0199] In some embodiments, the recombinant DNA molecule (e.g., DNA template) comprises, from 5' to 3': (i) a

promoter sequence (e.g., a T7 polymerase promoter); (ii) a 5' junctional cleavage sequence comprising or consisting of an ENVY27 ribozyme sequence; (iii) a polynucleotide encoding the synthetic RNA viral genome; and (iv) a 3' junctional cleavage sequence comprising or consisting of a BsaI restriction enzyme recognition site.

[0200] In some embodiments, the recombinant DNA molecule (e.g., DNA template) comprises, from 5' to 3': (i) a promoter sequence (e.g., a T7 polymerase promoter); (ii) a 5' junctional cleavage sequence comprising or consisting of a 5' RNaseHI primer binding site; (iii) a polynucleotide encoding the synthetic RNA viral genome; and (iv) a 3' junctional cleavage sequence comprising a restriction enzyme recognition site. In some embodiments, the recombinant DNA molecule (e.g., DNA template) comprises a polynucleotide comprising, from 5' to 3': (i) a promoter sequence (e.g., a T7 polymerase promoter); (ii) a 5' junctional cleavage sequence comprising or consisting of a 5' RNaseHI primer binding site; (iii) a polynucleotide encoding the synthetic RNA viral genome; and (iv) a 3' junctional cleavage sequence comprising or consisting of a SapI restriction enzyme recognition site.

[0201] In some embodiments, the recombinant DNA molecule (e.g., DNA template) comprises, from 5' to 3': (i) a promoter sequence (e.g., a T7 polymerase promoter); (ii) a 5' junctional cleavage sequence comprising or consisting of a 5' RNaseHI primer binding site; (iii) a polynucleotide encoding the synthetic RNA viral genome; and (iv) a 3' junctional cleavage sequence comprising a restriction enzyme recognition site. In some embodiments, the recombinant DNA molecule (e.g., DNA template) comprises a polynucleotide comprising, from 5' to 3': (i) a promoter sequence (e.g., a T7 polymerase promoter); (ii) a 5' junctional cleavage sequence comprising or consisting of a 5' RNaseHI primer binding site; (iii) a polynucleotide encoding the synthetic RNA viral genome; and (iv) a 3' junctional cleavage sequence comprising or consisting of a BsaI restriction enzyme recognition site.

[0202] In some embodiments, the synthetic RNA viral genome is a Cocksackievirus (CVA) genome. In some embodiments, the Cocksackievirus is a CVA21 strain. In some embodiments, the CVA21 strain is an EF strain. In some embodiments, the CVA21 strain is a KY strain.

[0203] In some embodiments, the recombinant DNA molecule (e.g., DNA template) comprises, from 5' to 3': (i) a promoter sequence (e.g., a T7 polymerase promoter); (ii) an optional leader sequence; (iii) a 5' junctional cleavage sequence comprising or consisting of an ENV27 ribozyme sequence; (iv) a polynucleotide encoding the synthetic RNA viral genome; (v) a poly-A tail (e.g., about 20-80 bp in length, or about 30-70 bp in length), and (vi) a 3' junctional cleavage sequence comprising or consisting of a restriction enzyme recognition site (e.g., for BsmBI or BsaI restriction enzyme).

[0204] In some embodiments, the recombinant DNA molecule (e.g., DNA template) comprises, from 5' to 3': (i) a promoter sequence (e.g., a T7 polymerase promoter); (ii) a leader sequence (e.g., SEQ ID NO: 135 or 136); (iii) a 5' junctional cleavage sequence comprising or consisting of an ENV27 ribozyme sequence; (iv) a polynucleotide encoding a CVA21 synthetic RNA viral genome; (v) a poly-A tail (e.g., about 20-80 bp in length, or about 30-70 bp in length), and (vi) a 3' junctional cleavage sequence comprising or consisting of a BsmBI restriction enzyme recognition site.

[0205] In some embodiments, the recombinant DNA molecule (e.g., DNA template) comprises, from 5' to 3': (i) a promoter sequence (e.g., a T7 polymerase promoter); (ii) a leader sequence (e.g., SEQ ID NO: 135 or 136); (iii) a 5' junctional cleavage sequence comprising or consisting of an ENV27 ribozyme sequence; (iv) a polynucleotide encoding a CVA21 synthetic RNA viral genome; (v) a poly-A tail (e.g., about 20-80 bp in length, or about 30-70 bp in length), and (vi) a 3' junctional cleavage sequence comprising or consisting of a BsaI restriction enzyme recognition site.

[0206] In some embodiments, the recombinant DNA molecule (e.g., DNA template) comprises, from 5' to 3': (i) a promoter sequence (e.g., a T7 polymerase promoter); (ii) a leader sequence according to SEQ ID NO: 135; (iii) a 5' junctional cleavage sequence comprising or consisting of an ENV27 ribozyme sequence; (iv) a polynucleotide encoding a CVA21 synthetic RNA viral genome; (v) a poly-A tail, and (vi) a 3' junctional cleavage sequence comprising or consisting of a BsmBI restriction enzyme recognition site, wherein the combination of the 5' ENV27 ribozyme sequence and the poly-A tail is selected from one of Embodiments E1-E68 provided in Table 5 below.

[0207] In some embodiments, the recombinant DNA molecule (e.g., DNA template) comprises, from 5' to 3': (i) a promoter sequence (e.g., a T7 polymerase promoter); (ii) a leader sequence according to SEQ ID NO: 135; (iii) a 5' junctional cleavage sequence comprising or consisting of an ENV27 ribozyme sequence; (iv) a polynucleotide encoding a CVA21 synthetic RNA viral genome; (v) a poly-A tail, and

(vi) a 3' junctional cleavage sequence comprising or consisting of a BsaI restriction enzyme recognition site, wherein the combination of the 5' ENV27 ribozyme sequence and the poly-A tail is selected from one of Embodiments E1-E68 provided in Table 5 below.

[0208] In some embodiments, the recombinant DNA molecule (e.g., DNA template) comprises, from 5' to 3': (i) a promoter sequence (e.g., a T7 polymerase promoter); (ii) a leader sequence according to SEQ ID NO: 136; (iii) a 5' junctional cleavage sequence comprising or consisting of an ENV27 ribozyme sequence; (iv) a polynucleotide encoding a CVA21 synthetic RNA viral genome; (v) a poly-A tail, and (vi) a 3' junctional cleavage sequence comprising or consisting of a BsmBI restriction enzyme recognition site, wherein the combination of the 5' ENV27 ribozyme sequence and the poly-A tail is selected from one of Embodiments E1-E68 provided in Table 5 below.

[0209] In some embodiments, the recombinant DNA molecule (e.g., DNA template) comprises, from 5' to 3': (i) a promoter sequence (e.g., a T7 polymerase promoter); (ii) a leader sequence according to SEQ ID NO: 136; (iii) a 5' junctional cleavage sequence comprising or consisting of an ENV27 ribozyme sequence; (iv) a polynucleotide encoding a CVA21 synthetic RNA viral genome; (v) a poly-A tail, and (vi) a 3' junctional cleavage sequence comprising or consisting of a BsaI restriction enzyme recognition site, wherein the combination of the 5' ENV27 ribozyme sequence and the poly-A tail is selected from one of Embodiments E1-E68 provided in Table 5 below.

TABLE 5

Non-limiting Embodiments of Leader Sequence, 5' Ribozyme Sequence, and Poly-A Tail in the DNA template for Expressing CVA21 Viral Genome		
	5' ENV27 Ribozyme with "TTTATT" at the positions corresponding to nucleotides 25-30 of SEQ ID NO: 132	5' ENV27 Ribozyme with "TTTGTT" at the positions corresponding to nucleotides 25-30 of SEQ ID NO: 132
Leader sequence according to SEQ ID NO: 135;	Embodiment E1	Embodiment E2
poly-A tail about 100 pA in length		
Leader sequence according to SEQ ID NO: 135;	Embodiment E3	Embodiment E4
poly-A tail about 90 pA in length		
Leader sequence according to SEQ ID NO: 135;	Embodiment E5	Embodiment E6
poly-A tail about 80 pA in length		
Leader sequence according to SEQ ID NO: 135;	Embodiment E7	Embodiment E8
poly-A tail about 70 pA in length		
Leader sequence according to SEQ ID NO: 135;	Embodiment E9	Embodiment E10
poly-A tail about 60 pA in length		
Leader sequence according to SEQ ID NO: 135;	Embodiment E11	Embodiment E12
poly-A tail about 50 pA in length		
Leader sequence according to SEQ ID NO: 135;	Embodiment E13	Embodiment E14
poly-A tail about 40 pA in length		
Leader sequence according to SEQ ID NO: 135;	Embodiment E15	Embodiment E16
poly-A tail about 30 pA in length		
Leader sequence according to SEQ ID NO: 135;	Embodiment E17	Embodiment E18
poly-A tail about 20 pA in length		

TABLE 5-continued

Non-limiting Embodiments of Leader Sequence, 5' Ribozyme Sequence, and Poly-A Tail in the DNA template for Expressing CVA21 Viral Genome		
	5' ENV27 Ribozyme with "TTTATT" at the positions corresponding to nucleotides 25-30 of SEQ ID NO: 132	5' ENV27 Ribozyme with "TTTGTT" at the positions corresponding to nucleotides 25-30 of SEQ ID NO: 132
Leader sequence according to SEQ ID NO: 135;	Embodiment E19	Embodiment E20
poly-A tail about 80-100 pA in length		
Leader sequence according to SEQ ID NO: 135;	Embodiment E21	Embodiment E22
poly-A tail about 70-90 pA in length		
Leader sequence according to SEQ ID NO: 135;	Embodiment E23	Embodiment E24
poly-A tail about 60-80 pA in length		
Leader sequence according to SEQ ID NO: 135;	Embodiment E25	Embodiment E26
poly-A tail about 50-70 pA in length		
Leader sequence according to SEQ ID NO: 135;	Embodiment E27	Embodiment E28
poly-A tail about 40-60 pA in length		
Leader sequence according to SEQ ID NO: 135;	Embodiment E29	Embodiment E30
poly-A tail about 30-50 pA in length		
Leader sequence according to SEQ ID NO: 135;	Embodiment E31	Embodiment E32
poly-A tail about 20-40 pA in length		
Leader sequence according to SEQ ID NO: 135;	Embodiment E33	Embodiment E34
poly-A tail about 10-30 pA in length		
Leader sequence according to SEQ ID NO: 136;	Embodiment E35	Embodiment E36
poly-A tail about 100 pA in length		
Leader sequence according to SEQ ID NO: 136;	Embodiment E37	Embodiment E38
poly-A tail about 90 pA in length		
Leader sequence according to SEQ ID NO: 136;	Embodiment E39	Embodiment E40
poly-A tail about 80 pA in length		
Leader sequence according to SEQ ID NO: 136;	Embodiment E41	Embodiment E42
poly-A tail about 70 pA in length		
Leader sequence according to SEQ ID NO: 136;	Embodiment E43	Embodiment E44
poly-A tail about 60 pA in length		
Leader sequence according to SEQ ID NO: 136;	Embodiment E45	Embodiment E46
poly-A tail about 50 pA in length		
Leader sequence according to SEQ ID NO: 136;	Embodiment E47	Embodiment E48
poly-A tail about 40 pA in length		
Leader sequence according to SEQ ID NO: 136;	Embodiment E49	Embodiment E50
poly-A tail about 30 pA in length		
Leader sequence according to SEQ ID NO: 136;	Embodiment E51	Embodiment E52
poly-A tail about 20 pA in length		
Leader sequence according to SEQ ID NO: 136;	Embodiment E53	Embodiment E54
poly-A tail about 80-100 pA in length		
Leader sequence according to SEQ ID NO: 136;	Embodiment E55	Embodiment E56
poly-A tail about 70-90 pA in length		
Leader sequence according to SEQ ID NO: 136;	Embodiment E57	Embodiment E58
poly-A tail about 60-80 pA in length		
Leader sequence according to SEQ ID NO: 136;	Embodiment E59	Embodiment E60
poly-A tail about 50-70 pA in length		
Leader sequence according to SEQ ID NO: 136;	Embodiment E61	Embodiment E62
poly-A tail about 40-60 pA in length		

TABLE 5-continued

Non-limiting Embodiments of Leader Sequence, 5' Ribozyme Sequence, and Poly-A Tail in the DNA template for Expressing CVA21 Viral Genome		
	5' ENV27 Ribozyme with "TTTATT" at the positions corresponding to nucleotides 25-30 of SEQ ID NO: 132	5' ENV27 Ribozyme with "TTTGTT" at the positions corresponding to nucleotides 25-30 of SEQ ID NO: 132
Leader sequence according to SEQ ID NO: 136; poly-A tail about 30-50 pA in length	Embodiment E63	Embodiment E64
Leader sequence according to SEQ ID NO: 136; poly-A tail about 20-40 pA in length	Embodiment E65	Embodiment E66
Leader sequence according to SEQ ID NO: 136; poly-A tail about 10-30 pA in length	Embodiment E67	Embodiment E68

[0210] In some embodiments, the recombinant DNA molecule (e.g., DNA template) comprises, from 5' to 3': (i) a T7 polymerase promoter sequence; (ii) a leader sequence according to SEQ ID NO: 135; (iii) a 5' junctional cleavage sequence comprising or consisting of a 5' ENV27 ribozyme sequence according to SEQ ID NO: 132; (iv) a polynucleotide encoding a CVA21 synthetic RNA viral genome; (v) a poly-A tail (e.g., a poly-A tail about 70 bp, about 60-80 bp, or about 50-90 bp in length), and (vi) a 3' junctional cleavage sequence comprising or consisting of a BsmBI restriction enzyme recognition site.

[0211] In some embodiments, the recombinant DNA molecule (e.g., DNA template) comprises, from 5' to 3': (i) a T7 polymerase promoter sequence; (ii) a leader sequence according to SEQ ID NO: 135; (iii) a 5' junctional cleavage sequence comprising or consisting of a 5' ENV27 ribozyme sequence according to SEQ ID NO: 132; (iv) a polynucleotide encoding a CVA21 synthetic RNA viral genome; (v) a poly-A tail (e.g., a poly-A tail about 70 bp, about 60-80 bp, or about 50-90 bp in length), and (vi) a 3' junctional cleavage sequence comprising or consisting of a BsaI restriction enzyme recognition site.

[0212] Exemplary embodiments of DNA templates encoding CVA viral genomes are provided below in Table 18.

Particles Comprising Synthetic RNA Genomes

[0213] In some embodiments, the synthetic RNA genomes described herein are encapsulated in "particles." As used herein, a particle refers to a non-tissue derived composition of matter such as liposomes, lipoplexes, nanoparticles, nanocapsules, microparticles, microspheres, lipid particles, exosomes, vesicles, and the like. In certain embodiments, the particles are non-proteinaceous and non-immunogenic. In such embodiments, encapsulation of the synthetic RNA genomes described herein allows for delivery of a viral genome without the induction of a systemic, anti-viral immune response and mitigates the effects of neutralizing anti-viral antibodies. Further, encapsulation of the synthetic RNA genomes described herein shields the genomes from degradation and facilitates the introduction into target host cells. In some embodiments, the present disclosure provides a nanoparticle comprising a synthetic RNA genome described herein. In some embodiments, the nanoparticle is a lipid nanoparticle. In some embodiments, the nanoparticle further comprises a second RNA molecule encoding a payload molecule.

[0214] In some embodiments, the particle is biodegradable in a subject. In such embodiments, multiple doses of the

TABLE 18

Exemplary DNA Template Structures					
Promoter	Leader	5' JCS	Encoded Genome	PolyA Tail	3' JCS
T7 Promoter	SEQ ID NO: 135	SEQ ID NO: 132	CVA21 KY Strain	70 AA	SEQ ID NO: 86 (BsmBI)
T7 Promoter	SEQ ID NO: 135	SEQ ID NO: 132	CVA21 EF Strain	70 AA	SEQ ID NO: 86 (BsmBI)
T7 Promoter	SEQ ID NO: 135	SEQ ID NO: 132	CVA21 Kuykendall Strain	70 AA	SEQ ID NO: 86 (BsmBI)
T7 Promoter	SEQ ID NO: 135	SEQ ID NO: 132	CVA21 KY Strain	70 AA	SEQ ID NO: 90 (BsaI)
T7 Promoter	SEQ ID NO: 135	SEQ ID NO: 132	CVA21 EF Strain	70 AA	SEQ ID NO: 90 (BsaI)
T7 Promoter	SEQ ID NO: 135	SEQ ID NO: 132	CVA21 Kuykendall Strain	70 AA	SEQ ID NO: 90 (BsaI)

particles can be administered to a subject without an accumulation of particles in the subject. Examples of suitable particles include polystyrene particles, poly(lactic-co-glycolic acid) PLGA particles, polypeptide-based cationic polymer particles, cyclodextrin particles, chitosan, N,N,N-trimethyl chitosan particles, lipid based particles, poly(β -amino ester) particles, low-molecular-weight polyethylenimine particles, polyphosphoester particles, disulfide cross-linked polymer particles, polyamidoamine particles, polyethylenimine (PEI) particles, and PLURIONICS stabilized polypropylene sulfide particles.

[0215] In some embodiments, the polynucleotides described herein are encapsulated in inorganic particles. In some embodiments, the inorganic particles are gold nanoparticles (GNP), gold nanorods (GNR), magnetic nanoparticles (MNP), magnetic nanotubes (MNT), carbon nanohorns (CNH), carbon fullerenes, carbon nanotubes (CNT), calcium phosphate nanoparticles (CPNP), mesoporous silica nanoparticles (MSN), silica nanotubes (SNT), or a starlike hollow silica nanoparticles (SHNP).

[0216] Preferably, the particles described herein are nanoscopic in size, in order to enhance solubility, avoid clearance by phagocytic cells and possible complications caused by aggregation in vivo and to facilitate pinocytosis. In some embodiments, the particle has an average diameter of about less than about 1000 nm. In some embodiments, the particle has an average diameter of less than about 500 nm. In some embodiments, the particle has an average diameter of between about 30 and about 100 nm, between about 50 and about 100 nm, or between about 75 and about 100 nm. In some embodiments, the particle has an average diameter of between about 30 and about 75 nm or between about 30 and about 50 nm. In some embodiments, the particle has an average diameter between about 100 and about 500 nm. In some embodiments, the particle has an average diameter between about 200 and 400 nm. In some embodiments, the particle has an average size of about 350 nm.

Exosomes

[0217] In some embodiments, the synthetic RNA genomes described herein are encapsulated in exosomes. Exosomes are small membrane vesicles of endocytic origin that are released into the extracellular environment following fusion of multivesicular bodies with the plasma membrane of the parental cell (e.g., the cell from which the exosome is released, also referred to herein as a donor cell). The surface of an exosome comprises a lipid bilayer derived from the parental cell's cell membrane and can further comprise membrane proteins expressed on the parental cell surface. In some embodiments, exosomes may also contain cytosol from the parental cell. Exosomes are produced by many different cell types including epithelial cells, B and T lymphocytes, mast cells (MC), and dendritic cells (DC) and have been identified in blood plasma, urine, bronchoalveolar lavage fluid, intestinal epithelial cells, and tumor tissues. Because the composition of an exosome is dependent on the parental cell type from which they are derived, there are no "exosome-specific" proteins. However, many exosomes comprise proteins associated with the intracellular vesicles from which the exosome originated in the parental cells (e.g., proteins associated with and/or expressed by endosomes and lysosomes). For example, exosomes can be enriched in antigen presentation molecules such as major histocompatibility complex I and II (MHC-I and MHC-II),

tetraspanins (e.g., CD63), several heat shock proteins, cytoskeletal components such as actins and tubulins, proteins involved in intracellular membrane fusion, cell-cell interactions (e.g. CD54), signal transduction proteins, and cytosolic enzymes.

[0218] Exosomes may mediate transfer of cellular proteins from one cell (e.g., a parental cells) to a target or recipient cell by fusion of the exosomal membrane with the plasma membrane of the target cell. As such, modifying the material that is encapsulated by the exosome provides a mechanism by which exogenous agents, such as the polynucleotides described herein, may be introduced to a target cell. Exosomes that have been modified to contain one or more exogenous agents (e.g., a polynucleotide described herein) are referred to herein as "modified exosomes". In some embodiments, modified exosomes are produced by introduction of the exogenous agent (e.g., a polynucleotide described herein) are introduced into a parental cell. In such embodiments, an exogenous nucleic acid is introduced into the parental, exosome-producing cells such that the exogenous nucleic acid itself, or a transcript of the exogenous nucleic acid is incorporated into the modified exosomes produced from the parental cell. The exogenous nucleic acids can be introduced to the parental cell by means known in the art, for example transduction, transfection, transformation, electroporation and/or microinjection of the exogenous nucleic acids.

[0219] In some embodiments, modified exosomes are produced by directly introducing a synthetic RNA genome described herein into an exosome. In some embodiments, a synthetic RNA genome described herein is introduced into an intact exosome. "Intact exosomes" refer to exosomes comprising proteins and/or genetic material derived from the parental cell from which they are produced. Methods for obtaining intact exosomes are known in the art (See e.g., Alvarez-Erviti L. et al., *Nat Biotechnol.* 2011 April; 29 (4): 34-5; Ohno S, et al., *Mol Ther* 2013 January; 21 (1): 185-91; and EP Patent Publication No. 2010663).

[0220] In particular embodiments, synthetic RNA genomes are introduced into empty exosomes. "Empty exosomes" refer to exosomes that lack proteins and/or genetic material (e.g., DNA or RNA) derived from the parental cell. Methods to produce empty exosomes (e.g., lacking parental cell-derived genetic material) are known in the art including UV-exposure, mutation/deletion of endogenous proteins that mediate loading of nucleic acids into exosomes, as well as electroporation and chemical treatments to open pores in the exosomal membranes such that endogenous genetic material passes out of the exosome through the open pores. In some embodiments, empty exosomes are produced by opening the exosomes by treatment with an aqueous solution having a pH from about 9 to about 14 to obtain exosomal membranes, removing intravesicular components (e.g., intravesicular proteins and/or nucleic acids), and reassembling the exosomal membranes to form empty exosomes. In some embodiments, intravesicular components (e.g., intravesicular proteins and/or nucleic acids) are removed by ultracentrifugation or density gradient ultracentrifugation. In some embodiments, the membranes are reassembled by sonication, mechanical vibration, extrusion through porous membranes, electric current, or combinations of one or more of these techniques. In particular embodiments, the membranes are reassembled by sonication.

[0221] In some embodiments, loading of intact or empty exosomes with a synthetic RNA genome described herein to produce a modified exosome can be achieved using conventional molecular biology techniques such as in vitro transformation, transfection, and/or microinjection. In some embodiments, the exogenous agents (e.g., the polynucleotides described herein) are introduced directly into intact or empty exosomes by electroporation. In some embodiments, the exogenous agents (e.g., the polynucleotides described herein) are introduced directly into intact or empty exosomes by lipofection (e.g., transfection). Lipofection kits suitable for use in the production of exosome according to the present disclosure are known in the art and are commercially available (e.g., FuGENE® HD Transfection Reagent from Roche, and LIPOFECTAMINE™ 2000 from Invitrogen). In some embodiments, the exogenous agents (e.g., the polynucleotides described herein) are introduced directly into intact or empty exosomes by transformation using heat shock. In such embodiments, exosomes isolated from parental cells are chilled in the presence of divalent cations such as Ca^{2+} (in CaCl_2) in order to permeabilize the exosomal membrane. The exosomes can then be incubated with the exogenous nucleic acids and briefly heat shocked (e.g., incubated at 42° C. for 30-120 seconds). In particular embodiments, loading of empty exosomes with exogenous agents (e.g., the polynucleotides described herein) can be achieved by mixing or co-incubation of the agents with the exosomal membranes after the removal of intravesicular components. The modified exosomes reassembled from the exosomal membranes will, therefore, incorporate the exogenous agents into the intravesicular space. Additional methods for producing exosome encapsulated nucleic acids are known in the art (See e.g., U.S. Pat. Nos. 9,889,210; 9,629,929; and 9,085,778; International PCT Publication Nos. WO 2017/161010 and WO 2018/039119).

[0222] Exosomes can be obtained from numerous different parental cells, including cell lines, bone-marrow derived cells, and cells derived from primary patient samples. Exosomes released from parental cells can be isolated from supernatants of parental cell cultures by means known in the art. For example, physical properties of exosomes can be employed to separate them from a medium or other source material, including separation on the basis of electrical charge (e.g., electrophoretic separation), size (e.g., filtration, molecular sieving, etc.), density (e.g., regular or gradient centrifugation) and Svedberg constant (e.g., sedimentation with or without external force, etc). Alternatively, or additionally, isolation can be based on one or more biological properties, and include methods that can employ surface markers (e.g., for precipitation, reversible binding to solid phase, FACS separation, specific ligand binding, non-specific ligand binding, etc.). Analysis of exosomal surface proteins can be determined by flow cytometry using fluorescently labeled antibodies for exosome-associated proteins such as CD63. Additional markers for characterizing exosomes are described in International PCT Publication No. WO 2017/161010. In yet further contemplated methods, the exosomes can also be fused using chemical and/or physical methods, including PEG-induced fusion and/or ultrasonic fusion.

[0223] In some embodiments, size exclusion chromatography can be utilized to isolate the exosomes. In some embodiments, the exosomes can be further isolated after chromatographic separation by centrifugation techniques (of one or more chromatography fractions), as is generally known in the art. In some embodiments, the isolation of exosomes can involve combinations of methods that

include, but are not limited to, differential centrifugation as previously described (See Raposo, G. et al., J. Exp. Med. 183, 1161-1172 (1996)), ultracentrifugation, size-based membrane filtration, concentration, and/or rate zonal centrifugation.


[0224] In some embodiments, the exosomal membrane comprises one or more of phospholipids, glycolipids, fatty acids, sphingolipids, phosphoglycerides, sterols, cholesterol, and phosphatidylserine. In addition, the membrane can comprise one or more polypeptides and one or more polysaccharides, such as glycans. Exemplary exosomal membrane compositions and methods for modifying the relative amount of one or more membrane component are described in International PCT Publication No. WO 2018/039119.

[0225] In some embodiments, the particles are exosomes and have a diameter between about 30 and about 100 nm, between about 30 and about 200 nm, or between about 30 and about 500 nm. In some embodiments, the particles are exosomes and have a diameter between about 10 nm and about 100 nm, between about 20 nm and about 100 nm, between about 30 nm and about 100 nm, between about 40 nm and about 100 nm, between about 50 nm and about 100 nm, between about 60 nm and about 100 nm, between about 70 nm and about 100 nm, between about 80 nm and about 100 nm, between about 90 nm and about 100 nm, between about 100 nm and about 200 nm, between about 100 nm and about 150 nm, between about 150 nm and about 200 nm, between about 100 nm and about 250 nm, between about 250 nm and about 500 nm, or between about 10 nm and about 1000 nm. In some embodiments, the particles are exosomes and have a diameter between about 20 nm and 300 nm, between about 40 nm and 200 nm, between about 20 nm and 250 nm, between about 30 nm and 150 nm, or between about 30 nm and 100 nm.

Compounds

Compounds of Formula (I)

[0226] In various embodiments, provided herein are compounds of Formula (I):



Formula (I)

[0227] or a pharmaceutically acceptable salt or solvate thereof, wherein:

[0228] A is $\text{N}(\text{CH}_2\text{R}^{\text{N}1})(\text{CH}_2\text{R}^{\text{N}2})$ or a 4-7-membered heterocycl ring containing at least one N, wherein the 4-7-membered heterocycl ring is optionally substituted with 0-6 R^3 ;

[0229] each X is independently $-\text{O}-$, $-\text{N}(\text{R}^1)-$, or $-\text{N}(\text{R}^2)-$;

[0230] R^1 is selected from the group consisting of optionally substituted $\text{C}_1\text{-C}_{31}$ aliphatic and steroidyl;

[0231] R^2 is selected from the group consisting of optionally substituted $\text{C}_1\text{-C}_{31}$ aliphatic and steroidyl;

[0232] R^3 is optionally substituted $\text{C}_1\text{-C}_6$ aliphatic;

[0233] R^{N1} and R^{N2} are each independently hydrogen, hydroxy- C_1 - C_6 alkyl, C_2 - C_6 alkenyl, or a C_3 - C_7 cycloalkyl;


[0234] L^1 is selected from the group consisting of an optionally substituted C_1 - C_{20} alkylene chain and a bivalent optionally substituted C_2 - C_{20} alkenylene chain;

[0235] L^2 is selected from the group consisting of an optionally substituted C_1 - C_{20} alkylene chain and a bivalent optionally substituted C_2 - C_{20} alkenylene chain;

[0236] L^3 is a bond, an optionally substituted C_1 - C_6 alkylene chain, or a bivalent optionally substituted C_3 - C_7 cycloalkylene.

[0237] In some embodiments, when A is $-N(CH_3)(CH_3)$ and X is O, L^3 is not a C_1 - C_6 alkylene chain.


[0238] In some embodiments, the present disclosure includes a compound of Formula (I-a):



Formula (I-a)

[0239] or a pharmaceutically acceptable salt or solvate thereof, wherein m is 0, 1, 2, 3, 4, 5, or 6.


[0240] In some embodiments, the present disclosure includes a compound of Formula (I-b):



Formula (I-b)

[0241] or a pharmaceutically acceptable salt or solvate thereof, wherein n is 0, 1, 2, or 3; and m is 0, 1, 2, 3, 4, 5, or 6.


[0242] In some embodiments, the present disclosure includes a compound of Formula (I-bi):



Formula (I-bi)

[0243] or a pharmaceutically acceptable salt or solvate thereof.


[0244] In some embodiments, the present disclosure includes a compound of Formula (I-bii):



Formula (I-bii)

[0245] or a pharmaceutically acceptable salt or solvate thereof, wherein m is 0, 1, 2, or 3; and p and q are each 0, 1, 2, or 3, and wherein q+p is less than or equal to 3.


[0246] In some embodiments, the present disclosure includes a compound of Formula (I-biii):



Formula (I-biii)

[0247] or a pharmaceutically acceptable salt or solvate thereof.

[0248] In some embodiments, the present disclosure includes a compound of Formula (I-c):




Formula (I-c)

[0249] or a pharmaceutically acceptable salt or solvate thereof.


[0250] In some embodiments, A is $-N(CH_2R^{N1})(CH_2R^{N2})$ or an optionally substituted 4-7-membered heterocyclyl ring containing at least one N.

[0251] In some embodiments, A is $-N(CH_2R^{N1})(CH_2R^{N2})$. In some embodiments, R^{N1} and R^{N2} are each independently selected from hydrogen, hydroxy- C_1 - C_3 alkylene, C_2 - C_4 alkenyl, or C_3 - C_4 cycloalkyl.).

[0252] In some embodiments, R^{N1} and R^{N2} are each independently selected from hydrogen, $-\text{CH}_2\text{CH}-\text{CH}_2$, $\text{CH}_2\text{CH}_2\text{OH}$,



In some embodiments, R^{N1} and R^{N2} are the same. In some embodiments, R^{N1} and R^{N2} are each hydrogen. In some embodiments, R^{N1} and R^{N2} are each C_2 - C_4 alkenyl, e.g., $-\text{CH}_2\text{CH}=\text{CH}_2$. In some embodiments, R^{N1} and R^{N2} are each hydroxy- C_1 - C_3 alkylene, e.g., $-\text{CH}_2\text{CH}_2\text{OH}$. In some embodiments, R^{N1} and R^{N2} are different. In some embodiments, one of R^{N1} and R^{N2} is hydrogen and the other one is C_3 - C_4 cycloalkyl. In some embodiments, one of R^{N1} and R^{N2} is hydrogen and the other one is



[0253] In some embodiments, A is an optionally substituted 4-7-membered heterocyclyl ring containing at least one N. In some embodiments, A is an optionally substituted 4-7-membered heterocyclyl ring containing exactly one N. In some embodiments, A is an unsubstituted 4-7-membered heterocyclyl ring containing at least one N. In some embodiments, A is unsubstituted 4-7-membered heterocyclyl ring containing exactly one N. In some embodiments, A is an optionally substituted 5-6-membered heterocyclyl ring containing at least one N. In some embodiments, A is unsubstituted 5-6-membered heterocyclyl ring containing at least one N.

[0254] In some embodiments, A is an optionally substituted 4-7-membered heterocyclyl ring containing at least one N, and the N atom of A is a tertiary amine.

[0255] In some embodiments, A is an optionally substituted 4-7-membered heterocyclyl ring containing at least one N, further containing one or more S. In some embodiments, A is an optionally substituted 4-7-membered heterocyclyl ring containing at least one N, further containing exactly one S.

[0256] In some embodiments, A is selected from the group consisting of azetidine, pyrrolidine, piperidine, azepane, and thiomorpholine. In some embodiments, A is selected from the group consisting of pyrrolidine and piperidine.

[0257] In some embodiments, L^1 is selected from the group consisting of an optionally substituted C_1 - C_{20} alkylene chain and a bivalent optionally substituted C_1 - C_{20} alkenylene chain. In some embodiments, L^2 is selected from the group consisting of an optionally substituted C_1 - C_{20} alkylene chain and a bivalent optionally substituted C_1 - C_{20} alkenylene chain. In some embodiments, L^1 is an optionally substituted C_1 - C_{20} alkylene chain. In some embodiments, L^2 is an optionally substituted C_1 - C_{20} alkylene chain.


[0258] In some embodiments, L^1 and L^2 are the same. In some embodiments, L^1 and L^2 are different.

[0259] In some embodiments, L^1 is an optionally substituted C_1 - C_{10} alkylene chain. In some embodiments, L^2 is an

optionally substituted C_1 - C_{10} alkylene chain. In some embodiments, L^1 is an optionally substituted C_1 - C_5 alkylene chain. In some embodiments, L^2 is an optionally substituted C_1 - C_5 alkylene chain.

[0260] In some embodiments, L^1 and L^2 are each $-\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2-$. In some embodiments, L^1 and L^2 are each $-\text{CH}_2\text{CH}_2\text{CH}_2-$. In some embodiments, L^1 and L^2 are each $-\text{CH}_2\text{CH}_2-$.

[0261] In some embodiments, L^3 is a bond, an optionally substituted C_1 - C_6 alkylene chain, or a bivalent optionally substituted C_3 - C_6 cycloalkylene. In some embodiments, L^3 is a bond. In some embodiments, L^3 is an optionally substituted C_1 - C_6 alkylene chain. In some embodiments, L^3 is an optionally substituted C_1 - C_3 alkylene chain. In some embodiments, L^3 is an unsubstituted C_1 - C_3 alkylene chain. In some embodiments, L^3 is $-\text{CH}_2-$. In some embodiments, L^3 is $-\text{CH}_2\text{CH}_2-$. In some embodiments, L^3 is $-\text{CH}_2\text{CH}_2\text{CH}_2-$. In some embodiments, L^3 is a bivalent C_3 - C_6 cycloalkylene. In some embodiments, L^3 is



[0262] In some embodiments, the number of carbon atoms between the S of the thiolate of Formula (I) and the N of A is 2-10. In some embodiments, the number of carbon atoms between the S of the thiolate of Formula (I) and the N of A is 2-8. In some embodiments, the number of carbon atoms between the S of the thiolate of Formula (I) and the N of A is 2-5. In some embodiments, the number of carbon atoms between the S of the thiolate of Formula (I) and the N of A is 2-4. In some embodiments, the number of carbon atoms between the S of the thiolate of Formula (I) and the N of A is 2. In some embodiments, the number of carbon atoms between the S of the thiolate of Formula (I) and the N of A is 3. In some embodiments, the number of carbon atoms between the S of the thiolate of Formula (I) and the N of A is 4.

[0263] In some embodiments, R^1 is selected from the group consisting of optionally substituted C_1 - C_{31} aliphatic and optionally substituted steroidal. In some embodiments, R^2 is selected from the group consisting of optionally substituted C_1 - C_{31} aliphatic and optionally substituted steroidal. In some embodiments, R^1 is optionally substituted C_1 - C_{31} alkyl. In some embodiments, R^2 is optionally substituted C_1 - C_{31} alkyl. In some embodiments, R^1 is optionally substituted C_5 - C_{25} alkyl. In some embodiments, R^2 is optionally substituted C_5 - C_{25} alkyl. In some embodiments, R^1 is optionally substituted C_{10} - C_{20} alkyl. In some embodiments, R^2 is optionally substituted C_{10} - C_{20} alkyl. In some embodiments, R^1 is optionally substituted C_{10} - C_{20} alkyl. In some embodiments, R^2 is optionally substituted C_{10} - C_{20} alkyl. In some embodiments, R^1 is unsubstituted C_{10} - C_{20} alkyl. In some embodiments, R^2 is unsubstituted C_{10} - C_{20} alkyl.

[0264] In some embodiments, R^1 is optionally substituted C_{14} - C_{16} alkyl. In some embodiments, R^2 is optionally substituted C_{14} - C_{16} alkyl. In some embodiments, R^1 is unsubstituted C_{14} - C_{16} alkyl. In some embodiments, R^2 is unsubstituted C_{14} - C_{16} alkyl.

[0265] In some embodiments, R^1 is optionally substituted branched C_3 - C_{31} alkyl. In some embodiments, R^2 is optionally substituted branched C_3 - C_{31} alkyl. In some embodiments, R^1 is optionally substituted branched C_{10} - C_{20} alkyl. In some embodiments, R^2 is optionally substituted branched C_{10} - C_{20} alkyl. In some embodiments, R^1 is optionally substituted branched C_{14} - C_{16} alkyl. In some embodiments, R^2 is optionally substituted branched C_{14} - C_{16} alkyl. In some embodiments, R^1 is substituted branched C_3 - C_{31} alkyl. In some embodiments, R^2 is substituted branched C_3 - C_{31} alkyl. In some embodiments, R^1 is substituted branched C_{10} - C_{20} alkyl. In some embodiments, R^2 is substituted branched C_{10} - C_{20} alkyl. In some embodiments, R^1 is substituted branched C_{14} - C_{16} alkyl. In some embodiments, R^2 is substituted branched C_{14} - C_{16} alkyl.

[0266] In some embodiments, R^1 and R^2 are the same.

[0267] In some embodiments, R^1 and R^2 are different. In some embodiments, R^1 is optionally substituted C_6 - C_{20} alkenyl and R^2 is optionally substituted C_{10} - C_{20} alkyl. In some embodiments, R^1 is C_6 - C_{20} alkenyl and R^2 is branched C_{10} - C_{20} alkyl.

[0268] In some embodiments, A is 4-7-membered heterocyclyl ring containing at least one N and optionally substituted with 0-6 R^3 . In some embodiments, R^3 is optionally substituted C_1 - C_6 aliphatic. In some embodiments, R^3 is optionally substituted C_1 - C_3 aliphatic. In some embodiments, R^3 is optionally substituted C_1 - C_6 alkyl. In some

embodiments, R^3 is optionally substituted C_1 - C_3 alkyl. In some embodiments, R^3 is unsubstituted C_1 - C_6 alkyl. In some embodiments, R^3 is unsubstituted C_1 - C_3 alkyl. In some embodiments, R^3 is optionally substituted C_1 - C_6 alkenyl. In some embodiments, R^3 is optionally substituted C_1 - C_3 alkenyl. In some embodiments, R^3 is unsubstituted C_1 - C_6 alkenyl. In some embodiments, R^3 is unsubstituted C_1 - C_3 alkenyl.

[0269] In some embodiments, R^3 is substitute with 1-3 C_3 - C_6 cycloalkyl. In some embodiments, R^3 is substitute with 1 C_3 - C_6 cycloalkyl. In some embodiments, R^3 is substitute with a cyclopropanyl. In some embodiments, R^3 is substitute with 1-3-OH. In some embodiments, R^3 is substitute with 1-OH.

[0270] In some embodiments, m is 0, 1, 2, 3, 4, 5, or 6. In some embodiments m is 0 or 1. In some embodiments, m is 0. In some embodiments, m is 1. In some embodiments, m is 2. In some embodiments, m is 3. In some embodiments, m is 4. In some embodiments, m is 5. In some embodiments, m is 6.

[0271] In some embodiments, n is 0, 1, 2, or 3. In some embodiments n is 1 or 2. In some embodiments, n is 0. In some embodiments, n is 1. In some embodiments, n is 2. In some embodiments, n is 3.

[0272] In some embodiments, a compound of Formula (I) is a compound selected from 5 Table 21, or a pharmaceutically acceptable salt or solvate thereof.

TABLE 21

Compound No.	Structure
CAT1	
CAT2	
CAT3	

TABLE 21-continued







Compound No.	Structure
CAT4	
CAT5	
CAT6	
CAT7	
CAT8	
CAT9	

TABLE 21-continued







Compound No.	Structure
CAT10	
CAT11	
CAT12	
CAT13	
CAT14	
CAT15	

TABLE 21-continued








Compound No.	Structure
CAT16	
CAT17	
CAT18	
CAT19	
CAT20	
CAT21	
CAT22	

TABLE 21-continued















Compound No.	Structure
CAT23	
CAT24	
CAT25	
CAT26	
CAT27	
CAT28	

TABLE 21-continued

Compound No.	Structure
CAT29	
CAT30	
CAT31	
CAT32	
CAT33	
CAT34	
CAT35	

Compounds of Formula (A)

[0273] In various embodiments, provided herein are compounds of Formula (A):



Formula (A)

[0274] or a pharmaceutically acceptable salt thereof, wherein:

[0275] n is an integer between 10 to 200, inclusive of all endpoints;

[0276] L^{P1} is $\text{---}[(\text{CH}_2)_{0-3}\text{---C(O)O}]_{1-3}\text{---}$, $\text{---}(\text{CH}_2)_{0-3}\text{---C(O)O---}(\text{CH}_2)_{1-3}\text{---OC(O)---}$, or ---C(O)N(H)--- ;


[0277] R^{P1} is $\text{C}_5\text{---C}_{25}$ alkyl or $\text{C}_5\text{---C}_{25}$ alkenyl; and

[0278] R^{P2} is hydrogen or ---CH_3 .


[0279] In some embodiments, Formula (A) is not $\text{HO---}(\text{CH}_2\text{CH}_2\text{O})_n\text{---C(O)N(H)---}(\text{CH}_2)_{17}\text{CH}_3$.

[0280] In some embodiments, L^{P1} is $\text{---CH}_2\text{C(O)O---}$, $\text{---CH}_2\text{CH}_2\text{C(O)O---}$, $\text{---CH}_2\text{C(O)OCH}_2\text{C(O)O---}$, $\text{---CH}_2\text{C(O)OCH}_2\text{CH}_2\text{OC(O)---}$, or ---C(O)N(H)--- .


[0281] In some embodiments, the PEG-lipid is a compound of Formula (A-a), Formula (A-b), Formula (A-c), Formula (A-d), or Formula (A-e):




Formula (A-a)




Formula (A-b)



Formula (A-c)



Formula (A-d)



Formula (A-e)

[0282] or a pharmaceutically acceptable salt thereof.

[0283] In some embodiments, R^{P1} is $\text{C}_6\text{---C}_{24}$, $\text{C}_{10}\text{---C}_{20}$, $\text{C}_{10}\text{---C}_{18}$, $\text{C}_{10}\text{---C}_{16}$, $\text{C}_{10}\text{---C}_{14}$, $\text{C}_{10}\text{---C}_{12}$, $\text{C}_{12}\text{---C}_{20}$, $\text{C}_{12}\text{---C}_{18}$, $\text{C}_{12}\text{---C}_{16}$, $\text{C}_{12}\text{---C}_{14}$, $\text{C}_{14}\text{---C}_{20}$, $\text{C}_{14}\text{---C}_{18}$, $\text{C}_{14}\text{---C}_{16}$, $\text{C}_{16}\text{---C}_{20}$, $\text{C}_{16}\text{---C}_{18}$, or $\text{C}_{18}\text{---C}_{20}$ alkyl. In some embodiments, R^{P1} is $\text{C}_{14}\text{---C}_{18}$ alkyl. In some embodiments, R^{P1} is $\text{C}_{14}\text{---C}_{16}$ alkyl. In some embodiments, R^{P1} is $\text{C}_{15}\text{---C}_{17}$ alkyl. In some embodiments, R^{P1} is $\text{C}_{16}\text{---C}_{18}$ alkyl. In some embodiments, R^{P1} is C_6 , C_7 , C_8 , C_9 , C_{10} , C_{11} , C_{12} , C_{13} , C_{14} , C_{15} , C_{16} , C_{17} , C_{18} , C_{19} , C_{20} , C_{21} , C_{22} , C_{23} , or C_{24} alkyl. In some embodiments, R^{P1} is $\text{C}_6\text{---C}_{24}$, $\text{C}_{10}\text{---C}_{20}$, $\text{C}_{10}\text{---C}_{18}$, $\text{C}_{10}\text{---C}_{16}$, $\text{C}_{10}\text{---C}_{14}$, $\text{C}_{10}\text{---C}_{12}$, $\text{C}_{12}\text{---C}_{20}$, $\text{C}_{12}\text{---C}_{18}$, $\text{C}_{12}\text{---C}_{16}$, $\text{C}_{12}\text{---C}_{14}$, $\text{C}_{14}\text{---C}_{20}$, $\text{C}_{14}\text{---C}_{18}$, $\text{C}_{14}\text{---C}_{16}$, $\text{C}_{16}\text{---C}_{20}$, $\text{C}_{16}\text{---C}_{18}$, or $\text{C}_{18}\text{---C}_{20}$ alkenyl. In some embodi-

ments, R^{P1} is $\text{C}_{14}\text{---C}_{18}$ alkenyl. In some embodiments, R^{P1} is C_{14-16} alkenyl. In some embodiments, R^{P1} is $\text{C}_{15}\text{---C}_{17}$ alkenyl. In some embodiments, R^{P1} is C_{16-18} alkenyl. In some embodiments, R^{P1} is C_6 , C_7 , C_8 , C_9 , C_{10} , C_{11} , C_{12} , C_{13} , C_{14} , C_{15} , C_{16} , C_{17} , C_{18} , C_{19} , C_{20} , C_{21} , C_{22} , C_{23} , or C_{24} alkenyl.

[0284] In some embodiments, R^{P2} is hydrogen. In some embodiments, R^{P2} is ---CH_3 .

[0285] In some embodiments, n is, on average, 10 to 200, 10 to 180, 10 to 160, 10 to 140, 10 to 120, 10 to 100, 10 to 80, 10 to 60, 10 to 40, 10 to 20, 20 to 200, 20 to 180, 20 to 160, 20 to 140, 20 to 120, 20 to 100, 20 to 80, 20 to 60, 20 to 40, 40 to 200, 40 to 180, 40 to 160, 40 to 140, 40 to 120, 40 to 100, 40 to 80, 40 to 60, 60 to 200, 60 to 180, 60 to 160, 60 to 140, 60 to 120, 60 to 100, 60 to 80, 80 to 200, 80 to 180, 80 to 160, 80 to 140, 80 to 120, 80 to 100, 100 to 200, 100 to 180, 100 to 160, 100 to 140, 100 to 120, 100 to 100, 120 to 180, 120 to 160, 120 to 140, 140 to 200, 140 to 180, 140 to 160, 160 to 200, 160 to 180, or 180 to 200. In some embodiments, n is, on average, 10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, or 200. In some embodiments, n is on average about 20. In some embodiments, n is on average about 40. In some embodiments, n is on average about 45. In some embodiments, n is on average about 50. In some embodiments, n is on average about 68. In some embodiments, n is on average about 75. In some embodiments, n is on average about 100.

[0286] In some embodiments, a compound of Formula (A) is a compound selected from the group consisting of:

[0287] $\text{HO---}(\text{CH}_2\text{CH}_2\text{O})_n\text{---CH}_2\text{C(O)O---}(\text{CH}_2)_{17}\text{CH}_3$, n is on average about 45;

[0288] $\text{H}_3\text{CO---}(\text{CH}_2\text{CH}_2\text{O})_n\text{---CH}_2\text{C(O)O---}(\text{CH}_2)_{17}\text{CH}_3$, n is on average about 45;

[0289] $\text{HO---}(\text{CH}_2\text{CH}_2\text{O})_n\text{---CH}_2\text{C(O)O---}(\text{CH}_2)_{15}\text{CH}_3$, n is on average about 45;

[0290] $\text{HO---}(\text{CH}_2\text{CH}_2\text{O})_n\text{---CH}_2\text{C(O)O---}(\text{CH}_2)_{13}\text{CH}_3$, n is on average about 45; and

[0291] $\text{HO---}(\text{CH}_2\text{CH}_2\text{O})_n\text{---C(O)N(H)---}(\text{CH}_2)_{17}\text{CH}_3$, n is on average about 45;

or a pharmaceutically acceptable salt thereof.

ALTERNATIVE EMBODIMENTS

[0292] In an alternative embodiment, compounds described herein may also comprise one or more isotopic substitutions. For example, hydrogen may be ^2H (D or deuterium) or ^3H (T or tritium); carbon may be, for example, ^{13}C or ^{14}C ; oxygen may be, for example, ^{18}O ; nitrogen may be, for example, ^{15}N , and the like. In other embodiments, a particular isotope (e.g., ^3H , ^{13}C , ^{14}C , ^{18}O , or ^{15}N) can represent at least 1%, at least 5%, at least 10%, at least 15%, at least 20%, at least 25%, at least 30%, at least 35%, at least 40%, at least 45%, at least 50%, at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 99%, or at least 99.9% of the total isotopic abundance of an element that occupies a specific site of the compound.

Lipid Nanoparticles

[0293] In certain embodiments, the synthetic RNA viral genomes described herein are encapsulated in a lipid nanoparticle (LNP). In certain embodiments, the LNP comprises one or more lipids such as such as triglycerides (e.g. tristearin), diglycerides (e.g. glycerol bahenate), monoglycerides (e.g. glycerol monostearate), fatty acids (e.g. stearic

acid), steroids (e.g. cholesterol), and waxes (e.g. cetyl palmitate). In some embodiments, the LNP comprises one or more cationic lipids, one or more structural lipids, and one or more helper lipids. In some embodiments, the LNP comprises one or more cationic lipids, a cholesterol, and one or more neutral lipids.

[0294] In some embodiments, compounds of the present disclosure are used to form a nanoparticle. In some embodiments, the nanoparticle is a lipid nanoparticle (LNP). In some embodiments, an LNP comprises a PEG-lipid, an ionizable lipid, a helper lipid, and a structural lipid. In some embodiments, LNPs described herein are formulated for delivery of therapeutic agents to a subject in need thereof. In some embodiments, LNPs described herein are formulated for delivery of nucleic acid molecules to a subject in need thereof.

[0295] The formulation of lipids in an LNP significantly impacts the therapeutic use and efficacy of a particular LNP. For example, LNP formulations such as SS—OC/Cholesterol/DSPC/PEG2k-DPG typically display increased clearance rate upon repeat intravenous (IV) administration, e.g., in mice, non-human primates (NHPs), and/or humans and a much shorter circulation time in vivo post-second dose than post-first dose. The shortened circulation time can negatively impact the delivery efficiency of the LNPs, likely due to less exposure of the LNPs to the target. Therefore, while such formulations may be useful in delivering agents that do not require multiple administrations, their use for delivery of agents that require subsequent administration may be constrained by this shortened circulation time.

[0296] There remains a need for LNP formulations that demonstrate tunable circulation and exposure to target cells, e.g., sustained circulation and consistent exposure, in vivo upon repeat dosing. The present disclosure provides such LNP formulations by incorporating ionizable lipid and/or PEG-lipid of the disclosure into the lipid formulation of the LNP. The sustained circulation of the LNP of the present disclosure upon repeat administration consequently allows for sustained therapeutic effect of the synthetic RNA viral genomes encapsulated therein.

[0297] In some embodiments, in the absence of the ionizable lipid and/or PEG-lipid of the disclosure, rapid clearance of the LNP and components thereof upon repeated dosing reduces the delivery efficiency of the encapsulated synthetic RNA viral genome in subsequent doses as the body may clear the LNP prior to the release of the synthetic RNA viral genome. In some embodiments, ionizable lipid and/or PEG-lipid of the disclosure, when incorporated into an LNP, delays clearance of the LNP upon repeated dosing, allowing for the sustained release and therapeutic effect of the encapsulated synthetic RNA viral genome.


Polyethyleneglycol (PEG)-Lipid

[0298] In some embodiments, the PEG-lipid of the disclosure comprises a hydrophilic head group and a hydrophobic lipid tail. In some embodiments, the hydrophilic head group is a PEG moiety. In some embodiments, PEG-lipid of the disclosure comprises a mono lipid tail. In some embodiments, PEG-lipid of the disclosure comprises a mono alkyl lipid tail, a mono alkenyl lipid tail, a mono alkynyl lipid tail, or a mono acyl lipid tail. In some embodiments, the mono lipid tail comprises an ether group, a carbonyl group, or an ester group. In some embodiments, the PEG-lipid of the disclosure may contain a polyoxyethylene alkyl ether, a

polyoxyethylene alkenyl ether, or a polyoxyethylene alkynyl ether (such molecules are also known as BRIJ™ or Brij molecules). In some embodiments, the PEG-lipid of the disclosure may contain a polyoxyethylene alkyl ester, a polyoxyethylene alkenyl ester, or a polyoxyethylene alkynyl ester (such molecules are also known as MYRJ™ molecules).

[0299] In some embodiments, the PEG-lipid may contain di-acyl lipid tails.


[0300] In some embodiments, the PEG-lipid is a compound of Formula (A)



Formula (A)

[0301] or a pharmaceutically acceptable salt or solvate thereof, wherein the variables are defined herein.

[0302] In some embodiments, the PEG-lipid is a compound of Formula (A'):



Formula (A')

[0303] or a pharmaceutically acceptable salt thereof, wherein:

[0304] n is an integer between 10 to 200, inclusive of all endpoints;


[0305] $L^{P1'}$ is a bond, $-\text{C}(\text{O})-$, $-\text{C}(\text{O})\text{O}-$, $-\text{C}(\text{O})\text{OCH}_2\text{C}(\text{O})\text{O}-$, $-\text{C}(\text{O})\text{OCH}_2\text{C}(\text{O})\text{OCH}_2\text{C}(\text{O})\text{O}-$, $-\text{C}(\text{O})\text{N}(\text{H})-$, or $-\text{C}(\text{O})\text{N}(\text{H})\text{C}(\text{O})-$;

[0306] $R^{P1'}$ is C_5 - C_{25} alkyl or C_5 - C_{25} alkenyl; and

[0307] $R^{P2'}$ is hydrogen or $-\text{CH}_3$.

[0308] In some embodiments, $L^{P1'}$ is a bond, $-\text{C}(\text{O})-$, $-\text{CH}_2\text{C}(\text{O})\text{O}-$, $-\text{CH}_2\text{CH}_2\text{C}(\text{O})\text{O}-$, $-\text{CH}_2\text{C}(\text{O})\text{OCH}_2\text{C}(\text{O})\text{O}-$, $-\text{CH}_2\text{C}(\text{O})\text{OCH}_2\text{CH}_2\text{OC}(\text{O})-$, or $-\text{C}(\text{O})\text{N}(\text{H})-$. In some embodiments, $R^{P1'}$ is R^{P1} . In some embodiments, $R^{P2'}$ is R^{P2} .

[0309] In some embodiments, the PEG-lipid is a compound of Formula (A''):



Formula (A'')

[0310] or a pharmaceutically acceptable salt thereof, wherein:

[0311] n is an integer between 10 to 200, inclusive of all endpoints;







[0312] $L^{P1''}$ is a bond, $-\text{C}(\text{O})-$, $-\text{C}(\text{O})\text{O}-$, $-\text{C}(\text{O})\text{OCH}_2\text{C}(\text{O})\text{O}-$, $-\text{C}(\text{O})\text{OCH}_2\text{CH}_2\text{OC}(\text{O})-$, or $-\text{C}(\text{O})\text{N}(\text{H})-$;

[0313] $R^{P1''}$ is C_5 - C_{25} alkyl or C_5 - C_{25} alkenyl; and

[0314] $R^{P2''}$ is hydrogen or $-\text{CH}_3$.

[0315] In some embodiments, $L^{P1''}$ is a bond, $-\text{CH}_2\text{C}(\text{O})\text{O}-$, $-\text{CH}_2\text{CH}_2\text{C}(\text{O})\text{O}-$, $-\text{CH}_2\text{C}(\text{O})\text{OCH}_2\text{C}(\text{O})\text{O}-$, $-\text{CH}_2\text{C}(\text{O})\text{OCH}_2\text{CH}_2\text{OC}(\text{O})-$, or $-\text{C}(\text{O})\text{N}(\text{H})-$.


[0316] In some embodiments, the PEG-lipid is a compound of Formula (A"-a), Formula (A"-b), Formula (A"-c), Formula (A"-cd), Formula (A"-e), or Formula (A"-f):



[0317] or a pharmaceutically acceptable salt thereof.


[0318] In some embodiments, $\text{R}^{P1''}$ is R^{P1} . In some embodiments, $\text{R}^{P2''}$ is R^{P2} .

[0319] In some embodiments, the PEG-lipid is a compound of Formula (A"-f1):




[0320] or a pharmaceutically acceptable salt thereof.

[0321] In some embodiments, the PEG-lipid is a compound of Formula (A"-f2):




[0322] or a pharmaceutically acceptable salt thereof.

[0323] In some embodiments, the PEG-lipid is a compound of Formula (A"-f3):



[0324] or a pharmaceutically acceptable salt thereof.

[0325] In some embodiments, a PEG-lipid of the disclosure is a compound of Formula (B):




[0326] or a pharmaceutically acceptable salt thereof, wherein:

[0327] n is an integer between 10 to 200, inclusive of all endpoints; and

[0328] R^{B1} is $\text{C}_5\text{-C}_{25}$ alkyl or $\text{C}_5\text{-C}_{25}$ alkenyl.


[0329] In some embodiments, R^{B1} is R^{P1} .

[0330] In some embodiments, the PEG-lipid is a compound of Formula (B-a):



[0331] or a pharmaceutically acceptable salt thereof.

[0332] In some embodiments, the PEG-lipid is a compound of Formula (B-b):



[0333] or a pharmaceutically acceptable salt thereof.


[0334] In some embodiments, n is, on average, 10 to 200, 10 to 180, 10 to 160, 10 to 140, 10 to 120, 10 to 100, 10 to 80, 10 to 60, 10 to 40, 10 to 20, 20 to 200, 20 to 180, 20 to 160, 20 to 140, 20 to 120, 20 to 100, 20 to 80, 20 to 60, 20 to 40, 40 to 200, 40 to 180, 40 to 160, 40 to 140, 40 to 120, 40 to 100, 40 to 80, 40 to 60, 60 to 200, 60 to 180, 60 to 160, 60 to 140, 60 to 120, 60 to 100, 60 to 80, 80 to 200, 80 to 180, 80 to 160, 80 to 140, 80 to 120, 80 to 100, 100 to 200, 100 to 180, 100 to 160, 100 to 140, 100 to 120, 120 to 200, 120 to 180, 120 to 160, 120 to 140, 140 to 200, 140 to 180, 140 to 160, 160 to 200, 160 to 180, or 180 to 200. In some embodiments, n is, on average, 10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, or 200. In some embodiments, n is on average about 20. In some embodiments, n is on average about 40. In some embodiments, n is on average about 45. In some embodiments, n is on average about 50. In some embodiments, n is on average about 68. In some embodiments, n is on average about 75. In some embodiments, n is on average about 100.

[0335] In some embodiments, the PEG-lipid comprises a PEG moiety having an average molecular weight of about 500 to about 10,000 daltons. In some embodiments, the PEG-lipid comprises a PEG moiety having an average molecular weight of about 500 to about 5,000 daltons, about 500 to about 4,000 daltons, about 500 to about 3,000 daltons, about 500 to about 2,000 daltons, about 500 to about 1,000 daltons, about 500 to about 800 daltons, about 500 to about 600 daltons, about 600 to about 5,000 daltons, about 600 to about 4,000 daltons, about 600 to about 3,000 daltons, about 600 to about 2,000 daltons, about 600 to about 1,000 daltons, about 600 to about 800 daltons, about 800 to about 5,000 daltons, about 800 to about 4,000 daltons, about 800 to about

3,000 daltons, about 800 to about 2,000 daltons, about 800 to about 1,000 daltons, about 1,000 to about 5,000 daltons, about 1,000 to about 4,000 daltons, about 1,000 to about 3,000 daltons, about 1,000 to about 2,000 daltons, about 2,000 to about 5,000 daltons, about 2,000 to about 4,000 daltons, about 2,000 to about 3,000 daltons, about 3,000 to about 5,000 daltons, about 3,000 to about 4,000 daltons, about 5,000 to about 10,000 daltons, about 5,000 to about 7,500 daltons, or about 7,500 to about 10,000 daltons. In some embodiments, the PEG moiety of the PEG-lipid has an average molecular weight of about 1,500 to about 2,500 daltons. In some embodiments, the PEG moiety of the PEG-lipid has an average molecular weight of about 1,000 to about 5,000 daltons. In some embodiments, the PEG-lipid comprises a PEG moiety having an average molecular weight of about 500, about 600, about 800, about 1,000, about 1,500, about 2,000, about 2,500, about 3,000, about 3,500, about 4,000, about 4,500, about 5,000, about 6,000, about 7,000, about 8,000, about 9,000, or about 10,000 daltons. In some embodiments, the PEG-lipid comprises a PEG moiety having an average molecular weight of at least 500, at least 1,000, at least 1,500, at least 2,000, at least 2,500, at least 3,000, at least 3,500, at least 4,000, at least 4,500, at least 5,000, at least 6,000, at least 7,000, at least 8,000, at least 9,000, or at least 10,000 daltons. In some embodiments, the PEG-lipid comprises a PEG moiety having an average molecular weight of no more than 500, no more than 1,000, no more than 1,500, no more than 2,000, no more than 2,500, no more than 3,000, no more than 3,500, no more than 4,000, no more than 4,500, no more than 5,000, no more than 6,000, no more than 7,000, no more than 8,000, no more than 9,000, or no more than 10,000 daltons. All values are inclusive of all endpoints.


[0336] In some embodiments, the PEG-lipid is polyoxyethylene (100) stearyl ether, polyoxyethylene (20) cetyl ether, polyoxyethylene (20) oleyl ether, polyoxyethylene (20) stearyl ether, or a mixture thereof. In some embodiments, the PEG-lipid is polyoxyethylene (100) stearate, polyoxyethylene (50) stearate, polyoxyethylene (40) stearate, polyoxyethylene palmitate, or a mixture thereof.

[0337] In some embodiments of the disclosure, the PEG-lipid is




having a CAS number of 9005-00, a linear formula of $\text{C}_{18}\text{H}_{37}(\text{OCH}_2\text{CH}_2)_n\text{OH}$ wherein n is 100. BRIJTM S100 is also known, generically, as polyoxyethylene (100) stearyl ether. Accordingly, in some embodiments, the PEG-lipid is HO-PEG100-CH₂(CH₂)₁₆CH₃.

[0338] In some embodiments of the disclosure, the PEG-lipid is




having a CAS number of 9004-95-9, a linear formula of $\text{C}_{16}\text{H}_{33}(\text{OCH}_2\text{CH}_2)_n\text{OH}$ wherein n is 20. BRIJTM C20 is also known as BRIJTM 58, and, generically, as polyethylene glycol hexadecyl ether, polyoxyethylene (20) cetyl ether. Accordingly, in some embodiments, the PEG-lipid is HO-PEG20-CH₂(CH₂)₁₄CH₃.

[0339] In some embodiments of the disclosure, the PEG-lipid is




having a CAS number of 9004-98-2, a linear formula of $\text{C}_{18}\text{H}_{35}(\text{OCH}_2\text{CH}_2)_n\text{OH}$ wherein n is 20. BRIJTM O20 is also known, generically, as polyoxyethylene (20) oleyl ether. Accordingly, in some embodiments, the PEG-lipid is HO-PEG20-C₁₈H₃₅.

[0340] In some embodiments of the disclosure, the PEG-lipid is




having a CAS number of 9005-00-9, a linear formula of $\text{C}_{18}\text{H}_{37}(\text{OCH}_2\text{CH}_2)_n\text{OH}$ wherein n is 20. BRIJTM S20 is also known, generically, as polyethylene glycol octadecyl ether or polyoxyethylene (20) stearyl ether. Accordingly, in some embodiments, the PEG-lipid is HO-PEG20-CH₂(CH₂)₁₆CH₃.

[0341] In some embodiments of the disclosure, the PEG-lipid is




having a CAS number of 9004-99-3, a linear formula of $\text{C}_{17}\text{H}_{35}\text{C}(\text{O})(\text{OCH}_2\text{CH}_2)_n\text{OH}$ wherein n is 100. MYRJTM S100 is also known, generically, as polyoxyethylene (100) stearate. Accordingly, in some embodiments, the PEG-lipid is HO-PEG100-CH₂(CH₂)₁₅CH₃.

[0342] In some embodiments of the disclosure, the PEG-lipid is




having a CAS number of 9004-99-3, a linear formula of $\text{C}_{17}\text{H}_{35}\text{C}(\text{O})(\text{OCH}_2\text{CH}_2)_n\text{OH}$ wherein n is 50. MYRJTM S50 is also known, generically, as polyoxyethylene (50) stearate. Accordingly, in some embodiments, the PEG-lipid is HO-PEG50-CH₂(CH₂)₁₅CH₃.

[0343] In some embodiments of the disclosure, PEG-lipid is




having a CAS number of 9004-99-3, a linear formula of $C_{17}H_{35}C(O)(OCH_2CH_2)_nOH$ wherein n is 40. MYRJ™ S40 is also known, generically, as polyoxyethylene (40) stearate. Accordingly, in some embodiments, the PEG-lipid is HO-PEG40-CH₂(CH₂)₁₅CH₃.

[0344] In some embodiments of the disclosure, the PEG-lipid is



having a CAS number of 1607430-62-04, a linear formula of C₁₂₂H₂₄₂O₅₀. PEG2k-DMG is also known as 1,2-dimyristoyl-rac-glycerol-3-methoxypolyethylene glycol-2000.

[0345] In some embodiments of the disclosure, the PEG-lipid is:



having an alkyl composition of R₁COO=C16:0, R₂COO=C16:0. PEG2k-DPG is also known, generically, as 1,2-Dipalmitoyl-rac-glycerol-3-methylpolyoxyethylene.

[0346] In some embodiments of the disclosure, the PEG-lipid may be PEG-dilauroylglycerol, PEG-dimyristoylglycerol (PEG-DMG), PEG-dipalmitoylglycerol, PEG-distearoylglycerol (PEG-DSPE), PEG-dilaurylglycamide, PEG-dimyristylglycamide, PEG-dipalmitoylglycamide, PEG-distearoylglycamide, PEG-cholesterol (1-[8'-(Cholest-5-en-3 [beta]-oxy) carboxamido-3',6'-dioxaoctanyl]carbamoyl-[omega]-methyl-poly(ethylene glycol), PEG-DMB (3,4-ditetradecoxylbenzyl-[omega]-methyl-poly(ethylene glycol) ether), 1,2-dimyristoyl-sn-glycerol-3-phosphoethanolamine-N-[methoxy (polyethylene glycol)-2000] (PEG2k-DMG), 1,2-distearoyl-sn-glycerol-3-phosphoethanolamine-N-[methoxy (polyethylene glycol)-2000] (PEG2k-DSPE), 1,2-distearoyl-snglycerol, methoxypolyethylene glycol (PEG2k-DSG), poly(ethylene glycol)-2000-dimethacrylate (PEG2k-DMA), or 1,2-distearoyloxypropyl-3-amine-N-[methoxy (polyethylene glycol)-2000] (PEG2k-DSA). In some embodiments, the PEG-lipid may be PEG2k-DMG. In some embodiments, the PEG-lipid may be PEG2k-DSG. In other embodiments, the PEG-lipid may be PEG2k-DSPE. In some embodiments, the PEG-lipid may be PEG2k-DMA. In yet other embodiments, the PEG-lipid may be PEG2k-C-DMA. In some embodiments, the PEG-lipid

may be PEG2k-DSA. In other embodiments, the PEG-lipid may be PEG2k-C11. In some embodiments, the PEG-lipid may be PEG2k-C14. In some embodiments, the PEG-lipid may be PEG2k-C16. In some embodiments, the PEG-lipid may be PEG2k-C18.

[0347] In some embodiments, a PEG-lipid having single lipid tail of the disclosure (e.g., PEG-lipid of Formula (A), (A'), (A''), or (B)) may reduce accelerated blood clearance (ABC) upon administration and/or repeat administration of an LNP composition of the disclosure. In some embodiments, a PEG-lipid having single lipid tail of the disclosure may reduce or deplete PEG-specific antibodies (e.g., anti-

PEG IgM) generated by a subject's immune system upon administration and/or repeat administration of an LNP composition of the disclosure.

[0348] In some embodiments, the PEG-lipid comprises a poly(ethylene) glycol chain of up to 5 kDa in length covalently attached to a lipid comprising one or more C6-C20 alkyls. In some embodiments, the PEG-lipid is 1,2-Distearoyl-sn-glycerol-3-phosphoethanolamine-Poly(ethylene glycol) (DSPE-PEG), or 1,2-distearoyl-sn-glycerol-3-phosphoethanolamine-N-[amino (polyethylene glycol)] (DSPE-PEG-amine). In some embodiments, the PEG-lipid is selected from 1,2-distearoyl-sn-glycerol-3-phosphoethanolamine-N-[amino (polyethyleneglycol)-5000] (DSPE-PEG5K); 1,2-dipalmitoyl-rac-glycerol methoxypolyethylene glycol-2000 (DPG-PEG2K); 1,2-distearoyl-rac-glycerol-3-methylpolyoxyethylene-5000 (DSG-PEG5K); 1,2-distearoyl-rac-glycerol-3-methylpolyoxyethylene-2000 (DSG-PEG2K); 1,2-dimyristoyl-rac-glycerol-3-methylpolyoxyethylene-5000 (DMG-PEG5K); and 1,2-dimyristoyl-rac-glycerol-3-methylpolyoxyethylene-2000 (DMG-PEG2K). In some embodiments, the PEG-lipid is DSPE-PEG5K. In some embodiments, the PEG-lipid is DPG-PEG2K. In some embodiments, the PEG-lipid is DSG-PEG2K. In some embodiments, the PEG-lipid is DMG-PEG2K. In some embodiments, the PEG-lipid is DSG-PEG5K. In some embodiments, the PEG-lipid is DMG-PEG5K.

[0349] In some embodiments, the PEG lipid is a cleavable PEG lipid. Examples of PEG derivatives with cleavable bonds include those modified with peptide bonds (Kulkarni et al. (2014). Mmp-9 responsive PEG cleavable nanovesicles for efficient delivery of chemotherapeutics to pancreatic cancer. Mol Pharmaceutics 11:2390-9; Lin et al. (2015). Drug/dye-loaded, multifunctional peg-chitosan-iron oxide nanocomposites for methotrexate synergistically self-targeted cancer therapy and dual model imaging. ACS Appl Mater Interfaces 7:11908-20.), disulfide keys (Yan et al (2014). A method to accelerate the gelation of disulfide-crosslinked hydrogels. Chin J Polym Sci 33:118-27; Wu & Yan (2015). Copper nanopowder catalyzed cross-coupling of diaryl disulfides with aryl iodides in PEG-400. Synlett

26:537-42), vinyl ether bonds, hydrazone bonds (Kelly et al. (2016). Polymeric prodrug combination to exploit the therapeutic potential of antimicrobial peptides against cancer cells. *Org Biomol Chem* 14:9278-86.), and ester bonds (Xu et al. (2008). Esterase-catalyzed dePEGylation of pH-sensitive vesicles modified with cleavable PEG-lipid derivatives. *J Control Release* 130:238-45). See also, Fang et al., (2017) Cleavable PEGylation: a strategy for overcoming the “PEG dilemma” in efficient drug delivery. *Drug Delivery* 24:2, 22-32.

[0350] In some embodiments, the PEG lipid is an activated PEG lipid. Exemplary activated PEG lipids include PEG-NH₂, PEG-MAL, PEG-NHS, and PEG-ALD. Such functionalized PEG lipids are useful in the conjugation of targeting moieties to lipid nanoparticles to direct the particles to a particular target cell or tissue (e.g., by the attachment of antigen-binding molecules, peptides, glycans, etc.). In some embodiments, the functionalized moiety (e.g., —NH₂, —MAL, —NHS, —ALD) is added to the free end of the PEG moiety of the PEG-lipid of the disclosure (e.g., BRIJ™ or MYRJ™ family PEG lipid)

Cationic Lipid

[0351] In some embodiments, the LNP provided herein comprises one or more cationic lipids. “Cationic lipid” and “ionizable lipid” are used interchangeably herein.


[0352] Cationic lipids refer to any of a number of lipid species that carry a net positive charge at a selected pH, such as physiological pH. Such lipids include, but are not limited to 1,2-Dilinolexyloxy-N,N-dimethylaminopropane (DLinDMA), 1,2-Dilinolenyloxy-N,N-dimethylaminopropane (DLenDMA), dioctadecyldimethylammonium (DODMA), distearyldimethylammonium (DSDMA), N,N-dioleoyl-N,N-dimethylammonium chloride (DODAC); N-(2,3-dioleoyloxy) propyl)-N,N,N-trimethylammonium chloride (DOTMA); N,N-distearyl-N,N-dimethylammonium bromide (DDAB); N-(2,3-dioleoyloxy) propyl)-N,N,N-trimethylammonium chloride (DOTAP); 3-(N-(N',N'-dimethylaminoethane)-carbamoyl) cholesterol (DC-Chol), and N-(1,2-dimyristyloxyprop-3-yl)-N,N-dimethyl-N-hydroxyethyl ammonium bromide (DMRIE). For example, cationic lipids that have a positive charge at below physiological pH include, but are not limited to, DODAP, DODMA, and DMDMA. In some embodiments, the cationic lipids comprise C₁₈ alkyl chains, ether linkages between the head group and alkyl chains, and 0 to 3 double bonds. Such lipids include, e.g., DSDMA, DLinDMA, DLenDMA, and DODMA.

[0353] In some embodiments, the cationic lipids comprise a protonatable tertiary amine head group. Such lipids are referred to herein as ionizable lipids. Ionizable lipids refer to lipid species comprising an ionizable amine head group and typically comprising a pK_a of less than about 7. Therefore, in environments with an acidic pH, the ionizable amine head group is protonated such that the ionizable lipid preferentially interacts with negatively charged molecules (e.g., nucleic acids such as the recombinant polynucleotides described herein) thus facilitating nanoparticle assembly and encapsulation. Therefore, in some embodiments, ionizable lipids can increase the loading of nucleic acids into lipid nanoparticles. In environments where the pH is greater than about 7 (e.g., physiologic pH of ≈7.4), the ionizable lipid comprises a neutral charge. When particles comprising ionizable lipids are taken up into the low pH environment of an endosome (e.g., pH<7), the ionizable lipid is again protonated and associates with the anionic endosomal mem-

branes, promoting release of the contents encapsulated by the particle. In some embodiments, the LNP comprises an ionizable lipid, e.g., a 7:SS-cleavable and pH-responsive Lipid Like Material (such as the COATSOME® SS-Series).

[0354] In some embodiments, the cationic lipid of the LNP is DLinDMA, DLin-KC2-DMA, DLin-MC3-DMA (MC3), COATSOME® SS-LC (former name: SS-18/4PE-13), COATSOME® SS-EC (former name: SS-33/4PE-15), COATSOME® SS-OC, COATSOME® SS-OP, Di((Z)-non-2-en-1-yl) 9-((4-dimethylamino) butanoyloxy) heptadecanedioate (L-319), N-(2,3-dioleoyloxy) propyl)-N,N,N-trimethylammonium chloride (DOTAP), or a mixture thereof.

[0355] In some embodiments the cationic lipid of the LNP is a compound of Formula (I):




Formula (I)

[0356] or a pharmaceutically acceptable salt or solvate thereof, wherein the variables are defined herein.

[0357] In some embodiments, cationic lipid of the disclosure is a compound selected from Table 21 or a pharmaceutically acceptable salt thereof.

[0358] In some embodiments, the cationic lipid of the LNP is a compound of Formula (II-1):



Formula (II-1)

[0359] or a pharmaceutically acceptable salt or solvate thereof, wherein:


[0360] R^{1a} and R^{1b} are each independently C₁-C₈ aliphatic or —O(C₁-C₈ aliphatic)-, wherein the O atom, when present, is bonded to the piperidine ring;

[0361] X^a and X^b are each independently —C(O)O—*, —OC(O)—*, —C(O)N(R_x¹)—*, —N(R_x¹)C(O)—*, —O(C=O)N(R_x¹)—*, —N(R_x¹)(C=O)O—*, or —O—, wherein —* indicates the attachment point to R^{2a} or R^{2b}, respectively and wherein each occurrence of R_x¹ is independently selected from hydrogen and optionally substituted C₁-C₄ alkyl; and

[0362] R^{2a} and R^{2b} are each independently a sterol residue, a liposoluble vitamin residue, or an C₁₃-C₂₃ aliphatic.

[0363] In some embodiments, the cationic lipid of the LNP is a compound of Formula (II-2):

Formula (II-2)



[0364] or a pharmaceutically acceptable salt or solvate thereof, wherein:

[0365] $R^{1a'}$ and $R^{1b'}$ are each independently C_1 - C_8 alkylene or $-O(C_1$ - C_8 alkylene), wherein the O atom, when present, is bonded to the piperidine ring;

[0366] $Y^{a'}$ and $Y^{b'}$ are each independently $-C(O)O-$, $-OC(O)-$, $-C(O)N(R_x^1)-$, $-N(R_x^1)C(O)-$, $-O(C=O)N(R_x^1)-$, $-N(R_x^1)(C=O)O-$, $-N(R_x^1)C(O)N(R_x^1)-$, or $-O-$, wherein $-*$ indicates the attachment point to $R^{2a'}$ or $R^{2b'}$, and wherein each occurrence of R_x^1 is independently selected from hydrogen and optionally substituted C_1 - C_4 alkyl;

[0367] $Z^{a'}$ and $Z^{b'}$ are each independently optionally substituted arylene- C_0 - C_8 alkylene or optionally substituted arylene- C_0 - C_8 heteroalkylene, wherein the alkylene or heteroalkylene group is bonded to $Y^{a'}$ and $Y^{b'}$, respectively;

[0368] $R^{2a'}$ and $R^{2b'}$ are each independently a sterol residue, a liposoluble vitamin residue, or an C_{12} - C_{22} aliphatic.

[0369] In some embodiments, the cationic lipid of the LNP is a compound of Formula (II-1a) (COATSOME® SS—OC) or Formula (II-2a) (COATSOME® SS—OP):

[0370] In some embodiments, the cationic lipid of the LNP is a compound of Formula (II-1a) (COATSOME® SS—OC). COATSOME® SS—OC is also known as SS-18/4PE-16.

[0371] In some embodiments, the cationic lipid of the LNP is a compound of Formula (II-2a) (COATSOME® SS—OP).

[0372] In some embodiments, the cationic lipid of the LNP is 1,2-dioleoyl-3-trimethylammonium-propane (DO-TAP).


Helper Lipid

[0373] In some embodiments, the LNP described herein comprises one or more helper lipids. The term “helper lipid” refers to a lipid capable of increasing the delivery of the LNP to a target, e.g., into a cell. Without wishing to be bound by any particular theory, it is contemplated that a helper lipid may enhance the stability and/or membrane fusogenicity of the lipid nanoparticle. In some embodiments, the helper lipid is a phospholipid. In some embodiments, the helper lipid is a phospholipid substitute or replacement. In some embodiments the helper lipid is an alkyl resorcinol.


[0374] In some embodiments, the helper lipid is a phosphatidyl choline (PC). In some embodiments, the helper lipid is not a phosphatidyl choline (PC). In some embodiments the helper lipid is a phospholipid or a phospholipid substitute. In some embodiments, the phospholipid or phospholipid substitute can be, for example, one or more saturated or (poly) unsaturated phospholipids, or phospholipid substitutes, or a combination thereof. In general, phospholipids comprise a phosphate head group and one or more fatty acid tails. In some embodiments, a phospholipid may include one or more multiple (e.g., double or triple) bonds (i.e. one or more unsaturations). In some embodiments, the helper lipid is non-cationic.

[0375] A phosphate head group can be selected, for example, from the non-limiting group consisting of phosphatidyl choline, phosphatidyl ethanolamine, phosphatidyl glycerol, phosphatidyl serine, phosphatidic acid, 2-lyso-phosphatidyl choline, and a sphingomyelin.

Formula (II-1a)



Formula (II-2a)



[0376] A fatty acid tail can be selected, for example, from the non-limiting group consisting of lauric acid, myristic acid, myristoleic acid, palmitic acid, palmitoleic acid, stearic acid, oleic acid, linoleic acid, alpha-linolenic acid, erucic acid, phytanoic acid, arachidic acid, arachidonic acid, eicosapentaenoic acid, behenic acid, docosapentaenoic acid, and docosahexaenoic acid.

[0377] Phospholipids include, but are not limited to, glycerophospholipids such as phosphatidylcholines, phosphatidylethanolamines, phosphatidylserines, phosphatidylinositols, phosphatidyl glycerols, and phosphatidic acids. Phospholipids also include phosphosphingolipid, such as sphingomyelin.


[0378] In some embodiments, the non-cationic helper lipid is a DSPC analog, a DSPC substitute, oleic acid, or an oleic acid analog.

[0379] In some embodiments, a non-cationic helper lipid is a non-phosphatidyl choline (PC) zwitterionic lipid, a DSPC analog, oleic acid, an oleic acid analog, or a 1,2-distearoyl-sn-glycero-3-phosphocholine (DSPC) substitute.

[0380] In some embodiments, the phospholipids may facilitate fusion to a membrane. For example, a cationic phospholipid may interact with one or more negatively charged phospholipids of a membrane (e.g., a cellular or intracellular membrane). Fusion of a phospholipid to a membrane may allow one or more elements of a lipid-containing composition to pass through the membrane permitting, e.g., delivery of the one or more elements to a cell.

[0381] In some embodiments, a phosphate head group can be selected from the non-limiting group consisting of phosphatidyl choline, phosphatidyl ethanolamine, phosphatidyl glycerol, phosphatidyl serine, phosphatidic acid, 2-lysophosphatidyl choline, and a sphingomyelin. A fatty acid tail can be selected, for example, from the non-limiting group consisting of lauric acid, myristic acid, myristoleic acid, palmitic acid, palmitoleic acid, stearic acid, oleic acid, linoleic acid, alpha-linolenic acid, erucic acid, phytanoic acid, arachidic acid, arachidonic acid, eicosapentaenoic acid, behenic acid, docosapentaenoic acid, and docosahexaenoic acid.

[0382] In some embodiments, the phospholipid is a compound according to Formula (III):



Formula (III)

[0383] wherein: R_p represents a phosphate head group and R^1 and R^2 represent fatty acid tails with or without unsaturation that may be the same or different. A phosphate head group may be selected from the non-limiting group consisting of phosphatidylcholine, phosphatidyl ethanolamine, phosphatidyl glycerol, phosphatidyl serine, phosphatidic acid, 2-lysophosphatidyl choline, and a sphingomyelin. A fatty acid tail may be selected from the non-limiting group consisting of lauric acid, myristic acid, myristoleic acid, palmitic acid, palmitoleic acid, stearic acid, oleic acid, linoleic

acid, alpha-linolenic acid, erucic acid, phytanic acid, arachidic acid, arachidonic acid, eicosapentaenoic acid, behenic acid, docosapentaenoic acid, and docosahexaenoic acid. Non-natural species including natural species with modifications and substitutions including branching, oxidation, cyclization, and alkynes are also contemplated. For example, a phospholipid may be functionalized with or cross-linked to one or more alkynes (e.g., an alkenyl group in which one or more double bonds is replaced with a triple bond). Under appropriate reaction conditions, an alkyne group may undergo a copper-catalyzed cycloaddition upon exposure to an azide. Such reactions may be useful in functionalizing a lipid bilayer of an LNP to facilitate membrane permeation or cellular recognition or in conjugating an LNP to a useful component such as a targeting or imaging moiety (e.g., a dye).

[0384] In some embodiments, the LNPs comprise one or more non-cationic helper lipids (e.g., neutral lipids). Exemplary neutral helper lipids include (1,2-dilauroyl-sn-glycero-3-phosphoethanolamine) (DLPE), 1,2-diphytanoyl-sn-glycero-3-phosphoethanolamine (DiPPE), 1,2-distearoyl-sn-glycero-3-phosphocholine (DSPC), 1,2-dipalmitoyl-sn-glycero-3-phosphocholine (DPPC), 1,2-dioleoyl-sn-glycero-3-phosphoethanolamine (DOPE), 1,2-dipalmitoyl-sn-glycero-3-phosphoethanolamine (DPPE), 1,2-dimyristoyl-sn-glycero-3-phosphoethanolamine (DMPE), (1,2-dioleoyl-sn-glycero-3-phospho-(1'-rac-glycerol) (DOPG), 1,2-dioleoyl-sn-glycero-3-phosphocholine (DOPC), 1,2-distearoyl-sn-glycero-3-phosphoethanolamine (DSPE), ceramides, and sphingomyelins. In some embodiments, the one or more helper lipids are selected from 1,2-distearoyl-sn-glycero-3-phosphocholine (DSPC); 1,2-dilauroyl-sn-glycero-3-phosphoethanolamine (DLPE); 1,2-dioleoyl-sn-glycero-3-phosphocholine (DOPC); and 1,2-dioleoyl-sn-glycero-3-phosphoethanolamine (DOPE). In some embodiments, the helper lipid of the LNPs comprises, consists essentially of, or consist of 1,2-Dilauroyl-sn-glycero-3-phosphoethanolamine (DLPE) or 1,2-Dioleoyl-sn-glycero-3-phosphoethanolamine (DOPE). In some embodiments, the LNP comprises DSPC. In some embodiments, the LNP comprises DOPC. In some embodiments, the LNP comprises DLPE. In some embodiments, the LNP comprises DOPE.

[0385] In some embodiments, the phospholipid is selected from the non-limiting group consisting of 1,2-distearoyl-sn-glycero-3-phosphocholine (DSPC), 1,2-dioleoyl-sn-glycero-3-phosphoethanolamine (DOPE), 1,2-dilinoleoyl-sn-glycero-3-phosphocholine (DLPC), 1,2-dimyristoyl-sn-glycero-3-phosphocholine (DMPC), 1,2-dioleoyl-sn-glycero-3-phosphocholine (DOPC), 1,2-dipalmitoyl-sn-glycero-3-phosphocholine (DPPC), 1,2-diundecanoyl-sn-glycero-3-phosphocholine (DUPC), 1-palmitoyl-2-oleoyl-sn-glycero-3-phosphocholine (POPC), 1,2-di-O-octadecenyl-sn-glycero-3-phosphocholine (18:0 Diether PC), 1-oleoyl-2-cholesterylhemisuccinoyl-sn-glycero-3-phosphocholine (OChemPC), 1-hexadecyl-sn-glycero-3-phosphocholine (C16 Lyso PC), 1,2-dilinolenoyl-sn-glycero-3-phosphocholine (18:3 (cis) PC), 1,2-diarachidonoyl-sn-glycero-3-phosphocholine (DAPC), 1,2-didocosahexaenoyl-sn-glycero-3-phosphocholine (22:6 (cis) PC) 1,2-diphytanoyl-sn-glycero-3-phosphoethanolamine (4ME 16.0 PE), 1,2-distearoyl-sn-glycero-3-phosphoethanolamine (DSPE), 1,2-dilinoleoyl-sn-glycero-3-phosphoethanolamine (PE (18:2/18:2), 1,2-

dilinolenoyl-sn-glycero-3-phosphoethanol amine (PE 18:3 (9Z,12Z,15Z), 1,2-diarachidonoyl-sn-glycero-3-phosphoethanolamine (DAPE 18:3 (9Z,12Z,15Z), 1,2-didocosa-hexaenoyl-sn-glycero-3-phosphoethanolamine (22:6 (cis) PE), 1,2-dioleoyl-sn-glycero-3-phospho-rac-(1-glycerol) sodium salt (DOPG), and sphingomyelin.

[0386] In some embodiments, a helper lipid is selected from the group consisting of distearoyl-sn-glycero-phosphoethanolamine, distearoylphosphatidylcholine (DSPC), dioleoylphosphatidylcholine (DOPC), dipalmitoylphosphatidylcholine (DPPC), dioleoylphosphatidylglycerol (DOPG), dipalmitoylphosphatidylglycerol (DPPG), dioleoyl-phosphatidylethanolamine (DOPE), palmitoyloleoylphosphatidylcholine (POPC), palmitoyloleoylphosphatidylethanolamine (POPE), dioleoylphosphatidylethanolamine 4-(N-maleimidomethyl)-cyclohexane-1-carboxylate (DOPE-mal), dipalmitoyl phosphatidyl ethanolamine (DPPE), dimyristoylphosphoethanolamine (DMPE), distearoyl-phosphatidyl-ethanolamine (DSPE), monomethyl-phosphatidylethanolamine, dimethylphosphatidylethanolamine, 18-1-trans PE, 1-stearoyl-2-oleoylphosphatidylethanolamine (SOPE), hydrogenated soy phosphatidylcholine (HSPC), egg phosphatidylcholine (EPC), dioleoylphosphatidylserine (DOPS), sphingomyelin (SM), dimyristoyl phosphatidylcholine (DMPC), dimyristoyl phosphatidylglycerol (DMPG), distearoylphosphatidylglycerol (DSPG), dierycoylphosphatidylcholine (DEPC), palmitoyloleoylphosphatidylglycerol (POPG), dielaidoyl-phosphatidylethanolamine (DEPE), lecithin, phosphatidylethanolamine, lysolecithin, lysophosphatidylethanolamine, phosphatidyl serine, phosphatidylinositol, sphingomyelin, egg sphingomyelin (ESM), cephalin, cardiolipin, phosphatidic acid, cerebrosides, dice-tylphosphate, lysophosphatidylcholine, and dilinoleoylphosphatidylcholine.

[0387] In some embodiments, the helper lipid of the disclosure is DSPC.

[0388] In some embodiments, an LNP includes DSPC. In some embodiments, an LNP includes DOPE. In some embodiments, an LNP includes DMPE. In some embodiments, an LNP includes both DSPC and DOPE.

[0389] In some embodiments, a helper lipid is selected from the group consisting of DSPC, DMPE, and DOPC or combinations thereof.

[0390] In some embodiments of the disclosure, the helper lipid is

described herein, a “modified tail” may be a tail with shorter or longer aliphatic chains, aliphatic chains with branching introduced, aliphatic chains with substituents introduced, aliphatic chains wherein one or more methylenes are replaced by cyclic or heteroatom groups, or any combination thereof.

[0392] In some embodiments, the helper lipid of the disclosure is an alternative lipid that is not a phospholipid.


[0393] In some embodiments, a phospholipid useful in the present disclosure comprises a modified tail. In some embodiments, a phospholipid useful in the present disclosure is DSPC, or analog thereof, with a modified tail. As described herein, a “modified tail” may be a tail with shorter or longer aliphatic chains, aliphatic chains with branching introduced, aliphatic chains with substituents introduced, aliphatic chains wherein one or more methylenes are replaced by cyclic or heteroatom groups, or any combination thereof.

[0394] In some embodiments, a phospholipid useful in the present disclosure comprises a modified phosphocholine moiety, wherein the alkyl chain linking the quaternary amine to the phosphoryl group is not ethylene (e.g., n is not 2).

[0395] In some embodiments, the LNP of the disclosure comprises an oleic acid or an oleic acid analog as the helper lipid. In some embodiments, an oleic acid analog comprises a modified oleic acid tail, a modified carboxylic acid moiety, or both. In some embodiments, an oleic acid analog is a compound wherein the carboxylic acid moiety of oleic acid is replaced by a different group.

[0396] In some embodiments, the LNP of the disclosure comprises a different zwitterionic group in place of a phospholipid as the helper lipid.

[0397] In some embodiments, the helper lipid of the disclosure is a naturally occurring membrane lipid. In some embodiments, the helper lipid of the disclosure is 1,2-Dipalmitoyl-sn-glycero-3-O-4'-(N,N,N-trimethyl)-homoserine (DGTS), Monogalactosyldiacylglycerol (MGDG), Digalactosyldiacylglycerol (DGDG), Sulfoquinovosyldiacylglycerol (SQDG), 1-Palmitoyl-2-cis-9,10-methylene-hexadecanoyl-sn-glycero-3-phosphocholine (Cyclo PC), or a combination thereof. In some embodiments, the LNP of the disclosure comprises a combination of helper lipids. In some embodiments, the combination of helper lipids does not comprise DSPC. In some embodiments, the combination



having a CAS number of 816-94-4, a linear formula of C44H88NO8P. DSPC is also known as 1,2-distearoyl-sn-glycero-3-phosphocholine.

[0391] In some embodiments, a phospholipid of the disclosure comprises a modified tail. In some embodiments, the phospholipid is DSPC (1,2-dioctadecanoyl-sn-glycero-3-phosphocholine), or analog thereof, with a modified tail. As

of helper lipid comprises DSPC. In some embodiments, the LNP comprising one or more naturally occurring membrane lipids (e.g., DGTS) has improved liver transfection/delivery of the target molecule encapsulated in the LNP as compared to the LNP comprising DSPC as the only helper lipid.

[0398] In some embodiments, the helper lipid of disclosure is 5-heptadecylresorcinol or a derivative thereof.

Structural Lipid

[0399] In some embodiments, the LNP of the disclosure comprises one or more structural lipids. Incorporation of structural lipids in the lipid nanoparticle may help mitigate aggregation of other lipids in the particle. Structural lipids may be, but are not limited to, sterols or lipids containing sterol moieties.


[0400] In some embodiments, the structural lipid of the LNP is a sterol (e.g., phytosterols or zoosterols). In some embodiments, the sterol is cholesterol, or an analog or a derivative thereof. In some embodiments, the sterol is cholesterol. In some embodiments, the sterol is cholesterol, β -sitosterol, fecosterol, ergosterol, sitosterol, campesterol, stigmasterol, brassicasterol, ergosterol, tomatidine, tomatine, ursolic acid, α -tocopherol, including analogs, salts or esters thereof, alone or in combination.

[0401] In some embodiments, the structural lipid of the LNP is a cholesterol, a corticosteroid (such as, for example, prednisolone, dexamethasone, prednisone, and hydrocortisone), or a combination thereof.

[0402] In some embodiments, the structural lipid of the LNP is a phytosterol. In some embodiments, the phytosterol is a sitosterol, a stigmasterol, a campesterol, a sitostanol, a campestanol, a brassicasterol, a fucosterol, β -sitosterol, stigmasterol, β -sitostanol, ergosterol, lupeol, cycloartenol, A5-avenaserol, A7-avenaserol or a A7-stigmasterol, including analogs, salts or esters thereof, alone or in combination.

[0403] In some embodiments, the LNP comprises one or more phytosterols. In some embodiments, the phytosterol component of the LNP is a single phytosterol. In some embodiments, the phytosterol component of the LNP of the disclosure is a mixture of different phytosterols (e.g. 2, 3, 4, 5 or 6 different phytosterols). In some embodiments, the phytosterol component of the LNP of the disclosure is a blend of one or more phytosterols and one or more zoosterols, such as a blend of a phytosterol (e.g., a sitosterol, such as β -sitosterol) and cholesterol.

[0404] In some embodiments of the disclosure, the structural lipid of the LNP is cholesterol:



having a CAS number of 57-88-5, a linear formula of $C_{27}H_{46}O$.

[0405] In some embodiments, the LNP comprises a cationic lipid and one or more helper lipids, wherein the cationic lipid is DOTAP. In some embodiments, the LNP comprises a cationic lipid and one or more helper lipids, wherein the cationic lipid is Dlin-MC3-DMA (MC3). In some embodiments, the LNP comprises a cationic lipid and one or more helper lipids, wherein the cationic lipid is

COATSOME® SS-EC. In some embodiments, the LNP comprises a cationic lipid and one or more helper lipids, wherein the cationic lipid is COATSOME® SS-LC. In some embodiments, the LNP comprises a cationic lipid and one or more helper lipids, wherein the cationic lipid is COATSOME® SS-OC. In some embodiments, the LNP comprises a cationic lipid and one or more helper lipids, wherein the cationic lipid is COATSOME® SS-OP. In some embodiments, the LNP comprises a cationic lipid and one or more helper lipids, wherein the cationic lipid is L-319. In some embodiments, the LNP further comprises a structural lipid. In some embodiments, the structural lipid is cholesterol.

[0406] In some embodiments, the LNP comprises a cationic lipid and one or more helper lipids. In some embodiments, the LNP comprises a cationic lipid and one or more helper lipids, wherein the one or more helper lipids comprises DLPE. In some embodiments, the LNP comprises a cationic lipid and one or more helper lipids, wherein the one or more helper lipids comprises DSPC. In some embodiments, the LNP comprises a cationic lipid and one or more helper lipids, wherein the one or more helper lipids comprises DOPE. In some embodiments, the LNP comprises a cationic lipid and one or more helper lipids, wherein the one or more helper lipids comprises DOPC. In some embodiments, the LNP further comprises a structural lipid. In some embodiments, the structural lipid is cholesterol.

[0407] In some embodiments, the LNP comprises a cationic lipid, a helper lipid, and a structural lipid. In some embodiments, the structural lipid is cholesterol. In some embodiments, the cationic lipid is DOTAP, and the helper lipid is DLPE. In some embodiments, the cationic lipid is MC3, and the helper lipid is DSPC. In some embodiments, the helper lipid is DOPE. In some embodiments, the helper lipid is DSPC. In some embodiments, the LNP comprises a cationic lipid, a structural lipid, and at least two helper lipids, wherein the cationic lipid is DOTAP, and the at least two helper lipids comprise DLPE and DSPE. In some embodiments, the LNP comprises a cationic lipid, a structural lipid, and at least two helper lipids, wherein the cationic lipid is MC3, and the at least two helper lipids comprise DSPC and DMG. In some embodiments, the at least two helper lipids comprise DOPE and DSPE. In some embodiments, the at least two helper lipids comprise DSPC, and DMG. In some embodiments, the structural lipid is cholesterol. In some embodiments, the LNP comprises DOTAP, cholesterol, and DLPE. In some embodiments, the LNP comprises MC3, cholesterol, and DSPC. In some embodiments, the LNP comprises DOTAP, cholesterol, and DOPE. In some embodiments, the LNP comprises DOTAP, cholesterol, DLPE, and DSPE. In some embodiments, the LNP comprises MC3, cholesterol, DSPC, and DMG. In some embodiments, the LNP comprises DOTAP, cholesterol, DLPE, and DSPE-PEG. In some embodiments, the LNP comprises MC3, cholesterol, DSPC, and DMG-PEG. In some embodiments, the LNP comprises DOTAP, cholesterol, DOPE, and DSPE. In some embodiments, the LNP comprises DOTAP, cholesterol, DOPE, and DSPE-PEG. In some embodiments, the LNP comprises SS-OC, DSPC, cholesterol, and DPG-PEG (e.g., DPG-PEG2K). In some embodiments, the LNP comprises SS-OC, DSPC, cholesterol, and a PEG-lipid of formula (I) (e.g., BRIJ™ S100).

Lipid Molar Ratio in the LNP Composition

[0408] In some embodiments, the LNP of the disclosure comprises between 40 mol % and 70 mol % of the cationic lipid, up to 50 mol % of the helper lipid, between 10 mol % and 50 mol % of the structural lipid, and between 0.001 mol % and 5 mol % of the PEG-lipid, inclusive of all endpoints. In some embodiments, the total mol % of the cationic lipid, the helper lipid, the structural lipid and the PEG-lipid is 100%.

[0409] In some embodiments, the mol % of the cationic lipid in the LNP is 40-70 mol %, 40-55 mol %, 40-50 mol %, 40-45 mol %, 44-54 mol %, 45-60 mol %, 45-55 mol %, 45-50 mol %, 50-60 mol %, 49-64 mol %, 50-55 mol %, or 55-60 mol %. In some embodiments, the mol % of the cationic lipid in the LNP is 44-54 mol %. In some embodiments, the mol % of the cationic lipid in the LNP is 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, or 60 mol %. In some embodiments, the mol % of the cationic lipid in the LNP is about 40, about 41, about 42, about 43, about 44, about 45, about 46, about 47, about 48, about 49, about 50, about 51, about 52, about 53, about 54, about 55, about 56, about 57, about 58, about 59, or about 60 mol %. All values are inclusive of all endpoints.

[0410] In some embodiments, the mol % of the structural lipid in the LNP is 10-60 mol %, 10-30 mol %, 15-35 mol %, 20-40 mol %, 20-45 mol %, 25-33 mol %, 24-32 mol %, 25-45 mol %, 30-50 mol %, 35-43 mol %, 35-55 mol %, or 40-60 mol %. In some embodiments, the mol % of the structural lipid in the LNP is 20-45 mol %. In some embodiments, the mol % of the structural lipid in the LNP is 24-32 mol %. In some embodiments, the mol % of the structural lipid in the LNP is 25-33 mol %. In some embodiments, the mol % of the structural lipid in the LNP is 22-28 mol %. In some embodiments, the mol % of the structural lipid in the LNP is 35-45 mol %. In some embodiments, the mol % of the structural lipid in the LNP is 35-43 mol %. In some embodiments, the mol % of the structural lipid in the LNP is 10-60 mol %. In some embodiments, the mol % of the structural lipid in the LNP is 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, or 60 mol %. In some embodiments, the mol % of the structural lipid in the LNP is about 10, about 11, about 12, about 13, about 14, about 15, about 16, about 17, about 18, about 19, about 20, about 21, about 22, about 23, about 24, about 25, about 26, about 27, about 28, about 29, about 30, about 31, about 32, about 33, about 34, about 35, about 36, about 37, about 38, about 39, about 40, about 41, about 42, about 43, about 44, about 45, about 46, about 47, about 48, about 49, about 50, about 51, about 52, about 53, about 54, about 55, about 56, about 57, about 58, about 59, or about 60 mol %. In some embodiments, the structural lipid is cholesterol. All values are inclusive of all endpoints.

[0411] In some embodiments, the mol % of the helper lipid in the LNP is 1-50 mol %. In some embodiments, the mol % of the helper lipid in the LNP is up to 29 mol %. In some embodiments, the mol % of the helper lipid in the LNP is 1-10 mol %, 5-9 mol %, 5-15 mol %, 8-14 mol %, 18-22%, 19-25 mol %, 10-20 mol %, 10-25 mol %, 15-25 mol %, 20-30 mol %, 25-35 mol %, 30-40 mol %, or 35-50 mol %. In some embodiments, the mol % of the helper lipid in the LNP is 10-25 mol %. In some embodiments, the mol % of the helper lipid in the LNP is 5-9 mol %. In some embodiments, the mol % of the helper lipid in the LNP is 8-14 mol %. In some embodiments, the mol % of the helper lipid in the LNP is 18-22 mol %. In some embodiments, the mol %

of the helper lipid in the LNP is 19-25 mol %. In some embodiments, the mol % of the helper lipid in the LNP is 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, or 40 mol %. In some embodiments, the mol % of the helper lipid in the LNP is about 1, about 2, about 3, about 4, about 5, about 6, about 7, about 8, about 9, about 10, about 11, about 12, about 13, about 14, about 15, about 16, about 17, about 18, about 19, about 20, about 21, about 22, about 23, about 24, about 25, about 26, about 27, about 28, about 29, about 30, about 31, about 32, about 33, about 34, about 35, about 36, about 37, about 38, about 39, or about 40 mol %. In some embodiments, the helper lipid is DSPC. All values are inclusive of all endpoints.

[0412] In some embodiments, the mol % of the PEG-lipid in the LNP is greater than 0 mol % and up to 5 mol % of the total lipid present in the LNP. In some embodiments, the mol % of the PEG-lipid is 0.1 mol %, 0.2 mol %, 0.25 mol %, 0.3 mol %, 0.4 mol %, 0.5 mol %, 0.6 mol %, 0.7 mol %, 0.8 mol %, 0.9 mol %, 1.0 mol %, 1.1 mol %, 1.2 mol %, 1.3 mol %, 1.4 mol %, 1.5 mol %, 1.6 mol %, 1.7 mol %, 1.8 mol %, 1.9 mol %, 2.0 mol %, 2.1 mol %, 2.2 mol %, 2.3 mol %, 2.4 mol %, 2.5 mol %, 2.6 mol %, 2.7 mol %, 2.8 mol %, 2.9 mol %, 3.0 mol %, 3.1 mol %, 3.2 mol %, 3.3 mol %, 3.4 mol %, 3.5 mol %, 4.0 mol %, 4.5 mol %, or 5 mol % of the total lipid present in the LNP. In some embodiments, the mol % of the PEG-lipid is about 0.1 mol %, about 0.2 mol %, about 0.25 mol %, about 0.3 mol %, about 0.4 mol %, about 0.5 mol %, about 0.6 mol %, about 0.7 mol %, about 0.8 mol %, about 0.9 mol %, about 1.0 mol %, about 1.1 mol %, about 1.2 mol %, about 1.3 mol %, about 1.4 mol %, about 1.5 mol %, about 1.6 mol %, about 1.7 mol %, about 1.8 mol %, about 1.9 mol %, about 2.0 mol %, about 2.1 mol %, about 2.2 mol %, about 2.3 mol %, about 2.4 mol %, about 2.5 mol %, about 2.6 mol %, about 2.7 mol %, about 2.8 mol %, about 2.9 mol %, about 3.0 mol %, about 3.1 mol %, about 3.2 mol %, about 3.3 mol %, about 3.4 mol %, about 3.5 mol %, about 4.0 mol %, about 4.5 mol %, or about 5 mol % of the total lipid present in the LNP. In some embodiments, the mol % of the PEG-lipid is at least 0.1 mol %, at least 0.2 mol %, at least 0.25 mol %, at least 0.3 mol %, at least 0.4 mol %, at least 0.5 mol %, at least 0.6 mol %, at least 0.7 mol %, at least 0.8 mol %, at least 0.9 mol %, at least 1.0 mol %, at least 1.1 mol %, at least 1.2 mol %, at least 1.3 mol %, at least 1.4 mol %, at least 1.5 mol %, at least 1.6 mol %, at least 1.7 mol %, at least 1.8 mol %, at least 1.9 mol %, at least 2.0 mol %, at least 2.1 mol %, at least 2.2 mol %, at least 2.3 mol %, at least 2.4 mol %, at least 2.5 mol %, at least 2.6 mol %, at least 2.7 mol %, at least 2.8 mol %, at least 2.9 mol %, at least 3.0 mol %, at least 3.1 mol %, at least 3.2 mol %, at least 3.3 mol %, at least 3.4 mol %, at least 3.5 mol %, at least 4.0 mol %, at least 4.5 mol %, or at least 5 mol % of the total lipid present in the LNP. In some embodiments, the mol % of the PEG-lipid is at most 0.1 mol %, at most 0.2 mol %, at most 0.25 mol %, at most 0.3 mol %, at most 0.4 mol %, at most 0.5 mol %, at most 0.6 mol %, at most 0.7 mol %, at most 0.8 mol %, at most 0.9 mol %, at most 1.0 mol %, at most 1.1 mol %, at most 1.2 mol %, at most 1.3 mol %, at most 1.4 mol %, at most 1.5 mol %, at most 1.6 mol %, at most 1.7 mol %, at most 1.8 mol %, at most 1.9 mol %, at most 2.0 mol %, at most 2.1 mol %, at most 2.2 mol %, at most 2.3 mol %, at most 2.4 mol %, at most 2.5 mol %, at most 2.6 mol %, at most 2.7 mol %, at most 2.8 mol %, at most 2.9 mol %, at most 3.0 mol %, at most 3.1 mol %, at most 3.2 mol %, at most 3.3 mol %, at most 3.4 mol %, at most 3.5 mol %, at most 4.0 mol %, at most 4.5 mol %

%, or at most 5 mol % of the total lipid present in the LNP. In some embodiments, the mol % of the PEG-lipid is between 0.1-4 mol % of the total lipid present in the LNP. In some embodiments, the mol % of the PEG-lipid is between 0.1-2 mol % of the total lipid present in the LNP. In some embodiments, the mol % of the PEG-lipid is between 0.2-0.8 mol %, 0.4-0.6 mol %, 0.7-1.3 mol %, 1.2-1.8 mol %, or 1-3.5 mol % of the total lipid present in the LNP. In some embodiments, the mol % of the PEG-lipid is 0.1-0.7 mol %, 0.2-0.8 mol %, 0.3-0.9 mol %, 0.4-0.8 mol %, 0.4-0.6 mol %, 0.4-1 mol %, 0.5-1.1 mol %, 0.6-1.2 mol %, 0.7-1.3 mol %, 0.8-1.4 mol %, 0.9-1.5 mol %, 1-3.5 mol %, 1-1.6 mol %, 1.1-1.7 mol %, 1.2-1.8 mol %, 1.3-1.9 mol %, 1.4-2 mol %, 1.5-2.1 mol %, 1.6-2.2 mol %, 1.7-2.3 mol %, 1.8-2.4 mol %, 1.9-2.5 mol %, 2-2.6 mol %, 2.4-3.8 mol %, or 2.6-3.4 mol % of the total lipid present in the LNP. All values are inclusive of all endpoints.

[0413] In some embodiments, the LNP of the disclosure comprises 44-60 mol % of the cationic lipid, 19-25 mol % of the helper lipid, 25-33 mol % of the structural lipid, and 0.2-0.8 mol % of the PEG-lipid, inclusive of the endpoints. In some embodiments, the LNP of the disclosure comprises 44-54 mol % of the cationic lipid, 19-25 mol % of the helper lipid, 24-32 mol % of the structural lipid, and 1.2-1.8 mol % of the PEG-lipid, inclusive of the endpoints. In some embodiments, the LNP of the disclosure comprises 44-54 mol % of the cationic lipid, 8-14 mol % of the helper lipid, 35-43 mol % of the structural lipid, and 1.2-1.8 mol % of the PEG-lipid, inclusive of the endpoints. In some embodiments, the LNP of the disclosure comprises 45-55 mol % of the cationic lipid, 5-9 mol % of the helper lipid, 36-44 mol % of the structural lipid, and 2.5-3.5 mol % of the PEG-lipid, inclusive of the endpoints.

[0414] In some embodiments, the LNP of the disclosure comprises one or more of the cationic lipids of the disclosure, one or more helper lipids of the disclosure, one or more structural lipids of the disclosure, and one or more PEG-lipid of the disclosure at a mol % of total lipid (or the mol % range of total lipid) in the LNP according to Table 6 below. In some embodiments, the total mol % of these four lipid components equals 100%. In some embodiments, the total mol % of these four lipid components is less than 100%. In some embodiments, the cationic lipid is a compound of Formula (I) or a compound selected from Table 21. In some embodiments, the structural lipid is cholesterol. In some embodiments, the helper lipid is DSPC. In some embodiments, the PEG-lipid is of Formula (A), Formula (A'), or Formula (A'').

TABLE 6

Mol % of the Lipid Components in the LNP			
Cationic Lipid (mol %)	Structural Lipid (mol %)	Helper Lipid (mol %)	PEG-lipid (mol %)
49	28.5	22	0.5
47-52	27-30	21-23	0.4-0.6
44-54	25-32	19-25	0.2-0.8
44-54	25-33	19-25	0.2-0.8
49	27.5	22	1.5
47-52	26-29	21-23	1.3-1.7
44-54	24-31	19-25	1.1-1.9
44-54	24-32	19-25	1.2-1.8
49	39.5	11	0.5
47-52	38-41	11-13	0.4-0.6
44-54	36-43	9-15	0.2-0.8

TABLE 6-continued

Mol % of the Lipid Components in the LNP			
Cationic Lipid (mol %)	Structural Lipid (mol %)	Helper Lipid (mol %)	PEG-lipid (mol %)
49	38.5	11	1.5
47-52	37-40	11-13	1.3-1.7
44-54	35-42	9-15	1.1-1.9
44-54	35-43	8-14	1.2-1.8
20-60	10-60	≥20	0.5
20-60	10-60	≥20	0.3-0.7
20-60	10-60	≥20	0.1-0.9
20-60	10-60	10	1.5
20-60	10-60	8-12	1.3-1.7
20-60	10-60	6-14	1.1-1.9
50	40	7	3
45-55	35-45	5-9	2.5-3.5
54.5	25	20	0.5
50-60	22-28	18-22	0.3-0.7
54.6	25.1	20.1	0.25
44.5	50	5	0.5
40	50	8.75	1.25
60	25	14.5	0.5
60	34.3	5	0.7
50	42.5	7	0.5
58	33.5	7	1.5
58	34.5	7	0.5
35-65	25-55	5-25	0.3-3
49	28.5	22	0.5
40	39.5	20	0.5
40	50	8.75	1.25
60	34.3	5	0.7
54.6	25.1	20.1	0.25
50.1	42.6	7	0.24

[0415] In some embodiments, the LNP of the disclosure comprises 44-54 mol % of the cationic lipid, 19-25 mol % of the helper lipid, 25-33 mol % of the structural lipid, and 0.2-0.8 mol % of the PEG-lipid, inclusive of the endpoints. In some embodiments, the LNP of the disclosure comprises 44-54 mol % of the compound of Formula (II-1a), 19-25 mol % of the DSPC, 25-33 mol % of the cholesterol, and 0.2-0.8 mol % of the PEG-lipid selected from HO-PEG100-CH₂ (CH₂)₁₆CH₃, HO-PEG20-CH₂ (CH₂)₁₆CH₃, HO-PEG20-CH₂ (CH₂)₁₄CH₃, HO-PEG20-C₁₈H₃₅, HO-PEG100-C(O)—CH₂ (CH₂)₁₃CH₃, HO-PEG50-C(O)—CH₂ (CH₂)₁₃CH₃, HO-PEG40-C(O)—CH₂ (CH₂)₁₃CH₃, HO-PEG100-C(O)—CH₂ (CH₂)₁₅CH₃, HO-PEG50-C(O)—CH₂ (CH₂)₁₅CH₃, and HO-PEG40-C(O)—CH₂ (CH₂)₁₅CH₃, inclusive of the endpoints.

[0416] In some embodiments, the LNP of the disclosure comprises 44-54 mol % of the cationic lipid, 19-25 mol % of the helper lipid, 24-32 mol % of the structural lipid, and 1.2-1.8 mol % of the PEG-lipid, inclusive of the endpoints. In some embodiments, the LNP of the disclosure comprises 44-54 mol % of the compound of Formula (II-1a), 19-25 mol % of the DSPC, 24-32 mol % of the cholesterol, and 1.2-1.8 mol % of the PEG-lipid selected from HO-PEG100-CH₂ (CH₂)₁₆CH₃, HO-PEG20-CH₂ (CH₂)₁₆CH₃, HO-PEG20-CH₂ (CH₂)₁₄CH₃, HO-PEG20-C₁₈H₃₅, HO-PEG100-C(O)—CH₂ (CH₂)₁₃CH₃, HO-PEG50-C(O)—CH₂ (CH₂)₁₃CH₃, HO-PEG40-C(O)—CH₂ (CH₂)₁₃CH₃, HO-PEG100-C(O)—CH₂ (CH₂)₁₅CH₃, HO-PEG50-C(O)—CH₂ (CH₂)₁₅CH₃, and HO-PEG40-C(O)—CH₂ (CH₂)₁₅CH₃, inclusive of the endpoints.

[0417] In some embodiments, the LNP of the disclosure comprises 44-54 mol % of the cationic lipid, 8-14 mol % of the helper lipid, 35-43 mol % of the structural lipid, and 1.2-1.8 mol % of the PEG-lipid, inclusive of the endpoints.

In some embodiments, the LNP of the disclosure comprises 44-54 mol % of the compound of Formula (II-1a), 8-14 mol % of the DSPC, 35-43 mol % of the cholesterol, and 1.2-1.8 mol % of the PEG-lipid selected from HO-PEG100-CH₂ (CH₂)₁₆CH₃, HO-PEG20-CH₂ (CH₂)₁₆CH₃, HO-PEG20-CH₂ (CH₂)₁₄CH₃, HO-PEG20-C₁₈H₃₅, HO-PEG100-C(O)—CH₂ (CH₂)₁₃CH₃, HO-PEG50-C(O)—CH₂ (CH₂)₁₃CH₃, HO-PEG40-C(O)—CH₂ (CH₂)₁₃CH₃, HO-PEG100-C(O)—CH₂ (CH₂)₁₅CH₃, HO-PEG50-C(O)—CH₂ (CH₂)₁₅CH₃, and HO-PEG40-C(O)—CH₂ (CH₂)₁₅CH₃, inclusive of the endpoints.

[0418] In some embodiments, the LNP comprises SS—OC, DSPC, cholesterol (Chol), and a PEG-lipid, wherein the ratio of SS—OC:DSPC:Chol:PEG-lipid (as a percentage of total lipid content) is about A:B:C:D, wherein A=40 mol %-60 mol %, B=10 mol %-25 mol %, C=20 mol %-30 mol %, and D=0 mol %-3 mol % and wherein A+B+C+D=100 mol %. In some embodiments, the LNP comprises SS—OC, DSPC, cholesterol (Chol), and a PEG-lipid, wherein the ratio of SS—OC:DSPC:Chol:PEG-lipid (as a percentage of total lipid content) is about A:B:C:D, wherein A=45 mol %-50 mol %, B=20 mol %-25 mol %, C=25 mol %-30 mol %, and D=0 mol %-1 mol % and wherein A+B+C+D=100 mol %. In some embodiments, the LNP comprises SS—OC, DSPC, cholesterol (Chol), and a PEG-lipid, wherein the ratio of SS—OC:DSPC:Chol:PEG-lipid (as a percentage of total lipid content) is about 49:22:28.5:0.5. In some embodiments, the PEG-lipid is a compound of Formula (A), Formula (A'), or Formula (A''). In some embodiments, the PEG-lipid is selected from the group consisting of BRIJ™ S100, BRIJ™ S20, BRIJ™ O20 and BRIJ™ C20. In some embodiments, the PEG-lipid is BRIJ™ S100.

[0419] In some embodiments, the LNP comprises DOTAP, cholesterol (Chol), and DLPE, wherein the ratio of DOTAP:Chol:DLPE (as a percentage of total lipid content) is about 50:35:15. In some embodiments, the LNP comprises DOTAP, cholesterol (Chol), and DLPE, wherein the ratio of DOTAP:Chol:DOPE (as a percentage of total lipid content) is about 50:35:15. In some embodiments, the LNP comprises DOTAP, cholesterol (Chol), DLPE, DSPE-PEG, wherein the ratio of DOTAP:Chol:DLPE (as a percentage of total lipid content) is about 50:35:15 and wherein the particle comprises about 0.2 mol % DSPE-PEG. In some embodiments, the LNP comprises MC3, cholesterol (Chol), DSPC, and DMG-PEG, wherein the ratio of MC3:Chol:DSPC:DMG-PEG (as a percentage of total lipid content) is about 49:38.5:11:1.5.

[0420] In some embodiments, the LNP comprises SS—OC, DSPC, cholesterol (Chol), and DPG-PEG2K, wherein the ratio of SS—OC:DSPC:Chol:DPG-PEG2K (as a percentage of total lipid content) is about A:B:C:D, wherein A=40 mol %-60 mol %, B=10 mol %-25 mol %, C=20 mol %-30 mol %, and D=0 mol %-3 mol % and wherein A+B+C+D=100 mol %. In some embodiments, the LNP comprises SS—OC, DSPC, cholesterol (Chol), and DPG-PEG2K, wherein the ratio of SS—OC:DSPC:Chol:DPG-PEG2K (as a percentage of total lipid content) is about A:B:C:D, wherein A=45 mol %-50 mol %, B=20 mol %-25 mol %, C=25 mol %-30 mol %, and D=0 mol %-1 mol % and wherein A+B+C+D=100 mol %. In some embodiments, the LNP comprises SS—OC, DSPC, cholesterol (Chol), and DPG-PEG2K, wherein the ratio of SS—OC:DSPC:Chol:DPG-PEG2K (as a percentage of total lipid content) is about 49:22:28.5:0.5.

[0421] In some embodiments, the LNP comprises SS—OC, DSPC, cholesterol (Chol), and DPG-PEG2K, wherein the ratio of SS—OC:DSPC:Chol:DPG-PEG2K (as a percentage of total lipid content) is about A:B:C:D, wherein A=40 mol %-60 mol %, B=10 mol %-30 mol %, C=20 mol %-45 mol %, and D=0 mol %-3 mol % and wherein A+B+C+D=100 mol %. In some embodiments, the LNP comprises SS—OC, DSPC, cholesterol (Chol), and DPG-PEG2K, wherein the ratio of SS—OC:DSPC:Chol:DPG-PEG2K (as a percentage of total lipid content) is about A:B:C:D, wherein A=40 mol %-60 mol %, B=10 mol %-30 mol %, C=25 mol %-45 mol %, and D=0 mol %-3 mol % and wherein A+B+C+D=100 mol %. In some embodiments, the LNP comprises SS—OC, DSPC, cholesterol (Chol), and DPG-PEG2K, wherein the ratio of SS—OC:DSPC:Chol:DPG-PEG2K (as a percentage of total lipid content) is about A:B:C:D, wherein A=45 mol %-55 mol %, B=10 mol %-20 mol %, C=30 mol %-40 mol %, and D=1 mol %-2 mol % and wherein A+B+C+D=100 mol %. In some embodiments, the LNP comprises SS—OC, DSPC, cholesterol (Chol), and DPG-PEG2K, wherein the ratio of SS—OC:DSPC:Chol:DPG-PEG2K (as a percentage of total lipid content) is about A:B:C:D, wherein A=45 mol %-50 mol %, B=10 mol %-15 mol %, C=35 mol %-40 mol %, and D=1 mol %-2 mol % and wherein A+B+C+D=100 mol %. In some embodiments, the LNP comprises SS—OC, DSPC, cholesterol (Chol), and DPG-PEG2K, wherein the ratio of SS—OC:DSPC:Chol:DPG-PEG2K (as a percentage of total lipid content) is about 49:11:38.5:1.5.

[0422] In some embodiments, the LNP comprises SS—OC, DSPC, cholesterol (Chol), and DPG-PEG2K, wherein the ratio of SS—OC:DSPC:Chol:DPG-PEG2K (as a percentage of total lipid content) is about A:B:C:D, wherein A=45 mol %-65 mol %, B=5 mol %-20 mol %, C=20 mol %-45 mol %, and D=0 mol %-3 mol % and wherein A+B+C+D=100 mol %. In some embodiments, the LNP comprises SS—OC, DSPC, cholesterol (Chol), and DPG-PEG2K, wherein the ratio of SS—OC:DSPC:Chol:DPG-PEG2K (as a percentage of total lipid content) is about A:B:C:D, wherein A=50 mol %-60 mol %, B=5 mol %-15 mol %, C=30 mol %-45 mol %, and D=0 mol %-3 mol % and wherein A+B+C+D=100 mol %. In some embodiments, the LNP comprises SS—OC, DSPC, cholesterol (Chol), and DPG-PEG2K, wherein the ratio of SS—OC:DSPC:Chol:DPG-PEG2K (as a percentage of total lipid content) is about A:B:C:D, wherein A=55 mol %-60 mol %, B=5 mol %-15 mol %, C=30 mol %-40 mol %, and D=1 mol %-2 mol % and wherein A+B+C+D=100 mol %. In some embodiments, the LNP comprises SS—OC, DSPC, cholesterol (Chol), and DPG-PEG2K, wherein the ratio of SS—OC:DSPC:Chol:DPG-PEG2K (as a percentage of total lipid content) is about A:B:C:D, wherein A=55 mol %-60 mol %, B=5 mol %-10 mol %, C=30 mol %-35 mol %, and D=1 mol %-2 mol % and wherein A+B+C+D=100 mol %. In some embodiments, the LNP comprises SS—OC, DSPC, cholesterol (Chol), and DPG-PEG2K, wherein the ratio of SS—OC:DSPC:Chol:DPG-PEG2K (as a percentage of total lipid content) is about 58:7:33.5:1.5.

[0423] In some embodiments, the nanoparticle is coated with a glycosaminoglycan (GAG) in order to modulate or facilitate uptake of the nanoparticle by target cells. The GAG may be heparin/heparin sulfate, chondroitin sulfate/dermatan sulfate, keratin sulfate, or hyaluronic acid (HA). In a particular embodiment, the surface of the nanoparticle is

coated with HA and targets the particles for uptake by tumor cells. In some embodiments, the lipid nanoparticle is coated with an arginine-glycine-aspartate tri-peptide (RGD peptides) (See Ruoslahti, *Advanced Materials*, 24, 2012, 3747-3756; and *Bellis et al.*, *Biomaterials*, 32 (18), 2011, 4205-4210).

Properties of LNP Composition

[0424] The disclosure provides compositions (e.g., pharmaceutical compositions) comprising a plurality of LNPs as described herein. Also provided herein are compositions comprising LNPs as described herein and encapsulated molecules.

[0425] In some embodiments, the LNP of the present disclosure may reduce immune response in vivo as compared to a control LNP. In some embodiments, the control LNP is an LNP comprising a PEG-lipid that is not of Formula (A), Formula (A'), or Formula (A''). In some embodiments, the PEG-lipid of the control LNP is PEG2k-DPG. In some embodiments, the PEG-lipid of the control LNP is PEG2k-DMG. In some embodiments, the control LNP has the same molar ratio of the PEG-lipid as the LNP of the present disclosure. In some embodiments, the control LNP is identical to an LNP of the present disclosure except that the control LNP comprises a PEG-lipid that is not of Formula (A), Formula (A'), or Formula (A'') (e.g., the control LNP may comprise PEG2k-DPG or PEG2k-DMG as PEG-lipid).

[0426] In some embodiments, the control LNP is an LNP comprising a cationic lipid that is not of Formula (I). In some embodiments, the cationic lipid of the control LNP is SS—OC. In some embodiments, the control LNP has the same molar ratio of the cationic lipid as the LNP of the present disclosure. In some embodiments, the control LNP is identical to an LNP of the present disclosure except that the control LNP comprises a cationic lipid that is not of Formula (I) (e.g., the control LNP may comprise SS—OC as cationic lipid).

[0427] In some embodiments, the reduced immune response may be a reduction in accelerated blood clearance (ABC). In some embodiments, the ABC is associated with the secretion of natural IgM and/or anti-PEG IgM. The term “natural IgM,” as used herein, refers to circulating IgM in the serum that exists independent of known immune exposure (e.g., the exposure to a LNP of the disclosure). The term “reduction of ABC” refers to any reduction in ABC in comparison to a control LNP. In some embodiments, a reduction in ABC may be a reduced clearance of the LNP upon a second or subsequent dose, relative to a control LNP. In some embodiments, the reduction may be at least 10%, 15%, 20%, 25%, 30%, 35%, 40%, 45%, 50%, 55%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 95%, 98%, or 100%. In some embodiments, the reduction is about 10% to about 100%, about 10 to about 50%, about 20 to about 100%, about 20 to about 50%, about 30 to about 100%, about 30 to about 50%, about 40 to about 100%, about 40 to about 80%, about 50 to about 90%, or about 50 to about 100%. In some embodiments, a reduction in ABC may be measured by an increase in or a sustained detectable level of an encapsulated synthetic RNA viral genome following a second or subsequent administration. In some embodiments, a reduction in ABC may result in an increase (e.g., a 2-fold, a 3-fold, a 4-fold, a 5-fold, or higher fold increase) in the level of the encapsulated synthetic RNA viral genome relative to

the level of encapsulated synthetic RNA viral genome following administration of a control LNP. In some embodiments, the reduced ABC is associated with a lower serum level of anti-PEG IgM.

[0428] In some embodiments, the LNP of the present disclosure may delay clearance of the LNP and components thereof upon repeat dosing compared to a control LNP, which may be cleared prior to release of encapsulated molecule. Accordingly, the LNP of the present disclosure may increase the delivery efficiency of the encapsulated molecule (e.g., synthetic RNA viral genome) in subsequent doses.

[0429] In some embodiments, the LNPs have an average size (i.e., average outer diameter) of about 50 nm to about 500 nm. In some embodiments, the LNPs have an average size of about 50 nm to about 200 nm, about 100 nm to about 200 nm, about 150 nm to about 200 nm, about 50 nm to about 100 nm, about 50 nm to about 150 nm, about 100 nm to about 150 nm, about 200 nm to about 250 nm, about 250 nm to about 300 nm, about 300 nm to about 400 nm, about 150 nm to about 500 nm, about 200 nm to about 500 nm, about 300 nm to about 500 nm, about 350 nm to about 500 nm, about 400 nm to about 500 nm, about 425 nm to about 500 nm, about 450 nm to about 500 nm, or about 475 nm to about 500 nm. In some embodiments, the LNPs have an average size of about 50 nm, 60 nm, 70 nm, 80 nm, 90 nm, 100 nm, 110 nm, about 120, or about 125 nm. In some embodiments, the LNPs have an average size of about 100 nm. In some embodiments, the LNPs have an average size of 50 nm to 150 nm. In some embodiments, the LNPs have an average size (average outer diameter) of 50 nm to 150 nm, 50 nm to 125 nm, 50 nm to 100 nm, 50 nm to 75 nm, 75 nm to 150 nm, 75 nm to 125 nm, 75 nm to 100 nm, 100 nm to 150 nm, 100 nm to 125 nm, or 125 nm to 150 nm. In some embodiments, the LNPs have an average size of 70 nm to 90 nm, 80 nm to 100 nm, 90 nm to 110 nm, 100 nm to 120 nm, 110 nm to 130 nm, 120 nm to 140 nm, or 130 nm to 150 nm. In some embodiments, the LNPs have an average size of 90 nm to 110 nm. All values are inclusive of end points.

[0430] In some embodiments, the LNPs have an average size (i.e., average outer diameter) of about 50 nm to about 150 nm. In some embodiments, the disclosure provides a therapeutic composition comprising a plurality of lipid nanoparticles, wherein the plurality of LNPs have an average size of about 60 nm to about 130 nm. In some embodiments, the disclosure provides a therapeutic composition comprising a plurality of lipid nanoparticles, wherein the plurality of LNPs have an average size of about 70 nm to about 120 nm. In some embodiments, the disclosure provides a therapeutic composition comprising a plurality of lipid nanoparticles, wherein the plurality of LNPs have an average size of about 70 nm. In some embodiments, the disclosure provides a therapeutic composition comprising a plurality of lipid nanoparticles, wherein the plurality of LNPs have an average size of about 80 nm. In some embodiments, the disclosure provides a therapeutic composition comprising a plurality of lipid nanoparticles, wherein the plurality of LNPs have an average size of about 90 nm. In some embodiments, the disclosure provides a therapeutic composition comprising a plurality of lipid nanoparticles, wherein the plurality of LNPs have an average size of about 100 nm. In some embodiments, the disclosure provides a therapeutic composition comprising a plurality of lipid nanoparticles, wherein

the plurality of LNPs have an average size of about 110 nm. All values are inclusive of end points.

[0431] In some embodiments, the encapsulation efficiency of the synthetic RNA viral genome by the LNP is about 70%, about 75%, about 80%, about 85%, about 90%, about 91%, about 92%, about 93%, about 94%, about 95%, about 96%, about 97%, about 98%, about 99%, or 100%. In some embodiments, about 70%, about 75%, about 80%, about 90%, about 95%, about 97%, about 98%, or about 99% of the plurality of LNPs comprises an encapsulated synthetic RNA viral genome. In some embodiments, the encapsulation efficiency of the synthetic RNA viral genome by the LNP is at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100%. In some embodiments, at least 70%, at least 75%, at least 80%, at least 90%, at least 95%, at least 97%, at least 98%, or at least 99% of the plurality of LNPs comprises an encapsulated synthetic RNA viral genome. In some embodiments, about 70% to 100%, about 75% to 100%, about 80% to 100%, about 85% to 100%, about 90% to 100%, about 91% to 100%, about 92% to 100%, about 93% to 100%, about 94% to 100%, about 95% to 100%, about 96% to 100%, about 97% to 100%, about 98% to 100%, about 99% to 100% of the plurality of LNPs comprises an encapsulated synthetic RNA viral genome.

[0432] In some embodiments, the LNPs have a neutral charge (e.g., an average zeta-potential of between about 0 mV and 1 mV). In some embodiments, the LNPs have an average zeta-potential of between about 40 mV and about -40 mV. In some embodiments, the LNPs have an average zeta-potential of between about 40 mV and about 0 mV. In some embodiments, the LNPs have an average zeta-potential of between about 35 mV and about 0 mV, about 30 mV and about 0 mV, about 25 mV to about 0 mV, about 20 mV to about 0 mV, about 15 mV to about 0 mV, about 10 mV to about 0 mV, or about 5 mV to about 0 mV. In some embodiments, the LNPs have an average zeta-potential of between about 20 mV and about -40 mV. In some embodiments, the LNPs have an average zeta-potential of between about 20 mV and about -20 mV. In some embodiments, the LNPs have an average zeta-potential of between about 10 mV and about -20 mV. In some embodiments, the LNPs have an average zeta-potential of between about 10 mV and about -10 mV. In some embodiments, the LNPs have an average zeta-potential of about 10 mV, about 9 mV, about 8 mV, about 7 mV, about 6 mV, about 5 mV, about 4 mV, about 3 mV, about 2 mV, about 1 mV, about 0 mV, about -1 mV, about -2 mV, about -3 mV, about -4 mV, about -5 mV, about -6 mV, about -7 mV, about -8 mV, about -9 mV, about -9 mV or about -10 mV.

[0433] In some embodiments, the LNPs have an average zeta-potential of between about 0 mV and -20 mV. In some embodiments, the LNPs have an average zeta-potential of less than about -20 mV. For example in some embodiments, the LNPs have an average zeta-potential of less than about -30 mV, less than about 35 mV, or less than about -40 mV. In some embodiments, the LNPs have an average zeta-potential of between about -50 mV to about -20 mV, about -40 mV to about -20 mV, or about -30 mV to about -20 mV. In some embodiments, the LNPs have an average zeta-potential of about 0 mV, about -1 mV, about -2 mV, about -3 mV, about -4 mV, about -5 mV, about -6 mV, about -7 mV, about -8 mV, about -9 mV, about -10 mV,

about -11 mV, about -12 mV, about -13 mV, about -14 mV, about -15 mV, about -16 mV, about -17 mV, about -18 mV, about -19 mV, about -20 mV, about -21 mV, about -22 mV, about -23 mV, about -24 mV, about -25 mV, about -26 mV, about -27 mV, about -28 mV, about -29 mV, about -30 mV, about -31 mV, about -32 mV, about -33 mV, about -34 mV, about -35 mV, about -36 mV, about -37 mV, about -38 mV, about -39 mV, or about -40 mV. In some embodiments, the LNPs have an average zeta-potential of less than about -20 mV, less than about -30 mV, less than about 35 mV, or less than about -40 mV.

[0434] In some embodiments, the LNP comprises a recombinant nucleic acid molecule described herein and has a mass ratio of lipid (L) to nucleic acid (N) of about 10:1 to about 60:1. In some embodiments, the LNP comprises a recombinant nucleic acid molecule described herein and has a mass ratio of lipid (L) to nucleic acid (N) of about 20:1. In some embodiments, the LNP comprises a recombinant nucleic acid molecule described herein and has a mass ratio of lipid (L) to nucleic acid (N) of about 30:1. In some embodiments, the LNP comprises a recombinant nucleic acid molecule described herein and has a mass ratio of lipid (L) to nucleic acid (N) of about 40:1. In some embodiments, the LNP comprises a recombinant nucleic acid molecule described herein and has an L:N mass ratio of about 15:1, about 16:1, about 17:1, about 18:1, about 19:1, about 20:1, about 21:1, about 22:1, about 23:1, about 24:1, about 25:1, about 26:1, about 27:1, about 28:1, about 29:1, about 30:1, about 31:1, about 32:1, about 33:1, about 34:1, about 35:1, about 36:1, about 37:1, about 38:1, about 39:1, about 40:1, about 41:1, about 42:1, about 43:1, about 44:1, or about 45:1.

[0435] In some embodiments, the LNP has a lipid (L) to nucleic acid molecule (N) mass ratio of between 10:1 and 60:1, between 20:1 and 60:1, between 30:1 and 60:1, between 40:1 and 60:1, between 50:1 and 60:1, between 10:1 and 50:1, between 20:1 and 50:1, between 30:1 and 50:1, between 40:1 and 50:1, between 10:1 and 40:1, between 20:1 and 40:1, between 30:1 and 40:1, between 10:1 and 30:1, between 20:1 and 30:1, or between 10:1 and 20:1, inclusive of all endpoints. In some embodiments, the LNP has a lipid:nucleic acid molecule mass ratio of between 30:1 and 40:1. In some embodiments, the LNP has a lipid:nucleic acid molecule mass ratio of between 30:1 and 36:1.

[0436] In some embodiments, the LNP comprises a recombinant nucleic acid molecule described herein and has a mass ratio of lipid (L) to nucleic acid (N) of about 10:1 to about 60:1. In some embodiments, the LNP comprises a recombinant nucleic acid molecule described herein and has a mass ratio of lipid (L) to nucleic acid (N) of about 20:1. In some embodiments, the LNP comprises a recombinant nucleic acid molecule described herein and has a mass ratio of lipid (L) to nucleic acid (N) of about 30:1 (L:N). In some embodiments, the LNP comprises a recombinant nucleic acid molecule described herein and has a mass ratio of lipid (L) to nucleic acid (N) of about 40:1 (L:N). In some embodiments, the LNP comprises a recombinant nucleic acid molecule described herein and has an L:N mass ratio of about 15:1, about 16:1, about 17:1, about 18:1, about 19:1, about 20:1, about 21:1, about 22:1, about 23:1, about 24:1, about 25:1, about 26:1, about 27:1, about 28:1, about 29:1, about 30:1, about 31:1, about 32:1, about 33:1, about 34:1,

about 35:1, about 36:1, about 237:1, about 28:1, about 39:1, about 40:1, about 41:1, about 42:1, about 43:1, about 44:1, or about 45:1.

[0437] In some embodiments, the LNP comprises a nucleic acid molecule and has a lipid-nitrogen-to-phosphate ratio (N:P) of between 1 to 25. In some embodiments, the N:P is 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, or 25. In some embodiments, the N:P is between 1 to 25, between 1 to 20, between 1 to 15, between 1 to 10, between 1 to 5, between 5 to 25, between 5 to 20, between 5 to 15, between 5 to 10, between 10 to 25, between 10 to 20, between 10 to 15, between 15 to 25, between 15 to 20, or between 20 to 25. In some embodiments, the LNP comprises a nucleic acid molecule and has a lipid-nitrogen-to-phosphate ratio (N:P) of 14.

[0438] In some embodiments, the LNP comprises a synthetic RNA viral genome encoding an oncolytic virus, wherein the encoded oncolytic virus is capable of reducing the size of a tumor that is remote from the site of LNP administration to a subject. For example, as demonstrated in the examples provided herein, intravenous administration of the LNPs described herein results in viral replication in tumor tissue and reduction of tumor size. These data indicate that the LNPs of the present disclosure are capable of localizing to tumors or cancerous tissues that are remote from the site of LNP administration. Such effects enable the use of the LNP-encapsulated oncolytic viruses described herein in the treatment of tumors that are not easily accessible and therefore not suitable for intratumoral delivery of treatment.

Method of LNP Preparation

[0439] In some embodiments, the disclosure provides methods for preparing a composition of lipid nanoparticles (LNPs) containing a nucleic acid molecule, comprising the steps of:

[0440] (a) diluting the nucleic acid molecule to a desired concentration in an aqueous solution;

[0441] (b) mixing organic lipid phase comprising all lipid components of the LNPs with the aqueous phase containing the nucleic acid molecule using microfluidic flow to form the LNPs;

[0442] (c) dialyzing the LNPs against a buffer to remove the organic solvent;

[0443] (d) concentrating the LNPs to a target volume; and

[0444] (e) optionally, filtered through a sterile filter.

[0445] In some embodiments, the organic lipid phase and the aqueous phase are mixed at a ratio of between 1:1 (v:v) and 1:10 (v:v). In some embodiments, the organic lipid phase and the aqueous phase are mixed at a ratio of 1:1 (v:v), 1:2 (v:v), 1:3 (v:v), 1:4 (v:v), 1:5 (v:v), 1:6 (v:v), 1:7 (v:v), 1:8 (v:v), 1:9 (v:v), or 1:10 (v:v). In some embodiments, the organic lipid phase and the aqueous phase are mixed at a ratio of between 1:1 (v:v) and 1:3 (v:v), between 1:2 (v:v) and 1:4 (v:v), between 1:3 (v:v) and 1:5 (v:v), between 1:4 (v:v) and 1:6 (v:v), between 1:5 (v:v) and 1:7 (v:v), between 1:6 (v:v) and 1:8 (v:v), between 1:7 (v:v) and 1:9 (v:v), or between 1:8 (v:v) and 1:10 (v:v). In some embodiments, the organic lipid phase and the aqueous phase are mixed at a ratio of between 1:3 (v:v) and 1:5 (v:v). In some embodiments, the organic lipid phase and the aqueous phase are

mixed at a ratio of 1:3 (v:v). In some embodiments, the organic lipid phase and the aqueous phase are mixed at a ratio of 1:5 (v:v).

[0446] In some embodiments, the total flow rate of the microfluidic flow is 5-20 mL/min. In some embodiments, the total flow rate of the microfluidic flow is 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, or 20 mL/min. In some embodiments, the total flow rate of the microfluidic flow is 9-20 mL/min. In some embodiments, the total flow rate of the microfluidic flow is 11-13 mL/min.

[0447] In some embodiments, the solvent in the organic lipid phase in step (b) is ethanol. In some embodiments, heat is applied to the organic lipid phase in step (b). In some embodiments, about 40, 45, 50, 55, 60, 65, 70, 75, or 80° C. is applied to the organic lipid phase in step (b). In some embodiments, 60° C. heat is applied to the organic lipid phase in step (b). In some embodiments, no heat is applied to the organic lipid phase in step (b).

[0448] In some embodiments, the aqueous solution in step (a) has a pH of between 1 and 7. In some embodiments, the aqueous solution in step (a) has a pH of between 1 and 3, between 2 and 4, between 3 and 5, between 4 and 6, or between 5 and 7. In some embodiments, the aqueous solution in step (a) has a pH of 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, or 7. In some embodiments, the aqueous solution in step (a) has a pH of 3. In some embodiments, the aqueous solution in step (a) has a pH of 5.

[0449] In some embodiments, the total lipid concentration is between 5 mM and 80 mM. In some embodiments, the total lipid concentration is about 5, 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, or 80 mM. In some embodiments, the total lipid concentration is about 20 mM. In some embodiments, the total lipid concentration is about 40 mM.

[0450] In some embodiments, the LNP generated by the method has a lipid-nitrogen-to-phosphate ratio (N:P) of between 1 to 25. In some embodiments, the N:P is 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, or 25. In some embodiments, the N:P is between 1 to 25, between 1 to 20, between 1 to 15, between 1 to 10, between 1 to 5, between 5 to 25, between 5 to 20, between 5 to 15, between 5 to 10, between 10 to 25, between 10 to 20, between 10 to 15, between 15 to 25, between 15 to 20, or between 20 to 25. In some embodiments, the LNP comprises a nucleic acid molecule and has a lipid-nitrogen-to-phosphate ratio (N:P) of 14.

[0451] In some embodiments, the buffer in step (c) has a neutral pH (e.g., 1×PBS, pH 7.2). In some embodiments, step (d) uses centrifugal filtration for concentrating.

[0452] In some embodiments, the encapsulation efficiency of the method of the disclosure is at least 70%, at least 75%, at least 75%, at least 80%, at least 90%, at least 95%, at least 97%, at least 98%, or at least 99%. In some embodiments, the encapsulation efficiency of the method of the disclosure is at least 90%. In some embodiments, the encapsulation efficiency of the method of the disclosure is at least 95%. In some embodiments, the encapsulation efficiency is determined by RiboGreen.

[0453] In some embodiments, the LNPs produced by the method of the disclosure have an average size (i.e., average outer diameter) of about 50 nm to about 500 nm. In some embodiments, the LNPs have an average size of about 50 nm to about 200 nm, about 100 nm to about 200 nm, about 150 nm to about 200 nm, about 50 nm to about 100 nm, about 50 nm to about 150 nm, about 100 nm to about 150 nm,

about 200 nm to about 250 nm, about 250 nm to about 300 nm, about 300 nm to about 400 nm, about 150 nm to about 500 nm, about 200 nm to about 500 nm, about 300 nm to about 500 nm, about 350 nm to about 500 nm, about 400 nm to about 500 nm, about 425 nm to about 500 nm, about 450 nm to about 500 nm, or about 475 nm to about 500 nm. In some embodiments, the plurality of LNPs have an average size of about 50 nm, 60 nm, 70 nm, 80 nm, 90 nm, 100 nm, 110 nm, about 120, or about 125 nm. In some embodiments, the plurality of LNPs have an average size of about 100 nm. In some embodiments, the plurality of LNPs have an average size of 50 nm to 150 nm. In some embodiments, the plurality of LNPs have an average size (average outer diameter) of 50 nm to 150 nm, 50 nm to 125 nm, 50 nm to 100 nm, 50 nm to 75 nm, 75 nm to 150 nm, 75 nm to 125 nm, 75 nm to 100 nm, 100 nm to 150 nm, 100 nm to 125 nm, or 125 nm to 150 nm. In some embodiments, the plurality of LNPs have an average size of 70 nm to 90 nm, 80 nm to 100 nm, 90 nm to 110 nm, 100 nm to 120 nm, 110 nm to 130 nm, 120 nm to 140 nm, or 130 nm to 150 nm. In some embodiments, the plurality of LNPs have an average size of 90 nm to 110 nm.

[0454] In some embodiments, the polydispersity index of the plurality of LNPs is between 0.01 and 0.3. In some embodiments, the polydispersity index of the plurality of LNPs is between 0.1 and 0.15. In some embodiments, the polydispersity index of the plurality of LNPs is about 0.01, about 0.02, about 0.03, about 0.04, about 0.05, about 0.06, about 0.07, about 0.08, about 0.09, about 0.10, about 0.11, about 0.12, about 0.13, about 0.14, about 0.15, about 0.16, about 0.17, about 0.18, about 0.19, about 0.20, about 0.21, about 0.22, about 0.23, about 0.24, about 0.25, about 0.26, about 0.27, about 0.28, about 0.29, or about 0.30. In some embodiments, the polydispersity index of the plurality of LNPs is about 0.10, about 0.11, about 0.12, about 0.13, about 0.14, or about 0.15. In some embodiments, the average diameter and/or the polydispersity is determined via dynamic light scattering.

Payload Molecules

[0455] In some embodiments, the particles comprise a synthetic RNA viral genome and further comprise a recombinant RNA polynucleotide encoding a payload molecule. In some embodiments, the particles are lipid nanoparticles and comprise a synthetic RNA viral genome and further comprise a recombinant RNA polynucleotide encoding a payload molecule. In some embodiments, the synthetic RNA viral genome in the particle (e.g., LNP) comprises the recombinant RNA polynucleotide encoding the payload molecule. In some embodiments, the particle (e.g., LNP) comprises 1) the synthetic RNA viral genome (which may or may not encode a payload molecule) and 2) a second recombinant RNA polynucleotide encoding a payload molecule. In some embodiments, the synthetic RNA viral genome and the second recombinant RNA polynucleotide encoding the payload molecule are not linked in the particle (e.g., LNP). In some embodiments, the synthetic RNA viral genome and the second recombinant RNA polynucleotide encoding the payload molecule are non-covalently linked. In some embodiments, the synthetic RNA viral genome and the second recombinant RNA polynucleotide encoding the payload molecule are covalently linked via a covalent bond other than a regular 3', 5' phosphodiester linkage. In some embodiments, one or more miRNA target sequences are

incorporated into the 3' or 5' UTR of the RNA polynucleotide encoding the payload molecule. In some embodiments, one or more miRNA target sequences are inserted into the polynucleotide encoding the payload molecule. In such embodiments, translation and subsequent expression of the payload does not occur, or is substantially reduced, in cells where the corresponding miRNA is expressed. In some embodiments, the recombinant RNA polynucleotide encoding a payload molecule is a replicon.

[0456] In some embodiments, the payload is a cytotoxic peptide. As used herein, a "cytotoxic peptide" refers to a protein capable of inducing cell death when expressed in a host cell and/or cell death of a neighboring cell when secreted by the host cell. In some embodiments, the cytotoxic peptide is a caspase, p53, diphtheria toxin (DT), *Pseudomonas* Exotoxin A (PEA), Type I ribozyme inactivating proteins (RIPs) (e.g., saporin and gelonin), Type II RIPs (e.g., ricin), Shiga-like toxin 1 (Stt1), photosensitive reactive oxygen species (e.g. killer-red). In certain embodiments, the cytotoxic peptide is encoded by a suicide gene resulting in cell death through apoptosis, such as a caspase gene.

[0457] In some embodiments, the payload is an immune modulatory peptide. As used herein, an "immune modulatory peptide" is a peptide capable of modulating (e.g., activating or inhibiting) a particular immune receptor and/or pathway. In some embodiments, the immune modulatory peptides can act on any mammalian cell including immune cells, tissue cells, and stromal cells. In a preferred embodiment, the immune modulatory peptide acts on an immune cell such as a T cell, an NK cell, an NKT T cell, a B cell, a dendritic cell, a macrophage, a basophil, a mast cell, or an eosinophil. Exemplary immune modulatory peptides include antigen-binding molecules such as antibodies or antigen binding fragments thereof, cytokines, chemokines, soluble receptors, cell-surface receptor ligands, bipartite peptides, and enzymes.

[0458] In some embodiments, the payload is a cytokine such as IL-1, IL-12, IL-15, IL-18, IL-36 γ , TNF α , IFN α , IFN β , IFN γ , or TNFSF14. In some embodiments, the payload is a chemokine such as CXCL10, CXCL9, CCL21, CCL4, or CCL5. In some embodiments, the payload is a ligand for a cell-surface receptor such as an NKG2D ligand, a neuropilin ligand, Flt3 ligand, a CD47 ligand (e.g., SIRP1 α). In some embodiments, the payload is a soluble receptor, such as a soluble cytokine receptor (e.g., IL-13R, TGF β R1, TGF β R2, IL-35R, IL-15R, IL-2R, IL-12R, and interferon receptors) or a soluble innate immune receptor (e.g., Toll-like receptors, complement receptors, etc.). In some embodiments, the payload is a dominant agonist mutant of a protein involved in intracellular RNA and/or DNA sensing (e.g. a dominant agonist mutant of STING, RIG-1, or MDA-5).

[0459] In some embodiments, the payload is an antigen-binding molecule such as an antibody or antigen-binding fragments thereof (e.g., a single chain variable fragment (scFv), an F(ab), etc.). In some embodiments, the antigen-binding molecule specifically binds to a cell surface receptor, such as an immune checkpoint receptor (e.g., PD-1, PD-L1, and CTLA4) or additional cell surface receptors involved in cell growth and activation (e.g., OX40, CD200R, CD47, CSF1R, TREM2, 4-1BB, CD40, and NKG2D).

[0460] In some embodiments, the payload molecule is a scorpion polypeptide such as chlorotoxin, BmKn-2, neopladine 1, neopladine 2, and mauriporin. In some embodiments, the payload molecule is a snake polypeptide such as contortrostatin, apoxin-I, bothropstoxin-I, BJcuL, OHAP-1, rhodostomin, drCT-I, CTX-III, BIL, and ACTX-6. In some embodiments, the payload molecule is a spider polypeptide such as a latarcin and hyaluronidase. In some embodiments, the payload molecule is a bee polypeptide such as melittin and apamin. In some embodiments, the payload molecule is a frog polypeptide such as PsT-1, PdT-1, and PdT-2.

[0461] In some embodiments, the payload molecule is an enzyme. In some embodiments, the enzyme is capable of modulating the tumor microenvironment by way of altering the extracellular matrix. In such embodiments, the enzyme may include, but is not limited to, a matrix metalloprotease (e.g., MMP9), a collagenase, a hyaluronidase, a gelatinase, or an elastase. In some embodiments, the enzyme is part of a gene directed enzyme prodrug therapy (GDEPT) system, such as herpes simplex virus thymidine kinase, cytosine deaminase, nitroreductase, carboxypeptidase G2, purine nucleoside phosphorylase, or cytochrome P450. In some embodiments, the enzyme is capable of inducing or activating cell death pathways in the target cell (e.g., a caspase). In some embodiments, the enzyme is capable of degrading an extracellular metabolite or message (e.g. adenosine deaminase or arginase or 15-Hydroxyprostaglandin Dehydrogenase).

[0462] In some embodiments, the payload molecule is MLKL. In some embodiments, the MLKL polypeptide comprises or consists of an amino acid sequence having at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 97%, at least 98%, at least 99%, or 100% identity to SEQ ID NO: 104. In some embodiments, the payload molecule comprises or consists of a MLKL 4HB domain. In some embodiments, the MLKL 4HB domain comprises or consists of an amino acid sequence having at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 97%, at least 98%, at least 99%, or 100% identity to amino acids 1-120 of SEQ ID NO: 104.

[0463] In some embodiments, the payload molecule is a Gasdermin D (GSDMD). In some embodiments, the Gasdermin D (GSDMD) comprises or consists of an amino acid sequence having at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 97%, at least 98%, at least 99%, or 100% identity to SEQ ID NO: 105. In some embodiments, the payload molecule comprises or consists of a Gasdermin D N-terminal fragment. In some embodiments, the Gasdermin D N-terminal fragment comprises or consists of an amino acid sequence having at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 97%, at least 98%, at least 99%, or 100% identity to amino acids 1-233 of SEQ ID NO: 105. In some embodiments, the payload molecule comprises a mutation corresponding to L192A of SEQ ID NO: 105.

[0464] In some embodiments, the payload molecule is a Gasdermin E (GSDME). In some embodiments, the Gasdermin E (GSDME) comprises or consists of an amino acid

sequence having at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 97%, at least 98%, at least 99%, or 100% identity to SEQ ID NO: 106. In some embodiments, the payload molecule comprises or consists of a Gasdermin E N-terminal fragment. In some embodiments, the Gasdermin E N-terminal fragment comprises or consists of an amino acid sequence having at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 97%, at least 98%, at least 99%, or 100% identity to amino acids 1-237 of SEQ ID NO: 106.

[0465] In some embodiments, the payload molecule is a HMGB1. In some embodiments, the HMGB1 polypeptide comprises or consists of an amino acid sequence having at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 97%, at least 98%, at least 99%, or 100% identity to SEQ ID NO: 107. In some embodiments, the payload molecule comprises or consists of a HMGB1 Box B domain. In some embodiments, the HMGB1 Box B domain comprises or consists of an amino acid sequence having at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 97%, at least 98%, at least 99%, or 100% identity to amino acids 96-162 of SEQ ID NO: 107.

[0466] In some embodiments, the payload molecule is a SMAC/Diablo. In some embodiments, the SMAC/Diablo comprises or consists of an amino acid sequence having at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 97%, at least 98%, at least 99%, or 100% identity to SEQ ID NO: 108. In some embodiments, the payload molecule comprises or consists of an amino acid sequence having at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 97%, at least 98%, at least 99%, or 100% identity to amino acids 56-239 of SEQ ID NO: 108.

[0467] In some embodiments, the payload molecule is a Melittin. In some embodiments, the Melittin comprises or consists of an amino acid sequence having at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 97%, at least 98%, at least 99%, or 100% identity to SEQ ID NO: 109.

[0468] In some embodiments, the payload molecule is a L-amino-acid oxidase (LAAO). In some embodiments, the L-amino-acid oxidase (LAAO) comprises or consists of an amino acid sequence having at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 97%, at least 98%, at least 99%, or 100% identity to SEQ ID NO: 110.

[0469] In some embodiments, the payload molecule is a disintegrin. In some embodiments, the disintegrin comprises or consists of an amino acid sequence having at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 97%, at least 98%, at least 99%, or 100% identity to SEQ ID NO: 111.

[0470] In some embodiments, the payload molecule is a TRAIL (TNFSF10). In some embodiments, the TRAIL (TNFSF10) comprises or consists of an amino acid sequence having at least 70%, at least 75%, at least 80%, at least 85%,

at least 90%, at least 95%, at least 97%, at least 98%, at least 99%, or 100% identity to SEQ ID NO: 112.

[0471] In some embodiments, the payload molecule is a nitroreductase. In some embodiments, the nitroreductase is NfsB (e.g., from *E. coli*). In some embodiments, the NfsB comprises or consists of an amino acid sequence having at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 97%, at least 98%, at least 99%, or 100% identity to SEQ ID NO: 113. In some embodiments, the nitroreductase is NfsA (e.g., from *E. coli*). In some embodiments, the NfsA comprises or consists of an amino acid sequence having at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 97%, at least 98%, at least 99%, or 100% identity to SEQ ID NO: 114.

[0472] In some embodiments, the payload molecule is a reovirus FAST protein. In some embodiments, the reovirus FAST protein is an ARV p14, a BRV p15, or a p14-p15 hybrid. In some embodiments, the payload molecule is an ARV p14. In some embodiments, the ARV p14 comprises or consists of an amino acid sequence having at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 97%, at least 98%, at least 99%, or 100% identity to SEQ ID NO: 115. In some embodiments, the payload molecule is a BRV p15. In some embodiments, the BRV p15 comprises or consists of an amino acid sequence having at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 97%, at least 98%, at least 99%, or 100% identity to SEQ ID NO: 116. In some embodiments, the payload molecule is a p14-p15 hybrid. In some embodiments, the p14-p15 hybrid comprises or consists of an amino acid sequence having at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 97%, at least 98%, at least 99%, or 100% identity to SEQ ID NO: 117.

[0473] In some embodiments, the payload molecule is a Leptin/FOSL2. In some embodiments, the Leptin/FOSL2 comprises or consists of an amino acid sequence having at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 97%, at least 98%, at least 99%, or 100% identity to SEQ ID NO: 118.

[0474] In some embodiments, the payload molecule is an adenosine deaminase 2 (ADA2). In some embodiments, the adenosine deaminase (ADA2) comprises or consists of an amino acid sequence having at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 97%, at least 98%, at least 99%, or 100% identity to SEQ ID NO: 119.

[0475] In some embodiments, the payload molecule is an α -1,3-galactosyltransferase. In some embodiments, the α -1,3-galactosyltransferase comprises or consists of an amino acid sequence having at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 97%, at least 98%, at least 99%, or 100% identity to SEQ ID NO: 120.

[0476] In some embodiments, the payload molecule is IL-2. In some embodiments, the IL-2 comprises or consists of an amino acid sequence having at least 70%, at least 75%,

at least 80%, at least 85%, at least 90%, at least 95%, at least 97%, at least 98%, at least 99%, or 100% identity to SEQ ID NO: 121.

[0477] In some embodiments, the payload molecule is IL-7. In some embodiments, the IL-7 comprises or consists of an amino acid sequence having at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 97%, at least 98%, at least 99%, or 100% identity to SEQ ID NO: 122.

[0478] In some embodiments, the payload molecule is IL12. In some embodiments, the payload molecule comprises an IL-12 beta subunit comprising or consisting of an amino acid sequence having at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 97%, at least 98%, at least 99%, or 100% identity to SEQ ID NO: 123. In some embodiments, the payload molecule comprises an IL-12 alpha subunit comprising or consisting of an amino acid sequence having at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 97%, at least 98%, at least 99%, or 100% identity to SEQ ID NO: 124.

[0479] In some embodiments, the payload molecule is IL18. In some embodiments, the IL18 comprises or consists of an amino acid sequence having at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 97%, at least 98%, at least 99%, or 100% identity to SEQ ID NO: 125.

[0480] In some embodiments, the payload molecule is IL-21. In some embodiments, the IL-21 comprises or consists of an amino acid sequence having at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 97%, at least 98%, at least 99%, or 100% identity to SEQ ID NO: 126.

[0481] In some embodiments, the payload molecule is IL-36 γ . In some embodiments, the IL-36 γ comprises or consists of an amino acid sequence having at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 97%, at least 98%, at least 99%, or 100% identity to SEQ ID NO: 127.

[0482] In some embodiments, the payload molecule is IFN γ . In some embodiments, the IFN γ comprises or consists of an amino acid sequence having at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 97%, at least 98%, at least 99%, or 100% identity to SEQ ID NO: 128.

[0483] In some embodiments, the payload molecule is CCL21. In some embodiments, the CCL21 comprises or consists of an amino acid sequence having at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 97%, at least 98%, at least 99%, or 100% identity to SEQ ID NO: 129.

[0484] In some embodiments, the payload molecule is encoded by a polynucleotide molecule according to one of the embodiments provided in Table 20 below.

TABLE 20

Non-limiting Embodiments of Payload Configurations				
Payload	CVA (e.g., CVA21) viral genome encoding the payload	LNP comprising a CVA (e.g., CVA21) viral genome and a second RNA molecule encoding the payload	SVV viral genome encoding the payload	LNP comprising a SVV viral genome and a second RNA molecule encoding the payload
MLKL	x	x	x	x
MLKL 4HB domain	x	x	x	x
Gasdermin D	x	x	x	x
Gasdermin D with L192A	x	x	x	x
Gasdermin D N-terminal fragment	x	x	x	x
Gasdermin D N-terminal fragment with L192A	x	x	x	x
Gasdermin E	x	x	x	x
Gasdermin E N-terminal fragment	x	x	x	x
HMGB1	x	x	x	x
HMGB1 Box B domain	x	x	x	x
SMAC/Diablo	x	x	x	x
Melittin	x	x	x	x
L-amino-acid oxidase (LAO)	x	x	x	x
disintegrin	x	x	x	x
TRAIL (TNFSF10)	x	x	x	x
nitroreductase	x	x	x	x
NfsB	x	x	x	x
NfsA	x	x	x	x
reovirus FAST protein	x	x	x	x
ARV p14	x	x	x	x
BRV p15	x	x	x	x
p14-p15 hybrid	x	x	x	x
Leptin/FOSL2	x	x	x	x
Adenosine deaminase 2 (ADA2)	x	x	x	x
alpha-1,3-galactosyltransferase	x	x	x	x
IL-2	x	x	x	x
IL-7	x	x	x	x
IL-12	x	x	x	x
IL-12 beta subunit	x	x	x	x
IL-12 alpha subunit	x	x	x	x
IL-18	x	x	x	x
IL-21	x	x	x	x
IL-36 gamma	x	x	x	x
IFN gamma	x	x	x	x
CCL21	x	x	x	x

*Each 'x' indicates an embodiment

[0485] In some embodiments, the payload molecule is a bipartite peptide. As used herein, a “bipartite peptide” refers to a multimeric protein comprised of a first domain capable of binding a cell surface antigen expressed on a non-cancerous effector cell and a second domain capable of binding a cell-surface antigen expressed by a target cell (e.g., a cancerous cell, a tumor cell, or an effector cell of a different type). In some embodiments, the individual polypeptide domains of a bipartite polypeptide may comprise an antibody or binding fragment thereof (e.g. a single chain

variable fragment (scFv) or an F(ab)), a nanobody, a diabody, a flexibody, a DOCK-AND-LOCK™ antibody, or a monoclonal anti-idiotypic antibody (mAb2). In some embodiments, the structure of the bipartite polypeptides may be a dual-variable domain antibody (DVD-Ig™), a Tandab®, a bi-specific T cell engager (BiTE™), a DuoBody®, or a dual affinity retargeting (DART) polypeptide. In some embodiments, the bipartite polypeptide is a BiTE and comprises a domain that specifically binds to an antigen shown in Table 8 and/or 9. Exemplary BiTEs are shown below in Table 7.

TABLE 7

Validated BiTEs used in preclinical and clinical studies				
Target	Name	Target Disease	Clinical Status	References
CD19	Blinatumomab/MT-103/MEDI-538	NHL, ALL	Phase I/II/III	1, 2, 3, 4, 5, 6
EpCAM	MT110	Solid tumors	Phase I	7, 8, 9, 10
CEA	MT111/MEDI-565	GI adenocarcinoma	Phase I	11, 12
PSMA	BAY2010112/AMG112	Prostate	Phase I	13
CD33	AMG330	AML	Preclinical	14, 15
EGFR	C-BiTE and P-BiTE antibodies	Colorectal cancer	Preclinical	16
Her2	FynomAb, COVA420, HER2-BsAb	Breast and gastric carcinoma	Preclinical	17, 18
EphA2	bscEphA2xCD3	Multiple solid tumors	Preclinical	19
MCSP	MCSP-BITE	Melanoma	Preclinical	20
ADAM17	A300E	Prostate cancer	Preclinical	21
PSCA	CD3-PSCA(MB1)	Prostate cancer	Preclinical	22
17-A1	CD3/17-1A-bispecific	Colorectal cancer	Preclinical	23
NKG2D ligands	scFv-NKG2D, huNKG2D-OKT3	Multiple solid and liquid tumors	Preclinical	24, 25
DLL3	AMG757	Small Cell Lung Cancer	Clinical	26

[0486] In some embodiments, the cell-surface antigen expressed on an effector cell is selected from Table 8 below. In some embodiments, the cell-surface antigen expressed on a tumor cell or effector cell is selected from Table 9 below. In some embodiments, the cell-surface antigen expressed on a tumor cell is a tumor antigen. In some embodiments, the tumor antigen is selected from CD19, EpCAM, CEA, PSMA, CD33, EGFR, Her2, EphA2, MCSP, ADAM17, PSCA, 17-A1, an NKG2D ligand, CSFIR, FAP, GD2, DLL3, TROP2, Nectin 4, or neuropilin. In other embodiments, the antigen is a viral antigen associated with the development of cancer. In some embodiments, the viral antigen associated with the development of cancer is HBV-core (Hepatitis B core antigen), HBV-pol, HbS-Ag, HPV E6, HPV E7, Merkel cell polyoma large T antigen, or Epstein Barr virus antigen EBNA2 or BZLF1. In some embodiments, the tumor antigen is selected from those listed in Table 9.

TABLE 8

Exemplary effector cell target antigens				
T cell	NKT cell	NK Cell	Other	
CD3	CD30	CD3	CD16	CD48
CD3 γ	CD38	CD3 γ	CD94/NKG2 (e.g., NKG2D)	LIGHT
CD3 δ	CD40	CD3 δ	NKp30	CD44
CD3 ϵ	CD57	CD3 ϵ	NKp44	CD45
CD3 ξ	CD69	CD3 ξ	NKp46	IL-1R2
CD2	CD70	invariant TCR	KARs	IL-1R α
CD4	CD73			IL-1R α 2
CD5	CD81			IL-13R α 2
CD6	CD82			IL-15Ra
CD7	CD96			CCR5
CD8	CD134			CCR8
CD16	CD137			
CD25	CD152			
CD27	CD278			
CD28				

TABLE 9

Exemplary target cell antigens Target Cell Antigens			
8H9	CRISP3	Lewis-Y	Fas
GnT-V, β 1,6-N	DC-SIGN	LIV-1 (SLC39A6)	SOX2
AFP	DHFR	Livin	STEAP1
ART1	EGP40	LAMP1	SLITRK6
ART4	EZH2	MAGEA3	NaPi2a
ABCG2	EpCAM	MAGEA4	SOX1
B7-H3	EphA2	MAGEB6	SOX11
B7-H4	EphA2/Eck	MAGEA1	SPANXA1
B7-H6	EGFRvIII	MART-1	SART-1
BCMA	E-cadherin	MCSP	SSX4
B-cyclin	EGP2	MME	SSX5
BM1	ETA	mesothelin (MSLN)	Survivin
CA-125	ERBB3	MAPK1	SSX2
cadherin	ERBB3/4	MUC16	TAG72
CABYR	ERBB4	MUC1	TEM1
CTAG2	EPO	MRP-3	TEM8
CA6	F3	MyoD-1	TSGA10
CAIX	FAR	NCAM	TSSK6
CEA	FBP	nectin 4	thyroglobulin
CEACAM5	FTHL17	Nestin	transferrin receptor
CEACAM6	fetal AchR	NEP	TACSTD2 (TROP2)
Cav-1	FAP	NY-ESO-1	TMEM97
CD10	FGFR3	hHLA-A	TRP-2
CD117	FR-a	H60	TULP2
CD123	Fra-1/Fosl 1	OLIG2	TROP2
CD133	GAGE1	5T4	tyrosinase
CD138	GD2	p53	TRP1
CD15	GD3	P-Cadherin	UPAR
CD171	Glil	PB	VEGF
CD19	GP100	P-glycoprotein	VEGF receptors
CD20	GPA33	PMCT (SLC13A5)	VEGRR2
CD21		PRAME	BRAF
CD22	Glypican-3	PROX1	WT-1
CD30	HIV gp120	PSA	XAGE2
CD33	HLA-A	PSCA	ZNF165
CD37	HLA-A2	PSMA	α , β 6 integrin
CD38	HLA-A1	PSC1	β -catenin
CD44v6	HLA-B	PVRL4	cathepsin B
CD44v7/8	HLA-C	Ras	CSAG2
CD74	HMW-MAA	ROR1	CTAG2
Cd79b	Her2/Neu	SART2	EGFR
CD124 (IL-4R)	Her3	SART3	EGP40

TABLE 9-continued

Exemplary target cell antigens Target Cell Antigens			
CDH3	u70/80	oncofetal variants of fibronectin	EZH2
Ki-67	LICAM	tenascin	HIV sp120
CSPG4	ULBP1	LICAM	kappa light chain
CALLA	ULBP2	Rae-1 α	LDHC
CSAG2	ULBP3	Rae-1 β	TRP-1
COX-2	ULBP6	Rae-1 δ	Fas-L
Lambda	MICA	Rae-1 γ	DLL3
LAYN	MICB	PDGF	
LeuM-1	Her3	TROP2	
KDR	EGF		
CD47	SIRP1 α		

Pharmaceutical Compositions and Methods of Use

[0487] One aspect of the disclosure relates to pharmaceutical compositions comprising the recombinant RNA molecules described herein, or particles comprising a recombinant RNA molecule described herein, and methods for the treatment of cancer. In some embodiments, the present disclosure provides methods of treating cancer in a subject in need thereof comprising administering an effective amount of a CVA21-EF, a CVA21-KY, or an SVV virus or the corresponding RNA viral genome to the subject. Compositions described herein can be formulated in any manner suitable for a desired delivery route. Typically, formulations include all physiologically acceptable compositions including derivatives or prodrugs, solvates, stereoisomers, racemates, or tautomers thereof with any pharmaceutically acceptable carriers, diluents, and/or excipients.

[0488] As used herein “pharmaceutically acceptable carrier, diluent or excipient” includes without limitation any adjuvant, carrier, excipient, glidant, sweetening agent, diluent, preservative, dye/colorant, flavor enhancer, surfactant, wetting agent, dispersing agent, suspending agent, stabilizer, isotonic agent, solvent, surfactant, or emulsifier which has been approved by the United States Food and Drug Administration as being acceptable for use in humans or domestic animals. Exemplary pharmaceutically acceptable carriers include, but are not limited to, to sugars, such as lactose, glucose and sucrose; starches, such as corn starch and potato starch; cellulose, and its derivatives, such as sodium carboxymethyl cellulose, ethyl cellulose and cellulose acetate; tragacanth; malt; gelatin; talc; cocoa butter, waxes, animal and vegetable fats, paraffins, silicones, bentonites, silicic acid, zinc oxide; oils, such as peanut oil, cottonseed oil, safflower oil, sesame oil, olive oil, corn oil and soybean oil; glycols, such as propylene glycol; polyols, such as glycerin, sorbitol, mannitol and polyethylene glycol; esters, such as ethyl oleate and ethyl laurate; agar; buffering agents, such as magnesium hydroxide and aluminum hydroxide; alginic acid; pyrogen-free water; isotonic saline; Ringer’s solution; ethyl alcohol; phosphate buffer solutions; and any other compatible substances employed in pharmaceutical formulations.

[0489] “Pharmaceutically acceptable salt” includes both acid and base addition salts. Pharmaceutically-acceptable salts include the acid addition salts (formed with the free amino groups of the protein) and which are formed with inorganic acids such as, for example, hydrochloric acid, hydrobromic acid, sulfuric acid, nitric acid, phosphoric acid

and the like, and organic acids such as, but not limited to, acetic acid, 2,2-dichloroacetic acid, adipic acid, alginic acid, ascorbic acid, aspartic acid, benzenesulfonic acid, benzoic acid, 4-acetamidobenzoic acid, camphoric acid, camphor-10-sulfonic acid, capric acid, caproic acid, caprylic acid, carbonic acid, cinnamic acid, citric acid, cyclamic acid, dodecylsulfuric acid, ethane-1,2-disulfonic acid, ethane-sulfonic acid, 2-hydroxyethanesulfonic acid, formic acid, fumaric acid, galactaric acid, gentisic acid, glucoheptonic acid, gluconic acid, glucuronic acid, glutamic acid, glutaric acid, 2-oxo-glutaric acid, glycerophosphoric acid, glycolic acid, hippuric acid, isobutyric acid, lactic acid, lactobionic acid, lauric acid, maleic acid, malic acid, malonic acid, mandelic acid, methanesulfonic acid, mucic acid, naphthalene-1,5-disulfonic acid, naphthalene-2-sulfonic acid, 1-hydroxy-2-naphthoic acid, nicotinic acid, oleic acid, orotic acid, oxalic acid, palmitic acid, pamoic acid, propionic acid, pyroglutamic acid, pyruvic acid, salicylic acid, 4-aminosalicylic acid, sebacic acid, stearic acid, succinic acid, tartaric acid, thiocyanic acid, ptoluenesulfonic acid, trifluoroacetic acid, undecylenic acid, and the like. Salts formed with the free carboxyl groups can also be derived from inorganic bases such as, for example, sodium, potassium, lithium, ammonium, calcium, magnesium, iron, zinc, copper, manganese, aluminum salts, and the like. Salts derived from organic bases include, but are not limited to, salts of primary, secondary, and tertiary amines, substituted amines including naturally occurring substituted amines, cyclic amines and basic ion exchange resins, such as ammonia, isopropylamine, trimethylamine, diethylamine, triethylamine, tripropylamine, diethanolamine, ethanolamine, deanol, 2-dimethylaminoethanol, 2-diethylaminoethanol, dicyclohexylamine, lysine, arginine, histidine, caffeine, procaine, hydrabamine, choline, betaine, benethamine, benzathine, ethylenediamine, glucosamine, methylglucamine, theobromine, triethanolamine, tromethamine, purines, piperazine, piperidine, N-ethylpiperidine, polyamine resins and the like. Particularly preferred organic bases are isopropylamine, diethylamine, ethanolamine, trimethylamine, dicyclohexylamine, choline, and caffeine.

[0490] The present disclosure provides methods of killing a cancerous cell or a target cell comprising exposing the cell to an RNA polynucleotide or particle described herein, or composition thereof, under conditions sufficient for the intracellular delivery of the composition to the cancerous cell. As used herein, a “cancerous cell” or a “target cell” refers to a mammalian cell selected for treatment or administration with a polynucleotide or particle described herein, or composition thereof described herein. As used herein “killing a cancerous cell” refer specifically to the death of a cancerous cell by means of apoptosis or necrosis. Killing of a cancerous cell may be determined by methods known in the art including but not limited to, tumor size measurements, cell counts, and flow cytometry for the detection of cell death markers such as Annexin V and incorporation of propidium iodide.

[0491] The present disclosure further provides for a method of treating or preventing cancer in a subject in need thereof wherein an effective amount of the pharmaceutical compositions described herein is administered to the subject. The route of administration will vary, naturally, with the location and nature of the disease being treated, and may include, for example intradermal, transdermal, subdermal, parenteral, nasal, intravenous, intramuscular, intranasal,

subcutaneous, percutaneous, intratracheal, intraperitoneal, intratumoral, perfusion, lavage, direct injection, and oral administration. The encapsulated polynucleotide compositions described herein are particularly useful in the treatment of metastatic cancers, wherein systemic administration may be necessary to deliver the compositions to multiple organs and/or cell types. Therefore, in a particular embodiment, the compositions described herein are administered systemically.

[0492] An “effective amount” or an “effective dose,” used interchangeably herein, refers to an amount and or dose of the compositions described herein that results in an improvement or remediation of the symptoms of the disease or condition. The improvement is any improvement or remediation of the disease or condition, or symptom of the disease or condition. The improvement is an observable or measurable improvement or may be an improvement in the general feeling of well-being of the subject. Thus, one of skill in the art realizes that a treatment may improve the disease condition but may not be a complete cure for the disease. Improvements in subjects may include, but are not limited to, decreased tumor burden, decreased tumor cell proliferation, increased tumor cell death, activation of immune pathways, increased time to tumor progression, decreased cancer pain, increased survival, or improvements in the quality of life.

[0493] In some embodiments, administration of an effective dose may be achieved with administration a single dose of a composition described herein. As used herein, “dose” refers to the amount of a composition delivered at one time. In some embodiments, the dose of the recombinant RNA molecules is measured as the 50% Tissue culture Infective Dose (TCID₅₀). In some embodiments, the TCID₅₀ is at least about 10³-10⁹ TCID₅₀/mL, for example, at least about 10³ TCID₅₀/mL, about 10⁴ TCID₅₀/mL, about 10⁵ TCID₅₀/mL, about 10⁶ TCID₅₀/mL, about 10⁷ TCID₅₀/mL, about 10⁸ TCID₅₀/mL, or about 10⁹ TCID₅₀/mL. In some embodiments, a dose may be measured by the number of particles in a given volume (e.g., particles/mL). In some embodiments, a dose may be further refined by the genome copy number of the RNA polynucleotides described herein present in each particle (e.g., # of particles/mL, wherein each particle comprises at least one genome copy of the polynucleotide). In some embodiments, delivery of an effective dose may require administration of multiple doses of a composition described herein. As such, administration of an effective dose may require the administration of at least 2, 3, 4, 5, 6, 7, 8, 9, 10, 20, 30, 40, 50, or more doses of a composition described herein.

[0494] In embodiments wherein multiple doses of a composition described herein are administered, each dose need not be administered by the same actor and/or in the same geographical location. Further, the dosing may be administered according to a predetermined schedule. For example, the predetermined dosing schedule may comprise administering a dose of a composition described herein daily, every other day, weekly, bi-weekly, monthly, bi-monthly, annually, semi-annually, or the like. The predetermined dosing schedule may be adjusted as necessary for a given patient (e.g., the amount of the composition administered may be increased or decreased and/or the frequency of doses may be increased or decreased, and/or the total number of doses to be administered may be increased or decreased).

[0495] As used herein “prevention” or “prophylaxis” can mean complete prevention of the symptoms of a disease, a delay in onset of the symptoms of a disease, or a lessening in the severity of subsequently developed disease symptoms.

[0496] The term “subject” or “patient” as used herein, is taken to mean any mammalian subject to which a composition described herein is administered according to the methods described herein. In a specific embodiment, the methods of the present disclosure are employed to treat a human subject. The methods of the present disclosure may also be employed to treat non-human primates (e.g., monkeys, baboons, and chimpanzees), mice, rats, bovines, horses, cats, dogs, pigs, rabbits, goats, deer, sheep, ferrets, gerbils, guinea pigs, hamsters, bats, birds (e.g., chickens, turkeys, and ducks), fish, and reptiles.

[0497] In some embodiments, the present disclosure provides a method of treating a cancer in a subject in need thereof, comprising administering a therapeutically effective amount of an oncolytic Coxsackievirus, wherein the Coxsackievirus is a CVA21 strain, or a polynucleotide encoding the CVA21 to the subject, wherein the cancer is classified as sensitive to CVA21 infection based on the expression level of ICAM-1 and/or the percentage of ICAM-1 positive cancer cells in the cancer. In some embodiments, the CVA21 strain is CVA21-KY.

[0498] Intracellular adhesion molecule 1 (ICAM-1, also known as BB2, CD54, P3.58) is a protein (UniProt Ref: P03562) encoded by the ICAMI gene (NCBI Gene ID: 3383) and is important in stabilizing cell-cell interactions and facilitating leukocyte endothelial transmigration. In some embodiments, treatment decisions for a particular cancer are made based on ICAM-1 expression, wherein the expression of ICAM-1 is determined in the cancer and the cancer is identified as sensitive or resistant to CVA21 expression based on the level of ICAM-1 expression. In general, higher (% of positive tumor cells or intensity or both) expression of ICAM-1 indicates greater sensitivity to CVA21 infection (See Example 8). ICAM-1 expression can be determined by means known in the art for mRNA and/or protein expression. mRNA expression can be determined by northern blots, ribonuclease protection assays, PCR-based methods, sequencing methods, and the like. Protein expression can be determined by immunoblotting (e.g., western blot), immunohistochemistry, immunofluorescence, enzyme-linked immunosorbent assay (ELISA), flow cytometry, cytometric bead array, mass spectroscopy, proteomics-based methods, and the like.

[0499] In some embodiments, the present disclosure provides a method of treating a cancer in a subject in need thereof, comprising: (a) determining the expression level of ICAM-1 and/or the percentage of ICAM-1 positive cancer cells in the cancer; (b) classifying the cancer as sensitive to Coxsackievirus 21 (CVA21) infection based on the expression level of ICAM-1 and/or the percentage of ICAM-1 positive cancer cells determined in (a); and (c) administering a therapeutically effective amount of CVA21 or a polynucleotide encoding the CVA21 to the subject if the cancer is classified as sensitive to CVA21 infection in step (b). In some embodiments, the CVA21 strain is CVA21-KY.

[0500] In some embodiments, the present disclosure provides a method of selecting a subject suffering from a cancer for treatment with a Coxsackievirus 21 (CVA21) or a polynucleotide encoding the CVA21, comprising: (a) determining the expression level of ICAM-1 and/or the percent-

age of ICAM-1 positive cancer cells in the cancer; (b) classifying the cancer as sensitive to CVA21 infection based on the expression level of ICAM-1 and/or the percentage of ICAM-1 positive cancer cells as determined in (a); (c) selecting the subject for treatment with the CVA21 or the polynucleotide encoding the CVA21 if the cancer is classified as sensitive to CVA21 infection in (b); and (d) administering the CVA21 or the polynucleotide encoding the CVA21 to the selected subject. In some embodiments, the CVA21 strain is CVA21-KY.

Lipid Nanoparticle Composition and Methods of Use

[0501] In some embodiments, the disclosure provides methods of treating a disease or disorder in a subject in need thereof, comprising administering to the subject a therapeutically effective amount of a composition (e.g., pharmaceutical composition) of the disclosure. In some embodiments, the disease or disorder comprises a cancer. In some embodiments, the composition comprises a PEG-lipid of the disclosure. In some embodiments, the composition comprises an LNP of the disclosure comprising a PEG-lipid. In some embodiments, the composition comprises an LNP of the disclosure comprising a PEG-lipid and an encapsulated molecule of the disclosure (e.g., synthetic RNA viral genome).

[0502] The method may be a method of treating a subject having or at risk of having a condition that benefits from the encapsulated molecule, particularly if the encapsulated molecule is a therapeutic agent. Alternatively, the method may be a method of diagnosing a subject, in which case the encapsulated molecule may be a diagnostic agent.

[0503] In prophylactic applications, pharmaceutical compositions comprising an LNP of the disclosure are administered to a subject susceptible to, or otherwise at risk of, a particular disorder in an amount sufficient to eliminate or reduce the risk or delay the onset of the disorder. In therapeutic applications, compositions comprising an LNP of the disclosure are administered to a subject suspected of, or already suffering from such a disorder in an amount sufficient to cure, or at least partially arrest, the symptoms of the disorder and its complications. An amount adequate to accomplish this is referred to as a therapeutically effective dose or amount. In both prophylactic and therapeutic regimes, the pharmaceutical composition can be administered in several dosages until a sufficient response has been achieved. Typically, the response is monitored and repeated dosages are given if the desired response starts to fade.

[0504] For administration, the LNP of the disclosure may be formulated as a pharmaceutical composition. In some embodiments, the LNP comprises an encapsulated molecule. A pharmaceutical composition may comprise: (i) an LNP of the disclosure; and (ii) a pharmaceutically acceptable carrier, diluent or excipient. A pharmaceutical composition can be formulated according to known methods to prepare pharmaceutically useful compositions, whereby the therapeutic molecule is combined in a mixture with a pharmaceutically acceptable carrier, diluent, or excipient. A carrier is said to be a "pharmaceutically acceptable carrier" if its administration can be tolerated by a recipient subject. Sterile phosphate-buffered saline is one example of a pharmaceutically acceptable carrier. Other suitable carriers, diluents, or excipients are well-known to those in the art. (See, e.g., Gennaro (ed.), *Remington's Pharmaceutical Sciences* (Mack Publishing Company, 19th ed. 1995).) Formulations

can further include one or more excipients, preservatives, solubilizers, buffering agents, albumin to prevent protein loss on vial surfaces, etc.

[0505] A pharmaceutical composition comprising LNPs of the disclosure may be formulated in a dosage form selected from the group consisting of: an oral unit dosage form, an intravenous unit dosage form, an intranasal unit dosage form, a suppository unit dosage form, an intradermal unit dosage form, an intramuscular unit dosage form, an intraperitoneal unit dosage form, a subcutaneous unit dosage form, an epidural unit dosage form, a sublingual unit dosage form, and an intracerebral unit dosage form. The oral unit dosage form may be selected from the group consisting of: tablets, pills, pellets, capsules, powders, lozenges, granules, solutions, suspensions, emulsions, syrups, elixirs, sustained-release formulations, aerosols, and sprays.

[0506] A pharmaceutical composition may be administered to a subject in a therapeutically effective amount. According to the methods of the disclosure, a composition can be administered to subjects by a variety of administration modes, including, for example, by intramuscular, subcutaneous, intravenous, intra-atrial, intra-articular, parenteral, intranasal, intrapulmonary, transdermal, intrapleural, intrathecal, intratumoral, and oral routes of administration. For prevention and treatment purposes, a composition can be administered to a subject in a single bolus delivery, via continuous delivery (e.g., continuous transdermal delivery) over an extended time period, or in a repeated administration protocol (e.g., on an hourly, daily, weekly, or monthly basis).

[0507] Administration can occur by injection, irrigation, inhalation, consumption, electro-osmosis, hemodialysis, iontophoresis, and other methods known in the art. The route of administration will vary, naturally, with the location and nature of the disease being treated, and may include, for example auricular, buccal, conjunctival, cutaneous, dental, endocervical, endosinusial, endotracheal, enteral, epidural, interstitial, intra-articular, intra-arterial, intra-abdominal, intraauricular, intrabiliary, intrabronchial, intrabursal, intracavernous, intracerebral, intracisternal, intracorneal, intracranial, intracoronary, intracranial, intradermal, intradiscal, intraductal, intraduodenal, intraduodenal, intradural, intraepicardial, intraepidermal, intraesophageal, intragastric, intralingual, intrahepatic, intraileal, intralesional, intra-lingual, intraluminal, intralymphatic, intramammary, intramedullary, intrameningeal, intramuscular, intranasal, intranodal, intraocular, intraomentum, intraovarian, intraperitoneal, intrapericardial, intrapleural, intraprostatic, intrapulmonary, intraruminal, intrasinal, intraspinal, intrasynovial, intratendinous, intratesticular, intratracheal, intrathecal, intrathoracic, intratubular, intratumoral, intratympanic, intrauterine, intraperitoneal, intravascular, intraventricular, intravesical, intravestibular, intravenous, intravitreal, larangeal, nasal, nasogastric, oral, ophthalmic, oropharyngeal, parenteral, percutaneous, periarticular, peridural, perineural, periodontal, respiratory, retrotubular, rectal, spinal, subarachnoid, subconjunctival, subcutaneous, subdermal, subgingival, sublingual, submucosal, subretinal, topical, transdermal, transendocardial, transmucosal, transplacental, transtracheal, transtympanic, ureteral, urethral, and/or vaginal perfusion, lavage, direct injection, and oral administration.

[0508] In some embodiments, the pharmaceutical composition is formulated for systemic administration. In some embodiments, the systemic administration comprises intra-

venous administration, intra-arterial administration, intraperitoneal administration, intramuscular administration, intradermal administration, subcutaneous administration, intranasal administration, oral administration, or a combination thereof. In some embodiments, the pharmaceutical composition is formulated for intravenous administration. In some embodiments, the pharmaceutical composition is formulated for local administration. In some embodiments, the pharmaceutical composition is formulated for intratumoral administration.

[0509] Effective doses of the compositions of the disclosure vary depending upon many different factors, including means of administration, target site, physiological state of the subject, whether the subject is human or an animal, other medications administered, whether treatment is prophylactic or therapeutic, as well as the specific activity of the composition itself and its ability to elicit the desired response in the individual. In some embodiments, the subject is a human. In some embodiments, the subject can be a nonhuman mammal. Typically, dosage regimens are adjusted to provide an optimum therapeutic response, i.e., to optimize safety and efficacy.

[0510] Determination of effective dosages in this context is typically based on animal model studies followed up by human clinical trials and is guided by determining effective dosages and administration protocols that significantly reduce the occurrence or severity of the subject disorder in model subjects. Compositions of the disclosure may be suitably administered to the subject at one time or over a series of treatments and may be administered to the subject at any time from diagnosis onwards. Compositions of the disclosure may be administered as the sole treatment, as a monotherapy, or in conjunction with other drugs or therapies, as a combinatorial therapy, useful in treating the condition in question.

[0511] In some embodiments, the therapeutically effective amount of a composition of the disclosure is between about 1 ng/kg body weight to about 100 mg/kg body weight. In some embodiments, the range of a composition of the disclosure administered is from about 1 ng/kg body weight to about 1 µg/kg body weight, about 1 ng/kg body weight to about 100 ng/kg body weight, about 1 ng/kg body weight to about 10 ng/kg body weight, about 10 ng/kg body weight to about 1 µg/kg body weight, about 10 ng/kg body weight to about 100 ng/kg body weight, about 100 ng/kg body weight to about 1 µg/kg body weight, about 100 ng/kg body weight to about 10 pg/kg body weight, about 1 µg/kg body weight to about 10 pg/kg body weight, about 1 µg/kg body weight to about 100 pg/kg body weight, about 10 pg/kg body weight to about 1 mg/kg body weight, about 100 µg/kg body weight to about 10 mg/kg body weight, about 1 mg/kg body weight to about 100 mg/kg body weight, or about 10 mg/kg body weight to about 100 mg/kg body weight. Dosages within this range can be achieved by single or multiple administrations, including, e.g., multiple administrations per day or daily, weekly, bi-weekly, or monthly administrations. Compositions of the disclosure may be administered, as appropriate or indicated, as a single dose by bolus or by continuous infusion, or as multiple doses by bolus or by continuous infusion. Multiple doses may be administered, for example, multiple times per day, once daily, every 2, 3, 4, 5, 6 or 7 days, weekly, every 2, 3, 4, 5 or 6 weeks or monthly. In some embodiments, a composition of the disclosure is adminis-

tered weekly. In some embodiments, a composition of the disclosure is administered biweekly. In some embodiments, a composition of the disclosure is administered every three weeks. However, other dosage regimens may be useful. The progress of this therapy is easily monitored by conventional techniques.

[0512] For administration to a human adult subject, the therapeutically effective amount may be administered in doses in the range of 0.0006 mg to 1000 mg per dose, including but not limited to 0.0006 mg per dose, 0.001 mg per dose, 0.003 mg per dose, 0.006 mg per dose, 0.01 mg per dose, 0.03 mg per dose, 0.06 mg per dose, 0.1 mg per dose, 0.3 mg per dose, 0.6 mg per dose, 1 mg per dose, 3 mg per dose, 6 mg per dose, 10 mg per dose, 30 mg per dose, 60 mg per dose, 100 mg per dose, 300 mg per dose, 600 mg per dose and 1000 mg per dose, and multiple, usually consecutive daily doses may be administered in a course of treatment. In some embodiments, a composition of the disclosure is administered at a dose level of about 0.001 mg/kg/dose to about 10 mg/kg/dose, about 0.001 mg/kg/dose to about 6 mg/kg/dose, about 0.001 mg/kg/dose to about 3 mg/kg/dose, about 0.001 mg/kg/dose to about 1 mg/kg/dose, about 0.001 mg/kg/dose to about 0.6 mg/kg/dose, about 0.001 mg/kg/dose to about 0.3 mg/kg/dose, about 0.001 mg/kg/dose to about 0.1 mg/kg/dose, about 0.001 mg/kg/dose to about 0.06 mg/kg/dose, about 0.001 mg/kg/dose to about 0.03 mg/kg/dose, about 0.001 mg/kg/dose to about 0.01 mg/kg/dose, about 0.001 mg/kg/dose to about 0.006 mg/kg/dose, about 0.001 mg/kg/dose to about 0.003 mg/kg/dose, about 0.003 mg/kg/dose to about 10 mg/kg/dose, about 0.003 mg/kg/dose to about 6 mg/kg/dose, about 0.003 mg/kg/dose to about 3 mg/kg/dose, about 0.003 mg/kg/dose to about 1 mg/kg/dose, about 0.003 mg/kg/dose to about 0.6 mg/kg/dose, about 0.003 mg/kg/dose to about 0.3 mg/kg/dose, about 0.003 mg/kg/dose to about 0.1 mg/kg/dose, about 0.003 mg/kg/dose to about 0.06 mg/kg/dose, about 0.003 mg/kg/dose to about 0.03 mg/kg/dose, about 0.003 mg/kg/dose to about 0.01 mg/kg/dose, about 0.003 mg/kg/dose to about 0.006 mg/kg/dose, about 0.003 mg/kg/dose to about 0.003 mg/kg/dose, about 0.006 mg/kg/dose to about 10 mg/kg/dose, about 0.006 mg/kg/dose to about 6 mg/kg/dose, about 0.006 mg/kg/dose to about 3 mg/kg/dose, about 0.006 mg/kg/dose to about 1 mg/kg/dose, about 0.006 mg/kg/dose to about 0.6 mg/kg/dose, about 0.006 mg/kg/dose to about 0.3 mg/kg/dose, about 0.006 mg/kg/dose to about 0.1 mg/kg/dose, about 0.006 mg/kg/dose to about 0.06 mg/kg/dose, about 0.006 mg/kg/dose to about 0.03 mg/kg/dose, about 0.006 mg/kg/dose to about 0.01 mg/kg/dose, about 0.01 mg/kg/dose to about 10 mg/kg/dose, about 0.01 mg/kg/dose to about 6 mg/kg/dose, about 0.01 mg/kg/dose to about 3 mg/kg/dose, about 0.01 mg/kg/dose to about 1 mg/kg/dose, about 0.01 mg/kg/dose to about 0.6 mg/kg/dose, about 0.01 mg/kg/dose to about 0.3 mg/kg/dose, about 0.01 mg/kg/dose to about 0.1 mg/kg/dose, about 0.01 mg/kg/dose to about 0.06 mg/kg/dose, about 0.01 mg/kg/dose to about 0.03 mg/kg/dose, about 0.03 mg/kg/dose to about 10 mg/kg/dose, about 0.03 mg/kg/dose to about 6 mg/kg/dose, about 0.03 mg/kg/dose to about 3 mg/kg/dose, about 0.03 mg/kg/dose to about 1 mg/kg/dose, about 0.03 mg/kg/dose to about 0.6 mg/kg/dose, about 0.03 mg/kg/dose to about 0.3 mg/kg/dose, about 0.03 mg/kg/dose to about 0.1 mg/kg/dose, about 0.03 mg/kg/dose to about 0.06 mg/kg/dose, about 0.03 mg/kg/dose to about 0.01 mg/kg/dose, about 0.06 mg/kg/dose to about 10 mg/kg/dose, about 0.06 mg/kg/dose to about 6 mg/kg/dose, about 0.06 mg/kg/dose to about 3 mg/kg/dose, about 0.06 mg/kg/dose to about 1

mg/kg/dose, about 0.06 mg/kg/dose to about 0.6 mg/kg/dose, about 0.06 mg/kg/dose to about 0.3 mg/kg/dose, about 0.06 mg/kg/dose to about 0.1 mg/kg/dose, about 0.1 mg/kg/dose to about 10 mg/kg/dose, about 0.1 mg/kg/dose to about 6 mg/kg/dose, about 0.1 mg/kg/dose to about 3 mg/kg/dose, about 0.1 mg/kg/dose to about 1 mg/kg/dose, about 0.1 mg/kg/dose to about 0.6 mg/kg/dose, about 0.1 mg/kg/dose to about 0.3 mg/kg/dose, about 0.3 mg/kg/dose to about 10 mg/kg/dose, about 0.3 mg/kg/dose to about 6 mg/kg/dose, about 0.3 mg/kg/dose to about 3 mg/kg/dose, about 0.3 mg/kg/dose to about 1 mg/kg/dose, about 0.3 mg/kg/dose to about 0.6 mg/kg/dose, about 0.6 mg/kg/dose to about 10 mg/kg/dose, about 0.6 mg/kg/dose to about 6 mg/kg/dose, about 0.6 mg/kg/dose to about 3 mg/kg/dose, about 0.6 mg/kg/dose to about 1 mg/kg/dose, about 1 mg/kg/dose to about 10 mg/kg/dose, about 1 mg/kg/dose to about 6 mg/kg/dose, about 1 mg/kg/dose to about 3 mg/kg/dose, about 3 mg/kg/dose to about 10 mg/kg/dose, about 3 mg/kg/dose to about 6 mg/kg/dose, or about 6 mg/kg/dose to about 10 mg/kg/dose. In some embodiments, a composition of the disclosure is administered at a dose level of about 0.001 mg/kg/dose, about 0.003 mg/kg/dose, about 0.006 mg/kg/dose, about 0.01 mg/kg/dose, about 0.03 mg/kg/dose, about 0.06 mg/kg/dose, about 0.1 mg/kg/dose, about 0.3 mg/kg/dose, about 0.6 mg/kg/dose, about 1 mg/kg/dose, about 3 mg/kg/dose, about 6 mg/kg/dose, or about 10 mg/kg/dose. Compositions of the disclosure can be administered at different times of the day. In one embodiment the optimal therapeutic dose can be administered in the evening. In another embodiment the optimal therapeutic dose can be administered in the morning. As expected, the dosage will be dependent on the condition, size, age, and condition of the subject.

[0513] Dosage of the pharmaceutical composition can be varied by the attending clinician to maintain a desired concentration at a target site. Higher or lower concentrations can be selected based on the mode of delivery. Dosage should also be adjusted based on the release rate of the administered formulation.

[0514] In some embodiments, the pharmaceutical composition of the disclosure is administered to a subject for multiple times (e.g., multiple doses). In some embodiments, the pharmaceutical composition is administered two or more times, three or more times, four or more times, etc. In some embodiments, administration of the pharmaceutical composition may be repeated once, twice, 3, 4, 5, 6, 7, 8, 9, 10, or more times. The pharmaceutical composition may be administered chronically or acutely, depending on its intended purpose.

[0515] In some embodiments, the interval between two consecutive doses of the pharmaceutical composition is less than 4, less than 3, less than 2, or less than 1 weeks. In some embodiments, the interval between two consecutive doses is less than 3 weeks. In some embodiments, the interval between two consecutive doses is less than 2 weeks. In some embodiments, the interval between two consecutive doses is less than 1 week. In some embodiments, the interval between two consecutive doses is less than 28, 27, 26, 25, 24, 23, 22, 21, 20, 19, 18, 17, 16, 15, 14, 13, 12, 11, 10, 9, 8, 7, 6, 5, 4, 3, 2 or 1 days. In some embodiments, the interval between two consecutive doses of the pharmaceutical composition is at least 4, at least 3, at least 2, or at least 1 weeks. In some embodiments, the interval between two consecutive doses of the pharmaceutical composition of the

disclosure is at least 3 weeks. In some embodiments, the interval between two consecutive doses of the pharmaceutical composition of the disclosure is at least 2 weeks. In some embodiments, the interval between two consecutive doses of the pharmaceutical composition of the disclosure is at least 1 week. In some embodiments, the interval between two consecutive doses of the pharmaceutical composition of the disclosure is at least 28, 27, 26, 25, 24, 23, 22, 21, 20, 19, 18, 17, 16, 15, 14, 13, 12, 11, 10, 9, 8, 7, 6, 5, 4, 3, 2 or 1 days. In some embodiments, the subject is administered a dose of the pharmaceutical composition of the disclosure once daily, every 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, or 28 days. In some embodiments, the subject is administered a dose of the pharmaceutical composition of the disclosure once every 4, 5, 6, 7, 8, 9, 10, 11, or 12 weeks. In some embodiments, the subject is administered a dose of the pharmaceutical composition of the disclosure once every 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, or 12 months.

[0516] In some embodiments, the pharmaceutical composition of the disclosure is administered multiple times, wherein the serum half-life of the LNP in the subject following the second and/or subsequent administration is at least 40%, 50%, 60%, 70%, 80%, 85%, 90%, or 95% of the serum half-life of the LNP following the first administration.

[0517] In some embodiments, the second and subsequent doses of the pharmaceutical composition comprising an encapsulated molecule (e.g., encapsulated in an LNP) may maintain an activity of the encapsulated molecule of at least 50% of the activity of the first dose, or at least 60% of the first dose, or at least 70% of the first dose, or at least 75% of the first dose, or at least 80% of the first dose, or at least 85% of the first dose, or at least 90% of the first dose, or at least 95% of the first dose, or more, for at least 1 day, 2 days, 3 days, 4 days, 5 days, 6 days, or 7 days after second administration or subsequent administration.

[0518] In some embodiments, the pharmaceutical composition of the disclosure has an duration of therapeutic effect in vivo of about 1 hour or longer, about 2 hours or longer, about 3 hours or longer, about 4 hours or longer, about 5 hours or longer, about 6 hours or longer, about 7 hours or longer, about 8 hours or longer, about 9 hours or longer, about 10 hours or longer, about 12 hours or longer, about 14 hours or longer, about 16 hours or longer, about 18 hours or longer, about 20 hours or longer, about 25 hours or longer, about 30 hours or longer, about 35 hours or longer, about 40 hours or longer, about 45 hours or longer, or about 50 hours or longer. In some embodiments, the pharmaceutical composition of the disclosure has an duration of therapeutic effect in vivo of at least 1 hour, 2 hours, 3 hours, 4 hours, 5 hours, 6 hours, 7 hours, 8 hours, 9 hours, 10 hours, 11 hours, 12 hours, 13 hours, 14 hours, 15 hours, 16 hours, 17 hours, 18 hours, 19 hours, 20 hours, 21 hours, 22 hours, 23 hours, 24 hours, 1.5 days, 2 days, 3 days, 4 days, 5 days, 6 days, 7 days, 8 days, 9 days, or 10 days.

[0519] In some embodiments, the pharmaceutical composition of the disclosure has a half-life in vivo comparable to that of a pre-determined threshold value. In some embodiments, the pharmaceutical composition of the disclosure has a half-life in vivo greater than that of a pre-determined threshold value. In some embodiments, the pharmaceutical composition of the disclosure has a half-life in vivo shorter than that of a pre-determined threshold value. In some embodiments, the pre-determined threshold value is the

half-life of a control composition comprising the same payload molecule and LNP except that the LNP comprises (i) a PEG-lipid that is not of Formula (A), (A'), or (A'') (for example, the PEG-lipid of the LNP in the control composition may be PEG2k-DPG); or (ii) a cationic lipid that is not of Formula (I).

[0520] In some embodiments, the pharmaceutical composition of the disclosure has an AUC (area under the blood concentration-time curve) following a repeat dose that is at least 30%, at least 40%, at least 50%, at least 60%, at least 70%, at least 80%, at least 90%, or at least 100% of the AUC following the previous dose. In some embodiments, the pharmaceutical composition has an AUC that is at least 60% of the AUC following the previous dose. In some embodiments, following a repeat dose, AUC of the pharmaceutical composition decreases less than 70%, less than 60%, less than 60%, less than 40%, less than 30%, less than 20%, less than 10%, or less than 5% compared to the AUC following the previous dose. In some embodiments, following a repeat dose, AUC of the pharmaceutical composition decreases less than 40% compared to the AUC following the previous dose.

[0521] In some embodiments, the pharmaceutical composition of the disclosure comprises a nucleic acid molecule encoding viral genome of an oncolytic virus, and wherein administration of the pharmaceutical composition to a subject bearing a tumor delivers the nucleic acid molecule into tumor cells. In some embodiments, the nucleic acid molecule is a RNA molecule. In some embodiments, administration of the pharmaceutical composition results in replication of the oncolytic virus in tumor cells. In some embodiments, administration of the pharmaceutical composition to a subject bearing a tumor results in selective replication of the oncolytic virus in tumor cells as compared to normal cells.

[0522] In some embodiments, administration of the pharmaceutical composition of the disclosure to a subject bearing a tumor inhibits growth of the tumor. In some embodiments, administration of the pharmaceutical composition inhibits growth of the tumor for at least 1 week, at least 1 month, at least 2 months, at least 3 months, at least 4 months, at least 6 months, at least 9 months, at least 12 months, at least 2 years, or longer. In some embodiments, inhibiting growth of the tumor means controlling the size of the tumor within 100% of the size of the tumor just before administration of the pharmaceutical composition for a specified time period. In some embodiments, inhibiting growth of the tumor means controlling the size of the tumor within 110%, within 120%, within 130%, within 140%, or within 150%, of the size of the tumor just before administration of the pharmaceutical composition.

[0523] In some embodiments, administration of the pharmaceutical composition to a subject bearing a tumor leads to tumor shrinkage or elimination. In some embodiments, administration of the pharmaceutical composition leads to tumor shrinkage or elimination for at least 1 week, at least 1 month, at least 2 months, at least 3 months, at least 4 months, at least 6 months, at least 9 months, at least 12 months, at least 2 years, or longer. In some embodiments, administration of the pharmaceutical composition leads to tumor shrinkage or elimination within 1 week, within 2 weeks, within 3 weeks, within 4 weeks, within 1 month, within 2 months, within 3 months, within 4 months, within 6 months, within 9 months, within 12 months, or within 2 years. In some embodiments, tumor shrinkage means reduc-

ing the size of the tumor by at least 10%, at least 20%, at least 30%, at least 40%, at least 50%, at least 60%, at least 70%, at least 80%, at least 90%, or at least 95%, compared to the size of the tumor just before administration of the pharmaceutical composition. In some embodiments, tumor shrinkage means reducing the size of the tumor at least 30% compared to the size of the tumor just before administration of the pharmaceutical composition.

[0524] Pharmaceutical compositions can be supplied as a kit comprising a container that comprises the pharmaceutical composition as described herein. A pharmaceutical composition can be provided, for example, in the form of an injectable solution for single or multiple doses, or as a sterile powder that will be reconstituted before injection. Alternatively, such a kit can include a dry-powder disperser, liquid aerosol generator, or nebulizer for administration of a pharmaceutical composition. Such a kit can further comprise written information on indications and usage of the pharmaceutical composition.

[0525] The disclosure relates to a method of treating cancer in a subject in need thereof, comprising administering a therapeutically effective amount of a composition as described herein to the subject.

[0526] In some embodiments, the disclosure provides methods of delivering a encapsulated molecule to a cell, the method comprising contacting the cell with the LNP or pharmaceutical composition thereof, wherein the LNP comprises the encapsulated molecule. In some embodiments, the encapsulated molecule is a nucleic acid molecule encoding a virus, and wherein contacting the cell with the LNP results in production of viral particles by the cell, and wherein the viral particles are infectious and lytic.

[0527] In some embodiments, the disclosure provides methods of delivering an LNP to a subject, comprising administering the LNP or the pharmaceutical composition thereof of the disclosure to the subject. In some embodiments, the method comprises multiple administrations. In some embodiments, the interval between two consecutive administrations of the pharmaceutical composition is less than 4, less than 3, less than 2, or less than 1 weeks. In some embodiments, the interval between two consecutive administrations is less than 2 weeks. In some embodiments, the interval between two consecutive administrations is less than 1 week. In some embodiments, the interval between two consecutive administrations is less than 28, 27, 26, 25, 24, 23, 22, 21, 20, 19, 18, 17, 16, 15, 14, 13, 12, 11, 10, 9, 8, 7, 6, 5, 4, 3, 2 or 1 days. In some embodiments, the interval between two consecutive administrations of the pharmaceutical composition is at least 4, at least 3, at least 2, or at least 1 weeks. In some embodiments, the interval between two consecutive administrations of the pharmaceutical composition of the disclosure is at least 2 weeks. In some embodiments, the interval between two consecutive administrations of the pharmaceutical composition of the disclosure is at least 1 week. In some embodiments, the interval between two consecutive administrations of the pharmaceutical composition of the disclosure is at least 28, 27, 26, 25, 24, 23, 22, 21, 20, 19, 18, 17, 16, 15, 14, 13, 12, 11, 10, 9, 8, 7, 6, 5, 4, 3, 2 or 1 days. In some embodiments, the method comprises administering to a subject the pharmaceutical composition of the disclosure every 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, or 28 days. In some embodiments, the method comprises administering to a subject the pharma-

ceutical composition of the disclosure once every 4, 5, 6, 7, 8, 9, 10, 11, or 12 weeks. In some embodiments, the method comprises administering to a subject the pharmaceutical composition of the disclosure once every 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, or 12 months.

[0528] In some embodiments, the disclosure provides methods of delivering an LNP to a subject, comprising administering the LNP or the pharmaceutical composition thereof of the disclosure to the subject, wherein the method comprises multiple administrations. In some embodiments, serum half-life of the LNP in the subject following the second and/or subsequent administration of the method is at least 40%, 50%, 60%, 70%, 80%, 85%, 90%, or 95% of the serum half-life of the LNP following the first administration.

[0529] In some embodiments, the LNP has an AUC following a repeat dose that is at least 30%, at least 40%, at least 50%, at least 60%, at least 70%, at least 80%, at least 90%, or at least 100% of the AUC following the previous dose. In some embodiments, the LNP has an AUC that is at least 60% of the AUC following the previous dose. In some embodiments, following a repeat dose, AUC of the LNP decreases less than 70%, less than 60%, less than 60%, less than 40%, less than 30%, less than 20%, less than 10%, or less than 5% compared to the AUC following the previous dose. In some embodiments, following a repeat dose, AUC of the LNP decreases less than 40% compared to the AUC following the previous dose.

[0530] In some embodiments, the disclosure provides methods of delivering an LNP to a subject, comprising administering the LNP or the pharmaceutical composition thereof of the disclosure to the subject, wherein the LNP comprises a nucleic acid molecule encoding a viral genome of an oncolytic virus, wherein the subject has a tumor, and wherein administration of the LNP delivers the nucleic acid molecule into tumor cells. In some embodiments, administration of the LNP results in replication of the oncolytic virus in tumor cells. In some embodiments, administration of the LNP results in selective replication of the oncolytic virus in tumor cells as compared to normal cells.

[0531] In some embodiments, the disclosure provides methods of delivering an LNP to a subject, comprising administering the LNP or the pharmaceutical composition thereof of the disclosure to the subject, wherein administration of the LNP to a subject bearing a tumor inhibits growth of the tumor. In some embodiments, the method inhibits growth of the tumor for at least 1 week, at least 1 month, at least 2 months, at least 3 months, at least 4 months, at least 6 months, at least 9 months, at least 12 months, at least 2 years, or longer. In some embodiments, inhibiting growth of the tumor means controlling the size of the tumor within 100% of the size of the tumor just before administration of the pharmaceutical composition for a specified time period. In some embodiments, inhibiting growth of the tumor means controlling the size of the tumor within 110%, within 120%, within 130%, within 140%, or within 150%, of the size of the tumor just before administration of the pharmaceutical composition.

[0532] In some embodiments, the disclosure provides methods of delivering an LNP to a subject, comprising administering the LNP or the pharmaceutical composition thereof of the disclosure to the subject, wherein administration of the LNP to a subject bearing a tumor leads to tumor shrinkage or elimination. In some embodiments, the method results in tumor shrinkage or elimination for at least 1 week,

at least 1 month, at least 2 months, at least 3 months, at least 4 months, at least 6 months, at least 9 months, at least 12 months, at least 2 years, or longer. In some embodiments, the method results in tumor shrinkage or elimination within 1 week, within 2 weeks, within 3 weeks, within 4 weeks, within 1 month, within 2 months, within 3 months, within 4 months, within 6 months, within 9 months, within 12 months, or within 2 years. In some embodiments, tumor shrinkage means reducing the size of the tumor by at least 10%, at least 20%, at least 30%, at least 40%, at least 50%, at least 60%, at least 70%, at least 80%, at least 90%, or at least 95%, compared to the size of the tumor just before administration of the pharmaceutical composition. In some embodiments, tumor shrinkage means reducing the size of the tumor at least 30% compared to the size of the tumor just before administration of the pharmaceutical composition.

[0533] In some embodiments, the disclosure provides methods of delivering an LNP to a subject, comprising administering the LNP or the pharmaceutical composition thereof of the disclosure to the subject, wherein administration of the LNP to a subject bearing a tumor inhibits the metastasis of the cancer.

[0534] In some embodiments, the subject is a mammal. In some embodiments, the subject is a human. In some embodiments, the subject has a cancer, and wherein the method inhibits or slows the growth and/or metastasis of the cancer.

[0535] In some embodiments, the disclosure provides methods of delivering an LNP to a subject, comprising systemically administering the LNP or pharmaceutical composition thereof. In some embodiments, the administration is intravenous, intra-arterial, intraperitoneal, intramuscular, intradermal, subcutaneous, intranasal, oral, or a combination thereof.

[0536] In some embodiments, the disclosure provides methods of delivering an LNP to a subject, comprising locally administering the LNP or pharmaceutical composition thereof. In some embodiments, the administration is intratumoral.

Cancer

[0537] In some embodiments, the disclosure provides methods of killing a cancerous cell comprising exposing the cancerous cell to the lipid nanoparticles, the recombinant RNA molecules, or compositions thereof of the disclosure. In some embodiments, the cancerous cells are exposed under conditions sufficient for the intracellular delivery of the particles/recombinant RNA molecules/compositions to said cancerous cell, wherein the replication-competent virus produced by the encapsulated polynucleotide results in killing of the cancerous cell.

[0538] In some embodiments, the disclosure provides methods of treating a cancer in a subject comprising administering to a subject suffering from the cancer an effective amount of the particles, the recombinant RNA molecules, or compositions thereof of the disclosure.

[0539] “Cancer” herein refers to or describes the physiological condition in mammals that is typically characterized by unregulated cell growth. Examples of cancer include but are not limited to carcinoma, lymphoma, blastoma, sarcoma (including liposarcoma, osteogenic sarcoma, angiosarcoma, endotheliosarcoma, leiomyosarcoma, chordoma, lymphangiosarcoma, lymphoendotheliosarcoma, rhabdomyosarcoma, fibrosarcoma, myxosarcoma, and chondrosarcoma), neuroendocrine tumors, mesothelioma, syn-

ovioma, schwannoma, meningioma, adenocarcinoma, melanoma, and leukemia or lymphoid malignancies. More particular examples of such cancers include squamous cell cancer (e.g., epithelial squamous cell cancer), lung cancer including small-cell lung cancer, non-small cell lung cancer, adenocarcinoma of the lung and squamous carcinoma of the lung, small cell lung carcinoma, cancer of the peritoneum, hepatocellular cancer, gastric or stomach cancer including gastrointestinal cancer, pancreatic cancer, glioblastoma, cervical cancer, ovarian cancer, liver cancer, bladder cancer, hepatoma, breast cancer, colon cancer, rectal cancer, colorectal cancer, endometrial or uterine carcinoma, salivary gland carcinoma, kidney or renal cancer, prostate cancer, vulvar cancer, thyroid cancer, hepatic carcinoma, anal carcinoma, penile carcinoma, testicular cancer, esophageal cancer, tumors of the biliary tract, Ewing's tumor, basal cell carcinoma, adenocarcinoma, sweat gland carcinoma, sebaceous gland carcinoma, papillary carcinoma, papillary adenocarcinomas, cystadenocarcinoma, medullary carcinoma, bronchogenic carcinoma, renal cell carcinoma, hepatoma, bile duct carcinoma, choriocarcinoma, seminoma, embryonal carcinoma, Wilms' tumor, testicular tumor, lung carcinoma, bladder carcinoma, epithelial carcinoma, glioma, astrocytoma, medulloblastoma, craniopharyngioma, ependymoma, pinealoma, hemangioblastoma, acoustic neuroma, oligodendroglioma, meningioma, melanoma, neuroblastoma, retinoblastoma, leukemia, lymphoma, multiple myeloma, Waldenstrom's macroglobulinemia, myelodysplastic disease, heavy chain disease, neuroendocrine tumors, Schwannoma, and other carcinomas, as well as head and neck cancer. In some embodiments, the cancer is a neuroendocrine cancer. Furthermore, benign (i.e., noncancerous) hyperproliferative diseases, disorders and conditions, including benign prostatic hypertrophy (BPH), meningioma, schwannoma, neurofibromatosis, keloids, myoma and uterine fibroids and others may also be treated using the disclosure disclosed herein. In some embodiments, the cancer is selected from small cell lung cancer (SCLC), small cell bladder cancer, large cell neuroendocrine carcinoma (LCNEC), castration-resistant small cell neuroendocrine prostate cancer (CRPC-NE), carcinoid (e.g., pulmonary carcinoid), and glioblastoma multiforme-IDH mutant (GBM-IDH mutant).

[0540] In some embodiments, the cancer is a metastatic cancer. In some embodiments, the cancer has metastasized. In some embodiments, the cancer is a non-metastatic cancer.

[0541] In some embodiments, the cancer is selected from the group consisting of lung cancer, breast cancer, colon cancer, pancreatic cancer, bladder cancer, renal cell carcinoma, ovarian cancer, gastric cancer and liver cancer. In some embodiments, the cancer is renal cell carcinoma, lung cancer, or liver cancer. In some embodiments, the lung cancer is NSCLC (non-small cell lung cancer). In some embodiments, the liver cancer is HCC (hepatocellular carcinoma). In some embodiments, the liver cancer is metastatic. In some embodiments, the breast cancer is TNBC (triple-negative breast cancer). In some embodiments, the bladder cancer is urothelial carcinoma. In some embodiments, the cancer is selected from the group consisting of breast cancer, esophageal cancer, stomach cancer, lung cancer, kidney cancer and skin cancer, and wherein the cancer has metastasized into liver. In some embodiments, the cancer is a metastasized cancer in the liver, wherein the cancer is originated from the group consisting of breast

cancer, esophageal cancer, stomach cancer, lung cancer, kidney cancer and skin cancer. In some embodiments, the cancer is a hematologic cancer. In some embodiments, the hematologic cancer is multiple myeloma (see, e.g., Bradley, et al., *Oncolytic Virotherapy*, 2014:3 47-55, the content of which is incorporated by reference in its entirety). In some embodiments, the hematologic cancer is a leukemia or a lymphoma.

[0542] In some embodiments, the particles, the recombinant RNA molecules, or compositions thereof comprises a polynucleotide sequence derived from a CVA21-KY strain for treating cancer or killing cancer cells of lung cancer (e.g., NSCLC), breast cancer, colon cancer, or pancreatic cancer. In some embodiments, the cancer is lung cancer (e.g., NSCLC).

[0543] In some embodiments, the particles, the recombinant RNA molecules, or compositions thereof comprises a polynucleotide sequence derived from a CVA21-EF strain for treating cancer or killing cancer cells of bladder cancer, renal cell carcinoma, ovarian cancer, gastric cancer, or liver cancer (e.g., HCC). In some embodiments, the cancer is renal cell carcinoma. In some embodiments, the cancer is liver cancer (e.g., HCC). In some embodiments, the liver cancer is metastatic.

[0544] In some embodiments, the particles, the recombinant RNA molecules, or compositions thereof comprises a polynucleotide sequence derived from an SVV (e.g., a SVV-IRES-2 chimeric virus) for treating cancer or killing cancer cells of lung cancer, liver cancer, prostate cancer, bladder cancer, pancreatic cancer, colon cancer, gastric cancer, breast cancer, neuroblastoma, renal cell carcinoma, ovarian cancer, rhabdomyosarcoma, medulloblastoma, neuroendocrine cancer, Merkel cell carcinoma (MCC), or melanoma. In some embodiments, the cancer is small cell lung cancer (SCLC). In some embodiments, the cancer is neuroblastoma. In some embodiments, the cancer is neuroendocrine cancer. In some embodiments, the cancer is rhabdomyosarcoma. In some embodiments, the cancer is castration-resistant prostate cancer with neuroendocrine phenotype (CRPC-NE). In some embodiments, the cancer is Merkel cell carcinoma (MCC).

[0545] In some embodiments, the disclosure provides methods of treating a cancer in a subject comprising administering to a subject suffering from the cancer (i) an effective amount of a particle (e.g., LNPs), a recombinant RNA molecule, or compositions thereof of the disclosure, and (ii) an effective amount of an immune checkpoint inhibitor. In some embodiments, the immune checkpoint inhibitor is an antibody or an antigen binding fragment thereof. In some embodiments, the immune checkpoint inhibitor binds to PD-1 (e.g., the inhibitor is an anti-PD-1 antibody). Anti-PD1 antibodies are known in the art, for example, Nivolumab, Pembrolizumab, Lambrolizumab, Pidilizumab, Cemiplimab, and AMP-224 (AstraZeneca/MedImmune and GlaxoSmithKline), JTX-4014 by Jounce Therapeutics, Spartalizumab (PDR001, Novartis), Camrelizumab (SHR1210, Jiangsu HengRui Medicine Co., Ltd), Sintilimab (IBI308, Inovvent and Eli Lilly), Tislelizumab (BGB-A317), Toripalimab (JS 001), Dostarlimab (TSR-042, WBP-285, GlaxoSmithKline), INCMGA00012 (MGA012, Incyte and MacroGenics), and AMP-514 (MEDI0680, AstraZeneca). In some embodiments, the immune checkpoint inhibitor binds to PD-L¹ (e.g., the inhibitor is an anti-PD-L¹ antibody). Anti-PDL1 antibodies are known in the art, for example, MEDI-

4736, MPDL3280A, Atezolizumab (Tecentriq, Roche Genentech), Avelumab (Bavencio, Merck Serono and Pfizer), and Durvalumab (Imfinzi, AstraZeneca). In some embodiments, the immune checkpoint inhibitor binds to CTLA4 (e.g., the inhibitor is an anti-CTLA4 antibody). Anti-CTLA4 antibodies are known in the art, for example, ipilimumab, tremelimumab, or any of the antibodies disclosed in WO2014/207063. In some embodiments, the immune checkpoint inhibitor is an anti-TIGIT antibody or fragment thereof. Anti-TIGIT antibodies are known in the art, for example tiragolumab (Roche), EOS-448 (iTeos Therapeutics), Vibostolimab (Merck), Domvanalimab (Arcus, Gilead), BMS-986207 (BMS), Etigilimab (Mereo), COM902 (Compugen), ASP8374 (Astellas), SEA-TGT (Seattle Genetics) BGB-A1217 (BeiGene), IBI-939 (Innovent), and M6223 (EMD Serono).

[0546] In some embodiments, both of 1) the particles, the recombinant RNA molecules, or compositions thereof and 2) the immune checkpoint inhibitor are concurrently administered. In some embodiments, these two therapeutic components are administered sequentially. In some embodiments, one or both therapeutic components are administered multiple times. In some embodiments, the particles, the recombinant RNA molecules, or compositions thereof comprises a polynucleotide sequence derived from an SVV (e.g., a SVV-IRES-2 chimeric virus), and the immune checkpoint inhibitor binds to PD-1.

[0547] In some embodiments, the disclosure provides methods of treating a cancer in a subject comprising administering to a subject suffering from the cancer (i) an effective amount of a particle (e.g., LNPs), a recombinant RNA molecule, or compositions thereof of the disclosure, and (ii) an effective amount of an engineered immune cell comprising an “engineered antigen receptor.” Engineered antigen receptors refer to non-naturally occurring antigen-specific receptors such as a chimeric antigen receptors (CARs) or a recombinant T cell receptor (TCRs). In some embodiments, the engineered antigen receptor is a CAR comprising an extracellular antigen binding domain fused via hinge and transmembrane domains to a cytoplasmic domain comprising a signaling domain. In some embodiments, the CAR extracellular domain binds to an antigen expressed by a target cell in an MHC-independent manner leading to activation and proliferation of the engineered immune cell. In some embodiments, the extracellular domain of a CAR recognizes a tag fused to an antibody or antigen-binding fragment thereof. In such embodiments, the antigen-specificity of the CAR is dependent on the antigen-specificity of the labeled antibody, such that a single CAR construct can be used to target multiple different antigens by substituting one antibody for another (See e.g., U.S. Pat. Nos. 9,233,125 and 9,624,279; US Patent Application Publication Nos. 20150238631 and 20180104354). In some embodiments, the extracellular domain of a CAR may comprise an antigen binding fragment derived from an antibody. Antigen binding domains that are useful in the present disclosure include, for example, scFvs; antibodies; antigen binding regions of antibodies; variable regions of the heavy/light chains; and single chain antibodies.

[0548] In some embodiments, the intracellular signaling domain of a CAR may be derived from the TCR complex zeta chain (such as CD3 ξ signaling domains), Fc γ RIII, Fc ϵ RI, or the T-lymphocyte activation domain. In some embodiments, the intracellular signaling domain of a CAR

further comprises a costimulatory domain, for example a 4-1BB, CD28, CD40, MyD88, or CD70 domain. In some embodiments, the intracellular signaling domain of a CAR comprises two costimulatory domains, for example any two of 4-1BB, CD28, CD40, MyD88, or CD70 domains. Exemplary CAR structures and intracellular signaling domains are known in the art (See e.g., WO 2009/091826; US20130287748; WO 2015/142675; WO 2014/055657; and WO 2015/090229, incorporated herein by reference).

[0549] CARs specific for a variety of tumor antigens are known in the art, for example CD171-specific CARs (Park et al., *Mol Ther* (2007) 15 (4): 825-833), EGFRvIII-specific CARs (Morgan et al., *Hum Gene Ther* (2012) 23 (10): 1043-1053), EGF-R-specific CARs (Kobold et al., *J Natl Cancer Inst* (2014) 107 (1): 364), carbonic anhydrase K-specific CARs (Lamers et al., *Biochem Soc Trans* (2016) 44 (3): 951-959), FR- α -specific CARs (Kershaw et al., *Clin Cancer Res* (2006) 12 (20): 6106-6015), HER2-specific CARs (Ahmed et al., *J Clin Oncol* (2015) 33 (15): 1688-1696; Nakazawa et al., *Mol Ther* (2011) 19 (12): 2133-2143; Ahmed et al., *Mol Ther* (2009) 17 (10): 1779-1787; Luo et al., *Cell Res* (2016) 26 (7): 850-853; Morgan et al., *Mol Ther* (2010) 18 (4): 843-851; Grada et al., *Mol Ther Nucleic Acids* (2013) 9 (2): 32), CEA-specific CARs (Katz et al., *Clin Cancer Res* (2015) 21 (14): 3149-3159), IL13Ra2-specific CARs (Brown et al., *Clin Cancer Res* (2015) 21 (18): 4062-4072), GD2-specific CARs (Louis et al., *Blood* (2011) 118 (23): 6050-6056; Caruana et al., *Nat Med* (2015) 21 (5): 524-529), ErbB2-specific CARs (Wilkie et al., *J Clin Immunol* (2012) 32 (5): 1059-1070), VEGF-R-specific CARs (Chinnasamy et al., *Cancer Res* (2016) 22 (2): 436-447), FAP-specific CARs (Wang et al., *Cancer Immunol Res* (2014) 2 (2): 154-166), MSLN-specific CARs (Moon et al., *Clin Cancer Res* (2011) 17 (14): 4719-30), NKG2D-specific CARs (VanSeggelen et al., *Mol Ther* (2015) 23 (10): 1600-1610), CD19-specific CARs (Axicabtagene ciloleucel (Yescarta®) and Tisagenlecleucel (Kymriah®). See also, Li et al., *J Hematol and Oncol* (2018) 11 (22), reviewing clinical trials of tumor-specific CARs.

[0550] In some embodiments, the engineered antigen receptor is an engineered TCR. Engineered TCRs comprise TCR α and/or TCR β chains that have been isolated and cloned from T cell populations recognizing a particular target antigen. For example, TCR α and/or TCR β genes (i.e., TRAC and TRBC) can be cloned from T cell populations isolated from individuals with particular malignancies or T cell populations that have been isolated from humanized mice immunized with specific tumor antigens or tumor cells. Engineered TCRs recognize antigen through the same mechanisms as their endogenous counterparts (e.g., by recognition of their cognate antigen presented in the context of major histocompatibility complex (MHC) proteins expressed on the surface of a target cell). This antigen engagement stimulates endogenous signal transduction pathways leading to activation and proliferation of the TCR-engineered cells.

[0551] Engineered TCRs specific for tumor antigens are known in the art, for example WT1-specific TCRs (JTCR016, Juno Therapeutics; WT1-TCR α 4, described in US Patent Application Publication No. 20160083449), MART-1 specific TCRs (including the DMF4T clone, described in Morgan et al., *Science* 314 (2006) 126-129); the DMF5T clone, described in Johnson et al., *Blood* 114 (2009) 535-546); and the ID3T clone, described in van den Berg et

al., Mol. Ther. 23 (2015) 1541-1550), gp100-specific TCRs (Johnson et al., Blood 114 (2009) 535-546), CEA-specific TCRs (Parkhurst et al., Mol Ther. 19 (2011) 620-626), NY-ESO and LAGE-1 specific TCRs (1G4T clone, described in Robbins et al., J Clin Oncol 26 (2011) 917-924; Robbins et al., Clin Cancer Res 21 (2015) 1019-1027; and Rapoport et al., Nature Medicine 21 (2015) 914-921), and MAGE-A3-specific TCRs (Morgan et al., J Immunother 36 (2013) 133-151) and Linette et al., Blood 122 (2013) 227-242). (See also, Debets et al., Seminars in Immunology 23 (2016) 10-21).

[0552] In some embodiments, the engineered antigen receptor is directed against a target antigen selected from a cluster of differentiation molecule, such as CD3, CD4, CD8, CD16, CD24, CD25, CD33, CD34, CD45, CD64, CD71, CD78, CD80 (also known as B7-1), CD86 (also known as B7-2), CD96, CD116, CD117, CD123, CD133, and CD138, CD371 (also known as CLL1); a tumor-associated surface antigen, such as 5T4, BCMA (also known as CD269 and TNFRSF17, UniProt #Q02223), carcinoembryonic antigen (CEA), carbonic anhydrase 9 (CAIX or MN/CAIX), CD19, CD20, CD22, CD30, CD40, disialogangliosides such as GD2, ELF2M, ductal-epithelial mucin, ephrin B2, epithelial cell adhesion molecule (EpCAM), ErbB2 (HER2/neu), FCRL5 (UniProt #Q68SN8), FKBP11 (UniProt #Q9NYL4), glioma-associated antigen, glycosphingolipids, gp36, GPRC5D (UniProt #Q9NZD1), mut hsp70-2, intestinal carboxyl esterase, IGF-I receptor, ITGA8 (UniProt #P53708), KAMP3, LAGE-la, MAGE, mesothelin, neutrophil elastase, NKG2D, Nkp30, NY-ESO-1, PAP, prostase, prostate-carcinoma tumor antigen-1 (PCTA-1), prostate specific antigen (PSA), PSMA, prostein, RAGE-1, ROR1, RU1 (SFMBT1), RU2 (DCDC2), SLAMF7 (UniProt #Q9NQ25), survivin, TAG-72, and telomerase; a major histocompatibility complex (MHC) molecule presenting a tumor-specific peptide epitope; tumor stromal antigens, such as the extra domain A (EDA) and extra domain B (EDB) of fibronectin; the A1 domain of tenascin-C (TnC A1) and fibroblast associated protein (FAP); cytokine receptors, such as epidermal growth factor receptor (EGFR), EGFR variant III (EGFRVIII), TFGB-R or components thereof such as endoglin; a major histocompatibility complex (MHC) molecule; a virus-specific surface antigen such as an HIV-specific antigen (such as HIV gp120); an EBV-specific antigen, a CMV-specific antigen, a HPV-specific antigen, a Lassa virus-specific antigen, an Influenza virus-specific antigen as well as any derivate or variant of these surface antigens.

SELECTED SEQUENCES OF THE DISCLOSURE				
SEQ ID NO	Name	Sequence	Type	
130	ENV27-WT	ACTCGTTTGAGCGAGTATAAACAGT TGGTTAGGCTCAAAGCGGAGAGCAG ATCTGCTCTCGTCCAA	DNA	
131	ENV27-V1	ACTCGTTTGAGCGAGTATAAACAGT TTGTTAGGCTCAAAGCGGAGAGCAG ATCTGCTCTCG	DNA	
132	ENV27-V2	ACTCGTTTGAGCGAGTATAAACAGT TTATTAGGCTCAAAGCGGAGAGCAG ATCTGCTCTCG	DNA	

-continued

SELECTED SEQUENCES OF THE DISCLOSURE				
SEQ ID NO	Name	Sequence	Type	
133	ENV27-V3	ACTCGTTTGAGCGAGTATAAACAGT TTATTAGGCTCAAAGCGGAGAGCAG AGAAATCTGCTCTCG	DNA	
134	ENV27-V4	ACTCGTTTGAGCGAGTATAAACAGT TTATTAGGCTCAAAGCGGAGAGCAG AACGAGAAATCGTTCTGCTCTCG	DNA	
135	CVA21-L1	GGATGTTAATCAGGATATACATACA GAAGGAAAAGTGAAGTAGGGCATGG	DNA	
136	CVA21-L2	ACATAATTCTGGTGTAAACGACTTA ACAATACGAAAGCCTGCGATCACAA	DNA	

FURTHER NUMBER EMBODIMENTS

[0553] Further numbered embodiments of the invention are provided as follows:

[0554] Embodiment 1. A recombinant DNA molecule comprising, from 5' to 3', a promoter sequence, a 5' junctional cleavage sequence, and a polynucleotide sequence encoding an RNA molecule comprising a synthetic RNA viral genome, wherein the 5' junctional cleavage sequence comprises or consists of a ENV27 ribozyme encoding sequence.

[0555] Embodiment 2. The recombinant DNA molecule of Embodiment 1, wherein the ENV27 ribozyme encoding sequence comprises or consists of a polynucleotide sequence (excluding P3 stem insert) having at least 80% identity to SEQ ID NO: 132 (excluding its P3 stem insert corresponding to nucleotides 49-54 of SEQ ID NO: 132).

[0556] Embodiment 3. The recombinant DNA molecule of Embodiment 2, wherein the polynucleotide sequence (excluding P3 stem insert) is 100% identical, or has at most 1, at most 2, at most 3, at most 4, at most 5, at most 6, at most 7, at most 8, at most 9, at most 10, or at most 11 mutations (insertions, deletions or substitutions), as compared to SEQ ID NO: 132 (excluding its P3 stem insert corresponding to nucleotides 49-54 of SEQ ID NO: 132).

[0557] Embodiment 4. The recombinant DNA molecule of any one of Embodiments 1-3, wherein the polynucleotide sequence is 100% identical, or has at most 1, at most 2, at most 3, at most 4, at most 5, at most 6, at most 7, at most 8, at most 9, at most 10, or at most 11 mutations (insertions, deletions or substitutions), as compared to any one of SEQ ID NO: 130-134.

[0558] Embodiment 5. The recombinant DNA molecule of Embodiment 3 or 4, wherein the mutation(s) are substitution (s).

[0559] Embodiment 6. The recombinant DNA molecule of any one of Embodiments 1-5, wherein the ENV27 ribozyme encoding sequence comprises the polynucleotides "TTT-ATT" or "TTTGTT" at the positions corresponding to nucleotides 25-30 of SEQ ID NO: 132.

[0560] Embodiment 7. The recombinant DNA molecule of Embodiment 6, wherein the ENV27 ribozyme encoding sequence comprises the polynucleotides "TTTATT" at the positions corresponding to nucleotides 25-30 of SEQ ID NO: 132.

[0561] Embodiment 8. The recombinant DNA molecule of any one of Embodiments 2-7, wherein the ENV27 ribozyme encoding sequence comprises the P3 stem insert of about 1-30, about 1-20, about 6-20, or about 6-10 polynucleotides in length.

[0562] Embodiment 9. The recombinant DNA molecule of any one of Embodiments 2-8, wherein the P3 stem insert is at least 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, or 20 polynucleotides in length.

[0563] Embodiment 10. The recombinant DNA molecule of any one of Embodiments 2-9, wherein the P3 stem insert is 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, or 20 polynucleotides in length.

[0564] Embodiment 11. The recombinant DNA molecule of any one of Embodiments 8-10, wherein the P3 stem insert comprises or consists of the polynucleotides "AGATCT" at the region corresponding to nucleotides 49-54 of SEQ ID NO: 132.

[0565] Embodiment 12. The recombinant DNA molecule of any one of Embodiments 8-10, wherein the P3 stem insert comprises or consists of the polynucleotides "AGAGAAATCT" (SEQ ID NO: 137) at the region corresponding to nucleotides 49-54 of SEQ ID NO: 132.

[0566] Embodiment 13. The recombinant DNA molecule of any one of Embodiments 8-10, wherein the P3 stem insert comprises or consists of the polynucleotides "AGAACGAGAAATCGTTCT" (SEQ ID NO: 138) at the region corresponding to nucleotides 49-54 of SEQ ID NO: 132.

[0567] Embodiment 14. The recombinant DNA molecule of any one of Embodiments 1-13, comprising, from 5' to 3', the promoter sequence, the 5' junctional cleavage sequence, the polynucleotide sequence encoding the RNA molecule comprising the synthetic RNA viral genome, and a poly-A tail.

[0568] Embodiment 15. The recombinant DNA molecule of Embodiment 14, comprising, from 5' to 3', the promoter sequence, the 5' junctional cleavage sequence, the polynucleotide sequence encoding the RNA molecule comprising the synthetic RNA viral genome, the poly-A tail, and a 3' junctional cleavage sequence.

[0569] Embodiment 16. The recombinant DNA molecule of any one of Embodiments 1-15, wherein the synthetic RNA viral genome encodes a picornavirus.

[0570] Embodiment 17. The recombinant DNA molecule of Embodiment 16, wherein the picornavirus is a coxsackievirus virus.

[0571] Embodiment 18. The recombinant DNA molecule of any one of Embodiments 1-17, wherein the 5' end of the RNA viral genome starts with "UUAAA".

[0572] Embodiment 19. The recombinant DNA molecule of any one of Embodiments 17-18, wherein the Cocksackievirus is a CVA21 strain.

[0573] Embodiment 20. The recombinant DNA molecule of Embodiment 19, wherein the CVA21 strain is selected from the Kuykendall strain, the EF strain and the KY strain.

[0574] Embodiment 21. The recombinant DNA molecule of any one of Embodiments 1-20, wherein the 5' end of the RNA viral genome comprises a polynucleotide sequence having at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identity to nucleotides 1-260 of any one of SEQ ID NO: 1, 5, or 9.

[0575] Embodiment 22. The recombinant DNA molecule of any one of Embodiments 1-21, wherein the recombinant DNA molecule does not comprise additional nucleic acid between the 5' junctional cleavage sequence and the polynucleotide sequence encoding the RNA molecule.

[0576] Embodiment 23. The recombinant DNA molecule of any one of Embodiments 1-22, wherein cleavage of the 5' junctional cleavage sequence and/or the 3' junctional cleavage sequence produces native 5' and/or 3' ends of the synthetic RNA viral genome after transcription.

[0577] Embodiment 24. The recombinant DNA molecule of any one of Embodiments 1-23, further comprising a leader sequence between the promoter sequence and the 5' junctional cleavage sequence.

[0578] Embodiment 25. The recombinant DNA molecule of Embodiment 24, wherein the leader sequence is less than 100 bp, less than 90 bp, less than 80 bp, less than 70 bp, less than 60 bp, less than 50 bp, or less than 40 bp in length.

[0579] Embodiment 26. The recombinant DNA molecule of any one of Embodiments 24-25, wherein the leader sequence comprises or consists of a polynucleotide sequence having at least 70%, at least 80%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% sequence identity according to SEQ ID NO: 135 or 136.

[0580] Embodiment 27. The recombinant DNA molecule of any one of Embodiments 24-25, wherein the leader sequence comprises or consists of a polynucleotide sequence having at least 70%, at least 80%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% sequence identity according to SEQ ID NO: 135.

[0581] Embodiment 28. The recombinant DNA molecule of any one of Embodiments 24-27, wherein the recombinant DNA molecule does not comprise additional nucleic acid between the promoter sequence and the leader sequence.

[0582] Embodiment 29. The recombinant DNA molecule of any one of Embodiments 24-28, wherein the recombinant DNA molecule does not comprise additional nucleic acid between the leader sequence and the 5' junctional cleavage sequence.

[0583] Embodiment 30. The recombinant DNA molecule of any one of Embodiments 1-27, wherein the promoter sequence is a T7 promoter sequence.

[0584] Embodiment 31. The recombinant DNA molecule of Embodiment 30, wherein the T7 promoter sequence comprises or consists of SEQ ID NO: 91.

[0585] Embodiment 32. The recombinant DNA molecule of any one of Embodiments 1-31, wherein the poly-A tail is about 50-90 bp in length or about 65-75 bp in length.

[0586] Embodiment 33. The recombinant DNA molecule of Embodiment 32, wherein the poly-A tail is about 70 bp in length.

[0587] Embodiment 34. The recombinant DNA molecule of any one of Embodiments 1-31, wherein the poly-A tail is about 10-50 bp, or 25-35 bp in length.

[0588] Embodiment 35. The recombinant DNA molecule of any one of Embodiments 1-34, wherein the 3' junctional cleavage sequence comprises or consists of a ribozyme sequence.

[0589] Embodiment 36. The recombinant DNA molecule of Embodiment 35, wherein the 3' ribozyme sequence is a hepatitis delta virus ribozyme sequence.

[0590] Embodiment 37. The recombinant DNA molecule of any one of Embodiments 1-34, wherein the 3' junctional

cleavage sequence comprises or consists of a restriction enzyme recognition sequence.

[0591] Embodiment 38. The recombinant DNA molecule of any one of Embodiments 1-34, wherein the 3' junctional cleavage sequence comprises or consists of a Type IIS restriction enzyme recognition sequence.

[0592] Embodiment 39. The recombinant DNA molecule of any one of Embodiments 1-38, wherein the 3' junctional cleavage sequence comprises or consists of a BsmBI recognition sequence.

[0593] Embodiment 40. The recombinant DNA molecule of any one of Embodiments 1-38, wherein the 3' junctional cleavage sequence comprises or consists of a BsaI recognition sequence.

[0594] Embodiment 41. The recombinant DNA molecule of any one of Embodiments 1-40, wherein the promoter sequence is a T7 promoter sequence, wherein the leader sequence consists of a polynucleotide sequence according to SEQ ID NO: 135, wherein the 5' junctional cleavage sequence comprises or consists of a ENV27 ribozyme sequence according to any one of SEQ ID NO: 132-134, wherein the poly-A tail is about 70 bp in length, and wherein the 3' junctional cleavage sequence comprises or consists of a BsmBI recognition sequence.

[0595] Embodiment 42. The recombinant DNA molecule of any one of Embodiments 1-40, wherein the promoter sequence is a T7 promoter sequence, wherein the leader sequence consists of a polynucleotide sequence according to SEQ ID NO: 135, wherein the 5' junctional cleavage sequence comprises or consists of a ENV27 ribozyme sequence according to any one of SEQ ID NO: 132-134, wherein the poly-A tail is about 70 bp in length, and wherein the 3' junctional cleavage sequence comprises or consists of a BsaI recognition sequence.

[0596] Embodiment 43. The recombinant DNA molecule of any one of Embodiments 1-42, wherein the recombinant DNA molecule does not comprise additional nucleic acid within the region spanning the promoter sequence and the 3' junctional cleavage sequence.

[0597] Embodiment 44. A method of producing a recombinant RNA molecule, comprising in vitro transcription of the recombinant DNA molecule of any one of Embodiments 1-43 and purification of the resulting recombinant RNA molecule.

[0598] Embodiment 45. The method of Embodiment 44, wherein the recombinant RNA molecule comprises 5' and 3' ends that are native to the viral genome encoded by the recombinant RNA molecule.

[0599] Embodiment 46. A recombinant RNA molecule, or a plurality of recombinant RNA molecules, transcribed from the recombinant DNA molecule of any one of Embodiments 1-43.

[0600] Embodiment 47. The recombinant RNA molecules of Embodiment 46, wherein at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, at least 99.5%, or at least 99.9%, of the recombinant RNA molecules comprise 5' and 3' ends that are native to the viral genome encoded by the recombinant RNA molecule.

[0601] Embodiment 48. The recombinant RNA molecules of Embodiment 46 or 47, wherein no more than 30%, no more than 25%, no more than 20%, no more than 15%, no more than 10%, no more than 5%, no more than 4%, no more than 3%, no more than 2%, no more than 1%, no more

than 0.5%, or no more than 0.1%, of the recombinant RNA molecules comprise an RNA sequence encoded by the ENV27 ribozyme encoding sequence.

[0602] Embodiment 48.1 The recombinant RNA molecules of any one of Embodiments 46-48, wherein at least one of the recombinant RNA molecules comprises an RNA sequence encoded by the ENV27 ribozyme encoding sequence.

[0603] Embodiment 48.2 The recombinant RNA molecules of any one of Embodiments 46-48, wherein at least 0.0001%, at least 0.001%, at least 0.01%, at least 0.1%, or at least 1%, of the recombinant RNA molecules comprise an RNA sequence encoded by the ENV27 ribozyme encoding sequence.

[0604] Embodiment 49. A composition comprising an effective amount of the recombinant RNA molecules of any one of Embodiments 46-48.2, and a carrier suitable for administration to a mammalian subject.

[0605] Embodiment 50. A particle comprising the recombinant RNA molecules of any one of Embodiments 46-48.2.

[0606] Embodiment 51. The particle of Embodiment 50, wherein the particle is selected from the group consisting of a nanoparticle, an exosome, a liposome, and a lipoplex.

[0607] Embodiment 52. The particle of Embodiment 51, wherein the particle is a lipid nanoparticle.

[0608] Embodiment 53. A pharmaceutical composition comprising a plurality of particles according to any one of Embodiments 50-52.

[0609] Embodiment 54. The pharmaceutical composition of Embodiment 53, wherein delivery of the composition to a subject delivers the encapsulated recombinant RNA molecule to a target cell, and wherein the encapsulated recombinant RNA molecule produces an infectious virus capable of lysing the target cell.

[0610] Embodiment 55. A method of killing a cancerous cell comprising exposing the cancerous cell to the particle of any one of Embodiments 50-52, or compositions thereof, under conditions sufficient for the intracellular delivery of the particle to said cancerous cell, wherein the replication-competent virus produced by the encapsulated polynucleotide results in killing of the cancerous cell.

[0611] Embodiment 56. The method of Embodiment 55, wherein the method is performed in vivo, in vitro, or ex vivo.

[0612] Embodiment 57. A method of treating a cancer in a subject comprising administering to a subject suffering from the cancer an effective amount of the particle of any one of Embodiments 50-52, or compositions thereof.

[0613] Embodiment 58. The method of Embodiment 57, wherein the cancer is lung cancer, breast cancer, colon cancer, or pancreatic cancer, and wherein the synthetic RNA viral genome comprises a polynucleotide sequence derived from the KY strain.

[0614] Embodiment 59. The method of any of Embodiments 55-58, wherein the cancer is bladder cancer, renal cell carcinoma, ovarian cancer, gastric cancer or liver cancer, and wherein the synthetic RNA viral genome comprises a polynucleotide sequence derived from the EF strain.

[0615] Embodiment 60. The method of any one of Embodiments 55-58, wherein the cancer is selected from lung cancer, breast cancer, ovarian cancer, cervical cancer, prostate cancer, testicular cancer, colorectal cancer, colon cancer, pancreatic cancer, liver cancer, renal cell carcinoma, gastric cancer, head and neck cancer, thyroid cancer, malignant glioma, glioblastoma, melanoma, B-cell chronic lym-

phocytic leukemia, multiple myeloma, monoclonal gammopathy of undetermined significance (MGUS), Merkel cell carcinoma, diffuse large B-cell lymphoma (DLBCL), sarcoma, a neuroblastoma, a neuroendocrine cancer, a rhabdomyosarcoma, a medulloblastoma, a bladder cancer, and marginal zone lymphoma (MZL).

[0616] Embodiment 61. The method of any of Embodiments 55-58, wherein the cancer is selected from the groups consisting of lung cancer, breast cancer, colon cancer, pancreatic cancer, bladder cancer, renal cell carcinoma, ovarian cancer, gastric cancer and liver cancer.

[0617] Embodiment 62. The method of any of Embodiments 55-58, wherein the cancer is renal cell carcinoma, lung cancer, or liver cancer.

[0618] Embodiment 63. The method of any of Embodiments 55-58, wherein the cancer is small cell lung cancer or non-small cell lung cancer (e.g., squamous cell lung cancer or lung adenocarcinoma).

[0619] Embodiment 64. The method of any of Embodiments 55-58, wherein the cancer is hepatocellular carcinoma (HCC) (e.g., Hepatitis B virus associated HCC).

[0620] Embodiment 65. The method of any of Embodiments 55-58, wherein the cancer is treatment-emergent neuroendocrine prostate cancer.

[0621] Embodiment 66. The method of any of Embodiments 55-58, wherein the cancer is lung cancer, liver cancer, prostate cancer (e.g., CRPC-NE), bladder cancer, pancreatic cancer, colon cancer, gastric cancer, breast cancer, neuroblastoma, renal cell carcinoma, ovarian cancer, rhabdomyosarcoma, medulloblastoma, neuroendocrine cancer, Merkel cell carcinoma, or melanoma.

[0622] Embodiment 67. The method of any of Embodiments 55-58, wherein the cancer is neuroblastoma.

EXAMPLES

[0623] The following examples are given for the purpose of illustrating various embodiments of the disclosure and are not meant to limit the present disclosure in any fashion. The present examples; along with the methods described herein are presently representative of preferred embodiments; are exemplary; and are not intended as limitations on the scope of the disclosure. Changes therein and other uses which are encompassed within the spirit of the disclosure as defined by the scope of the claims will occur to those skilled in the art.

Example 1: Production of Infectious Picornavirus Virus from Recombinant RNA Molecules

[0624] Experiments were performed to assess the ability to produce infectious CVA21 virus from recombinant RNA molecules. Briefly, RNA polynucleotides comprising CVA21 viral genomes were generated by T7 transcription in vitro and 293T cells were transfected with 1 µg of the CVA21-RNA constructs in Lipofectamine RNAiMax for 4 hours, cells were washed, and complete media was added to each well. Supernatants from transfected 293T were collected after 72 hours, syringe filtered with 0.45 µm filter and serially diluted onto NCI-H1299 cells. After 48 hours, supernatants were removed from the NCI-H1299 cultures and cells were stained with crystal violet to assess viral infectivity. RNA molecules comprising CVA21 viral genomes produced active lytic virus (data not shown).

[0625] In addition, supernatants of NCI-H1299 cells treated with 1 µg of CVA21-RNA lipid, CVA21 plasmid

DNA, or CVA21-Negative pDNA control were collected after 72 hours and serially diluted onto uninfected NCI-H1299 cells. Cell viability assays were performed according to standard protocols. CVA21-RNA/LNP are capable of producing infectious virus that results in tumor cell lysis in vitro (data not shown).

Example 2: Formulation of Lipid Nanoparticles for Intravenous Delivery of CVA21-Encoding RNA

[0626] Recombinant RNA molecules comprising CVA21 genomes were formulated in lipid nanoparticles for delivery of the RNA in vivo.

Lipid Nanoparticle Production:

[0627] The following lipids were used in formulation of lipid nanoparticles:

[0628] (a) D-Lin-MC3-DMA (MC3);

[0629] (b) N-(2,3-dioleoyloxy) propyl)-N,N,N-trimethylammonium chloride (DOTAP)

[0630] (c) COATSOME® SS-LC (former name: SS-18/4PE-13);

[0631] (d) COATSOME® SS-EC (former name: SS-33/4PE-15);

[0632] (e) COATSOME® SS—OC;

[0633] (f) COATSOME® SS—OP;

[0634] (g) Di((Z)-non-2-en-1-yl) 9-((4-dimethylamino) butanoyl)oxy) heptadecanedioate (L-319)

[0635] (h) cholesterol;

[0636] (i) 1,2-distearoyl-sn-glycero-3-phosphocholine (DSPC);

[0637] (j) 1,2-dilauroyl-sn-glycero-3-phosphoethanolamine (DLPE);

[0638] (k) 1,2-dioleoyl-sn-glycero-3-phosphocholine (DOPC);

[0639] (l) 1,2-dioleoyl-sn-glycero-3-phosphoethanolamine (DOPE);

[0640] (m) 1,2-distearoyl-sn-glycero-3-phosphoethanolamine-N-[amino (polyethyleneglycol)-5000] (DSPE-PEG5K);

[0641] (n) 1,2-dipalmitoyl-rac-glycerol methoxypolyethylene glycol-2000 (DPG-PEG2K);

[0642] (o) 1,2-distearoyl-rac-glycero-3-methylpolyoxyethylene-2000 (DSG-PEG2K);

[0643] (p) 1,2-dimyristoyl-rac-glycero-3-methylpolyoxyethylene-2000 (DMG-PEG2K)

[0644] (q) polyoxyethylene (100) stearyl ether (BRIJ™ S100; CAS number: 9005-00-9);

[0645] (r) polyoxyethylene (20) stearyl ether (BRIJ™ S20; CAS number: 9005-00-9);

[0646] (s) polyoxyethylene (20) oleyl ether (BRIJ™ O20; CAS number: 9004-98-2);

[0647] (t) polyoxyethylene (20) cetyl ether (BRIJ™ C20, CAS number: 9004-95-9);

[0648] (u) Polyoxyethylene (40) stearate (MYRJ™ S40, CAS number: 9004-99-3).

[0649] Lipids were prepared in ethanol at various ratios. RNA lipid nanoparticles were then generated using microfluidic micromixture (Precision NanoSystems, Vancouver, BC) at a combined flow rate of 2 mL/min (0.5 mL/min for ethanol, lipid mix and 1.5 mL/min for aqueous buffer, RNA). The resulting particles were washed by tangential flow filtration with PBS containing Ca and Mg.

Analysis of Physical Characteristics of Lipid Nanoparticles:

[0650] Physical characteristics of lipid nanoparticles were evaluated before and after tangential flow filtration. Particle size distribution and zeta potential measurements were determined by light scattering using a Malvern Nano-ZS Zetasizer (Malvern Instruments Ltd, Worcestershire, UK). Size measurements were performed in HBS at pH 7.4 and zeta potential measurements were performed in 0.01 M HBS at pH 7.4. Percentage of RNA entrapment was measured by Ribogreen assay. Lipid nanoparticles that showed greater than 80 percent RNA entrapment were tested in vivo.

Example 3: In Vivo Efficacy of CVA21-Encoding RNA Lipid Nanoparticles in Melanoma

[0651] Experiments were performed to determine the ability of lipid nanoparticles comprising CVA21-encoding RNA molecules to produce infectious virus and inhibit melanoma tumor growth in vivo. CVA21 RNA lipid nanoparticle production, formulation, and analysis are described in Example 2.

[0652] The ability of CVA21 RNA lipid nanoparticles to inhibit tumor growth was evaluated using the SK-MEL28 xenograft model. Briefly, SK-MEL28 cells (1×10^6 cells/0.1 mL in a 1:1 mixture of serum-free PBS and Matrigel®) were subcutaneously inoculated in the right flank of 8-week-old female athymic nude mice (Charles River Laboratories). When median tumor size reached approximately 150 mm³ (120-180 mm³ range), mice were intratumorally administered either PBS or CVA21-encoding RNA formulated with Lipofectamine RNAiMAX (1 µg), or intravenously administered CVA21-encoding RNA lipid nanoparticles (formulation ID: 70032-6C, 5 µg). Mice received intratumoral treatments on days 1 and 5, or intravenous treatment on days 1, 6, 11, and 16. Tumor volume was measured 3 times per week using electronic calipers.

[0653] As shown in FIG. 1, intravenous treatment with LNPs comprising CVA21 Kuykendall strain RNA molecules (formulation ID: 70032-6C; MC3:Chol:DSPC:DPG-PEG5K is about 49:39.8:11:0.2 mol %) or intratumoral treatment of CVA21-Kuykendall strain RNA molecules formulated with Lipofectamine prevented tumor growth in tumor-bearing mice compared to mice treated with PBS (two-way ANOVA, $p < 0.0001$). Collectively, these results suggest that lipid nanoparticles comprising CVA21 RNA molecules are an effective therapeutic strategy for the treatment of melanoma.

Example 4: Strategies for Generation of Discrete 3' Termini of CVA21

[0654] As described above, the synthetic genomes described herein require discrete 3' and 5' ends native to the virus in order to produce a replication-competent and infective virus from the synthetic genome. The RNA transcripts produced by T7 RNA polymerase in vitro mammalian 5' and 3' UTRs and therefore do not contain the discrete, native ends required for production of an infectious ssRNA virus.

[0655] A strategy using 3' restriction enzyme recognition sequences was employed to generate the discrete 3' ends required for infectious CVA21. The Type IIS restriction recognition sequence (e.g., BsmBI, BsaI, or SapI recognition sequence) was inserted at the 3' end of the DNA template. The corresponding restriction enzyme (e.g., BsmBI, BsaI, or SapI) cleaves 5' of its recognition site to

generate a polythymidine run of the appropriate length to generate the discrete virus polyadenylation site native to the virus. This process is illustrated in FIG. 2A.

[0656] Both BsaI-HF®v2 and BsmBI-v2 (New England Biolabs) were tested for their efficiency of generating discrete 3' ends of DNA templates. DNA templates containing either a BsmBI recognition sequence or a BsaI recognition sequence were constructed and subjected to digestion by the corresponding enzyme at the appropriate condition provided in the product manuals. As shown in FIG. 2B (upper gel image), BsmBI achieved complete digestion of the corresponding DNA construct at 1 enzyme unit/µg DNA concentration, but lower concentrations of BsmBI led to incomplete digestion. On the other hand, as shown in FIG. 2B (lower gel image), BsaI achieved completed digestion of the corresponding DNA construct at a lower concentration of 0.015 enzyme unit/µg DNA, suggesting that incorporating a BsaI recognition sequence after the poly-A tail region and the use of corresponding BsaI restriction enzyme can efficiently generate the discrete 3' end of the in vitro DNA template for the RNA viral genome.

Example 5: An RNaseH Strategy for Generation of Discrete 5' Termini of CVA21

[0657] An RNaseH strategy was employed to generate the discrete 5' termini native to CVA21. The T7 leader must be removed to generate an authentic terminus for the virus. Depicted in FIG. 3 is a diagram of the in vitro transcription (IVT) and 5' leader processing approach. The IVT template is depicted at the top and the resulting RNA transcript is illustrated in the middle. This CVA21+ssRNA transcript is then annealed to a complementary dsDNA oligo (dashed box) and that portion is hydrolyzed with RNaseH. The final viral ssRNA product, with the correct 5' terminus, is shown at the bottom.

[0658] This strategy, in combination with the 3' restriction enzyme strategy, produces a final synthetic CVA21 genome with the discrete 5' and 3' termini required for production of infectious CVA21.

Example 6: A Ribozyme Strategy for Generation of Discrete 5' Termini of CVA21

[0659] A ribozyme strategy was employed to generate the discrete 5' termini native to CVA21. A schematic of this approach is illustrated in FIG. 4, showing the design of ribozymes to cleave at the 5' terminus of a picomavirus. The two ribozymes depicted are hammerhead and pistol ribozymes, however multiple other ribozymes could be adapted to cleave specifically in this context.

[0660] Modifications of the hammerhead and pistol ribozymes for implementation in this strategy are shown in FIG. 5 and FIG. 6, respectively. A structural model of a minimal hammerhead ribozyme (HHR) that anneals and cleaves the 5' end of CVA21 is shown in FIG. 5A (this ribozyme cleaves the 5' end at the site indicated by the arrow). A structural model of hammerhead ribozyme with a stabilized stem I for cleavage of the CVA21 5' terminus (STBL) is shown in FIG. 5B (this ribozyme cleaves the 5' end at the site indicated by the arrow). FIG. 6A shows a schematic of Pistol ribozyme characteristics found in the wild (Pistol WT). FIG. 6B shows a Pistol ribozyme from *P. polymyxa* modeled by mFOLD with a tetraloop added to fuse the P3 strands.

Example 7: Optimization of 5' Ribozyme Sequence

[0661] FIG. 10A provides a general schematic of a non-limiting example of the CVA21 expression construct design and corresponding in vitro transcription process to generate synthetic RNA viral genomes with precise 5' and 3' end. Picornaviruses such as CVA21 require specific identity of RNA termini for efficient viral replication. Nucleotide “U” at the 5'-end is required for covalent modification with VPg and PolyA tail at the 3'-end is required for (–) strand synthesis priming and RNA stability. On the other hand, eukaryotic promoters typically have a different RNA 5' end identity requirement for RNA production. For example, T7 RNA polymerase strongly prefers to start with 5'-GGG, which is not optimal for efficient viral replication.

[0662] Experiments were performed to optimize the ribozyme sequence at the 5' junctional cleavage sequence region of the in vitro transcription template for CVA21 viral genome based on the test construct design according to FIG. 10B. Initially, a short, about 60 nt segment(S) of the 5'-end of the viral genome (“virus start”) was used to identify ribozymes that yielded high cleavage efficiency. However, the candidate ribozymes with high cleavage efficiency for the short virus start segment displayed much lower cleavage efficiency when used for production of the much longer, full-length viral genome RNA. Specifically, for an initial candidate ribozyme that yielded >90% cleavage efficiency in the test construct with short ~60 nt virus start, it yielded only about 10-35% cleavage efficiency upon incorporation of the expression construct for the full-length viral genome. It is hypothesized that the short ~60 nt virus start did not have secondary structure elements presented in the longer viral genome construct that affected ribozyme folding and cleavage. Thus, the test construct was redesigned to include a longer, about 260 nt segment (L) of the 5'-end of the viral genome sequence. As shown in FIG. 10C, the initial candidate ribozyme, which displayed a high cleavage efficiency for the shorter 60 nt segment virus start, had a much lower cleavage efficiency for the longer ~260 nt segment virus start. Therefore, the test construct “L” with longer virus start better recapitulates the cleavage efficiency of the candidate ribozyme when incorporated into the full-length viral genome.

[0663] Experiments were then performed to screen for ribozymes using the test construct with longer virus start, which identified ENT27-WT (corresponding DNA sequence shown as SEQ ID NO: 130) as a promising candidate of the 5' junctional cleavage sequence. Further optimization was performed in the DNA template encoding ENT27 ribozyme, including:

[0664] Replacing the P2 motif “TTGGTT” of ENT27-WT with “TTTGTT” (ENT27-V1) or “TTTATT” (ENT27-V2, ENT27-V3, ENT27-V4) to complement the 5' end of the viral start “UUAAA” after ribozyme cleavage.

[0665] Inserting additional nucleotides “GAAA” (ENT27-V3) or “ACGAGAAATCGT” (ENT27-V4) into the P3 stem insert of the ENT27 ribozyme.

These optimizations are illustrated in FIG. 11A and FIG. 11B.

[0666] The cleavage efficiencies of these optimized ENT27 ribozymes were analyzed using the test constructs with longer ~260 nt virus start. The leader sequence used in these constructs include L1 (SEQ ID NO: 135) and L2 (SEQ ID NO: 136). As shown in FIG. 12A, the test construct with

ENV27-V2 ribozyme and L1 leader sequence achieved much better cleavage efficiency than the constructs with either ENV27-V1 ribozyme or L2 leader sequence. And, as shown in FIG. 12B, inserting the additional nucleotides into the P3 stem improved the cleavage efficiency as demonstrated by constructs with ENV27-V3 or ENV27-V4 ribozyme (and L1 leader sequence).

[0667] ENV27-V2 ribozyme and L1 leader sequence was then incorporated into the CVA21 viral genome expression construct and tested for cleavage efficiency using both RT-dPCR and RNA digest methods. As shown in FIG. 12C, ENV27-V2 with L1 leader sequence consistently yielded >90% cleavage efficiency, much higher than that of a control vector CVA21v1 that used an alternative ribozyme.

[0668] The higher cleavage efficiency of ENV27-V2 ribozyme in the test construct translated to higher potency of the viral genome RNA in cell studies and in vivo animal studies. As shown in FIG. 13, cells transfected with CVA21 viral genome RNAs produced using a DNA template comprising the ENV27-V2 ribozyme and L1 leader sequence (ENV27v2 CVA21) yielded much higher titer of virus as compared to a control DNA template using an alternative ribozyme (CVA21v1). Similarly, as shown in FIG. 14A, in a NSCLC xenograft mouse model, CVA21 viral genome RNAs produced using the ENV27v2 CVA21 template also exhibited much better efficacy of tumor inhibition than those produced using the control CVA21v1 DNA template. This result was reproduced in a second animal model study, in which 0.1 mg/kg dose of the LNP comprising viral genomes derived from the ENV27v2 CVA21 template more effectively inhibited tumor growth than the control LNP comprising viral genomes derived from the control CVA21v1 template (FIG. 14C).

[0669] These results demonstrate that a DNA template encoding an optimized ENV27 ribozyme as 5' junctional cleavage sequence can efficiently induce ribozyme cleavage at the start of the transcribed viral genome RNA and expose the native 5' end of the viral genome RNA product.

Example 8: Optimization of Poly-a Tail Sequence

[0670] Experiments were performed to optimize the length of the poly-A tail attached to the CVA21 viral genome or SVV viral genome.

[0671] Four different lengths of poly-A tails (30 pA, 50 pA, 70 pA, and 90 pA) were assessed by cloning into the corresponding region of the recombinant DNA molecule encoding the CVA21 or SVV viral genome. Purification assays were performed to assess the purification efficiency and recovery rate of the resulting RNA viral genomes on a monolith Oligo-dT chromatography at the following conditions: flow rate: 1 mL/min; loading concentration: 0.1 mg/mL; binding condition: 500 mM NaCl.

[0672] As shown in Table 15A below, a longer poly-A tail (>30 pA) resulted in a higher binding capacity and higher recovery rate of CVA21 RNA viral genome molecules after elution but extending the length of poly-A tail beyond 70 pA provided minimal further improvement of purification efficiency. A representative chromatography profile is shown in FIG. 15A.

TABLE 15A

Oligo-dT Chromatography of CVA21-RNA with Varying Poly-A Tail Lengths		
Poly-A Tail Length	Recovery % after Elution	Binding Capacity (mg/mL)
30 pA	44.5	3
50 pA	47.3	3.77
70 pA	49.5	4.24
90 pA	50.3	4.24

[0673] Similar experiments were performed to assess the purification efficiency and recovery rate of SVV RNA viral genome molecules with varying poly-A tail length, at the following conditions: flow rate: 1 mL/min; loading concentration: 0.1 mg/mL; binding condition: 500 mM NaCl. A negative strand control of SVV-RNA molecule with 30 pA tail was also included as an additional control.

[0674] As shown in Table 15B below, a longer poly-A tail resulted in higher binding capacity and higher recovery rate of SVV RNA viral genome molecules after elution but extending the length of poly-A tail beyond 70 pA provided minimal further improvement of purification efficiency. A representative chromatography profile is shown in FIG. 15B.

TABLE 15B

Oligo-dT Chromatography of SVV-RNA with Varying Poly-A Tail Length		
Poly-A Tail Length	Recovery % after Elution	Binding Capacity (mg/mL)
30 pA	33.1	N/A
50 pA	52	3.41
70 pA	56.3	3.9
90 pA	57.7	4.12
30 pA (negative strand)	32.4	N/A

[0675] The synthetic RNA viral genomes with the 70 pA length poly-A tails showed increased binding capacity and recovery on oligo-dT chromatography column.

[0676] The anti-tumor efficacy of the synthetic CVA21-EF strain viral genomes produced with the 70 pA poly-A tail versus the 30 pA poly-A tail, and the ribozyme sequence SEQ ID NO: 18 versus SEQ ID NO: 17, were then compared. A mouse lung cancer model based on NCI-H1299 cells was used. As shown in FIG. 16A and FIG. 16B, the CVA21-EF strain viral genome produced with the 70 pA poly-A tail and the 5' ribozyme sequence according to SEQ ID NO: 18 displayed similar or even better anti-tumor efficacy as compared to the other viral genome designs.

INCORPORATION BY REFERENCE

[0677] All references, articles, publications, patents, patent publications, and patent applications cited herein are incorporated by reference in their entireties for all purposes. However, mention of any reference, article, publication, patent, patent publication, and patent application cited herein is not, and should not be taken as, an acknowledgment or any form of suggestion that they constitute valid prior art or form part of the common general knowledge in any country in the world.

[0678] While preferred embodiments of the present disclosure have been shown and described herein; it will be obvious to those skilled in the art that such embodiments are provided by way of example only. Numerous variations, changes, and substitutions will now occur to those skilled in the art without departing from the disclosure. It should be understood that various alternatives to the embodiments of the disclosure described herein may be employed in practicing the disclosure. It is intended that the following claims define the scope of the disclosure and that methods and structures within the scope of these claims and their equivalents be covered thereby.

SEQUENCE LISTING

Sequence total quantity: 138
 SEQ ID NO: 1 moltype = RNA length = 7405
 FEATURE Location/Qualifiers
 source 1..7405
 mol_type = unassigned RNA
 organism = Enterovirus coxsackievirus A21

SEQUENCE: 1

ttaaaaacagc	tctgggggttg	ttccccacccc	agaggccccc	gtggcggtcta	gtactctggt	60
attacggtac	ctttgtacgc	ctgtttttgta	tcccttcccc	cgtaacttta	gaagcttatac	120
aaaagttcaa	tagcaggggt	acaaaccagt	acctctacga	acaagcactt	ctgtttcccc	180
ggtgatatca	catagactgt	acccacggtc	aaaagtgatt	gacccgttat	ccgcttgagt	240
acttcagaaa	gcctagtatac	accttggaat	cttcgatgcg	ttgcgctcaa	cactctgccc	300
cgagtgtagc	ttaggtctgat	gagtcctgggc	actccccacc	ggcgacgggtg	gcccaggctg	360
cgttgccggc	ctaccatggc	ctgatgccgt	gggacgctag	ttgtgaacaa	ggtgtgaaga	420
gcctattgag	ctactcaaga	gtcctccggc	ccctgaatgc	ggctaatacct	aaccacggag	480
caaccgctca	caaccacgtg	agtaggttgt	cgtaatgcgt	aagtcctgtg	cggaaccgac	540
tactttgggt	gtccgtgttt	ccctttatat	tcatactggc	tgcttatggt	gacaatttac	600
aaattgttac	catatagcta	ttggattggc	caccacgtat	tgtgcaatat	atttgagtgt	660
ttctttcata	agccttatta	acatcacatt	tttaatcaca	ataaacagtg	caaatggggg	720
ctcaagtttc	aacgcaaaag	accggtgcgc	acgagaatca	aaacgtggca	gccaatggat	780
ccaccattaa	ttactactact	atcaactatt	acaaagacag	tgcgagtaat	tccgctacta	840
gacaagacct	ctcccaagat	ccatcaaaat	tcacagaacc	ggttaaggac	ttaatgttga	900
aaacagcacc	agctctaaac	tcgcctaacg	tggaagcatg	tgggtacagt	gaccgtgtga	960
ggcaaatcac	tttaggcaac	tcgactatta	ctacacaaga	agcagccaat	gctattgttg	1020
cttacggtga	atgggccact	tacataaatg	attcagaagc	taatccggta	gatgcaccca	1080
ctgagccaga	cgtagtagc	aaccggtttt	acaccctaga	atcggtgtct	tggaagacca	1140
cttcaagggg	atggtgtgtg	aagttaccag	attgtttgaa	ggacatggga	atgtttgtgc	1200
agaatatgta	ctatcactac	ttggggcgct	ctggttacac	cattcatgtc	cagtgcacag	1260

-continued

cttcaaaatt	tcaccaaggg	gcgttaggag	tttttctgat	accagagttt	gtcatggett	1320
gcaacactga	gagtaaaacg	tcatacgttt	catacatcaa	tgcaaatcct	ggtgagagag	1380
gcggtgagtt	tacgaacacc	tacaatccgt	caaatacaga	cgccagttag	ggcagaaagt	1440
ttgcagcatt	ggattatttg	ctgggttctg	gtgttctagc	aggaaacgcc	tttgtgtacc	1500
cgccaccgat	catcaacctc	cgtaccaaca	acagtgcac	aattgtggtg	ccatacgtaa	1560
actcacttgt	gattgattgt	atggcaaaac	acaataactg	gggcattgtc	atattaccac	1620
tggcaccctt	ggcctttgcc	gcaacatcgt	caccacaggt	gcctattaca	gtgaccattg	1680
caccatgtg	tacagaattc	aatgggttga	gaaacatcac	cgtcccagta	catcaagggt	1740
tgccgacaat	gaacacacct	ggttccaatc	aattccttac	atctgatgac	ttccagtccg	1800
cctgtgcctt	acctaatttt	gatgttactc	caccaataca	cataccggg	gaagtaaaga	1860
atatgatgga	actagctgaa	attgacacat	tgatcccaat	gaacgcagtg	gacgggaagg	1920
tgaacacaa	ggagatgtat	caaataccat	tgaatgacaa	tttgagcaag	gcacctatat	1980
tctgtttatc	cctatcacct	gcttctgata	aacgactgag	ccgcaccatg	ttgggtgaaa	2040
tcctaaatta	ttacacccat	tggacggggt	ccatcaggtt	cacctttcta	ttttgtggta	2100
gtatgatggc	cactggtaaa	ctgctcctca	gctattcccc	accgggagct	aaaccaccaa	2160
ccaatcgcaa	ggatgcaatg	ctaggcacac	acatcatctg	ggacctaggg	ttacaatcca	2220
gttgttccat	ggttgcaacg	tggatctcca	acacagtgta	cagacggtgt	gcacgtgatg	2280
acttcactga	gggcggtatt	ataacttgct	tctatcaaac	tagaattgtg	gtacctgctt	2340
caaccctac	gcactatgtc	atgttaggct	ttgttagtgc	gtgtccagac	ttcagtgtca	2400
gactgcttag	ggacactccc	catattagtc	aatcgaaact	aataggacgt	acacaaggca	2460
ttgaagacct	catgacaca	gcgataaaga	atgccttaag	agtgctccaa	ccaccctcga	2520
cccagtcac	tgaagcaact	agtggagtga	atagccagga	ggtgccagct	ctaactgctg	2580
tggaaaacagg	agcatctggt	caagcaatcc	ccagtgatgt	ggtggaaact	aggcacgtgg	2640
taaattacaa	aaccaggtct	gaatcgtgtc	ttgagtcatt	ctttgggaga	gctgcgtgtg	2700
tcacaaatcct	atccttgacc	aactcctcca	agagcggaga	ggagaaaaag	catttcaaca	2760
tatggaatat	tacatacacc	gacactgtcc	agttacgcag	aaaattagag	tttttcacgt	2820
attccaggtt	tgatcttgaa	atgacttttg	tattcacaga	gaactatcct	agtacagcca	2880
gtggagaagt	gcgaaaaccag	gtgtaccaga	tcatgtatat	tccaccaggg	gcaccocgcc	2940
catcatcctg	ggatgactac	acatggcaat	cctcttcaaa	cccttccatc	ttctcatgtg	3000
atggaaatgc	acctccacgg	atgtcaattc	cttacgtagg	gattgccaat	gcctatttcac	3060
acttctacga	tggcttttga	cgggtgccac	ttgaggttga	gaacacccat	gctggcgaca	3120
cgttttacgg	tttagtgtcc	ataaatgatt	ttggagtttt	agcagttaga	gcagttaaac	3180
gcagttaatcc	catacataata	cacacatctg	tgagagtgtc	catgaaacca	aaacacattc	3240
ggtgttggtg	cccagacctc	cctcgagctg	tattatacag	gggagaggga	gtggacatga	3300
tatccagtgc	aattctacct	ctgaccaagg	tagactcaat	taccactttt	gggtttggtc	3360
atcagaacaa	agcagtgtag	gttgccggtt	acaagatttg	caactaccac	ctagcaaccc	3420
caagtgtaca	cttgaatgca	attagtatgt	tatgggacag	ggatttaatg	gtgggtggaat	3480
ctagagccca	gggaactgat	accatcgcca	gatgtagttg	caggtgtgga	gtttactatt	3540
gtgaatctag	gaggaaatga	taccctgtca	cttttactgg	cccaacgttt	cgattcatgg	3600
aagcaaacga	ctactatcca	gcaagatacc	agtctcacat	gctgataggg	tgccgatttg	3660
cagaaccocgg	ggactgcggt	gggatactga	ggtgcactca	tggggtaatt	ggtatcatta	3720
ctgcaggagg	tgaaggggta	gtagcctttg	ctgacattag	agacctctgg	gtgtatgaag	3780
aggaggccat	ggaacaggga	ataacaagct	acatcgaatc	tctcggcaca	gcctttggcg	3840
cagggttcac	ccacacaaat	agtgaagaa	tgactgaatt	gacaacaatg	gttaccagca	3900
ctatcacaga	aaaactactg	aaaaacttgg	tgaataatgt	gtcggctcta	gtgattgttg	3960
tgagaaatta	tgaaggacac	accacgatcc	ttgcaacact	agcactactc	gggtgtgata	4020
tatctccttg	gcaatgggtg	aagaagaagg	catgtgactt	actagagatt	ccttatgtga	4080
tgccccaagg	tgatgggtgg	atgaagaaat	tcacagaggg	gtgcaatgca	gctaaagggt	4140
tagagtggat	tagcaacaaa	atttccaagt	ttatagattg	gttgaagtgt	aaaattatcc	4200
cagacgctaa	ggacaagggt	gaattttctc	caaagttgaa	acagctagac	atgttggaat	4260
atcaaatgtc	aaccatccac	caatcttgcc	ccagccaaga	acaacaagag	attcttttca	4320
acaatgtgag	atggctagca	gtccagtcoc	gtcggtttgc	accattatac	gctgtggagg	4380
cacgccgaat	taacaaaaatg	gagagcacia	taaacaaata	tatacagttc	aagagcaaac	4440
accgtattga	accagtatgt	atgctcattc	atgggtcacc	agggacgggt	aaatctatag	4500
ctacttcatt	aataggttag	gcaatagcag	agaaggaaag	cacatcagtc	tattcaatgc	4560
cacctgaccc	atctcacttt	gatggctata	aacaacaagg	ggtagtgtat	atggacgacc	4620
taaaccaaaa	ccccgatggg	atggacatga	aactgttttg	ccaaatggta	tcaacagtgg	4680
agttttattc	tccaatggcc	tcattagagg	agaagggcac	tttgtttaca	tctgattatg	4740
tccctggctc	taccaactct	cattcaattg	taccaccac	agtggtctac	agtgatgcct	4800
taaccagacg	atttgcattt	gatgtggagg	tttacacgat	gtctgaacat	tcagtcaaat	4860
gcaaaactga	tatggccaacg	gccactcaat	tgtgtaaagg	ttgtccaaca	cctgcaaat	4920
ttaaaaagtg	ttgcctctc	gtttgtggaa	aggccttgca	attaatggac	aggtacacca	4980
gacaaaaggt	cactgtagat	gagattacca	cattaatcat	gaatgagaaa	aacagaaggg	5040
ccaatatcgg	caattgcacg	gaagccttgt	ttcaaggacc	attaaggtat	aaagatttga	5100
agatcgatgt	gaagacagtt	ccccccctg	agtgcatcag	tgatttgtta	caagcagttg	5160
attctcaaga	ggttagggat	tactgtgaga	agaaaggctg	gatcgttaac	gttactagcc	5220
agattcaact	agaaggaac	atcaataggg	ccatgactat	actccaagct	gttaccacat	5280
tcgcagcagt	cgagaggatga	gtgtatgtaa	tgtacaaact	cttcggcggg	caacagggtg	5340
catacactgg	cttgccaaac	aaaaaaccca	atgtccctac	tatcagagtc	gctaaagtcc	5400
aggggcccagg	atttgactac	gcagtgggcaa	tggcaaaaag	aaacatagtt	actgcaacca	5460
ccaccaaggg	tgaatttacc	attctagggg	tgcattgata	tgtagcaata	ttgccaaccc	5520
atgccgctcc	aggagaaacc	attattattg	atgggaaaga	agtagagatc	ctagatgcc	5580
gagccttaga	agatcaagcg	ggaaccaatc	ttgagatcac	cattattact	ctaaaaagaa	5640
atgagaagtt	tagagacatc	agatcacata	ttcccaccca	aattactgaa	actaacgatg	5700
gagtggtgat	cgtgaacat	agcaagtacc	ccaatatgta	tgtcccgtgt	ggtgctgtga	5760
ccgaacaggg	atatcttaat	ctcagtgga	gtcaaaactgc	tcgcacttta	atgtacaact	5820

-continued

```

ttccaacaag ggcaggccag tgcggaggaa tcatcacttg tactggcaaa gtcattggga 5880
tgcattgttg cgggaacggg tcacatgggt ttgcagcagc cctcaagcga tcatacttca 5940
ctcaaaatca gggcgaaatc cagtggatga ggtcatcaaa agaagtgagg taccocatta 6000
taaagtcccc atccaagaca aagttagaac ccagtgtctt ccatatgtt tttgaagggtg 6060
ttaagggaacc agctgtactc actaagaatg accccagact aaaaacagat tttgaagaag 6120
ccatcttttc taaatatgtg gggaaacaaa ttactgaagt ggacgagtag atgaaagaag 6180
cagtggtatca ctatgcagga cagttaatgt cactggatat caacacagaa cagatgtgcc 6240
tggaggatgc catgtacggc accgatggtc ttgaggccct ggatcttagc actagtgtcg 6300
gatatcctta tgttgcaatg gggaaaaaga aaagagacat tctagataaa cagaccagag 6360
atactaagga gatgcagaga cttttagata cctatggaat caatctacca ttagtcacgt 6420
acgtgaaaga tgaactcagg tcaaaagacta aagtggaaaca aggaagtcga agattgattg 6480
aagcttccag ccttaatgat tcagtgtcaa tgagaatggc ctttggcaat ctttacgcag 6540
ctttccacaa gaatccaggt gtggtgacag gatcagcagt tgggtgtgac ccagatttgt 6600
tttgagatga tagaccaggt ctaatggaag aaaaactctt cgcttttgac tacacagggt 6660
atgatgcctc actcagccct gcttggtttg aagctcttaa aatgggttta gaaaaattg 6720
gatttggcag tagagtagac tatatagact acctgaacca ctctaccac cttacaaaa 6780
acaagactta ttgtgtcaaa ggcggcatgc catccggctg ctctggcacc tcaattttca 6840
actcaatgat taacaacctg atcattagga cgcttttact gagaacctac aagggcatag 6900
acttggacca tttaaaaatg attgcctatg gtgatgacgt gatagcttcc taccoccatg 6960
agggtgacgc tagtctccta gcccaatcag gaaaagacta tggactaacc atgactccag 7020
cagataaatc agtaaccttt gaacacgtca catgggagaa tgtaacctt ctgaaaagat 7080
ttttcagagc agatgagaag tatccattcc tgggtgcatt agtgatgcca atgaaagaaa 7140
ttcacgaatc aatcagatgg accaaggacc ctagaaacac acaggatcac gtacgctcgt 7200
tgtgcctatt agcttggcac aacggtgaag aagaatacaa taaattttta gctaaaaatca 7260
gaagtgtgcc aatcggaaga gctttattgc tcccagagta ctctacattg taccgccgat 7320
ggctcgactc attttagtta cctacactca gtccgattgg attgggttat actgttgtag 7380
gggtaaatat ttctttaatt cggag 7405

```

```

SEQ ID NO: 2      moltype = RNA length = 713
FEATURE          Location/Qualifiers
source           1..713
                 mol_type = unassigned RNA
                 organism = Enterovirus coxsackievirus A21

```

```

SEQUENCE: 2
ttaaaccagc tctggggttg ttcccacccc agaggcccac gtggcggcta gtactctggt 60
attacggtag cttgtgacgc ctgtttttgta tcccttcccc cgtaacttta gaagcttatc 120
aaaagttcaa taacaggggt acaaacacgt acctctacga acaagcactt ctgtttcccc 180
ggtgatatac catagactgt acccacgggc aaaagtgtat gatccgttat ccgcttgagt 240
acttcgagaa gcctagatgc accttggaat ctctgatgcg ttgcgtcaca cactctgccc 300
cgagtgtagc ttaggctgat gagtctgggc actccccacc ggcgacgggt gccagggctg 360
cgttggcggc ctacccattg ctgatgccgt gggacgctag ttgtgaacaa ggtgtgaaga 420
gcctattagg ctaactcaaga gtccctccgc cctgaatgc ggctaacct aaccacggag 480
caaccgctca caaccagtg agtaggttgt cgtaatgcgt aagtctgttg cggaaccgac 540
tactttgggt gtcctgtgtt ccttttatat tcatactggc tgcttatggt gacaatttac 600
aaattgttac catatagcta ttggattggc caccagtag ttgtcaatat atttgagtgt 660
ttctttcata agccttatta acatcacatt ttaatacaca ataaacagtg caa 713

```

```

SEQ ID NO: 3      moltype = RNA length = 2637
FEATURE          Location/Qualifiers
source           1..2637
                 mol_type = unassigned RNA
                 organism = Enterovirus coxsackievirus A21

```

```

SEQUENCE: 3
atggggggtc aagtttcaac gcaaaagacc ggtgcgcagc agaatcaaaa cgtggcagcc 60
aatggatcca ccattaatta cactactatc aactattaca aagacagtgc gagtaattcc 120
gctactagac aagacctctc ccaagatcca tcaaaattca cagaaccggg taaggactta 180
atgttgaaaa cagcaccagc tctaaactcg cctaactgtg aagcatgtgg gtacagtgc 240
cgtgtgaggc aaatcaactt aggcactcga actattacta cacaagaagc agccaatgct 300
attgttgctt acggtgaatg gcccaactac ataaatgatt cagaagctaa tccggtagat 360
gcaccactg agccagacgt tagtagcaac cggttttaca ccctagaatc ggtgtcttgg 420
aagaccactt caaggggatg gtggtggaag ttaccagatt gtttgaagga catgggaatg 480
tttggtcaga atagtacta tcactacttg gggcgctctg gttacaccat tcatgtccag 540
tgcaacgctt caaaatttca ccaaggggag ttaggagttt ttctgatacc agagtttgtc 600
atggcttgca acactgagag taaaacgtca tacgtttcat acatcaatgc aaatcctggt 660
gagagagcgt gtgagtttac gaacacctac aatccgtcaa atacagagc cagtgggggc 720
agaaagtttg cagcattgga ttatttctg ggttctggtg ttctagcagg aaacgccttt 780
gtgtaccgc accagatcat caacctacgt accaacaaca gtgcaacaat tgtgggtgca 840
tacgtaaact cacttggtat tgattgtatg gcaaaacaca ataactggg cattgtcata 900
ttaccactgg cacccttggc ctttgcgcga acatcgtcac cacaggtgcc tattacagt 960
accattgcac ccattgtgac agaattcaat ggggtgagaa acatcaccgt cccagtagat 1020
caagggttgc cgacaatgaa cacacctggt tccaatcaat tcctacatc tgatgacttc 1080
cagtgcctct ggccttacc taattttgat gttactccac caatacacat acccggggaa 1140
gtaaagaata tgatggaaat agctgaaatt gacacattga tccaatgaa cgagtgga 1200
gggaagggtg acacaatgga gatgtatcaa ataccattga atgacaatt gagcaaggca 1260
cctatattct gttatccct atcacctgct tctgataaac gactgagccg caccatggtt 1320
ggtgaaatcc taaattatta caccattgg acgggttcca tcaggttcac ctttctattt 1380

```

-continued

tgtggtagta	tgatggccac	tggtaaactg	ctctcagct	attccccacc	gggagctaaa	1440
ccaccaacca	atcgcaagga	tgcaatgcta	ggcacacaca	tcattctggga	cctaggggta	1500
caatccagtt	gttccatggt	tgaccctggt	atctccaaca	cagtgtagag	acgggtgtgca	1560
cgtgatgact	tcactgaggg	cggatttata	acttgcttct	atcaaaactag	aattgtggtgta	1620
ectgcttcaa	cccctaccag	tatgttcatg	ttaggctttg	ttagtgctg	tccagacttc	1680
agtgctcagac	tgcttaggga	cactccccat	attagtcaat	cgaaactaat	aggacgtaca	1740
caaggcattg	aagacctcat	tgacacagcg	ataaagaatg	ccttaagagt	gtcccaacca	1800
ccctcgaccc	agtcaactga	agcaactagt	ggagtgaata	gccaggaggt	gccagctcta	1860
actgtctgtg	aaacaggagc	atctggtcaa	gcaatcccca	gtgatgtggt	ggaaactagg	1920
cacgtggtaa	attacaaaac	caggtctgaa	tcgtgtcttg	agtcattctt	tgggagagct	1980
gcgtgtgtca	caatcctatc	cttgaccaac	tcttccaaga	gcggagagga	gaaaaagcat	2040
ttcaacatat	ggaattattac	atacaccgac	actgtccagt	tacgcagaaa	attagagttt	2100
ttcacgtatt	ccaggtttga	tcttgaatg	acttttgtat	tcacagagaa	ctatcctagt	2160
acagccagtg	gagaagtgcg	aaaccagggt	taccagatca	tgatatattcc	accaggggca	2220
cccccccat	catcctggga	tgactacaca	tggaatcct	cttcaaaccc	ttccatcttc	2280
tacatgtatg	gaaatgcacc	cccacggatg	tcaattcctt	acgtagggat	tgccaatgcc	2340
tattcacact	ttacagctgg	ctttgcacgg	gtgccacttg	agggtgagaa	caccgatgct	2400
ggcgacacgt	tttacggttt	agtgtccata	aatgattttg	gagttttagc	agttagagca	2460
gtaaaccgca	gtaatccaca	acatctgtga	gagtgtagat	gaaacaaaa	2520	
cacattcggt	gttggtgccc	cagacctcct	cgagctgtat	tatacagggg	agagggagtg	2580
gacatgatat	ccagtgcaat	tctacctctg	accaaggtag	actcaattac	cactttt	2637

SEQ ID NO: 4 moltype = RNA length = 1389
 FEATURE Location/Qualifiers
 source 1..1389
 mol_type = unassigned RNA
 organism = Enterovirus coxsackievirus A21

SEQUENCE: 4

ggcgaaatcc	agtggtatgag	gtcatcaaaa	gaagtggggg	acccattat	aaatgccccca	60
tccaagacaa	agttagaacc	cagtgctttc	cactatgttt	ttgaagggtg	taagggaacca	120
gctgtactca	ctaagaatga	cccagacta	aaaaagagatt	tgaaagaagc	catcttttct	180
aaatatgtgg	ggaacaaaat	tactgaagtg	gacgagtaca	tgaagaagc	agtggtatcac	240
tatgcaggac	agttaatgtc	actggatata	aacacagaac	agatgtgcct	ggaggatgcc	300
atgtacggca	ccgatggtct	tgaggccctg	gatcttagca	ctagtgtctg	atatccttat	360
gttgcaatgg	ggaaaaagaa	aagagacatt	ctagataaac	agaccagaga	tactaaggag	420
atgcagagac	ttttagatata	ctatggaatc	aatctaccat	tagtcacgta	cgtgaaagat	480
gaactcaggt	caaaagactaa	agtggaaaca	ggaaagtcaa	gattgattga	agcttccagc	540
cttaatgatt	cagttgcaat	gagaatggcc	tttgcaatc	tttacgcagc	tttccacaag	600
aatccaggtg	tggtgacagg	atcagcagtt	ggttgtgacc	cagatttgtt	ttggagtaag	660
ataccagtg	taatggaaga	aaaactcttc	gcttttgact	acacagggta	tgatgcctta	720
ctcagccctg	cttggtttga	agctcttaaa	atggtgttag	aaaaaatttg	atttggcagt	780
agagtagact	atatagacta	cctgaaccac	tctcaccacc	tttcaaaaa	caagacttat	840
tggttcaaa	gcggcattgc	atccgctgc	tctggcacct	caattttcaa	ctcaatgatt	900
aaacaacctga	tcattaggac	gcttttactg	agaacctaca	agggcataga	cttggaccat	960
ttaaaaatga	ttgcctatgg	tgatgacgtg	atagcttcct	acccccatga	ggttgacgct	1020
agttctctag	cccaatcagg	aaaagactat	ggactaacca	tgactccagc	agataaatca	1080
gtaacctttg	aaacagtcac	atggggagaat	gtaaacattc	tgaagaagatt	tttcagagca	1140
gatgagaagt	atccattcct	ggtgcatcca	gtgatgccaa	tgaagaagaa	tcacgaatca	1200
atcagatgga	ccaaggaacc	tagaaacaca	caggatcacg	tacgtctggt	gtgcctatta	1260
gcttggcaca	acggtgaaga	agaatacaat	aaatttttag	ctaaaatcag	aagtgtgcca	1320
atcggaagag	ctttatgtct	cccagagtac	tctacattgt	accgccgatg	gtcgcactca	1380
ttttagtaa						1389

SEQ ID NO: 5 moltype = RNA length = 7405
 FEATURE Location/Qualifiers
 source 1..7405
 mol_type = unassigned RNA
 organism = Enterovirus coxsackievirus A21

SEQUENCE: 5

ttaaaacagc	tctggggttg	ttcccacccc	agaggccccc	gtggcggtca	gtactctggt	60
atcacggtag	cttgttagcg	ctgtttttata	tcccttcccc	cgcaacttta	gaagcttaac	120
aaaagttcaa	tagcaggggt	gcaagccagt	acctctatga	acaagcactt	ctgtctcccc	180
ggtgaaatta	catagactgt	accacaggtc	aaaagtaatt	gatccgttat	ccgcttgagt	240
acttcagaaa	gcttagtata	accttggaat	cttcgacgcg	ttgcgctcaa	cactctaccc	300
cgggtgtagc	ttaggtgtat	gagtcggggc	acccccacc	ggtgacggtg	gccagggtg	360
cggtggcggc	ctacccatgg	ctaaccgcat	gggacgctag	tgttgaaaca	ggtgtgaaga	420
gcctatttag	ctactcaaga	gtcctccggc	cctgaatgc	ggctaattcc	aaccacggag	480
caattgctca	cgatccagt	agtaggttgt	cgtaatgcgc	aagttcgttg	cggaaccgac	540
tactttgggt	gtccgtgttt	ccctttttac	ttatactggc	tgcttatggt	gacaatttac	600
agattgttac	catatagtca	ttggattggc	catccagtat	tggtttacac	atattaaaat	660
acttttttac	aagcatcaac	acattgtgt	ttggaccaca	ataatcacta	caaatgggag	720
ctcaagtata	aaacaaaaag	accggtgcac	acgaaaaatca	aaacgtggct	gccaatggat	780
ccaccattaa	ttacactact	atcaactact	acaaagatag	tgcaagttaac	tcagccacca	840
gacaagatct	ttctcaagat	ccatcaaaaat	ttacagaacc	agttaaagat	ttaatgttga	900
aaacagcacc	agctttgaat	tcacaaaatg	tggaagcatg	tgataacagt	gaccgtgtaa	960
ggcaaatcac	cctgggaaac	tcgactatta	ccacacaaga	agcagctaac	gctattgttg	1020

-continued

cttatggtga	gtggccact	tacataaat	actcagaagc	aaacccagta	gatgcacca	1080
ctgaaccaga	tggttagtagc	aacaggtttt	acactctgga	ctcagtgctc	tggaagacta	1140
cctcaagggg	ttggtggtgg	aaactaccag	actgtctaaa	agacatgggg	atgtttgggtc	1200
agaatatgta	ttaccactac	ctggggcgct	ccggttacac	cattcatgtc	cagtgcagt	1260
cctcaaagtt	tcaccaaggg	gcattaggag	ttttcttgat	accagagttt	gttatggcct	1320
gtaacaccga	gagcaagaca	tcatatgttt	catacatcaa	cgcaaatcct	gggtgagagg	1380
gtggtgagtt	tacaacatt	tacaatccat	caagcacaga	tgctagttag	ggcagacaat	1440
ttgcagcgct	agattatttta	ctgggttctg	gtgttttagc	tggaatgca	tttgtgtacc	1500
cacaccagat	cattaacctg	cgtaccaaca	atagtgcac	tatttgtgta	ccatatgtga	1560
actcacttgt	cattgattgc	atggcaaaac	acaacaactg	gggtattgtc	atcctgccac	1620
tgggcgccatt	ggcctttgct	gcgacatcat	caccacaagt	gcctattaca	gtgaccattg	1680
cacccatgtg	cgcagaattc	aatggattga	gaacatcac	tattccagtg	catcaaggat	1740
taccaacaat	gaacacacct	ggatccaatc	agtttctcac	atctgatgac	ttccagtcac	1800
cctgcgctct	acccaacttt	gatgtcactc	cacctataca	catacccgga	gaagtgaaga	1860
atatgatgga	actggcgag	attgacacgc	tgatcccaat	gaacgcagtg	gacggaaagg	1920
taaacactat	ggagatgtat	ataatccat	taaatgatga	actaagcaaa	gcacccatat	1980
tttgctgtc	cctgtcacct	gcttctgaca	aacgattaa	tcatacagtg	ttgggtgaaa	2040
ttctaaacta	ttacactcat	tgacacgggt	ccattaggtt	cacctttcta	ttctgtggtg	2100
gcatgatggc	cactggtaag	ttgcttctca	gttattcccc	accaggagct	aaaccacca	2160
ccaaaccgcaa	ggatgcaatg	ttgggcacac	atatcatctg	ggacttgggt	ttacaatcca	2220
gttgctccat	gggtgcacca	tgatctctta	atacgggtata	caggcggtgt	gcacgtgatg	2280
acttcacaga	gggtgggttt	atgcttctg	tttatcaaac	cagaattgtt	gtgctgcct	2340
caacccctac	cagcatgttc	atgttaggct	ttgtgagtgc	atgtccagat	ttcagcgta	2400
gactgctgag	ggacacttcc	cacattagtc	aatcaaaact	catagcacgc	tcacaaggca	2460
ttgaagatct	catcgattca	gcaataaaga	atgctttgag	agtgtcccaa	ccgtccacgg	2520
ctcaatcgac	tgaagcaacc	agtggagcaa	acagtcaggga	agtaccagca	ctaactgctg	2580
tagaaacagg	agcatcaggt	caagcaattc	ccagtgacgt	gatggaaacc	agacacgtga	2640
taaaactcaa	aactaggtct	gagtcatgtc	ttgaatcatt	cttggggaga	gctgcgtgtg	2700
tcacaatcct	atctctgacc	aactcttcaa	aaagtggaga	ggaaaagaaa	catttcaaca	2760
tttggaacat	cagctatacc	gacactgtgc	agctacgtag	aaaattagag	ttcttcacat	2820
attccagatt	tgacctgaa	atgacttttg	tgttcacaga	gaactacccc	agtacagcta	2880
gtggagaagt	gcgcaaccag	gtataccaga	ttatgtatat	tcacaccagg	gcaccccgac	2940
catcatcctg	ggatgattat	acatggcaat	cctcctccaa	ccctctctac	ttttacatgt	3000
acgggaaccg	accgccacgg	atgtcaatcc	cctatgtagg	gattgcta	gcctactcac	3060
acttttatga	cggttttgca	cgagtgccac	ttgaggggtga	gaacactgat	gctgggtgaca	3120
cggttttatg	attgggatcc	ataaatgatt	ttggagctct	ggcagtcaga	gcagtgaacc	3180
gcagcaatcc	acacacaata	cacacatccg	tgagagtgtg	catgaaacca	aaacacattc	3240
gggtgctgtg	ccccagaccc	cctcgcgcag	tattatacag	aggagaagga	gtggacatga	3300
tatccagtg	aattttaccc	ctgaccaaag	tagattctat	tactaccttc	ggatttggac	3360
accaaagtga	ggcagtgat	gttgccggtt	ataagatctg	caactaccac	ctagcaaccc	3420
ctagtgatca	tctaaatgca	attagtgtgt	tgtgggtag	ggatttaagt	gtagtagagt	3480
ctagagccca	aggaaactgac	accatagcca	gatgtagtgt	taggtgtggg	gtctattact	3540
gtgaatcaag	aaggaaatgac	taccctgtca	ctttcacccg	tccaacgttc	cgattcatgg	3600
aagcgaatga	ctactaccca	gcaagatacc	agtcctcacat	gctgatagga	tgtggatttg	3660
cagagccctg	agattgctgt	ggaataactaa	gggtgcaccca	tggtgtgatt	ggattattata	3720
ctgcaggggg	tgagggagta	gtagcctttg	ctgacatcag	ggatccttgg	gtgtatgaag	3780
aggaggccat	ggaaacaggga	ataacaagct	acattgagtc	tcttggcaca	gcctttgggtg	3840
caggggttac	tcacacaatt	agtgaaaaag	tgaactgagtt	aactacaatg	attaccagta	3900
ccattacaga	aaaactacta	aaaaatttgg	tgaaaatagt	atcagcttta	gtaattgttg	3960
tgagaaatta	tgaagacact	actacagttc	ttgcaacact	agcattactt	gggtgtgaca	4020
tatctccttg	gcagtggttg	aagaaaaagg	catgtgacct	actagaattt	cctcatgtac	4080
tgtgccaaagg	tgatgggtgg	atgaagaaat	tcacagaggg	ttgcaatgca	gccaaagggtc	4140
tagaatggat	tagcaacaaa	attttctaagt	tcatagactg	gttgaagtgc	aaaaattatc	4200
cagaagccaa	agataaagggtg	gaattttctca	ccaagctgaa	acagtttagac	atgttagaaa	4260
atcaaattgc	aactatttcac	cagtccttgc	ccagccaggga	gcaacaagag	attctcttca	4320
acaatgtgag	atggttagca	gtccagtcct	gtcgatttgc	accactatat	gctgtggaag	4380
cacggagaat	tagcaaaatg	gagaacacaa	taaacacacta	catacagttc	aagagcaaac	4440
accgtattga	accagtatgt	atgctcatcc	atgggtcacc	gggaacaggc	aaatcaatag	4500
ccacctcatt	gataggcaga	gcgatagcag	aaaaggagaa	tacatcagtt	tactcaatgc	4560
cacctgaccc	atctcacttt	gatggctaca	aacaacaagg	ggctgtgatt	atggatgatt	4620
tgaatcagaa	ccctgagtcg	atggatatga	aactgttttg	ccaaatgggtg	tcacacgggtg	4680
agttcatccc	accgatggcc	tcactagagg	agaagggtat	tttgtttaca	tctgattatg	4740
tcctagcctc	caccaactcc	cattcaatag	caccacccac	ggtagctcac	agtgatgcct	4800
taaccagacg	atttgcatcc	gatgtggaag	tttacacaat	gtcagagcac	tcaatcaaa	4860
gcaaattgaa	catgggcaca	gccacccagt	tatgcaaggga	ttgtccaaca	cccgcaaat	4920
ttaaaaagt	ctgcccctct	gtctgtggta	aggcttttgc	gctaattggat	agatatacca	4980
gacagagatt	cactgtagat	gaaatcacca	cattgtattat	gaatgagaaa	aataggagg	5040
ccaatatttg	taactgcatg	gaagccttgt	tccaaggacc	gctgaggtag	agggatctga	5100
aaattgatgt	gaagacagtc	ccccccctg	aatgcatcag	tgacctacta	caagcagtg	5160
atttccaaga	agttagagat	tactgtgaaa	agaagggtcg	gatagtcatt	gttactagcc	5220
aaatacagtt	agaagaat	atcaacagg	ccatgactat	actccaagct	gtgactacgt	5280
ttgcagcagt	tgcaggagta	gtgtatgtga	tgtataaaat	ctttgctgggt	caacagggtg	5340
catacactgg	tttgccaagc	aaaaagccca	atgtcccaac	aatcagagtt	gccaaagtac	5400
agggaccagg	gtttgattat	gcagtggaag	tggtctaaaa	aaacatactt	actgcaacca	5460
ctactaagg	tgaattcaact	atgttaggag	tgcatgataa	tgtagcgata	ctgccaaccc	5520
atgccgcccc	aggagaaact	atcattattg	gtgggaaaga	agtggagatc	ttggacgcca	5580

-continued

```

gagccctaga agatcaagcg ggaaccaatc ttgagatcac tataatcact ctaaaaagaa 5640
atgagaagtt tagagatatc agaccacata ttcccaccca aatcacgaa accagtgatg 5700
gagtatgtat cgtgaacact agtaagtacc ccaatatgta tgcctctgtt ggtgctgtga 5760
ccgaacaggg gtatcttaat ctcaaggac gccaaactgc tcgtactctg atgtacaact 5820
ttccaacacg agcagggcag tgcgggggaa tcattacctg cactggtaaa gtcattggga 5880
tgcatgttgg tgggaacgggt tcacatgggt ttgcagcagc ccttaagcga tcatacttca 5940
cccaaaagtc aggtgaaatc caatggatga ggtcatcaaa agaagtggga taccctatta 6000
taaatgcccc atcaaaaaca aagttagaac ccagtgtctt tcattatgtc ttcaagggtg 6060
tcaaagaacc agcagtgtct accaagagtg accccagatt gaaaacagat ttcaagaag 6120
ccattttttc aaaatatgtg ggggaataaaa ttgttgaagt ggacgaatac atgaaagaag 6180
cagtgggacca ctatgcaggg cagctaattg cattagacat taatacagaa caaatgtgct 6240
tggaagatgc catgtacggc actgatgggt ttgaggctct agatcctagt accagtgcag 6300
gataccctta tgttgcaatg ggaaaaaaga aaagagatat cttagacaag cagactagag 6360
atactaaaga gatcgagaaa cttctagaca cttatggaa caacctacca ttgttacct 6420
atgttaaaga tgaactcagg tcaaaagacta aagtagagca aggaaaaatca aggctaattg 6480
aagcttcagc tcctaattg atcattgcaa tgagaatggc attcggcaat cttacgcag 6540
ccttccataa gaatccagggt gtggtaaccg gctcagcagt tgggtgtgac ccagacttat 6600
tttgagtaa gataccagta ttaatggaag aaaagctctt tgcctttgat tacacagggt 6660
atgatgcctc gcttagtctt gcttggtttg aggcacttaa aatggtgtta gaaaagatag 6720
gttttggtga tagagcagat tacatagatt acctgaacca ctctcatcat ctttcaaaaa 6780
acaaaactta ttgtgttaag ggcggtagtc catctggctg ttctggcaca tcaattttta 6840
actcaatgat taacaatttg atcatcagga cgcttttact gaaaacctac aagggcattg 6900
atthagacca tttaaaaatg attgcctatg gtgatgatgt gatagcttcc taccctcatg 6960
agggtgacgc tagtctccta gcccaatcag gaaaagacta cggactgacc atgactccag 7020
cagataaatc agcaactttt gaaacagtca catgggagaa tghtaacgttc ctgaaaagat 7080
ttttcagagc agatgagaaa tatccattcc tgggtgcatt agtaattgcc atgaaaagaa 7140
ttcatgaatc aatcagatgg accaaggacc ctagaataac acaagatcat gtgcgctcgt 7200
tgtgtttatt ggcttggcgc aacggtgaag aagaatataa caaattctta gctaaaatca 7260
gaagtgtgcc gatcggtaga gctttgttgc tcccagagta ctctacattg taccgccgtg 7320
ggcttgactc gtttttagtaa cctacactca gtcgaattgg attgggttat actgtgtgag 7380
gggtaaatth ttctttaatt cggag 7405

```

```

SEQ ID NO: 6      moltype = RNA length = 713
FEATURE          Location/Qualifiers
source            1..713
                  mol_type = unassigned RNA
                  organism = Enterovirus coxsackievirus A21

```

```

SEQUENCE: 6
ttaaaccagc tctgggggtt ttcccacccc agaggccac gtggcggtca gtactctggt 60
atcacggtag ctttgtacgc ctgttttata tcccttcccc cgcaacttta gaagcttaac 120
aaaagttcaa tagcaggggt gcaagccagt acctctatga acaagcactt ctgtctcccc 180
ggtgaaatta catagactgt acccaggtgc aaaagtaatt gatccgttat ccgcttgagt 240
acctcgagaa gcttagtatt accttggaa ctctgacgcg ttgcgctcaa cactctaccc 300
cgggtgtagc ttaggctgat gagtctgggc acccccccac ggtgacgggt gccacggctg 360
cgttggcggc ctacccatgg ctacgcccat gggacgctag ttgtgaaaca ggtgtgaaga 420
gcctattgag ctactcaaga gtctccggc ccttgaatgc ggctaattcc aaccacggag 480
caattgtcca cgatccagtg agtaggttgt cgtaatgcgc aagttcgttg cggaaaccgac 540
tactttgggt gtcctgtgtt ccttttttac ttactctggc tgcttatggt gacaatttac 600
agattgttac catatagcta ttggattggc catccagtat tgtgttacac atattaaaat 660
acttttctac aagcatcaac aaactgtgtt ttggaccaca ataactacta caa 713

```

```

SEQ ID NO: 7      moltype = RNA length = 2637
FEATURE          Location/Qualifiers
source            1..2637
                  mol_type = unassigned RNA
                  organism = Enterovirus coxsackievirus A21

```

```

SEQUENCE: 7
atgggagctc aagtatcaac ccaaaagacc ggtgcacacg aaaatcaaaa cgtggctgcc 60
aatggatcca ccattaatta cactactatc aactactaca aagatagtgc aagtaactca 120
gccaccagac aagatctttc tcaagatcca tcaaaaattta cagaaccagt taaagattta 180
atgttgaaaa cagcacagcg ttggaattca ccaaatgttg aagcatgttg atacagtgc 240
cgtgtaaggc aaattaccct gggaaactcg actattacca cacaagaagc agctaaccgt 300
attgttgctt atggtgagtg gccacattac ataaatgact cagaagcaaa ccagtagat 360
gcaccactg aaccagatgt tagtagcaac aggttttaca ctctggactc agtgtcttgg 420
aagactacct caaggggttg gtgggtgaaa ctaccagact gtctaaaaga catgggggatg 480
tttggtcaga atatgtatta ccactacctg gggcgctccg gttacacatc tcatgtccag 540
tgcaatgcct caaagtttca ccaaggggca ttaggagttt tcttgatacc agagtttgtt 600
atggcctgta acaccgagag caagacatca tatgtttcat acatcaacgc aaatcctggt 660
gagaggggtg gtgagtttac aaacatttac aatccatcaa gcacagatgc tagtcagggc 720
agacaatttg cagcgtaga ttatttactg ggttctgttg ttttagctgg aaatgcattt 780
tggtaccacc accagatcat taacctgcgt accaacaata gtgcaactat tgtgttacca 840
tatgtgaact cacttgtcat tgattgcatg gcaaaacaca acaactgggg tattgtcatc 900
ctggcactgg cgccattggc ctttgctgcg acatcatcac cacaagtgc tattacagt 960
accattgcac ccatgtgcgc agaattcaat ggattgagaa acatcactat tccagtgcac 1020
caaggattac caacaatgaa cacacctgga tccaatcagt ttctcacatc tgatgacttc 1080
cagtcaccct gcgctctacc caactttgat gtcactccac ctatacacat acccgagaa 1140

```

-continued

```

gtgaagaata tgatggaact ggccgagatt gacacgctga tcccaatgaa cgcagtggaac 1200
ggaaaggtaa acactatgga gatgtatcaa ataccattaa atgatgaact aagcaaaagca 1260
cccatatttt gcctgtccct gtcacctgct tctgacaaac gattaagtca tacgatgttg 1320
ggtgaaatcc taaactatta cactcattgg acagggtcca ttaggttcac ctttctatc 1380
tgtgtgtaga tgatggccac tggtaagttg cttctcagtt attccccacc aggagctaaa 1440
ccaccaacca accgcaagga tgcaatgttg ggccacacata tcatctggga cttgggttta 1500
caatccagtt gctccatggt tgcaccatgg atctctaata cgggtatacag gcggtgtgca 1560
cgtgatgact tcacagaggg tgggtttata acttgctttt atcaaacccag aattgttgtg 1620
cctgcctcaa cccctaccag catgttcatg ttaggtcttg tgagtgcag tccagatttc 1680
agcgtcagac tgctgagggg cacttcccac attagtcaat caaaactcat agcacgctca 1740
caaggcattg aagatctcat cgattcagca ataaagaatg ctttgagagt gtcccaaccg 1800
tccacggctc aatcgactga agcaaccagt ggagcaaaac gtcaggaagt accagcacta 1860
actgctgtag aaacaggagc atcagggtcaa gcaattccca gtgacgtgat ggaaccaga 1920
cacgtgataa actacaaaac taggtctgag tcatgtcttg aatcattctt tgggagagct 1980
gcgtgtgtca caatcctcat tctgaccaac tcttcaaaaa gtggagagga aaagaacat 2040
ttcaacattt ggaacattac gtataccgac actgtgcagc tacgtagaaa attagagttc 2100
ttcacatatt ccagatttga ccttgaaatg acttttgtgt tcacagagaa ctaccccagt 2160
acagctagtg gagaagtgcg caaccaggta taccagatta tgatatatcc accaggggca 2220
ccccgacct catcctggga tgattatata tggcaatcct cctccaaacc ttctatcttt 2280
tacatgtacg ggaacgcacc gccacggatg tcaatcccc atgtagggat tgctaagtc 2340
tactcacact tttatgacgg ttttgacga gtgccacttg agggtagaaa cactgatgct 2400
ggtgacacgt tttatggatt ggtatccata aatgattttg gagtcttggc agtcagagca 2460
gtgaaccgca gcaatccaca cacaatacac acatccgtga gagtgtacat gaaaccaaaa 2520
cacattcggt gctgggtccc cagaccccct cgcgcagtat tatcacagag agaaggagt 2580
gacatgatat ccagtgaact tttacccctg accaaagtag attctattac taccttc 2637

```

```

SEQ ID NO: 8      moltype = RNA length = 1389
FEATURE
source            Location/Qualifiers
                  1..1389
                  mol_type = unassigned RNA
                  organism = Enterovirus coxsackievirus A21

```

```

SEQUENCE: 8
ggtgaaatcc aatggatgag gtcataaaaa gaagtgggat accctattat aaatgcccc 60
tcaaaaacaa agttagaacc cagtgccttt cattatgtct tcgaaggtgt caaagaacca 120
gcagtgctca ccaagagtga ccccgatttg aaaacagatt tcgaagaagc cattttttca 180
aaatatgttg ggaataaaat tgttgaagtg gacgaataca tgaaagaagc agtggaccac 240
tatgcagggc agctaagtgc attagacatt aatacagaac aaatgtgctt ggaagatgcc 300
atgtacggca ctgatggctc tgaggtctta gatcttagta ccagtgcagg atacccttat 360
gttgcaatgg gaaaaagaa aagagatatc ttagacaagc agactagaga tactaaagag 420
atgcagaaac tctagacac ttatggaatc aaacctaccat tagttaccta tgttaagat 480
gaactcaggt caaagactaa agtagagcaa ggaaatcaa ggctaattga agcttccagt 540
ctcaatgatt cagttgcaat gagaatggca ttgcgcaatc tttacgcagc cttccataag 600
aatccagggt tgtaaccogg ctacgagttt ggttgtgacc cagacttatt ttggagtaag 660
ataccagtat taatggaaga aaagctcttt gcccttgatt acacagggta tgatgcctcg 720
cttagtcctg cttgggttga gccacttaaa atgggtgttag aaaagatagg ttttggtgat 780
agagcagatt acatagatta cctgaaccac tctcatcatc tttacaaaaa caaaacttat 840
tgtgttaagg gcggtatgcc atctggctgt tctggcacat caatttttaa ctcaatgatt 900
aacaatttga tcatcaggag gcttttactg aaaacctaca agggcatgga tttagaccat 960
ttaaaaatga ttgcctatgg tgatgatgtg atagcttccct acccccatga ggttgacgct 1020
agtctcctag cccaatcagg aaaagactac ggactgacca tgactccagc agataaatca 1080
gcaacctttg aaacagtcac atgggagaat gtaacgttcc tgaaagattt ttccagagca 1140
gatgagaaat atccattcct ggtgcattca gtaatgccaa tgaaagaaat tcatgaatca 1200
atcagatgga ccaaggaccc tagaaataca caagatcatg tgcgctcggt gtgtttattg 1260
gcttggcaca acggtgaaga agaataaac aaattcttag ctaaaatcag aagtgtgccg 1320
atcggtagag cttgtgtgct cccagagtac tctacattgt accgcccgtg gcttgactcg 1380
ttttagtaa

```

```

SEQ ID NO: 9      moltype = RNA length = 7440
FEATURE
source            Location/Qualifiers
                  1..7440
                  mol_type = unassigned RNA
                  organism = Enterovirus coxsackievirus A21

```

```

SEQUENCE: 9
ttaaaacagc tctggggttg ttcccccccc agaggccac gtggcggtga gtactctggt 60
atcgcggtac ctttgtacgc ctgttttata ctcccttccc catgtaactt tagaagcaat 120
tcaccaagtt caatagaggg ggtacaagcc agtaccacca cgaacaagca cttctgttac 180
cccggtgagt ttgcataagc tgtgccacag gctgaaagta aatgatccgt tatccgcttg 240
agtacttcga gaagcctagt atcaccttgg aatcttcgac gcgttgcgct caaacactta 300
ccccgagtgt agcttaggct gatgagtctg ggcatcccc accggcgagc gtggcccagg 360
ctgcgttggc ggctacccca tggccaacgc catgggagcg tagttgtgaa caagggtgta 420
agagcctatt gagctactca agagtccctc ggccctgaa tgcgggtaat cctaaccatg 480
gagcaagtgg ccccaaccca ggggatggct tgtcgtaacg cgcaagtcgg tggcggaacc 540
gactactttg ggtgtccgtg ttccctttta ttttatatat ggctgcttat ggtgacaatc 600
acagattggt atcataaagc gaattggatt ggccatccgg tgaaatataa gcacattatt 660
tatatctttg ctggattcgc tccgttgaca cattcttcac caaagttgat ttatacagtc 720
ttagtaatta gaaatcacca cttcagtcac gggagctcaa gtatccactc aaaagactgg 780

```

-continued

ggccacgaa	aaccagaatg	tggccgcgaa	cgggtccaca	atcaattata	caaccatcaa	840
ctactataag	gacagtgcga	gcaattcggc	gactcggcag	gattttctac	aggaccogtc	900
caaattcact	gaaccgggtca	aggatttaat	gttaaaatcc	gcaccggctt	tgaattcgcc	960
aaacgtcgaa	gcattgggggt	acagtgcagc	cgtgaggcaa	atcacactgg	gaaattccac	1020
cataaccaca	caggaggtcg	caaatgcaat	tgttgccat	ggggagtggc	caacctacat	1080
aaacgataac	gaggcccaacc	ctgtcgatgc	accgaccgaa	ccagatgtga	gtagcaaccg	1140
cttttacacc	ctggaatcag	tgcagtggaa	aacaacatcc	cgggggtggt	ggtggaaatt	1200
gccagactgt	ttgaaagaca	tgggtatgtt	cgggcaaaac	atgtattacc	actatttagg	1260
cagggtcagg	tatactatac	atgtgcagtg	taatgcctca	aaatttcacc	aagggtgcgt	1320
gggtgtgttt	ctaattccctg	aatttgtgat	ggcatgtaac	accgagagca	agacctcata	1380
tgtctcatat	attaatgccca	accctgggtga	gaagggtggt	gaattttacaa	acacctacaa	1440
cccatctggc	acagacgtta	gcgaaggag	gaaattttgcc	gctctggatt	atctgctagg	1500
gtcaggcgctc	ttggcgggaa	acgcttttgt	ttaccccat	caaattatca	accttcgcac	1560
caacaatagt	gcaacaatag	tggttcctta	cgtcaactca	ctagtgcagc	attgcatggc	1620
aaaacacaa	aactggggga	tagcgatact	acccttgca	cccttagcct	ttgcagcaac	1680
gtcatcacca	caagtaccga	tcacagtcac	aattgcacca	atgtgtacag	agttcaatgg	1740
atttaggaat	gtaaactgtac	cagtaaccca	gggccttcca	gtcatgaaca	ccccaggatc	1800
aaaccaatc	ctcacatcag	atgatttcca	gtcgccatgt	gccttaccaca	atttcgatgt	1860
gaccctcca	atccacatcc	caggggaggt	caaaaacatg	atggaactag	ctgaaattga	1920
cacactgatt	ccaatgaatg	cagtggatgg	gaaagtaaat	accatggaaa	tgtaccagat	1980
ccatttaaac	gacaacctta	gcactgaacc	catcttttgc	ctatcactat	caccagcgctc	2040
tgataggcga	ttgagtacaca	ccatgctggg	agagattctg	aactactaca	cacactggac	2100
gggtccatc	agatttactt	ttctattttg	tggtagtatg	atggccacag	ggaagttgct	2160
ccttagctat	tcaccccccag	gggcgaagcc	acccaaaaac	cggaaagacg	ccatgctggg	2220
tacgcacata	atatggggac	tgggtttaca	gtctagtgtg	tccatggtgg	cgccctggat	2280
ttccaatac	gtgtacaggg	gatgtgttcg	cgacgatttt	accgaagggtg	gtcacatcac	2340
ctgtttctat	cagactagaa	tagtggtacc	agcctcgacc	ccaaccagca	tgtttatgct	2400
aggctttgtc	agtgcctgtc	ccgactttag	tgtgagactg	ctcaggggaca	cgacgcacat	2460
cagtcaatcg	aaatttggtcg	ccagtaggca	gggcataagag	gagttttatag	acacagcaat	2520
taaaaatgca	ttgaaagtgt	cacaacccag	cactgcacaa	tcaacagaag	caaccagcgg	2580
agtcacacgc	caagaggtgc	gtgcactaac	agcagtagag	actggcgcat	cgggccaagc	2640
aatcccaagt	gatgtggtag	aaactcgcca	cgtggtgaac	tataagacaa	gatcagagtc	2700
ctgccttgaa	tcattctcttg	gtaggcccg	ttgtgtgaca	attctctccc	ttacaaactc	2760
ttcaggtagc	ggagacgcaa	agaaacacta	cacaacatgg	aacatcacat	atacagatac	2820
ggtgcaactg	cgaaggaaac	tggaaatttt	tacgtattcc	aggtttgact	tggaaatgac	2880
ctttgtattc	actgagaact	accctagcac	agctagtggg	gaggttcgaa	atcagggtta	2940
ccaatcatg	tacattcttc	cagggcgccc	tagacctagt	tcttgggatg	attacacctg	3000
gcagtcacga	tcaaacctct	ccatattcta	catgtatgtt	aatgcaccac	cacggatgtc	3060
gattccctat	gtcgggatgt	ctaaccgcta	ctcgcaactc	tacgatggct	tcgcgcgagt	3120
gcgccttgaa	ggtgagaaca	cagatgcggg	ggacaccttc	tacgggctag	tatccatcaa	3180
tgatttttgt	gtactggcag	ttagggcagt	gaaccgcagc	agccctcacg	ccatccacac	3240
ttcagtgagg	gtgtatatga	aaactaaaca	cattcgctgc	tggtgcccga	ggccaccacg	3300
agcagtagct	taccgtgggt	aggagtgga	catgatctca	agtgcacatc	aaccactaac	3360
caagggtcgat	tctataacaa	cattcggtct	tggtcaccag	aacaaggcag	tttatgttgc	3420
tggtgtataa	atttgttaact	accacttagc	aacacccagt	gaccacctga	acgccattag	3480
tgtgatgtgg	gacagagatt	tgatagtagt	ggagtcaaga	gcacagggaa	ttgacaccat	3540
agcccggtgc	aaactgcaagt	gtggcggtata	ctactgtgaa	tcaaggaaaa	agtattatcc	3600
catctcgttc	actgggcccc	catttagata	catggaggcc	aacgaatact	ttccagctag	3660
atatcagtc	catcttataa	ttgggtgcgg	gtttgcagag	cctggagact	gtggtggcat	3720
actcagatgc	acacacgggt	tgatcggcat	aattacagca	ggtggacctg	gagtggtggc	3780
ctttgccgac	atcagggaacc	tctgggtgta	tgaggaggaa	gcgatggaa	aaggcattac	3840
aaagtacatc	gagactttag	gggcagcatt	tggaaactgg	ttactcaac	aaattggaga	3900
caaaaattaca	gagttgacta	atatggtgac	aagcactttt	acggacaaa	tgtttaaaaa	3960
cttgatataa	atagtgtctt	cgttggttat	aataactcga	aactacgaag	acaccaccac	4020
agtattggcc	actctagact	tgttgggttg	tgattgctct	cgtggcaat	ggttgaaaca	4080
caaagtatgt	gacatctctg	aaactgccat	cgcctcaca	cagagtgaac	gttggtctaa	4140
gaagttcact	gaggcggtga	atgccgcaaa	agggtctgaa	tggattagca	acaagctctc	4200
caaatgtgtg	gaatgggtga	agaacaagat	aattcctgaa	gccagagaca	aagtggaaatt	4260
tctgcaaaaa	ttgaaacagt	tagaaatgct	tgagaaccag	attgctacac	tacaccaatc	4320
ctgtccaagt	caagaacagc	aagagacact	ctttaacaat	gtccgctggt	tggcactgca	4380
gtcaagacgc	tttgcccggt	gtacgctgt	tgaagcgcgc	agaatacaaa	aattggagaa	4440
caccataaac	aactacatag	agtttaagag	caaacacagt	attgaaccag	tatgtatggt	4500
gatacatgga	gctcctggca	cgggcaaatc	tatagcaacc	tcgttgattg	ggcgtgccat	4560
tgctgaaaaa	gaaagcacct	cagtgtattc	tctaccacca	gacccctcac	acttcgacgg	4620
ttacaaacaa	caagggggtg	ttatcatgga	tgacctcaat	cagaaccctg	atgggtatgga	4680
catgaagtgt	ttttgtcaga	tgggtgtctac	agtcgagttc	atacccccaa	tggcatctct	4740
cgaggagaaa	ggaatcctgt	tcacttcaga	ctatgtgcta	gcactctaca	attctcactc	4800
aattaccoca	cccactgtcg	cacatagtga	tgccctaagt	agaagatttg	catttgacat	4860
ggatgtatag	accatgtctg	aacactctgt	gaagggaagc	ctcaacatgg	cgaactgcgac	4920
gcagttatgc	aaagagtgtc	caccgccccg	taacttcaaa	aagtgtgtgc	cactagtgtg	4980
tggtaaaagt	ttacaactga	caccagacag	agattttacac	tagacgaaat		5040
caccactttg	atcatcaatg	agaagaacag	aagggtcaac	attggtaatt	gcattggaggc	5100
tctttttcaa	ggccctctac	aatacaaaaga	tctcaagatc	gacatcaaga	acactcccc	5160
tccagagtgc	ataagtgtac	tacttcaggc	tgttgactcg	caagagggtta	gagattactg	5220
tgagaagaaa	ggatggatcg	ttaacgtatc	cagtcagggt	caattagagc	gcaacatcaa	5280
tagagctatg	actatcctcc	aggcagtaac	cacgttcgac	gcagtggcgg	gagtggttta	5340

-continued

```

tgtcatgtac aagctctttg cagggcatca aggcgcttat actgggctcc cgagcaagaa 5400
acccaacgtg cccaaccatta gaatagctaa agtgcaaggt ccaggggttg actatgcagt 5460
tgccatggca aagagaataa tcgttactgc aaccaccaat aagggggagt tcactatgct 5520
tggagtgcac gataacgttg ccgtactacc aaccatgca tcaccaggtg agaccatagt 5580
tattgatggt aaggaaagttg aagtgtctga cggcaaggcc ctggaggacc aagctggaac 5640
taacctagag atcaccattg tcactctgag aaggaatgag aagttcaggg acatcagacc 5700
tcacatcccc actcaaatca ctgagacaaa tgatggagtg ttgatcgtga acactagtaa 5760
gtaccccaac atgtatgtgc ccgttgggtg agtgaccgaa caagggtact tgaacctggg 5820
tgggcgtcaa actgctcgca ctctaattga caatttccca acccgagccg gacaatgtgg 5880
tggatcatc acatgcactg gcaaggtcat tgggatgcac gttgggtggg acggttcaca 5940
tgggttcgct gcagccctaa aacggtcata cttcactcag agccaaggtg agattcagtg 6000
gatgagacca tcaaaagagg tcggttacct aataaattaat gcaccaagca agacaaaact 6060
agaacccagt gctttccact atgtttttga aggggtaaaag gaacctgcag tactgactaa 6120
aaacgatccc agattgaaaa cggattttga ggaggccata ttctcaaagt atgtagggaa 6180
caagatcact gaagtggatg aatatatgaa agaggcagta gaccattatg ctgggcaact 6240
catgtcttta gacatcaata ccagacaaat gtgcttggaa gatgctatgt atggcactga 6300
tggctctgaa cctttggatc tctctactag cgcaggatag ccttatgtgg ctcttgggaa 6360
aaagaagaga gatatactta ataaacaaac aagagacacc aaagaaatgc aaagactact 6420
agataacctat ggaataaaatt tgcctctagt tacttacgta aaagatgagc tgagaagcaa 6480
gagcaaggtg gagcagggtg aatccagatt aattgaggcc tcaagcttga atgattcagt 6540
agcaatgaga atggcatttg gtaacctgta tgcagcttcc cacaagaatc caggagtcac 6600
cactgggtct cgtgtaggat gtgaccacga cttgttttgg agcaagatcc cagtattgat 6660
ggaagaaaaa cctcttgcac ttgattacac cgggtacgat gcctctctca gtcccgcttg 6720
gtttgaggca ctcaaaatgg ttttgagaaa aattggatcc ggagataggg tagattacat 6780
tgattatctc aaccattcac acctcttta caaaaacaag acctattgtg tcaaggggcg 6840
tatgcccact ggctgtctcg gcaactcaat atttaattca atgattaaac atttaataat 6900
caggacactc ttactgaaga cctacaaggg catagatttg gaccacttga agatgattgc 6960
ctatgggtgat gatgtaatg cctcctacct ccacgaagtt gacgctagtc tccctagccca 7020
atcaggaaaa gactattggc taacctgac accagctgac aagtcagcca cctttgaaac 7080
tgtcacgtgg gagaattgtg cattttttaa aagattcttt agggcagatg aaaagtacct 7140
attcttaata catccagtga tgccaatgaa agaaatacaa gaatcgatca gatggactaa 7200
agatcctaga aacacgcagg acctatgttc ctcactgtgc ttattggctt ggcacaaatg 7260
cgaagaagag tacaataaat ttttagctaa aatcagaagt gtgccaatcg gaagagcttt 7320
actgctcccc gaatactcaa ctttgtaccg ccgttggctc gactcgcttt agtaacccta 7380
cctcagtcga attggatttg gtcatactgt tgtaggggta aatttttctt tgattcggag 7440

```

```

SEQ ID NO: 10      moltype = RNA length = 748
FEATURE           Location/Qualifiers
source            1..748
                  mol_type = unassigned RNA
                  organism = Enterovirus coxsackievirus A21

```

```

SEQUENCE: 10
ttaaaacagc tctgggggtg ttccaccccc agaggccac gtggcggtca gtactctggt 60
atcgcggtac ctttgtagcg ctgttttata ctcccttccc catgtaacct tagaagcaat 120
tcaccaagtt caatagaggg ggtacaagcc agtaccacca cgaacaagca cttctgttac 180
cccggtgagt ttgcataagc tgtgcccacg gctgaaaagta aatgatccgt tatccgcttg 240
agtacttcga gaagcctagt atcaccttgg aatcttcgac gcgttgcgct caacactcta 300
ccccgagtgt agcttaggct gatgagcttg ggcaccccc accggcgacg gtggcccagg 360
ctgcgttggc ggcctaccca tggccaacgc catgggacgc tagttgtgaa caaggtgtga 420
agagcctatt gagctactca agagtccctc ggcccctgaa tgcggctaat cctaaccatg 480
gagcaagttg ccccaaccca ggggatggct tgcgtgtaac cgcaagtcgg tggcggaacc 540
gactactttg ggtgtccgtg ttctcttata ttttatatat ggctgcttat ggtgacaatc 600
acagattgtt atcataaagc gaattggatt ggccatccgg tgaatatata gcacattatt 660
tatatctttg ctggattcgc tccgttgaca cattcttcac caaagttgat ttatacagtc 720
ttagtaatta gaaatcacca cttcagtc 748

```

```

SEQ ID NO: 11      moltype = RNA length = 2637
FEATURE           Location/Qualifiers
source            1..2637
                  mol_type = unassigned RNA
                  organism = Enterovirus coxsackievirus A21

```

```

SEQUENCE: 11
atgggagctc aagtatccac tcaaaagact ggggcccacg aaaaccagaa tgtggccgcg 60
aacgggtcca caatcaatta tacaaccatc aactactata aggacagtgc aagcaattcg 120
gcgactcggc aggtattctc acaggaccgc tccaaattca ctgaaccggg caaggattta 180
atgttaaaat ccgcaccggc tttgaattcg ccaaacgtcg aagcatgcgg gtacagtgat 240
cgcgtgaggg aaatcacact gggaaattcc accataacca cacaggaggc tgcaaatgca 300
attgttgctc atggggagtg gccaacctac ataaacgata acgaggccaa ccctgtcgat 360
gcaccgaccg aaccagatgt gtagtagcaac cgcttttaca ccctggaatc agtgcagtgg 420
aaaacaacat cccgggggtg tgggtggaaa ttgccagact gtttgaaaga catgggtatg 480
ttcgggcaaa accgtatta ccaatttta ggcaggtcag ggtatactat acatgtgcag 540
tgtaatgcct caaaatttca ccaaggtgcg ctgggtgtgt ttctaatoce tgaatttgtg 600
atggcatgta acacgcagag caagacctca tatgtctcat atattaatgc caacctcggt 660
gagaaggggt gtgaatttac aaacacctac aacctactcg gcacagacgt tagcgaaggg 720
aggaattttg ccgctctgga ttactcgcta gggtcaggcg tcttggcggg aaacgctttt 780
gtttaccccc atcaaatat caaccttcgc accaacaata gtgcaacaat agtggttcct 840

```

-continued

```

tacgtcaact cactagtgtat cgattgcatg gcaaaacaca acaactgggg gatagcgata 900
ctaccccttg caccocctagc ctttgcagca acgtcatcac cacaagtacc gatcacagt 960
acaattgcac caatgtgtac agagttcaat ggattgagga atgtaactgt accagtacac 1020
cagggccttc cagtcattgaa caccocagga tcaaaccaat tccacacatc agatgatttc 1080
cagtgcgcat gtgccttacc caatttcgat gtgacccctc caatccacat cccaggggag 1140
gtcaaaaaca tgatggaaact agctgaaatt gacacactga ttccaatgaa tgcagtggat 1200
gggaaagtaa ataccattgga aatgtaccag atcccattaa acgacaacct tagcactgaa 1260
cccatctttt gcctatcact atcaccagcg tctgataggc gattgagtca caccatgctg 1320
ggagagatct tgaactacta cacacactgg acgggctcca tccagatttac tttctctatt 1380
tgtggtagta tgatggccac aggggaagtg ctcccttagct attcaccccc agggggcgaag 1440
ccacccaaaa accggaaaaga cgcctatgct ggtacgcaca taatatggga cctgggttta 1500
cagtcctagt ttcccatggt ggcgcctctg atttccaata cgggtgtacag gcgatgtggt 1560
cgcgacgatt ttaccgaagg tggctacatc acctgtttct atcagactag aatagtggta 1620
ccagcctcga cccaaccag catgtttatg ctaggctttg tcagtgtctt tcccgacttt 1680
agtgtgagac tgctcaggga cagcagcac atcagtcact cgaaattggt cgcagtagg 1740
cagggcatag aggaagttat agacacagca attaaaaatg cattgaaagt gtcacaacc 1800
agcactgcac aatcaacaga agcaaccagc ggagtcaaca gccaaagaggt gctgcacta 1860
acagcagtag agactggcgc atcgggccaa gcaatcccaa gtgatgtggt agaaactcgc 1920
cacgtggtga actataagac aagatcagag tctgccttg aatcattctt tggtagggcc 1980
gcttggtgta caattctctc ccttacaacc tcttcaggta gcggagacgc aaagaagcac 2040
tacacaacat ggaacatcac atatacagat acgggtgcaac tgcgaaggaa actggaattt 2100
tttacgtatt ccaggtttga cttggaaatg acctttgtat tccactgaga ctaccctagc 2160
acagctagtg gagaggttcg aaatcaggtt taccaaatca tgtacattcc tccaggggag 2220
cttagaccta gttcttgagg tgattacacc tggcagtcac catcaaaccc ttccattatc 2280
tacctgatg gtaatgcacc accacggatg tgcattccct atgtcgggat tgctaacgcc 2340
tactcgcact tctacagtg cttcgcgcta gtgcgcttg aaggtgagaa cacagatgcc 2400
ggggacacct tctacgggct agtatccatc aatgattttg gtgtactggc agttagggca 2460
gtgaaccgca gcagccctca cgcctccac acttcagtga ggggtgtatat gaaacctaaa 2520
cacattcgct cgtggtgcc cagggccacca cgagcagtag ttaccctgg tggggagtg 2580
gacatgatct caagtgcatt ccaaccacta accaaggtcg attctataac aacattc 2637

```

```

SEQ ID NO: 12      moltype = RNA length = 1389
FEATURE           Location/Qualifiers
source            1..1389
                  mol_type = unassigned RNA
                  organism = Enterovirus coxsackievirus A21

```

```

SEQUENCE: 12
ggtagagattc agtggatgag accatcaaaa gaggtcgggtt acccaataat taatgcacca 60
agcaagacaa aactagaacc cagtgtcttc cactatgttt ttgaaggggg aaaggaaacct 120
gcagtactga ctaaaaaaga tcccagattg aaaacggatt ttgaggaggc catattctca 180
aagtatgtag ggaacaagat cactgaagtg gatgaatata tgaagagggc agtagacct 240
tatgtctggc aactcatgtc tttagacatc aatacagagc aaatgtgtct ggaagatgct 300
atgtatggca ctgatggctc ggaagctttg gatctctcta ctagcgagg atacccttat 360
gtggctcttg ggaaaaaaga gagagatata ctttaataac aaacaagaga caccaaaaga 420
atgcaaaagc tactagatag ctatggaata aatttgcttc tagttactta cgtaaaagat 480
gagctgagaa gcaagagcaa ggtggagcag ggtaaatcca gattaattga gccctcaagc 540
ttgaatgatt cagtagcaat gagaatggca tttggtaacc tgtatgcagc ttccacaag 600
aatccaggag tcatcactgg ttctgtgtga ggatgtgacc cagactgtgt ttggagcaag 660
atcccagtat tgatggaaga aaagctcttt gcatttgatt acaccggtta cgtatgctct 720
ctcagtcctg cttggtttga ggcactcaaa atgggttttg agaaaaattg attcggagat 780
agggtagatt acattgatta tctcaacatc tcacaccatc tttcaaaaaa caagacctat 840
tgtgtcaagg gcggtatgcc atctggctgc tcaggcactt caatatttaa ttcaatgatt 900
aacaatttaa taatcaggac actcttactg aagacctaca agggcataga ttgggaccac 960
ttgaagatga ttgcctatgg tgatgatgta attgcctcct acccccacga agttgacgct 1020
agttctctag cccaatcagg aaaagactat ggactaacca tgacaccagc tgacaagtca 1080
gccacctttg aaactgtcac gtgggagaat gtaacatttt taaaaagatt ctttagggca 1140
gatgaaaagt accattctt aatacatcca gtgatgccaa tgaagaaat acaagaatcg 1200
atcagatgga ctaaaagacc tagaaacacg caggaccatg ttcgctcact gtgcttattg 1260
gcttggcaca atggcgaaga agagtacaat aaatttttag ctaaaatcag aagtgtgcca 1320
atcggaagag ctttactgct ccccgaaatc tcaactttgt accgcgcttg gctcgactcg 1380
tttagtaaa 1389

```

```

SEQ ID NO: 13      moltype = DNA length = 57
FEATURE           Location/Qualifiers
misc_feature       1..57
                  note = Leader sequence CVA21-L4
source            1..57
                  mol_type = other DNA
                  organism = synthetic construct

```

```

SEQUENCE: 13
tcgactgata aagatgcaaa ggaaagtaca tggacagaaa atgaagatct agctatt 57

```

```

SEQ ID NO: 14      moltype = DNA length = 57
FEATURE           Location/Qualifiers
misc_feature       1..57
                  note = Leader sequence CVA21-L5

```


-continued

```

source                1..57
                      mol_type = other DNA
                      organism = synthetic construct

SEQUENCE: 14
tcgactattc ctgattagac cctcaatatt gatatagaaa acgactacac agcgcat    57

SEQ ID NO: 15         moltype = DNA length = 57
FEATURE              Location/Qualifiers
misc_feature          1..57
                      note = Leader sequence CVA21-L6
source                1..57
                      mol_type = other DNA
                      organism = synthetic construct

SEQUENCE: 15
tcgactctac aaataacgga taccaatttg agtaacgcgg cttcaatgta caataat    57

SEQ ID NO: 16         moltype = DNA length = 67
FEATURE              Location/Qualifiers
source                1..67
                      mol_type = unassigned DNA
                      organism = Paenibacillus polymyxa

SEQUENCE: 16
ggactcgtct gagcgagtat aaacaggtca ttaagctcag agcgttcacc ggggaaattc 60
ggtgagg              67

SEQ ID NO: 17         moltype = DNA length = 67
FEATURE              Location/Qualifiers
misc_feature          1..67
                      note = Pistol Polymyxa ribozyme variant PP
source                1..67
                      mol_type = other DNA
                      organism = synthetic construct

SEQUENCE: 17
ggactcgtct gagcgagtat aaacagttta ttaagctcag agcgttcacc ggggaaattc 60
ggtgagg              67

SEQ ID NO: 18         moltype = DNA length = 67
FEATURE              Location/Qualifiers
misc_feature          1..67
                      note = Pistol Polymyxa ribozyme variant PP-T
source                1..67
                      mol_type = other DNA
                      organism = synthetic construct

SEQUENCE: 18
ggactcgtct gagcgagtat aaacagtttt ttaagctcag agcgttcacc ggggaaattc 60
ggtgagg              67

SEQ ID NO: 19         moltype = DNA length = 67
FEATURE              Location/Qualifiers
misc_feature          1..67
                      note = Pistol Polymyxa ribozyme variant PP-G
source                1..67
                      mol_type = other DNA
                      organism = synthetic construct

SEQUENCE: 19
ggactcgtct gagcgagtat aaacagttgt ttaagctcag agcgttcacc ggggaaattc 60
ggtgagg              67

SEQ ID NO: 20         moltype = DNA length = 7626
FEATURE              Location/Qualifiers
misc_feature          1..7626
                      note = CVA-PP-TwL6-BsmBI_KY_70pA
source                1..7626
                      mol_type = other DNA
                      organism = synthetic construct

SEQUENCE: 20
taatacgaact cactataggg tcgactctac aaataacgga taccaatttg agtaacgcgg 60
cttcaatgta caataatgga ctgctctgag cgagtataaa cagtttttta agctcagagc 120
gttcaccggg gaaattcggg gaggttaaaa cagctctggg gttgttccca ccccagaggg 180
ccacgtggcg gctagtactc tggtatcacg gtacctttgt acgcctgttt tatatccctt 240
ccccgcaac tttagaagct taacaaaagt tcaatagcag gggtgcaagc cagtacctct 300
atgaacaagc acttctgtct ccccggtgaa attacataga ctgtaccac ggtcaaaagt 360
aattgatccg ttatccgctt gactacttcg agaagcctag tatcaccttg gaatcttcga 420
cgcggtgcgc tcaaacctct accccgggtg tagcttaggc tgatgagtct gggcaccccc 480
caccgggtgac ggtggcccag gctgcgttgg cggcctaccc atggctaacg ccatggggacg 540
ctagttgtga acaaggtgtg aagagcctat tgagctactc aagagtcctc cggcccttga 600

```

-continued

atgcggctaa	tcccaaccac	ggagcaattg	ctcacgatcc	agtgagtagg	ttgtcgtaat	660
gcgcaagttc	gtggcggaac	cgactacttt	gggtgtccgt	gtttcccttt	ttacttatac	720
tggctgctta	tggtgacaat	ttacagattg	ttaccatata	gctattggat	tggccatcca	780
gtattgtgtt	acacatatta	aaatactttt	ctacaagcat	caacaacatt	gtgtttggac	840
cacaataatc	actacaaatg	ggagctcaag	tatcaacca	aaagaccggt	gcacacgaaa	900
atcaaaacgt	ggctgccaat	ggatccacca	ttaattacac	tactatcaac	tactacaaag	960
atagtgcga	taactcagcc	accagacaag	atctttctca	agatccatca	aaatttacag	1020
aaccagttaa	agattttaatg	ttgaaaacag	caccagcttt	gaattcacca	aatgtggaag	1080
catgtggata	cagtgcacgt	gtaaggcaaa	ttaccctggg	aaactcgact	attaccacac	1140
aagaagcagc	taacgctatt	gttgcttatg	gtgagtgccc	cacttacata	aatgactcag	1200
aagcaaaccc	agttagtgca	cccactgaac	cagatgttag	tagcaacagg	ttttacactc	1260
tggactcagt	gtcttggaag	actacctcaa	gggggttggtg	gtggaaacta	ccagactgtc	1320
taaaagacat	ggggatgttt	ggtcagaata	tgtattacca	ctacctgggg	cgctccgggt	1380
acaccattca	tgtccagtgc	aatgcctcaa	agtttcacca	agggggcatta	ggagtgtttc	1440
tgataccaga	gtttgttatg	gctctgaaca	ccgagagcaa	gacatcatat	gtttcataca	1500
tcaacgcaaa	tcctggtgag	aggggtgggtg	agtttcaaaa	catttacaat	ccatcaagca	1560
cagatgtctag	tcaggggcaga	caatttgca	cgctagatta	tttactgggt	tctgggtgtt	1620
tagctggaaa	tgcatttggtg	tacccacacc	agatcattaa	cctgcgtacc	aacaatagtg	1680
caactattgt	ggtgactcat	gtgaactcac	ttgtcattga	tgcatggcca	aaacacaaca	1740
actgggggtat	tgtcatcctg	ccactggcgc	cattggcctt	tgtcgcgaca	tcacaccac	1800
aagtgcctat	tacagtgaac	attgcaccca	tgtgcgcaga	attcaatgga	ttgagaacaa	1860
tcactattcc	agtgcatcaa	ggattaccaa	caatgaacac	acctggatcc	aatcagtttc	1920
tcacatctga	tgacttccag	tcacctgcg	ctctacccaa	ctttgatgtc	actccacctc	1980
tacacatacc	cggaagaagt	aagaatatga	tggaaactggc	cgagattgac	acgtgatcc	2040
caatgaacgc	agtggacgga	aaggttaaca	ctatggagat	gtatcaata	ccattaaatg	2100
atgaactaag	caaagcacc	atattttgcc	tgtccctgtc	acctgcttct	gacaaacgat	2160
taagtcatac	gatgttggtg	gaaattctaa	actattacac	tcattggaca	gggtccatta	2220
ggttcacctt	tctattctgt	ggtagcatga	tggccactgg	taagttgctt	ctcagttatt	2280
ccccaccagg	agctaaacca	ccaaccaacc	gcaaggatgc	aatgttgggc	acacatatca	2340
tctgggactt	gggttttcaa	tcagttgct	ccatgggtgc	accatggatc	tctaatacgg	2400
tatacagcgc	gtgtgcacgt	gatgacttca	cagagggtgg	gtttataact	tgtttttatc	2460
aaaccagaat	tgttgtgctt	gctcaaccc	ctaccagcat	gttcattgta	ggctttgtga	2520
gtgcattgtc	agattttcag	gtcagactgc	tgaaggacac	ttcccacatt	agtcaatcaa	2580
aaactatagc	acgtctacaa	ggcattgaag	atctcatcga	ttcagcaata	aagaatgctt	2640
tgagagtgtc	ccaaccgtcc	acgggtcaat	cgactgaagc	aaccagtgga	gcaaacagtc	2700
aggaagtacc	agcactaact	gctgtagaaa	caggagcatc	aggccaagca	attcccagtg	2760
acgtgatgga	aaccagacac	gtgataaact	acaaaactag	gtctgagtca	tgtcttgaat	2820
cattctttgg	gagagctcgc	tgtgtcacia	tcctatctct	gaccaactct	tcaaaaagtg	2880
gagagggaaa	gaaacatttc	aacatttgga	acatcacgta	taccgacact	gtgcagctac	2940
gtagaaaatt	agagttcttc	acatattcca	gatttgacct	tgaatgact	tttgtgttca	3000
cagagaacta	cccagtcaca	gctagtggag	aagtgcgcaa	ccagggtatac	cagattatgt	3060
atatccacc	agggggaccc	cgaccatcat	cctgggatga	ttatacatgg	caatccctct	3120
ccaacccttc	tatcttttac	gttacggga	acgcaccgcc	acggatgtca	atcccctatg	3180
tagggattgc	taatgcctac	tcacactttt	atgacggttt	tgcacgagtg	ccacttgagg	3240
gtgagaacac	tgatgtcgtg	gacacgtttt	atggattggt	atccataaat	gattttggag	3300
tccttggcag	tcagacagtg	aaccgcagca	atccacacac	aatacacaca	tccgtgagag	3360
tgtacatgaa	accaaaacac	attcgggtct	ggtgccccag	acccctcgc	gcagatttat	3420
acagaggaga	aggagtgagc	atgatatacca	gtgcaatttt	acccctgacc	aaagttagatt	3480
ctattactac	cttcggattt	ggacaccaaa	gtaaggcagt	gtatgttgcc	ggttataaga	3540
tctgcaacta	ccacctagca	acccctagtg	atcatctaaa	tgcatttagt	gtgttgtggg	3600
atagggattt	aatggtagta	gagttctagag	cccaagggaac	tgacaccata	gccagatgta	3660
gttgtagggt	tggggctcat	tactgtgaat	caagaaggaa	gtactacct	gtcactttca	3720
ccgggtccaa	gttcgcattc	atggaagcga	atgactacta	cccagcaaga	taccagttct	3780
acatgctgat	aggatgtgga	tttgcagagc	ctggagattg	cggtggaata	ctaagggtga	3840
cccatggggg	gattgggtatt	attactgcag	gggggtgagg	agtagtagcc	tttgcctgaca	3900
tcaggggatc	ttgggtgtat	gaagaggagg	ccatggaaca	gggaataaca	agctacattg	3960
agtctcttgg	cacagccttt	ggtgcagggt	ttactcacac	aattagtgaa	aaagtgactg	4020
agttaaactac	aatgattata	agtaccatta	cagaaaaact	actaaaaaat	ttgggtgaaa	4080
tagtatcagc	tttagtaatt	gttgtgagaa	attatgaaga	cactactaca	gttcttgcaa	4140
cactagcatt	acttgggtgt	gacatatctc	cttggcagtg	gttgaagaaa	aaggcatgtg	4200
acctactaga	aattcctcat	gtactgcgcc	aagggtgatgg	tgggatgaag	aaattcacag	4260
aggcttgcaa	tgcagccaag	ggcttagaat	ggattagcaa	caaaatttct	aagttcatag	4320
actgggtgaa	gtgcaaaatt	attccagaag	ccaaagataa	gggtggaatt	ctaccaagc	4380
tgaacacagt	agacatgtta	gaaaatcaaa	ttgcaactat	tcaccagtct	tgccccagcc	4440
aggagcaaca	agagattctc	ttcaacaagt	tgagatgggt	agcagtcacg	tccgctcgt	4500
ttgcaccact	atatgctgtg	gaagcacgga	gaattagcaa	aatggagaac	acaataaaca	4560
actacataca	gttcaagagc	aaacaccgta	ttgaaccagt	atgtatgctc	atccatgggt	4620
caccgggaac	aggcaaatca	atagccacct	cattgatagg	cagagcgata	gcagaaaagg	4680
agaatacatc	agtttactca	atgccacctg	acccatctca	ctttgatggc	tacaaaacac	4740
aaggggtcgt	gattatggat	gatttgaatc	agaaccctga	tggcatggat	atgaaactgt	4800
tttgccaaat	gggttcaacg	gtggagtcca	tcccaccgat	ggcctcacta	gaggagaagg	4860
gtatttttgt	tacatctgat	tatgtcctag	cctccaccaa	ctcccattca	atagcaccac	4920
ccacggtagc	tcacagtgat	gccttaacca	gacgatttgc	attcgatgtg	gaagtttaca	4980
caatgtcaga	gcactcaact	aaaggcaaat	tgaacatggc	cacagccacc	cagttatgca	5040
aggattgtcc	aacacccgca	aattttaaaa	agtgtgtccc	tctgtgtctg	ggtaaggctt	5100
tgcagcta	ggatagatat	accagacaga	gatttactgt	agatgaaatc	accacattga	5160

-continued

ttatgaatga	gaaaaatagg	agggcccaata	ttggtaactg	catggaagcc	ttgttccaag	5220
gaccgctgag	gtacagggat	ctgaaaattg	atgtgaagac	agtcocccccc	cctgaatgca	5280
tcagtgcacct	actacaagca	gtggattctc	aagaagttag	agattactgt	gaaaagaagg	5340
gctggatagt	caatgttact	agccaaatac	agttagaag	aaatatcaac	agggccatga	5400
ctatactcca	agctgtgact	acgtttgcag	cagttgcagg	agtagtgat	gtgatgtata	5460
aactctttgc	tggtcaacag	gggtgcataca	ctggtttgcc	aagcaaaaag	cccaatgtcc	5520
caacaatcag	agttgccaaa	gtacagggac	cagggtttga	ttatgcagt	gcaatggcta	5580
aaagaaacat	acttactgca	accactacta	agggtggaatt	cactatgtta	ggagtgcagt	5640
ataatgtagc	gatactgcc	acccatgccg	ccccaggaga	aactatcatt	attggtggga	5700
aagaagtgga	gatcttgac	gccagagccc	tagaagatca	agcgggaacc	aatcttgaga	5760
tcactataat	cactotaaaa	agaaatgaga	agtttagaga	tatcagacca	catattccca	5820
cccaaatcac	cgaaccagct	gatggagtat	tgatcgtgaa	cactagtaag	tacccaata	5880
tgtatgtccc	tgttggtgct	gtgaccgaac	aggggtatct	taatctcagt	ggacgccaac	5940
ctgctcgtag	ctctatgtac	aactttccaa	cacgagcagg	ccagtgcggg	ggaatcatta	6000
cctgcactgg	taaagtcatt	gggtatgcct	ttggtgggaa	cggttcacat	gggtttgcag	6060
cagcccttaa	ggatcatatc	ttcacccaaa	gtcaaggatga	aatccaatgg	atgaggtcat	6120
caaaaagaagt	ggataccctt	attataaatg	ccccatcaaa	aacaaagtta	gaaccctagt	6180
cttttcattta	tgtcttcgaa	gggtgtcaaa	aaccagcagt	gctcaccaag	agtgaaccca	6240
gattgaaaac	agattttcgaa	gaagccattt	tttcaaaaata	tgtgggggcta	aaaattgttg	6300
aagtgggaca	atacatgaaa	gaagcagtg	accactatgc	agggcagcta	atgtcattag	6360
acattaatac	agaacaaatg	tgcttggaag	atgccatgta	cggcactgat	ggctctgagg	6420
ctctagatct	tagtaccagt	gcaggatacc	cttatgttgc	aatgggaaaa	aagaaaagag	6480
atatcttaga	caagcagact	agagatacta	aagagatgca	gaaacttcta	gacacttatg	6540
gaatcaacct	accattagtt	acctatgtta	aagatgaact	cagggtcaag	actaaagtag	6600
agcaaggaaa	atcaaggcta	attgaagctt	ccagtctcaa	tgattcagtt	gcaatgagaa	6660
tggcattcgg	caatctttac	gcagccttcc	ataagaatcc	aggtgtggta	accggctcag	6720
cagttggttg	tgacccagac	ttattttgga	gtaagatacc	agtattaatg	gaagaaaagc	6780
tctttgcctt	tgattacaca	gggtatgatg	cctcgcttag	tcctgcttgg	tttagggcac	6840
ttaaaaatggt	gttagaaaag	atagggtttg	gtgatagagc	agattacata	gattacctga	6900
accactctca	tcactctttac	aaaaacaaaa	cttatgtgtg	taagggcggt	atgccatctg	6960
gctgttctgg	cacatcaatt	tttaactcaa	tgattaacaa	ttgatcatc	aggacgcttt	7020
tactgaaaac	ctacaagggc	atggatttag	accattttaa	aatgattgcc	tatgggtgatg	7080
atgtgatagc	ttcctacccc	catgaggttg	acgctagtct	cctagcccaa	tcaggaaaag	7140
actacggact	gaccatgact	ccagcagata	aatcagcaac	ctttgaaaca	gtcacatggg	7200
agaatgtaac	gttctctgaa	agatttttca	gagcagatga	gaaatatcca	ttcctgggtgc	7260
atccagtaat	gccaatgaaa	gaaattcatg	aatcaatcag	atggaccaag	gaccctagaa	7320
atacacaaaga	tccatgtcgc	tcgttggtgt	tattggcttg	gcacacgggt	gaagaagaat	7380
ataacaaatt	cttagctaaa	atcagaagtg	tgccgatcgg	tagagctttg	ttgctcccag	7440
agtactctac	attgtaccgc	cgggtggctg	actcgtttta	gtaaccctac	ctcagtcgaa	7500
ttggattggg	ttatactgtt	gtagggggtta	atttttcttt	aattcggaga	aaaaaaaaaa	7560
aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	7620
gagacg						7626

SEQ ID NO: 21 moltype = DNA length = 7661
FEATURE Location/Qualifiers
misc_feature 1..7661
 note = CVA-PP-TwL6-BsmBI_EF_70pA
source 1..7661
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 21

taatacgaact	cactataggg	tcgactctac	aaataacgga	taccaatttg	agtaacgcgg	60
cttcaatgta	caataatgga	ctcgtctgag	cgagtataaa	cagtttttta	agctcagagc	120
gttcacccggg	gaaattcggg	gaggttaaaa	cagctctggg	gttggtccca	ccccagaggg	180
ccacgtggcg	gcttagtact	tggtatcgcg	gtacctttgt	acgcctgttt	tatactccct	240
tccccatgta	acttttagaag	caattcacca	agttcaatag	aggggggtaca	agccagtacc	300
accacgaaca	agcactctct	ttaccccggt	gagtttgcat	aagctgtgcc	cacggctgaa	360
agtaaatgat	ccgttatccg	cttgagtact	tcgagaagcc	tagtatcacc	ttggaatcct	420
cgacgcgttg	cgctcaacac	tctaccccca	gtgtagctta	ggctgatgag	tctgggcac	480
ccccacccgg	gacgggtggc	caggctgcgt	tgccggcccta	cccatggcca	acgccatggg	540
acgctagtgt	tgaacaaggc	gtgaagagcc	tattgagcta	ctcaagagtc	ctccggcccc	600
tgaatgcccc	taatcctaac	catggagcaa	gtggccccc	cccaggggat	ggcttgtcgt	660
aacgcgcaag	tccgtggcgg	aaccgactac	tttgggtgtc	cgtgtttcct	tttatattat	720
atatggctgc	ttatgggtgac	aatcacagat	tgttatcata	aagcgaattg	gattggccat	780
ccggtgaaat	ataagcacat	tatttatatc	tttgctggat	tcgctccggt	gacacattct	840
tcaccaaaagt	tgattttatc	agtcttagta	attagaaatc	accacttcag	tcattgggagc	900
tcaagtatcc	actcaaaaga	ctggggccca	cgaaaaaccg	aatgtggccg	cgaacggggtc	960
cacaatcaat	tatacaacca	tcaactacta	taaggacagt	gcaagcaatt	cggcgactcg	1020
gcaggatttc	tcacaggacc	cgtccaaatt	cactgaaccg	gtcaaggatt	taatgtttaa	1080
atccgcaccg	gctttgaatt	cgccaaacgt	cgaagcatgc	gggtacagtg	atcgcgtagg	1140
gcaaatcaca	ctgggaaatt	ccaccataac	cacacaggag	gctgcaaatg	caattgttgc	1200
ctatggggag	tggccaaact	acataaacga	taacgaggcc	aaccctgtcg	atgcaccgac	1260
cgaaccagat	gtgagtagca	accgctttta	caccctggaa	tcagtgcagt	ggaacaaac	1320
atccccgggg	tggtggtgga	aattgccaga	ctgtttgaaa	gacatgggta	tggtcgggca	1380
aaacatgtat	taccactatt	taggcaggtc	aggggtatac	atacatgtgc	agtgtaatgc	1440
ctcaaaattt	caccaagggtg	cgctgggtgt	gtttctaatc	cctgaatttg	tgatggcatg	1500

-continued

taacaccgag	agcaagacct	catatgtctc	atatattaat	gccaacctcg	gtgagaaggg	1560
tggatgaatt	acaaacacct	acaacccatc	tggcacagac	gttagcgaa	ggaggaaatt	1620
tgccgtctcg	gattatctgc	tagggtcagg	cgtcttgccg	ggaaacgctt	ttgtttacc	1680
ccatcaaatt	atcaaccttc	gcaccaacaa	tagtgcaaca	atagtggttc	cttacgtcaa	1740
ctcactagtg	atcgattgca	tggcaaaaca	caacaactgg	gggatagcga	tactacccct	1800
tgacccccta	gccttttcag	caacgtcatc	accacaagta	ccgatccag	tcacaattgc	1860
accaatgtgt	acagagttca	atggattgag	gaatgttaact	gtaccagtac	accagggcct	1920
tccagtcatg	aacaccccag	gatcaaacca	attcctcaca	tcagatgatt	tccagtgcgc	1980
atgtgcctta	cccaatttcg	atgtgacccc	tccaatccac	atcccagggg	aggtcaaaaa	2040
catgatggaa	ctagctgaaa	tgacacact	gattccaatg	aatgcagtgg	atgggaaagt	2100
aaataccatg	gaaatgtacc	agatcccatt	aaacgacaac	cttagcactg	aacccatctt	2160
ttgcctatca	ctatcaccag	cgtctgatag	gcgattgagt	cacaccatgc	tgggagagat	2220
tctgaactac	tacacacact	ggacgggctc	catcagattt	acttttctat	tttgtggtag	2280
tatgatggcc	acaggggaagt	tgtcctttag	ctattcacc	ccagggggcga	agccacccaa	2340
aaaccggaaa	gacgccatgc	tgggtacgca	cataatatgg	gacctgggtt	tacagtctag	2400
ttgttccatg	gtggcgccct	ggatttccaa	tacgggtgac	aggcgatgtg	ttcgcgacga	2460
ttttaccgaa	ggtgggtaca	tcacctgttt	ctatcagact	agaatagtgg	taccagcctc	2520
gaccccaacc	agcatgttta	tgttaggctt	tgtcagtgct	tgtcccgact	ttagtgtgag	2580
actgctcagg	gacacgacgc	acatcagtca	atcgaaattg	gtcgcagta	ggcagggcat	2640
agaggagt	atagacacag	caattaaaaa	tgcattgaaa	gtgtcacaa	ccagcactgc	2700
acaatcaaca	gaagcaacca	gcggagtcaa	cagccaagag	gtgcctgcac	taacagcagt	2760
agagactggc	gcacggggc	aagcaatccc	aagtgtgtg	gtagaaactc	gccacgtggt	2820
gaactataag	acaagatcag	agtcctgcct	tgaatcattc	tttggtaggg	ccgcttgtgt	2880
gacaattctc	tcccttaca	actcttcagg	tagcggagat	gcaaagaagc	actacacaac	2940
atggaaacac	acataacag	atacgggtgca	actgcgaagg	aaactggaat	tttttacgta	3000
ttccagggtt	gacttgga	tgacctttgt	attcactgag	aactacccta	gcacagctag	3060
tggagaggtt	cgaaatcagg	tttaccaaat	catgtacatt	cctccagggg	cgctagacc	3120
tagttcttgg	gatgattaca	cctggcagtc	atcatcaaac	ccttccatat	tctacatgta	3180
tggtaatgca	ccaccacgga	tgtcgattcc	ctatgtcggg	attgctaacc	cctactcgca	3240
cttctacgat	ggcttcgcgc	gagtgccgct	tgaaggtag	aacacagatg	ccggggacac	3300
cttctacggg	ctagtattca	tcaatgattt	tgggtgactg	gcagttaggg	cagtgaaacc	3360
cagcagccct	cacgccatcc	acacttcagt	gaggggtgat	atgaaacctc	aacacattcg	3420
ctgctgggtg	cccaggccac	cacgagcagt	actttaccgt	ggtgaggggag	tggacatgat	3480
ctcaagtgc	atccaaccac	taaccaaggt	cgattctata	acaacattcg	gctttggtca	3540
ccagaacaag	gcagtttatg	ttgctgggta	taaaatttgt	aactaccact	tagcaacacc	3600
cagtgaccac	ctgaacgcca	ttagtgatg	gtgggacaga	gatttgatag	tagtgaggct	3660
aagagcacag	ggaattgaca	ccatagcccg	gtgcaactgc	aagtgtggcg	tataactctg	3720
tgaatcaagg	aaaaagtatt	atcccatttc	gttcactggg	cccacattta	gatacatgga	3780
ggccaacgaa	tactttccag	ctagatatca	gtcccattta	ttaattgggt	gcgggtttgc	3840
agagcctgga	gactgtgggt	gcatactcag	atgcacacac	ggtgtgatcg	gcataattac	3900
agcaggtgga	cctggagtgg	tggcctttgc	cgacatcagg	gacctctggg	tgtatagga	3960
ggaagcgatg	gaacaaggca	ttacaagcta	catcgagact	ttaggggcag	catttggaac	4020
tgggttcact	caacaatttg	gagacaaaat	tacagagttg	actaatatgg	tgacaagcac	4080
ttttacggac	aaattgttta	aaaaactgat	taaaatagtg	tcttcgttgg	ttataataac	4140
tcgaaactac	gaagacacca	ccacagattt	ggccactcta	gcattgttgg	gttgtgattg	4200
ctctccgtgg	caatgggtga	aacacaaagt	atgtgacatc	ctgcaactgc	cattcgcctc	4260
caaacagagt	gacagttggc	taagaaggtt	cactgaggcg	tgtaatgccg	caaaagggct	4320
cgaatggatt	agcaacaagc	tctccaaatt	tgtggaatgg	gtgaagaaca	agataattcc	4380
tgaagccaga	gacaaaagtgg	aatttctgca	aaaattgaaa	cagttagaaa	tgcttgagaa	4440
ccagatttgt	acactacacc	aatcctgtcc	aagtcaagaa	cagcaagaga	cactctttaa	4500
caatgtccgc	tggttggcac	tcagtcgaag	acgctttgcg	ccgttgtacg	ctgttgaaagc	4560
gcgcagaata	caaaaatttg	agaaacaccat	aaacaactac	atacagttta	agagcaaaaca	4620
ccgtattgaa	ccagtatgta	tgttgataca	tggagctcct	ggcacgggca	aatctatagc	4680
aacctcgttg	attgggcgtg	ccatttgtga	aaaagaaagc	acctcagttg	attctctacc	4740
accagacccc	tcacacttcg	acgggttaca	acaacaaggg	gttgttatca	tggatgacct	4800
caatcagaac	ccggatggta	tggacatgaa	gttgttttgt	cagatgggtg	ctacagtcca	4860
gttcataccc	ccaatggcat	ctctcgagga	gaaagggaatc	ctgttcactt	cagactatgt	4920
gctagcatct	acaaattctc	actcaattac	cccaccact	gtcgcacata	gtgatgccct	4980
aagtagaaga	tttgcatctg	acatggatgt	atacaccatg	tctgaacact	ctgtgaaggg	5040
aaagctcaac	atggcgactg	cgacgcagtt	atgcaaaagag	tgtccaccgc	ccgctaactt	5100
caaaaagtgc	tgtccactag	tgtgtggtaa	agctttacaa	ctgatggaca	agcacaccag	5160
acagagattt	acactagacg	aaatcaccac	tttgatcatc	aatgagaaga	acagaagggc	5220
taacatttgt	aattgcatgg	aggctctttt	tcaaggccct	ctacaataca	aagatctcaa	5280
gatcgacatc	aagaacactc	cccctccaga	gtgcataagt	gatctacttc	aggctgttga	5340
ctcgcaagag	gttagagatt	actgtgagaa	gaaaggatgg	atcgttaacg	tatccagtca	5400
ggttcaatta	gagcgcaaca	tcaatagagc	tatgactatc	ctccaggcag	taaccacgtt	5460
gcgccgagtg	gcgggagtg	tttatgtcat	gtacaagctc	tttgcagggc	atcaaggcgc	5520
ttatactggg	ctcccgagca	agaaacccaa	cgtgcccacc	attagaatag	ctaaagtcca	5580
agggtccagg	tttgactatg	cagttgccat	ggcaaaagaga	aatatcgtaa	ctgcaaccac	5640
caataagggg	gagttcacta	tgttgaggat	gcataataac	gttcgcgtac	taccaaccca	5700
tgcatcacca	ggtgagacca	tgattattga	tggtaaggaa	gttgaagtgc	tggacgcaa	5760
ggccctggag	gaccaagctg	gaactaacct	agagatcacc	attgtcactc	tgagaaggaa	5820
tgagaagttc	agggacatca	gacctcacat	ccccactcaa	atcactgaga	caaatgatgg	5880
agtgttgatc	gtgaacacta	gtaagtaccc	caacatgtat	gtgcccgttg	gtgcagtgc	5940
cgaaacaagg	tacttgaaac	tgggtggg	tcaaacgtct	cgactctaa	tgtacaattt	6000
cccaaccgga	gccggacaat	gtggtggaat	catcacatgc	actggcaagg	tcattgggat	6060

-continued

```

gcatgttggt gggaacgggt cacatgggt cgetgcagcc ctaaaacgggt catacttcac 6120
tcagagcccaa ggtgagattc agtggatgag accatcaaaa gaggtcgggt acccaataat 6180
taatgcacca agcaagacaa aactagaacc cagtgtcttc cactatgttt ttgaagggtt 6240
aaaggaaacct gcagtactga ctaaaaacga tcccagattg aaaacggatt ttgaggaggc 6300
catattctca aagtatgtag ggaacaagat cactgaagtg gatgaatata tgaagagggc 6360
agtagaccat tatgctgggc aactcatgtc tttagacatc aatacagagc aaatgtgctt 6420
ggaagatgct atgtatggca ctgatgggtc ggaagctttg gatctctcta ctagcgcagg 6480
atacccttat gtggctcttg ggaaaaagaa gagagatata ctttaataaac aaacaagaga 6540
caccaaagaa atgcaaagac tactagatac ctatggaata aatttgcttc tagttactta 6600
cgtaaaagat gagctgagaa gcaagagcaa ggtggagcag ggtaaatcca gattaattga 6660
ggcctcaagc ttgaatgatt cagtagcaat gagaatggca tttggtaacc tgtatgcagc 6720
tttcacaaag aatccaggag tcatcactgg ttctgctgta ggatgtgacc cagacttggt 6780
ttggagcaag atcccagtat tgatggaaga aaagctcttt gcatttgatt acaccgggta 6840
cgatgcctct ctacgtcccg cttggtttga ggcactcaaa atggttttgg agaaaatttg 6900
attcggagat agggtagatt acattgatta tctcaacctc tcacaccatc tttacaaaaa 6960
caagacctat tgtgtcaagg gcggtatgcc atctggctgc tcaggcactt caatatttaa 7020
ttcaatgatt aacaatttaa taatcaggac actcttactg aagacctaca agggcataga 7080
tttgaccac ttgaagatga ttgcctatgg tgatgatgta attgcctcct acccccacga 7140
agttgacgct agtctcctag cccaatcagg aaaagactat ggactaacca tgaccaccgc 7200
tgacaagtca gccacctttg aaactgtcac gtgggagaat gtaacatttt taaaaagatt 7260
ctttagggca gatgaaaggt acccattctt aatacatcca gtgatgcca tgaagaaat 7320
acaagaatcg atcagtgga ctaaagatcc tagaaacacg caggaccatg ttcgctcact 7380
gtgcttattg gcttggcaca atggcgaaaga agagtacaat aaatttttag ctaaaatcag 7440
aagtgtgcca atcgggaagag ctttactgct ccccgaaatc tcaactttgt accgcggtg 7500
gctcgactcg ttttagtaac ctacctcag tcgaattgga ttgggtcata ctgttgtagg 7560
ggtaaatttt tctttgattc ggagaaaaaa aaaaaaaa g 7620
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaagagac g 7661

```

```

SEQ ID NO: 22      moltype = DNA length = 7626
FEATURE            Location/Qualifiers
misc_feature       1..7626
                    note = CVA-PP-TwL6-BsmBI_Kuykendall_70pA
source             1..7626
                    mol_type = other DNA
                    organism = synthetic construct

```

```

SEQUENCE: 22
taatacgaact cactataggg tcgactctac aaataacgga taccaatttg agtaacgcgg 60
cttcaatgta caataatgga ctgctctgag cgagtataaa cagtttttta agtcagagc 120
gttcaccggg gaaattcggg gaggttaaaa cagctctggg gttgtcccca cccagaggc 180
ccacgtggcg gctagtactc ttgtattacg gtacctttgt acgctgtttt tgtatccctt 240
ccccgtaaac tttagaagct tatcaaaagt tcaatagcag gggtaacaac cagtacctct 300
acgaacaagc actctgtgtt ccccggtgat atcacataga ctgtaccac ggtaaaaagt 360
gattgatccg ttatccgctt gagtacttcg agaagcctag tatcaccttg gaatcttcga 420
tgcgttgccg tcaacactct gcccgagtg tagcttaggc tgatgagtc gggcactccc 480
caccggcgac ggtggccagc gctgcgttgg cggcctaccc atggctgatg ccgtgggacg 540
ctagttgtga acaaggtgag aagagcctat tgagctactc aagagtccct cggcccttga 600
atgcggtctaa tcctaaccac ggagcaaccg ctcaacaacc agtgagtagg ttgtcgtaat 660
cgtaagtct gtggcggaac cgactacttt ggggtgctcg gtttcccttt atattcatac 720
tggctgtcta tggtagcaat ttacaaattg ttacatata gctattggat tggccacca 780
gtattgtgca atattattga gtgtttcttt cataagcctt attaacatca ctttttaaat 840
cacaataaac agtgcaaatg ggggtcgaag tttcaacgca aaagaccggt gcgcacgaga 900
atcaaaacgt ggcagccaat ggaaccacca ttaattacac tactatcaac tattacaag 960
acagtgcgag taattccgct actagacaag acctctccca agatccatca aaattccacg 1020
aaccggttaa ggacttaact ttgaaaacag caccagctct aaactcgctt aacgtggaag 1080
catgtgggta cagtgaccgt gtgaggcaaa tcactttagg caactcgact attactacac 1140
aagaagcagc caatgctatt gttgcttacg gtgaatggcc cacttacata aatgattcag 1200
aagctaatac ggtagatgca cccactgagc cagacgtag tagcaaccgg ttttacacc 1260
tagaatccgt gtcttggaag accacttcaa ggggatgggt gtggaagtta ccagattggt 1320
tgaaggacat ggggaatgtt ggtcagaata tgtactatca ctactgggg cgtctggtt 1380
acaccattca tgtccagtgc aacgcttcaa aattccacca agggggcgtta ggagttttt 1440
tgataccaga gtttgtcatg gcttgcaaca ctgagagtaa aacgtcatac gtttcataca 1500
tcaatgcaaa tcctgggtgag agaggcggtg agtttacgaa cacctacaat cgtcaaata 1560
cagacgccag tgagggcaga aagtttgtag cattggatta tttgctgggt tctggtgttc 1620
tagcaggaag cgcctttgtg taccgcacc agatcatcaa cctacgtacc aacaacagt 1680
caacaattgt ggtgccatag gtaaaactcac ttgtgattga ttgtatggca aaacacaata 1740
actggggcat tgtcatatta ccaactggcacc ccttggcctt tgccgcaaca tcgtcaccac 1800
aggtgcctat tacagtgacc attgcaccca tgtgtacaga attcaatggg ttgagaaaca 1860
tcaccgtccc agtacatcaa gggttgccga caatgaacac acctgggtcc aatcaattcc 1920
ttacatctga tgacttccag tcgccctgtg ccttacctaa ttttgatgtt actccacca 1980
tacacatacc cggggaagta aagaatatga tggaaactagc tgaaattgac acattgatcc 2040
caatgaacgc agtggacggg aaggtgaaca caatggagat gtatcaata ccattgaatg 2100
acaatttgag caagggcact atattctgtt tatccctatc acctgcttct gataaacgac 2160
tgagccgcac catgttgggt gaatcctaa attattacac ccattggagc ggggtccatca 2220
ggttcacett tctattttgt ggtagtatga tggccactgg taaactgctc ctcagctatt 2280
ccccaccggg agctaaaacca ccaaccaatc gcaaggatgc aatgctaggc acacacatca 2340
tctgggacct aggggttacaa tccagttgtt ccatggttgc acctgggac tccaacacag 2400

```

-continued

tgtacagacg	gtgtgcacgt	gatgacttca	ctgagggcgg	atttataact	tgtttctatc	2460
aaactagaat	tgtgtgacct	gcttcaaccc	ctaccagtat	gttcatgtta	ggctttgtta	2520
gtgctgtgco	agacttcag	gtcagactgc	ttagggacac	tcccatatt	agtcaatcga	2580
aactaatagg	acgtacacaa	ggcattgaag	acctcattga	cacagcgata	aagaatgcct	2640
taagagtgtc	ccaaccaccc	tcgacccagt	caactgaagc	aactagtgga	gtgaatagcc	2700
aggaggtgco	agctctaact	gctgtggaaa	caggagcatc	tggtcaagca	atccccagtg	2760
atgtgggtgga	aactaggcac	gtggtaaat	acaaaaccag	gtctgaatcg	tgtcttgagt	2820
cattctttgg	gagagctgcg	tgtgtcacaa	tctatcctt	gaccaactcc	tccaagagcg	2880
gagagggagaa	aaagcatttc	aacatattga	atattacata	caccgacact	gtccagttac	2940
gcagaaaatt	agagtttttc	acgtattcca	ggtttgatct	tgaaatgact	tttgattcca	3000
cagagaacta	tcttagtaca	gccagtggag	aagtgcgaaa	ccaggtgtac	cagatcatgt	3060
atattccacc	agggggcacc	cgcctatcat	cctgggatga	ctacacatgg	caatcctctt	3120
caaaccttcc	catcttctac	atgtatggaa	atgcacctcc	acggatgtgc	attccttacg	3180
tagggattgc	caatgcctat	tcacacttct	acgatggcct	tgacgggtg	ccacttgagg	3240
gtgagaacac	cgatgctggc	gacacgtttt	acggtttagt	gtccataaat	gattttggag	3300
tttagcag	tagagcagta	aaccgcagta	atccacatac	aatacacaca	tctgtgagag	3360
tgtacatgaa	acaaaaacac	attcgggtgt	gggtgccccag	acctcctcga	gctgtattat	3420
acaggggaga	gggagtgagc	atgatatcca	gtgcaattct	acctctgacc	aaggtagact	3480
caattaccac	ttttgggttt	ggctcatcaga	acaaagcagt	gtacgttgct	ggttacaaga	3540
tttgcaacta	ccacctagca	accccaagt	atcacttgaa	tgcaattagt	atgttatggg	3600
acagggattt	aatgggtggg	gaatctagag	cccagggaac	tgataccatc	gccagatgta	3660
gtgagcagtg	tggagttttc	tattgtgaat	ctaggaggaa	gtactaccct	gtcactttta	3720
ctggcccaac	gttctgatcc	atggaagcaa	acgactacta	tccagcaaga	taccagtctc	3780
acatgctgat	agggtgcgga	tttgacagac	ccgggggactg	cggtgggata	ctgaggtgca	3840
ctcatggggt	aatgggtgat	attactgcag	gaggtgaagg	ggtagtagcc	tttctgaca	3900
ttagagacct	ctgggtgtat	gaagaggagg	ccatggaaca	gggaataaca	agctacatcg	3960
aatctctcgg	cacagccttt	ggcgcagggt	tccccacac	aatcagtgag	aaagtactg	4020
aattgacaac	aatggttacc	agcactatca	cagaaaaact	actgaaaaac	ttggtgaaa	4080
tagtgtcgcc	tctagtgtat	gtgtgagaa	attatgagga	cactaccacg	atccttgcaa	4140
cactagcact	actcgggtgt	gatatatctc	cttgccaatg	gttgaagaag	aaggcatgtg	4200
acttactaga	gattccttat	gtgatgcgcc	aaggtgatgg	gtggatgaag	aaattcacag	4260
aggcgtgcaa	tgcagctaaa	ggcttagagt	ggattagcaa	caaaatttcc	aagttttatg	4320
attggttgaa	gtgtaaaaat	atcccagacg	ctaaggacaa	gggtggaatt	ctcaccaggt	4380
tgaacagct	agacatgttg	gaaaatcaaa	ttgcaaccat	ccaccaatct	tgcccagcc	4440
aagaacaaca	agagattctt	ttcaacaatg	tgagatggct	agcagtcacg	tcccgctcgt	4500
ttgcaccatt	atacgctgtg	gaggcacgcc	gaattaacaa	aatggagagc	acaataaaca	4560
attatataca	gttcaagagc	aaacaccgta	ttgaaccagt	atgtatgctc	attcatgggt	4620
caccagggac	gggtaaatct	atagctactt	cattaatagg	tagagcaata	gcagagaagg	4680
aaagcacatc	agtctattca	atgccacctg	acccatctca	ctttgatggc	tataaacaac	4740
aaagggtagt	gattatggag	gacctaaacc	aaaaccccga	tggtatggac	atgaaactgt	4800
tttgccaaat	gggtatcaaca	gtggagttta	ttcctccaat	ggcctcatta	gaggagaagg	4860
gcattttgtt	tacatctgat	tatgtcctgg	cttctaccaa	ctctcatcca	attgtaccac	4920
ccacagtggc	tcacagtgtg	gccttaacca	gacgatttgc	atttgatgtg	gaggtttaca	4980
cgatgtctga	acattcagtc	aaaggcaaac	tgaatatggc	cacggccact	caattgtgta	5040
aggattgtcc	aacacctgca	aattttaaaa	agtgttgccc	tctcgtttgt	ggaaaggcct	5100
tgcaattaat	ggacaggtac	accagacaaa	ggttcactgt	agatgagatt	accacattaa	5160
tcagtgaatga	gaaaaacaga	agggccaaata	tgggcaattg	catggaagcc	ttgtttcaag	5220
gacctaatag	gtataaagat	ttgaagatcg	atgtgaagac	agttccccc	cctgagtgca	5280
tcagtgtatt	gttacaagca	gtggattctc	aagaggttag	ggattactgt	gagaagaaag	5340
gctggatcgt	taacgttact	agccagattc	aactagaaag	gaacatcaat	agggccatga	5400
ctatactcca	agctgttacc	acattcgcag	cagtcgcagg	agtatgtgat	gtaatgtaca	5460
aaactctcgc	cggtcaacag	gggtgcataca	ctggccttgc	aaacaaaaaa	cccaatgtcc	5520
ctactatcag	agtcgctaaa	gtccaggggc	caggatttga	ctacgcagtg	gcaatggcaa	5580
aaagaaacat	agttactgca	accaccacca	agggtgaatt	taccatgcta	gggggtgcag	5640
ataatgtagc	aatattgcca	acccatgcgc	ctccaggaga	aaccattatt	attgatggga	5700
aagaagtaga	gatcctagat	gccagagcct	tagaagatca	agcgggaacc	aatcttgaga	5760
tcaccattat	tactctaaaa	agaaatgaga	agtttagaga	catcagatca	catattccca	5820
cccaatttac	tgaacttaac	gatggagtgt	tgatcgtgaa	cactagcaag	taccccaata	5880
tgtatgtccc	cgttggtgct	gtgaccgaac	agggatattc	taatctcagt	ggacgtcaaa	5940
ctgctcgcac	tttaatgtac	aactttccaa	caagggcagg	ccagtgcgga	ggaatcatca	6000
ctgttactgg	caaagtcaat	gggatgcag	ttggcgggaa	cggttcacat	gggtttgcag	6060
cagccctcaa	gcgatcatc	ttcactcaaa	atcagggcga	aatccagtg	atgaggtcat	6120
caaaagaagt	gggttacc	attataaatg	ccccatccaa	gacaaagtta	gaaccagtg	6180
ctttccacta	tggttttgaa	gggtgtaagg	aaccagctgt	actcactaag	aatgacccca	6240
gactaaaaac	agattttgaa	gaagccatct	tttctaataa	tgtggggaac	aaaattactg	6300
aagtggacga	gtacatgaaa	gaagcagtg	atcactatgc	aggacagtta	atgtcactgg	6360
atatcaaac	agaacagatg	tgcttgagg	atgccatgta	cggcacccag	ggctctgagg	6420
ccctggatct	tagcactagt	gctggatct	cttatgttgc	aatgggga	aagaaaagag	6480
acattctaga	taaacagacc	agagatacta	aggagatgca	gagactttta	gatacctatg	6540
gaatcaatct	accattagtc	acgtacgtga	aagatgaact	caggtcaaa	actaaagtgg	6600
aacaaggaaa	ctcaagatgt	attgaagcct	ccagccttaa	tgattcagtt	gcaatgagaa	6660
tggccttttg	caatctttac	gcagctttcc	acaagaatcc	aggtgtgggt	acaggtacag	6720
cagttggttg	tgaccagat	ttgttttgga	gtaagatacc	agtgtcaatg	gaagaaaaac	6780
ctctcgttt	tgactacaca	gggtatgatg	cctcactcag	ccctgcttgg	tttgaagctc	6840
ttaaaatggt	gttagaaaaa	attggatttg	gcagtagagt	agactatata	gactacctga	6900
accactctca	ccacctttac	aaaaacaaga	cttatttgtg	caaagggcgc	atgccatccg	6960

-continued

```

gctgctctgg cacctcaatt ttcaactcaa tgattaacaa cctgatcatt aggacgcttt 7020
tactgagaac ctacaagggc atagacttgg accatthtaa aatgattgcc tatgggtgatg 7080
acgtgatagc ttctaccccc catgagggtg acgctagtct cctagcccaa tcaggaaaag 7140
actatggact aacctgact ccagcagata aatcagtaac ctttgaacaa gtcacatggg 7200
agaatgtaac atttctgaaa agatttttca gagcagatga gaagtatcca ttcttggtgc 7260
atccagtgat gccaatgaaa gaaattcacg aatcaatcag atggaccaag gaccctagaa 7320
acacacagga tcacgtacgc tctgtgtgcc tattagcttg gcacaacggg gaagaagaat 7380
acaataaatt tttagctaaa atcagaagtg tgccaatcgg aagagcttta ttgctcccag 7440
agtactctac attgtaccgc cgtatggctcg actcatttta gtaaccctac ctcatgctga 7500
ttggattggg ttatactgtt gtaggggtaa atttttcttt aattcggaga aaaaaaaaaa 7560
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 7620
gagacg                                           7626

```

```

SEQ ID NO: 23      moltype = DNA length = 67
FEATURE           Location/Qualifiers
source            1..67
                  mol_type = unassigned DNA
                  organism = Paenibacillus polymyxa

```

```

SEQUENCE: 23
aaactcgtct gagcgagtat aaacagggtca ttaagctcag agcgttcacc gggatcatgc 60
ggtgagg                                           67

```

```

SEQ ID NO: 24      moltype = DNA length = 67
FEATURE           Location/Qualifiers
source            1..67
                  mol_type = unassigned DNA
                  organism = Paenibacillus polymyxa

```

```

SEQUENCE: 24
aaactcgtct gagcgagtat aaacagggtca ttaagctcag agcgttcacc gggatcattc 60
ggtgagg                                           67

```

```

SEQ ID NO: 25      moltype = RNA length = 7280
FEATURE           Location/Qualifiers
misc_feature      1..7280
                  note = SVV-001
source            1..7280
                  mol_type = other RNA
                  organism = synthetic construct

```

```

SEQUENCE: 25
tttgaatgg ggggtggggc cctgatgccc agtccttcct ttccccctcc ggggggttaa 60
cgggtctgt ttgctagagg cacagagggg caacatccaa cctgcttttg cggggaaacgg 120
tcgggctccg attcctcgct cgccaaaggt gttagcgcac ccaaacggcg cacctaccaa 180
tgttattggt gtggtctgcg agttctagcc tactcgttcc tcccccgacc attcactcac 240
ccacgaaaaa tgtgtttgtaa ccataagatt taacccccgc acgggatgtg cgataaccgt 300
aagactggct caagcgcgga aagcgtctga accacatgct gttagtcctt ttatggctgc 360
aagatggcta cccacctcgg atcactgaac tggagctcga cctcctctag taagggaacc 420
gagaggcctt cgtgcaacaa gctccgacac agagtccacg tgactgctac caccatgagt 480
acatgggtct cccctctcga ccaggactt ctttttgaat atccacggct cgatccagag 540
ggtggggcat gaccctgata gggcgacggc ctagtctgtg cggttctata ggtagcacat 600
gcttgggata ggcctgata gggcgacggc ctagtctgtg cggttctata ggtagcacat 660
acaaatagc agaactctca tttttcttcc gatacagcct ctggcacctt tgaagatgta 720
accggaacaa accgaacaa cgttgaatac cccagatcgg tgaacaatgg tgtttacgat 780
tcgtctactc atttggagat actgaacctc caggggtgaa ttgaaatttt aagggtcttc 840
aatgaatacc aaattcgcgc cgccaaacaa caactcggac tggacatcgt gtacgaacta 900
cagggtaatg ttcagacaac gtcaaagaat gatattgatt cccgtggcaa taatggtaac 960
atgaccttca attactacgc aaacacttat cagaattcag tagacttctc gacctcctcg 1020
tcggcgctcag gcgcgggacc tgggaactct cggggcggat tagcgggtct cctcacaaat 1080
ttcagtgtaa tcttgaaacc tcttggtctc ctcaaagatc acaacaccga agaaatggaa 1140
aactctgctg atcagagtcac aacgcaaacg gcgggcaaca ctgccataaa caccgcaatca 1200
tcattgggtg ttgtgtgtgc ctacgttgaa gacccgacca aatctgatcc tccgtccagc 1260
agcacagatc taacttcacc cactttcact gccatcgaca ggtggtacac tggacgtctc 1320
aattcttgga caaaagctgt aaaaaccttc tcttttcagg ccgtcccgtc tcccgtgtgc 1380
tttctgtcta ggcaggagg cctcaacgga ggggccttca cagctacccct acatagacac 1440
tttttgatga agtcgggggtg gcagggtgcag gtccaatgta atttgacaca attccaccaa 1500
ggcgtctctc ttgttgccat ggttctgtaa accacccctg atgtcaagcc cgacggtaag 1560
gcaaagagct tacaggagct gaatgaagaa cagtggtgtg aaatgtctga cgattaccgg 1620
accgggaaaa acatgccttt tcagtctctt ggcacatact atcggccccc taactggact 1680
tgggtgtcca atttcatcaa cccctatcaa gtaacggttt tccacacca aattctgaac 1740
gcgagaacct ctacctcggg agacataaac gtcccataca tcggggagac ccccacgcaa 1800
tcctcagaga cacagaactc ctggaccctc ctcggttatgg tgctcgttcc cctagactat 1860
aagggaaggag cccacaactga ccagaaatt acattttctg taaggcctac aagtccttac 1920
ttcaatgggc ttcgcaaccg ctacacgggc gggacggacg aagaacaggg gccatttcct 1980
acggcaccca gagaaaattc gcttatgttt ctctcaaccc tccctgacga cactgtccct 2040
gcttacggga attgtgcgtac cctcctgtc aattacctcc ctggtgaaat aaccgacctt 2100
tgcgaactgg ccgcataacc cactctcatg gcatttgagc ggggtgctga acccgtgcct 2160
gcctcagaca catatgtgcc ctacgttgcc gttcccaccc agttcagatg caggcctctc 2220

```

-continued

atctccttcc	cgatcaccc	tteagatccc	gtctatcaga	acacctgggt	tggcgccatc	2280
agttcaaat	tgcgaatta	cgtgggtgt	atccaaatca	ctctgacatt	ttgtggaccc	2340
atgatggcga	gagggaatt	cctgctctcg	tattctcccc	caaatggaa	gcaaccacag	2400
actctttccg	aagctatgca	gtgcacatac	tctatttggg	acataggctt	gaactctagt	2460
tggaccttcg	tcgtccctca	catctcgccc	agtgaactac	gtgaaactcg	agccattacc	2520
aactcggttt	actcgcgtga	tggttgggtt	agcctgcaca	agttgaccaa	aattactcta	2580
ccactgact	gtccgcaag	tccttgcatt	ctctttttcg	cttctgctgg	tgaggattac	2640
actctccgtc	tcccgttga	ttgtaatcct	tccatgtgt	tccactccac	cgacaacgcc	2700
gagacccggg	ttattgaggc	gggtaacact	gacaccgatt	tctctggtga	actggcggt	2760
cctggctcta	accacactaa	tgtcaagttc	ctgtttgatc	gatctcgatt	attgaatgta	2820
atcaaggtac	tggagaagga	cgcgttttcc	ccccgccctt	tccctacaca	agaaggtgcg	2880
cagcaggatg	atggttactt	ttgtctctcg	accccccgcc	caacagtcgc	ttcccgaccc	2940
gccactcgtt	tggcctgtga	cgccaatccg	tcggcgagtg	gtgttcttgc	taacacttca	3000
ctggacttca	atttttatag	cttggcctgt	tccacttact	ttagatcgga	ccttgagggt	3060
acggctggtc	cactagagcc	ggatctggaa	tttgcgttag	ggtgggttcc	ttctggcagt	3120
gaataccagg	cttccagctt	tgtctacgac	cagctgcatg	tgcctctcca	cttactggg	3180
cgcactcccc	cgcttttcgc	tagcaaggtt	gggaaggtat	ctttcgtgct	cccttggaac	3240
tctgtctcgt	ctgtgctccc	cgtgcgcgtg	gggggggctt	ccaagctctc	ttctgctacg	3300
cggggtctac	cggcgcatgc	tgattggggg	actatttacg	ccttgcctcc	cgctccta	3360
gagaagaaaa	gcacgcgtgt	aaaacacgtg	gccgtgtaca	tccggtagaa	gaacgcacgt	3420
gcctgggtcc	ccagcatgct	tccttttcgc	agctacaagc	agaagatgct	gatgcaatct	3480
ggcgatatcg	agacccaatc	cgggcctgct	tctgacaacc	caattttgga	gtttctgaa	3540
gcagaaaaatg	attctagtca	tctggcctct	ctctggaaga	tggtgcactc	tggtcaacag	3600
acctggagaa	agtatgtgaa	gaacgatgat	ttttggccca	atttactcag	cgagctagt	3660
ggggaaggct	ctgtgccttc	ggcgccacgc	ctatccaacc	aagcttcagt	aaaggctcct	3720
ttgggcctgc	actttctctc	tcgggggctc	aattacactg	acttttactc	tttactgata	3780
gagaaatgct	ctagtttctt	tacogtagaa	ccacctctct	caccagctga	aaacctgatg	3840
accaagccct	cagtgaagtc	gaaattccga	aaactgttta	agatgcaagg	accatgggac	3900
aaagtcaaa	actggaacca	aatagctgcc	ggcttggaaga	attttcaatt	tggtctgtac	3960
ctagtcaaa	agggtggtga	ttggctgcag	gcctggatca	acaaagagaa	agccagccct	4020
gtcctccagt	accagtggga	gatgaagaag	ctcgggcctg	tggccttgcc	tcatgacgct	4080
ttcatggctg	gttcggggcc	ccctcttagc	gacgaccaga	ttgaatacct	ccagaacctc	4140
aaatctcttg	ccctaactct	ggggaagact	aatttggccc	aaagtctcac	cactatgatc	4200
aatgccaac	aaagtccagc	ccaactgagt	gaaccogttg	tgggtggtct	tagaggcaag	4260
cgggatgctg	gcaagagctg	ggcctctacg	ttgattgccc	aggctgtgtc	caagcgccct	4320
tatggctccc	aaagtgtata	ttctcttccc	ccagatccag	atttcttcca	tggtacacaa	4380
ggacagttcg	tgaactgtat	ggatgatttg	ggacaaaacc	cggatggaca	agattttctc	4440
accttttgtc	agatgggtgc	gaccgcccac	tttctcccca	acatggcgga	ccttgccagag	4500
aaagggcgct	cctttacctc	caatctcatc	attgcaacta	caaatctccc	ccacttcagt	4560
cctgtcacca	ttgtcgagtc	ttctgcagtc	tctcgccgta	tcaactacga	tctgactcta	4620
gaagtatctg	aggcctacaa	gaaacacaca	cggctgaatt	ttgacttgcc	tttcaggcgc	4680
acagacgccc	ccccatttta	tccttttgct	gcccattgtc	cctttgtgga	cgtagctgtg	4740
cgttccaaa	aatgtccaca	gaattttaat	ctcctagagt	tggctgattc	cattttgtaca	4800
gacattcgag	ccaagcaaca	agggtcccca	aacatgcaga	ctctggttct	acagagcccc	4860
aacgagaaatg	atgacacccc	cgtcgacgag	cgtgtgggta	gagttctctc	cccccgctcg	4920
gtcgatgagg	cgtttgtcga	cctcactcca	gaggccgacc	cggttggccc	tttggctatt	4980
cttgccaagc	taggtcttgc	cctagctgcg	gtcaccctgt	gtctgataat	cctggcagtg	5040
ggactctaca	ggtagctctc	tggtctctgat	gcagaccaag	aagaaacaga	aagttagggga	5100
tctgtcaagg	caccacaggc	gaaaatgct	tatgacggcc	cgaagaaaaa	ctctaagccc	5160
cctggagcac	tctctctcat	ggaaatgcaa	cagcccaacg	tggacatggg	ccttgaggct	5220
gcggtcgcta	agaaagtggt	cgtcccccatt	acctcatggt	ttcccaacag	acctctggg	5280
cttacacagt	ccgctcttct	ggtgacccgc	cggaccttcc	taataaatga	acatacatgg	5340
tccaatccct	cctggaccag	cttcacaatc	cgcggtgagg	tacacactcg	tgatgagccc	5400
ttccaaacgg	ttcattttcc	tcaccacggt	attccacag	atctgatgat	ggtacgtctc	5460
ggaccgggca	attctttccc	taacaatcta	gacaagtttg	gacttgacca	gatgcgggca	5520
cgcaactccc	gtgtggttgg	cgtttcgtcc	agttacggaa	acttcttctt	ctctggaaat	5580
ttcctcggat	ttgttgattc	catcacctct	gaacaaggaa	cttacgcaag	actctttagg	5640
tacagggtga	cgacctacaa	aggatgggtc	ggctcggccc	tggctctgtga	ggcgggtggc	5700
gtccgacgca	tcattggcct	gcattctgct	ggcgccgccc	gtatcgccgc	cgggacctat	5760
atctcaaaat	taggactaat	caaagccctg	aaacacctcg	gtgaaccttt	ggccacaatg	5820
caaggactga	tgaactgaat	agagcctgga	atcaccgta	atgtaccccg	gaaatccaaa	5880
ttgagaaaga	cgaccgcaca	cgcggtgtac	aaacccgagt	ttgagcctgc	tggtgtgtca	5940
aaatttgatc	ccagactgaa	caaggatggt	gacttggatg	aagtaatttg	gtctaacaac	6000
actgccaatg	tcctttacca	acctcctttg	ttctacacat	acatgtcaga	gtacgctcat	6060
cgagtcttct	cctcttggg	gaaagacaat	gacattctga	cgtcaaaaga	agcaattctg	6120
ggcatccccg	gactagaccc	catggatccc	cacacagctc	cgggtctgcc	ttacgccaatc	6180
aacggccttc	gacgtactga	tctcgtcgat	tttgtgaacg	gtacagtga	tgccggcgctg	6240
gctgtacaaa	tccagaat	cttagacggt	gactactctg	accatgtctt	ccaaactttt	6300
ctgaaagatg	agatcagacc	ctcagagaaa	gtccgagcgg	gaaaaacccg	cattgtttgat	6360
gtgcctctcc	tggcgcttgg	cattgtgggc	agaatgttgc	ttgggcccct	tgctgccaag	6420
tttcaatccc	atcctggctt	tcctctcgcc	tctgctatcg	ggtctgaccc	tgatgttttc	6480
tggaccgtca	taggggctca	actcgagggg	agaaagaaca	cgtatgacgt	ggactacagt	6540
gcctttgact	cttcacacgg	cactggctcc	ttcgaggctc	tcatctctca	ctttttcacc	6600
gtggacaatg	gttttagccc	tgcgctggga	cgtatctca	gatccctggc	tgctctcggtg	6660
cagcttacg	cgcagcgctg	catcaagatt	accggtggcc	tccctccgg	ttgtgcgcg	6720
accagcctgc	tgaacacagt	gctcaacaat	gtgatcatca	ggactgctct	ggcattgact	6780

-continued

tacaaggaat	ttgaatatga	catgggtgat	atcatcgct	acggtgacga	ccttctgggt	6840
ggcacggatt	acgatctgga	cttcaatgag	gtggcacgac	gcgctgcaa	gttgggggat	6900
aagatgactc	ctgccaacaa	gggttctgtc	ttccctccga	cttcctctct	ttccgatgct	6960
gtttttctaa	agcgcaaat	cgccccaaac	aacgacggct	tatacaaac	agttatggat	7020
ttaaagaatt	tggaagccat	gctctcctac	ttcaaacag	gaacactact	cgagaagctg	7080
caatctgttt	ctatgtgtgc	tcaacattct	ggaaaagaag	aatatgatag	attgatgcac	7140
cccttcgctg	actacgggtg	cgtaccgagt	cacgagtacc	tgagggcaag	atggagggcc	7200
ttgttcgact	gacccagata	gccccaggcg	cttcgggtgct	gccggcgatt	ctggggagaa	7260
tcagtcggaa	cagaaaaggg					7280

SEQ ID NO: 26 moltype = RNA length = 7280
 FEATURE Location/Qualifiers
 misc_feature 1..7280
 note = SVV-001-S177A
 source 1..7280
 mol_type = other RNA
 organism = synthetic construct

SEQUENCE: 26

tttgaatgg	ggggctgggc	cctgatgcc	agtccttct	ttccctctcc	gggggggttaa	60
cggctgtgt	ttgctagagg	cacagagggg	caacatccaa	cctgcttttg	cggggaacgg	120
tgccgctccg	attcctcgct	cgccaaaggt	gttagcgcac	ccaaacggcg	cacctaccaa	180
tgttattggt	gtggtctgcg	agttctagcc	tactcgttc	tcccccgacc	attcactcac	240
ccacgaaaag	tgtgttgtta	ccataagatt	taacccccgc	acgggatgtg	cgataaccgt	300
aagactggct	caagcgcgga	aagcgctgta	accacatgct	gttagtcctc	ttatggctgc	360
aagatggcta	cccactcgg	atcactgaac	tggagctcga	ccctccttag	taagggaacc	420
gagaggcctt	cgtgcaacaa	gctccgacac	agagtccacg	tgactgctac	cacctagagt	480
acatggttct	ccccctcga	cccaggactt	ctttttgaat	atccacggct	cgatccagag	540
ggtggggcat	gaccctagc	atagcgagct	acagcgggaa	ctgtagctag	gccttagcgt	600
gccttgata	tgccctgata	ggcgacggc	ctagtcgtgt	cggttctata	ggtagcacat	660
acaaatatgc	agaactctca	ttttctttc	gatacagcct	ctggcacctt	tgaagatgta	720
accggaacaa	aagtcaagat	cgttgaatac	cccagatcgg	tgaacaatgg	tgtttacgat	780
tcgtctactc	attggagat	actgaacctc	cagggtgaaa	ttgaaatttt	aagggtcttc	840
aatgaatacc	aaattcgcgc	cgccaaacaa	caactcggac	tggacatcgt	gtacgaacta	900
cagggtaatg	ttcagacaac	gtcaagaat	gattttgatt	cccgtggcaa	taatggtaac	960
atgaccttca	attactacgc	aaacacttat	cagaattcag	tagacttctc	gacctcctcg	1020
tcggcgctac	gcgcgggacc	tgggaactct	cggggcggat	tagcgggtct	cctcacaaat	1080
ttcagtgga	tcttgaaccc	tcttgctac	ctcaaatgta	atttgacaca	attccacca	1140
aaactctctg	atcagtcac	aaacgaaacg	gcgggcaaca	ctgccataaa	cacgcaatca	1200
tcattgggtg	tgtgtgtgct	ctacgttgaa	gacccgacca	aatctgctac	tccgtccagc	1260
agcacagatc	aaacacacc	cactttcact	gccatcgaca	ggtggtacac	tggacgtctc	1320
aatctcttga	aaaaagctgt	aaaaaccttc	tcttttcagg	ccgtcccgct	tcccggtgcc	1380
tttctgtcta	ggcaggagg	cctcaacgga	ggggccttca	cagctaccc	acatagacac	1440
tttttgatga	agtgcgggtg	gcaggtgcag	gtccaatgta	atttgacaca	attccacca	1500
ggcgctcttc	ttgttgccat	ggttcttgaa	accacccctg	atgtcaagcc	cgacggtaag	1560
gcaagagct	tacaggagct	gaatgaagaa	cagtggtggtg	aaatgtctga	cgattaccgg	1620
accgggaaaa	acatgccttt	tcaggcgctt	ggcacatact	atcgccccc	taactggact	1680
tgggttccca	atttcatcaa	ccccatcaa	gtaacgggtt	tccacaccca	aattctgaac	1740
gcgagaacct	ctacctcggt	agacataaac	gtcccataca	tcggggagac	ccccacgcaa	1800
tcctcagaga	cacagaacac	ctggaccctc	ctcgttatgg	tgctcgcttc	cctagactat	1860
aagggaaggag	ccacaactga	ccagaaaatt	acattttctg	taaggcctac	aagtccctac	1920
ttcaatgggc	ttcgcaacgc	ctacacggcc	gggacggagc	aagaacaggg	gcccattcct	1980
acggcaccac	gagaaaattc	gcttatgttt	ctctcaaccc	tccctgacga	cactgtccct	2040
gcttacggga	atgtgcgtac	ccctcctgtc	aattacctcc	ctggtgaaat	aaccgacctt	2100
ttgcaactgg	cccgcatacc	cactctcatg	gcatttgagc	gggtgcctga	acccgtgcct	2160
gcctcagaca	catatgtgcc	ctacgttgcc	gttcccaccc	agttcgatga	caggcctctc	2220
atctccttcc	cgatcacctc	ttcagatccc	gtctatcaga	acacccctgt	tggcgccatc	2280
agttcaaat	tcgccaatta	ccgtgggtgt	atccaaatca	ctctgacatt	ttgtggaccc	2340
atgatggcga	gagggaaatt	cctgctctcg	tattctcccc	caaatggaa	gcaaccacag	2400
actctttccg	aaactatgca	gtgcacatac	tctatttggg	acataggctt	gaactctagt	2460
tggaccttcc	tcgtccccta	catctcgccc	agtgactacc	gtgaaactcg	agccattacc	2520
aaactcggtt	actccgctga	tggttgggtt	agcctgcaca	agttgaccaa	aattactcta	2580
ccacctgact	gtccgcaaa	tccttgcatt	ctctttttcg	cttctgctgg	tgaggattac	2640
actctccgtc	tcccgttga	ttgtaacct	tccatgtgt	tccactccac	cgacaacgcc	2700
gagaccgggg	ttattgaggg	gggtaacact	gacaccgatt	tctctggtga	actggcggct	2760
ctggctctca	accacactaa	tgtcaagttc	ctggttgatc	gatctcgatt	attgaatgta	2820
atcaagggtac	tggagaaggga	cgccgttttc	ccccgccctt	tccctacaca	agaagggtgcg	2880
cagcaggatg	atggttactt	ttgtctcttg	accccccgcc	caacagtcgc	ttcccgaacc	2940
gccactcggt	tcggcctgta	cgccaatccg	tcggcgagtg	gtgttcttgc	taacacttca	3000
ctggacttca	atttttatag	cttggcctgt	ttcacttact	ttagatcgga	ccttgagggt	3060
acgggtggtc	cactagagcc	ggatctggaa	tttctgttag	gggtggtttc	ttctggcagt	3120
gaataccagg	cttccagctt	tgtctacgac	cagctgcagc	tgcccttcca	ctttactggg	3180
cgactcccc	gcgctttcgc	tagcaagggt	gggaagggtat	ctttcgtgct	cccttgggaa	3240
tctgtctcgt	ctgtgctccc	cgtgcgctgg	gggggggctt	ccaagctctc	ttctgctacg	3300
cggggtctac	cgccgcatgc	tgattggggg	actattttacg	cctttgtccc	ccgtccta	3360
gagaagaaaa	gcaccgctgt	aaacacgctg	gccgtgtaca	ttcggtacaa	gaacgcacgt	3420
gcctgggtgcc	ccagcatgct	tccctttcgc	agctacaagc	agaagatgct	gatgcaatct	3480

-continued

```

ggcgatatcg agaccaatcc cgggectgct tctgacaacc caatttttga gtttcttgaa 3540
gcagaaaatg atctagtcac tctggcctct ctctggaaga tgggtgactc tgttcaacag 3600
acctggagaa agtatgtgaa gaacgatgat ttttggccca atttactcag cgagctagt 3660
ggggaaggct ctgtgcctct ggcggccacg ctatccaacc agcttcagt aaaggctctt 3720
ttgggctgct accttctctc tggggggctc aattacactg acctttactc tttactgata 3780
gagaaatgct ctagtttctt taccgtagaa ccacctctc caccagctga aaacctgatg 3840
accaagccct cagtgaagtc gaaattccga aaactgttta agatgcaagg acctatggac 3900
aaagtcaaaag actggaacca aatagctgcc ggcttgaaga attttcaatt tgttcgtgac 3960
ctagtcaaaag aggtgggtcga ttggctgcag gcctggatca acaagagaa agccagccct 4020
gtcctccagt accagttgga gatgaagaag ctggggcctg tggccttggc tcatgacgct 4080
ttcatggctg gttccgggct ccctcttagc gacgaccaga ttgaatacct ccagaacctc 4140
aaatctcttg ccctaacact ggggaagact aatttggccc aaagtctcac cactatgatc 4200
aatgccaacc aaagtccagc ccaacgagtt gaaccgcttg tgggtgctct tagaggcaag 4260
cgggatgcg gcaagagctt ggcctctacg ttgattgccc aggtctgtgc caagcgcctc 4320
tatggctccc aaagtgtata ttctcttccc ccagatccag atttcttcca tggatacaaa 4380
ggacagttcg tgaccttgat ggatgatttg ggacaaaacc cggatggaca agatttctcc 4440
accttttctc agatgggtgc gaccgcccac tttctccca acatggcgga ccttgacag 4500
aaagggcgct cctttacctc caatctcatc attgcaacta caaatctccc ccacttcagt 4560
cctgtcacc a ttgctgatcc ttctgcagtc tctcgccgta tcaactacga tctgactcta 4620
gaagtatctg aggcctacaa gaaacacaca cggctgaatt ttgacttggc tttcaggcgc 4680
acagacgccc ccccatctta tcttttctgct gccatgtgc ccttttgga cgtagctgtg 4740
cgcttcaaaa atggttcacca gaattttaat ctctagagt tggctgattc catttgtaca 4800
gacattcgag ccaagcaaca aggtgcccga aacatgcaga ctctggttct acagacccc 4860
aacgagaaat atgacacccc cgtcgacgag cgcttgggta gagtctctc ccccgctgcg 4920
gtcgatgagg cgttctgca cctcactcca gaggcgacg cgggtggcgg tttggctatt 4980
cttgccaagc tatgtcttgc cctagctgcg gtcacccctg gtcgataaatt cttgacagtg 5040
ggactctaca ggtactctc ttgctctgat cgacaccaag aagaacaga aagttaggga 5100
tctgtcaagg caccaggag cgaatatgct tatgacggcc cgaagaaaaa ctctaagccc 5160
cctggagcac tctctctcat ggaatatgcaa cagcccaacg tggacatggg ctttgaggct 5220
gcggtcgcta agaaatgggt cgtcccatc accttcatgg tcccaacag accttctggg 5280
cttacacagt ccgctcttct ggtgaccggc cggaccttcc taatcaatga acatacatgg 5340
tccaatccct cctggaccag ctccacaatc cgcggtgagg tacacactcg tgatgagccc 5400
ttccaaacgg ttcatctcac taccacaggt attcccacag atctgatgat ggtacgtctc 5460
ggaccgggca atcttttccc taacaatcta gacaagtttg gacttgacca gatgcgggca 5520
cgcaactccc gtgtggttgg cgtttctgct agttacggaa acttcttctt ctctggaaat 5580
ttcctcggtt ttgttgattc catcacctct gaacaaggaa cttacgcaag actctttagg 5640
tacagggtga gacgtactga aggatgggtg ggcctggccc tggctgtgta ggcgggtggc 5700
gtccgacgca tcattggcct gcattctgct ggcgcgcgcg gtatcggcgc cgggacctat 5760
atctcaaaat taggactaat caaagccctg aaacacctcg gtgaaccttt ggcacaaatg 5820
caaggactga tgactgaatt agagcctgga atcacctgac atgtaccccg gaaatccaaa 5880
ttgagaaaga cgacgcgaca cgcggtgtac aaacggagtg ttgagcctgc tgtgtgtgca 5940
aaatttgatc ccagactgaa caaggatgtt gacttggatg aagtaatttg gtctaaccac 6000
actgccaatg atccttacc cctctcttgg gaaagacaat gacattctga ccgtcaaaga agcaattctg 6120
ggcatccccg gactagaccc catggatccc cacacagctc cgggtctgct ttacgccatc 6180
aacggccttc gactgactga tctctcgat tttgtgaacg gtacagtaga tgcggcgctg 6240
gctgtacaaa tccagaaatt cttagacggt gactactctg accatgtctt ccaaaacttt 6300
ctgaaagatg agatcagacc ctgagagaaa gtccgagcgg gaaaaacccg cattgttgat 6360
gtgcctccc ttggcgatg cattgtgggc agaattgttc ttggcgctt tgcgtccaa 6420
tttcaatccc atcttgctt tctctcggc tctgctatcg ggtctgacct tgatgttttc 6480
tggacgctca taggggtcct actcgagggg agaaagaaca cgtatgacgt ggactacagt 6540
gcctttgact cttcacacgg cactggctcc ttcgaggctc tcatctctca ctttttacc 6600
gtggacaatg gttttagccc tgcgctggga ccgtatctca gatccctggc tgtctcggtg 6660
cacgcttacg gcgagcgctg catcaagatt accggtggcc tccctcggg ttgtgcccgc 6720
accagcctgc tgaacacagt cgtcaacaa gtgatcatca ggactgctct ggcattgact 6780
tacaaggaa ttgaatatga catgggtgat atcatcgct accggtgacg ccttctggtt 6840
ggcagcgatt acgatctgga ctccaatgag gtggcagcac gcgctgcca gttgggggat 6900
aagatgactc ctgccaacaa ggggttctgtc ttccctccga cttctctct tccgatgct 6960
gtttttctaa agcgcaaat cgtccaaaac aacgacggct tatacaaac agttatggat 7020
ttaaagaatt tggaaagcat gctctcctac ttcaaacag gaacactact cgagaagctg 7080
caatctgttt ctatgttggc tcaaatctt ggaaaagaag aatatgatag attgatgcac 7140
ccctctcgct actacggtgc cgtaccgagt caccagatgc tgcaggcaag atggaggggc 7200
ttgttcgact gaccagata gcccaggcg cttcgtgtct gccggcgatt ctgggagaa 7260
tcagtcggaa cagaaaagg 7280

```

```

SEQ ID NO: 27      moltype = RNA length = 8048
FEATURE            Location/Qualifiers
misc_feature        1..8048
                    note = SVV-001-GFP
source              1..8048
                    mol_type = other RNA
                    organism = synthetic construct

```

```

SEQUENCE: 27
tttgaatgg ggggctgggc cctgatgcc agtcttctt tttcccttc ggggggttaa 60
cggctgtgt ttgctagagg cacagaggg caacatccaa cctgctttt cgggggaacg 120
tgccgctccg attcctgcgt cgccaaagg gttagcgcac ccaaacggcg cacctacca 180

```

-continued

tgttattggt	gtggctctg	agttctagcc	tactcgttcc	teccccgacc	attcactcac	240
ccacgaaaag	tgtgttggta	ccataagatt	taacccccgc	acgggatgtg	cgataaaccgt	300
aagactggct	caagcgcgga	aagcgctgta	accacatgct	gttagtcctc	ttatggctgc	360
aagatggcta	cccacctcgg	atcactgaac	tggagctcga	ccctccttag	taagggaacc	420
gagaggcctt	cgtgcaacaa	gctccgacac	agagtccacg	tgactgctac	cacctgaggt	480
acatggttct	ccccctctga	cccaggactt	ctttttgaa	atccacggct	cgatccagag	540
ggtagggcat	gacccctagc	atagcgagct	acagcgggaa	ctgtagctag	gccttagcgt	600
gccttggata	ctgcctgata	gggcgacggc	ctagtcgtgt	cggttctata	ggtagcacat	660
acaaatatgc	agaactctca	tttttcttcc	gatacagcct	ctggcaccct	tgaagatgta	720
accggaacaa	aagtcaagat	cgttgaatac	cccagatcgg	tgaacaatgg	tgtttaacgat	780
tcgtctactc	atttggagat	actgaacctc	caggggtgaa	ttgaaatctt	aaggctcttc	840
aatgaatacc	aaattcgcgc	cgccaacaaa	caactcggac	tggacatcgt	gtacgaacta	900
caggggtaag	ttcagacaac	gtcaagaat	gattttgatt	cccgtggcaa	taatggtaac	960
atgaccttca	attactacgc	aaacacttat	cagaattcag	tagacttctc	gacctcctcg	1020
tcggcgctag	gcgcggagac	tgggaactct	cggggcggat	tagcgggtct	cctcacaaat	1080
ttcagtgga	tcttgaaccc	tcttggctac	ctcaaatgta	acaacaccga	agaaatggaa	1140
aaactctgct	atcgagtcac	aacgcaaacg	gcgggcaaca	ctgccaataa	cacgcaatca	1200
tcattgggtg	tgttgtgtgc	ctacgttgaa	gacccgacca	aatctgatcc	tcctgcccag	1260
agcacagatc	aaccaccacc	cactttcact	gccatcgaca	ggtggtacac	tggacgtctc	1320
aatctcttga	caaaagctgt	aaaaaccttc	tcttttcagg	ccgtcccgtc	tcctgggtgc	1380
ttctctgtct	ggcagggaag	cctcaacgga	ggggccttca	cagctaccct	acatagacac	1440
tttttgatga	agtgcgggtg	gcaggtgcag	gtccaatgta	atttgacaca	attccacca	1500
ggcgctcttc	ttgttgccat	ggttcctgaa	accacctctg	atgtcaagcc	cgacggtaag	1560
gcaagagagt	tacaggagct	gaatgaagaa	cagtggtggg	aaatgtctga	cgattaccgg	1620
acgggaaaaa	acatgccttt	tcagtcctct	ggcacatact	atcgcccccc	taactggact	1680
tgggtgtccc	atttcatcaa	ccccatcaa	gtaacgggtt	tcaccaacca	aattctgaac	1740
gcgagaacct	ctacctcggt	agacataaac	gtcccatata	tcggggagac	ccccacgcaa	1800
tcctcagaga	cacagaactc	ctggaccctc	ctcgttatgg	tgctcgttcc	cctagactat	1860
aagggaaggag	ccacaactga	ccagaaaatt	acattttctg	taaggcctac	aagtccttac	1920
ttcaatggcg	ttcgcaaccc	ctacacggcc	gggacggacg	aagaacaggg	gcccattcct	1980
acggcaccca	gagaaaattc	gcttatgttt	ctctcaaccc	tcctgacga	cactgtccct	2040
gcttacggga	atgtgcgtac	ccctcctgtc	aattacctcc	ctggtgaaat	aaccgacctt	2100
ttgcaactgc	cccgcatacc	cactctcatg	gcaatttgag	gggtgcctga	acccgtgcct	2160
gcctcagaga	catagtgtgc	ctacgttgcc	gttcccaccc	agttcgatga	caggcctctc	2220
atctccttcc	cgatcacccct	ttcagatccc	gtctatcaga	acacctgggt	tggcgcctac	2280
agttcaaat	tcgccaatta	ccgtgggtgt	atccaaatca	ctctgacatt	ttgtggaccc	2340
atgatggcga	gagggaattc	ctgctctctg	tattctcccc	caaatggaac	gcaaccacag	2400
actctttccg	aaactatgca	gtgcacatac	tctatttggg	acataggctt	gaactctagt	2460
tggaccttcg	tcgtccctca	catctcgccc	agtgactacc	gtgaaactcg	agccattacc	2520
aaactcgggt	actccgctga	gggttggttt	agcctgcaca	agttgaccaa	aattactcta	2580
ccactcgact	gtccgcaaa	tcctctcatt	ctcttttctg	cttctgctgg	tgaggattac	2640
actctccgtc	tcctccgttg	ttgtaatect	tcctatgtgt	tcactccacc	cgacaacgcc	2700
gagacggggg	ttattgaggc	gggttaacact	gacaccgatt	tctctggtga	actggcggct	2760
cctggctcta	accacactaa	tgtcaagttc	ctgttttgatc	gatctcgatt	attgaaatga	2820
atcaaggtac	tggagaaggga	cgcggttttc	ccccgccttc	tcctacacac	agaaggtgcg	2880
cagcaggtat	atggttaact	ttgttctctg	accccccgcc	caacagtcgc	ttcccagacc	2940
gccaactcgt	tcggcctgta	cgccaatccg	tcgggcagtg	gtgttcttgc	taacacttca	3000
ctggacttca	atttttatag	cttggcctgt	ttcacttact	ttagatcgga	ccttgagggt	3060
acggtggtct	cactagagcc	ggatctggaa	ttgtctgtag	ggtgggttcc	ttctggcagt	3120
gaataaccagg	cttccagctt	tgtctacgac	cagctgcagtg	tgccttccca	ctttactggg	3180
gcactccccc	gcgcttccgc	tagcaagggt	gggaaggat	cttctgtgct	cccttgggaa	3240
ctgtctctgt	ctgtgctccc	ctgtgcctgg	gggggggctt	ccaagctctc	ttctgctacg	3300
cggggtctac	cggcgcatgc	tgaattgggg	actattttacg	cttttgtccc	ccgtccta	3360
gagaagaaaa	gcacgcctgt	aaaacacgtg	gcccgtgtaca	ttcgggtacaa	gaacgcacgt	3420
gcctgggtgc	ccagcatgct	tcctttctgc	agctacaagc	agaagatgct	gatgcaatct	3480
ggcgatatcg	agaccaatcc	cgggcccgatg	agcaagggcg	aggagctggt	caccgggggtg	3540
gtgccccatc	tggtcgagct	ggacggcgac	gtaaacggcc	acaagttcag	cgtgtccggc	3600
gaggcgaggg	gcgatgccac	ctacggccaag	ctgacccctga	agttcatctg	caccacggcg	3660
aagctgcccc	tgccctggcc	caccctcgtg	accaccttga	cctacggcgt	gcagtgtctc	3720
agccgctacc	cgcaccacat	gaagcagcac	gacttcttca	agtccgcat	gcccgaaggc	3780
tacgtccagg	agcgaccacat	cttcttcaag	gacgacggca	actacaagac	ccgcgcagag	3840
gtgaagttcg	agggcgacac	cctggtgaac	cgcacgcagc	tgaagggcat	cgacttcaag	3900
gaggacggca	acatcctggg	gcacaagctg	gagtacaact	acaacagcca	caacgtctat	3960
atcatggccg	acaagcagaa	gaacggcatc	aaggtgaact	tcaagatccg	ccacaacatc	4020
gaggacggca	gcgtgcagct	cgcgcgaccac	taccagcaga	acacccccat	cggcgacggc	4080
cccgtgctgc	tgccccgaca	ccactacctg	agcacccagt	ccgcctcgag	caaagacccc	4140
aacgagaagc	gcgatcacat	ggctcctgctg	gagttcctga	ccgcgcgcgg	gatcactctc	4200
ggcatggacg	agctgtacaa	ggagggcaga	ggaagtctgc	taacatgcgg	tgacgtcgag	4260
gagaatcccc	ggcctgcttc	tgacaacca	attttggagt	ttcttgaagc	agaaaatgat	4320
ctagtcaact	tggcctctct	ctggaagatg	gtgcactctg	ttcaacagac	ctggagaaa	4380
tatgtgaaga	acgatgatct	ttggcccaat	ttactcagcg	agctagtggg	ggaaggtctc	4440
gtcgcttggg	cgcgacgct	atccaaacca	gcttcagtaa	aggtctcttt	gggctctgac	4500
ttctctctct	gggggctcaa	ttacactgac	ttttactctt	tactgataga	gaaatgctct	4560
agtttcttta	ccgtagaacc	acctctccca	ccagctgaaa	acctgatgac	caagccctca	4620
gtgaagtcga	aatccgaaa	actgtttaag	atgcaaggac	ccatggacaa	agtcacaagac	4680
tggaaacaaa	tagctgcggg	cttgaagaat	tttcaatttg	ttctgacact	agtcacaagac	4740

-continued

```

gtggtcgatt ggctgcaggc ctggatcaac aaagagaaag ccagccctgt cctccagtag 4800
cagttggaga tgaagaagct cgggcctgtg gccttggctc atgacgcttt catggctggg 4860
tcggggcccc ctcttagcga cgaccagatt gaatacctcc agaacctcaa atctcttgcc 4920
ctaactctgg ggaagactaa tttggcccaa agtctcacca ctatgatcaa tgccaaacaa 4980
agttcagccc aacgagttga acccgttgtg gtggtoctta gaggcaagcc gggatgcgcc 5040
aagagcttgg cctctacgtt gattgcccag gctgtgtcca agcgctcta tggctcccaa 5100
agtgtatatt ctcttcccc agatccagat ttcttcgatg gatacaagg acagttcgtg 5160
acctgtatgg atgatttggg acaaaaacccg gatggacaag atttctccac cttttgtcag 5220
atgggtgtcga cggcccaatt tctccccaac atggcggacc ttgcagagaa agggcgctcc 5280
ttacacctca atctcatcat tgcactaca aatctcccc acttcagtcc tgtcaccatt 5340
gctgacctt ctgcagcttc tcgcccgtatc aactacgac tgactctaga agtatctgag 5400
gctacaaga aacacacacg gctgaatttt gacttggctt tcaggcgcac agacgcccc 5460
cccatattac cttttgtctg ccatgtgccc tttgtggacg tagctgtgcg cttcaaaaat 5520
ggtcaccagc attttaatct cctagagttg gtccattcca tttgtacaga cattcgagcc 5580
aagcaacaag gtgcccgaaa catgcagact ctggtttctc agagccccaa cgagaatgat 5640
gacacccccg tcgacgaggg gttgggtaga gttctctccc ccgctgcggt cgatgaggcg 5700
cttgtcgacc tcaactccag ggcgaccccg gttggccgtt tggctattct tgccaaagta 5760
ggctcttgccc tagctgcggt acccccgtgt ctgataatct tggcagtggt actctacagg 5820
tacttctctg ctctctgatc agaccaagaa gaaacagaaa gtgagggatc tgtcaaggca 5880
cccaggagcg aaaaatgctta tgacggcccg aagaaaaact ctaagccccc tggagcactc 5940
ttctctcatg aatcgcaaca gcccaacgtg gacatgggct ttgaggtgct ggtcgctaag 6000
aaagtggctg tccccattac cttcatgggt cccaacagac cttctgggct tacacagtcc 6060
gctctctctg tgacggcgcc gaccttctca atcaatgaac atacatggc caatccctcc 6120
tggaccagct tcacaatccg cggtagagta cacactcgtg atgacccctt ccaaacgggt 6180
catttcactc accacggtat tcccacagat ctgatgatgg tactgtctcg accgggcaat 6240
tttttcccta acaatctaga caagtgtgga cttgaccaga tgcgggcacg caactcccg 6300
gtgggttggc tttcgtccag ttacggaaac ttctctctct ctggaaattt cctcggattt 6360
gttgattcca tcacctctga acaaggaaact tacgcaagac tctttaggta cagggtagacg 6420
acctacaaag gatggtgccc ctgcgcccgt gtctgtgagg ccggtggcgt ccgacgcac 6480
attggcctgc attctgtggt cgcgcgcggt atcggcgccc ggacctatat ctcaaaatta 6540
ggactaatca aagcctgaa acacctcgtt gaaccttttg ccacaatgca aggactgatg 6600
actgaattag agcctggaat caccgtacat gtaccccgga aatccaaat gagaaagacg 6660
accgcacacg cgggtgtacaa accggagttt gagcctcgtg tgttgtcaaa atttgatccc 6720
agactgaaca aggatgttga cttggatgaa gtaatttggc taaacacac tgccaatgtc 6780
ccttaccac cctctttgtt ctacacatac atgtcagagt acgctcatcg agtctctccc 6840
ttcttgggga aagacaatga cattctgacc gtcaaaagag caattctggg catccccgga 6900
ctagacccca tggatcccca cacagctccg ggtctgcctt acgccatcaa cggccttcga 6960
cgtactgac tcgtogattt tgtgaacggt acagtagatg cggcgctggc tgtacaaatc 7020
cagaaattct tagacggtga ctactctgac catgtctccc aaactttctt gaaagatgag 7080
atcagaccct cagagaaagt ccgagcggga aaaaccccga ttgttgatgt gccctccctg 7140
gcgcattgca ttgtgggcag aatgttgctt gggcgctttg ctgccaagtt tcaatcccat 7200
cctggcttct tcctcggctc tgcctatcggg tctgaccctg atgtttctgt gacgcgta 7260
ggggctcaac tcgaggggag aaagaacacg tatgacgtgg actacagtgc ctttgactct 7320
tcacacggca ctggctcctt cgaggtctct atctctcact ttttcacgt ggacaatggt 7380
tttagccctg cgtgggacac gtatctcaga tccctggcgt tctcgttgca cgttacggc 7440
gagcgtcgca tcaagattac cgttggcctc cctcgggtt gtgcgcgac cagcctgctg 7500
aacacagtgc tcaacaatgt gatcatcagg actgctctgg cattgactta caagggaatt 7560
gaatgatga ttggtgatgt catcgctac ggtgacgacc ttctggttgg caccgattac 7620
gatctggact tcaatgaggt ggcacgacgc gctgccaagt tggggtataa gatgactcct 7680
gccaacaagg gttctgtctt cccctcggact tctctctctt ccgatgctgt ttttctaaag 7740
cgcaaatctg tccaaaacaa cgcagcgtta tacaaccag ttatggattt aaagaatttg 7800
gaagccatgc tctcctact caaacaggga acactactcg agaagctgca atctgtttct 7860
atgttggctc aacattctgg aaaagaagaa tatgatagat tgatgcaccc cttcgtctgac 7920
tacggtgccc taccgagtcg cgagtacctg caggcaagat ggagggcctt gttcgactga 7980
cccagatagc ccaaggcgct tcggtgctgc cggcgattct gggagaactc agtcggaaca 8040
gaaaaggg

```

```

SEQ ID NO: 28      moltype = RNA length = 8050
FEATURE           Location/Qualifiers
misc_feature       1..8050
                   note = SVV-IRES-1-GFP
source            1..8050
                   mol_type = other RNA
                   organism = synthetic construct

```

```

SEQUENCE: 28
tttgaatagg ggggctgggc cctcatgccc agtccttctt ttccctctcc ggggggtaaa 60
cgggtgtgtg ttgctagagg cacagaggag caacatccaa cctgcttttg tgggggaacgg 120
tgcggtcca attcctcgt cgccaaaggt gttagcgcac ccaacggcg catctaccaa 180
tgctattggt gtggtctgag agttctagcc tactcgttcc tccctatcc actcactcac 240
gcacaaaaag tgtgtgttaa ttacaagatt tagccctcgc acgagatgtg cgataaccgc 300
aagattgact caagcgcgga aagcgcgtga accacatgct gttagtccct tcatggctgc 360
gagatgggta tccacctcgg atcactgaac tggagctcga cctccttag taagggaacc 420
gagaggcctt cttgcaacaa gtcocgacac agagtccacg tgattgctac caccatgagt 480
acatggttct cccctctcga cccaggactt ctttttgaat atccacgggt cgatccagag 540
gggtgggcat gatcccccta gcatagcgag ctacagcggg aactgtagct aggccttagc 600
gtgccttgga tactgctga tagggcgacg gcctagtcgt gtcggttcta taggtagcac 660

```

-continued

atacaaatat	gcagaactct	catttttctt	tcgatacagc	ctctggcacc	tttgaagatg	720
taaccggaac	aaaagtcaag	atcggtgaat	accccagatc	ggtgaacaat	ggtgtttacg	780
attcgtctac	tcattttggag	atactgaacc	tacagggtga	aattgaaatt	ttaaggctct	840
tcaatgaata	cgaattctgc	gccgccaaac	aacaactcgg	actggacatc	gtgtacgaac	900
tacagggtta	tggttcagaca	acgtcaaaga	atgattttga	ttcccggtgc	aataatggta	960
acatgacctt	caattactac	gcaaacactt	atcagaattc	agtagacttc	tcgacctcct	1020
cgtcggcgtc	aggcgccgga	cctgggaact	ctcggggcgg	attagcgggt	ctcctcacia	1080
atcttcagtg	aatcttgaac	cctcttggct	acctcaaaga	tcacaacacc	gaagaaatgg	1140
aaaactctgc	tgatcgagtc	acaacgcaaa	cggcgggcaa	cactgccata	aacacgcaat	1200
catcattggg	tgtgttgtgt	gcctacgttg	aagacccgac	caaactctgat	cctccgtcca	1260
gcagcacaga	tcaacccacc	accactttca	ctgccatcga	cagggtggtac	actggacgtc	1320
tcaattcttg	gacaaaagct	gtaaaaacct	tctcttttca	ggccgtcccc	cttcccgggtg	1380
cctttctgtc	taggcaggga	ggcctcaacg	gaggggacct	cacagctacc	ctacatagac	1440
actttttgat	gaagtgcggg	tggcagggtg	agggtccaatg	taatttgaca	caattccacc	1500
aaggcgctct	tcttgttgcc	atgggtcctg	aaaccacctt	tgatgtcaag	cccgacggta	1560
aggcaaaag	cttacaggag	ctgaatgaag	aacagtgggt	ggaaatgtct	gacgattacc	1620
ggacccggaa	aaacatgcct	tttcagttct	ttggcacata	ctatcgcccc	cctaactgga	1680
cttgggggtc	caatttcatc	aaacccctatc	aagtaacggg	tttcccacac	caaattctga	1740
acgcgagaac	tctacactcg	gtagacataa	acgtcccata	catcggggag	acccccacgc	1800
aatcctcaga	gacacagaac	tctctggacc	tctctgttat	ggtgctcgtt	cccttagact	1860
ataaggaagg	agccacaaat	gacccagaaa	ttacattttc	tgtaaggcct	acaagtccct	1920
acttcaatgg	gcttcgcaac	tcgtcacagg	ccgggacgga	cgaagaacag	gggcccattc	1980
ctacggcacc	cagagaaaat	gcgttatatg	ttctctcaac	cctccctgac	gacactgtcc	2040
ctgcttacgg	gaatgtgcgt	accctcctg	tcaattacct	ccctggtgaa	ataaccgacc	2100
ttttgcaact	ggcccgcata	cccactctca	tggcatttga	gcgggtgctt	gaaccctg	2160
ctgctcaga	ccacatgtgt	ccctacgttg	ccgttccac	ccagttcgat	gacaggcctc	2220
tcatctcctt	cccgatcacc	ctttcagatc	ccgtctatca	gaacaccctg	gttggcgcca	2280
tcagttcaaa	tctgcgaat	tacogtgggt	gtatccaaat	cactctgaca	tttgtggac	2340
ccatgatggc	gagagggaaa	ttcctgtctc	cgtattctcc	cccaaatgga	acgcaaccac	2400
agactcttct	cgaagctatg	cagtgacat	actctatttg	ggacataggc	ttgaactcta	2460
gttggacctt	cctcgtcccc	tacatctcgc	ccagtgacta	ccgtgaaact	cgaagcatta	2520
ccaaactcgt	ttactcgcct	gatggttgg	ttagcctgca	caagttgacc	aaaattactc	2580
taccacctga	ctgtccgcaa	agtcctcgca	ttctcttttt	cgcttctgct	ggtgaggatt	2640
acactctcgc	tctcccggtt	gattgtaatc	cttctctatg	gttccactcc	accgacaacg	2700
ccgagaccgg	gggttatag	gcgggtaaca	ctgacaccga	tttctctggt	gaactggcgg	2760
tcctcggctc	taaccacact	aatgtcaagt	tctctgttga	tcgatctcga	ttattgaatg	2820
taatcaaggt	actggagaag	gacgcctgtt	tccccgccc	ttccctaca	caagaagggtg	2880
cgcagcagg	tgatgggtac	ttttgtcttc	tgaccccccg	cccaacagtc	gcttcccagc	2940
ccgcactcgc	tttcggcctg	tacgccaatc	cgtccggcag	tggtgttctt	gctaacaact	3000
cactggactt	caatttttat	agcttggcct	gtttcactta	ctttagatcg	gaccttgagg	3060
ttacgggtgt	ctcactagag	ccggatctgg	aatttgcgtg	aggggtggtt	ccttctggca	3120
gtgaatacca	gggttccagc	tttgtctacg	accagctgca	tggtcccttc	cactttactg	3180
ggcgactcgc	cccgcttttc	gctagcaagg	gtgggaagg	atctttctgtg	ctcccttgga	3240
actctgtctc	gtctgtgctc	cccggtgcgt	gggggggggg	ttccaagctc	tcttctgcta	3300
cgcggggtct	accggcgcat	gctgattggg	ggactattta	cgcctttgtc	ccccgtccta	3360
atgagaagaa	aagcaagcgt	gtaaaacacg	tggccgtgta	cattcggtac	aagaacgcac	3420
gtgctcgggt	ccccagcatg	cttccctttc	gcagctacaa	gcagaagatg	ctgatgcaat	3480
ctggcgatct	cgagaccaat	cccgggccga	ttagcaaggg	cgaggagctg	ttcaccgggg	3540
tggtgcccac	cctggctcgag	ctggacggcg	acgtaaacgg	ccacaagttc	agcgtgtccg	3600
ggcagggcga	ggggcgatgcc	acctacggca	agctgacctt	gaagttcatc	tgaccaccgc	3660
ccaagctgcc	cgtgcctctg	cccaccctcg	tgaccaccct	gacctacggc	gtgcagtgct	3720
tcagccgcta	ccccgcacac	atgaagcagc	acgacttctt	caagtcggcc	atgccgaag	3780
gtacgtccca	ggagcgcacc	atcttcttca	aggacgacgg	caactacaag	accgcgcgcg	3840
aggtgaagtt	cgagggcgac	acctgggtga	accgcatcga	gctgaagggc	atcgacttca	3900
aggaggacgg	caacatcctg	gggcacaagc	tggagtacaa	ctacaacagc	cacaacgtct	3960
atatcatggc	cgacaagcag	aagaacggca	tcaagggtga	cttcaagatc	cgcacacaaca	4020
tcgaggacgg	cagcgtcgag	ctcgccgacc	actaccagca	gaacaccccc	atcgcgacg	4080
gccccgtgct	cgtcccgac	aaccactacc	tgagcaccca	gtccgcctcg	agcaaaagacc	4140
ccaaacgagaa	gcgcgatcac	atggctcctg	tggagtctgt	gaccgcgcgc	gggatcactc	4200
tcggcatgga	cgagctgtac	aaggagggca	gaggaagtct	gctaactatg	ggtgacgtcg	4260
aggagaatcc	cgggcctgct	cttgacaacc	caatttttga	gtttcttgaa	gcagaaaaatg	4320
atctagtcat	ctctggcctct	ctctggaaga	tgggtgactc	tggtcaacag	acctggagaa	4380
agtatgtgaa	gaacgatgat	ttttggccca	atttactcag	cgagctagtg	ggggaaggct	4440
ctgtcgcctt	ggccgcacgc	ctatccaacc	aaagctcagt	aaaggtcctt	ttgggcctgc	4500
actttctctc	tcgggggctc	aattacactg	acttttactc	tttactgata	gagaaatgct	4560
ctagtttctt	taccgtagaa	ccacctcctc	caccagctga	aaacctgatg	accaagccct	4620
cagtgaagtc	gaaattccga	aaactgttta	agatgcaagg	acccatggac	aaagtcaaa	4680
actgaacca	aatagctgcc	ggcttgaaga	attttcaatt	tggtcgtgac	ctagtcaaa	4740
aggtggctga	ttggctgcag	gcctggatca	acaaagagaa	agccagccct	gtcctccagt	4800
accagttgga	gatgaagaag	ctcgggcctg	tggccttggc	tcatgacgct	ttcatggctg	4860
gttccgggcc	ccctcttagc	gacgaccaga	ttgaataacct	ccagaacctc	aaatctcttg	4920
ccctaacact	ggggaagact	aattttggcc	aaagtctcac	cactatgatc	aatgccaac	4980
aaagtccagc	ccaacagatt	gaaccgcttg	tgggtgctct	tagaggcaag	ccgggatgcg	5040
gcaagagctt	ggcctctacg	ttgattgccc	aggctgtgtc	caagcgcttc	tatggctccc	5100
aaagtgtata	ttctcttccc	ccagatccag	atcttctcga	tggatacaaa	ggacagttcc	5160
tgaccttgat	ggatgatttg	ggacaaaacc	cggatggaca	agatttctcc	accttttgtc	5220

-continued

```

agatgggtgc gaccgcccac ttctcccca acatggcgga ccttgccagag aaagggcgtc 5280
cctttacctc caatctcctc attgcaacta caaatctccc ccacttcagt cctgtcacca 5340
ttgctgatcc ttctgcagtc tctcgccgta tcaactacga tctgactcta gaagtatctg 5400
aggcctacaa gaaacacaca cggtgaatt ttgacttggc tttcaggcgc acagacgccc 5460
ccccatttta tctttttgct gcccatgtgc cctttgtgga cgtagctgtg cgttcaaaa 5520
atggtcacca gaattttaat ctctagagt tggtcgattc catttgtaca gacattcgag 5580
ccaagcaaca aggtgccccg aacatgcaga ctctggttct acagagcccc aacgagaatg 5640
atgacacccc cgtcgacgag gcgttgggta gagttctctc ccccgctgcg gtcgatgagg 5700
cgcttgtcga cctcactcca gaggcgcgac cggttggccg tttggctatt cttgccaaagc 5760
taggtcttgc cctagctgcg gtcacccctg gtctgataat cttggcagtg ggactctaca 5820
ggtacttttc tggctctgat gcagaccaag aagaacaga aagtgaaggga tctgtcaagg 5880
caccagaggag cgaatatgct tatgacggcc cgaagaaaaa ctctaagccc cctggagcac 5940
tctctctcat ggaatgcaa cagcccaacg tggacatggg cttttagggt gcggtcgcta 6000
agaaagtggg cgtcccatt accttcattg ttcccaacag accttctggg cttacacagt 6060
ccgctcttct ggtgacggcg cggaccttcc taatcaatga acatacatgg tccaatccct 6120
cctggaccag ctcacaact gcggtgagg tacacactcg tgatgagccc ttccaaacgg 6180
ttcatttcaac ttccacgggt attccacag atctgatgat ggtacgtctc ggaccgggca 6240
attctttccc taacaactta gacaagtttg gacttgacca gatccggcca cgcaactccc 6300
gtgtgggttg cggttctgct agttacggaa acttcttctt ctctggaat ttctcggat 6360
ttgttgattc catcacctct gaacaaggaa cttacgcaag actctttagg tacagggtga 6420
cgactacaaa aggatgtgtg ggtcggccc tggctgtgta ggccggtggc gtcgcagcca 6480
tcattggcct cgaattctgt ggcgcgcgcg gtatcggcgc cgggacctat atctcaaat 6540
taggactaat caaagccctg aaacacctcg gtgaaccttt ggccacaatg caaggactga 6600
tgactgaatt agagcctgga atcaccgtac atgtaccccg gaaatccaaa ttgagaaaga 6660
cgaccgcaca cgcggtgtac aaaccggagt ttgagcctgc tgtgttgtca aaatttgatc 6720
ccagactgaa caaggatggt gacttggatg aagtaatttg gtctaaacac actgccaatg 6780
tcccttacca acctcctttg ttctacacat acatgtcaga gtacgtctat cgagtcttct 6840
ccttctggg gaaagacaat gacattctga ccgtcaaaga agcaattctg ggcatccccg 6900
gactagaccc catgatgcc cacacagctc cgggtctgcc ttacgccatc aacggccttc 6960
gacgtactga tctcgtcgat ttgtgaacg gtacagtaga tgccgctgct gctgtacaaa 7020
tccagaaatt cttagacggt gactactctg acctgtctt ccaaatcttt ctgaaagatg 7080
agatcagacc ctcagagaaa gtccgagcgg gaaaaaccgg cattgttgat gtgccctccc 7140
tggcgcttg cattgtgggc agaattgtgc ttggcgctt tgctgccaaag ttccaatccc 7200
atcctggctt tctcctcgcc tctgctatcg ggtctgacct tgatgttttc tggaccgtca 7260
tagggggtca actcgagggg agaaagaaca cgtatgacgt ggactacagt gcctttgact 7320
cttcacacgg cactggctcc ttcgaggctc tcatctctca ctttttcacc gtggacaatg 7380
gttttagccc tgcgctggga ccgtatctca gatccctggc tgtctcggtg cacgcttacg 7440
gagagcgtcg catcaagatt accggtggcc tcccctcggg ttgtgcccgg accagcctgc 7500
tgaacacagt gctcaacaat gtgatcatca ggaactgctc ggcatgact tacaaggaat 7560
ttgaatatga catggttgat atcatcgct acggtgacga ccttctggtt ggcacggatt 7620
acgatctgga cttcaatgag gtggcacgac gcgctgccaa gttggggtat aagatgactc 7680
ctgccacaac gggttctgtc ttccctccga ctctctctt ttccgatgct gtttttctaa 7740
agcgcaaat gctccaaaac aacgacggct tatcaaaacc agttatggat ttaagaat 7800
tgggaagcat gctctctac ttcaaaaccag gaacactact cgagaagctg caatctgttt 7860
ctatgttggc tcaacattct ggaagaagaa aatatgatag attgatgcac ccttcgctg 7920
actacggtgc ctagcgagt caccagtacc tgcaggcaag atggagggac ttgttcgact 7980
gaccagata gcccaaggcg cttcggtgct gccggcgatt ctggggagaa tcagtggaa 8040
cagaaaaggg 8050

```

```

SEQ ID NO: 29      moltype = RNA length = 8050
FEATURE            Location/Qualifiers
misc_feature       1..8050
                    note = SVV-IRES-2-GFP
source             1..8050
                    mol_type = other RNA
                    organism = synthetic construct

```

```

SEQUENCE: 29
tttgaatagg ggggctgggc cctgatgccc agtccttctt ttccctcttc ggggggttaa 60
cgggctgtgt ttgctagagg cacagaggag caacatccaa cctgcttttg tggggaaagg 120
tgccgctcca attcctgcgt cgccaaagggt gttagcgcac ccaaaccggcg catctaccaa 180
tgctattggt gtggtctgcg agttctagcc tactcgttct tccctatttc attcactcac 240
gcacaaaaag tgtgtgttaa ctacaagatt tagccctcac acgggatgtg tgataaccgc 300
aagactgact caagcgcgga aagcgtgtga accgcatgct gttagtcctt ttatggctgc 360
gagatggcta tccacctcgg atcactgaac tggagctcga cctccttag taagggaacc 420
gagaggcctt cttgcaacaa gctccgacac agagtccacg tgattgttac caccatgagt 480
acatggttct cccctctcga ccaggactt ctttttgaat atccacggct cgatccagag 540
ggtggggcat gatcccccta gcatagcgag ctacagcggg aactgtagct aggccttagc 600
gtgccttgga tactgcctga tagggcgacg gcctagtctg gtcggttcta taggtagcac 660
atacaaatat gcagaactct catttttctt tcgatacagc ctctggcacc tttgaagatg 720
taaccggaac aaaagtcaag atcgttgaat accccagatc ggtgaacaat ggtgtttacg 780
tattcgtctac tcatttggag atactgaacc tacagggtga aattgaaatt ttaaggtctt 840
tcaatgaata ccaaatctgc gccgcacaaac aacaactcgg actggacatc gtgtacgaac 900
tacagggtaa tgttcagaca acgtcaaaaga atgattttga ttcccgctggc aataatggta 960
acatgacctt caattactac gcaaacactt atcagaattc agtagacttc tcgacctcct 1020
cgtcggcgctc aggcgcggga cctgggaact ctcggggcgg attagcgggt ctctccacaa 1080
atttcagtgg aatcttgaac cctcttggtc acctcaaaaga tcacaacacc gaagaaatgg 1140

```

-continued

aaaactctgc	tgatecagtc	acaacgcaaa	cggcgggcaa	cactgccata	aacacgcaat	1200
catcattggg	tgtgttgtgt	gcctacgttg	aagacccgac	caaactctgat	cctccgtcca	1260
gcagcacaga	tcaacccacc	accactttca	ctgccatcga	caggtgggtac	actggacgtc	1320
tcaattcttg	gacaaaagct	gtaaaaacct	tctcttttca	ggcgcgtccc	cttcccggtg	1380
cctttctgtc	taggcaggga	ggcctcaacg	gaggggcctt	cacagctacc	ctacatagac	1440
actttttgat	gaagtgcggg	tggcaggtgc	agggtccaatg	taatttgaca	caattccacc	1500
aaggcgctct	tcttggtgcc	atgggtctctg	aaaccaccct	tgatgtcaag	cccgcaggta	1560
aggcaaaagag	cttacaggag	ctgaatgaag	aacagtgggt	ggaaatgtct	gacgattacc	1620
ggaccgggaa	aaacatgcct	tttcagttctc	ttggcacata	ctatcggccc	cctaactgga	1680
cttgggggtcc	caatttcatc	aacccctatc	aagtaacgggt	tttccacac	caaattctga	1740
acgcgagaac	ctctacctcg	gtagacataa	acgtcccata	catcgggggac	acccccacgc	1800
aatcctcaga	gacacagaac	tctcggaccc	tctcgttat	ggtgctcgtt	cccctagact	1860
ataaggaagg	agccacaact	gacccagaaa	ttacattttc	tgtaaaggcct	acaagtcctc	1920
acttcaatgg	gcttcgcaac	cgctacacgg	cgggacgga	cgaagaacag	gggcccattc	1980
ctacggcacc	cagagaaaat	tcgcttatgt	ttctctcaac	cctccctgac	gacactgtcc	2040
ctgcttacgg	gaatgtgcgt	accctcctg	tcaattacct	ccctggtgaa	ataaccgacc	2100
ttttgcaact	ggcccgcata	cccactctca	tggcatttga	gcgggtgcct	gaacccggtc	2160
ctgcctcaga	cacatatgtg	ccctacgttg	ccgttcccac	ccagttcgtat	gacaggcctc	2220
tcatctcctt	cccgatcacc	ctttcagatc	ccgtctatca	gaacaccctg	ggtggcgcca	2280
tcagttcaaa	tttcgccaat	taccgtgggt	gtatccaaat	cactctgaca	ttttgtggac	2340
ccatgatggc	gagaggga	ttcctgctct	cgtattctcc	cccaaatgga	acgcaaccac	2400
agactctttc	cgaagctatg	cagtgcacat	actctatttg	ggacataggc	ttgaactcta	2460
gttggacctt	cgtcgtcccc	tacatctcgc	ccagtgacta	ccgtgaaact	cgagccatta	2520
ccaactcggg	ttactccgct	gatggttggt	ttagcctgca	caagttgacc	aaaattactc	2580
taccactga	ctgtccgcaa	agtccctgca	ttctcttttt	cgttctgct	ggtgaggatt	2640
acactctccg	tctcccgtt	gattgtaatc	cttccctatg	gttccactcc	accgacaacg	2700
ccgagaccgg	gggtattgag	gcgggtaaca	ctgacaccga	tttctctggt	gaactggcgg	2760
ctcctggctc	taaccacact	aatgtcaagt	tctgttttga	tcgatctcga	ttattgaatg	2820
taatcaaggt	actggagaag	gacgcggttt	tcccccgccc	tttccctaca	caagaagggtg	2880
cgcagcaggga	tgatgggttac	ttttgtcttc	tgaacccccg	cccaacagtc	gcttcccgcac	2940
ccgcactcgt	tttcggcgcc	tacgcacaatc	cgtccggcag	tgggtgttctt	gctaacactt	3000
cactggactt	caatttttat	agcttggcct	gtttcactta	ctttagatcg	gaccttgagg	3060
ttacgggtgt	ctcactagag	ccggatctgg	aatttgcgtg	aggggtggtt	ccttctggca	3120
gtgaatatca	ggcttccagc	tttgtctacg	accagctgca	tgtgcccttc	cactttactg	3180
ggcgcaactcc	ccgcgctttc	gctagcaagg	gtgggaagggt	atctttcgtg	ctcccttgga	3240
actctgtctc	gtctgtgctc	cccggtgcgt	ggggggggggc	ttccaagctc	tcttctgcta	3300
cgcggggtct	accggcgctc	gctgattggg	ggactattta	cgcctttgtc	ccccgtcta	3360
atgagaagaa	aagcacgcgt	gtaaaacacg	tggccgtgta	cattcgggtac	aagaacgcac	3420
gtgcctgggt	cccagcatg	cttccctttc	gcagctacaa	gcagaagatg	ctgatgcaat	3480
ctggcgatata	cagacccaat	cccgggccga	tgagcaaggg	caggagagctg	ttcacccggg	3540
tgggtcccat	cctggctgag	ctggacggcg	acgtaaaacg	ccacaagttc	agcgtgtccg	3600
gcgagggcga	gggcgatgcc	acctaaggca	agctgacctc	gaagttcatc	tgcaccaccg	3660
gcaagctgcc	cctgcctcgt	cccaccctcg	tgaccaccct	gacctacggc	gtgcagtgtc	3720
tcagccgcta	cccgaccacc	atgaagcagc	acgacttctt	caagtcgcgc	atgcccgag	3780
gctacgtcca	ggagcgcacc	atcttcttca	aggacgacgg	caactacaag	accgcgcgcg	3840
agggtgaagt	cagggcgacg	accctgggtga	accgcatcga	gctgaagggc	atcgacttca	3900
aggaggacgg	caacatcctg	gggcacaaagc	tggagtacaa	ctacaaacgc	cacaacgtct	3960
atatcatggc	cgaacaagcag	aagaacggca	tcaaggtgaa	cttcaagatc	cgcacacaaca	4020
tcgaggacgg	cagcgtgcag	ctcgccgacc	actaccagca	gaacaccccc	atcggcgacg	4080
gcccgtgctc	gctgcccgcac	aaacactacc	tgagcaccga	gtccgcctcg	agcaaaagacc	4140
ccaacgagaa	gcgcgatcac	atgggtcctgc	tggagttcgt	gaccgcgcgc	gggatcactc	4200
tcggcatgga	cgaagctgtac	aaggagggca	gaggaaagtct	gctaacatgc	ggtgacgtcg	4260
aggagaatcc	cgggcctgct	tctgacaacc	caatttttga	gtttcttgaa	gcagaaaaatg	4320
atctagtcac	tctggcctct	ctctggaaga	tgggtgcactc	tgttcaacag	acctggagaa	4380
agtatgtgaa	gaacgatgat	ttttggccca	atttactcag	cgaagtagtg	ggggaaggct	4440
ctgtcgctt	ggcgcgccag	ctatccaacc	aaagctcagt	aaaggctctt	ttgggcctgc	4500
actttctctc	tcgggggctc	aatttactg	acttttactc	tttactgata	gagaaatgct	4560
ctagtttctt	taccgtagaa	ccacctcctc	caccagctga	aaacctgatg	accaagccct	4620
cagtgaagtc	gaaattccga	aaactgttta	agatgcaagg	acccatggac	aaagtcaaa	4680
actggaacca	aatagctgcc	ggcttgaaga	attttcaatt	tgttcgtgac	ctagtcaaa	4740
agggtgtcga	ttggtgcacg	gcttgatca	acaaagagaa	agccagccct	gtcctccagt	4800
accagttgga	gatgaagaag	ctcgggcctg	tggccttggc	tcatgacgct	ttcatggctg	4860
gttccggggc	ccctcttagc	gacgaccaga	ttgaatacct	ccagaacctc	aaatctcttg	4920
ccctaact	ggggaagact	aatttggccc	aaagtctcac	cactatgatc	aatgccaaac	4980
aaagttcagc	caaacgagtt	gaaccggtg	tgggtgtcct	tagaggcaag	ccgggatgcg	5040
gcaagagctt	ggcctctacg	ttgattgccc	aggctgtgtc	caagcgccct	tatggctccc	5100
aaagtgtata	ttctcttccc	ccagatccag	atttcttcga	tggatacaaa	ggacagttcg	5160
tgaccttgat	ggatgatttg	ggacaaaacc	cggatggaca	agattttctc	accttttgtc	5220
agatgggtgc	gaccgcccga	tttctcccca	acatggcgga	ccttgacag	aaagggcgct	5280
cctttacctc	caatctcatc	attgcaacta	caaactctcc	ccacttcagt	cctgtcacca	5340
ttgctgatcc	ttctgcagtc	tctcgccgta	tcaactacga	tctgactcta	gaagtatctg	5400
aggcctacaa	gaaacacaca	cggctgaatt	ttgacttggc	tttcaggcgc	acagacgccc	5460
ccccatttta	tccttttgct	gcccattgtc	cctttgtgga	cgtagctgtg	cgttcaaaa	5520
atggtcacca	gaattttaat	ctcctagagt	tggctgatcc	catttgtaca	gacattcgag	5580
ccaagcaaca	agggtcccga	aacatgcaga	ctctgggtct	acagagcccc	aacgagaatg	5640
atgacacccc	cgtcgacgag	gcgttgggta	gagttctctc	ccccgcgtcg	gtcgatgagg	5700

-continued

```

cgcttgctga cctcactcca gaggcgcgacc cgggtggccg tttggctatt cttgccaaagc 5760
taggtctttgc cctagctcgcg gtcacccctg gtctgataat cttggcagtg ggactctaca 5820
ggtactttctc tggctctgat gcagaccaag aagaacacaga aagtggaggga tctgtcaagg 5880
caccagggag cgaaaatgct tatgacggcc cgaagaaaaa ctctaagccc cctggagcac 5940
tctctctcat ggaaatgcaa cagcccaacg tggacatggg ctttgagggt gcggctcgcta 6000
agaaagtgggt cgtccccatt accttcatgg tccccaacag accttctggg cttacacagt 6060
ccgctcttctt ggtgaccggc cggaccttcc taatcaatga acatacatgg tccaatccct 6120
cctggaccag cttcacaaac cgcggtgagg tacacactcg tgatgagccc ttccaaacgg 6180
ttcatttcac tcaccacggt attcccacag atctgatgat ggtacgtctc ggaccgggca 6240
attctttccc taacaatcta gacaagtttg gacttgacca gatgccggca cgcaactccc 6300
gtgtgggttg cggttctgct agttacggaa acttcttctt cttcggaat ttctcggat 6360
ttgttgatct catcacctct gaacaaggaa cttacgcaag actctttagg tacagggtga 6420
cgacctacaa aggatgggtg ggtcggccc tggctgtga ggccgggtggc gtccgacgca 6480
tcattggcct cgattctgct ggccgcggcg gtatcggcgc cgggacctat atctcaaat 6540
taggactaat caaagccctg aaacacctcg gtgaaccttt ggccacaatg caaggactga 6600
tgactgaatt agagcctgga atcaccgtac atgtacccc gaaatccaaa ttgagaaaga 6660
cgaccgcaca cgcggtgtac aaaccggagt ttgagcctgc tgtgttgta aaatttgatc 6720
ccagactgaa caaggatggt gacttggatg aagtaatttg gtctaaacac actgccaatg 6780
tcccttacca acctcctttg ttctacacat acatgtcaga gtacgctcat cgagtcttct 6840
ccttcttggg gaaagacaat gacattctga ccgtcaaaag agcaattctg ggcatccccc 6900
gactagaccc catggatccc cacacagctc cgggtctgctc ttacgccatc aacggccttc 6960
gacgtactga tctcgtcgat ttgtgaaac gtacagtaga tgcggcgctg gctgtacaaa 7020
tcagaaatt cttagacgggt gactactctg acctgtctt ccaaaccttt ctgaaagatg 7080
agatcagacc ctcagagaaa gtccgagcgg gaaaaacccc cattgttgat gtgccctccc 7140
tggcgcatgg catgtggggc aagaatgttg tgggcgctt tgcgtgcaag ttcaatccc 7200
atccctggctt tctcctcggc tctgctatcg ggtctgaccc tgatgttttc tggaccgtca 7260
taggggctca actcgagggg agaaaagaac cgtatgacgt ggactacagt gcctttgact 7320
cttcacacgg cactggctcc ttcgaggtc tcactcttca ctttttcacc gtggacaatg 7380
gttttagccc tgcgctggga ccgtatctca gatccctggc tgtctcggtg cacgcttacg 7440
gcgagcgtcg catcaagatt accggtggcc tcccctcggc ttgtgcccgc accagcctgc 7500
tgaaacacag gctcaacaat gtgatcatca ggactgctc ggcattgact tacaaggaaat 7560
ttgaatatga catggttgat atcatcgcct acggtgacga ccttctgggt ggacacggat 7620
acgatctgga cttcaatgag gtggcacgac gcgctgccaa gttgggtat aagatgactc 7680
ctgccaacaa ggggtctgtc ttccctccga cttcctctct tccgatgct gtttttctaa 7740
agcgcaaat cgtccaaaac aacgacggct tatacaaac agttatggat ttaagaat 7800
tggaagccat gctctctac ttcaaacag gaacactact cgagaagctg caatctgttt 7860
ctatgttggc tcaacattct ggaagaagaa aatatgatag attgatgcac ccttcgctg 7920
actacggtgc cgtaccgagt cacgagtacc tgcaggcaag atggagggcc ttgttcgact 7980
gaccagata gcccaaggcg cttcggtgct gccggcgatt cttggagaaac tcagtcgaa 8040
cagaaaaggg 8050

```

```

SEQ ID NO: 30      moltype = RNA length = 8050
FEATURE
misc_feature      1..8050
                  note = SVV-IRES-3-GFP
source            1..8050
                  mol_type = other RNA
                  organism = synthetic construct

```

```

SEQUENCE: 30
tttgaatagg ggggctgggc cctgatgccc agtccttctt ttccccttcc ggggggttaa 60
cgggtctgtg ttgctagagg cacagtggag caacatccaa cctgcttttg tggggaacgg 120
tgccgctcca attcctcggt ccgcaaaagg tttagcgcac ccaaacggcg cgtctaccaa 180
tgctattggt gtggtctgcg agttctagcc tactcgtttc tcccctactc actcattcac 240
gcacaaaaac tgtgttgtaa ctacaagggt tagccctcgc acgggatgtg cgataaccgc 300
aagatcgact caagcgcgga aagcgctgta accacatgct gttagtccct ttatggctgc 360
gagatggcta cccacctcgg atcactgaac tggagctcga cctccttag taagggaaac 420
gagaggcctt cttgcaacaa gtcctgacac agagtccacg tgattgctac caccatgagt 480
acatgggtct cccctctcga cccaggactt ctttttgaat atccacggct cgatccagag 540
ggtggggcat gatcccccta gcatagcgag ctacagcggg aactgtagct aggccttagc 600
gtgccttgga tactgcctga tagggcgacg gcctagtcgt gtcggttcta taggtagcac 660
atacaaatat gcagaactct catttttctt tcgatacagc cctcggcacc ttgaaagt 720
taaccggaac aaaagtcaag atcgttgaat accccagatc ggtgaacaat ggtgtttacg 780
attcgtctac tcattttggg atactgaacc tacagggtga aattgaaatt ttaaggctct 840
tcaatgaata ccaaatcgcg gccgcacaa acaactcgg actggacatc gtgtacgaac 900
tacagggtaa tgttcagaca acgtcaaaaga atgattttga ttcccgtggc aataatggta 960
acatgacctt caattactac gcaaacactt atcagaattc agtagacttc tcgacctcct 1020
cgtcggcgtc aggcgcggga cctgggaact ctcggggcgg attagcgggt ctctcacaa 1080
atttcagtgg aatcttgaac cctcttggct acctcaaaaga tcacaacacc gaagaaatgg 1140
aaaactctgc tgatcgagtc acaacgcaaa cggcgggcaa cactgccata aacacgcaat 1200
catcattggg tgtgttgtgt gccctacgtt agaacccgac caaatctgat cctccgtcca 1260
gcagcacaga tcaaccacac accactttca ctgcatcgca cagggtgtac actggagctc 1320
tcaattcttg gacaaaagct gtaaaaacct tctcttttca ggccgtcccg cttcccggtg 1380
cctttctgtc taggcaggga gccctcaacg gaggggcctt cacagctacc ctacatagac 1440
actttttgat gaagtgcggg tggcaggtgc aggtccaatg taatttgaca caattccacc 1500
aaggcgctct cctgtgtgcc atggttccgt aaaccacct tgatgtcaag cccgacggta 1560
aggcaagag cttacaggag ctgaatgaag aacagtgggt ggaaatgtct gacgattacc 1620

```


-continued

ggaccgggaa	aaacatgcct	tttcagttct	ttggcacata	ctatcgcccc	cctaactgga	1680
cttgggggtcc	caattttcatc	aacccctatc	aagtaacggt	tttccacac	caaattctga	1740
acgcgagaa	ctctacctcg	gtagacataa	acgtcccata	catcggggag	acccccacgc	1800
aatcctcaga	gacacagaac	tccctggacc	tccctggtat	ggtgctcggt	cccctagact	1860
ataaggaagg	agccacaact	gacccagaaa	ttacattttc	tgttaaggct	acaagtcctt	1920
acttcaatgg	gcttcgcaac	cgctacacgg	ccgggacgga	cgaagaacag	gggcccattc	1980
ctacggcacc	cagagaaaa	tcgcttatgt	ttctctcaac	cctccctgac	gacactgtcc	2040
ctgcttacgg	gaatgtgcgt	acccctcctg	tcaattacct	ccctgggtgaa	ataaccgacc	2100
ttttgcaact	ggcccgcata	cccactctca	tggcatttga	gcggtgctct	gaaccctgtc	2160
ctgctcaga	cacatatgtg	ccctacgttg	ccgttccac	ccagtctgat	gacaggcctc	2220
tcatctcctt	cccgatcaac	ctttcagatc	ccgtctatca	gaacaccctg	gttggcgcca	2280
tcagttcaaa	tttcgccaat	tacgtgggt	gtatccaaat	cactctgaca	ttttgtggac	2340
ccatgatggc	gagagggaaa	ttcctgctct	cgtattctcc	cccaaagtga	acgcaaccac	2400
agactctttc	cgaagctatg	cagtgacat	actctatttg	ggacataggg	ttgaactcta	2460
gttggacctt	cgtcgtcccc	tacatctcgc	ccagtgaact	ccgtgaaact	cgaagccatt	2520
ccaaactcgt	ttactccgt	gatggttgg	ttagcctgca	caagtgtgac	aaaattactc	2580
taccacctga	ctgtccgcaa	agtccctgca	ttctcttttt	cgtctctgct	ggtgaggatt	2640
acactctccg	tctcccggtt	gattgtaatc	cttctctatg	gttccactcc	accgacaacg	2700
ccgagaccgg	gggtattgag	gcgggttaaca	ctgacaccga	tttctctggt	gaactggcgg	2760
ctccctggctc	ttaaccacact	aatgtcaagt	tccctgttga	tcgatctcga	ttattgaatg	2820
taatacaagg	actggagaa	gacgcggtt	tcccccgccc	tttccctaca	caagaagggtg	2880
cgcagcagga	tgtatggttac	ttttgtcttc	tgaccccccg	cccaacagtc	gcttcccgac	2940
ccgcactcgc	tttcggcctg	tacgccaatc	cgtccggcag	tggtgttctt	gctaaccact	3000
caactggactt	caatttttat	agcttggcct	gtttcactta	cttttagatcg	gaccttgagg	3060
ttacgggtgt	ctcactagag	ccggatctgg	aatttgcgtg	aggggtggtt	ccttctggca	3120
gtgaatacca	ggcttccagc	tttgtctacg	accagctgca	tgtgcccttc	cactttactg	3180
ggcgactccc	ccgcgctttc	gctagcaagg	gtgggaagg	atctttcgtg	ctcccttgga	3240
actctgtctc	gtctgtgctc	cccgctcgct	gggggggggg	ttccaaagctc	tcttctgcta	3300
cgcggggtct	accggcgcat	gctgatttgg	ggactattta	cgcctttgtc	ccccgtccta	3360
atgagaagaa	aagcacgcgt	gtaaaaacac	tgcccggtga	cattcggtag	aagaacgcac	3420
gtgctctggtg	ccccagcatg	cttccctttc	gcagctacaa	gcagaagatg	ctgatgcaat	3480
ctggcgatata	cgagaccaat	ccccggccga	tgagcaagg	cgaggagctg	ttcacccggg	3540
tgggtcccat	cctggctgag	ctggacggcg	acgtaaaacg	ccacaagtcc	agcgtgtccg	3600
gagagggcga	gggcgatgac	acctacggca	agctgacct	gaagtctcat	tgcaccaccg	3660
gcaagctgcc	cgtgccctgg	cccacccctg	tgaccacct	gacctacggc	gtgcagtgtc	3720
tcagccgcta	ccccgaccac	ataagcagc	acgacttctt	caagtccgcc	atgcccgagg	3780
gctacgtcca	ggagcgcaac	atcttcttca	aggacgacgg	caactacaag	accgcgcgcg	3840
aggtgaagtt	cgagggcgac	accctggtga	accgcactga	gctgaagggc	atcgacttca	3900
aggagggacg	caacatcctg	gggcacaaac	tggagtacaa	ctacaacagc	cacaacgtct	3960
atatcatggc	agacaagcag	aagaacggca	tcaaggtgaa	cttcaagatc	cgccacaaca	4020
tcgaggacgg	cagcgtgcag	ctgcgcgacc	actaccagca	gaacaccccc	atcggcgacg	4080
gcccctgtct	gctgcccgac	aaccactacc	tgagcaccca	gtccgcctcg	agcaaaagac	4140
ccaacgagaa	ggccgatcac	atggctcctg	tggagtctcg	gaccgcgcgc	gggatcactc	4200
tcggcatgga	cgagctgtac	aaggagggca	gagggaagtc	gctaacatgc	ggtgacgtcg	4260
aggagaatcc	cgggcctcgt	tctgacaacc	caattttggg	gtttcttgaa	gcagaaaatg	4320
atctagtca	tttggcctct	ctctggaaga	tgggtgcactc	tgttcaacag	acctggagaa	4380
agtatgtgaa	gaacgatgat	ttttggccca	atttactcag	cgagctagt	gggggaaggct	4440
ctgtcgctct	ggcgcccgac	ctatccaacc	aaagctcagt	aaaggtcctt	ttgggcctgc	4500
actttctctc	tcggggcgctc	aattacactg	acttttactc	tttactgata	gagaaatgct	4560
ctagtttctt	tacogtagaa	ccacctcctc	caccagctga	aaacctgatg	accaagccct	4620
cagtgaaagt	gaaattccga	aaactgttta	agatgcaagg	accatgggac	aaagtcaaa	4680
actggaacca	aataagctgc	ggcttgaaga	attttcaatt	tgttcgtgac	ctagtcaaa	4740
aggtggtcga	ttggctgcag	gcctggatca	acaaagagaa	agccagccct	gtcctccagt	4800
accagttgga	gatgaagaag	ctcgggcctg	tggccttggc	tcatgacgtc	ttcatggctg	4860
gttccgggccc	ccctcttagc	gacgaccaga	ttgaataacct	ccagaacctc	aaatctcttg	4920
ccctaaccact	ggggaagact	aatttggccc	aaagtctcac	cactatgatc	aatgccaaac	4980
aaagtccagc	ccaacgagtt	gaaccctgtg	tgggtggtcct	tagaggcaag	ccgggatgcg	5040
gcaagagctt	ggcctctacg	ttgattgccc	aggctgtgtc	caagcgcctc	tatggctccc	5100
aaagtgtata	ttctcttccc	ccagatccag	atttcttctga	tggatacaaa	ggacagttcg	5160
tgaccttgat	ggatgatttg	ggacaaaacc	cggatggaca	agatttctcc	accttttgtc	5220
agatgggtgc	gaccgccccaa	tttctcccca	acatggcgga	ccttgacagag	aaagggcgctc	5280
cctttacctc	caatctcatc	attgcaacta	caaatctccc	ccacttcagt	cctgtcacca	5340
ttgctgatcc	ttctgcagtc	tctcgccgta	tcaactacga	tctgactcta	gaagtatctg	5400
aggctacaa	gaaacacaca	cggtgaatt	ttgacttggc	tttcaggcgc	acagacgccc	5460
ccccatttta	tctttttgct	gcccattgtc	cctttgtgga	cgtagctgtg	cgttcaaaa	5520
atggtcacc	gaattttaat	ctcctagagt	tggctcgattc	catttgtaca	gacattcgag	5580
ccaagcaaca	aggtgcccga	aacatgcaga	ctctggttct	acagagcccc	aacgagaatg	5640
atgacacccc	cgtcgacgag	gcgttgggta	gagttctctc	ccccgctgcg	gtcgatgagg	5700
cgcttgctga	cctcactcca	gaggccgacc	cggttggccg	tttggctatt	ccttgccaagc	5760
taggtcttgc	cctagctgcg	gtcaccctcg	gtctgataat	ccttggcagtg	ggactctaca	5820
ggtactctct	tggctctgat	gcagaccaag	aagaacacga	aagtgaaggga	tctgtcaagg	5880
caaccaggag	cgaaaaatgct	tatgacggcc	cgaagaaaaa	ctctaaagccc	cctggagcac	5940
tctctctcat	ggaaatgcaa	cagcccaacg	tggacatggg	ccttgaggct	gcggtcgcta	6000
agaaagtgg	cgtccccatt	accttcatgg	ttcccaacag	accttctggg	cttacacagt	6060
ccgctcttct	gggtgacggc	cggaccttcc	taatcaatga	acatacatgg	tccaatccct	6120
cctggaccag	cttcacaatc	cgcggtgagg	tacacactcg	tgatgagccc	ttccaaacgg	6180

-continued

```

ttcatttcac tcaccacggt attccacag atctgatgat ggtacgtctc ggaccgggca 6240
attctttccc taacaatcta gacaagtttg gacttgacca gatgccggca cgcaactccc 6300
gtgtgggttg cgtttcgtcc agttacggaa actctctctt ctctggaaat ttctcgggat 6360
ttgttgattc catcacctct gaacaaggaa cttacgcaag actctttagg tacagggtga 6420
cgacctacaa aggatggtgc ggctcggccc tggctctgtg ggcgggtggc gtcgcagcga 6480
tcattggcct gcattctgct ggccgcggcg gtatcggcgc cgggacctat atctcaaaat 6540
taggactaat caaagccctg aaacacctcg gtgaaccttt ggccacaatg caaggactga 6600
tgactgaatt agagcctgga atcacctgac atgtacctcg gaaatccaaa ttgagaaaga 6660
cgaccgcaca cgcggtgtac aaaccggagt ttgagcctcg tgtgttgta aaatttgatc 6720
ccagactgaa caaggatggt gacttggatg aagtaatttg gtctaaacac actgccaatg 6780
tcccttacca acctcctttg ttctacacat acatgtcaga gtacgtctat cgagtcttct 6840
ccttcttggt gaaagacaat gacattctga ccgtcaaaag agcaattctg ggcatccccg 6900
gactagaccc catggatccc cacacagctc cgggtctgcc ttacgccatc aacggccttc 6960
gacgtactga tctcgtcgat ttgtgaaag gtacagtaga tgcggcgctg gctgtacaaa 7020
tcagaaattt cttagacggt gactactctg acctgtctt ccaaactttt ctgaaagatg 7080
agatcagacc ctcagagaaa gtccgagcgg gaaaaaccgg cattgttgat gtgccctccc 7140
tggcgcatgt cattgtgggc agaattgttc tgggcgctt tgcgtccaaag ttccaatccc 7200
atcctggctt tctcctcggc tctgctatcg ggtctgacct tgatgttttc tggaccgtca 7260
taggggtctc actcgagggg aaaaagaaca cgtatgacgt ggactacagt gcctttgact 7320
cttcacacgg cactggcttc ttcgaggctc tcatctctca ctttttcacc gtggacaatg 7380
gttttagccc tgcgctggga ccgtatctca gatccctggc tgtctcggtg cacgtctacg 7440
gcgagcgtcg catcaagatt accggtggcc tcccctcggg ttgtgcgcgg accagcctgc 7500
tgaacacagt gctcaacaat gtgatcatca ggactgctct ggcatgtact tacaaggaat 7560
ttgaatatga catggtgat atcatgcct acggtgacga cctctcggtt ggacgggat 7620
acgatctgga ctcaatgag gtggcacgac gcgctgcaa gttgggtat aagatgactc 7680
ctgccaaaca ggggtctgct tcccctcga cttctctct ttcgatgct gtttttctaa 7740
agcgcaaatc cgtccaaac aacgacggct tatacaaac agttatggt ttaagaat 7800
tggagccat gctctcctac ttcaaacag gaacactact cgagaagctg caatctgttt 7860
ctatgttgcc tcaacattct ggaagaag aatatgatag attgatgcac ccttcgctg 7920
actacggtgc cgtaccgagt caccgagtac tgcaggcaag atggagggcc ttgttcgact 7980
gaccagata gcccaaggcg cttcggtgct gccggcgatt ctgggagaac tcagtcggaa 8040
cagaaaaggg                                     8050

```

```

SEQ ID NO: 31      moltype = RNA length = 8048
FEATURE            Location/Qualifiers
misc_feature       1..8048
                    note = SVV-P1-1-GFP
source             1..8048
                    mol_type = other RNA
                    organism = synthetic construct

```

```

SEQUENCE: 31
tttgaatagg ggggctgggc cctgatgccc agtccctcct ttccccttcc ggggggttaa 60
ccggctgtgt ttgctagagg cacagagggg caacatccaa cctgcttttg cggggagcgg 120
tgcggctccg attcctcggt cgccaaagggt gttagcgcac ccaaacggcg cacctaccaa 180
tggtattggt gtggtctgct agttctagcc tactcgtttc tcccgcgacc attcactcac 240
ccacgaaaag tgtgttgtaa ccataagatt taacccccgc acgggatgtg cgataaccgt 300
aagactggct caagcgcgga aagcgtgta accacatgct gttagtccct ttatggctgc 360
aagatgggta cccacctcgg atcactgaac tggagctcga ccctccttag taagggaacc 420
gagagggcct gtgcacaaca gcccgacac agagtccacg tgactgctac caccatgagt 480
acatggttct cccctctcga cccaggactt ctttttgaat atccacggct cgatccagag 540
ggtagggcat gacccctagc atagcgagct acagcgggaa ctgtagctag gccttagcgt 600
gccttgataa ggcctcgata gggcgacggc ctagtctgtg cggttctata ggtagcacat 660
acaaatatgc agaactctca cttttctttc gatacagcct ctggcacctt tgaagacgta 720
accggaacaa aagtcagaag cgttgaatac cctagatcgg tgaacaatgg tgtttacgat 780
tcgtccactc atttagagat actgaacctc acgggtgaaa ttgaaatttt aaagtctttc 840
aatgaatacc aaattcgcgc cgccaaacaa caacttggac tggacatcgt atacgaacta 900
cagggtaatg ttcagacaac ctcaagaagt gattttgatt cccgcggtaa taatggtaac 960
atgaccttca attactacgc aaacacttac cagaattcag tagacttctc gacctcctcg 1020
tcggcgctag gcgcgggacc cgggaactcc cggggcggtg tagcgggtct cctcacaaat 1080
ttcagtggaa tcttgaaccc tcttggtctac ctcaagatc acaataccga agaaatggaa 1140
aaactctgct atcgagtcac aacgcaaacg gcgggcaaca ctgccataaa cacgcaatca 1200
tcaactgggtg tgtgtgtgct ctacgttgaa gacccgacca aatctgaccc tccgtccagc 1260
agcacagatc aaccaccacac cacttttact gccatcgaca ggtggtacac tggacgcctc 1320
aattcttgga caaaagctgt aaaaaccttc tcttttcagg ccgtcccgtt ccttgagacc 1380
ttcctgtcta gacagggagg cctcaacgga ggggccttca cggctacctt acatagacat 1440
ttcttaatga agtgccgggtg gcaggtgcag gtccaatgca atttgacgca attccaccaa 1500
gggtgctctc ttgttgccat ggtcccccga accacccttg atgtcaaac tgacggcaag 1560
gcaagagctc tacaggagct gaatgaagaa cagtgggtgg aaatgtctga cgattaccgg 1620
accgggaaaa acatgccttt ccagtctctt ggcacatact atcgccccc taactggact 1680
tggggcccca atttcatcaa cccctatcaa gtaacagttt tcccacacca aattctgaac 1740
gcggaacact ctacctcggt agacataagt gtcccataca tcggggagac tctacacaaa 1800
tccctagaga cacagaactc ctggaccctc ctcgttatgg tgcctgtccc cctggactac 1860
aaggaggagg ccacaactga ccagaaatt acattttctg taaggctac aagtccctac 1920
ttcaatgggc tagctaaccg ttctacgacc gggacggagc aggaacaggg gccatttccc 1980
acagaccca gagaaaattc gcttatggtt ctctcaacca tccctgacga cactgtccct 2040
gcttacggga atgtgcgtac cctcccgtc aattacctcc ctggtgaaat aaccgacctc 2100

```

-continued

ttacaactgg	cccgatatacc	cactctcatg	gcgttcgggc	gggtgtctga	acccgagcct	2160
gcctcagaca	catatgtgcc	ctacgttgcc	gttcctgccc	agttcgacga	caagcctctc	2220
atctccttcc	cgatcaccct	ttcagatcct	gtctaccaga	acaccctggt	aggcgccatc	2280
agttcgaatt	tgcgcaacta	cgggggggtg	atccaaatca	ctctgacatt	ttgtggaccc	2340
atgatggcaa	gagggaaatt	cctactctcg	tattctcctc	caaatggagc	acaaccacag	2400
accctttctg	aagctatgca	gtgcacgtac	tctattttgg	atataggctt	gaactctagt	2460
tggacctttg	tcatecccta	catctcgccc	agtgattacc	gtgaaactcg	ggctattacc	2520
aactcagttt	attctgtctga	tggttgggtt	agcctgcaca	agctgactaa	aattactcta	2580
ccacctgact	gcccacagag	tcctgtgatt	ctctttttcg	cctctgctgg	tgaggattac	2640
accctccgtc	tcctgttgga	ttgtaatcct	tcctacgtgt	tcactccac	cgacaacgcc	2700
gagactgggg	ttattgaggg	gggtaacact	gacacgact	tctctgggtga	gctggcggtc	2760
cctggctcta	accacactaa	tgtcaagttc	ctgtttgac	gatctcgatt	actgaatgta	2820
attaaggtac	tgggagaagg	cgccgtcttc	ccccgtcctt	ccccacagc	aacaggtgca	2880
cagcaggagc	atggttactt	ttgccttcta	acaccccgcc	caacagtcgc	ttcccgaccc	2940
gcccactcgt	tcggcctgta	cgtcaatccg	tctgacagt	gcgtttctcg	taacacttca	3000
ctggatttca	atttttacag	ctggcctgt	ttcacttact	ttagatcaga	ccttgaagtc	3060
acgggtggtc	cactggagcc	agatctggaa	ttcgtgttag	ggtggttccc	ctctggcagt	3120
gagtagcagg	cttccagctt	tgtctacgac	caactgcagt	tacctacca	ctttactggg	3180
cgcactcccc	gcgctttcac	cagcaagggt	ggaaagggtat	ctttcgtgct	tccttggaac	3240
tctgtctcat	ccgtgcttcc	cgtgcgctgg	gggggcgctt	ccaagcttcc	ttccgcccag	3300
cggggtctac	cggctcatgc	tgaactgggg	accattttac	ccttcatccc	ccgtccta	3360
gagaagaaaa	gcacccgtgc	aaagcacgtg	gcggtgtacg	ttcgggtacaa	gaacgcgcgt	3420
gcctgggtgcc	ccagcatgct	ccccctccgc	agctacaagc	agaagatgct	gatgcaatct	3480
ggcgatatcg	agaccaatcc	cgggcccagt	agcaaggcg	aggagctgtt	caccgggggtg	3540
gtgcccaccc	tggctgagct	ggacggcgac	gtaaaacggc	acaagttcag	cgtgtccggc	3600
gagggcgagg	gcgatgccac	ctacggcaag	ctgaccctga	agttcatctg	caccacgggc	3660
aagctgcccc	tgcctgggcc	caccctcgct	accaccctga	cctacggcgt	gcagtgttcc	3720
agccgctacc	ccgacccatc	gaagcagcac	gaacttctca	agtccgcat	gcccgaaggc	3780
tacgtccagg	agcgcacccat	ctcttccaag	gacgacggca	actacaagac	ccgcgcgag	3840
gtgaagttcg	agggcgacac	cctggtgaac	cgcctcgagc	tgaagggtat	cgaactcaag	3900
gaggacggca	acatcctggg	gcacaagctg	gagtacaact	acaacagcca	caacgtctat	3960
atcatggccg	acaagcagaa	gaacggcatc	aaggtgaact	tcaagatccg	ccacaacatc	4020
gaggacggca	gcgtgcagct	cgccgaccac	taccagcaga	acaccccat	cggcgacggc	4080
cccgctgctg	tgcocgacaa	ccactacctg	agcaccagct	ccgcctgag	caaagacccc	4140
aacgagaagc	gcgatcacat	ggctcctgct	gagttcgtga	ccgcgcgagg	gatcactctc	4200
ggcatggacg	agctgtacaa	ggaggcgaga	ggaagtctgc	taacatcgcg	tgacgtcgag	4260
gagaatcccg	ggcctgcttc	tgacaaccca	attttggagt	ttcttgaagc	agaaaatgat	4320
ctagtcactc	tggcctctct	ctggaagatg	gtgcactctg	ttcaacagac	ctggagaaaag	4380
tatgtgaaga	acgatgattt	ttggcccatt	ttactcagcg	agctagtggg	ggaaggtctc	4440
gtcgcccttg	cgccacgctc	atccaaacaa	gcttcagtaa	aggctctttt	gggcctgcac	4500
tttctctctc	gggggctcaa	ttacactgac	ttttactctt	tactgataga	gaaatgctct	4560
agtttcttta	cctgagaacc	acctctctca	ccagctgaaa	acctgatgac	caagccctca	4620
gtgaagtcga	aattccgaaa	cctgtttaag	atgcaaggac	ccatggacaa	agtcacaagc	4680
tggaaacaaa	tagctgcagg	cttgaagaat	tttcaatttg	ttcgtgacct	agtcaaaagc	4740
gtggtcgatt	ggctgcaggc	ctggatcaac	aaagagaaa	ccagccctgt	cctccagtag	4800
cagttggaga	tgaagaagct	cgggctgtg	gccttggctc	atgacgcttt	catggctggg	4860
tcggggcccc	ctcttagcga	cgaccagatt	gaatacctcc	agaacctcaa	atctcttgcc	4920
ctaaccactg	ggaagactaa	tttggcccaa	agtctcacc	ctatgatcaa	tgccaaacaa	4980
agttcagccc	aacgagttga	accggttggt	gtggtcctta	gaggcaagcc	gggatgcggc	5040
aagagcttgg	cctctacgtt	gattgcccag	gctgtgtcca	agcgcctcta	tggctcccaa	5100
agtgatatatt	ctcttcccc	agatccagat	ttcttcgatg	gatacaaaag	acagttcgtg	5160
accttgatgg	atgatttggg	acaaaacccg	gatggacaag	atttctccac	cttttgtcag	5220
atggtgtcga	ccgcccattt	tctccccaac	atggcgagcc	ttgcagagaa	agggcgctcc	5280
tttacctcca	atctcatcat	tgcaactaca	aatctccccc	acttcagttc	tgtcaccatt	5340
gctgatcctt	ctgcagttct	tcgcccgtatc	aactacgata	tgactctaga	agtatctgag	5400
gcctacaaga	aacacacacg	gctgaatttt	gacttggctt	tcaggcgcac	agacgcccc	5460
cccattttat	cttttctgct	ccatgtgccc	tttgtggacg	tagctgtgag	cttcaaaaat	5520
ggtaaccaga	attttaatct	cctagagttg	gtcgattcca	tttgtacaga	catttcgagc	5580
aagcaacaag	gtgcccgaag	catgcagact	ctggttctac	agagccccaa	cgagaatgat	5640
gacacccccc	tcgacgaggg	gttgggtaga	gttctctccc	ccgctgcggg	cgatgaggcg	5700
cttgtcgacc	tcactccaga	ggccgacccc	gttgcccggt	tggctattct	tgccaaagct	5760
ggtcttgccc	tagctgcggg	cacccctggg	ctgataatct	tggcagtggg	actctacagg	5820
tactctctct	gctctgatgc	agaccaagaa	gaaacagaaa	gtgagggatc	tgtcaaggca	5880
cccaggagcg	aaaatgctta	tgacggcccc	aagaaaaact	ctaagccccc	tggagcactc	5940
tctctcatgg	aaatgcacaa	gcccacagtg	gacatgggct	ttgaggtgct	ggctcgctaa	6000
aaagtggctg	tccccattac	cttcatgggt	cccaacagac	cttctgggct	tacacagtcc	6060
gctctctctg	tgacggcgcc	gaccttctca	atcaatgaac	atacatggct	caatccctcc	6120
tggaccagct	tcacaatccg	cgggtaggtta	cacactcggt	atgagccctt	ccaaacgggt	6180
catttctactc	accacgggat	tcaccacagat	ctgatgatgg	tacgtctcgg	accgggcaat	6240
tctttcccta	acaatctaga	caagtttgga	cttgaccaga	tgccggcacg	caactcccgt	6300
gtggttgccg	ttcgtccag	ttacggaaac	ttcttcttct	ctggaaaatt	cctcgatttt	6360
gttgattcca	tcacctctga	acaaggaaact	tacgcaagac	tctttaggta	cagggtgacg	6420
acctacaaag	gatggtcggg	ctcgccctct	gtctgtgagg	ccggtggcgt	ccgacgcac	6480
attggcctgc	attctgctgg	cgcgcggcgt	atcgccgcgc	ggacctatat	ctcaaaaatta	6540
ggactaatca	aagccctgaa	acacctcggt	gaacctttgg	ccacaatgca	aggactgatg	6600
actgaattag	agcctggaat	caccgtacat	gtaccccgga	aatccaaatt	gagaaagacg	6660

-continued

```

accgcacacg cgggtgtacaa accggagttt gagcctgctg tgttgtcaaa atttgatccc 6720
agactgaaca aggatgttga cttggatgaa gtaatttggg ctaaacacac tgccaatgtc 6780
ccttaccacac ctcctttgtt ctacacatac atgtcagagt acgctcatcg agtctctccc 6840
ttcttgggga aagacaatga cattctgacc gtcaaagaag caattctggg catccccgga 6900
ctagacccca tggatcccca cacagctccg ggtctgcctt acgccaacaa cggccttcga 6960
cgtactgato tcgtcgattt tgtgaacggt acagtagatg cggcgctggc tgtacaaatc 7020
cagaaattct tagacgggtg ctactctgac catgtcttcc aaacttttct gaaagatgag 7080
atcagaccct cagagaaagt ccgagcggga aaaacccgca ttgttgatgt gccctccctg 7140
gcgcatgtga ttgtgggcag aatgttgctt gggcgctttg ctgccaagtt tcaatcccat 7200
cctggcttcc tcctcggtcc tgctatcggt tctgaccctg atgttttctg gaccgctata 7260
ggggctcaac tcgaggggag aaagaacacg tatgacgtgg actacagtgc ctttgactct 7320
tcacacggca ctggctcctt cgaggctctc atctctcact ttttcaccgt ggacaatggt 7380
tttagccctg cgctgggacc gtatctcaga tccctggctg tctcggtgca cgcttaacggc 7440
gagcgtcgca tcaagattac cggtgccctc gtgcccgcgc cagcctgctg 7500
aacacagtg ccaacaatgt gatcatcagg actgctctgg cattgactta caaggaaatt 7560
gaatatgaca tggttgatat ctatcgccac ggtgacgacc tctggttggt cacggattac 7620
gatctggact tcaatgaggt ggcacgacgc gctgccaaag tgggggtata gatgactcct 7680
gccaacaagg gttctgtctt cctcccgact tctctcttct ccgatgctgt ttttctaaag 7740
cgcaaatctg tccaaaacaa cgacggctta tacaaccag ttatggattt aaagaatttg 7800
gaagccatgc tctcctactt caaacacgga acactactcg agaagctgca atctgtttct 7860
atgttggctc aacattctgg aaaagaagaa tatgatagat tgatgacccc cttcgctgac 7920
tacggtgccc taccgagtca cgagtacctg caggcaagat ggagggcctt gttcgactga 7980
cccagatagc ccaaggcgct tcggtgctgc cggcgattct gggagaactc agtcggaaca 8040
gaaaaggg

```

```

SEQ ID NO: 32      moltype = RNA length = 8048
FEATURE            Location/Qualifiers
misc_feature        1..8048
                    note = SVV-P1-2-GFP
source              1..8048
                    mol_type = other RNA
                    organism = synthetic construct

```

```

SEQUENCE: 32
tttgaatgg ggggctgggc cctgatgccc agtccttctt ttcccccttc ggggggttaa 60
cgggctgtgt ttgctagagg cacagagggg caacatccaa cctgcttttg cggggaacgg 120
tgccgctccg attcctcgct cgccaaaggt gttagcgcac ccaaacggcg cactaccaca 180
tgttattggt gtggtctgcg agttctagcc tactcgttct tcccccgacc attcactcac 240
ccacgaaaaa tgtgttgtta ccataagatt taacccccgc acgggatgtg cgataaccgt 300
aagactggct caagcgcgga aagcgtgtga accacatgct gttagtcctt ttatggctgc 360
aagatggcta ccaacctcgg atcactgaac tggagctcga cctcctctag taagggaacc 420
gagaggcctt cgtgcaacaa gctccgacac agagtccacg tgactgctac caccatgagt 480
acatggttct cccctctcga cccaggactt ctttttgaat atccacggct cgatccagag 540
ggtggggcat gacccttagc atagcagact acagcgggaa ctgtagtaga gccttagcgt 600
gcttgggata gctcctgata gggcgacggc ctagtctgtg cgggttctata ggtagcacat 660
acaaatatgc agaactctca ttttcttttc gatacagcct ctggcacctt tgaagacgta 720
accggaacaa aagtcacagc cgttgaatac cccagatcgg tgaacaatgg tgtttacgat 780
tcgtccactc atttagagat actgaacctc caggggtgaaa ttgaaatttt aagggtcttc 840
aatgaatacc aaattcgcgc cgccaaacaa caacttggac tagacattgt atacgaacta 900
cagggtaacg ttcagacaac ctcaaagaat gattttgatt ccgcggcaca taacggtaac 960
atgaccttca attactacgc aaacacttat cagaactcag tagactctc gacctcctcg 1020
tcggcgctcg gcgcggaccc cgggaactcc cggggcggat tagcgggtct cctcacaaat 1080
ttcagtggaa tcttgaaccc tcttggctac cttaaagatc acaataccga agaaatggaa 1140
aactctgtg atcagatcat aacgcaaacg gcgggcaaca ctgccataaa cagcgaatca 1200
tcactgggtg tgtgtgtgct ctatgttgaa gacccgacca aatctgatcc tccgtccagc 1260
agcacagatc aaccaccacc cacttttact gccatcgaca ggtggtacac tggacgcctc 1320
aattcttgga caaaagctgt aaaaaccttc tcttttcagg ccgtcccgtc cctggagcc 1380
ttcctgtcta gacaggaggg cctcaacgga ggggccttca cggctaccct acatagacat 1440
ttcttaatga agtcgggtgc gcagggtgcg gttcaatgca atttgacaca attccacca 1500
ggtgctcttc ttgtcgccat ggtccccgaa gctacccttg atgtcaagcc cgacggcaag 1560
gcaaagagcc tgcaggagct gaatgaagag cagtgggtag aaatgtccga cgattaccgg 1620
accgggaaaa acatgccttt tcaagtctct ggccacatac atcggccccc taactggact 1680
tggggcccct atttcatcaa cccctatcaa gtaacagttt tccacacca aattctgaac 1740
gcgagaacct ctacctcggt agacataagt gtcccataca tcggggagac tctacacaa 1800
tcctcagaga cacagaactc ctggaccctc ctggttatgg tgcctgtccc cctggactac 1860
aaggagggag ccacaaactga ccagaaatt acattttctg taaggcctac aagtccttac 1920
ttcaatgggc ttcgtaaccc ttacacgacc gggacggacg aggaacaggg gccatttccc 1980
acagcaccca gagaaaattc gcttatgttt ctctcaacca tccctgacga cactgtccct 2040
gcttacggga atgtgcgtac cctcccgtc aactacctcc ctggtgaaat aactgacctc 2100
ttacaactgg cccgtatacc cactctcatg gcgtttgggc ggggttctga acccgaaact 2160
gcctcagacg catatgtgcc ctacgttgcc gttcctgccc agtttgatga caagcctctc 2220
atctccttcc cgtacccct ttcatcctt gtctaccaga acaccctggt aggcgccatc 2280
agttcgaatt tcgccaacta cgggggggtg atccaaatca ctctgacatt ttgtggacc 2340
atgatggcaa gagggaaatt cctactctcg tattctcccc caaatggaac acaaccacag 2400
accctttctg aagctatgca gtgcacgtac tccatttggg atataggctt gaactctagt 2460
tggaaccttg tcactcccta catctcgccc agtgactacc gtgaaactcg ggccatcacc 2520
aactcggttt attctgctga cggctggttt agcctacaca agctgaccaa aattactcta 2580

```

-continued

ccacctgact	gcccacagag	ccctgtatt	ctctttttcg	cctctgtg	tgaggattac	2640
acccctcgctc	tcccogttga	ttgcaatcct	tccacogt	tccactccac	cgataacgcc	2700
gagactggag	ttatttgaggc	gggtaataact	gacacogatt	tctctgttga	actggcggt	2760
cctggctcta	accatactaa	tgcaagttc	ctgtttgatc	gatctcgatt	actgaatgta	2820
attaaaggtac	tggagaagga	cgcgtcttc	ccccgtcctt	ccccacagc	aacaggtgca	2880
cagcaggagc	atggttactt	ttgtcttcta	acaccccgcc	caacagtcgc	ctcccagccc	2940
gccaactcgt	tcggcctgta	tgtaaatccg	tctgacagtg	gcgttctcgc	caacacttca	3000
ctggatttca	attttttacag	cttggcctgc	ttaacttact	ttagatcaga	ccttgaagt	3060
acgggtggtct	cactggagcc	agatctggaa	ttcgctgtag	ggtggttccc	ctctggcagt	3120
gagtaccagg	cttccagctt	tgctacgac	caactgcatg	tacctacca	cttactggg	3180
cgcactcccc	gcgctttcac	cagcaaggtg	gggaaggtat	ctttcgact	cccttggaa	3240
tctgtctcat	cogtgcctcc	cgtgcgctgg	gggggtgctt	ccaagcttcc	ttctgccacg	3300
cggggtttgc	cggtcatgc	tgactggggg	actatttacg	cctttatccc	cgctccta	3360
gagaagaaa	gcacogctgt	aaagcagctg	gccgtgtacg	ttcggtacaa	gaacgcgct	3420
gcctggtgcc	ccagcatgct	cccttccgc	agttacaagc	agaagatgct	gatgcaatct	3480
ggcgatatcg	agccaatcc	ggggcagtg	agcaaggcgg	aggagctgtt	cacgggggtg	3540
gtgcccattc	tgccogagct	ggacggcgac	gtaaacggcc	acaagttcag	cgtgtccggc	3600
gagggcgagg	gcgatgccac	ctacggcaag	ctgacccctga	agttcatctg	caccacccgc	3660
aaagtgcgcg	tgccctggcc	accctcgtg	accacccctga	cctacggcgt	gcagtgcctc	3720
agccgctacc	ccgacacat	gaagcagcac	gacttcttca	agtcgcctac	gcccgaaggc	3780
tacgtccagg	agcgcacat	cttcttcaag	gacgacggca	actacaagac	ccgcgcgag	3840
gtgaagttcg	agggcgacac	cctggtgaac	cgcactcgagc	tgaagggcat	cgacttcaag	3900
gaggacggca	acatccgtgg	gcacaagctg	gagtacaact	acaacagcca	caacgtctat	3960
atcatggccg	acaagcagaa	gaacggcatc	aaggtgaact	tcaagatccg	ccacaacatc	4020
gaggacggca	gcgtgcagct	cccgacccac	taccagcaga	acaccccat	cggcgacggc	4080
cccgctgctg	tgcccgacaa	ccactacctg	agcaccagct	ccgcccctgag	caaagacccc	4140
aacgagaagc	gcgatcacat	ggtcctgctg	gagttcgtga	ccgcgcgcgg	gatcactctc	4200
ggcatggacg	agcgttaca	ggagggcaga	ggaagtctgc	taacatgcgg	tgcgtcgag	4260
gagaatcccg	ggcctgcttc	tgacaaccca	attttggagt	ttcttgaagc	agaaaatgat	4320
ctagtcactc	tggcctctct	ctggaagatg	gtgcactctg	ttcaacagac	ctggagaaa	4380
tatgtgaaga	acgatgattt	ttggcccaat	ttactcagcg	agctagtggg	ggaaggtctc	4440
gtcgcccttg	ccgcccagct	atccaaacaa	gcttcagtaa	aggtctcttt	gggcctgcac	4500
ttctctcttc	gggggctcaa	ttacactgac	ttttactctt	tactgataga	gaaatgctct	4560
agtttcttta	ccgtgaacc	acctctcca	ccagctgaaa	acctgatgac	caagcctca	4620
gtgaagtcca	aattccgaaa	actgtttaag	atgcaaggac	ccatgggaca	agtcaaaagc	4680
tggaaacaaa	tagctgccc	cttgaagaat	tttcaatttg	ttcgtgacct	agtcaaaagc	4740
gtggtcgatt	ggctgcaggc	ctggatcaac	aaagagaaa	ccagccctgt	cctccagtac	4800
cagttggaga	tgaagaagct	cgggcctgtg	gccttggctc	atgacgcttt	catggctggt	4860
tccgggcccc	ctcttagcga	cgaacagatt	gaatacctcc	agaacctcaa	atctcttgcc	4920
ctaaactcgg	ggaagactaa	tttggcccaa	agtctcacca	ctatgatcaa	tgccaaacaa	4980
agttcagccc	aacgagttga	accogttgtg	gtggctctta	gaggcaagcc	gggatgcggc	5040
aagagcttgg	cctctagctt	gattgcccag	gctgtgtcca	agcgcctcta	tggtctccaa	5100
agtgatatatt	ctcttccccc	agatccagat	ttcttcgatg	gatacaaaag	acagttcgtg	5160
accttgatgg	atgatttggg	acaaaacccg	gatggacaag	atttctccac	cttttgtcag	5220
atggtgtcga	ccgcccattt	tctcccacac	atggcggacc	ttgcagagaa	agggcgctcc	5280
tttacctcca	atctcatcat	tgcaactaca	aatctcccc	acttcagtc	tgtaaccatt	5340
gctgatcctt	ctgcagcttc	tcgcgctatc	aactacgac	tgactctaga	agtatctgag	5400
gcctacaaga	aacacacag	gctgaatttt	gacttggctt	tcaggcgccac	agacgcccc	5460
cccattttatc	cttttgcctg	ccatgtgccc	tttgtggacg	tagctgtgctg	cttcaaaaat	5520
ggtcaccaga	attttaatct	cctagagttg	gtcgattcca	tttgtacaga	catttcgagc	5580
aagcaacaag	gtgcccga	catgcagact	ctggttctac	agagccccc	cgagaatgat	5640
gacaccccc	tcgacgaggg	gttgggtaga	gttctctccc	ccgctgcggg	cgatgaggcg	5700
cttgtcgacc	tcactccaga	ggccgacccg	gttggccggt	tggtatctct	tgccaaagct	5760
ggtcttgccc	tagctgcggg	caacccctgt	ctgataatct	tggcagtggt	actctacagg	5820
tactctctcg	gctctgatgc	agaccagaaa	gaaacagaaa	gtgagggtac	tgtaaggcca	5880
cccaggagcg	aaaaatgctta	tgacggcccc	aagaaaaact	ctaagcccc	tgagcactc	5940
tctctcatgg	aaatgcaaca	gcccacagtg	gacatgggct	ttgaggctgc	ggtcgctaag	6000
aaagtgtctg	tcccatttac	cttcatgggt	cccaacagac	cttctgggct	tacacagtc	6060
gctcttctcg	tgacggcgcc	gaccttctta	atcaatgaac	atacatggct	caatccctcc	6120
tggaccagct	tcacaatccg	cgttgaggta	cacactcgtg	atgagccctt	ccaaacgggt	6180
catttcaact	accacggtat	tcccacagat	ctgatgatgg	tacgtctcgg	accgggcaat	6240
tctttcccta	acaatctaga	caagtttggg	cttgaccaga	tgccggcacg	caactcccg	6300
gtggttggcg	tttgcctcag	ttacggaaac	ttcttctct	ctggaaattt	cctcggtatt	6360
gttgattcca	tcacctctga	acaaggaa	tacgcaagac	cttttaggtg	cagggtgagc	6420
acctacaaag	gatggtgcgg	ctcggccctg	gtctgtgagg	ccggtggcgt	ccgacgcac	6480
attggcctgc	attctgctgg	cgcgcgcgg	atcggcgccg	ggacctatat	ctcaaaatta	6540
ggactaatca	aagccctgaa	acacctcggt	gaacctttgg	ccacaatgca	aggactgatg	6600
actgaattag	agcctggaat	cacogtacat	gtaccccggg	aatccaaatt	gagaaagacg	6660
accgcacacg	cgtgtgacaa	accggagttt	gagcctgctg	tgttgtcaaa	atttgatccc	6720
agactgaaca	aggtatgtga	cttgatgaa	gtaattttgt	ctaaacacac	tgccaatgtc	6780
ccttaccaac	ctctttgtt	ctacacatac	atgtcagagt	acgctcatcg	agtcctctcc	6840
ttcttgggga	aagacaatga	cattctgacc	gtcaaaagag	caattctggg	catccccgga	6900
ctagacccca	tggatcccca	cacagctccg	ggtctgcctt	acgccaatcaa	cggccttcga	6960
cgtactgatc	tcgtcgattt	tgtgaacggg	acagtagatg	cggcgctggc	tgtacaaatc	7020
cagaaattct	tagacgggtga	ctactctgac	catgtcttcc	aaacttttct	gaaagatgag	7080
atcagacctc	cagagaaagt	ccgagcggga	aaaacccgca	ttgttgatgt	gcccctccctg	7140

-continued

```

gcgcattgca ttgtgggcag aatgttgett gggcgctttg ctgccaagtt tcaatcccat 7200
cctggctttc tctcggtctc tgctatcggy tctgaccctg atgtttttctg gaccgtcata 7260
ggggctcaac tcgaggggag aaagaacacg tatgacgtgg actacagtgc ctttgactct 7320
tcacacggca ctggctcctt cgaggtctctc atctctcact tttcaccgt ggacaatggt 7380
tttagccctg cgtcgggacc gtatctcaga tccctggctg tctcggtgca cgtttacggc 7440
gagcgtcgca tcaagattac cgttggcctc cctcgggtt gtgcggcgac cagcctgctg 7500
aacacagtgc tcaacaatgt gatcatcagg actgctctgg cattgactta caaggaattt 7560
gaatatgaca tggttgatat catcgctac ggtgacgacc ttctgggttg caccgattac 7620
gatctggact tcaatgaggt ggacacgacg cgtgcctaag tggggataa gatgactcct 7680
gccaacaagg gttctgtctt cctcggact tctctcttt ccgatgctgt tttctaaag 7740
cgcaaatctg tccaaaacaa cgacggctta tacaaccag ttatggattt aaagaatttg 7800
gaagccatgc tctcctactt caaaccagga acactactcg agaagctgca atctgtttct 7860
atgttggtgc aacattctgg aaaagaagaa tatgatagat tgatgcaccc ctctcgctgac 7920
tacggtgctg taccggtgca caggtacctg caggcaagat ggagggctt gttcgactga 7980
cccagatagc ccaaggcgct tcggtgctgc cggcgattct gggagaactc agtcggaaca 8040
gaaaaggg

```

```

SEQ ID NO: 33      moltype = RNA length = 8048
FEATURE           Location/Qualifiers
misc_feature       1..8048
                  note = SVV-P1-3-GFP
source            1..8048
                  mol_type = other RNA
                  organism = synthetic construct

```

```

SEQUENCE: 33
tttgaatgg ggggctgggc cctgatgccc agtccctctt tcccccttc ggggggttaa 60
cgggtctgtg ttgctagagg cacagagggg caacatccaa cctgcttttg cggggaacgg 120
tgcggtctcg attcctcgct gcctaaagggt gttagcgcac ccaaacggcg cactaccaa 180
tggtattggt gtggtctgct agttctagcc tactcgtttc tcccccgacc attcactcac 240
ccacgaaaag tgtgtgttaa ccataagatt taacccccgc acgggatgtg cgataaccgt 300
aagactggct agaagcgcgga aagcgctgta accacatgct gttagtccct ttatgggtgc 360
aagatggcta cccacctcgg atcactgaac tggagctcga cctccttag taaggaacc 420
gagagggcctt cgtgcaacaa gctccgacac agagtccacg tgactgtac caccatgagt 480
acatgggtctt cccctctcga cccaggactt ctttttgaat atccacggct cgatccagag 540
ggtggggcat gacccctagc atagcgagct acagcgggaa ctgtagctag gccttagcgt 600
gccttgataa ctgctgata gggcgacggc ctagtctgtg cggttctata ggtagcacat 660
acaaatatgc agaatctca tttttctttc gatcacgctt ctggcacctt tgaaaacgta 720
accggaacaa aagtcagat cgttgaatac cccagatcgg tgaacaatgg tgtttacgat 780
tcgtccactc atttagagat actgaaccta cagggtgaaa ttgaaattt aaagtctttc 840
aacgaatacc aaattcgctc cgtcaaacaa caacttgac tggacatcgt atacgaacta 900
cagggtaatg ttcagacaac ctcaagaat gatattgatt ccccgggcaa taatggtaac 960
atgaccttca attactcgc aaacacttac cagaattcag tagactctc gacctcctcg 1020
tcggcgctcag ggcggcgacc cgtggaactcc cggggcggtt tagcgggtct cctcaacaa 1080
ttcagtggaa tcttgaaacc tcttggttac ctcaagatc acaatacga agaaatggaa 1140
aactctgctg attcagtcac aacgcaaacg gcgggcaaca ctgccaataa caccgcaatca 1200
tcaactgggtg tgtgtgtgct ctacgttgaa gaccgaccca aatctgaccc tccgtccagc 1260
agcacagatc aacccaccac cacttttact gccatcgaca ggtggtacac tggacgcctc 1320
aattcttgga caaaagctgt aaaaaccttc tcttttcagg ccgtcccgt ccttgaggcc 1380
ttctgtctca gacagggagg cctcaacgga ggggccttca cggccacctt acatagacat 1440
ttcttaatga agtgcgggtg gcaggtgcag gttcaatgca atttgacgca attccaccaa 1500
ggtgctctct ttgttgccat ggtcccgcaa accaccttg atgtcaaac tgacggcaag 1560
gcaagagact tacaggagct gaatgaagag cagtgggtgg aaatgtctga cgactaccg 1620
accgggaaaa acatgccttt tcagtctctt ggtacatact atcggcccc taactggact 1680
tggggcccca atttcacaa cccctatcaa gtaacagttt tccacacca aattctgaac 1740
gcggaacctt ctacctcgtt agacataagt gtcccgtaca tggggagac tctacacaa 1800
tctcagaga cacagaactc ctggaccctc cttgttatgg tgcttgtccc cctggactac 1860
aaggaggagg ccacaactga cccagaaatt acattttctg taaggcctac aagtccctac 1920
ttcaatggcg ttctgaaccg ttctacgacc gggacggagc aggaacaggg gccattccc 1980
acagcaccca gagaaaatc gcttatgttt ctctcaacca tccctgacga cactgtccct 2040
gcttacggga atgtgcgcac cctcccgtc aattacctcc ccggtgaaat aaccgacctc 2100
ttcaactgg cccgtatacc cactctcatg gcgtttgggc gggcgctgta acccgacct 2160
gcctcagacg catatgtgct ctacgttgcc gttcctgccc agttcgacga caagcctctc 2220
atctccttcc cgatccctct ttacagacct gtctaccaga acacctggt aggcgccatc 2280
agttcgaact tgcgcaacta cggggggtgt atccaaatta ctctgacatt ttgtggacc 2340
atgatggcaa gagggaaatt cctgctctgc tattctcccc caaatggagc acaaccacag 2400
accctttctg aagctatgca gtgcacatac tctatttggg atataggctt gaactccagt 2460
tggaaccttg tcacccctca catctcgccc agtgattacc gtgaaactcg ggctattacc 2520
aactcagttt attctgtgta tggttggttt agcttgacaa agctgaccaa aattactcta 2580
ccactgactt gccacagag tccctgtatt ctctttttcg cctctgctgg tgaggattac 2640
accctcgtct tccctgttga ttgtaacct tctacgtgt tccactccac cgacaacgcc 2700
gagactgggg ttattgagcg agttaacact gacacgatt tctctggtga actggcggt 2760
cctggctcta accatactaa tgtcaaatc ctgtttgacc gatctcgact actgaatgta 2820
attaaggtac tggagaagga cgcgtcttc ccccgctctt tccccacagc aacaggtgca 2880
cagcaggacg atggttactt ttgtcttcta acacccgcc caacagtcgc tccccgacc 2940
gccactcgtt tcggcctgta cgtcaacccg tctgacagtg gcgttctcgc taacacttca 3000
ctggatttca atttttacag tttggcctgt ttcacttact ttagatcaga ccttgaagtc 3060

```

-continued

acgggtggtct	cactggagcc	agatttggaa	ttcgccgtgg	ggtggttccc	ctctggcagt	3120
gagtagaccag	cttctagctt	tgtctacgac	caactgcatg	taccctacca	ctttactggg	3180
cgcactcccc	gcgctttcac	cagcaagggt	ggaaagggtat	ctttcgtgct	cccttgggac	3240
tctgtctctt	cgggtcttcc	cgtgcgctgg	gggggtgcct	ccaagcttcc	ttctgccacg	3300
cggggtctgc	cggctcatgc	tgactggggg	accattttacg	ctttatccc	ccgtcctaac	3360
gagaagaaaa	gcacgcgtgt	aaagcacgtg	gcggtgtacg	ttcgggtacaa	gaacgcgcgt	3420
gcctggtgcc	ccagcatgct	tccttttcgc	agctacaagc	agaagatgct	gatgcaatct	3480
ggcgatatcg	agaccaaacc	cgggcgcatg	agcaaaggcg	aggagctggt	caccgggggtg	3540
gtgcccaccc	tggtcgagct	ggacggcgac	gtaaacggcc	acaagttcag	cgtgtccggc	3600
gagggcgagg	gcgatgccac	ctacggcaag	ctgacctga	agttcatctg	caccacgggc	3660
aaagtgcctg	tgccctggcc	caccctcgtg	accacctga	cctacggcgt	gcagtgtctc	3720
agccgctacc	ccgaccacat	gaagcagcac	gacttcttca	agtccgcat	gcccgaaggc	3780
tacgtccagg	agcgcaccat	cttcttcaag	gacgacggca	actacaagac	ccgcgcggag	3840
gtgaagtctg	aggcgacac	cctggtgaac	cgcacgagc	tgaagggtcat	cgacttcaag	3900
gaggacggca	acatccctggg	gcacaagctg	gagtacaact	acaacagcca	caactgtctat	3960
atcatggccg	acaagcagaa	gaacggcatc	aaggtgaact	tcaagatccg	ccacaacatc	4020
gaggacggca	gcgtgcagct	cgcgacccac	taccagcaga	acaccccat	cgcgacggcg	4080
cccgctgctg	tgcccgacaa	ccactacctg	agcaccagct	ccgcctcgag	caaagacccc	4140
aaacgagaagc	gcgatccact	ggctcgtctg	gagttcgtga	ccgcgcggcg	gatcactctc	4200
ggcatggacg	agctgtacaa	ggagggcaga	ggaagtctgc	taacatgctg	tgacgtcgag	4260
gagaatcccg	ggcctgtctc	tgacaaccca	attttggagt	ttcttgaagc	agaaaatgat	4320
ctagtctact	tggcctctct	ctggaagatg	gtgcactctg	ttcaacagac	ctggagaaag	4380
tatgtgaaga	acgatgattt	ttggcccaat	ttactcagcg	agctagtggtg	ggaaggctct	4440
gtcgcccttg	ccgcacagct	atccaaccaa	gcttcagtaa	aggctctttt	gggctcgcac	4500
tttctctctc	gggggctctc	ttactactgac	ttttactctt	tactgataga	gaaatgctct	4560
agtttcttta	ccgtagaacc	acctctctca	ccagctgaaa	acctgatgac	caagccctca	4620
gtgaagtctga	aattccgaaa	actgtttaag	atgcaaggac	ccatggacaa	agtcaaaagc	4680
tggaacccaa	tagctgccc	ctgaagaat	tttcaatttg	ttcgtgacct	agtcaaaagc	4740
gtggtcgatt	ggctgcaggc	ctggatcaac	aaagagaaag	ccagccctgt	cctccagtac	4800
cagttggaga	tgaagaagct	cgggcctgtg	gccttggctc	atgacgcttt	catggctggt	4860
tcggggcccc	ctcttagcga	cgaccagatt	gaataacctc	agaacctcaa	atctcttgcc	4920
ctaacactctg	ggaagactaa	tttggcccaa	agttctacca	ctatgatcaa	tgccaaacaa	4980
agttcagccc	aacgagttga	accggttggt	gtggctcctta	gaggcaagcc	gggatgcggc	5040
aaagacttgg	cctctacgtt	gctgtgtcca	agcgcctcta	tggtcccaa	5100	
agtgtatatt	ctcttcccc	agatccagat	ttcttcgatg	gatacaaaag	acagtctctg	5160
accttgatgg	atgattttgg	acaaaacccg	gatggacaag	atttctccac	cttttgctag	5220
atggtgtctga	ccgcaccaat	ttctcccaac	atggcggacc	tgacagagaa	agggcgtccc	5280
tttacctcca	atctcatcat	tgcaactaca	aatctcccc	acttcagttc	tgtaaccatt	5340
gctgatcctt	ctgcagcttc	tcgcgctatc	aactacgac	tgactctaga	agtatctgag	5400
gctacacaaga	aacacacaag	gctgaatttt	gacttggctt	tcaggcgcc	agagcgtccc	5460
ccattttatc	cttttctgct	ccatgtgccc	tttgtggacg	tagctgtgctg	cttcaaaaat	5520
ggtcaccaga	attttaatct	cctagagttg	gtcgattcca	ttgtacaga	catctcgagc	5580
aaagcaacaag	gtgcccga	catgcagact	ctggttctac	agagcccaaa	cgagaatgat	5640
gacacccccc	tcgacgagcc	gttgggtaga	gttctctccc	ccgctgcggt	cgatgagggc	5700
cttgtcgacc	tcactccaga	ggccgacccc	gttggccggt	tggtctattc	tgccaaagct	5760
ggcttctgccc	tagctgcggt	caccctgggt	ctgataatct	tggcagtggt	actctacagg	5820
tacttctctg	gctctgatgc	agaccaagaa	gaaacagaaa	gtgagggatc	tgtcaaggca	5880
cccgaggagc	aaaatgctta	tgacggcccc	aagaaaaact	ctaagccccc	tggaagcactc	5940
ttctctatgg	aaatgcaca	gccaacagtg	gacatgggct	ttgaggtgct	ggctcgctaag	6000
aaagtggctg	tcctccattac	gttcatgggt	cccaacagac	cttctgggct	tacacagttc	6060
gctcttctgg	tgacggcccg	gaccttctca	atcaatgaac	atacatggct	caatccctcc	6120
tggaaccagc	tcacaactcg	cggtagagga	cacactcgtg	atgagccctt	ccaaacgggt	6180
catttctact	accacggtat	tcaccacagat	ctgatgatgg	tacgtctcgg	accggggcaat	6240
ttcttcccta	acaatctaga	caagtttgga	cttgaccaga	tgccggccag	caactcccg	6300
gtggttgccg	ttctgtccag	ttacggaaac	ttcttctctc	ctggaaaatt	cctcggaatt	6360
gttgattcca	tcacctctga	acaaggaaact	tacgcaagac	ttcttaggta	cagggtgacg	6420
acctacaaag	gatgggtg	ctcggccctg	gtctgtgagg	ccggtggcgt	ccgacgcatc	6480
attggcctgc	attctgctg	cgcgcgcggt	atcgccgccc	ggacctatat	ctcaaaatta	6540
ggactaatca	aagccctgaa	acacctcggt	gaacctttgg	ccacaatgca	aggactgatg	6600
actgaattag	agcctggaat	caccgtacat	gtaccccgga	aatccaaatt	gagaaagacg	6660
accgcacacg	cgggtgtacaa	accggagttt	gagcctgctg	tggtgtcaaa	atttgatccc	6720
agactgaaca	aggatgttga	cttgatgaa	gtaatttggt	ctaaacacac	tgccaatgtc	6780
ccttaccac	ctcctttggt	ctacacatac	atgtcagagt	acgctcatcg	agtctctctc	6840
ttcttgggga	aagacaatga	cattctgacc	gtcaaaagag	caattctggg	catccccgga	6900
ctagacccca	tggtatcccca	cacagctccg	ggctcgcctt	acgcatcaaa	cgccctctga	6960
cgtactgatc	tcgtcgatgt	tgtgaacggt	acagtagatg	cggcgctggc	tgtacaaatc	7020
cagaaattct	tagacggtga	ctactctgac	catgtctctc	aaacttttct	gaaagatgag	7080
atcagaccct	cagagaaagt	ccgagcgga	aaaacccgca	ttgttgatgt	gcccctccctg	7140
gcgcattgca	ttgtgggag	aatgttgctt	ggggcgtttg	ctgccaagtt	tcaatcccat	7200
cctggcttct	tcctcggtc	tgtctatcg	ctgaccctg	atgttttctg	gacgctcata	7260
ggggctcaac	tccaggggag	aaagaacacg	tatgacgtgg	actacagtgc	ctttgactct	7320
tcacacggca	ctggctcctt	cgaggctctc	atctctcaat	ttttcacggt	ggacaatggt	7380
tttagccctg	cgtgggagc	gtatctcaga	tcctgggctg	ctcgggtgca	cgcttacggc	7440
gagcgtcgca	tcaagattac	cgttggtctc	ccctccggtt	gtgcccgcac	cagcctgctg	7500
aaacacagtc	tcacaatgt	gatcatcagg	actgctctgg	cattgactta	caagggaatt	7560
gaatatgaca	tggttgatgt	catcgctac	ggtgacgacc	ttctggttgg	cacggattac	7620

-continued

gatctggact	tcaatgaggt	ggcagcagc	gctgccaagt	tgggggtataa	gatgactcct	7680
gccaacaagg	gttctgtctt	ccctccgact	tctctctctt	ccgatgctgt	ttttctaaag	7740
cgcaaatcgc	tccaaaacaa	cgacggccta	tacaaaccag	ttatggattt	aaagaatttg	7800
gaagccatgc	tctcctactt	caaaccagga	acactactcg	agaagctgca	atctgtttct	7860
atgttggctc	aacattcttg	aaaagaagaa	tatgatagat	tgatgcaccc	cttcgctgac	7920
tacggtgccg	taccgagtca	cgagtacctg	caggcaagat	ggagggcctt	gttcgactga	7980
cccagatagc	ccaaggcgct	tccggtgctg	cggcgattct	gggagaactc	agtcggaaca	8040
gaaaaggg						8048

SEQ ID NO: 34 moltype = RNA length = 8048
 FEATURE Location/Qualifiers
 misc_feature 1..8048
 note = SVV-P3-1-GFP
 source 1..8048
 mol_type = other RNA
 organism = synthetic construct

SEQUENCE: 34

tttgaatg	ggggctgggc	cctgatgccc	agtccttctc	ttccccctcc	gggggggttaa	60
ccggctgtgt	ttgctagagg	cacagagggg	caacatccaa	cctgcttttg	cggggaacgg	120
tcgggtccgc	attcctcgct	cgccaaaggt	gttagcgcac	ccaaacggcg	cacctaccac	180
tgttattggt	gtggtctgcg	agttctagcc	tactcgtttc	tcccccgacc	attcaactcac	240
ccacgaaaag	tgtgttgtaa	ccataagatt	taacccccgc	acgggatgtg	cgataaccgt	300
aagactggct	caagcgcgga	aagcgctgta	accacatgct	gttagtccct	ttatggctgc	360
aagatggcta	cccacctcgg	atcaactgaac	tggagctcga	ccctccttag	taaggggaacc	420
gagaggcctt	cgtgcaacaa	gctccgacac	agagtccacg	tgactgctac	cacctgagtg	480
acatggttct	ccctctcgca	cccaggactt	ctttttgaat	atccacggct	cgatccagag	540
ggtagggcat	gacccctagc	atagcgagct	acagcgggaa	ctgtagctag	gccttagcgt	600
gccttgata	ctgcctgata	gggcgacggc	ctagtctgtg	cggttctata	ggtagcacat	660
acaaatatgc	agaactctca	ttttcttttc	gatacagcct	ctggcacctt	tgaagatgta	720
accggaacaa	aagtcgaagt	cgttgaatac	cccagatcgg	tgaacaatgg	tgtttacgat	780
tcgtctactc	atttggagat	actgaacctc	cagggtgaaa	tgaaaatttt	aaggtctttc	840
aatgaatacc	aaattcgcgc	cgccaaacaa	caactcggac	tggacatcgt	gtacgaacta	900
cagggtaagt	ttcagacaac	gtcaagaagt	gattttgatt	cccgtggcaa	taatggtaac	960
atgaccttca	attactcgct	aaacacttat	cagaattcag	tagacttctc	gacctctcgc	1020
tcggcgctag	gcgcgggacc	tgggaactct	cggggcggat	tagcgggtct	cctcacaaat	1080
ttcagtggaa	tcttgaaccc	tcttgcttac	ctcaaaagtc	acaacaccca	agaaatggaa	1140
aaactctgct	atcgagtcac	aacgcgaacg	gcgggcaaca	ctgccataaa	cacgcaatca	1200
tcattgggtg	tgttgtgtgc	ctacgctgaa	gacccgacca	aatctgatcc	tcctgcccagc	1260
agcacagatc	aaaccaccac	cactttcact	gccatcgaca	gggtgtacac	tggaagctctc	1320
aaattcttga	caaaagctgt	aaaacccctc	tcttttcagg	ccgtcccgcg	tcccgggtgcc	1380
ttttctgtct	ggcaggggag	cctcaacgga	ggggccttca	cagctaccc	acatagacac	1440
tttttgatga	agtgccgggtg	gcaggtgcag	gtccaatgta	atttgacaca	attccaccaa	1500
ggcgctcttc	ttgttgccat	ggttccctga	accacccctg	atgtcaagcc	cgacggtaag	1560
gcaaagagct	tacaggagct	gaatgaagaa	cagtggtgtg	aaatgtctga	cgattaccgg	1620
accgggaaaa	acatgccttt	tcagctctct	ggcacatact	atcgggcccc	taactggact	1680
tgggggtccca	atttcataca	cccctatcaa	gtaacgggtt	tcccacacca	aattctgaac	1740
gcgagaacct	ctacctcggt	agacataaac	gtcccataca	tcgggggagac	ccccacgcaa	1800
tccctcagaga	cacagaactc	ctggaccctc	ctcggttatg	tgcctgttcc	cctagactat	1860
aaggaaggag	ccacaagtga	acatgtttct	taaggcctac	aagtcctctac		1920
ttcaatgggc	ttcgcaaccg	ctacacggcc	gggacggagc	aagaacaggg	gcccattcct	1980
acggcaccca	gagaaaaatc	gcttatgttt	ctctcaaccc	tccctgacga	cactgtccct	2040
gcttaacggga	atgtgcgtac	cctctctgtc	aattacctcc	ctgggtgaaat	aaccgacctt	2100
ttgcaactgg	cccgcatacc	cactctcatg	gcatttgagc	gggtgacctga	acccgtgcct	2160
gcctcagaca	catatgtgcc	ctacgttgcc	gttcccaccc	agttcgatga	caggcctctc	2220
atctccttcc	cgatcacctc	ttcagatccc	gtctatcaga	acacccctgg	tggcgccatc	2280
agttcaaat	tcgccaatta	ccgtgggtgt	atccaaatca	ctctgacatt	ttgtggaccc	2340
atgatggcga	gagggaaatt	cctgctctcg	tattctcccc	caaatggaa	gcaaccacag	2400
actctttccg	aagctatgca	gtgcacatac	tctatttggg	acataggcct	gaactctagt	2460
tggacctctg	tcgtccctca	catctcgccc	agtgactacc	gtgaaactcg	agccattacc	2520
aaactcggtt	actccgctga	tggttggttt	agcctgcaca	agttgaccaa	aattactcta	2580
ccactgactc	gtccgcaaa	tcctgcatt	ctctttttcg	cttctgctgg	tgaggattac	2640
actctccgtc	tccccgttga	ttgtaacct	tcctatgtgt	tccactccac	cgacaacgcc	2700
gagaccgggg	ttattgagcg	gggtaacact	gacaccgatt	tctctggtga	actggcggtc	2760
cctggctcta	accacactaa	tgtcaagttc	ctgtttgatc	gatctcgatt	attgaatgta	2820
atcaaggtac	tggagaagga	cgcgcttttc	ccccgccctt	tccctacaca	agaaggtgca	2880
cagcaggatg	atggttacct	ttgtcttctg	acccccccgc	caacagtcgc	ttcccgaacc	2940
gccactcggt	tcggcctgta	cgccaatccg	tccggcagtg	gtgttcttgc	taacacttca	3000
ctggacttca	atttttatag	cttggcctgt	ttcaacttact	ttagatcgga	ccttgagggt	3060
acggtgggtc	cactagagcc	ggatctggaa	tttgcctgag	gggtggttcc	ttctggcagt	3120
gaataccagg	cttccagctt	tgtctacgac	cagctgcagc	tgccttccca	ctttactggg	3180
cgactctccc	gcgctttcgc	tagcaagggt	gggaagggtat	ctttcgctgt	cccttgggaa	3240
tctgtctcgt	ctgtgtctcc	cgtgcgtcgg	gggggggctt	ccaagctctc	ttctgctacg	3300
cggggtctac	cggcgcatgc	tgattggggg	actattttac	cctttgtccc	ccgtccta	3360
gagaagaaaa	gcaccgctgt	aaaacacgtg	gccgtgtaca	ttcggtacaa	gaacgcacgt	3420
gcctgggtgc	ccagcatgct	tccttttcgc	agctacaagc	agaagatgct	gatgcaatct	3480
ggcgatatcg	agaccaatcc	cgggcccagtg	agcaagggcg	aggagctgtt	caccgggggtg	3540

-continued

gtgcccaccc	tggctgagct	ggaaggcgac	gtaaacggcc	acaagttcag	cgtgtccggc	3600
gagggcgagg	gcgatgccac	ctacggcaag	ctgacctga	agttcatctg	caccacgggc	3660
aagctgcccc	tgccctggcc	caccctcgty	accacctga	cctacggcgt	gcagtgtctc	3720
agccgctacc	ccgaccacat	gaagcagcac	gacttcttca	agtccggcat	gcccgaaggc	3780
tacgtccagg	agcgaccat	cttcttcaag	gacgacggca	actacaagac	ccgcgcgag	3840
gtgaagttcg	aggcgacac	cctgggtgaac	cgcctcgagc	tgaagggcat	cgacttcaag	3900
gaggacggca	acatcctggg	gcacaagctg	gagtacaact	acaacagcca	caacgtctat	3960
atcatggccg	acaagcagaa	gaacggcatc	aagggtgaact	tcaagatccg	ccacaacatc	4020
gaggacggca	gcgctgagct	cgcgcgaccac	taccagcaga	acacccccat	cggcgacggc	4080
cccgctgtgc	tgcccgacaa	ccactacctg	agcaccctag	ccgcctcgag	caaagacccc	4140
aacgagaagc	gcgatcacat	ggctcctgctg	gagttcgtga	ccgcgcgagg	gatcactctc	4200
ggcatggagc	agctgtacaa	ggagggcaga	ggaagtctgc	taacatgcgg	tgacgtcgag	4260
gagaatcccg	ggcctgcttc	tgacaaccca	attttggagt	ttcttgaagc	agaaaatgat	4320
ctagtcactc	tggcctctct	ctggaagatg	gtgcactctg	ttcaacagac	ctggagaaaag	4380
tatgtgaaga	acgatgattt	ttggcccaat	ttactcagcg	agctagtggg	ggaaggtctc	4440
gtcgcttgg	cgccacgct	atccaaccaa	gcttcagtaa	aggctctttt	gggcctgcac	4500
ttctctctc	ggggggtcaa	ttacactgac	ttttactctt	tactgataga	gaaatgctct	4560
agtttcttta	ccgtagaacc	acctctctca	ccagctgaaa	acctgatgac	caagccctca	4620
gtgaagtcca	aattccgaaa	actgtttaag	atgcaaggac	ccatggacaa	agtcaaaagc	4680
tggaaacaaa	tagctgcggg	cttgaagaat	tttcaatttg	tctgtgacct	agtcaaaagag	4740
gtggctgatt	ggctgcaggg	ctggatcaac	aaagagaaaag	ccagccctgt	cctccagtag	4800
cagttggaga	tgaagaagct	cgggcctgtg	gccttggctc	atgacgcttt	catggctggg	4860
tccggggccc	ctcttagcga	cgaccagatt	gaataacctc	agaacctcaa	atctcttgcc	4920
ctaaccactg	ggaagactaa	tttggcccaa	agtctcacca	ctatgatcaa	tgccaaacaa	4980
agttcagccc	aacgagttga	accgcttggt	gtggctccta	gaggcaagcc	gggatgcggc	5040
aaagacttgg	ctctcactgt	gattgcccag	gctgtgtcca	agcgcctcta	tggtcccaaa	5100
agtgatatatt	ctcttccccc	agatccagat	ttcttcgatg	gatacaaaag	acagttcgtg	5160
acctgtatgg	atgatttggg	acaaaacccg	gatggacaag	atttctccac	cttttgtcag	5220
atgggtgcga	ccgcgccaat	tctccccaac	atggcgagcc	ttgcagagaa	agggcgctcc	5280
tttacctcca	atctcatcat	tgcaactaca	aatctccccc	acttcagttc	tgccaccatt	5340
gctgatccct	ctgcagctct	tcgcccgtatc	aactacgata	tgactctaga	agtatctgag	5400
gcctacaaga	aacacacacg	gctgaatttt	gacttggctt	tcaggcgccac	agacgcccc	5460
cccatttatc	cttttgtctg	ccatgtgccc	tttgtggacg	tagctgtgcg	cttcaaaaat	5520
ggtcaccaga	attttaattt	cctagagttg	gtcgattcca	tttgtacaga	cattcgagcc	5580
aagcaacaag	gtgcccgaag	catgcagact	ctgggttctc	agagccccaa	cgagaacgac	5640
gacacccccg	tcgacgaggg	gttgggtaga	gttctcaccc	ccgctgcggg	cgacgaggcg	5700
cttgtcgacc	tcgctccaga	tgccgacccg	gttgcccggt	tggctattct	cgccaaagct	5760
ggtcttgccc	tagctgcggg	acccccgtgt	ttgataatct	tggcagtggt	actctacagg	5820
tactctctct	gctctgatat	agaccaagaa	gaaacagaaag	gtgaggagcc	tgctaaagcg	5880
cctaggagcg	agaatgctta	tgccggcccg	aagaaaaact	ctaagccccc	tggagcgctc	5940
tcccttatgg	aaatgcaaca	gccccacgtg	gacatgggct	ttgaggctgc	ggctcgctaa	6000
aaagtggctg	tccccattac	cttcatgggt	cccaacagac	cttctggact	tacacagtcc	6060
gctcttcttg	tggccggccg	gaccttctta	attaatgagc	atacatgggt	caaccctccc	6120
tggaccagct	tcacaatccg	tgggtgaggtg	cacacccgtg	atgagccttt	ccaaacgggt	6180
cattttactc	accatgggtg	tcccacagat	ctgggtgatgg	tacgtctcgg	accgggcaac	6240
tccttcccta	acaactctaga	caagtttggg	cttgatcaga	tgccggcacg	taactccggt	6300
gtgggtggcg	tttcggctag	ttacggcaac	ttcttctctc	ctgggaactt	cctcgggttt	6360
gttgactcca	tcacctctga	ccaaggaact	tatgcgagac	tttttaggta	cagggtgacg	6420
acctacaagg	gggtggtcgg	ttcggccctg	gtttgtgagg	ccggtggtgt	ccggcgcatc	6480
attggcctgc	attctgctgg	tgccgctggg	atcggcgccg	ggacttacat	ctcaaaatta	6540
ggactgatca	aagccctcaa	acacctcggt	gaacctctgg	ctacaatgca	aggactgatg	6600
actgaagctg	agcctggagt	acccgtgcat	gtaccccgga	aatctaaatt	gagaaagacg	6660
accgcacacg	cggtgtacaa	accggagttt	gaacctgctg	tgttgtcaaa	atttgatccc	6720
agactgaaca	aggatgttga	cctagatgag	gtaatttggg	ctaaacacac	tgccaaacgtc	6780
cccttatcaac	ctcctttggt	ctacacatac	atgtcagagt	acgtctatcg	ggttttctcc	6840
tttttgggaa	aagacaatga	cattctgacc	gtcaaaagag	caatcttggg	aatccctgga	6900
ctagacccta	tggatcccca	cacagctccg	ggtctgccc	acgccaattg	cggccttctga	6960
cgtaactgatc	tcgctagatt	tgccgaacggc	acgggtggac	cgacactggc	cgtacaaatc	7020
caaaaattct	tagacggtga	ctactctgat	catgtcttcc	aaacttttct	gaaagatgaa	7080
atcagaccct	cagagaagggt	ccgagcggga	aaaacccgca	ttgtcgatgt	gcccctccctg	7140
gcgcactgca	ttgtgggcag	aatgttgctt	ggcgcttctg	ccgccaagtt	tcaatcccat	7200
cctggcttct	tccttggtct	tgctatcggt	tctgacctg	atgtctctct	gaccgtcata	7260
ggggctcagc	tcgaggggaag	aaagaacacg	tatgacgtgg	actacagtgc	ctttgactct	7320
tcacacggca	ctggctcctt	cgaggctctc	atctctcact	tttccaccgt	ggacaatggt	7380
tttagccctg	cgtcggggtc	gtatctcaga	tccctggctg	tctcgggtga	cgtttacggc	7440
gagcgtcgca	tcaagattac	cggaggcctc	ccctctggtt	gtgcgcgac	cagcctgctg	7500
aacacagtgc	tcaacaatgt	gatcatcagg	actgctctgg	cattgacctc	caagggaattt	7560
gaatatgaca	tggttgatat	catcgctac	ggtgacgacc	ttctgggttg	tacggattac	7620
gatctggact	tcaatgaggt	ggcgcgggcg	gctgccaaac	tggtgtataa	gatgactcct	7680
gccaacaaag	gttctgtctt	ccctccgact	tcctctctct	ccgacgctgt	ttttctaaaa	7740
cgcaaatctg	tccaaaacaa	tgacggctta	tacaacccag	ttatggattt	aaagaatttg	7800
gaagccatgc	tctctactt	caaacacagga	acactactcg	agaagctgca	atctgtttct	7860
atgttggtct	aacattctgg	aaaagaagaa	tatgatagat	tgatgacccc	ctttgctgac	7920
tacggtgccc	taccgagtc	cgagtacctg	caggcaagat	ggagggcctt	gttcgactga	7980
cccagatagc	ccaaggcgct	tccgtgctgc	cggcgattct	gggagaactc	agtcggaaca	8040
gaaaaggg						8048

-continued

```

SEQ ID NO: 35      moltype = RNA length = 8048
FEATURE            Location/Qualifiers
misc_feature        1..8048
                    note = SVV-P3-2-GFP
source              1..8048
                    mol_type = other RNA
                    organism = synthetic construct

SEQUENCE: 35
tttgaatggt ggggctgggc cctgatgccc agtccttctt tcccccttcc ggggggttaa 60
cgggctgtgt ttgctagagg cacagagggg caacatccaa cctgcttttg cggggaacgg 120
tgcggtctcg attcctgcgt cgccaaggt gttagcgcac ccaaacggcg cactaccaa 180
tgttattggt gtggtctgcy agttctagcc tactcgtttc tcccccgacc attcactcac 240
ccacgaaaag tgtgttgtaa ccataagatt taaccccgcg acgggatgtg cgataaccgt 300
aagactggct caagcgcgga aagcgctgta accacatgct gttagtcctt ttatggctgc 360
aagatgggcta cccacctcgg atcactgaac tggagctcga ccctccttag taagggaacc 420
gagaggcctt cgtgcaacaa gctccgacac agagtccacg tgactgctac caccatgagt 480
acatggttct cccctctcga ccaggactt ctttttgaat atccacggct cgatccagag 540
ggtagggcat gacccttagc atagcgagct acagcgggaa ctgtagctag gccttagcgt 600
gccttgata gacctgata gggcgacggc ctagtctgtg cggttctata ggtagcacat 660
acaaatatgc agaactctca tttttcttcc gatacagcct ctggcacctt tgaagatgta 720
acgggaacaa aagtcaagat cgtgaatac ccagatcgg tgaacaatgg tgtttacgat 780
tcgtctactc attggagat actgaacctc cagggtgaaa ttgaaatttt aaggctcttc 840
aatgaatacc aaattcgcgc cgccaacaa caactcggac tggacatcgt gtacgaacta 900
cagggtaatg ttacagacac gtcaaagaat gattttgatt ccggtggcaa taatggtaac 960
atgaccttca attactacgc aaacacttat cagaattcag tagactcttc gacctcctcg 1020
tcggcgctag gcgcgggacc tgggaactct cggggcggat tagcgggtct cctcacaaat 1080
ttcagtgga aattgaaccc tcttggtctac ctcaaagatc acaacaccga agaaatggaa 1140
aaactctgct atcagtgac aacgcaaacg gcgggcaaca ctgccataaa caccgaatca 1200
tcattgggtg tgtgtgtgct ctacgttgaa gacccgacca aatctgaccc tccgtccagc 1260
agcacagatc aaccaccac cactttcact gccatcgaca ggtggtacac tggacgtctc 1320
aattcttgga caaaagctgt aaaaaccttc tcttttcagg ccgtcccgct tcccggtgcc 1380
tttctgtcta ggcaggagg cctcaacgga ggggccttca cagctacccct acatagacac 1440
tttttgatga agtgcggtg gcaggtgcag gtccaatgta atttgacaca attccacca 1500
ggcgctcttc ttgttgccat ggttcttgaa accaccttg atgtcaagcc cgacggtaag 1560
gcaaagagct tacaggagct gaatgaagaa cagtggtggg aaatgtctga cgattaccgg 1620
acgggaaaaa acatgccttt tcagtctctt ggcacatact atcgcccccc taactggact 1680
tggggtccca atttcatcaa cccctatcaa gtaacgggtt tccacacca aattctgaac 1740
gagagaacct ctacctcggt agacataaac gtcccataca tcggggagac ccccacgcaa 1800
tctcagaga cacaagaact ccggaccctc ctcgttatgg tgctcgcttc cctagactat 1860
aagggaaggag ccacaactga ccagaaatt acattttctg taaggcctac aagtccttac 1920
ttcaatgggc ttgcgaaccg ctacacgggc gggacggacg aagaacaggg gccattcctc 1980
acggcaccca gagaaaattc gcttatgttt ctctcaaccc tccctgacga cactgtccct 2040
gcttacggga atgtgcgtac cccctctgtc aattacctcc ctggtgaaat aaccgacctt 2100
ttgcaactgg cccgcatacc cactctcatg gcatgtgagc ggggtgctga acccggtgcc 2160
gctcagaca catatgtgcc ctacgttgcc gtcccacccc agttcgatga caggcctctc 2220
atctccttcc cgatcacccct ttcagatccc gtctatcaga acacctgggt tggcgccatc 2280
agttcaaat ttgcgaatta ccgtgggtgt atccaaatca ctctgacatt ttgtggacc 2340
atgatggcga gagggaaatt cctgtctcgt tattctcccc caaatggaa gcaaccacag 2400
actctttccg aagctatgca gtgcacatac tctatttggg acataggctt gaactctagt 2460
tggaactctg tcgtccctca catctcgccc agtgactacc gtgaaactcg agccattacc 2520
aaactcggtt actccgctga tggttgggtt agcctgcaca agttgaccaa aattactcta 2580
ccactgact gtccgcaaa gtcctgcatt ctctttttcg cttctgtggt tggagattac 2640
actctcgtc tcccgttga ttgtaacct tctatgtgt tccactccac cgacaacgcc 2700
gagacggggg ttattgaggc gggtaacact gacacgatt tctctggtga actggcggtc 2760
cctggctcta accacactaa tgtcaagttc ctgtttgac gatctcgatt attgaatgta 2820
atcaaggtac tggagaagga cgcggttttc ccccgccctt tccctacaca agaaggtgcy 2880
cagcaggatg atggttactt ttgtctctgt accccccccc caacagtcg tccccgacc 2940
gccactcgtt tcggcctgta cgcgaatccg tcgggcagtg gtgttcttgc taacacttca 3000
ctggacttca atttttatag cttggcctgt ttcacttact ttagatcgga ccttgaggtt 3060
acggtggtct cactagagcc ggaactggaa ttgtctgtag ggtgggttcc ttctggcagt 3120
gaataccagg cttccagctt tgtctacgac cagctgcatt tgcccctcca ctttactggg 3180
cgactcccc gcgcttctgc tagcaagggt ggggaaggat ctttctgtct ccttggaac 3240
tctgtctcgt ctgtgtctcc cgtgcgctgg gggggggctt ccaagctctc ttctgtctac 3300
gggggtctac cggcgcatgc tgattggggg actatttacc cctttgtccc ccgtccta 3360
gagaagaaaa gcaacgctgt aaaaacacgt gccgtgtaca ttcggtacaa gaacgcacgt 3420
gcctgggtgc ccagcatgct tccctttcgc agctacaagc agaagatgct gatgcaatct 3480
ggcatatcg agaccaatcc cgggcccgat agcaaggcgc aggaagctgt caccgggggt 3540
gtgccatcc tggctgagct ggacggcgac gtaaacggcc acaagttcag cgtgtccggc 3600
gagggcgagg gcgatccac ctacggcaag ctgaccctga agttcatctg caccaccggc 3660
aagctgcccgc tgcctgggac caccctcgtg accacctga cctacggcgt gcagtgtctc 3720
agccgtaccc cgcaccacat gaagcagcac gacttcttca agtccgcat gcccgaggc 3780
tacgtccagg agcgaccat cttcttcaag gacgacgca actacaagac ccgcccag 3840
gtgaagttcg agggcgacac cctggtgaac cgcactcgag tgaagggcat cgacttcaag 3900
gaggaaggca acatcctggg gcacaagctg gactacaact acaacagcca caactctat 3960
atcatggccg acaagcagaa gaacggcatc aaggtgaact tcaagatccg ccacaacatc 4020

```

-continued

```

gaggacggca gcggtgcagct cgcgcgaccac taccagcaga acacccccat cggcgacggc 4080
cccggtgctgc tgcgcgacaa ccactacctg agcacccagt ccgcctcgag caaagacccc 4140
aacgagaagc gcgatcacat ggtcctgctg gagttcgtga ccgcgcgcgg gatcactctc 4200
ggcatggacg agctgtacaa ggagggcaga ggaagtctgc taacatgcgg tgacgtcgag 4260
gagaatcccg ggctgtcttc tgacaaccca attttggagt ttcttgaagc agaaaatgat 4320
ctagtcactc tggcctctct ctggaagatg gtgcactctg ttcaacgacg ctggagaaa 4380
tatgtgaaga acgatgattt ttggcccaat ttactcagcg agctagtggg ggaaggctct 4440
gtcgcttggc ccgcacagct atccaaacca gcttcagtaa aggcctcttt gggcctgcac 4500
tttctctctc gggggctcaa ttacactgac ttttactctt tactgataga gaaatgctct 4560
agtttcttta ccgtagaacc acctcctcca ccagctgaaa acctgatgac caagccctca 4620
gtgaagtgcg aattccgaaa actgtttaag atgcaaggac ccattggacaa agtcaaaagac 4680
tggaacaaaa tagctgcggc cttgaagaat ttcaatttg ttctgtacct agtcaaaagag 4740
gtggtcgatt ggctgcaggc ctggatcaac aaagagaaa ccagccctgt cctccagtac 4800
cagttggaga tgaagaagct cgggctgtg gccttggctc atgacgcttt catggctggg 4860
tcggggcccc ctcttagcga cgaccagatt gaatacctcc agaacctcaa atctcttgcc 4920
ctaactctgg ggaagactaa ttggcccaa agtctcacca ctatgatcaa tgccaaacaa 4980
agttcagccc aacgagttga acccgttgtg gtggtcctta gaggcaagcc gggatgcggc 5040
aagagcttgg cctctacgtt gattgcccag gctgtgtcca agcgcctcta tggctcccaa 5100
agtgatatatt ctcttcccc agatccagat ttcttcgatg gatacaaaag acagttctgt 5160
accttgatgg atgatttggg acaaaacccg gatggacaag atttctccac cttttgtcag 5220
atggtgtcga ccgcccattt tctcccaaac atggcggacc ttgcagagaa agggcgctcc 5280
tttacctcca atctcatcat tgcacactaca aatctcccc acttcagtc tgtaaccatt 5340
gtgatcctt ctgcagctctc tgcgcgtatc aactacgac tgactctaga agtatctgag 5400
gcctacaaga aacacacacg gctgaatttt gacttggctt tcaggcgcac agacgcccc 5460
ccattttatc tcttctgtgc ccattgtgccc tttgtggacg tagctgtgcg cttcaaaaat 5520
ggtaaccaga attttaatt cctagagttg gtgcattcca ttgttacaga cattcgagcc 5580
aagcaacaag gtgcccgaag catgcagact ctggtttctc agagccccaa cgagaatgat 5640
gacacccccg tcgacgagggc gttgagtaga gttctcacc ccgctgcggg cgacgaggcg 5700
cttgtcgacc tgcctccaga ggccgacccc gttggccgct tggctattct tgccaaagta 5760
ggtcttgccc tggctgcggg acccccgtgt ttgataatcc tggcagtggg actctacagg 5820
taactctctg ctctctgatc agaccaagaa gaaacagaaa gtgaggaacc tgttaaacgc 5880
cccaggagcg agaattgctta tgacggccca aagaaaaact ctaagcccc tggggcgctc 5940
tctcttatgg aaatgcagca gcccaacgtg gacatgggct ttgaggctgc ggtcgctaag 6000
aaagtggctg tcccatttac cttcatggtt cccaacagac cttctggact tacacagtc 6060
gctcttcttg tggcggcgcg gactttccta attaatgagc atacatggtc caacccctcc 6120
tggaccagct tcacaatccg tggtaggtg cactctctg atgagcctt ccaaacgggt 6180
cattttactc accatggttg tcccacagat ctgatgatgg tgcgtctcgg gccgggcaac 6240
tctttcccta acaatctaga caagtttgga cttgaccaga tgcgggcacg taactccctg 6300
gtggttggcg tttcggttag ttacggtaac ttctctctc ctgggaattt cctcgggttt 6360
tttgactcca tcacctctga ccaaggaaact tatgcgagac tttttaggta cagggtagcg 6420
acttacaagg gatggtgtgg ttccggccctg gttctgtagg ccggtggtgt ccggcgcatc 6480
attggtctgc actctgtgg cgcgcgtggt atcggcgccg ggacttacat ctcaaaattg 6540
ggactgatca aagcccttaa acacctcggt gaacctctgg ctacaatgca aggactgatg 6600
actgagctag agcctggagt caccgtacat gtaccccgga aatctaaat gagaaagagc 6660
accgcacacg cgggtgtacaa accggagttt gaacctctg ttgtgtcaaa atttgatccc 6720
agactgaaca cgttggttga cttagatgag gtgatttggg ctaaacacac tgccaacgtc 6780
ccttatcaac ctctttgtt ctacacatat atgtcagagt acgctcaccg ggttttctcc 6840
tttttgggaa aagacaatga cattctgacc gtcaaaagaa caatcttggg catccctgga 6900
ctagacccta tggatcccca cacagctccg ggtctgcctc acgccaattag cggccttcga 6960
cgtactgacg tgcgtgattt tgcgaacggc acggtagacg cggcactggc catgcaaat 7020
cagaaattct tagatggtga ctactctgat catgtctcc aaactttct gaaagatgaa 7080
atcagacctc cagagaaggt ccgagcggga aaaaaccgca ttgtcgatgt gccttccctg 7140
gcgcactgca ttgttggcag aatgctgctt gggcgttttg ccgccaagtt tcaatcccat 7200
cctggcttct tcttggctc tctatcggg tctgacctg atgtctctg gaccgtcata 7260
ggggctcagc tcaggggaag aaagaacacg tatgacgtgg actacagtc ctttgactct 7320
tcacacggca ctggtcctt cgaggtctct atctctcact ttttaccgt tgacaatggt 7380
tttagccctg cgctgggacc gtatctcaga tccctggctg tctcggtgca cgcttacggc 7440
gagcgtcgca tcaagattac cggaggcctc cctctggtt gtcccgacg cagcctgctg 7500
aacacagtcg tcaacaatgt gatcatcagg actgctctag cattgactta caaggaaatt 7560
gagtatgaca tgggtgatat catcgccctac ggtgacgacc ttctggttgg tacggattat 7620
gatctggact tcaatgaggt gccgcggcgc gctgccaac tggggtataa gatgactcct 7680
gccaacaagg gttctgtctt cctcctgact tctctctct ccgatgctgt ttttctaaaa 7740
cgcaaatctg tccaaaacaa tgacggctta tataaacagg ttatggattt aaagaatttg 7800
gaagccatgc tctctactt caaacaggga acactactcg agaagctgca atctgtttct 7860
atgttggctc aacattctgg aaaagaagaa tatgatagat tgatgacccc cttcgctgac 7920
tacggtgccc taccgagtcg caggtacctg caggcaagat ggagggcctt gttcgaactga 7980
cccagatagc ccaaggcgct tcggtgctgc cggcgattct gggagaactc agtcggaaca 8040
gaaaaggg

```

```

SEQ ID NO: 36      moltype = RNA length = 8048
FEATURE
misc_feature       1..8048
                    note = SVV-P3-3-GFP
source             1..8048
                    mol_type = other RNA
                    organism = synthetic construct

```

-continued

SEQUENCE: 36

tttgaaatgg	ggggctgggc	cctgatgccc	agtccttcc	tcccccttc	ggggggttaa	60
cgggctgtgt	ttgctagagg	cacagagggg	caacatccaa	cctgcttttg	cggggaacgg	120
tgcggtccg	attcctgcgt	cgccaaaggt	gttagcgcac	ccaaacggcg	cacctacca	180
tgttattggt	gtggtctgcg	agttctagcc	tactcgtttc	cccccgacc	attcactcac	240
ccacgaaaag	tgtgttgtaa	ccataagatt	taacccccgc	acgggatgtg	cgataaccgt	300
aagactggct	caagcgcgga	aagcgctgta	accacatgct	gttagtccct	ttatggctgc	360
aagatggcta	cccacctcgg	atcactgaac	tggagctcga	ccctccttag	taagggaacc	420
gagagggcct	cgtgcaacaa	gctccgacac	agagtccacg	tgactgttac	cacctagagt	480
acatggttct	ccccctcga	cccaggactt	ctttttgaat	atccacggct	cgatccagag	540
gggtggggcat	gacccctagc	atagcgagct	acagcgggaa	ctgtagctag	gccttagcgt	600
gccttgagata	ctgcctgata	gggcgacggc	ctagtcgtgt	cggttctata	ggtagcacat	660
acaaatatgc	agaactctca	ttttcttttc	gatacagcct	ctggcacctt	tgaagatgta	720
accggaacaa	aagtcacagat	cgttgaatac	cccagatcgg	tgaacaatgg	tgtttacgat	780
tcgtctactc	atttgagagat	actgaaccta	cagggtgaaa	ttgaaatttt	aaggtctttc	840
aatgaatacc	aaattcgcgc	gcctcaacaa	caactcggac	tggacatcgt	gtacgaacta	900
cagggtaaatg	ttcagacaac	gtcaagaat	gattttgatt	cccgtggcaa	taatggtaac	960
atgaccttca	attactacgc	aaacacttat	cagaattcag	tagactcttc	gacctcctcg	1020
tcggcgctcag	gcgcgggacc	tgggaactct	cggggcggat	tagcgggtct	cctcacaaat	1080
ttcagtggaa	tcttgaaccc	tcttggtctc	ctcaagatc	acaacacoga	agaaatggaa	1140
aactctgctg	atcgagtcac	aacgcaaacg	cggggcaaca	ctgcatataa	cacgcaatca	1200
tcattgggtg	tgtgtgtgtc	ctacgttgaa	gacccgacca	aatctgatcc	tccgtccagc	1260
agcacagatc	aacccaccac	cactttcact	gccatcgaca	gggtggtagc	tggacgtctc	1320
aattcttgga	caaaagctgt	aaaaaccttc	tcttttcagg	ccgtcccgc	tcccggtgcc	1380
ttctgtctca	ggcaggggag	cctcaacgga	ggggccttca	cagctaccct	acatagacac	1440
tttttgatga	agtgcggtg	gcaggtgcag	gtccaatgta	atttgacaca	attccaccaa	1500
ggcgctcttc	ttgttgccat	ggttcttgaa	accaccttgc	atgtcaagcc	cgacggtaag	1560
gcaaagagct	tacaggagct	gaatgaagaa	cagtgggtgg	aaatgtctga	cgattaccgg	1620
accgggaaaa	acatgccttt	tcagtctctt	ggcacatact	atcgcccccc	taactggagt	1680
tgggtgccca	atttcaccaa	ccctatcaaa	gtaacgggtt	tcccacacca	aatctctgaac	1740
gcgagaacct	ctacctcggt	agacataaac	gtcccataca	tcggggagac	ccccacgcaa	1800
tcctcagaga	cacagaactc	ctggaccctc	ctcgttatgg	tgtcgttcc	cctagactat	1860
aaggaaggag	ccacaactga	cccagaaatt	acattttctg	taaggctac	aagtccctac	1920
ttcaatgggc	ttcgcaacgc	ctacacggcc	gggacggacg	aagaacaggg	gcccattcct	1980
acggcaccca	gagaaatctc	gcttatgttt	ctctcaaccc	tccctgacga	cactgtccct	2040
gcttacggga	atgtgcgtac	ccctcctgtc	aattacctcc	ctggtgaaat	aaccgacctt	2100
ttgcaactgg	cccgcatacc	cactctcatg	gcatttgagc	gggtgcctga	accctgtcct	2160
gcctcagaca	catatgtgcc	ctacgttgcc	gttccacccc	agttcgatga	caggcctctc	2220
atctccttcc	cgatcacctc	ttcagatccc	gtctatcaga	acacctgggt	tggcgccatc	2280
agttcaaat	tcgccaatca	ccgtgggtgt	atccaaatca	ctctgacatt	ttgtggaccc	2340
atgatggcga	gagggaaatt	cctgctctcg	tattctcccc	caaatggaac	gcaaccacag	2400
actctttccg	aagctatgca	gtgcacatac	tctattttgg	acataggctt	gaactctagt	2460
tggaccttcg	tcgctcccta	catctcgccc	agtgactacc	gtgaaactcg	agccattacc	2520
aaactcggtt	actcgcgtga	tgggtgggtt	agcctgcaca	agttgaccaa	aattactcta	2580
ccactcgact	gtccgcaag	tcctgcatt	ctctttttcg	cttctgctgg	tgaggattac	2640
actctcgtc	tcccgttga	ttgtaactct	tctatgtgt	tccactccac	cgacaacggc	2700
gagaccgggg	ttattgagcc	gggtaacact	gacaccgatt	tctctggtga	actggcggtc	2760
cctggctcta	accacactaa	tgtcaagttc	ctgtttgatc	gatctcgatt	attgaatgta	2820
atcaaggtag	tgggaaggga	cgcgcttttc	ccccgccttc	tccctacaca	agaagggtgc	2880
cagcaggtag	atggttactt	ttgtctctcg	accccccgcc	caacagtcgc	ttcccgaccc	2940
gccactcggt	tgggcctgta	cgcacaatcc	tccggcagtg	gtgttcttgc	taacacttca	3000
ctggacttca	atttttatag	cttggcctgt	ttcacttact	ttagatcgga	ccttgagggt	3060
acgggtggtc	cactagagcc	ggatctggaa	tttgcgtgag	gggtggttcc	ttctggcagt	3120
gaataccagg	cttccagctt	tgtctacgac	cagctgcagc	tgcccttcca	ctttactggg	3180
gcactcccc	gcgctttcgc	tagcaagggt	gggaagggtat	ctttcgtgct	cccttggaa	3240
tctgtctcgt	ctgtgctccc	cgtgcgctgg	gggggggctt	ccaagctctc	ttctgctacg	3300
cgggtcttac	cggcgcatgc	tgattggggg	actattttac	cctttgtccc	ccgtcctaat	3360
gagaagaaaa	gcacgcgctg	aaaacacgtg	gccgtgtaca	ttcgggtaca	gaacgcacgt	3420
gcctgggtgcc	ccagcatgct	tccttttcgc	agctacaagc	agaagatgct	gatgcaatct	3480
ggcgatatcg	agaccaatcc	cggggcagtg	agcaaggggc	aggagctggt	caccgggggtg	3540
gtgcccactc	tggtcgagct	ggaacggcac	gtaaacggcc	acaagttcag	cgtgtccggc	3600
gagggcgagg	gcgatgccac	ctacggcaag	ctgacctgta	agttcatctg	caccacccggc	3660
aagctgcccc	tgccctggcc	caccctcgtg	accacctga	cctacggcgt	gcagtgtctc	3720
agccgctacc	cgaaccacat	gaagcagcac	gaactcttca	agtcggccat	gcccgaaggc	3780
tacgtccagg	agcgacacct	cttcttcaag	gacgacggca	actacaagac	ccgcgcagag	3840
gtgaagttcg	agggcgacac	cctggtgaac	cgcacgagc	tgaagggcac	cgacttcaag	3900
gaggacggca	acatcctggg	gcacaaagct	gagtagaact	acaacagcca	caacgtctat	3960
atcatggccc	acaagcagaa	gaacggcatc	aaggtgaact	tcaagatccg	ccacaacatc	4020
gaggacggca	gcgtgcagct	cgcggaccac	taccagcaga	acacccccat	cggcgacggc	4080
cccgtgctgc	tgcccgcacaa	ccactacctg	agcaccacgt	ccgcccctgag	caaagacccc	4140
aacgagaagc	gcgatcacat	ggtcctgctg	gagttcgtga	ccgcgcggcg	gatcactctc	4200
ggcatgggac	agctgtacaa	ggagggcaga	ggaagtcctg	taacatggcg	tgacgtcgag	4260
gagaatcccg	ggcctgcttc	tgacaaccca	attttggagt	ttcttgaagc	agaaaatgat	4320
ctagtcactc	tggcctctct	ctggaagatg	gtgcactctg	ttcaacagac	ctggagaaa	4380
tatgtgaaga	acgatgattt	ttggcccaat	ttactcagcg	agctagtggg	ggaaggctct	4440
gtcgcccttg	ccgccacgct	atccaaccaa	gcttcagtaa	aggtctcttt	gggcctgcac	4500

-continued

```

tttctctctc gggggctcaa ttactctgac ttttactctt tactgataga gaaatgctct 4560
agtttcttta ccgtagaacc acctctctca ccagctgaaa acctgatgac caagccctca 4620
gtgaagtcga aattccgaaa actgtttaag atgcaaggac ccatggacaa agtcaaaagac 4680
tggaacaaaa tagctgcccgt cttgaagaat ttccaatttg ttcgtgacct agtcaaaagac 4740
gtggctcgatt ggctgcaggc ctggatcaac aaagagaaag ccagccctgt cctccagtac 4800
cagttggaga tgaagaagct cgggctgtgt gccttggctc atgacgcttt catggctggt 4860
tcggggcccc ctcttagcga cgaccagatt gaataacctcc agaacctcaa atctcttgcc 4920
ctaaactctg ggaagactaa tttggcccaa agtctcacca ctatgatcaa tgccaaacaa 4980
agttcagccc aacgagttga acccggtgtg gtggtcctta gaggcaagcc gggatgcgcc 5040
aagagcttgg cctctacgtt gattgcccag gctgtgtcca agcgcctcta tggctcccaa 5100
agtgtatatt ctcttcccc agatccagat ttcttcgatg gatacaaaag acagttcgtg 5160
accttgatgg atgatttggg acaaaacccg gatggacaag atttctccac cttttgtcag 5220
atggtgtcga ccgcccattt tctccccaac atggcggacc ttgcagagaa agggcgctcc 5280
tttacctcca atctcatcat tgcaactaca aatctccccc acttcagtc tgtaaccatt 5340
gctgatcctt ctgcagcttc tcgcccgtatc aactacgac tgactctaga agtatctgag 5400
gcctacaaga aacacacacg gctgaatttt gacttggctt caggcgccac agacgcccc 5460
ccattttatc cttttgtgtc ccatgtgccc tttgtggacg tagctgtgcg cttcaaaaat 5520
ggtcaccaga attttaattc cctagagttg gtgcattcca tttgtacaga cattcgagcc 5580
aagcaacaag gtgcccgaag catgcagact ctggttctac agagccctaa cgagaacgac 5640
gacacccccg tcgacgagcc gttgggtaga gttctcacc ccgctgcggt cgacgagggc 5700
ctgttcgacc tcgctccaga tgcgaccccg gttggccgct tggctattct cgccaagcta 5760
ggtcttgccc tagctgcccgt caccctgggt ttgataatct tggcagtggt actctacaag 5820
tactctctcg gctctgatac agaccaagaa gaaacagaaa gtgaggagcc tgttaaaagc 5880
cctagggagc agaattgctta tgacgcccgc aagaaaaact ctaagccccc tggagcgctc 5940
tctcttatgg aatgacaaga gcccaacgtg gacatgggct ttgaggtgct ggtcgctaag 6000
aaagtggctg tccccattac ctctatgggt cccaacagac cttctggact tacacagtcc 6060
gctctctctg tgacggcccg gaccttctta atcaatgagc atacatggct caacccctcc 6120
tggaccagct tcaaatctcg tggtagggtg cacactcgtg atgagccttt ccaaacgggt 6180
cattttactc acctgggtct tcccacagat ctgatgatgg tacgtctcgg accgggcaac 6240
tcttccctca acaatctaga caagtttggg cttgaccaga tgcgcccagc taactcccgt 6300
gtggtcggcg ttcgggtaca ttacggtaac ttcttcttct ctgggaactt cctcgggttt 6360
gttgactcca tcacctctga ccaaggaacc tatgcgagac ttttcaggta cagggtgacg 6420
acttacaagg gatggtgcgg ttccggccctg gtctgcgagg ccggtggtgt ccgacgcac 6480
attggcctgc actctgctgg tgcgctgggt atcgggtgcc ggacttaacat ctcaaaatta 6540
ggactgatca aagcccttaa acacctcgggt gagcctctgg ctacaatgca aggactgatg 6600
actgagctag agcctggagt acccgtaacat gtaccccga aatctaaatt gagaaagacg 6660
accgcacacg ccggtgtaca accggagttt gaacctgctg tgtgtcaaa atttgatccc 6720
agactgaaca aggatgttga cctagatgag gtaatttgggt ccaaacacac tgccaacgct 6780
ccttatcaac ctctttgttt ctacacatac atgtcagagt acgctcctcg ggttttctcc 6840
tttttgggaa atgacaatga cattctgacc gtcaaaagaag caatcttggg catccctgga 6900
ctagacctca tggatcccca cacagctccg ggtctgccc acgccaattaa cggccttcga 6960
cgtagctgac tcgtcgattt tgcgaacggc accgtagacc cggcactggc catgcaaatc 7020
caaaaattct tagacggtga ctactctgat catgtcttcc aaacttttct gaaagatgaa 7080
atcagacctc cagagaaggt ccgggcccga aaaacccgca ttgtcgatgt gccctccctg 7140
gcgactgca ttgtgggcag aatgctgctt gggcgttttg ccgccaagtt tcaatcccat 7200
cctggcttct tccttggtct cgtctcggg tctgacccctg atgtctctcg gacgctcata 7260
ggggctcagc tcgaggggaag aaagaacacg tatgacgtgg actacagtcg ctttgactct 7320
tcacacggtg ctggctcctt cgaggctctc atctctcact ttttcacgt ggacaatggt 7380
tttagccctg ccttgggacc ggtatctcaga tccctggctg tctcggtgca cgcttacggc 7440
gagcgtcgca tcaagattac gtagggcctc cctctggtt gtgcgcgac cagcctgctg 7500
aacacagtg tcacaatgt gatcatcagg actgctctag cattgacct caaggaaatt 7560
gaatatgaca tggttgatat ggcgcggcgc gctgccaac tggggataa gatgactcct 7620
gatctggact tcaatgaggt ggcgcggcgc gctgccaac tggggataa gatgactcct 7680
gccacaagg gtctgtctt cctccgact tctctctct ccgatgctgt ttttctaaaa 7740
cgcaaatctg tccaaaacaa tgacggctta tataaacag ttatggattt aaagaatttg 7800
gaagccatgc tctctactt caaacaggga acactactcg agaagctgca atctgtttct 7860
atgttggctc aacattctgg aaaagaagaa tatgatagat tgatgcaccc cttcgctgac 7920
tacggtgccg taccgagctc caggtacctg caggcaagat ggaggccctt gttcgactga 7980
cccagatagc ccaaggcgct tcggtgctgc cggcgattct gggagaactc agtcggaaca 8040
gaaaaggg

```

```

SEQ ID NO: 37      moltype = RNA length = 7312
FEATURE            Location/Qualifiers
misc_feature       1..7312
                    note = SVV-003 (P30)
source             1..7312
                    mol_type = other RNA
                    organism = synthetic construct

```

```

SEQUENCE: 37
tttgaatgg ggggctgggc cctgatgccc agtctctctt tcccccttc ggggggttaa 60
ccggctgtgt ttgctagagg cacagaggag caacatccaa cctgcttttg tggggaacgg 120
tcggcttcca attcctcgct cgccaaaggt gttagcgcac ccaaacggcg catctaccaa 180
tgctattggt gtggtctgcg agttctagcc tactcgttct tccctattc attcactcac 240
gcacaaaaag tgtgtgttaa ctacaagatt tagccctcac acgggatgtg tgataaccgc 300
aagactgact caagcgcgga aagcgctgta accgcatgct gttagtccct ttatggctgc 360
gagatggcta tccacctcgg atcactgaac tggagctcga ccctccttag taagggaacc 420

```

-continued

gagaggcctt	cttgcaacaa	gctccgacac	agagtcacg	tgattgtctac	caccatgagt	480
acatgggtct	cccctctcga	cccaggactt	ctttttgaat	atccacggct	cgatccagag	540
ggtaggggcat	gatcccccta	gcatagcgag	ctacagcggg	aactgtagct	aggccttagc	600
gtgcttggga	tactgectga	tagggcgacg	gcctagtcgt	gtcgggtcta	taggtagcac	660
atacaaatat	gcagaactct	catttttctt	tcgatacagc	ctctggcacc	tttgaagatg	720
taaccggaac	aaaagtcaag	atcggtgaat	accccagatc	ggtagaacaat	gggtgtttacg	780
attcgtctac	tcatttggag	atactgaacc	tacagggtga	aattgaaatt	ttaaggtctt	840
tcaatgaata	ccaaattcgc	gccgcacaa	aacaactcgg	actggacatc	gtgtacgaac	900
tacagggtaa	tggttcagaca	acgtcaaa	atgattttga	ttcccggtgc	aataatggta	960
acatgacctt	caattactac	gcaaacactt	atcagaattc	agtagacttc	tcgacctcct	1020
cgtcggcgct	aggcgccgga	cctgggaact	ctcggggcgg	attagcgggt	ctcctcaca	1080
atttcagtg	aacttgaac	cctcttggt	acctcaaga	tcacaacacc	gaagaatgg	1140
aaaactctgc	tgatcgagtc	acaacgcaa	cggcgggcaa	cactgccata	aacacgcaat	1200
catcattggg	tggttttgt	gctacgttg	aagacccgac	caaactcgat	cctccgtcca	1260
gcagcacaga	tcaacccacc	accactttca	ctgccatcga	caggtggtag	actggacgtc	1320
tcaattcttg	gacaaaagct	gtaaaaacct	tctcttttca	ggccgtcccc	cttcccggtg	1380
cctttctgtc	taggcaggga	ggcctcaacg	gaggggcctt	cacagctacc	ctacatagac	1440
actttttgat	gaagtgcggg	tggcagggtg	aggctcaatg	taatttgaca	caattccacc	1500
aaggcgctct	cctgttgctc	atggttctcg	aaaccacct	tgatgtcaag	cccgacggta	1560
aggcaaaag	cttacaggag	ctgaatgaag	aacagtgggt	ggaaatgtct	gacgattacc	1620
ggaccgggaa	aaacatgcct	tttcaggcgc	tgggcacata	ctatcgccc	cctaactgga	1680
cttggggctc	caatttcac	aaccctatc	aagtaacgg	tttccacac	caaattctga	1740
acgcgagaac	ctctacctcg	gtagacata	acgtcccata	catcggggag	acccccacgc	1800
aatcctcaga	gacacagaa	tcttgaccc	tctcgttat	gggtcctgtt	cccctagact	1860
ataagggaag	agccacaact	gacccagaaa	ttacatttct	tgtaaggcct	acaagtccct	1920
acttcaatgg	gcttcgcaac	cgctacacgg	cgggacgga	cgaagaacag	gggcccattc	1980
ctacggcacc	cagagaaaat	tcgcttatgt	ttctctcaac	cctccctgac	gacactgtcc	2040
ctgcttacgg	gaatgtgcgt	acccctctcg	tcaattacct	ccctgggtgaa	ataaccgacc	2100
ttttgcaact	ggcccgcata	cccactctca	tggcatttga	gcgggtgctc	gaaccgtgct	2160
ctgctcaga	cacatatgtg	ccctacgttg	ccgttccac	ccagttctgat	gacaggcctc	2220
tcactcctct	cccgatcacc	cttccagatc	ccgtctatca	gaacacccctg	gttggcgccg	2280
tcagttcaaa	tttcgccaat	taccgtgggt	gtatccaaat	cactctgaca	ttttgtggac	2340
ccatgatggc	gagagggaaa	ttcctgctct	cgtattctcc	cccaaatgga	acgcaaccac	2400
agactctttc	cgaagctatg	cagtgcacat	actctatttg	ggacataggc	tgaaactcta	2460
gttggacctt	cgtcgtcccc	tacatctcgc	ccagtgacta	ccgtgaaact	cgagccatta	2520
ccaactcgg	ttactccgct	gatggttggt	ttagcctgca	caagttagac	aaaattactc	2580
taccactga	ctgtccgcaa	gttccctgca	ttctctttt	cgttctgct	ggtgaggatt	2640
acactctccg	tctcccgtt	gattgtaatc	cttctctatg	gttccactcc	accgacaacg	2700
ccgagaccgg	gggtattgag	gcgggtaaca	ctgacaccca	tttctctggt	gaactggcgg	2760
ctcctggctc	taaccacaact	aatgtcaagt	tctgttttga	tcgatctcga	ttattgaatg	2820
taatcaaggt	atcggagaag	gacgcggtt	tccccgcgcc	tttccctaca	caagaagggtg	2880
cgcagcagga	tgatgggttac	ttttgtcttc	tgaccccccg	cccaacagtc	gcttcccgac	2940
ccgcactcgt	tttcggcctg	tacgccaatc	cgtccggcag	tggtgttctt	gctaacactt	3000
cactggactt	caatttttat	agcttggcct	gtttcactta	cttttagatcg	gaccttgagg	3060
ttacgggtgt	ctcactagag	ccggatctgg	aatttgcgtg	aggggtggtt	ccttctggca	3120
gtgaatacca	gggttccagc	ttgtctacg	accagctgca	tgtgcccttc	cactttactg	3180
ggcgactcc	cccgcttttc	gctagcaagg	gtgggaagg	atctttcgtg	ctcccttgga	3240
actctgtctc	gtctgtgctc	cccggtgcgt	gggggggggc	ttccaagctc	tcttctgcta	3300
cgggggtctc	accggcgcat	gctgattggg	ggactattta	cgcctttgtc	ccccgtccta	3360
atgagaagaa	aagcacgcgt	gtaaaacacg	tggccgtgta	cattcggtag	aagaacgcac	3420
gtgcctgggt	cccagcatg	cttccctttc	gcagctacaa	gcagaagatg	ctgatgcaat	3480
ctggcgatat	cgcagacaat	cccgggcctg	cttctgacaa	cccaattttg	gagttttctg	3540
aagcagaaaa	tgatctagtc	actctggcct	ctctctggaa	gatgggtcac	tctgttcaac	3600
agacctggag	aaagtatgtg	aagaacgatg	atttttggcc	caatttactc	agcgagctag	3660
tgggggaagg	ctctgtcgcc	tggcgccca	cgtatcccaa	ccaagcttca	gtaaaggctc	3720
ttttgggcct	gcactttctc	tctcgggggc	tcaattacac	tgacttttac	tctttactga	3780
tagagaaatg	ctctagtttc	tttaccgtag	aaccacctcc	tccaccagct	gaaaacctga	3840
tgaccacaag	ctcagtgaa	tcgaaaattcc	gaaaactgtt	taagatgcaa	ggacctatgg	3900
acaaagtcaa	agactggaac	caaatagctg	ccggcttgaa	gaattttcaa	tttgttctgt	3960
acctagtcaa	agaggtgggtc	gatttgctgc	aggcctggat	caacaaagag	aaagccagcc	4020
ctgtcctcca	gtaccagtgg	gagatgaaga	agctcgggcc	tgtggccttg	gctcatgacg	4080
ctttcatggc	tggttccggg	ccccctctta	gcgacgacca	gattgaatac	ctccagaacc	4140
tcaaatctct	tgccctaa	ctggggaaga	ctaatttggc	ccaaagctc	accactatga	4200
tcaatgccaa	acaaagttca	gcccacagag	tgaaaccgt	tgtgggtggc	cttagaggca	4260
agccgggatg	cggcaagagc	tggcctcta	cgttgattgc	ccaggctgtg	tccaaagcgc	4320
tctatggctc	ccaaagtgt	tattctcttc	ccccagatcc	agattttctc	gatggatata	4380
aaggacagtt	cgtgaccttg	atggatgatt	tgggacaaaa	cccggtatgga	caagatttct	4440
ccaccttttg	tcagatgggtg	tcgacggccc	aatttctccc	caacatggcg	gaccttgacg	4500
agaaaggcgg	tccctttacc	tccaatctca	tcattgcaac	tacaaatctc	ccccacttca	4560
gtcctgtcac	catgtgtag	ccttctgcag	tctctcgcg	tatcaactac	gatctgactc	4620
tagaagtatc	ttagggcctac	aagaaacaca	cacggctgaa	ttttgacttg	gctttcaggc	4680
gcacagacgc	ccccccatt	tatccttttg	ctgcccattg	gccccttgtg	gacgtagctg	4740
tgcgcttcaa	aaatgggtcac	cagaatttta	atctcctaga	gttggctgat	tccatttgta	4800
cagacattcg	agccaagcaa	caaggtgccc	gaaacatgca	gactctgggt	ctacagagcc	4860
ccaacgagaa	tgatgcacac	cccgctgagc	aggcgttggg	tagagttctc	tccccgctg	4920
cggctcgatga	ggcgcttgct	gacctcactc	cagaggccga	cccggttggc	cgtttggcta	4980

-continued

ttcttgccaa	gctaggtctt	gccctagctg	cggtcacccc	tggtctgata	atcttggcag	5040
tgggactcta	caggctacttc	tctggctctg	atgcagacca	agaagaaca	gaaagtgagg	5100
gatctgtcaa	ggcaccagg	agcgaaaatg	cttatgacgg	cccgaagaaa	aactctaagc	5160
cccttgagc	actctctctc	atggaaatgc	aacagcccaa	cgtggacatg	ggctttgagg	5220
ctgcggctcg	taagaaatg	gtcgccccca	ttaccttcat	ggttcccaac	agaccttctg	5280
ggcttacaca	gtcgcgtctc	ctggtgaccg	gccggacctt	cctaatacat	gaacatacat	5340
ggtccaatcc	ctcttgagc	agcttcacaa	tcgcgggtga	ggtacacact	cgtgatgagc	5400
ccttccaaac	ggttcaatttc	actcaaccag	gtattcccac	agatctgatg	atggtacgtc	5460
tcggaccggg	caattctcttc	cctaacaatc	tagacaagtt	tggacttgac	cagatgccgg	5520
cacgcaactc	ccgtgtgggt	ggcggttctg	ccagttacgg	aaacttcttc	ttctctggaa	5580
atcttctcgg	atctgttgat	tccatcacct	ctgaacaagg	aacttacgca	agactcttta	5640
ggtacagggt	gacgacctac	aaaggatggt	gcggctcggc	cctggtctgt	gagggcgggtg	5700
gcgtccgacg	catcattggc	ctgcattctg	ctggcgccgc	cggtatcggc	gccgggacct	5760
atatctcaaa	attaggagcc	atcaaaagcc	tgaaacacct	cggtgaaact	ttggccacaa	5820
tgcaaggact	gatgactgaa	ttagagcctg	gaatcacctg	acatgtaccc	cggaaatcca	5880
aattgagaaa	gacgaccgca	cacgcgggtg	acaaaccgga	gtttgagcct	gctgtgttgt	5940
caaaatttga	tccagactg	aacaaggatg	ttgactttga	tgaagtaatt	tggtctaaac	6000
acactgccaa	tgctccctac	caacctcctt	tggtctacac	atacatgtca	gagtacgctc	6060
atcgagtcct	ctccttcttg	gggaaagaca	atgacattct	gacctcaaaa	gaagcaattc	6120
tgggcatccc	cggactagac	cccatggatc	cccacacagc	tccgggtctg	ccttacgcca	6180
tcaacggcct	tcgacgtact	gatctcgtcg	atcttgtgaa	cggtagacgta	gatgcggcgc	6240
tggctgtaca	aatccagaaa	ttcttagacg	gtgactactc	tgacctgtc	ttccaaactt	6300
ttctgaaaga	tgagatcaga	ccctcagaga	aagtcgcgagc	gggaaaaaac	cgcattgttg	6360
atgtgccctc	cctggcgcat	tgcatgtgtg	gcagaatgtt	gcttgggcgc	tttgcgtcca	6420
agtttcaatc	ccatcctggc	ttctcctcgc	gctctgctat	cgggtctgac	cctgatgttt	6480
tctggaccgt	cataggggct	caactcgagg	ggagaaaaga	cacgtatgac	gtggactaca	6540
gtgcctttga	ctcttcacac	ggcaactggc	ccttcgaggc	tctcatctct	cactttttca	6600
ccgtggacaa	tgggttttagc	ctgcgctgg	gacctatctc	cagatccctg	gctgtctcgg	6660
tgacgcgtta	cggcgagcgt	cgcataaaga	ttaccgggtg	cctccctccc	gggtgtgcgt	6720
cgaccagcct	gctgaacaca	gtgctcaaca	atgtgatcat	caggactgct	ctggcatgta	6780
cttacaagga	attgaatat	gactgggttg	atatcatcgc	ctacggtgac	gaccttatcg	6840
ttggcacgga	ttacgatctg	gacttcaatg	aggtggcacg	acgcgctgcc	aagttgggg	6900
ataaagatgac	tcctgcacac	aagggttctg	tcttccctcc	gacttccctc	ccttccgatg	6960
ctgtttttct	aaagcgcaaa	ttcgtccaaa	acaacgcagg	cttatacaaa	ccagttatgg	7020
attttaaagaa	tttgaagcc	atgctctcct	acttcaaac	aggaacacta	ctcgagaagc	7080
tgcaatctgt	ttctatgttg	gctcaacatt	ctggaaaaga	agaatatgat	agattgatgc	7140
accctctcgc	tgactacggg	gccgtaccga	gtcacgagta	cctgcaggca	agatggagg	7200
ccttggttca	tgaccacaga	tagcccaagg	cgcttcgggt	ctgcggcgca	ttctggggaga	7260
actcagtcgg	aacagaaaaa	ggaaaaaaa	aaaaaaaaa	aaaaaaaaa	aa	7312

SEQ ID NO: 38 moltype = RNA length = 7352
 FEATURE Location/Qualifiers
 misc_feature 1..7352
 note = SVV-004 (P70)
 source 1..7352
 mol_type = other RNA
 organism = synthetic construct

SEQUENCE: 38

tttgaatgg	ggggctgggc	cctgatgcc	agtccttct	ttccctctc	ggggggttaa	60
cggctgtgt	ttgctagagg	cacagaggag	caacatccaa	cctgcttttg	tggggaacgg	120
tgccgctcca	attcctcgct	cgcacaaggt	gttagcgcac	ccaaacggcg	catctaccaa	180
tgctattggt	gtggtctgcg	agttctagcc	tactcgttct	tccctatttc	attcaactcac	240
gcacaaaaag	tggtgtgttaa	ctacaagatt	tagccctcac	acgggatgtg	tgataaccgc	300
aagactgact	caagcgcgga	aagcgtgtga	accgcatgct	gttagtccct	ttatggctgc	360
gagatggcta	tccacctcgg	atcactgaac	tggagctcga	ccctccttag	taagggaacc	420
gagaggcctt	cttgcaacaa	gctccgacac	agagtccacg	tgattgtctac	cacctgaggt	480
acatgggtct	cccctctcga	cccaggactt	ctttttgaat	atccacggct	cgatccagag	540
gggtggggcat	gatcccccata	gcatagcgag	ctacagcggg	aactgtagct	aggccttagc	600
gtgccttgga	tactgcctga	tagggcgacg	gcctagtcgt	gtcgggttcta	taggtagcac	660
atacaaatat	gcagaactct	catttttctt	tcgatacagc	ctctggcacc	tttgaagatg	720
taaccggaac	aaaagtcaag	atcggtgaat	acccagatc	ggtgaacaat	ggtgtttacg	780
attcgtctac	tcattttggag	atactgaacc	tacagggtga	aattgaaatt	ttaaggtctt	840
tcaatgaata	ccaaattcgc	gccgcacaa	aacaactcgg	actggacatc	gtgtacgaac	900
tacagggtaa	tggttcagaca	acgtcaaa	atgattttga	ttcccggtgc	aataatggta	960
acatgacctt	caattactac	gcaaacactt	atcagaattc	agtagacttc	tcgacctcct	1020
cgtcggcgct	aggcgcggga	cctgggaact	ctcggggcgg	attagcgggt	ctcctcacia	1080
atctcagtg	aatcttgaa	cctcttggt	acctcaaga	tcacaacacc	gaagaatgg	1140
aaaactctgc	tgatcgagtc	acaacgcaca	cggcgggcaa	cactgccata	aacacgcaat	1200
catcattggg	tggtgtgtgt	gcctacgttg	aagaccgcac	caaatctgat	cctccgtcca	1260
cgagcacaga	tcaacccacc	accactttca	ctgccatcga	caggtggtac	actggacgtc	1320
tcaattcttg	gacaaaagct	tctcttttca	ggcgcgtccc	cttcctgggt		1380
cctttctgtc	taggcaggga	ggcctcaacg	gaggggcctt	cacagctacc	ctacatagac	1440
actttttgat	gaagtcggg	tggcaggtgc	aggtccaatg	taatttgaca	caattccacc	1500
aaggcgctct	ccttggtgce	atggttcctg	aaaccacctt	tgatgtcaag	cccagcggtta	1560
aggcaaaag	cttacaggag	ctgaatgaag	aacagtggtg	ggaaatgtct	gacgattacc	1620
ggaccgggaa	aaacatgcct	tttcaggcgc	ttggcacata	ctatcgcccc	cctaactgga	1680

-continued

cttgggggtcc	caatttcatc	aacccctatc	aagtaacggt	tttcccacac	caaattctga	1740
acgcgagaaac	ctctacctcg	gtagacataa	acgtcccata	catcggggag	acccccacgc	1800
aatcctcaga	gacacagaac	tccctggacc	tccctcggtat	ggtgctcggt	ccctagact	1860
ataaggaagg	agccacaact	gacccagaaa	ttacattttc	tgttaaggcct	acaagtcct	1920
acttcaatgg	gcttcgcaac	cgctacacgg	ccgggacgga	cgaagaacag	gggcccattc	1980
ctacggcacc	cagagaaaat	tcgcttatgt	ttctctcaac	cctccctgac	gacactgtcc	2040
ctgcttacgg	gaatgtgcgt	acccctcctg	tcaattacct	ccctggtgaa	ataaccgacc	2100
ttttgcaact	ggcccgcata	cccactctca	tggcatttga	gcgggtgcct	gaaccctgtc	2160
ctgcctcaga	cacatatgtg	ccctacgttg	ccgttcccac	ccagttcgat	gacaggcctc	2220
tcatctcctt	cccgatcacc	ctttcagatc	ccgtctatca	gaacacccctg	ggtggcgcca	2280
tcagttcaaa	tttcgccaat	taccgtgggt	gtatccaaat	cactctgaca	ttttgtggac	2340
ccatgatggc	gagagggaaa	ttcctgctct	cgtattctcc	cccaaatgga	acgcaaccac	2400
agactccttc	cgaagctatg	cagtgcacat	actctatttg	ggacataggc	ttgaactcta	2460
gttggacctt	cgtcgctccc	tacatctcgc	ccagtgacta	ccgtgaaact	cgagccatta	2520
ccaactcggg	ttactccgct	gatggttggt	ttagcctgca	caagttgacc	aaaattactc	2580
taccactga	ctgtccgcaa	agtccttgca	ttctcttttt	cgttctgct	ggtgaggatt	2640
acactctccg	tctcccgtt	gattgtaatc	cttccctatg	gttccactcc	accgacaaag	2700
ccgagaccgg	gggtatcgag	gcgggtaaca	ctgacaccga	tttctctggt	gaactggcgg	2760
ctcctggctc	taaccacact	aatgtcaagt	tccgttttga	tcgatctcga	ttattgaatg	2820
taatcaagggt	actggagaag	gacgcggttt	tcccccgccc	tttccctaca	caagaagggtg	2880
cgcagcagga	tgatgggttac	ttttgtcttc	tgaacccccg	cccaacagtc	gcttcccgcac	2940
ccgcactcgt	tttcggcgct	tacgcccaatc	cgtccggcag	tgggtgttctt	gctaacaactt	3000
caactggactt	caattttttat	agcttggcct	gtttcactta	ctttagatcg	gaccttgagg	3060
ttacgggtgt	ctcactagag	ccggatctgg	aatttgcgtg	aggggtggtt	ccttctgcca	3120
gtgaataacc	ggcttccagc	ttgtctacg	accagctgca	tgtgcccttc	cactttactg	3180
ggcgactccc	ccgcgctttc	gctagcaagg	gtgggaagggt	atctttcgtg	ctcccttgga	3240
actctgtctc	gtctgtgctc	cccggtgcgt	ggggggggggc	ttccaaagctc	tcttctgcta	3300
cgcgggggtct	accggcgcat	gctgattggg	ggactattta	cgcctttgtc	cccgtccta	3360
atgagaagaa	aagcacccgt	gtaaaacacg	tggccgtgta	cattcggtac	aagaacgcac	3420
gtgcctgggt	cccagcatg	cttccccttc	gcagctacaa	gcagaagatg	ctgatgcaat	3480
ctggcgatata	cagagccaat	ccggggcctg	cttctgacaa	cccaattttg	gagtttctt	3540
aagcagaaaa	tgatctagtc	actctggcct	ctctctggaa	gatgggtgac	tctgttcaac	3600
agacctggag	aaagtatgtg	aagaacgatg	atttttggcc	caatttactc	agcgagctag	3660
tgggggaagg	ctctgtcgcc	ttggccgcca	cgtatcccaa	ccaagcttca	gtaaaggctc	3720
ttttgggctc	gcactttctc	tctcgggggc	tcaattacac	tgaactttac	tctttactga	3780
tagagaaatg	ctctagtttc	tttaccgtag	aaccacctcc	tccaccagct	gaaaacctga	3840
taccacaagcc	ctcagtgaag	tcgaatttcc	gaaaactgtt	taagatgcaa	ggaccatagg	3900
acaaaagtcaa	agactggaac	caaatagctg	ccggcttgaa	gaattttcaa	tttgttcgtg	3960
acctagtcaa	agaggtgggtc	gatttgctgc	aggcctggat	caacaaagag	aaagccagcc	4020
ctgtcctcca	gtaccagttg	gagatgaaga	agctcgggcc	tgtggccttg	gctcatgacg	4080
ctttcatggc	tgggtccggg	ccccctctta	gcgacgacca	gattgaatac	ctccagaacc	4140
tcaaatctct	tgccctaaaca	ctggggaaga	ctaattttggc	ccaaagctc	accactatga	4200
tcaatgctcaa	acaaagttca	gcccacagag	ttgaacccgt	tgtgggtggtc	cttagaggca	4260
agccgggatg	cggcaagagc	ttggcctcta	cgttgattgc	ccaggctgtg	tccaaagccc	4320
tctatggctc	ccaaagtgtat	tattctcttc	cccagatcc	agatttcttc	gatggataca	4380
aaggacaggt	cgtgaccttg	atggatgatt	tgggacaaaa	ccgggatgga	caagatttct	4440
ccacttttgg	ctcagatgggt	tcgaccgccc	aatttctccc	caacatggcg	gaccttgacg	4500
agaaagggcg	tccctttacc	tccaatctca	tcatggcaac	tacaaatctc	ccccacttca	4560
gtcctgtcac	cattgctgat	cttctcgccg	tatcaactac	gatctgactc	4620	
tagaagtatc	tgaaggctac	aagaaacaca	cacggctgaa	ttttgacttg	gctttcaggc	4680
gcacagacgc	ccccccattc	tatccttttg	ctgcctctgt	gccccttggtg	gacgtagctg	4740
tgcgcttcaa	aaatggctcac	cagaattttta	atctcctaga	gttgggtcgat	tccatttgta	4800
cagacattcg	agccaagcaa	caaggtgccc	gaaacatgca	gactctgggt	ctacagagcc	4860
ccaacgagaa	tgatgacacc	cccgctcgacg	aggcgttggg	tagagttctc	tccccgctg	4920
cggctcgatga	ggcgctgtgc	gacctcactc	cagaggccga	ccgggttggc	cgtttggcta	4980
ttcttgccaa	gctagggtctt	gcccctagctg	cgggtcacc	tgggtctgata	atcttggcag	5040
tgggactcta	caggtaacttc	tctggctctg	atgcagacca	agaagaaaca	gaaagtggag	5100
gatctgtcaa	ggcaccacag	atcgaataatg	cttatgacgg	ccgaagaaa	aactctaagc	5160
ccccgggagc	actctctctc	atggaaatgc	aacagcccaa	cgtggacatg	ggttttgagg	5220
ctgcgggtcgc	taagaaagtg	gtcgtcccca	ttaccttcat	gggtcccaac	agaccttctg	5280
ggcttacaca	gtccgctctc	ctgggtgaccg	gccggacett	cctaataaat	gaacatacat	5340
ggtccaatcc	ctcctggacc	agcttcacaa	tccgcggtga	gggtacacact	cgtgatgagc	5400
ccttccaaac	gggtcaatttc	actcaccacg	gtattcccac	agatctgatg	atggtagctc	5460
tcggaccggg	caattctttc	cctaacaatc	tagacaagtt	tggacttgac	cagatgccgg	5520
caacgaactc	ccgtgtgggt	ggcggttctg	ccagttacgg	aaacttcttc	ttctctggaa	5580
atttctcctg	atttgttgat	tccatcacct	ctgaacaagg	aacttacgca	agactcttta	5640
ggtacagggt	gacgacctac	aaaggatggt	cgggctcggc	cctgggtctgt	gaggccgggtg	5700
gcgtccgacg	catcatggc	ctgcatttctg	ctggcgccgc	cggtatccggc	gccgggacct	5760
atatctcaaa	attaggacta	atcaaagccc	tgaaacacct	cgggtgaacct	ttggccacaa	5820
tgaaggact	gatgactgaa	ttagagcctg	gaatcacctg	acatgtaccc	cggaaatcca	5880
aatgagaaaa	tccagccgca	cacgcggtgt	acaaaaccgga	gtttgagcct	gctgtgttgt	5940
caaaatttga	tccagactg	aacaaggatg	ttgacttggg	tgaagtaatt	tgggtctaaac	6000
acactgccaa	tgtcccttac	caacctcctt	tgttctacac	atacatgtca	gagtacgctc	6060
atcgagtctt	ctccttcttg	gggaaagaca	atgacattct	gaccgtcaaa	gaagcaattc	6120
tgggcatccc	cggactagac	cccatggatc	cccacacagc	tccgggtctg	ccttacgcca	6180
tcaacggcct	tcgacgtact	gatctcgtcg	attttgtgaa	cggtagacga	gatgcggcgc	6240

-continued

tggtgtgata	aatccagaaa	ttcttagacg	gtgactactc	tgaccatgtc	ttccaaactt	6300
ttctgaaaaga	tgagatcaga	ccctcagaga	aagtccgagc	gggaaaaacc	cgcatgtgtg	6360
atgtgccctc	cctggcgcat	tgcatgtgtg	gcagaatgtt	gcttggggcg	tttgcgtcca	6420
agtttcaatc	ccatcctggc	ttctcctcgc	gctctgctat	cggtgtgac	cctgatgttt	6480
ttcggaccgt	cataggggct	caactcgagg	ggagaaaaga	cacgtatgac	gtggactaca	6540
gtgcctttga	ctcttcacac	ggcaactggc	ccttcgaggc	tctcatctct	cactttttca	6600
ccgtggacaa	tgggttttagc	cctgcgctgg	gaccgtatct	cagatccctg	gctgtctcgg	6660
tgacgcgtta	cggcgagcgt	cgcacaaaga	ttaccgggtg	cctccctcc	ggttgtgcgc	6720
cgaccagcct	gctgaacaca	gtgctcaaca	atgtgatcat	caggactgct	ctggcattga	6780
cttacaagga	atttgaatat	gacatgggtg	atatcatcgc	ctacgggtgac	gaccttctgg	6840
ttggcacgga	ttacgatctg	gacttcaatg	agggtggcacg	acgcgctgcc	aagttggggg	6900
ataagatgac	tcctgccaac	aaggggttctg	tcttcctccc	gacttccctc	ctttccgatg	6960
ctgtttttct	aaagcgcaaa	ttcgtccaaa	acaacgacgg	cttatacaaa	ccagttatgg	7020
atttaaagaa	tttggagacc	atgctctcct	acttcaaac	aggaacacta	ctcgagaagc	7080
tgcaatctgt	ttctatgttg	gctcaacatt	ctggaaaaa	agaatatgat	agattgatgc	7140
accccttcgc	tgactacggg	gccgtaccga	gtcacgagta	cctgcaggca	agatggaggg	7200
ccttggttga	ctgaccagga	tagcccaagg	cgcttcgggtg	ctgcgcggca	ttctggggaga	7260
actcagtcgg	aacagaaaag	ggaaaaaaa	aaaaaaaaa	aaaaaaaaa	aaaaaaaaa	7320
aaaaaaaaa	aaaaaaaaa	aaaaaaaaa	aa			7352

SEQ ID NO: 39 moltype = DNA length = 7491
 FEATURE Location/Qualifiers
 misc_feature 1..7491
 note = SVV-001 IVT template
 source 1..7491
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 39

taatacgact	cactataggg	agacccaagc	tggttagcgt	ttaaaactta	gcttgggtacc	60
ttatcaaaact	gatgagtcgc	tgaggacgaa	acgagtaaac	tcgtctttga	aatgggggggc	120
tgggcccctga	tggcccctcc	ttcctttccc	cttcgggggg	gttaaccggc	tgtgtttgct	180
agaggcacag	aggggcaaca	tccaacctgc	tttttcgggg	aacgggtcgg	ctccgattcc	240
tgcgctcgcca	aaggtgttag	cgcacccaaa	cggcgccact	accaatgtta	ttggtgtggt	300
ctgcgagttc	tagctactc	gtttctcccc	cgaccattca	ctcaccacgc	aaaagtgtgt	360
tgtaacccata	agatttaacc	cccgccgggg	atgtgcgata	accgtaagac	tggctcaagc	420
gcggaaagcg	ctgtaaacac	atgctgttag	tccctttatg	gctgcaagat	ggctacccac	480
ctcggatcac	tgaactggag	ctcgaccctc	cttagtaagg	gaaccgagag	gccttcgtgc	540
aacaagctcc	gacacagagt	ccacgtgact	gctaccacca	tgagtaacatg	gttctccctc	600
ctcgaccacg	gacttctttt	tgaatatcca	cggctcgatc	cagaggggtg	ggcatgaccc	660
ctagcatagc	gagctacgta	gggaactgta	gctaggcctt	agcgtgcctt	ggatactgcc	720
tgtaggggcg	acggcctagt	cgtgtcgggt	ctataggtag	cacatacaaa	tatgcagaac	780
tctcattttt	ctttcgatag	agcctctggc	acctttgaag	atgtaaccgg	aacaaaagtc	840
aagatcgttg	aataccccag	atcgggtgaac	aatgggtgtt	acgattcgtc	tactcatttg	900
gagatactga	acctacaggg	tgaatttgaa	attttaaggt	ctttcaatga	ataccaaatt	960
cgcccgccca	aacaacaact	cggactggac	atcgtgtacg	aactacaggg	taatgttcag	1020
acaaacgtcaa	agaaatgatt	tgattcccgt	ggcaataatg	gtaacatgac	cttcaattac	1080
tacgcaaaaca	attatcagaa	ttcagtagac	ttctcgacct	cctcgtcggc	gtcaggcgcc	1140
ggactctggga	actctcgggg	cggattagcg	ggtctcctca	caaatctcag	tggaaatctg	1200
aaacctcttg	gctacctcaa	agatcacac	accgaagaaa	tggaaaactc	tgcgtgatcga	1260
gtcacaaacgc	aaacggcggg	caacactgcc	ataaacacgc	aatcatcatt	gggtgtgttg	1320
tgtgcctacg	ttgaagaccc	gaccaaactc	gatcctccgt	ccagcagcac	agatcaaccc	1380
accaccaact	tcactgcgat	cgacaggtgg	tacactggac	gtctcaattc	ttggacaaaa	1440
gctgtaaaaa	ccttctcttt	tcaggccgtc	ccgcttcccg	gtgcctttct	gtctaggcag	1500
ggaggcctca	acggaggggc	cttcacagct	acctacata	gacacttttt	gatgaagtgc	1560
gggtggcgagg	tgcaggtcca	atgtaatttg	acacaattcc	accaaggcgc	tcttcttgtt	1620
gcatgtgttc	ctgaaaccac	ccttgatgtc	aagcccgacg	gtaaggcaaa	gagcttacag	1680
gagctgaatg	aagaacagtg	gggtgaaatg	tctgacgatt	accggaccgg	gaaaaacatg	1740
cctttttcagt	ctcttgccac	atactatcgg	ccccctaact	ggacttgggg	tcccaatttc	1800
atcaaccctc	atcaagtaac	gggttttcca	caccaaattc	tgaacgcgag	aacctctacc	1860
tcggttagaca	taaacgtccc	atacatcggg	gagaccccca	cgcaatcttc	agagacacag	1920
aaactcctgga	ccctcctcgt	tatgggtgctc	gttcccttag	actataagga	aggagccaca	1980
actgaccacg	aaattacatt	ttctgtgaag	cctacaagtc	cctacttcaa	tgggcttcgc	2040
aaccgctaca	cggccggggc	ggacgaagaa	cagggggcca	ttctacagcg	accagagaaa	2100
aattcgctta	tgtttctctc	aacctctcct	gacgacactg	tcctctgctta	cgggaatgtg	2160
cgtacccctc	ctgtcaatta	cctccctggg	gaaataaccg	accttttgca	actggcccg	2220
ataccacact	tcattggcatt	tgagcgggtg	cctgaacccg	tgctgccttc	agacacatat	2280
gtgcctcagc	ttgcggttcc	cacccagttc	gatgacaggg	ctctcatctc	cttcccgatc	2340
accttttcag	atcccgctca	tcagaacacc	ctgggtggcg	ccatcagttg	aaatttcgcc	2400
aattaccgtg	gggtgatcca	aatcactctg	acattttgtg	gacccatgat	ggcgagaggg	2460
aaattcctgc	tctcgtatct	tcocccaaat	ggaacgcaac	cacagactct	ttccgaagct	2520
atcgagtcca	catactctat	ttgggacata	ggcttgaact	ctagtgggac	cttcgctcgc	2580
ccctacatct	cgcccagtg	ctaccgtgaa	actcgagcca	ttaccaactc	ggtttactcc	2640
gctgatggtt	gggttagcct	gcacaagttg	acccaaatta	ctctaccacc	tgactgtccg	2700
caaagtccct	gcattctctt	tttcgcttct	gctgggtgag	attacactct	ccgtctcccc	2760
gttgattgta	atccttctca	tccaccgaca	acgcgcgag	acggggttat		2820
gaggcgggta	acactgacac	cgatttctct	gggtgaactg	cggtcctcgt	ctctaaccac	2880

-continued

actaatgtca	agtctectgtt	tgatcgatct	cgattattga	atgtaatcaa	ggtagctggag	2940
aaggacgcgc	ttttcccccgc	ccctttccct	acacaagaag	gtgcgcagca	ggatgatggg	3000
tacttttgtc	ttctgacccc	ccgcccaaca	gtcgcttccc	gaccgcgcac	tcgtttcggc	3060
ctgtacgcca	atccgtccgc	cagtgggtgt	cttgctaaca	cttcaactgga	cttcaatttt	3120
tatagcttgg	cctgtttcac	ttactttaga	tcggaccttg	aggttacggg	ggctctacta	3180
gagccggatc	tggaaatttg	tgtagggtgg	ttctctctcg	gcagtgaata	ccaggcttcc	3240
agctttgtct	acgaccagct	gcattgtgcc	ttccacttta	ctgggcgcac	tccccgcgct	3300
ttcgctagca	aggggtgggaa	ggatatctttc	gtgctccctt	ggaactctgt	ctcgtctgtg	3360
ctccccgtgc	gctggggggg	ggcttccaag	ctctcttctg	ctacgcgggg	tctaccggcg	3420
catgctgatt	gggggagctat	tacgcctttt	gtccccctgc	ctaatagaaa	gaaaagcacc	3480
gctgtaaaaa	acgtggccgt	gtacattcgg	tacaagaacg	cacgtgcctg	gtgccccagc	3540
atgcttccct	ttcgagccta	caagcagaag	atgctgatgc	aatctggcga	tatcgagacc	3600
aatccccggc	ctgcttctga	caaccaattt	ttggagtctt	tgaagcaga	aaatgatcta	3660
gtcaactctg	cctctctctg	gaagatgggt	cactctgttc	aacagacctg	gagaaagtat	3720
gtgaagaacg	atgatttttt	gccccattta	ctcagcgagc	tagtggggga	aggctctgtc	3780
gccttggccg	ccacgctatc	caaccaagct	tcagtaaaag	ctcttttggg	cctgcacttt	3840
ctctctcggg	ggctcaatta	cactgacttt	tactctttac	tgatagagaa	atgctctagt	3900
ttctttaccg	tagaacacc	tcttccacca	gctgaaaacc	tgatgaccaa	gccccagtg	3960
aaagtcgaaat	tccgaaaact	gtttaagatg	caaggaccca	tggacaaagt	caaagactgg	4020
aaccaaatag	ctgcgcgctt	gaagaatttt	caatttgttc	gtgacctagt	caaagagggt	4080
gtcgattggc	tgcaggcctg	gatcaacaaa	gagaaagcca	gccccgtcct	ccagtaccag	4140
ttggagatga	agaagctcgg	gcctgtggcc	ttggctcatg	acgctttcat	ggctgggttc	4200
gggccccctc	ttagcgacga	ccagattgaa	tacctccaga	acctcaaatc	tcttgcccta	4260
acactgggga	agactaattt	ggcccaaaag	ctcaccacta	tgatcaatgc	caaacaaagt	4320
tcagcccaac	gagttgaacc	cgttgtgtgt	gtccttagag	gcaagccggg	atgcggcaag	4380
agcttggcct	tacgcttgat	tgcacaggct	gtgtccaaag	gcctctatgg	ctcccaaagt	4440
gtatattctc	ttccccaga	tcagatttcc	ttcgatggat	acaaaggaca	gttcgtgacc	4500
ttgatggatg	tattgggaca	taacccggat	ggacaagatt	tctccacctt	ttgtcagatg	4560
gtgtcgacgc	ccccaatctt	ccccaacatg	gcggaccttg	cagagaaagg	gcgtcccttt	4620
acctccaatc	tcacatttgc	aactacaaat	ctccccactc	tcagtctctg	caccatttgc	4680
gatcttctcg	cagctctctg	ccgtatcaac	tacgatctga	ctctagaagt	atctgaggcc	4740
tacaagaaac	acacacggct	gaattttgac	ttgcttttca	ggcgccacaga	cgcctcccc	4800
atttatccct	ttgtgtccca	tgtgcccttt	gtggacgtag	ctgtgcgctt	caaaaatggg	4860
caccagaatt	ttaactctct	agagttggtc	gattccattt	gtacagacat	tcgagccaag	4920
caacaagggt	cccgaacat	gcagactctg	gtttctacaga	gccccaacga	gaatgatgac	4980
acccccgtgc	acgaggcgtt	gggtagagtt	ctctcccccg	ctgcggtcga	tgaggcgctt	5040
gtcgacctca	ctcagaggc	gcacccggtt	ggcgcgttgg	ctattcttgc	caagctagggt	5100
cttgccctag	ctgcgggtac	ccctgggtct	ataatcttgg	cagtgaggac	ctacagggtac	5160
tctctggctc	ctgatgcaga	ccaagaagaa	acagaaagtg	agggatctgt	caaggcacc	5220
aggagcgaaa	atgctttatga	cgcccggaag	aaaaactcta	agccccctgg	agcactctct	5280
ctcatggaaa	tgcaacagcc	caacgtggac	atgggctttg	aggtctcggt	cgctaagaaa	5340
gtggctgctc	ccattacctt	catgggtccc	aacagacctt	ctgggcttac	acagtcgcgt	5400
cttctgggtg	ccggccgggc	cttccaatc	aatgaacata	catgggtccaa	tccctcctgg	5460
accagcttca	caatcccggt	tgagggtacac	actcgtgatg	agccccctca	aacgggttcat	5520
tcaactcacc	acggtatttc	cacagatctg	atgatggtag	gtctcggacc	gggcaattct	5580
ttccctaaca	atctagacaa	gtttggactt	gaccagatgc	cgccacgcga	ctccccgtgt	5640
gttggcggtt	cgtccagtta	gggaaacttc	ttcttctctg	gaaatttcc	cggatttgtt	5700
gattccatca	cctctgaaca	aggaacttac	gcaagactct	ttaggtacag	ggtagcgacc	5760
tacaagggat	gggtcggtgc	ggccctgggt	gttgaggccg	gtggcgctcg	acgcatactt	5820
ggcctgcatt	ctgctggcgc	cgcgggtatc	ggcgccggga	cctatatctc	aaaattagga	5880
ctaatacaag	ccctgaacaa	cctcggtgaa	cctttggcca	caatgcaagg	actgatgact	5940
gaattagagc	ctggaatcac	gcacatgta	ccccggaaat	ccaaattgag	aaagacgacc	6000
gcacacgcgc	tgtacaaacc	ggagtttgag	cctgctgtgt	tgtcaaaatt	tgatcccgga	6060
ctgaacaagg	atggttgactt	ggatgaagta	atttgggtcta	aacacactgc	caatgtccct	6120
taccaacctc	ctttgttcta	cacatacatg	tcagagtacg	ctcatcgagt	cttctccttc	6180
ttgggggaaa	acaatgacat	tctgaccgtc	aaagaagcaa	ttctgggcat	ccccgggacta	6240
gacccccatg	atccccacac	agctccgggt	ctgccttacg	ccatcaacgg	ccttcgacgt	6300
actgatctcg	tcgattttgt	gaacgggtaca	gtagatgcgg	cgctggctgt	acaaatccag	6360
aaattcttag	acggtgacta	ctctgacctt	gtcttccaaa	cttttctgaa	agatgagatc	6420
agaccctcag	agaaagtcgc	agcgggaaaa	accgcatttg	ttgatgtgcc	ctccccggcg	6480
cattgcattg	tgggcagaaat	gttgcctggg	cgctttgtcg	ccaagtttca	atcccatcct	6540
ggctttctcc	tcggctctgc	tatcggtctc	gacctgatg	ttttctggac	cgtcataggg	6600
gctcaactcg	agggggagaaa	gaacacgtat	gacgtggact	acagtgcctt	tgaactctca	6660
cacggcactg	gctccttcga	ggctctcatc	tctcaacttt	tcaccggtga	caatggtttt	6720
agccctgcgc	tgggacgcga	tctcagatcc	ctggctgtct	cggtgcacgc	ttacggcgag	6780
cgctcgatca	agattaccgc	tggcctcccc	tcgggttgtg	ccgcgacacg	cctgctgaa	6840
acagtgctca	acaatgtgat	catcaggact	gctctggcat	tgacttacaa	ggaatttgaa	6900
tatgacatgg	ttgatattcat	cgctacgggt	gacgaccttc	tggttgccac	ggattacgat	6960
ctggacttca	atgaggtggc	acgacgcgct	gccaagtgtg	gggtataagat	gactcctgcc	7020
aaacaagggtt	ctgtcttccc	tccgacttcc	tctctttccg	atgctgtttt	tctaaaagcgc	7080
aaattcgtcc	aaaacaacga	cggcttatatac	aaaccagtta	tggattttaa	gaatttggaa	7140
gccaatgctct	cctacttcaa	accaggaaca	ctactcgaga	agctgcaatc	tgtttctatg	7200
ttggctcaac	attctggaaa	agaagaatat	gatagattga	tgcacccctt	cgctgactac	7260
ggtgcccgtac	cgagtcacga	gtacctgcag	gcaagatgga	gggccttgtt	cgactgaccc	7320
agatagccca	aggcgcttcg	gtgctgcggg	cgattctggg	agaactcagt	cggaaacagaa	7380
aagggaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaggccg	gcattggtccc	agcctcctcg	7440

-continued

ctggcgccgg ctgggcaaca tgettccgca tggcgaatgg gacgcggccg c 7491

```

SEQ ID NO: 40      moltype = DNA length = 7491
FEATURE            Location/Qualifiers
misc_feature        1..7491
                    note = SVV-001-S177A
source              1..7491
                    mol_type = other DNA
                    organism = synthetic construct

```

SEQUENCE: 40

```

taatacgact cactataggg agacccaagc tggctagcgt ttaaacttaa gcttgggtacc 60
ttatcaaaact gatgagtcgg tgaggacgaa acgagtaagc tcgtctttga aatgggggggc 120
tgggcccctga tggccagtcct ttcccttccc ctccgggggg gttaaccggc tgtgtttgct 180
agaggcacag aggggcaaca tccaacctgc ttttgccggg aacgggtcgg ctccgattcc 240
tgcgctcgcca aaggtgttag cgcacccaaa cggcgccact accaatgtta ttggtgtggt 300
ctgcgagttc tagctactc gtttctcccc cgaccattca ctcaaccacg aaaagtgtgt 360
tgtaaccata agatttaacc cccgcacggg atgtgcgata accgtaagac tggctcaagc 420
gcggaagacg ctgtaaccac atgctgttag tccctttatg gctgcaagat ggctaccac 480
ctcggatcac tgaactggag ctcgaccctc cttagtaagg gaaccgagag gccttcgtgc 540
aacaagctcc gacacagagt ccaactgact gctaccacca tgagtacatg ttctccccc 600
ctcgaccacg gacttctttt tgaatatcca cggctcgatc cagagggtag ggcatgaccc 660
ctagcatagc gagctacagc gggaaactgt gctaggcctt agcgtgcctt ggatactgcc 720
tgatagggcg acggcctagt cgtgtcgggt ctataggtag cacatacaaa tatgcagaac 780
tctcatTTTT ctctcgatc agcctctggc acctttgaag atgtaaccgg aacaaaagtc 840
aagatcgttg aataccccag atcgggtgaac aatgggtgtt acgattcgtc tactcatttg 900
gagatactga acctacaggg tgaattgaat attttaaggt ctttcaatga ataccaaatt 960
cgcccgccca aacaacaact cggactggac atcgtgtacg aactacaggg taatgttcag 1020
acaaactcaa agaattgatt ttattccccg ggcaataatg gtaacatgac cttcaattac 1080
tacgcaaaac cttatcagaa ttactagtag tctcgcacct cctcgtcggc gtcaggcgcc 1140
ggactctggg actctcgggg cggattagcg ggtctcctca caaatctcag tggaaattcg 1200
aaccctcttg gctcctcaa acatcacaa accgaagaaa tggaaaactc tgcgtatcga 1260
gtcacaacgc aaacggcggg caaactgccc ataaacacgc aatcatcatt ggggtgtgtg 1320
tgtgcctacg ttgaagaccc gaccaaactc gatcctccgt ccagcagcac agatcaaccc 1380
accaccactt tcaactgccat gcacaggtgg tacactggac gtctcaattc ttggacaaaa 1440
gctgtaaaaa ccttctcttt tcaggccgtc ccgcttcccc gtgcctttct gtcctaggcg 1500
ggaggcctca acggaggggg cttcacagct accctacata gacacttttt gatgaagtgc 1560
gggtggcagg tgcaggtcca atgtaatttg acacaattcc accaaggcgc tcttcttgtt 1620
gccatgggtc ctgaaaccac ccttgatgtc aagcccgacg gtaaggcaaa gagcttacag 1680
gagctgaatg aagaacagtg ggtggaatg tctgacgatt accggaccgg gaaaaacatg 1740
ccttttcagg cgcttgccac atactatcgg ccccttaact ggacttgggg tcccaatttc 1800
atcaaccctc atcaagtaac ggttttcccc caccaaattc tgaacgcgag aacctctacc 1860
tcggtagaca taaacgtccc atacatcggg gagaccccca cgcaatcctc agagacacag 1920
aactcctgga cctcctcgt tatggtgctc gttcccttag actataagga aggagccaca 1980
actgaccacg aaattacatt ttctgttaagg cctacaagtc cctacttcaa tgggcttcgc 2040
aaccgctaca cggccgggag ggaacgaaga caggggccca ttctactcgc acccagagaa 2100
aattcgctta tgtttctctc aacctcctct gacgacactg tccctgctta cgggaatgtg 2160
cgtacccctc tgtcaatta cctccctggt gaaataaccg accttttgca actggcccgc 2220
ataccacact tcatggcatt tgagcgggtg cctgaaccgg tgctcgtctc agacacatat 2280
gtgcctacg ttgcggttcc caccagttc gatgacagcg ctctcatctc cttccgatc 2340
accctttcag atcccgctca tcagaacacc ctggttggcg ccatcagttc aaatttcgcc 2400
aattaccgtg ggtgtatcca aatcactctg accttttgtg gaccatgatg ggcgagaggg 2460
aaattcctgc tctcgtatc tccccaaat ggaacgcaac cacagactct ttccgaagct 2520
atgcagtgc cactactctat ttgggacata ggcttgaact ctagttaggc cttcgtcgtc 2580
cctacatct cgcccagtgat ctaccgtgaa actcgagcca ttaccaactc ggtttactcc 2640
gctgatgggt ggtttagcct gcacaagttg accaaaatta ctctaccacc tgactgtccg 2700
caaatccctc gattctctct ttctcgtctt gctggtgagg attacactct ccgtctcccc 2760
gttgattgta atccttctca ttgtgtccac tccaccgaca acgcccagac cggggttatt 2820
gaggcgggta aactgacac cgatttctct ggtgaactgg cggctcctgg ctctaaccac 2880
actaatgtca agttcctggt tgatcgatct cgattattga atgtaatcaa ggtactggag 2940
aaggacgccc ttttcccccg ccttttccct acacaagaag gtgcgcagca ggatgatggt 3000
tacttttgtc ttctgacccc ccgcccacaa gtgcgttccc gaccgcacac tcgttttcggc 3060
ctgtacgcca atccgtccgg cagtgggtgt cttgctaaca cttcactgga cttcaatttt 3120
tatagcttgg cctgtttcac ttactttaga tcggaccttg aggttacggt ggtctcacta 3180
gagcgggatc tggaaatttg ttaggggtgg ttctctctcg gcagtgaata ccaggcttcc 3240
agctttgtct acgaccagct gcatgtgccc ttccacttta ctggggcgac tccccgcgct 3300
ttcgctagca aggggtgggaa ggtatctttc gtgctccctt ggaactctgt ctctctgtg 3360
ctccccgtgc gctggggggg ggttcccaag ctctctctctg ctacgcgggg tctaccggcg 3420
catgctgatt gggggactat ttaccctttt gtcccccgct ctaatgagaa gaaaagcacc 3480
gctgtaaaac acgtggccgt gtacattcgg tacaagaacg cacgtgcctg gtgccccagc 3540
atgcttccct ttgcgcagta caagcagaag atgctgatgc aatctggcga tctcgagacc 3600
aatcccgggc ctgcttctga caaccaatt ttggagtttc tgaagcaga aaatgatcta 3660
gtcactctgg cctctctctg gaagatgggt cactctgttc aacagacctg gagaaagtat 3720
gtgaagaacg atgatttttg gcccaattta ctacgcagac tagtggggga aggctctgtc 3780
gccttggccg ccacgctatc caaccaagct tcagtaaagg ctcttttggg cctgcacttt 3840
ctctctcggg ggctcaatta cactgacttt tactctttac tgatagagaa atgctctagt 3900
ttctttaccg tagaaccacc tctccacca gctgaaaacc tgatgaccaa gccctcagtg 3960

```

-continued

```

aagtcgaaat tccgaaaact gtttaagatg caaggaccga tggacaaagt caaagactgg 4020
aaccaaatag ctgcoggett gaagaatgtt caatttggtc gtgacctagt caaagagggtg 4080
gtcgattggc tgcaggcctg gatcaacaaa gagaaagcca gccctgtcct ccagtaccag 4140
ttggagatga agaagctcgg gccctgtggcc ttgggtcatg acgctttcat ggctgggttc 4200
gggccccctc ttagcgacga ccagattgaa tacctccaga acctcaaatc tcttgcccta 4260
acactgggga agactaatgt ggcccaaaagt ctcaccacta tgatcaatgc caaacaaggt 4320
tcagcccaac gagttgaacc cgttgtgggtg gtcccttagag gcaagccggg atcgggcaag 4380
agcttggcct ctacgttgat tgcccaggct gtgtccaaag ccctctatgg ctcccaaggt 4440
gtatattctc ttcccccaga tccagatttc ttogatggat acaaggaca gttcgtgacc 4500
ttgatggatg atttgggaca aaacccggtt ggacaagatt tctccacctt ttgtcagatg 4560
gtgtcgaccg cccaatttct ccccaacatg gcggaccttg cagagaaagg gcgtcccttt 4620
acctccaatc tcatcattgc aactacaaat ctccccactt cagtcctgt caccattgct 4680
gatccttctg cagtctctcg ccgtatcaac tacgatctga ctctagaagt atctgaggcc 4740
tacaagaaac acacacggct gaattttgac ttggctttca ggccacaga cggccccccc 4800
atttatcctt ttgtctgcca tgtgcccttt gtggacgtag ctgtgcgctt caaaaatggt 4860
caccagaatt ttaatctctc agagttggtc gattccattt gtacagacat tcgagccaag 4920
caacaagggt ccgaaaacat gcagactctg gttctacaga gccccaacga gaatgatgac 4980
acccccgtcg acgaggcgtt gggtagagtt ctctcccccg ctgcggtcga tgaggcgctt 5040
ctcgacctca ctcagaggc gcaccgggtt ggccgttttg ctattcttgc caagctagggt 5100
gttgccctag ctgcggctac ccctgtctg ataactctgg cagtggtgac ctacagggtac 5160
ttctctggct ctgatgcaga ccaagaagaa acagaaagtg agggatctgt caaggcacc 5220
aggagcgaaa atgcttctga cgcccggaag aaaaactcta agccccctgg agcactctct 5280
ctcatggaaa tgcaacagcc caacgtggac atgggctttg aggtgcggt cgtaagaaa 5340
gtggtcgtcc ccattacctt catggttccc aacagacctt ctgggcttac acagtccgct 5400
cttctggtga ccgcccggac ctctctaate aatgaacata catgggtcca tccctcctgg 5460
accagcttca caatcccggt tgaggtacac actcgtgatg agcccttcca aacgggttcat 5520
ttcaactcac acggtattcc cacagatctg atgatggtag gtctcggacc gggaattct 5580
ttccctaaca ctctagacaa gtttggactt gaccagatgc cggcacgcaa ctcccggtg 5640
gttgccgttt gtgccagttt cggaaaacttc ttcttctctg gaaatttctt cggatttgtt 5700
gattccatca cctctgaaca aggaacttac gcaagactct ttaggtacag ggtgacgacc 5760
tacaagggat ggtgcggctt ggccctgggtc tgtgaggccg gtggcgctcg acgcacatt 5820
ggcctgcatt ctgctggcgc cgccggtatc ggcccgggga cctatatctc aaaaattagga 5880
ctaatacaag cctctgaaca cctcggtgaa cctttggcca caatgcaagg actgatgact 5940
gaattagagc ctggaattac cgtacatgta ccccggaat ccaattgag aaagacgacc 6000
gcacacgcgg tgtacaaacc ggagtttgag cctgctgtgt tgtcaaaatt tgatccca 6060
ctgaacaagg atgttgactt ggaatgaagta atttggtcta aacacactgc caatgtccct 6120
taccacacct cttgtttcta cacatacatg tcagagtacg ctcatcgagt cttctccttc 6180
ttggggaaag acaatgacat tctgaccgtc aaagaagcaa ttctgggcat ccccggaact 6240
gaccccatgg atccccacac agctccgggt ctgccttacg ccatacaacgg ccttcgacgt 6300
actgatctcg tcgattttgt gaaacgttaca gtatgctcgg cgtcggctgt acaaatccag 6360
aaattcttag acggtgacta ctctgacctt gtcttccaaa cttttctgaa agatgagatc 6420
agaccctcag agaaagtcgg agcgggaaaa acccgcatgt ttgatgtgcc ctccctggcg 6480
cattgcattg tgggcagaaat gttgcttggg cgctttgctg ccaagtttca atccatcct 6540
ggctttctcc tcggctctgc tatcggtgtc gacctgatg ttttctggac cgtcataggg 6600
gctcaactcg agggggagaaa gaacacgtat gacgtggact acagtgcctt tgactcttca 6660
cacggcaact gctcctctga ggtctctatc tctcactttt tcacggtgga caatgggttt 6720
agccctgcgc tgggaccgta tctcagatcc ctggctgtct cgggtgcacgc ttacggcgag 6780
cgctcgatca agattaccgg ttgctcctcc tccggttgtg ccgcgacagc cctcgtgaac 6840
acagtgtcga caaatgtgat catcaggact gctctggcat tgacttacia ggaatttgaa 6900
tatgacatgg ttgatattat cgccctacgg gacgaccttc tgggtggcac ggattacgat 6960
ctggacttca atgaggtggc acgacgcgct gccaaagtgg ggtataagat gactcctgcc 7020
aacaagggtt ctgctctccc tccgacttcc tctctttccg atgctgtttt tctaaagcgc 7080
aaatctgtcc aaaaacaaga cggcttatac aaaccagtta tggattttaa gaatttggaa 7140
gccatgctct cctacttcaa accaggaaca ctactcgaga agctgcaatc tgtttctatg 7200
ttggctcaac attctggaaa agaagaatat gatagattga tgcacccctt cgctgactac 7260
ggtgccgtac cgagtacaga gtacctgcag gcaagatgga gggccttgtt cgactgaccc 7320
agatagccca aggcgcttcc gtgctgccgg cgattctggg agaactcagt cggaaacagaa 7380
aagggaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaggccg gcatggctcc agcctcctcg 7440
ctggcgccgg ctgggcaaca tgettccgca tggcgaatgg gacgcggccg c 7491

```

```

SEQ ID NO: 41      moltype = DNA length = 8259
FEATURE           Location/Qualifiers
misc_feature       1..8259
                   note = SVV-001-GFP IVT template
source            1..8259
                   mol_type = other DNA
                   organism = synthetic construct

```

```

SEQUENCE: 41
taatacgact cactataggg agaccacaagc tggctagcgt ttaacttaa gcttgggtacc 60
ttatacaact gatgagtcgg tgaggacgaa acgagtaagc tcgtctttga aatgggggggc 120
tgggcccctga tgcaccatcc ttccctttccc cttccggggg gttaaccggc tgtgtttgct 180
agaggcacag agggggacaa tccaacctgc ttttgcgggg aacgggtcgg ctcgatttcc 240
tgctcgccca aaggtgttag cgcacccaaa cggcgacact accaatgtta ttggtgtggt 300
ctgcgagttc tagcctactc gttttctccc cgaccattca ctcaccacag aaaagtgtgt 360
tgtaaccata agattttaac ccgcacggg atgtgcgata accgtaagac tggctcaagc 420
gcggaagcgg ctgtaaccac atgctgttag tccctttatg gctgcaagat ggctaccac 480

```

-continued

ctcggatcac	tgaactggag	ctcgaccctc	cttagtaagg	gaaccgagag	gccttcgtgc	540
aacaagctcc	gacacagagt	ccacgtgact	gctaccacca	tgagtacatg	gttctcccct	600
ctcgacccag	gacttctttt	tgaatatcca	cggtcgcgac	cagaggggtg	ggcatgaccc	660
ctagcatagc	gagctacagc	gggaactgta	gctaggcctt	agcgtgcctt	ggatactgcc	720
tgatagggcg	acggcctagt	cgtgtcgggt	ctataggtag	cacatacaaa	tatgcagaac	780
tctcattttt	ctttcgatag	agcctctggc	acctttgaag	atgtaaccgg	aacaaaagtc	840
aagatcgttg	aataccccag	atcgggtgaac	aatgggtgtt	acgattcgtc	tactcatttg	900
gagatactga	acctacaggg	tgaaattgaa	attttaagg	ctttcaatga	ataccaaatt	960
cgcgccgcca	aacaacaact	cggactggac	atcgtgtacg	aactacaggg	taatgttcag	1020
acaacgtcaa	agaatgattt	tgattcccgt	ggcaataatg	gtaacatgac	cttcaattac	1080
tacgcaaaaca	cttatcagaa	ttcagtagac	ttctcgacct	cctcgtcggc	gtcaggcgcc	1140
ggacctggga	actctcgggg	cggatttagcg	ggtctcctca	caaatttcag	tggaaatctt	1200
aacctctctg	gctacctcaa	agatcacaca	accgaagaaa	tggaaaactc	tgctgatcga	1260
gtcacaacgc	aaacggcggg	caacactgcc	ataaacacgc	aatcatcatt	gggtgtgttg	1320
tgtgcctacc	ttgaagaccc	gaccaaactc	gatcctccgt	ccagcagcac	agatcaaccc	1380
accaccactt	ctactgacct	gcacaggtgg	tacactggac	gtctcaattc	ttggacaaaa	1440
gctgtaaaaa	cctctctctt	tcaggccgtc	ccgcttcccg	gtgcctttct	gtctaggcag	1500
ggaggcctca	acggaggggc	cttcacagct	accctacata	gacacttttt	gatgaagtgc	1560
gggtggcagg	tgcagggtcc	atgtaatttg	acacaattcc	accaaggcgc	tcttctgttt	1620
gccatgggtc	ctgaaaccac	ccttgatgtc	aagcccgacg	gtaaggcaaa	gagcttacag	1680
gagctgaatg	aagaaacagt	gggtggaatg	tctgacgatt	accggaccgg	gaaaaacatg	1740
ccttttcagt	ctcttggeac	atactatcgg	ccccctaact	ggacttgggg	tcccaatttc	1800
atcaaccctc	atcaagtaac	gggtttccca	caccaaattc	tgaacgcgag	aacctctacc	1860
tcggtagaca	taaacgtccc	atacatcggg	gagaccccca	cgcaatcctc	agagacacag	1920
aaactcctga	ccctcctcgt	tatggtgctc	gttcccttag	actataagga	aggagccaca	1980
actgaccacg	aaattacatt	ttctgtaagg	cctacaagtc	cctacttcaa	tgggcttcgc	2040
aaacgctaca	cgcccgggag	ggacgaagaa	cagggggcca	ttcctacggc	accagagaaa	2100
aatctcgctt	tgtttctctc	aaacctccct	gacgacactg	tcctcgctta	cggaatgtg	2160
cgtacccctc	ctgtcaatta	cctccctggt	gaaataacgc	accttttgca	actggcccg	2220
ataccacctc	tcattggcatt	tgagcgggtg	cctgaacccg	tgctcgcctc	agacacatat	2280
gtgcctacg	ttgcccgttc	caccagttc	gatgacaggc	ctctcatctc	cttcccgatc	2340
accttttcag	atcccgctca	tcagaacacc	ctgggtggcg	ccatcagttc	aaatttcgcc	2400
aattaccgtg	gggtgatcca	aatcactctg	acattttgtg	gacccatgat	ggcgagaggg	2460
aaattcctgc	tctcgtatct	tcccccaaat	ggaacgcaac	cacagactct	ttccgaagct	2520
atgcagtgtc	catactctat	ttggggacata	ggcttgaact	ctagttggac	cttcgctcgc	2580
ccctacatct	cgcccagtg	ctaccgtgaa	actcgagcca	ttaccaactc	ggtttactcc	2640
gctgatgggt	gggttagctt	gcacaagttg	acaaaaatta	ctctaccacc	tgactgtccg	2700
caaagtccct	gcattctctt	tttcgcttct	gctgggtgag	attacactct	ccgtctcccc	2760
gttgattgtc	atccttctca	tgtgttcac	tcacccgaca	acgcccagac	cgggggttat	2820
gagggcggtc	acactgacac	cgatttctct	gggtgaactg	cggctcctgg	ctctaaccac	2880
actaatgtca	agttcctggt	tgatcgatct	cgattattga	atgtaatcaa	ggtagctggag	2940
aaggacgcgc	ttttccccgc	ccctttccct	acacaagaag	gtgcgcagca	ggatgatggt	3000
tacttttgtc	ttctgacccc	ccgcccacaa	gtcgtctccc	gacccgccc	tcgtttccgc	3060
ctgtacgcca	atcgtccggg	cagtgggtgt	cttgctaaca	cttcactgga	cttcaatttt	3120
tatagcttgg	cctgtttcac	ttactttaga	tcggaccttg	aggttacggt	gggtcactca	3180
gagccggatc	tggaaatttg	tgtagggtgg	ttctctctcg	gcagtgaata	ccaggcttcc	3240
agctttgtct	acgaccagct	gcatgtgccc	ttccacttta	ctggggcgac	tcccccgct	3300
ttcgtagaca	agggtgggaa	ggatctcttc	gtgctccctt	ggaaactctg	ctcgtctgtg	3360
ctccccgtgc	gctggggggg	ggcttccaa	ctctctctcg	ctacgcgggg	tctaccggcg	3420
catgctgatt	ggggggactat	ttacgccttt	gtcccccgct	ctaatagaga	gaaaagcacc	3480
gctgtaaaa	acgtggccgt	gtacattcgg	tacaagaacg	cacgtgcctg	gtgccccagc	3540
atgcttccct	ttcgacgcta	caagcagaag	atgctgatgc	aatctggcga	tatcgagacc	3600
aatccccggc	cgtagagcaa	gggcgaggag	ctgttcacgc	gggtgggtgc	catcctgggt	3660
gagctggagc	gcgacgtaaa	cgccccacaag	ttcagcgtgt	ccggcgaggg	cgagggcgat	3720
gccacctacg	gcaagctgac	cctgaagttc	atctgcacca	ccggcaagct	gcccgtgcc	3780
tggccccc	tcgtgaccac	cctgacctac	ggcgtgcagt	gcttcagccg	ctaccccgac	3840
catatgaagc	agcacgactt	cttcaagttc	gccatgcccg	aaggctacgt	ccaggagcgc	3900
accattctct	tcaagcacga	cggcaactac	aagacccgcg	ccgaggtgaa	gttcgagggc	3960
gacacccctg	tgaaccgcat	cgagctgaag	ggcatcgact	tcaaggagga	cggcaacatc	4020
ctgggggcaca	agctggagta	caactacaac	agccacaacg	tctatatcat	ggccgacaa	4080
cagaagaacg	gcatcaaggt	gaacttcaag	atccgccaca	acatcgagga	cggcagcgtg	4140
cagctcgccg	accactacca	gcagaacacc	cccatcgccg	acggccccgt	gctgctgccc	4200
gacaaccact	acctgagcac	ccagtccgcc	ctgagcaaa	acccccacga	gaagcgcgat	4260
cacatgggtc	tgtctggagt	cgtgaccgcc	gcccggatca	ctctcggcat	ggacgagctg	4320
tacaaggagg	gcagagggaag	tctgctaaca	tgccgtgacg	tcgaggagaa	tcccggccct	4380
gcttctgaca	acccaatttt	ggagtttctt	gaagcagaaa	atgatctagt	cactctggcc	4440
tctctctgga	agatgggtgca	ctctgttcaa	cagacctgga	gaaagtatgt	gaagaacgat	4500
gattttttgg	ccaattttact	cagcgagcta	gtggggggaag	gctctgtcgc	cttggccgcc	4560
acgctatcca	accaagcttc	agttaaaggct	cttttggggc	tgcactttct	ctctcggggg	4620
ctcaattaca	ctgactttta	ctctttactg	atagagaaat	gctctagtgt	ctttaccgta	4680
gaaccacctc	ctccaccagc	tgaaaacctg	atgaccaagc	cctcagtga	gtcgaatttc	4740
cgaaaactgt	ttaagatgca	aggacctcat	gacaaagtca	aagactggaa	ccaaatagct	4800
gccggtctga	agaattttca	atttgttcgt	gacctagtca	aagaggtggt	cgattggctg	4860
caggcctgga	tcaacaaa	gaaagccagc	cctgtccctc	agtaccagtt	ggagatgaag	4920
aagctcgggc	ctgtggccct	ggctcatgac	gctttcatgg	ctggttcggc	gccccctct	4980
agcgacgacc	agattgaata	cctccagaa	ctcaaatctc	ttgcctcaac	actgggggaa	5040

-continued

```

actaatattg cccaaagtct caccactatg atcaatgcca aacaaagtcc agcccaacga 5100
gttgaaccgg ttgtgggtgg ccttagaggc aagccgggat gcggcaagag cttggcctct 5160
acgttgattg cccagggtgt gtccaagcgc ctctatggct cccaaagtgt atattctctt 5220
ccccagatc cagatttctt cgatggatac aaaggacagt tcgtgacctt gatggatgat 5280
ttgggacaaa acccggtatg acaagatttc tccacctttt gtcagatggg gtcgacggcc 5340
caatttctcc ccaacatggc ggaccttgca gagaaagggc gtccctttac ctccaatctc 5400
atcattgcaa ctacaaatct cccccacttc agtcctgtca ccattgctga tccttctgca 5460
gtctctcgcc gtatcaacta cgaactgact ctagaagtat ctgaggccta caagaaacac 5520
acacggctga attttgactt ggctttcagg cgcacagacg ccccccccat ttatcctttt 5580
gctgcccattg tgcctttgtt ggacgtatgt gtgcgcttca aaaaagggtca ccagaatttt 5640
aatctcctag agttggtcga ttccattttg acagacattc gagccaagca acaagggtgc 5700
cgaaacatgc agactctggt tctacagagc cccaacgaga atgatgacac ccccgctcag 5760
gaggcggttg gtatagttct ctccccgctt gcggctcgat agggcgctgt cgacctcact 5820
ccagaggccg acccggtttg cegttttggc attcttgcca agctaggtct tgccttagct 5880
gcggctcacc ctggtctgat aatcttgcca gtgggactct acaggtaact ctctggtctt 5940
gatgcagacc aagaagaaac agaaagtgtg ggatctgtca aggcaccagg gagcgaaaat 6000
gcttatgacg gcccgaaaga aaactctaag ccccttgtag cactctctct catggaaatg 6060
caacagccca acgtggacat gggcttttag gctgcggctc ctaagaaagt ggtcgtcccc 6120
attaccttca tgggtcccaa cagaccttct gggcttacac agtccgctct tctggtgacc 6180
ggccggacct tccaatcaaa tgaaacatac tgggtccaat cctcctggac cagcttcaca 6240
atcccggttg aggtacacac tcgtgatgag cccctccaaa cgggttcattt cactcaccac 6300
ggatttccca cagatctgat gatggtacgt ctcggaccgg gcaattcttt ccctaacaat 6360
ctagacaagt ttggacttga ccagatggcg gcacgcaact cccgtgtggt tggcgtttcg 6420
tccagttacg gaaactctct ctctcttgga aattctctcg gatttgttga ttccatcacc 6480
tctgaacaag gaacttacgc aaagactctt aggtacaggg tgacgacctc caaaggatgg 6540
tgcggctcgg cccgtggttg tgaggccggt ggcgtccgac gcacatttgg cctgcattct 6600
gctggcgccg ccggtatctg cgcggggacc tatatctcaa aattaggact aatcaaaagg 6660
ctgaaacacc tccgtgaaac ttgggccaca atgcaaggac tgatgactga attagagcct 6720
ggaaaccacc tacatgtacc ccggaaatcc aaattgagaa agacgacggc acacgcggtg 6780
tacaacccgg agtttgagcc tgcgtgtgtg tcaaaatttg atccagact gaacaaggat 6840
gttgacttgg atgaagttaa ttggtctaaa cacactgcca atgtccctta ccaacctcct 6900
ttgttctaca catacatgtc agagtacgct catcgagtct tctccttctt ggggaaagac 6960
aatgacatc tgaccgtcaa agaagcaatt ctgggcatcc ccggactaga cccctaggat 7020
ccccacacag ctccgggtct cctctacgcc atcaacggcc ttcgacgtac tgatctcgtc 7080
gatttttgta acggtagact agatgcggcg ctggctgtac aaatccagaa attcttagac 7140
ggtagactct ctgacctgtt ctccaaaact tttctgaaag atgagatcag accctcagag 7200
aaagtccgag cgggaaaaaac ccgcatgtgt gatgtgccct cccctggcgca ttgcattgtg 7260
ggcagaatgt tgcctggggc ctttctgtcc aagtttcaat cccatcctgg ttttctctc 7320
ggctctgcta tcgggtctga cctgatgtt tcttggaacc tcataggggc tcaactcgag 7380
gggagaaaaga acagcgctgc ctgggactac agtgccttgg actcttcaca cggcactggc 7440
tccttcagag ctctcatctc tcaacttttc accgtggaca atgggttttag cctgcgctg 7500
ggaccgtatc tcagatccct ggctgtctcg gtgcacgctt acggcgagcg tcgcatacag 7560
attaccgggtg gccctccctc cgtttgtgcc gcgaccagcc tgcgaaacac agtgcataac 7620
aatgtgatca tcaggactgc tctggcattg acttacaagg aatttgaata tgacatggtt 7680
gatatcatcg cctacggtga cgaacctctg gttggcacgg attacgatct ggacttcaat 7740
gaaggtggcac gcagcgctgc caagttgggg tataagatga ctctcgccaa caagggttct 7800
gtcttccctc cgaactctct tctttccgat gctgttttct taaagcgcaa attcgtccaa 7860
aacaacgacg gctatacaaa accagttatg gatttaaaga atttggaagc catgctctcc 7920
tacttcaaac caggaaacat actcgagaag ctgcaatctg tttctatgtt ggctcaacat 7980
tctggaaaag aagaatatga tagattgatg caccctctcg ctgactacgg tgcggtaccg 8040
agtcacgagt acctgcaggc aagatggagg gccttggtcg actgaccagg atagcccaag 8100
gcgcttcggt gctgcggcg atcttgggag aactcagtcg gaacagaaaaa gggaaaaaaa 8160
aaaaaaaaaa aaaaaaaaaa aaaggccggc atggtccagg cctcctcgct gggcgccggc 8220
gggcaacatg ctcggcatg gcgaatggga cgcggccgc 8259

```

```

SEQ ID NO: 42      moltype = DNA length = 8261
FEATURE           Location/Qualifiers
misc_feature       1..8261
                   note = SVV-IRES1-GFP IVT template
source            1..8261
                   mol_type = other DNA
                   organism = synthetic construct

```

```

SEQUENCE: 42
taatacgaact cactataggg agaccaagc tggctagcgt ttaaaacttaa gcttggtacc 60
ttatcaaaact gatgagtcgg tgaggacgaa acgagtaagc tcgtctttga aatggggggc 120
tgggcccctca tgcccagtc ttccctttccc ctccgggggg gtaaacgggc tgtgtttgct 180
agaggcacag agggagcaaca tccaacctgc ttttgtgggg aacgggtcgg ctccaattcc 240
tgctcgccca aaggtgttag cgcacccaaa cggcgcatct accaatgcta ttggtgtggt 300
ctgcgagttc tagcctactc gttttctccc tatccactca ctacgcaca aaaagtgtgc 360
tgtaattaca agatttagcc ctgcgacgag atgtgcgata accgcaagat tgactcaagc 420
gcggaaagcg ctgtaaccac atgctgttag tcccttcagt gctgcgagat ggctatccac 480
ctcggatcac tgaactggag ctgcacccct cttagtaagg gaaccgagag gccttcttgc 540
aacaagctcc gacacagagt ccacgtgatt gctaccacca tgagtacatg gttctccctc 600
ctcgacccag gacttctttt tgaatatcca cggctcgatc cagaggggtg ggcgatgatc 660
ccctagcata gcgagctaca gcgggaactg tagctaggcc ttacgctgcc ttggatactg 720
cctgataggg cgacggccta gtcgtgtcgg ttctataggt agcacatata aatatgcaga 780

```

-continued

actctcattt	ttctttcgat	acagcctctg	gcacctttga	agatgtaacc	ggaacaaaa	840
tcaagatcgt	tgaatacccc	agatcgggtga	acaatgggtg	ttacgattcg	tctactcatt	900
tggagatact	gaacctacag	gggtgaaattg	aaatttttaag	gtcttttcaat	gaataccaaa	960
ttcgcgcgcg	caaacaacaa	ctcggactgg	acatcgtgta	cgaactacag	ggtaatgttc	1020
agacaacgtc	aaagaatgat	tttgattccc	gtggcaataa	tggtaacatg	accttcaatt	1080
actacgcaaa	cacttatcag	aattcagtag	acttctcgac	ctcctcgtcg	gcgtcaggcg	1140
ccggacctgg	gaactctcgg	ggcggattag	cgggtctcct	cacaaatttc	agtggaaatc	1200
tgaacctctc	tggctacctc	aaagatcaca	acaccgaaga	aatggaaaac	tctgctgac	1260
gagtcacaac	gcaaacggcg	ggcaaacactg	ccataaacac	gcaatcatca	ttgggtgtgt	1320
tgtgtgccta	cgttgaagac	ccgaccaaat	ctgactctcc	gtccagcagc	acagatcaac	1380
ccaccaccac	tttcaactgcc	atcgacaggt	ggtaacactgg	acgtctcaat	tcttggaaca	1440
aagctgtaaa	aaccttctct	tttcaggccg	tcccgcttcc	cgggtgcctt	ctgtctaggc	1500
agggaggcct	caacggaggg	gccttcacag	ctaccctaca	tagacacttt	ttgatgaagt	1560
gcgggtggca	ggtgcaggtc	caatgtaatt	tgacacaatt	ccaccaaggg	gctcttctg	1620
ttgcatgggt	tcttgaacac	acccttgatg	tcaagcccg	cggtgaaggca	aagagcttac	1680
aggagctgaa	tgaagaacag	tggttgga	tgtctgacga	ttaccggacc	gggaaaaaca	1740
tgctttttaa	gtctctgggc	acatactatc	ggccccctaa	ctggacttgg	gggtcccaat	1800
tcatcaaccc	ctatcaagta	acgggttttc	cacaccaaat	tctgaacgcg	agaacctcta	1860
cctcggtaga	cataaacgtc	ccatacatcg	gggagacccc	cacgcaatcc	tcagagacac	1920
agaaactcctg	gacctctc	gttatgggtg	tctgtccctc	agactataag	gaaggagcca	1980
caactgaccc	agaaattaca	ttttctgtaa	ggcctacaag	tccttacttc	aatgggcttc	2040
gcaacccgta	cacggccggg	acggacgaag	aacagggggc	cattctacg	gcaccagag	2100
aaaaattcgct	tatgtttctc	tcaacctctc	ctgacgacac	tgtccctgct	tacggggaatg	2160
tgcgtacccc	tctctgcaat	tacctccctg	gtgaaataac	cgaccttttg	caactggccc	2220
gcataccca	tctcatggca	tttgacgggg	tgctgaacc	cgtgcctgac	tcagacacat	2280
atgtgccccta	cgttgccgtt	cccacccagt	tcgatgacag	gcctctctac	tccttcccga	2340
tcaccttttc	agatcccgct	tcatcagaaca	ccctgggttg	cgccatcagt	tcaaatttcg	2400
ccaattaccg	tggtgtgatc	caaatcactc	tgacattttg	tggaccatg	atggcgagag	2460
ggaaattctc	gctctcgtat	tctcccccaa	atggaaacga	accacagact	ctttccgaag	2520
ctatgcagtg	cacatactct	atttgggaca	taggcttgaa	ctctagttag	accttcgtcg	2580
tccctcatat	ctcgcacagt	gactaccgtg	aaactcgagc	cattaccaac	tcgggtttact	2640
ccgctgatgg	ttggtttagc	ctgcacaagt	tgacaaaaat	tactctacca	cctgactgtc	2700
cgcaaatgct	ctgcatctct	tttttcgctt	ctgctgggtga	ggattacact	ctccgtctcc	2760
ccgttgatgt	taatccttcc	tatgtgttcc	actccaccga	caacgcgcag	accgggggta	2820
ttgagggcggg	taacactgac	accgatttct	ctgggtgaact	ggcgggtcct	ggctctaac	2880
acactaatgt	caagttcctg	tttgatcgat	ctcgattatt	gaatgtaatc	aaggtagctg	2940
agaaggagcg	cgttttcccc	gccttttccc	ctacacaaga	aggtgcgcag	caggatgatg	3000
gttaacttttg	ttctctgacc	ccccgcccc	cagtcgcttc	ccgacccgac	actcgtttcg	3060
gcctgtacgc	caatccgtcc	ggcagtggtg	ttcttgctaa	cacttcaactg	gacttcaatt	3120
tttatagcct	ggcctgtttc	acttacttta	gatcggacct	tgaggttacg	gtggtctcac	3180
tagagccgga	tctggaattt	gctgtagggt	ggtttccctc	tggcagtgaa	taccaggctt	3240
ccagctttgt	ctacgaccag	ctgcactgtg	ccttccactt	tactgggcgc	actccccgcg	3300
ctttcgctag	caaggttggg	aaggtatctt	tcgtgctccc	ttggaactct	gtctcgtctg	3360
tgctccccgt	gcgctggggg	gggggttcca	agctctcttc	tgctacgcg	ggctaccggg	3420
cgcatgctga	ttgggggaact	atttacgcct	ttgtcccccg	tcctaatgag	aagaaaaaga	3480
ccgctgtaaa	acacgtggcc	gtgtacattc	ggtaacaaga	cgcacgtgcc	tggtgcccc	3540
gcatgcttcc	cttctgcagc	tacaagcaga	agatgctgat	gcaatctggc	gatatacgaga	3600
ccaatcccg	gccgatgagc	aagggcgagg	agctgttcac	cgggggtggg	cccatcctgg	3660
tcgagctgga	cggcgacgta	aacggccaca	agttcagcgt	gtccggcgag	ggcgaggggc	3720
atgccaccta	cggaacgctg	accctgaagt	tcatctgcac	caccggcaag	ctgccggtgc	3780
cctggccca	cctcgtgacc	accctgacct	acggcgtgca	gtgcttcagc	cgctaccccg	3840
accacatgaa	gcagccagac	ttcttcaagt	ccgcatgcc	cgaaggctac	gtccaggagc	3900
gcaccatctt	cttcaaggac	gacggcaact	acaagaccgc	cgccgaggtg	aagttcgagg	3960
gcgacaccct	gggtgaaccgc	atcgagctga	agggcatcga	cttcaaggag	gacggcaaca	4020
tcctggggca	caagctggag	tacaactaca	acagccacaa	cgtctatctc	atggccgaca	4080
agcagaagaa	cggcatcaag	gtgaacttca	agatccgcca	caacatcgag	gacggcagcg	4140
tgcagctcgc	cgaccactac	cagcagaaca	cccccatcgg	cgacggcccc	gtgctgctgc	4200
ccgacaacca	ctacctgagc	accagttccg	ccctgagcaa	agaccccaac	gagaagcgcg	4260
atcacatggt	cctgctggag	ttcgtgaccg	ccgcccggat	cactctcggc	atggacgagc	4320
tgtacaagga	gggcagagga	agtctgctaa	catgcgggtga	cgtcgaggag	aatcccgggc	4380
ctgcttctga	caacccaatt	ttggagtttc	ttgaagcaga	aaatgatcta	gtcaactctg	4440
cctctctctg	gaagatgggt	cactctgttc	aacagacctg	gagaaagtat	gtgaagaacg	4500
atgatttttg	gcccaattta	ctcagcgagc	tagtggggga	aggctctgtc	gccttggccg	4560
ccacgctatc	caaccaagct	tcagtaagag	ctcttttggg	cctgcacttt	ctctctcggg	4620
ggctcaatta	cactgacttt	tactctttac	tgatagagaa	atgctctagt	ttctttaccg	4680
tagaaccacc	tcctccacca	gctgaaaacc	tgatgaccaa	gccctcagtg	aagtcgaaat	4740
tcggaaaact	gtttaagatg	caaggaccca	tggaacaaat	caaagactgg	aaccaaatag	4800
ctgcgggctt	gaagaatttt	caatttgttc	gtgacctagt	caaagagggtg	gtcgattggc	4860
tgcaggcctg	gatcaacaaa	gagaaagcca	gccctgtctc	ccagtaccag	ttggagatga	4920
agaagctcgg	gcctgtgggc	ttggctcatg	acgctttcat	ggctggttcc	gggccccctc	4980
ttagcgagca	ccagattgaa	tacctccaga	acctcaaatc	tcttgcctca	acactgggga	5040
agactaaatt	ggcccaagat	ctcaccacta	tgatcaatgc	caaacaaagt	tcagcccaac	5100
gagttgaacc	cgttgtgggtg	gtccttagag	gcaagccggg	atgcggcaag	agcttggcct	5160
ctacgttgat	tgcgccaggt	gtgtccaagc	gcctctatgt	ctcccaagat	gtatattctc	5220
ttccccaga	tcagagtttc	ttcgatggat	acaaaggaca	gttcgtgacc	ttgatggatg	5280
atttgggaca	aaacccggat	ggacaagatt	tctccacctt	ttgtcagatg	gtgtcgaccg	5340

-continued

```

ccccatttct ccccaacatg gcggaccttg cagagaaagg gcgtcccttt acctccaate 5400
tcatcattgc aactacaaat ctcccccact tcagtcctgt caccattgct gatccttctg 5460
cagtcctctcg ccgtatcaac tacgatctga ctctagaagt atctgaggcc tacaagaaac 5520
acacacggct gaattttgac ttggctttca ggcgacaga cgcccccccc atttatectt 5580
ttgctgcccc tgtgcccttt gtggacgtag ctgtgcgctt caaaaatggg caccagaatt 5640
ttaatctctc agagttggtc gattccattt gtacagacat tcgagccaag caacaagggtg 5700
ccggaacat gcagactctg gttctacaga gcccacaga gaatgatgac acccccgctg 5760
acgagggcgtt gggtagagtt ctctcccccg ctgcggtcga tgaggcgctt gtcgacctca 5820
ctccagaggc cgaccccggtt ggccgtttgg ctattcttgc caagctagggt cttgcccctag 5880
ctgcggtcac cctcggtctg ataactttgg cagtgggact ctacaggtag ttctctgggt 5940
ctgatgcaga ccaagaagaa acagaagtg agggatctgt caaggcacc aggagcgaaa 6000
atgcttatga cggcccgaag aaaaactcta agccccctgg agcactctct ctcatggaaa 6060
tgcaacagcc caacgtggac atgggctttg aggtgcggt cgctaagaaa gtggtcgtcc 6120
ccattacctt cgtgcccttc aacagacctt ctgggcttac acagtccgct cttctgggtg 6180
cgggcccggc cttcctaact aatgaacata catggtccaa tccctcctgg accagcttca 6240
caatccgctg taggtacac actcgtgatg agcccttcca aacgggttcat ttactcacc 6300
acggtattcc cacagatctg atgatggtag gtctcggacc gggcaattct ttcctaaca 6360
atctagacaa gtttggactt gaccagatgc cggcacgcaa ctcccgctgt gttggcggtt 6420
cgtccagtta cggaaacttc ttcttctctg gaaatttctc cggatttgtt gattccatca 6480
cctctgaaca aggaacttac gcaagactct ttaggtacag ggtgacgacc tacaaggat 6540
ggtgcccgtc ggcctcggtc tgtgagggcg gtggcgctccg acgcatcatt ggccctgatt 6600
ctgctggcgc cgcggtgac ggccgcccga cctatatctc aaaattagga ctaatcaaag 6660
cctgaacaca cctcggtgaa cctttggcca caatgcaagg actgatgact gaattagagc 6720
ctggaatcac cgtacatgta ccccggaat ccaaatagag aaagacgacc gcacacgctg 6780
tgtacaaccc ggagtttgag ctcgtgtgtg tgtcaaaatt tgatcccaga ctgaacaagg 6840
atgttgactt ggatgaagta atttggctta aacacactgc caatgtccct taccacacct 6900
ctttgttcta cacatacatg tcagagtacg ctcatcgagt cttctccttc ttggggaaag 6960
acaatgacat tctgaccgtc aaagaagcaa ttctgggcat ccccgacta gaccctatgg 7020
atccccacac agctccgggt ctgccttacg ccatcaacgg ccttcgactg actgatctcg 7080
tcgattttgt gaacggtaga gtatagtcgg cgtctggctgt acaaatccag aaattcttag 7140
acggtgacta ctctgacct gtcttccaaa cttttctgaa agatgagatc agaccctcag 7200
agaaagtcgc agcgggaaaa accccgattg ttgatgtgcc ctccctggcg cattgcattg 7260
tgggcagaat gttgcttggg cgctttgctg ccaagtcca atcccatcct ggctttctcc 7320
tcggctctgc tatcgggtct gacctgatg ttttctggac cgtcataggg gctcaactcg 7380
aggggagaaa gaacacgtat gcagtgactt acagtgcctt tgactcttca caccggcactg 7440
gctccttcga ggctctcatc ttctcatttt tcaccgtgga caatgggttt agccctgcgc 7500
tggaacgcta tctcagatcc tcggctgtct cgggtgcacgc ttacggcgag cgtcgcatca 7560
agattaccgg tggcctcccc tccggttgtg ccgcgaccag cctgctgaac acagtgtcga 7620
acaatgtgat catcaggact gctctggcat tgacttaca ggaatttgaa tatgacatgg 7680
ttgatcatc atcctacggt gacgaccttc tgggtggcac ggattacgat ctggacttca 7740
atgaggtggc acgacgcgct gccaaagtgg ggtataagat gactcctgcc aacaagggtt 7800
ctgtcttccc tcgactctcc ttctcttccg atgctgtttt tctaaagcgc aaattcgtcc 7860
aaaaacaaga cggcttatcc aaaccagtta tggatttaaa gaatttggaa gccatgctct 7920
cctacttcaa accaggaaca ctactcgaga agctgcaatc tgtttctatg ttggctcaac 7980
attctggaaa agaagaatat gatagattga tgcacccctt cgctgactac ggtgcccgtac 8040
cgagtacga gtacctgcag ccaagatgga gggccttgtt cgactgacc agatagccca 8100
agggccttcg gtgctgcccgg gattctgggg agaactcagt cggaaacaga aagggaaaaa 8160
aaaaaaaaaa aaaaaaaaaa aaaaaggccg gcatgggtccc agcctcctcg ctggcgccgg 8220
ctgggcaaca tgcttcggca tggcgaatgg gacgcggccg c 8261

```

```

SEQ ID NO: 43      moltype = DNA length = 8261
FEATURE
misc_feature       1..8261
                    note = SVV-IRES2-GFP IVT template
source             1..8261
                    mol_type = other DNA
                    organism = synthetic construct

```

```

SEQUENCE: 43
taatacgact cactataggg agaccaagc tggctagcgt ttaaaactaa gcttggtagc 60
ttatacaact gatgagtcgg tgaggacgaa acgagtaagc tcgtctttga aatggggggc 120
tgggccctga tgcccagttc ttctcttccc ctccgggggg gttaacccgc tgtgtttgct 180
agaggcacag agggagcaaca tccaacctgc ttttgtgggg aacgggtgcgg ctccaattcc 240
tgcgctcgca aagggtgttag cgcacccaaa cggcgcatct accaatgcta ttggtgtggt 300
ctgcgagttc tagcctactc gtttctcccc tattcattca ctacgcgaca aaaagtgtgt 360
tgttaactca agatttagcc ctcacacggg atggtgtgata accgcaagac tgactcaagc 420
gcggaaacgc ctgtaaccgc atgctgttag tccctttatg gctgcgagat ggctatccac 480
ctcggatcac tgaactggag ctgcacccct cttagtaagg gaaccgagag gccttcttgc 540
aacaagctcc gacacagat ccacgtgatt gctaccacca tgagtacatg gttctccctc 600
ctcgaccacg gacttctttt tgaatatcca cggctcgatc cagaggggtg ggcatgatcc 660
cctagcata cgcagctaca gcgggaactg tagctaggcc tttagcgtgc ttggatactg 720
cctgataggg cgaacggcta gtcgtgtcgg ttctataggt agcacatata aatatgcaga 780
actctcattt ttctttcgat acagcctctg gcaccttga agatgtaacc ggaacaaaag 840
tcaagatcgt tgaatacccc agatcgggtg acaatgggtt ttacgattcg tctactcatt 900
tggagatact gaacctacag ggtgaaattg aaattttaag gtctttcaat gaataccaaa 960
tcgcgcccgc caacaacaa ctcggaactg acatcgtgta cgaactacag ggtaatgttc 1020
agacaacgctc aaagaatgat tttgattccc gtcgcaataa tggtaacatg accttcaatt 1080

```


-continued

actacgcaaa	cacttatcag	aattcagtag	acttctcgac	ctcctcgteg	gcgtcaggcg	1140
ccggacctcg	gaactctcgg	ggcggattag	cgggtctcct	cacaaatttc	agtggaaatct	1200
tgaacctctt	tggctacctc	aaagatcaca	acaccgaaga	aatggaaaac	tctgctgatc	1260
gagtcacaa	gcaaacggcg	ggcaacactg	ccataaacac	gcaatcatca	ttgggtgtgt	1320
tgtgtgccta	cgttgaagac	ccgaccaaat	ctgatoctcc	gtccagcagc	acagatcaac	1380
ccaccaccac	tttcaactgcc	atcgacaggt	ggtacactgg	acgtctcaat	tcttggacaa	1440
aagctgtaaa	aaccttctct	tttcaggccg	tcccgtctcc	cgggtgccttt	ctgtctagge	1500
agggaggcct	caacggaggg	gccttcacag	ctaccctaca	tagacacttt	ttgatgaagt	1560
gggggtggca	ggtgcaggtc	caatgtaatt	tgacacaatt	ccaccaaggc	gctcttcttg	1620
ttgccatggt	tcttgaaac	acccttgatg	tcaagcccga	cggtaaggca	aagagcttac	1680
aggagctgaa	tgaagaacag	tgggtggaaa	tgtctgacga	ttaccggacc	gggaaaaaca	1740
tgccctttca	gtctcttggc	acatactatc	ggccccctaa	ctggacttgg	ggtcccaatt	1800
tcatcaaccc	ctatcaagta	acgggtttcc	cacaccaaat	tctgaacgcg	agaacctcta	1860
cctcggtaga	cataaacgtc	ccatacatcg	gggagacccc	cacgcaatcc	tcagagacac	1920
agaactcctg	gacctctctc	gttatgggtg	tcgttccccct	agactataag	gaaggagcca	1980
caactgaccc	agaaattaca	tttctgttaa	ggcctacaag	tcctctactt	aatgggcttc	2040
gcaaccgcta	acgggcgggg	acggacgaag	aacaggggcc	cattctctacg	gcaccagag	2100
aaaattcgct	tatgtttctc	tcaacctctc	ctgacgcacac	tgtccctgct	tacgggaatg	2160
tgcgtaaccc	tctgtcaaat	tacctccctg	gtgaaataac	cgaccttttg	caactggccc	2220
gcataccccc	tctcatggca	tttgagcggg	tgccctgaacc	cgtgcctgcc	tcagacacat	2280
atgtgcccta	cgttgccggt	cccaccaggt	tcgatgacag	gcctctctac	tccttcccga	2340
tcaccctttc	agatcccgtc	tatcagaaca	ccctgggttg	cgcctacagt	tcaaatttcg	2400
ccaaattaccg	tggtgtctatc	caaatcactc	tgacattttg	tggacccatg	atggcgagag	2460
ggaaattctct	gctctcgtat	tctcccccaa	atggaacgca	accacagact	ctttccgaag	2520
ctatgcagtg	cacatactct	atttgggaca	taggcttgaa	ctctagttag	acctctctcg	2580
tccccctacat	ctcgcaccag	gactaccgtg	aaactcgagc	cattaccaac	tcggtttact	2640
ccgctgatgg	ttggtttagc	ctgcacaagt	tgacaaaaat	tactctacca	cctgactgtc	2700
cgcaaatgct	ctgcattctc	tttttcgctt	ctgctggtga	ggattacact	ctccgtctcc	2760
ccgttgattg	taactccttc	tatgtgttcc	actccaccga	caacgcgcag	accgggggta	2820
ttgagggcggg	taacactgac	accgatttct	ctgggtgaact	ggcggtcctc	ggctctaacc	2880
acactaatgt	caagttctctg	tttgatcgat	ctcgattatt	gaatgtaate	aaggatctgg	2940
agaaggacgc	cgttttcccc	cgccttctcc	ctacacaaga	aggtgcgcag	caggatgatg	3000
gttacttttg	tctcttgacc	ccccgccccaa	cagtcgcttc	ccgacccgcc	actcgtttcg	3060
gcctgtacgc	gactccgttc	ggcagtggtg	ttcttgctaa	cacttccactg	gacttcaatt	3120
tttatagctt	ggcctgtttc	acttacttta	gatcggacct	tgagggttacg	gtgggtctac	3180
tagagccgga	tctggaattt	gctgtagggt	ggtttccctc	tggcagtgaa	taccaggctt	3240
ccagctttgt	ctacgaccag	ctgcattgtc	ccttccactt	tactggcgcc	actccccgcg	3300
ctttcgctag	caagggtggg	aagggtatctt	tcgtgctccc	ttggaaactc	gtctcgtctg	3360
tgtccccctg	gcgctggggg	gggggttcca	agctctcttc	tgtctacgcg	ggctctaccg	3420
cgcatgctga	ttgggggaat	atttacgcct	ttgtcccccg	tcctaagtga	aagaaaagca	3480
ccgctgtaaa	acacgtggcc	gtgtacattc	ggtacaagaa	cgcacgtgcc	tggtgcccc	3540
gcatgcttcc	ctttcgcagc	tacaagcaga	agatgctgat	gcaatctggc	gatatcgaga	3600
ccaatcccg	ccgatgagc	aagggcgagg	agctgttcac	cggggtgggtg	ccactcctgg	3660
tcgagctgga	ggcgagcgt	aacggccaca	agttcagcgt	gtccggcgag	ggcgagggcg	3720
atgccaccta	cggcaagctg	accctgaagt	tcatctgcac	caccggcgaag	ctgcccggtc	3780
cctggccca	ccctgtgacc	accctgacct	acggcgtgca	gtgcttcagc	cgctacccgc	3840
accacatgaa	gcagcacgac	ttcttcaagt	ccgcatgcc	cgaaggctac	gtccaggagc	3900
gcaccatctt	cttcaaggac	gacggcaact	acaagaccgc	cgccgagggtg	aagttcgagg	3960
gcgacaccct	ggtgaaccgc	atcgagctga	agggcatcga	cttcaaggag	gacggcaaca	4020
tctctgggca	caagctggag	tacaactaca	acagccacaa	cgtctatctc	atggccgaca	4080
agcagaagaa	cggcatcaag	gtgaacttca	agatccgcca	caacatcgag	gacggcagcg	4140
tcgagctcgt	cgaccactac	cagcagaaca	cccccatcgg	cgacggcccc	gtgctgtgct	4200
ccgacaacca	ctacctgagc	accaggtccg	ccctgagcaa	agaccccaac	gagaagcgcg	4260
atcacatggt	cctgctggag	ttcgtgaccg	ccgcccggat	cactctcggc	atggacgagc	4320
tgtacaagga	gggcagagga	agtctgctaa	catcggtgta	cgtcgaggag	aatccccggc	4380
ctgcttctga	caaccccaat	ttggagtttc	ttgaagcaga	aaatgatcta	gtcactctgg	4440
cctctctctg	gaagatgggtg	cactctgttc	aacagacctg	gagaaagtat	gtgaagaacg	4500
atgatttttg	gcccatttta	ctcagcgagc	tagtggggga	aggctctgtc	gccttggccg	4560
ccacgctatc	caaccaagct	tcagtaaagg	ctcttttggg	cctgcacttt	ctctctcggg	4620
ggctcaatta	cactgactttt	tactctttac	tgatagagaa	atgctctagt	ttctttaccg	4680
tagaaccacc	tcctccacca	gctgaaaacc	tgatgaccaa	gccctcagtg	aagtcgaaat	4740
tccgaaaact	gtttaagatg	caaggaccca	tggacaaaat	caaagactgg	aaccaaatag	4800
ctgccggctt	gaagaatttt	caatttggtc	gtgacctagt	caaagagggtg	gtcgattggc	4860
tgcaggcctg	gatcaacaaa	gagaaaagca	gccctgtcct	ccagtaccag	ttggagatga	4920
agaagctcgg	gccgtgtggc	ttggctcatg	agcgtttcat	ggctgggttc	gggccccctc	4980
ttagcgacga	ccagattgaa	tacctccaga	acctcaaatc	tcttgcccta	acactgggga	5040
agactaattt	ggcccaaggt	ctcaccacta	tgatcaatgc	caaacaaagt	tcagcccaac	5100
gagttgaacc	cgttgtgggtg	gtccttagag	gcaagccggg	atcgggcaag	agcttggcct	5160
ctacgttgat	tgcacaggt	gtgtccaagc	gcctctatgg	ctccccaaat	gtatattctc	5220
ttcccccaga	tccagatttc	ttcgatggat	acaaaggaca	gttcgtgacc	ttgatggatg	5280
atttgggaca	aaacccggat	ggacaagatt	tctccacctt	ttgtcagatg	gtgtcgaccg	5340
cccaattttc	cccccaacatg	gcggaccttg	cagagaaaag	gcgtcccttt	acctccaatc	5400
tcactattgc	aactacaaat	ctccccact	tcagtccgtg	caccattgct	gatcctctctg	5460
cagctctctg	ccgtatcaac	tacgatctga	ctctagaagt	atctgaggcc	tacaagaaac	5520
acacacggct	gaattttgac	ttggctttca	ggcgacacga	cgcocccccc	atttatcctt	5580
ttgctgcccc	tgtgcccttt	gtggacgtag	ctgtgcgctt	caaaaatggt	caccagaatt	5640

-continued

ttaatctcct	agagttgggc	gattccattt	gtacagacat	tcgagccaag	caacaagggtg	5700
cccgaaacat	gcagactctg	gttctacaga	gccccaacga	gaatgatgac	acccccgtcg	5760
acgaggcggt	gggtagagtt	ctctcccccg	ctgcgggtcga	tgaggcgctt	gtcgacctca	5820
ctccagaggg	cgccccgggt	ggcggtttgg	ctattcttgc	caagctaggt	cttgccttag	5880
ctgcgggtcac	ccctgggtctg	ataatcttgg	cagtgggact	ctacaggtac	ttctctgggt	5940
ctgatgcaga	ccaagaagaa	acagaaagt	agggatctgt	caaggcacc	aggagcgaaa	6000
atgcttatga	cggcccgaag	aaaaactcta	agccccctgg	agcactctct	ctcatggaaa	6060
tgcaacagcc	caacgtggac	atgggctttg	aggtcgcggt	cgctaagaaa	gtggtcgtcc	6120
ccattacctt	catggttccc	aacagacctt	ctgggcttac	acagtcgcgt	cttctggtga	6180
cgggcccggac	cttcctaata	aatgaacata	catggtccaa	tccctcctgg	accagcttca	6240
caatccgcgg	tgaggtaacac	actcgtgatg	agcccttcca	aacggttcat	ttcactcacc	6300
acggattatcc	cacagatctg	atgatggtac	gtctcggacc	gggcaattct	ttccctaaca	6360
atctagacaa	gtttggactt	gaccagatgc	cggcacgcaa	ctcccggtgtg	gttggcggtt	6420
cgtccagtta	cggaaaacttc	ttcttctctg	gaaattttct	cggattttgt	gattccatca	6480
cctctgaaca	aggaacttac	gcaagactct	ttaggtacag	ggtgacgacc	tacaaaggat	6540
ggtgcggctc	ggccctggct	tgtgaggcgg	gtggcgctccg	acgcacatt	ggcctgcatt	6600
ctgctggcgc	cgcgcgtatc	ggcgccggga	cctatatctc	aaaattagga	ctaataaag	6660
ccctgaaaca	cctcgggtgaa	cctttggcca	caatgcaagg	actgatgact	gaattagagc	6720
ctggaaatcac	ggtacattga	ccccggaaat	ccaaattgag	aaagacgacc	gcacacgcgg	6780
tgtacaaaacc	ggagtttgag	cctgctgtgt	tgtcaaaatt	tgatcccgag	ctgaacaagg	6840
atgttgactt	ggatgaagta	atttggtcta	aacacactgc	caatgtccct	taccaacctc	6900
ctttgttcta	cacatacatg	tcagagtacg	ctcatcgagt	cttctccttc	ttggggaaaag	6960
acaatgacat	tctgaccgtc	aaagaagcaa	ttctgggcat	ccccggacta	gaccccatgg	7020
atccccacac	agctccgggt	ctgccttacg	ccatcaacgg	ccttcgacgt	actgatctcg	7080
tcgattttgt	gaacgggtaca	gtagatgcgg	cgtcggctgt	acaaatccag	aaattcttag	7140
acggtgacta	ctctgacccat	gtcttccaaa	cttttctgaa	agatgagatc	agaccctcag	7200
agaaagtccg	agcgggaaaa	accgcatttg	ttgatgtgcc	ctccctggcg	cattgcatgg	7260
tgggcagaaat	gttgcttggg	cgctttgctg	ccaagtttca	atcccatcct	ggctttctcc	7320
tcggctctgc	taccgggtct	gtttctggac	cgctcatagg	gctcaactcg	gctcaactcg	7380
aggggagaaa	gaacacgtat	gacgtggact	acagtgcctt	tgactcttca	cacggcactg	7440
gctccttcga	ggctcttcac	tctcactttt	tcaccgtgga	caatggtttt	agccctgcgc	7500
tgggaccgta	tctcagatcc	ctggctgtct	cggtgacacg	ttacggcgag	cgtcgcatca	7560
agattaccgg	tggcctcccc	tccggtttgt	ccgcgaccag	cctgctgaac	acagtgtctc	7620
acaatgtgat	catcaggact	gctctggcat	tgacttacaa	ggaatttgaa	tatgacatgg	7680
ttgatatacat	cgcctacgggt	gacgaccttc	tgggtggcac	ggattacgat	ctggacttca	7740
atgaggtggc	acgacgcgct	gccaaagtgg	ggtataagat	gactcctgcc	aacaagggtt	7800
ctgtcttccc	tccgacttcc	tctctttccg	atgctgtttt	tctaaagcgc	aaattcgtcc	7860
aaaacaacga	cggcttatcc	aaaccagtta	tggattttaa	gaatttggaa	gccatgctct	7920
cctacttcaa	accaggaaca	ctactcgaga	agctgcaatc	tgtttctatg	ttggctcaac	7980
attctggaaa	agaagaattg	gatgaattga	tgcacccttc	cgtcgactac	ggtgcccgtac	8040
cagtcacaga	gtacctgcag	gcaagatgga	gggccttgtt	cgaactgacc	agatagccca	8100
aggcgcttcg	gtgctgcggg	cgaattctgg	agaactcagt	cggaaacaga	aagggaaaaa	8160
aaaaaaaaaa	aaaaaaaaaa	aaaaaggcgg	gcatggctcc	agcctcctcg	ctggcgccgg	8220
ctgggcaaca	tgcttcggca	tggcgaatgg	gacggcgccg	c		8261

SEQ ID NO: 44 moltype = DNA length = 8261
FEATURE Location/Qualifiers
misc_feature 1..8261
 note = SVV-IRES3-GFP IVT template
source 1..8261
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 44

taatacgact	cactataggg	agaccacaagc	tggctagcgt	ttaaacttaa	gcttgggtacc	60
ttatcaaaact	gatgagtcgc	tgaggacgaa	acgagtaagc	tcgtctttga	aatgggggggc	120
tgggcccctga	tgcccagttc	ttcctttccc	cttcgggggg	gttaaccggc	tgtgtttgt	180
agaggcacag	tggagcaaca	tccaacctgc	ttttgtgggg	aacgggtcgg	ctccaattcc	240
tgcgctgcga	aagggtgttag	cgcacccaaa	cggcgcgctc	accaatgcta	ttgggtgtggt	300
ctgcgagttc	tagcctactc	gtttctcccc	tactcactca	ttcacgcaca	aaaaactgtgt	360
tgtaaactaca	aggttttagcc	ctcgcacggg	atgtgcgata	accgcaagat	cgaactcaagc	420
gcggaaaagcg	ctgtaaccac	atgctgttag	tccctttatg	gctgcgagat	ggctaccacc	480
ctcggatcac	tgaactggag	ctcgcacctc	cttagtaagg	gaaccgagag	gccttcttgc	540
aacaagctcc	gacacagagt	ccacgtgatt	gctaccacca	tgagtacatg	gttctccccct	600
ctcgacccag	gacttctttt	tgaatatcca	cggctcgatc	cagaggggtg	ggcatgatcc	660
ccctagcata	gcgagctaca	gcgggaactg	tagctaggcc	ttagcgtgcc	ttggatactg	720
cctgataggg	cgacggccta	gtcgtgtcgg	ttctataggt	agcacataca	aatatgcaga	780
actctcattt	ttctttcgat	acagcctctg	gcacctttga	agatgtaacc	ggaacaaaag	840
tcaagatcgt	tgaatacccc	agatcgggtg	acaatgggtg	ttacgattcg	tctactcatt	900
tggagatact	gaacctacag	ggtgaaattg	aaattttaag	gtctttcaat	gaataccaaa	960
ttcgcgccgc	caaacaacaa	ctcggactgg	acatcgtgta	cgaactacag	ggtaattgttc	1020
agacaacgtc	aaagaatgat	tttgattccc	tggtgcaata	tggtgcaatg	accttcaatt	1080
actacgcaaa	cacttatcag	aattcagtag	acttctcgac	ctcctcgtcg	gcgtcaggcg	1140
cgggaccttg	gaactctcgg	ggcggattag	cgggtctcct	cacaaatttc	agtggaaatc	1200
tgaacctctc	tggctacctc	aaagatcaca	acaccgaaga	aatgggaaaac	tctgctgatc	1260
gagtcacaa	gcaaacggcg	ggcaacactg	ccataaacac	gcaatcatca	ttgggtgtgt	1320
tgtgtgccta	cgttgaagac	ccgaccaaat	ctgatcctcc	gtccagcagc	acagatcaac	1380

-continued

ccaccaccac	tttactgcc	atcgacaggt	ggtacactgg	acgtctcaat	tcttgacaa	1440
aagctgtaaa	aaccttctct	tttcaggccg	tcccgttcc	cgggtgcctt	ctgtctaggc	1500
agggaggcct	caacggaggg	gccttcacag	ctaccctaca	tagacacttt	ttgatgaagt	1560
gcggtgggca	ggtgcaggtc	caatgtaatt	tgacacaatt	ccaccaaggc	gctctcttg	1620
ttgccatggt	tccgaaacc	acccttgatg	tcaagcccga	cggtaaggca	aagagcttac	1680
aggagctgaa	tgaagaacag	tgggtggaaa	tgtctgacga	ttaccggacc	gggaaaaaca	1740
tgcttttca	gtctcttggc	acatactatc	ggccccctaa	ctggacttgg	ggtcccaatt	1800
tcatcaaccc	ctatcaagta	acgggttttc	cacaccaa	tctgaacgcg	agaacctcta	1860
cctcggtaga	cataaacgtc	ccatacatcg	gggagacccc	cacgcaatcc	tcagagacac	1920
agaactcctg	gacctctctc	gttatgggtg	tcgttccctc	agactataag	gaaggagcca	1980
caactgaccc	agaaattaca	ttttctgtaa	ggcctacaag	tcctacttcc	aatgggcttc	2040
gcaaccgcta	cacggccggg	acggacgaag	aacaggggcc	cattcctacg	gcaccagag	2100
aaaattcgct	tatgtttctc	ccaacctccc	ctgacgacac	tgtccctgct	tacgggaatg	2160
tgctgacccc	tcctgtcaat	tacctccctg	gtgaaataac	cgaccttttg	caactggccc	2220
gcatacccca	tctcatggca	tttgagcggg	tgccctgaacc	cgtgcctgcc	tcagacacat	2280
atgtgcccct	agttgcccgt	cccaccagt	tcgatgacag	gcctctcatc	tccttccoga	2340
tcaccttttc	cgatcccgct	tatcagaaca	ccctgggttg	cgccatcagt	tcaaatttcg	2400
ccaattaccg	tgggtgtatc	caaatcactc	tgacattttg	tggacccatg	atggcgagag	2460
ggaaattcct	gctctgtat	tctcccccaa	atggaaacgca	accacagact	ctttccgaag	2520
ctatgcagtg	gcataactct	atttgggaca	taggcttgaa	ctctagttag	accttctctg	2580
tcctctacat	ctcgcccgct	gactaccgtg	aaactcgagc	cattaccaac	tcgggttact	2640
ccgctgatgg	ttggtttagc	ctgcacaagt	tgacaaaat	tactctacca	cctgactgtc	2700
cgcgaagtcc	ctgcattctc	ttttctgctt	ctgctgggtg	ggattacact	ctcgtctccc	2760
ccgttgatgt	taatccttcc	tatgtgttcc	actccaccga	caacgcgcag	accgggggta	2820
ttgagggcgg	taaacctgac	accgatttct	ctgggtgaact	ggcggctcct	ggctctaacc	2880
acactaatgt	caagtctcctg	tttgatcgat	ctcgattatt	gaatgtaac	aaggtactgg	2940
agaaggagcg	cgttttcccc	cgccttctcc	ctacacaaga	aggtgcgcag	caggatgatg	3000
gttacttttg	cttctgacc	cccgcacca	cagtcgcttc	cgcacccgcc	actcgtttcg	3060
gcctgtacgc	caatccgctc	ggcagtggtg	ttcttgctaa	cacttcaact	gacttcaatt	3120
tttatagctt	ggcctgtttc	acttacttta	gatcggaact	tggaggttac	gtggtctcac	3180
tagagccgga	cttggaattt	gctgtagggt	ggtttctctc	tggcagtgaa	taccaggctt	3240
ccagctttgt	ctacgaccag	ctgcagtgtc	ccttccactt	tactgggcgc	actccccgcg	3300
ctttcgctag	caaggggtggg	aaggatctct	tcgtgctccc	ttggaactct	gtctcgtctg	3360
tgctccccgt	gcgctggggg	ggggcttcca	agctctcttc	tgtacgcgg	ggtctaccgg	3420
cgcatgctga	ttgggggact	atttacgcct	ttgtcccccg	tcctaataag	aagaaaagca	3480
ccgctgtaaa	acacgtggcc	gtgtacattc	ggtacaagaa	cgcacgtgcc	tggtgcccc	3540
gcctgcttcc	ctttcgcagc	tacaagcaga	agatgctgat	gcaatctggc	gatatcgaga	3600
ccaatccccg	gccgatgagc	aagggcgagg	agctgttcc	cgggggtggg	cccatcctgg	3660
tcgagctgga	cggcgacgta	aacggccaca	agttcagcgt	gtccggcgag	ggcgagggcg	3720
atggcaccta	cggcaagctg	accctgaagt	tcatctgcac	caccggcaag	ctgcccgctg	3780
cctggccccc	cctcgtgacc	accctgacct	acggcggtga	gtgcttcagc	cgtacccccg	3840
accacatgaa	gcagcacgac	ttcttcaagt	ccgccatgcc	cgaaggctac	gtccaggagc	3900
gcacatctct	cttcaaggag	gaaggcaact	acaagacccg	cgcagagggt	aagttcgagg	3960
ggcacacctc	ggtgaaccgc	atcgagctga	agggcatcga	cttcaaggag	gacggcaaca	4020
tccctggggca	caagctggag	tacaactaca	acagccacaa	cgtctatatc	atggccgaca	4080
agcagaagaa	cggcatcaag	gtgaacttca	agatccggca	caacatcgag	gacggcgagc	4140
tgacgctcgc	cggaccactac	cagcagaaca	cccccatcgg	cgcagggccc	gtgctgctgc	4200
ccgacaacca	ctactcgagc	accacgtccg	ccttgagcaa	agaccccaac	gagaagcgcg	4260
atcacatggt	cctgtggagg	ttcgtgaccg	ccgcggggat	cactctcgcc	atggacgagc	4320
tgtacaaggga	gggcagaggga	agtcctgctaa	catgcggtga	cgtcgaggga	aatccccggc	4380
ctgcttctga	caacccaatt	ttggagtttc	ttgaagcaga	aaatgatcta	gtcactctgg	4440
cctctctctg	gaagatgggtg	cactctgttc	aacagacctg	gagaaagtat	gtgaagaacg	4500
atgatttttg	ggcccaattta	ctcagcgagc	tagtggggga	aggtctctgc	gccttggccg	4560
ccacgctatc	caaccaagct	tcagtaaaag	ctcttttggg	cctgcacttt	ctctctcggg	4620
ggctcaatta	cactgacttt	tactctttac	tgatagagaa	atgctctagt	ttctttaccg	4680
tagaaccacc	tcctccacca	gctgaaaacc	tgatgaccaa	gcctcagtg	aagtcgaaat	4740
tcgaaaaact	gtttaagatg	caaggaccca	tggaacaaat	caaagactgg	aaccaaatag	4800
ctgcggcgtt	gaagaatttt	caatttgctc	gtgacctagt	caaagagggt	gtcgattggc	4860
tgacggcctg	gatcaacaaa	gagaaaagca	gcctgtcctc	ccagtaccag	ttggagatga	4920
agaagctcgg	gcctgtggcc	ttggctcatg	acgctttcat	ggctgggtcc	gggccccctc	4980
ttagcgagca	ccagatgtaa	tacctccaga	acctcaaatc	tcttgcccta	acactgggga	5040
agactaattt	ggcccaaggt	ctcaccacta	tgatcaatgc	caaacaaagt	tcagcccaac	5100
gagttgaacc	cgttgtgggtg	gtccttagag	gcaagccggg	atgcggcaag	agcttggcct	5160
ctacgttgat	tgcccagggt	gtgtccaagc	gcctctatgg	ctcccaaggt	gtatattctc	5220
ttccccaga	tcagattttc	ttcgatggat	acaaaggaca	gttcgtgacc	ttgatggatg	5280
atttgggaca	aaacccggat	ggacaagatt	tctccacctt	ttgtcagatg	gtgtcgaccg	5340
cccaatttct	cccccaactg	gcggaccttg	cagagaaaag	gcgtcccttt	acctccaatc	5400
tcacatctgc	aactacaat	ctccccact	tcagtccgtg	caccattgct	gatccttctg	5460
cagctctctg	ccgtatcaac	tacgatctga	ctctagaagt	atctgaggcc	tacaagaaac	5520
acacacggct	gaattttgac	ttggctttca	ggcgacacga	cgcaccccc	atttatcctt	5580
ttgctgcccc	gtgcccctt	gtggacgtag	ctgtgcgctt	caaaaatggt	caccagaatt	5640
ttaatctcct	agagttgggtc	gattccattt	gtacagacat	tcgagccaa	caacaagggtg	5700
cccgaacat	gcagactctg	gtctacacga	gccccacga	gaatgatgac	acccccgtcg	5760
acgaggcggt	gggtagagtt	ctctcccccg	ctgcggctga	tgaggcgctt	gtcgacctca	5820
ctccagaggc	cgaacgggtg	ggccggtttg	ctattcttgc	caagctaggt	cttgccttag	5880
ctgcggctcac	ccctggctctg	ataatcttgg	cagtgggact	ctacaggtac	ttctctggct	5940

-continued

ctgatgcaga	ccaagaagaa	acagaaagt	agggatctgt	caaggcacc	aggagcgaaa	6000
atgcttatga	cggcccgaa	aaaaactcta	agcccoctgg	agcactctct	ctcatggaaa	6060
tgcaacagcc	caacgtggac	atgggctttg	aggetgcggt	cgctaagaaa	gtggctgtcc	6120
ccattacett	catggttccc	aacagacctt	ctgggcttac	acagtccgct	cttctgggtga	6180
ccggccggac	cttcctaatc	aatgaacata	catgggtccaa	tcctcctggg	accagcttca	6240
caatccggcg	tgaggtagac	actcgtgatg	agcccttcca	aacggttcat	ttcactcacc	6300
acgggtattcc	cacagatctg	atgatggtag	gtctcggacc	gggcaattct	ttccctaaca	6360
atctagacaa	gtttggactt	gaccagatgc	cggcacgcaa	ctcccggtg	gttggcggtt	6420
cgctccagtta	cggaaacttc	ttcttctctg	gaaatttcc	cggatttgtt	gattccatca	6480
ctcttgaaaca	aggaactttac	gcaagactct	ttaggtacag	ggtgacgacc	tacaaaggat	6540
ggtgcggctc	ggccctggtc	tgtgaggccg	gtggcgctcg	acgcatcatt	ggcctgcatt	6600
ctgctggcg	cgccgggtatc	ggcgccggga	cctatatctc	aaaattagga	ctaatacaag	6660
ccctgaaaca	cctcgggtgaa	cctttggcca	caatgcaagg	actgatgact	gaattagagc	6720
ctgggaatcac	gttgcattga	cccggaatat	ccaaattgag	aaagacgacc	gcacacgctg	6780
tgtacaaacc	ggagtttgag	cctgctgtgt	tgtcaaaatt	tgatccacga	ctgaacaagg	6840
atggtgacct	ggatgaagta	atttggctta	aacacactgc	caatgtccct	taccaacctc	6900
ctttgtttcta	cacatacatg	tcagagtacg	ctcatcgagt	cttctccttc	ttggggaaaag	6960
acaatgacat	tctgaccgtc	aaagaagcaa	ttctgggcat	ccccggacta	gaccccatgg	7020
atccccacac	agctccgggt	ctgccttacg	ccatcaacgg	ccttcgacgt	actgatctcg	7080
tcgattttgt	gaacgggtaca	gtagatgcgg	cgtggtcgt	acaaatccag	aaattcttag	7140
acgggtgacta	ctctgaccat	gtcttccaaa	ctttctgtaa	agatgagatc	agaccctcag	7200
agaaagtccg	agcgggaaaa	acccgattg	ttgatgtgcc	ctccctggcg	cattgcattg	7260
tgggcagaaat	gttgcctggg	cgtttgtctg	ccaagtttca	atcccatcct	ggctttcttc	7320
tcggctctgc	tatcgggtct	gacctgatg	ttttctggac	cgtcataggg	gctcaactcg	7380
aggggagaaaa	gaacacgtat	gacgtggact	acagtgcctt	tgactcttca	cacggcactg	7440
gctccttcga	ggctctcatc	tctcactttt	tcaccgtgga	caatggtttt	agccctgcgc	7500
tgggaccgta	tctcagatcc	ctggctgtct	cgggtgcacg	ttacggcgag	cgtcgcatca	7560
agattaccgg	tggctccccc	tcgggttggt	ccgcgaccag	cctgctgaac	acagtgcctc	7620
acaatgtgat	catcaggact	gctctggcat	tgacttacaa	ggaatttgaa	tatgacatgg	7680
ttgatattcat	cgctacgggt	gacgaccttc	tggttggcac	ggattacgat	ctggacttca	7740
atgaggtggc	acgagcgctg	gccaagtgg	ggtataagat	gactcctgcc	aacaagggtt	7800
ctgtctttccc	tcgactttcc	tctctttccg	atgctgtttt	tctaaagcgc	aaattcgtcc	7860
aaaacaacga	cggcttatac	aaaccagtta	tggattttaa	gaatttggaa	gccatgctct	7920
cctactttcaa	accaggaaca	ctactcgaga	agctgcaatc	tgtttctatg	ttggctcaac	7980
attctggaaa	agaagaatat	gatagattga	tgcacccctt	cgtgactac	ggtgcggtac	8040
cgaagtcacga	gtacctgcag	gcaagatgga	gggccttgtt	cgaactgacc	agatagccca	8100
agggccttcg	gtgctgccc	gattctggg	agaactcagt	cgaacacgaa	aagggaaaaa	8160
aaaaaaaaaa	aaaaaaaaaa	aaaaaggccg	gcatgggtcc	agcctcctcg	ctggcgccgg	8220
ctgggcaaca	tgcttcggca	tggcgaatgg	gacgcggccg	c		8261

SEQ ID NO: 45 moltype = DNA length = 8259
FEATURE Location/Qualifiers
misc_feature 1..8259
 note = SVV-P1-1-GFP IVT template
source 1..8259
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 45

taatacgact	cactataggg	agacccaagc	tggtcagcgt	ttaaacttaa	gcttgggtacc	60
ttatcaaaact	gatgagtcg	tgaggacgaa	acgagtaagc	tcgtctttga	aatggggggc	120
tgggcccctga	tgcccagtc	ttcctttccc	cttcgggggg	gttaaccggc	tgtgtttgt	180
agaggcacag	aggggcaaca	tccaacctgc	ttttgcgggg	aacgggtcgg	ctccgattcc	240
tgcgtcgcca	aaggtgttag	cgcacccaaa	cggcgacact	accaatgtta	ttggtgtggt	300
ctgcgagttc	tagcctactc	gtttctcccc	cgaccattca	ctcaccacg	aaaagtgtgt	360
tgtaaaccata	agattttaa	cccgcacggg	atgtgcgata	accgtaagac	tggctcaagc	420
gcggaagcgc	ctgtaaccac	atgctgttag	tcctcttatg	gctgcaagat	ggctacccac	480
ctcggatcac	tgaactggag	ctcgaccttc	cttagtaagg	gaaccgagag	gccttcgtgc	540
aacaagctcc	gacacagagt	ccacgtgact	gctaccacca	tgagtacatg	gttctccct	600
ctcgacccag	gacttctttt	tgaatatcca	cggctcgatc	cagaggggtg	ggcatgaccc	660
ctagcatagc	gagctacagc	gggaactgta	gctaggcctt	agcgtgcctt	ggatactgcc	720
tgtagggcg	acggcctagt	cgtgtcgggt	ctataggtag	cacatacaaa	tatgcagaa	780
tctcactttt	ctttcgatag	agcctctggc	acctttgaag	acgtaaccgg	aacaaaagtc	840
aagatcgttg	aataccctag	atcgggtgaa	aatggtgttt	acgattcgtc	cactcattta	900
gagatactga	acctacaggg	tgaattgaa	attttaaagt	ctttcaatga	ataccaaatt	960
cgcgcgcga	aacaacaact	tggactggac	atcgtatacg	aactacaggg	taatgttcag	1020
acaacctcaa	agaatgattt	tgattcccg	ggtaataatg	gtaacatgac	cttcaattac	1080
tacgcaaaaca	cttaccagaa	ttcagtagac	ttctcgacct	cctcgtcggc	gtcaggcgcc	1140
ggaccggga	actcccggg	cggattagcg	ggtctcctca	caaatttcag	tggaattctg	1200
aacctctctg	gctacctcaa	agatcacaat	accgaagaaa	tggaaaactc	tgctgatcga	1260
gtcataacgc	aaacggggg	caacactgcc	ataaacacgc	aatcatcact	gggtgtgttg	1320
tgtgcctacg	ttgaagaccc	gacccaaatc	gacctccgt	ccagcagcac	agatcaaccc	1380
accaccactt	ttactgccat	cgacaggtgg	tacactggac	gcctcaattc	ttggacaaaa	1440
gctgtaaaaa	cctctctctt	tcaggccgtc	ccgctccctg	gagccttcc	gtctagacag	1500
ggaggcctca	acggaggggc	cttcacggct	accctacata	gacatttctt	aatgaagtgc	1560
gggtggcagg	tgcagggtcca	atgcaatttg	acgcaattcc	accaagggtg	tctctctgtt	1620
gccatggtcc	ccgaaccac	ccttgatgtc	aaacctgacg	gcaaggcaaa	gagcttacag	1680

-continued

gagctgaatg	aagaacagtg	ggtggaatg	tctgacgatt	accggaccgg	gaaaaacatg	1740
cctttccagt	ctcttggcac	atactatcgg	ccccctaact	ggacttgggg	ccccaatttc	1800
atcaacccct	atcaagtaac	agttttccca	caccaaattc	tgaacgcgag	aacctctacc	1860
tcggtagaca	taagtgtccc	atacatcggg	gagactccta	cacaatcctc	agagacacag	1920
aaactcctgga	ccctcctcgt	tatggtgctt	gtcccctcgg	actacaagga	gggagccaca	1980
actgacccag	aaattacatt	ttctgttaagg	cctacaagtc	cttacttcaa	tgggctacgt	2040
aaaccgtttca	cgaccgggac	ggacgaggaa	cagggggcca	ttcccacagc	accagagaaa	2100
aattcgctta	tgtttctctc	aacctccct	gacgacactg	tcctcgctta	cggaatgtg	2160
cgtacccctc	cgtcaatta	cctccctggt	gaaataaacc	acctcttaca	actggcccgt	2220
ataccacact	tcattggcgt	cgggcggtg	tctgaacccg	agcctgcctc	agacacatat	2280
gtgccctacg	ttgcgcttcc	tgcccagttc	gacgacaagc	ctctcatctc	cttcccgatc	2340
accctttcag	atcctgtcta	ccagaacacc	ctggtaggcg	ccatcagttc	gaatttcgcc	2400
aaactaccgg	ggtgtatcca	aatcactctg	acattttgtg	gacccatgat	ggcaagaggg	2460
aaattcctac	tctcgtatct	tcctccaaat	ggagcacaaac	cacagacccct	ttctgaagct	2520
atgcagtcca	cgtactctat	ttgggatata	ggcttgaact	ctagttaggac	ctttgtctac	2580
ccctacatct	cgcccagtg	ttaccgtgaa	actcgggcta	ttaccaactc	agtttattct	2640
gctgatggtt	gttttagcct	gcacaagctg	actaaaatta	ctctaccacc	tgactgcccc	2700
cagagtcctc	gtattctctt	tttcgctctc	gctggtgagg	attacacccct	cgtctcctct	2760
gttgattgta	atccttccca	cgtgttccac	tcacccgaca	acgcccagac	tggggttatt	2820
gaggcgggta	acactgacac	cgacttctct	ggtgagctgg	cggtcctcgt	ctctaaccac	2880
actaatgtca	agttcctgtt	tgatcgatct	cgattactga	atgtaattaa	ggtaactggag	2940
aaggacgccc	tcctcccctg	tcctttcccc	acagcaacag	gtgcacagca	ggacgatggt	3000
tacttttgcc	ttctaaccac	ccgcccacaa	gtcgttccc	gacccgccac	tcgtttcgcc	3060
ctgtacgtca	atccgtctga	cagtggcggt	ctcgctaaca	cttcaactgga	tttcaatttt	3120
tacagcttgg	cctgtttcac	ttactttaga	tcagaccttg	aagtcacggt	ggtctcactg	3180
gagccagatc	tggaaatcgc	tgtagggtgg	ttcccctcgt	gcagtgaatg	ccaggcttcc	3240
agctttgtct	acgaccaact	gcattgtacc	taccacttta	ctgggcgcac	ttcccgcgct	3300
ttcacccaga	aggggtgaaa	ggtatctttc	gtgcttctct	ggaactctgt	ctcatccgtg	3360
cttcccgtgc	gctggggggg	cgcttccaa	ctttcttccg	ccacgcgggg	tttaccggct	3420
catgctgact	ggggggacat	ttacgccttc	atcccccgct	ctaattgaga	gaaaagcacc	3480
gctgcaaaag	acgtggcggt	gtacgttcgg	tacaagaacg	cgctgacctg	gtgccccagc	3540
atgctccctc	tcgcgagcta	caagcagaag	atgctgatgc	aatctggcga	tatcgagacc	3600
aatcccgggc	cgatgagcaa	ggcgaggagg	ctgttcaccc	gggtggtgcc	catcctggtc	3660
gagctggacg	gcgacgtaaa	tcgcccacaa	ttcagcgtgt	ccggcgaggg	cgagggcgat	3720
gccacctacg	gcaagctgac	cctgaagttc	atctgcacca	ccggcaagct	gcccgtgccc	3780
tggccccccc	tcgtgaccac	cctgacctac	ggcgtgcagt	gcttcagccg	ctaccccgac	3840
cacatgaagc	acgacgactt	cttcaagtcc	gccatgcccg	aaggtacgtg	ccaggagcgc	3900
accatcttct	tcaaggacga	cggaactac	aagaccccg	ccgaggtgaa	gttcgagggc	3960
gcacccctgg	tgaaccgcat	cgagctgaag	ggcatcgact	tcaaggagga	cggaacacat	4020
ctggggcaca	agctggagta	caactacaac	agccacaacg	tctatatcat	ggccgacaag	4080
cagaagaacg	gcatacaagg	gaacttcaag	atccgccaca	acatcgagga	cggcagcgtg	4140
cagctcgccg	accactacca	gcagaacacc	cccatcgccg	acggccccgt	gctgctgccc	4200
gacaaccact	accactgac	ccagtccgcc	ctgagcacaag	accccaacga	gaagcgcgat	4260
cacatggtcc	tgtcggagtt	cgtgaccgcc	gccgggatca	ctctcgccat	ggacgagctg	4320
tacaaggagg	gcagagggaag	tctgctaaca	tgcggtgacg	tcgaggagaa	ttcccgggct	4380
gcttctgaca	acccaatttt	ggaagtttct	gaagcagaaa	atgatctagt	cactctggcc	4440
ttctctctgga	agatggtgca	ctctgttcaa	cagacctgga	gaaagtatgt	gaagaacgat	4500
gatttttggc	ccaatttact	cagcgagcta	gtggggggaag	gctctgtcgc	cttggccgcc	4560
acgttatcca	accaagcttc	agttaaaggct	cttttgggcc	tgactcttct	ctctcggggg	4620
ctcaattaca	ctgactttta	ctctttactg	atagagaaat	gctctagtgt	ctttaccgta	4680
gaaccacctc	ctccaccagc	tgaaaacctg	atgaccaagc	cctcagtgaa	gtcgaaattc	4740
cgaaaactgt	ttaagatgca	aggacccatg	gacaaagtca	aagactggaa	ccaaatagct	4800
gcccggcttg	agaattttca	atttgttctg	gacctagtca	aagaggtggg	cgattggctg	4860
caggcctgga	tcaacaaaga	gaaagccagc	cctgtcctcc	agtaccagtt	ggagatgaag	4920
aagctcgggc	ctgtggcctt	ggctcatgac	gctttcatgg	ctggttcggg	gccccctctt	4980
agcgacgacc	agattgaata	cctccagaa	ctcaaatctc	ttgcccatac	actgggggag	5040
actaatttgg	cccaagctct	caccactatg	atcaatgcc	aacaaagtcc	agcccaacga	5100
gttgaaaccc	ttgtggtgct	ccttagaggg	aagccgggat	gcggcaagag	cttggcctct	5160
acgttgattg	cccaggctgt	gtccaagcgc	ctctatggct	cccaagtggt	atattctctt	5220
ccccagatc	cagattttct	cgatggatac	aaaggacagt	tcgtgacctt	gatggatgat	5280
ttgggacaaa	accggatggg	acaagatttc	tcacaccttt	gtcagatggt	gtcgaccgcc	5340
caatttctcc	ccaacatggc	ggaccttgca	gagaaagggc	gtccctttac	ctccaatctc	5400
atcattgcaa	ctacaaatct	ccccacttcc	agtctgtcca	ccattgtgta	tccttctgca	5460
gtctctcgcc	gtatcaacta	cgatctgact	ctagaagtat	ctgaggccta	caagaaacac	5520
acacggctga	attttgactt	ggctttcagg	cgacacagcg	cccccccat	ttatcctttt	5580
gctgcccctg	tgccctttgt	ggacgttagct	gtgcgcttca	aaaatggtca	ccagaatttt	5640
aatctcctag	agttggctga	ttccatttgt	acagacattc	gagccaagca	acaaggtgcc	5700
cgaaacatgc	agactctggt	tctacagagc	cccaacgaga	atgatgacac	ccccgtcgac	5760
gaggcggttg	gtagagttct	ctccccgct	gcggtcgatg	aggcgcttgt	cgacctcact	5820
ccagagggcg	accgggttgg	ccgtttggct	attcttgcca	agctaggtct	tgccctagct	5880
gcggtcacc	ctggtctgat	aatcttgcca	gtgggactct	acaggtaact	ctctggctct	5940
gatgcagacc	aagaagaaac	agaaagttag	ggatctgtca	aggcaccacg	gagcgaaaat	6000
gcttatgacg	gcccgaagaa	aaactctaag	ccccctggag	cactctctct	catggaaatg	6060
caacagccca	acgtggacat	gggctttgag	gctgcggctc	ctaagaaagt	ggtcgtcccc	6120
attaccttca	tggttcccaa	cagaccttct	gggtttacac	agtcgcctct	tctggtgacc	6180
ggccggacct	tcctaataca	tgaacataca	tgggtccaat	cctcctggac	cagcttcaca	6240

-continued

```

atccgcgggtg aggtacacac tcgtgatgag cccttccaaa cggttcattt cactcaccac 6300
ggatttccca cagatctgat gatgggtacgt ctccgaccgg gcaattcttt ccctaacaat 6360
ctagacaagt ttggacttga ccagatgccg gcacgcaact cccgtgtggt tggcgtttcg 6420
tccagttacg gaaacttctt ctctcttgga aatttctcgc gatttgttga ttccatcacc 6480
tctgaacaag gaacttaccg aagactcttt aggtacaggg tgacgacctg caaaggatgg 6540
tgccgctcgg ccctgggtctg tgaggccggg ggccgtccgc gcatcattgg cctgcattct 6600
gctggcgccg ccggtatcgg cgccggggacc tatatctcaa aattaggact aatcaaaagg 6660
ctgaaacacc tcggtgaacc tttggccaca atgcaaggac tgatgactga attagagcct 6720
ggaatcaccc tacatgtacc ccggaatcc aaattgagaa agacgaccgc acacgcgggtg 6780
tacaacccgg agtttgagcc tgcgtgtgtg tcaaaatttg atcccagact gaacaaggat 6840
gttgacttgg atgaagtaat ttggtctaaa cacactggca atgtccctta ccaacctcct 6900
ttgttctaca catacatgtc agagtacgct catcgagtct tctccttctt ggggaaagac 6960
aatgacattc tgaccgtcaa agaagcaatt ctgggcatcc ccggactaga ccccatggat 7020
ccccacacag tccgggtctc gccttacgcc atcaacggcc ttcgacgtac tgatctcgct 7080
gattttgtga acggtacagt agatgcggcg ctgggtgtac aaatccagaa attcttagac 7140
gggtgactact ctgaccatgt ctccaaaact tttctgaaag atgagatcag accctcagag 7200
aaagtccgag cgggaaaaac ccgcattgtt gatgtgccct ccttggcgca ttgcatttgt 7260
ggcagaatgt tgcttggggc ctttgcctgc aagtttcaat cccatcctgg ctttctcctc 7320
ggctctgcta tcgggtctga cctgatgtt ttctggaccg tcataggggc tcaactcgag 7380
gggagaaaga acacgtatga cgtggactac agtgcctttg actcttcaca cggcactggc 7440
tccttcgagg ctctcatctc tcacttttct accgtggaca atgtgtttag cctgcgctg 7500
ggaccgtatc tcagatccct ggctgtctcg gtgcacgctt acggcgagcg tcgcataaag 7560
attaccgggtg gcctccctc cggttgtgct gcgaccagcc tgcgaaacac agtgctcaac 7620
aatgtgatca tcaggactgc tctggcattg acttacaagg aatttgaata tgacatgggt 7680
gatatactcg cctacgggtga caaccttctg gttggcacgg attacgatct ggacttcaat 7740
gaggtggcag gacgcgtcgc caagttgggg tataagatga ctctcgccaa caagggttct 7800
gtcttccctc cgacttctct tcttccgat gctgttttct taaagcgcaa attcgtccaa 7860
aacaacgacg gcttatcaaa accagttatg gatttaaaga atttgaagc catgctctcc 7920
tacttcaaac caggaaact actcgagaag ctgcaatctg tttctatgtt ggtcacaac 7980
tctggaaaag aagaatatga tagattgatg caccctctcg ctgactacgg tgcgtaccg 8040
agtccagagt acctgcaggc aagatggagg gccttgttcg actgaccag atagcccaag 8100
gcgcttcggt gctgcgtcgc attctgggag aactcagtcg gaacagaaaa gggaaaaaaa 8160
aaaaaaaaaa aaaaaaaaaa aaaggccggc atggtcccag cctcctcgct ggcgcgggct 8220
gggaacatg cttcggcatg gcgaatggga cgcggccgc 8259

```

```

SEQ ID NO: 46      moltype = DNA length = 8259
FEATURE
misc_feature       1..8259
                    note = SVV-P1-2-GFP IVT template
source             1..8259
                    mol_type = other DNA
                    organism = synthetic construct

```

```

SEQUENCE: 46
taatacgact cactataggg agaccaagc tggctagcgt ttaaacttaa gcttgggtacc 60
ttatacaact gatgagtcgg tgaggacgaa acgagtaagc tcgtctttga aatgggggggc 120
tgggcccctga tgcccagctc ttccctttcc ctccgggggg gttaacccgcg tgtgtttgct 180
agaggcacag agggggaaca tccaacctgc ttttgcgggg aacgggtgcgg ctccgatctc 240
tgccgtcgca aaggtgttag cgcacccaaa cggcgccact accaatgtta ttggtgtggt 300
ctgcgagttc tagcctatc gtttctcccc cgaccattca ctacccacg aaaagtgtgt 360
tgtaaccata agatttaacc cccgcacggg atgtgcgata accgtaagac tggctcaagc 420
gcggaagcgg ctgtaaacac atgctgttag tccctttatg gctgcaagat ggctacccac 480
ctcgatcacg gacttctttt tgaatatcca cggctcgatc cagaggggtg ggcatgaccc 540
ctagcatagc gagctacagc gggaaactgt gctaggcctt agcgtgcctt ggatactgcc 600
aacaagctcc gacacagagt ccacgtgact gctaccacca tgagtacatg gttctccctc 660
ctcagccacg gacttctttt tgaatatcca cggctcgatc cagaggggtg ggcatgaccc 660
ctagcatagc gagctacagc gggaaactgt gctaggcctt agcgtgcctt ggatactgcc 720
tgataggggc acggcctagt cgtgtcgggt ctataggtag cacatacaaa tatgcagaa 780
tctcattttt ctttcgatac agcctctggc acccttgaag acgtaaccgg aacaaaaatc 840
aagatcgttg aataccccag atcgggtgaac aatgggtgtt acgattcgtc cactcattta 900
gagatactga acctacaggg tgaattgaat attttaaggt ctttcaatga ataccaaatt 960
cgcgcgcgca aacaacaact tgactagac attgtatacg aactacaggg taacgttccag 1020
acaaacctca agaattgatt ttgattcccc ggcaataacg gtaacatgac cttcaattac 1080
tacgcaaaac cttatcagaa ctccagtaga ttctcgacct cctcgtcgcc gtcaggcgcc 1140
ggaccgggga actcccgggg cggattagcg ggtctcctca caaatttcag tggaaattcg 1200
aaccctcttg gtaaccttaa agatcacaa accgaagaaa tggaaaactc tgctgatcga 1260
gtcataacgc aaacgggggg caacactgcc ataacatcac aatcatcatc ggggtgtgtg 1320
tgtgcctatg ttgaagaccg gaccaaatct gatcctccgt ccagcagcac agatcaaccc 1380
accaccactt ttactgccat cgacagggtg tacactggac gcctcaattc ttggacaaaa 1440
gctgtaaaaa ccttctcttt tcaggccgtc cgcgtccctg gagccttctc gtctagacag 1500
ggaggcctca acggaggggc cttcacggct accctacata gacatttctt aatgaagtgc 1560
gggtggcgag tgcaggttca atgcaatttg acacaattcc accaagggtc tcttcttgtc 1620
gcatgtgtcc ccgaagctac ccttgatgac aagcccgacg gcaaggcaaa gagcctgcag 1680
gagctgaatg aagagcagtg ggtagaaatg tccgacgatt accggacggg gaaaaacatg 1740
ccttttcagt ctcttgccac atactatcgg cccctaaact ggacttgggg ccctaatttc 1800
atcaaccctc atcaagtaac agttttccca caccaaatcc tgaacgcgag aacctctacc 1860
tcggtagaca taagtgtccc atacatcggg gagactccta cacaaatctc agagacacag 1920
aactcctgga cctcctcgtt tatggtgctt gtccccctgg actacaagga gggagccaca 1980

```

-continued

actgaccag	aaattacatt	ttctgtaag	cctacaagt	cttacttcaa	tgggcttctg	2040
aaccgttaca	cgacogggac	ggacgaggaa	cagggggcca	ttcccacagc	accagagaa	2100
aattcgctta	tggtttctctc	aaccatccct	gacgacactg	ttccctgctta	cggaatgtg	2160
cgtaccctc	cgtcaacta	cctccctggg	gaaataactg	acctcttaca	actggcccg	2220
ataccactc	tcattggcgtt	tgggcgggtt	tctgaaccg	aacctgcctc	agacgcata	2280
gtgcctacg	ttgcggttcc	tgcccagttt	gatgacaagc	ctctcatctc	cttcccgcac	2340
accctttcag	atcctgtcta	ccagaacacc	ctggtaggcg	ccatcagttc	gaatttcgcc	2400
aaactaccgg	gggtgatcca	aatcaactcg	acattttgtg	gacccatgat	ggcaagagg	2460
aaattcctac	tctcgtattc	ttccccaaat	ggaacacaac	cacagaccct	ttctgaagct	2520
atgcagtga	cgtactccat	ttgggatata	ggcttgaact	ctagtggac	ctttgtcatc	2580
ccctacatct	cgcccagtg	ctaccgtgaa	actcggggcca	tcaccaactc	ggttttattct	2640
gctgacggct	gggttagcct	acacaagctg	accaaatta	ctctaccacc	tgactgccc	2700
cagagccct	gtattctctt	tttcgcctct	gctggtaggg	attacaccct	cgtctctccc	2760
gttgattga	atctctccta	cgtgttccac	tcacacgata	acgcgcagac	tgagttatt	2820
gaggcgggta	atactgacac	cgatttctct	gggtgaactg	cggtctctgg	ctctaaccat	2880
actaatgtca	agttctcgtt	tgatcgatct	cgattactga	atgtaattaa	ggtagctgg	2940
aaggacggcg	ttcttccccg	tcctttcccc	acagcaacag	gtgcacagca	ggacgatgg	3000
tacttttgtc	ttctcaaac	cgcccaaca	gtcgctccc	gaccgcgac	tcgtttcggc	3060
ctgtatgtca	atccgtctga	cagtggcggt	ctcgccaaca	cttcaactga	tttcaatttt	3120
tacagcttg	cctgcttcac	ttactttaga	tcagacctg	aagtcacgg	ggctctcactg	3180
gagccagatc	tggaaattcg	tgtagggtgg	ttccctctg	gcagttagta	ccaggcttcc	3240
agctttgtct	acgaccaact	gcatgtacct	taccacttta	ctgggcgcac	ttcccgcgct	3300
ttcaccagca	agggtaggaa	ggtagctttc	gtactccctt	ggaactctgt	ctcatccgtg	3360
cttcccgctg	gctggggggg	tgcttccaag	ctttctctctg	ccacgcgggg	tttgcgggct	3420
catgctgact	gggggactat	ttacgctctt	atcccccgct	ctaagagaa	gaaaggcacc	3480
gctgtaaagc	acgtggccgt	gtacgctcgg	tacaagaacg	cgcgtgcctg	gtgccccagc	3540
atgctccctc	tcgcagtgta	caagcagaag	atgctgatgc	aatctggcga	tatcgagacc	3600
aatcccgggc	cgtagagcaa	gggcgaggag	ctgttcaccg	gggtgggtgc	catcctgggc	3660
gagctggagc	gcgacgttaa	cgcccaaca	ttcagcgtgt	ccggcgaggg	cgaggggcga	3720
gccacctacc	gcaagctgac	cctgaagttc	atctgcacca	ccggcaagct	gcccgtgccc	3780
tgcccaccac	ctgctgacct	ctgacctac	ggcgtgcagt	gcttcagccg	ctaccgcgac	3840
cacatgaagc	agcacgactt	cttcaagtcc	gccatgcccg	aaggctacgt	ccaggagcgc	3900
accatcttct	tcaaggagca	cggcaactac	aagaccgcgc	ccgaggtgaa	gttcgagggc	3960
gacaccctgg	tgaaccgcat	cagctgaag	ggcatcgact	tcaaggagga	cggcaacatc	4020
ctggggcaca	agctggagta	caactacaac	agccacaacg	tctatatcat	ggccgacaa	4080
cagaagaacg	gcatacaagt	gaacttcaag	atccgcacca	acatcgagga	cggcagcgtg	4140
cagctcgccg	accactgacc	gcagaacacc	cccacggcg	acggcccgct	gctgctgccc	4200
gacaaccact	acctgagcac	ccagtccgcc	ctgagcaaa	accccaacga	gaagcgcgat	4260
catctggtcc	tgtcggagtt	cgtgacggcc	gcccggatca	ctctcggcat	ggacgagctg	4320
tacaaggagg	gcagaggaa	tctgctaaca	tgccgtgacg	tcgaggagaa	ttcccggcct	4380
gcttctgaca	accgaatttt	ggagtttctt	gaagcagaaa	atgatctagt	cactctggcc	4440
tctctctgga	agatgggtga	ctctgttcaa	cagacctgga	gaaagtatgt	gaagaacgat	4500
gatttttggc	ccaattttact	cagcagagta	gtgggggaa	gctctgtcgc	cttggccgcc	4560
acgctatcca	accaagcttc	agtaaaaggct	cttttggggc	tgacatttct	ctctcggggg	4620
ctcaattaca	ctgactttta	ctctttactg	atagagaaat	gctctagttt	ctttaccgta	4680
gaaccacctc	ctccaccagc	atgaccaactg	cctcagtgaa	gtcgaatttc	gtcgaatttc	4740
cgaaaactgt	ttaagatgca	aggacccatg	gacaaagtca	aagactggaa	ccaaatagct	4800
gcccgtctga	agaattttca	atttgttctg	gacctagtca	aagaggtgg	cgattggctg	4860
caggcctgga	tcaacaaaaga	gaaagccagc	cctgtcctcc	agtaccagtt	ggagatgaag	4920
aagctcgggc	ctgtggcctt	ggctcatgac	gctttcatgg	ctgggtccgg	gccccctctt	4980
agcgacgacc	agattgtaata	cctccagaa	ctcaaatctc	ttgcctaac	actgggggag	5040
actaatttgg	cccaaatgtc	caccaactatg	atcaatgcc	aacaaagtct	agcccaacga	5100
gttgaaaccg	ttgtgggtgt	ccttagaggc	aagccgggat	gcccgaagag	cttggcctct	5160
acgttgattg	cccaggctgt	gtccaaagcg	ctctatggct	cccaaatgtg	atattctctt	5220
ccccagatc	cagattttct	cgatggatac	aaaggacagt	tcgtgacctt	gatggatgat	5280
ttgggacaaa	accgggatgg	acaagatttc	ttcacctttt	gtcagatgg	gtcgaccgcc	5340
caattttctc	ccaacatggc	ggaccttgca	gagaaagggc	gtccctttac	ctccaatctc	5400
atcatttgca	ctacaaatct	ccccacttc	agtcctgtca	ccattgtctg	tccttctgca	5460
gtctctcgcc	gtatcaacta	cgtatcgact	ctagaagtat	ctgaggccta	caagaaacac	5520
acacggctga	attttgactt	ggcttttcagg	cgcacagacg	cccccccat	ttatcctttt	5580
gctgcccag	tgccctttgt	ggacgtagct	gtgcgcttca	aaaatgggtc	ccagaatttt	5640
aatctcctag	agttgggtga	ttccatttgt	acagacattc	gagccaagca	acaaggtgcc	5700
cgaaacatgc	agactctcgt	tctacagagc	cccaacgaga	atgatgacac	ccccgtcgac	5760
gaggcggtgg	gtagagttct	ctccccgct	gcggctcgat	aggcgcttgt	cgacctcact	5820
ccagaggccg	accgggttgg	cgttttggct	attcttgcca	agctaggtct	tgccctagct	5880
gcggtcacc	ctggtctgat	aatcttggca	gtgggactct	acaggtaact	ctctggtctct	5940
gatgcagacc	aagaagaaac	agaaagttag	ggatctgtca	aggcaccag	gagcgaaaat	6000
gcttatgacg	gcccgagaa	aaactctaag	ccccctggag	caactctctc	catggaaatg	6060
caacagccca	acgtggacat	gggctttgag	gctgcggtcg	ctaagaaagt	ggctcgctccc	6120
attaccttca	tggttcccaa	cagaccttct	gggcttacac	agtcctgctc	ttctggtgacc	6180
ggccggagct	tcctaactca	tgaacataca	tggtccaatc	cctcctggac	cagcttcaca	6240
atcccggtg	aggtacacac	tcgtgatgag	cccttccaaa	cggttcattt	cactcaccac	6300
ggatttccca	cagatctgat	gatggtagct	ctcggaccgg	gcaattcttt	ccctaacaat	6360
ctagacaagt	ttggacttga	ccagatgcgc	gcacgcaact	cccgtgtgg	tgccgtttcg	6420
tcagtttacg	gaaacttctt	ctctctgga	aatttctcgc	gatttgttga	ttccatcacc	6480
tctgaacaag	gaacttacgc	aagactcttt	aggtacaggg	tgacgacctc	caaaggatgg	6540

-continued

tgcggctcgg	ccctgggtctg	tgaggccgggt	ggcgtccgac	gcacatttgg	cctgcattct	6600
gctgggcgcg	ccggtatcgg	cgccgggacc	tatatctcaa	aattaggact	aatcaagcc	6660
ctgaacaccc	tcggtgaacc	tttggccaca	atgcaaggac	tgatgactga	attagagcct	6720
ggaatcaccg	tacatgtacc	ccggaatcc	aaattgagaa	agacgaccgc	acacgcggtg	6780
tacaaaccgg	agtttgagcc	tgctgtgttg	tcaaaatttg	atcccagact	gaacaaggat	6840
gttgacttgg	atgaagtaat	ttggtctaaa	cacactgcca	atgtccctta	ccaacctcct	6900
ttgttctaca	catacatgtc	agagtacgct	catcgagtct	tctccttctt	ggggaaagac	6960
aatgacattc	tgaccgtcaa	agaagcaatt	ctgggcatcc	ccggactaga	ccccatggat	7020
ccccacacag	ctccgggtct	gccttacgcc	atcaacggcc	ttcgacgtac	tgatctcgtc	7080
gatttttgta	acgggtacagt	agatgcggcg	ctggctgtac	aaatccagaa	attcttagac	7140
ggtgactact	ctgacctgtg	cttccaaact	ttctgaaag	atgagatcag	accctcagag	7200
aaagtccgag	cgggaaaaac	ccgcattgtt	gatgtgccct	ccctggcgca	ttgcattgtg	7260
ggcagaatgt	tgcttggggc	ctttgtgcgc	aagtttcaat	cccatcctgg	ctttctctc	7320
ggctctgcta	tcgggtctga	ccctgatgtt	ttctggaccg	tcataggggc	tcaactcgag	7380
ggggagaaag	acacgtatga	ctgtgactac	agtgcctttg	actcttcaca	cggcactggc	7440
tccttcgagg	ctctcatctc	tcactttttc	accgtggaca	atggttttag	ccctgcgctg	7500
ggacggtatc	tcagatccct	ggctgtctcg	gtgcacgctt	acggcgagcg	tcgcataaag	7560
attaccgggtg	gcctcccttc	cggttgtgct	cgacaccagc	tgctgaacac	agtgtccaac	7620
aatgtgatca	tcaggactgc	tctggcattg	acttacaagg	aatgaata	tgacatggtt	7680
gatatcatcg	cctacgggtga	cgaccttctg	gttggcacgg	attacgatct	ggactccaat	7740
gaggtggcac	gacgcgctgc	caagttgggg	tataagatga	ctcctgcca	caagggttct	7800
gtcttccctc	cgacttccct	tctttccgat	gctgtttttc	taaagcgcaa	attcgtccaa	7860
aaacaacgacg	gcttatataca	accagttatg	gatttaaaga	atttggaagc	catgctctcc	7920
tacttcaaac	caggaaacact	actcgagaag	ctgcaatctg	tttctatggt	ggctcaacat	7980
tcgggaaag	aagaatctga	tgaattgatg	caccctctcg	ctgactacgg	tgccgtaccg	8040
agtcacgagt	acctgcaggg	aagatggagg	gccttgttct	actgaccag	atagcccaag	8100
gcgcttcggt	gctgccggcg	attctgggag	aactcagtcg	gaacagaaaa	gggaaaaaaa	8160
aaaaaaaaaa	aaaaaaaaaa	aaaggccggc	atgggtccag	cctcctcgct	ggcgccggct	8220
gggcaacatg	cttcggcatg	gcgaatggga	cgccggccgc			8259

SEQ ID NO: 47 moltype = DNA length = 8259
FEATURE Location/Qualifiers
misc_feature 1..8259
 note = SVV-P1-3-GFP IVT template
source 1..8259
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 47

taatacgact	cactataggg	agaccacaagc	tggttagcgt	ttaaacttaa	gcttgggtacc	60
ttatcaaaact	gatgagtcg	tgaggacgaa	acgagtaagc	tcgtctttga	aatgggggggc	120
tgggcccctga	tgcccagtc	ttcctttccc	cttcgggggg	gttaaccggc	tggtgttgc	180
agaggcacag	aggggcaaca	tccaacctgc	ttttcggggg	aacgggtcgg	ctccgattcc	240
tgctcgccca	aaggtgttag	cgaccccaaa	cgccgcacct	accaatgtta	ttggtgtggt	300
ctgcgagttc	tagcctactc	gtttctcccc	cgaccattca	ctcaccacg	aaaagtgtgt	360
tgtaaccata	agatttaaac	cccgccgggg	atgtgcgata	accgtaagac	tggtccaagc	420
gcggaaagcg	ctgtaaccac	atgctgttag	tccttttatg	gctgcaagat	ggctaccacc	480
ctcgatcac	tgaactggag	ctcgaccctc	cttagtaagg	gaaccgagag	gccttcgtgc	540
aacaagctcc	gacacagagt	ccacgtgact	gctaccacca	tgagtacatg	gttctccctc	600
ctcgaccacg	gacttctttt	tgaatatcca	cggtcgcgac	cagaggggtg	ggcatgaccc	660
ctagcatagc	gagctacagc	gggaactgta	gctaggcctt	agcgtgcctt	ggatactgcc	720
tgatagggcg	acggcctagt	cgtgtcgggt	ctataggtag	cacatacaaa	tatgcagaac	780
tctcattttt	ctttcgatcac	agcctctggc	acctttgaaa	acgtaaccgg	aacaaaagtc	840
aagatcgttg	aataccccag	atcgggtgaa	aatggtgttt	acgattcgtc	cactcattta	900
gagatactga	acctacaggg	tgaatttgaa	attttaaagt	ctttcaacga	ataccaaatt	960
cgcccgccca	aacaacaact	tggaactggac	atcgataacg	aactacaggg	taatgttcag	1020
acaacctcaa	agaatgatth	tgattcccgc	ggcaataatg	gtaacatgac	cttcaattac	1080
tacgcaaaaca	cttaccagaa	ttcagtagac	ttctcgacct	cctcgtcgcc	gtcaggcgcc	1140
ggacccggga	actcccgggg	cggattagcg	ggctcctcca	caaatttcag	tggaatcttg	1200
aacctctttg	gctacctcaa	agatcacaat	accgaagaaa	tggaaaactc	tgctgatcga	1260
gtcataaacgc	aaacgggggg	caacactgcc	ataaacacgc	aatcatcact	gggtgtgttg	1320
tggtcctacg	ttgaagaccc	gaccaaatct	gacctccgtg	ccagcagcac	agatcaaccc	1380
accaccactt	ttactgccat	cgacaggtgg	tacactggac	gcctcaattc	ttggacaaaa	1440
gctgtaaaaa	cctctctttt	tcaggccgtc	ccgctccctg	gagccttctc	gtctagacag	1500
ggaggcctca	acggaggggc	cttcacggcc	acctacata	gacatttctt	aatgaagtgc	1560
gggtggcagg	tcgaggttca	atgcaatttg	acgcaattcc	accaaggtgc	tcttcttgtt	1620
gcatgtggtc	ccgaaaccac	ccttgatgtc	aaacctgacg	gcaaggcaaa	gagcttacag	1680
gagctgaatg	aagagcagtg	gggtggaatg	tctgacgact	accggaccgg	gaaaaacatg	1740
ccttttcagt	ctcttggtac	atactatcgg	ccccctaact	ggacttgggg	ccccaatctc	1800
atcaaccctc	atcaagtaac	agttttccca	caccaaattc	tgaacgcgag	aacctctacc	1860
tcggtagaca	taagtgtccc	gtacatcggg	gagactccta	cacaatctct	agagacacag	1920
aactcctgga	ccctccttgt	tatggtgctt	gtccccctgg	actacaagga	gggagccaca	1980
actgaccacg	aaattacatt	ttctgttaag	cctacaagtc	cctacttcaa	tggtgttctg	2040
aaacctttca	cgacggggac	ggacgaggaa	caggggccca	ttcccacagc	accagagaaa	2100
aattcgttta	tgtttctctc	aacctccctc	gacgacactg	tcctcgttta	cgggaatgtg	2160
cgacccccct	ccgtcaatta	cctccccggt	gaaataacgc	acctcttaca	actggcccg	2220
ataccctact	tcattggcgtt	tggggggggc	tctgaaccgc	agcctgcctc	agacgcata	2280

-continued

gtgccctacg	ttgccgttcc	tgcccagttc	gaecgacaagc	ctctcatctc	cttcccgate	2340
accctttcag	accctgtcta	ccagaacacc	ctggtaggcg	ccatcagttc	gaacttcgcc	2400
aactaccggg	gggtgatcca	aattactctg	acattttgtg	gacccatgat	ggcaagaggg	2460
aaatctctgc	tctcgtatcc	tccccaaat	ggagcacaac	cacagaccct	tctgaagct	2520
atgcagtgca	catactctat	ttgggatata	ggcttgaact	ccagttggac	ctttgtcatc	2580
ccctacatct	cgcccagtg	ttaccgtgaa	actcgggcta	ttaccaactc	agtttattct	2640
gctgatgggt	gggttagctt	gcacaagctg	acccaaatta	ctctaccacc	tgaactgcca	2700
cagagtcctc	gtattctctt	tttcgcctct	gctggtaggg	attacaccc	cgtctccct	2760
gttgattgta	atccttccta	cgtgttccac	tccaccgaca	acgcagagac	tggggttatt	2820
gaggcaggta	aaactgacac	cgatttctct	ggtagaactg	cggtcctgg	ctctaaccat	2880
actaatgtca	aatctcgttt	tgaccgatct	cgactactga	atgtaattaa	ggtagctggag	2940
aaggacgcgc	tcttcccccg	tcttttcccc	acagcaacag	gtgcacagca	ggacgatggg	3000
tacttttgtc	ttctaaccac	cgcaccaaca	gtcgttccc	gaccgccacc	tctgttcggc	3060
ctgtacgtga	accctgtcga	cagtggcgtt	ctcgttaaca	cttcaactgga	tttcaatttt	3120
tacagtttgg	cctgtttcac	ttactttaga	tcagaccttg	aagtcacggg	gggtcactct	3180
gagccagatt	tggaaatcgc	cgtgggggtg	ttccctctcg	gcagtgaagta	ccaggcttct	3240
agcttttgtc	acgaaccaat	gcagtacacc	taccacttta	ctggggcgac	tccccgcgt	3300
ttcaccagca	aggggtgaaa	gggtatcttt	gtgctccctt	ggaaactctgt	ctcttcctgt	3360
cttcccgctc	gctggggggg	gtctcccaag	ctttcttctg	ccacgcgggg	tctgcccggc	3420
catgctgact	ggggggacat	ttacgccttt	atcccccgct	ctaacgagaa	gaaaagcacc	3480
gctgtaaagc	acgtggcggt	gtacgttcgg	tacaagaacg	cgctgcctg	gtgccccagc	3540
atgcttccct	ttcgcageta	caagcagaag	atgctgatgc	aatctggcga	tatcgagacc	3600
aatccccggc	cgatgagcaa	ggggcgaggag	ctgttcacgc	gggtgggtgcc	catctgggtc	3660
gagctggacg	gcgacgtaaa	cggccacaag	ttcagcgtgt	ccggcgaggg	cgaggggcat	3720
ggccactacg	gcaagctgac	ctgaagttc	atctgcacca	ccggcaagct	gcccgtgcc	3780
tgccccacc	ctgtgaccc	cctgacctac	ggcggtgcag	gcttcagccg	ctaccccgac	3840
cacatgaagc	agcacgactt	cttcaagttc	gcccagcccg	aaggctacgt	ccaggagcgc	3900
accatcttct	tcaaggacga	cgccaaactac	aagacccgcg	ccgaggtgaa	gttcgagggc	3960
gacacccctg	tgaaccgcct	cgagctgaag	ggcctcgact	tcaaggagga	cggaacatc	4020
ctgggggcaca	agctggagta	caactacaac	agccacaacg	tctatatcat	ggccgacaa	4080
cagaagaaagc	gcactcaagg	gaacttcaag	atccgccaca	acatcgagga	cgccagcgtg	4140
cagctcgcgc	accactacca	gcagaaacac	cccacccgcg	acggccccgt	gctgctgcc	4200
gacaaaccat	acctgagcac	ccagtcgcgc	ctgagcaaa	accccaacga	gaagcgcgat	4260
acatggtctc	tgctggagtt	cgtgaccgcg	gcccgggatca	ctctcgccat	ggacgagctg	4320
tacaaggagg	gcagaggaag	ctgtctaaca	tgccgtgacg	tcgaggagaa	tcccgggctc	4380
gcttctgaca	acccaatttt	ggagtttctt	gaagcagaaa	atgatctagt	cactctggcc	4440
tctctctgga	agatggtgca	ctctgttcaa	cagacctgga	gaaagtatgt	gaagaacgat	4500
gattttttgg	ccaattttact	cagcgagcta	gtgggggga	gctctgtcgc	cttggccgcc	4560
acgctatcca	accaagcttc	agtaaaaggct	cttttggggc	tgcaactttc	ctctcggggg	4620
ctcaattaca	ctgactttta	ctctttactg	atagagaaat	gctctagtgt	ctttaccgta	4680
gaaccacctc	ctccaccagc	tgaaccctg	atgaccaagc	cctcagtgaa	gtcgaaattc	4740
cgaaaactgt	ttaagatgca	aggacccatg	gacaaagtca	aagactggaa	ccaaatagct	4800
gcccgttgga	agaattttca	atttgttctg	gacctagtca	aagaggtggt	cgattggctg	4860
caggcctgga	tcaacaaaga	gaaagccagc	cctgtcctcc	agtaaccagt	ggagatgaag	4920
aagctcgggc	ctgtggcctt	ggctcatgac	gcttccatgg	ctggttcctg	gccccctctt	4980
agcgacgacc	agattgaaata	ctccagaac	ctcaaatctc	ttgcccctaac	actggggga	5040
actaatttgg	cccaagttct	caccactatg	atcaatgcca	aacaaagtcc	agcccaacga	5100
gttgaaaccg	ttgtgggtgt	ccttagaggc	aagccgggat	cgccgcaagag	cttggcctct	5160
acgttgattg	cccaggctgt	gtccaaagcg	ctctatggct	cccaagtggt	atattctctt	5220
ccccagatgc	cagatttctt	cgtggatac	aaaggacagt	tcgtgacctt	gatggatgat	5280
ttgggacaaa	accgggatgg	acaagatttc	tccacctttt	gtcagatggg	gtcgaccgcc	5340
caatttctcc	ccaacatggc	ggaccttgca	gagaaagggc	gtccctttac	ctccaatctc	5400
atcattgcaa	ctacaaatct	ccccacttc	agtctgttca	ccattgtctga	tcttcttgca	5460
gtctctcgcc	gtatcaacta	cgatctgact	ctagaagtat	ctgaggccta	caagaacac	5520
acacggctga	agactctggt	ggctttcagg	cgcacagacg	cccccccat	ttatcctttt	5580
gctgccccatg	tgccctttgt	ggacgtagct	gtgcgttcca	aaaatggtca	ccagaatttt	5640
aatctcctag	agttgggtcga	ttccatttgt	acagacattc	gagccaagca	acaaggtgcc	5700
cgaaacatgc	agactctggt	tctacagagc	cccaacgaga	atgatgacac	ccccgtcgac	5760
gaggcggttg	gtagagttct	ctcccccgct	gcggctcgatg	aggcgcttgt	cgacctcact	5820
ccagaggccg	acccgggttg	ccgttttggt	attcttgcca	agctaggctc	tgccctagct	5880
gcggtcacc	ctggctctgat	aatcttgga	gtgggactct	acaggtaact	ctctggtctc	5940
gatgcagacc	aagaagaac	agaaagttag	ggatctgtca	aggcaccacg	gagcgaaat	6000
gcttatgacg	gcccgagaa	aaactctaag	ccccctggag	cactctctct	catggaaatg	6060
caacagccca	acgtggacat	gggctttgag	gctgcggctg	ctaagaaagt	ggtcgtcccc	6120
attaccttca	tggttcccaa	cagaccttct	gggcttacac	agtcogctct	tctgggtgac	6180
ggccggagct	tcctaataca	tgaacataca	tgggtccaatc	cctcctggag	cagcttcaca	6240
atcccggtg	aggtacacac	tcgtgatgag	cccttccaaa	cggttcattt	cactcaccac	6300
ggatttccca	cagatctgat	gatggtacgt	ctcggaaccg	gcaattcttt	ccctaacaat	6360
ctagacaagt	ttggacttga	ccagatgccg	gcacgcaact	ccgtgtggtg	tggcgtttcg	6420
tccagttacg	gaaactctct	ctctcttgga	aatctcctcg	gatttgttga	ttccatcacc	6480
tctgaacaag	gaactctcgc	agagctcttt	aggtagcagg	tgacgacctc	caaaggatgg	6540
tgccgctcgg	ccctgggtgc	tgaggccggg	ggcgctccgac	gcatcattgg	cctgcattct	6600
gctggcgccg	ccgttatcgg	cgccgggacc	tatatctcaa	aattaggact	aatcaaaagc	6660
ctgaacacc	tcggtgaacc	tttgccacac	atgcaaggac	tgatgactga	attagagcct	6720
ggaatcaccg	tacatgtacc	ccggaaatcc	aaattgagaa	agacgaccgc	acacgcgggtg	6780
tacaaaccgg	agtttgagcc	tgctgtggtg	tcaaaatttg	atcccagact	gaacaaggat	6840

-continued

```

gttgacttgg atgaagtaat ttggtctaaa cacaactgcc atgtccctta ccaacctcct 6900
ttggtctaca catacatgtc agagtacgct catcgagtct tctccttctt ggggaaagac 6960
aatgacatct tgaccgtcaa agaagcaatt ctgggcatcc ccggactaga ccccatggat 7020
ccccacacag ctccgggtct gcttaacgcc atcaacggcc ttcgacgtac tgatctcgtc 7080
gattttgtga acggtacagt agatgaggcg ctggctgtac aaatccagaa attcttagac 7140
ggtgactact ctgaccatgt ctccaaaact ttctgaaaag atgagatcag accctcagag 7200
aaagtccgag cgggaaaaac ccgcattgtt gatgtgccct cccctggcgca ttgcattgtg 7260
ggcagaatgt tgcttgggag ctttgctgcc aagtttcaat cccatcctgg ctttctcctc 7320
ggctctgcta tcgggtctga ccttgatgtt ttctggacgc toataggggc tcaactcgag 7380
gggagaaaga acacgtatga cgtggactac agtgcctttg actcttcaca cggcactggc 7440
tccttcgagg ctctcatctc tcactttttc accgtggaca atggttttag ccttgcgctg 7500
ggaccgtatc tcagatccct ggctgtctcg gtgcacgctt acggcgagcg tcgcatcaag 7560
attaccgggtg gctccctctc cggttgtgcc gcgaccagcc tgctgaacac agtgcacaac 7620
aatgtgatac tcaggactgc tctggcattg acttacaagg aatttgaata tgacatgggt 7680
gatatacatc cctacggtga cgacctctct gttggcacgg attacgatct ggacttcaat 7740
gaggtggcac gacgcgctgc caagttgggg tataagatga ctctgcca caagggttct 7800
gtctccctc cgacttctc tctttcogat gctgtttttc taaagcgcaa attctccaa 7860
aacaacgacg gcttatacaa accagttatg gatttaaaga atttggaagc catgctctcc 7920
tacttcaaac caggaaacact actcgagaag ctgcaatctg ttctatgtt ggctcaacat 7980
tctggaaaag aagaatatga tagattgatg caccctctcg ctgactacgg tgccgtaccg 8040
agtccagagt accctgacgg aagatggagg gccttggtcg actgaccag atagcccaag 8100
gcgcttcggt gctgccggcg attctgggag aactcagtcg gaacagaaaaa gggaaaaaaa 8160
aaaaaaaaaa aaaaaaaaaa aaaggccgag atggtcccg cctcctcgct ggcgcgggct 8220
gggaacatcg ctccggcatg gcgaatggga cgcggccgc 8259

```

```

SEQ ID NO: 48      moltype = DNA length = 8259
FEATURE           Location/Qualifiers
misc_feature       1..8259
                   note = SVV-P3-1-GFP IVT template
source            1..8259
                   mol_type = other DNA
                   organism = synthetic construct

```

```

SEQUENCE: 48
taatacgaact cactataggg agaccacaagc tggctagcgt ttaaaactaa gcttgggtacc 60
ttatacaaac gatgagtcgg tgaggacgaa acgagtaagc tcgtctttga aatggggggc 120
tgggcccctga tgcccagtc ttcctttccc ctccggggg gttaacccgc tgtgtttgct 180
agaggccacag agggggcaact tccaacctgc ttttgccggg aacgggtgcg ctccgattcc 240
tgcgtcgcca aaggtgttag cgcacccaaa cggcgccact accaatgtta ttggtgtggt 300
ctgcgagttc tagcctactc gtttctcccc cgaccattca ctacccacg aaaagtgtgt 360
tgtaaccata agatttcaac ccgcacgggg atgtgcgata accgtaagac tggctcaagc 420
gggaaagcg ctgaaccac atgctgttag tccctttatg gctgcaagat ggctacccac 480
ctcggatcac tgaactggag ctgcacccct cttagtaagg gaaccgagag gccttcgtgc 540
aacaagctcc gacacagagt ccacgtgact gctaccacca tgagtacatg gttctcccc 600
ctcgacccag gacttctttt tgaatatcca cggctcgatc cagaggggtg ggcatgaccc 660
ctagcatagc gagctacagc gggaaactga gctaggcctt agcgtgcctt ggatactgcc 720
tgataggggc ctgcctagct cgtgtcgggt ctataggtag cacatacaaa tatgcagaac 780
tctcattttt ctttcgatac agcctctggc acccttgaag atgtaaccgg aacaaaaagc 840
aagatcgttg aatacccag atcgtggaac aatggtgttt acgattcgct tactcatttg 900
gagatactga accacagggt tgaaattgaa attttaaggt ctttcaatga ataccaaatt 960
cgcgcgcgca aacaacaact cggactggac atcgtgtacg aactacaggg taatgttcag 1020
acaacgtcaa agaattgatt tgattcccgt ggcaataatg gtaacatgac cttcaattac 1080
tacgcaaaaa cttatcagaa ttctcgacct cctcgtcgcc gtcaggcgcc 1140
ggacctggga actctcgggg cggattagcg ggtctcctca caaatttcag tggaaatctt 1200
aacctctctg gctacctcaa agatcacaa acggaagaaa tggaaaactc tgctgatcga 1260
gtcacaacgc aaacggcggg caacactgcc ataaacacgc aatcatcatt ggggtgtgtt 1320
tgtgcctacg ttgaagaccc gaccaaactc gatcctcgt ccagcagcac agatcaaccc 1380
accaccactt tcaactgcat cgacagggtg tacactggac gtctcaattc ttggcaaaaa 1440
gctgtaaaaa ccttctcttt tcaggccgct cgccttccc gtgcctttct gtttaggcag 1500
ggaggcctca acggaggggg cttcacagct accctacata gacacttttt gatgaagtgc 1560
gggtggcagg tgcagggtcca atgtaatttg acacaattcc accaaggcgc tcttcttgtt 1620
gccatggttc ctgaaaccac ccttgatgtc aagcccgacg gtaaggcaaa gagcttacag 1680
gagctgaatg aagaacagtg ggtggaaatg tctgacgatt accggaccgg gaaaaacatg 1740
ccttttcagt ctcttggcac atactatcgg cccctaact ggacttgggg tcccaatttc 1800
atcaaccctc atcaagtaac ggttttccca caccaaattc tgaacgcgag aacctctacc 1860
tcggtagaca taaacgtccc atacatcggt gagaccccca cgcaatctc agagacacag 1920
aactcctgga cctcctcgt tatggtgctc gttcccttag actataagga aggagccaca 1980
actgacccag aaattacatt ttctgtaagg cctacaagtc cctacttcaa tgggcttcgc 2040
aaccgctaca cggccgggac ggacgaagaa caggggccca ttctacggc acccagagaa 2100
aattcgttta tgtttctctc aacctccct gacgacactg tccctgctta cgggaatgtg 2160
cgtacccctc ctgtcaatta cctccctggt gaaataaccg accctttgca actggcccg 2220
ataccactc tcattggcatt tgagcgggtg cctgaaccgg tgctgcctc agacacatat 2280
gtgcctacg ttgcggttc caccagttc gatgacagcg ctctcatctc cttcccgatc 2340
accctttcag atccgctcta tcagaacacc ctggttgcg ccatcagttc aaatttcgcc 2400
aattaccgtg ggtgatccca aatcactctg acattttgtg gaccatgat ggcgagaggg 2460
aaattctcgc tctcgatttc tccccaaat ggaacgcaac cacagactct ttccgaagct 2520
atgcagtgca catactctat ttgggacata ggcttgaact ctagtggac cttcgtcgtc 2580

```

-continued

cctacatct	cgcccagtga	ctaccgtgaa	actcgagcca	ttaccaactc	ggtttactcc	2640
gctgatgggt	ggtttagect	gcacaagtgt	acccaaaatta	ctctaccacc	tgactgtccg	2700
caaatgcccc	gcattctctt	tttcgcttct	gctgggtgag	attacactct	ccgtctcccc	2760
gttgattgta	atccttccca	tgtgttccac	tccaccgaca	acgcccagac	cggtgttatt	2820
gaggcggtga	acactgacac	cgatttctct	ggtgaactgg	cggtcctggg	ctctaaccac	2880
actaatgtca	agttcctggt	tgatcgatct	cgattattga	atgtaatcaa	ggtaactggag	2940
aaggacgccc	ttttcccccc	ccctttccct	acacaagaag	gtgcccagca	ggatgatggt	3000
tacttttgc	ttctgacccc	ccgcccaca	gtcgttccc	gacccgcac	tcgtttcgcc	3060
ctgtacgcca	atccgtccgg	cagtgtgtgt	cttgctaaca	cttcactgga	cttcaatttt	3120
tatagcttgg	cctgtttcac	ttactttaga	tcggaccttg	aggttacggt	ggtctcacta	3180
gagccggatc	tggaatttgc	tgtagggtgg	tttccttctg	gcagtgaata	ccaggcttcc	3240
agctttgtct	acgaccagct	gcattgtccc	ttccacttta	ctgggcccac	tccccgcgt	3300
ttcgttagca	aggggtggaa	ggatcttttc	gtgctccctt	ggaactctgt	ctcgtctgtg	3360
ctcccggg	gctggggggg	ggcttccaa	ctctcttctg	ctacgcgggg	tctaccggcg	3420
catgctgatt	gggggactat	ttacgccttt	gtccccctgc	ctaatagaaa	gaaaagcacc	3480
gctgtaaaac	acgtggccgt	gtacattcgg	tacaagaacg	cacgtgcctg	gtgccccagc	3540
atgcttccct	ttcgcagcta	caagcagaag	atgctgatgc	aatctggcga	tatcgagacc	3600
aatccccggg	cgatgagcaa	gggcgaggag	ctgttcaccc	gggtgggtgc	catcctgggt	3660
gagctggacg	gcgacgtcaa	cgccacaag	ttcagcgtgt	ccggcagagg	cgagggcgat	3720
gccacctacg	gcaagctgac	cctgaagtgc	atctgcacca	ccggcaagct	gcccgtgccc	3780
tgcccccccc	tcgtgaccac	cctgacctac	ggcgtgcagt	gcttcagccg	ctaccccgac	3840
cacatgaagc	agcacgactt	cttcaagtcc	gcatgcccc	aaggtacgt	ccaggagcgc	3900
accatcttct	tcaaggacga	cggaacctac	aagacccgcg	ccgaggtgaa	gttcgagggc	3960
gacaccttgg	tgaaccgcat	cgagctgaag	ggcatcgact	tcaaggagga	cggaacacac	4020
ctggggcaca	agctggagta	caactacaac	agccacaacg	tctatatcat	ggccgacaag	4080
cagaagaacg	gcattcaaggt	gaaactcaag	atccgccaca	acatcgagga	cggcagcgtg	4140
cagctcggcg	accactacca	cgagaacacc	cccatcgccg	acggccccgt	gctgctgccc	4200
gacaaccact	acctgagcac	ccagtccgcc	ctgagcaaa	accccaacga	gaagcgcgat	4260
cacatgggtc	tgtcggagtt	cgtgaccgcc	gccgggatac	ctctcgccat	ggacgagctg	4320
tacaaggagg	gcagagggaag	tctgctaaca	tgcggtgacg	tcgaggagaa	tcccggggct	4380
gcttctgaca	acccaattct	ggagtttctt	gaagcagaaa	atgatctagt	cactctggcc	4440
tctctctgga	agatgggtgca	ctctgttcaa	cagacctgga	gaaagtatgt	gaagaacgat	4500
gatttttggc	ccaatttact	cagcgagcta	gtgggggaa	gctctgtcgc	cttggccgcc	4560
acgctatcca	accaagcttc	agtaaggct	cttttgggcc	tgcactttct	ctctcggggg	4620
ctcaattaca	ctgactttta	ctctttactg	atagagaaat	gctctagtgt	ctttacgcta	4680
gaaccacctc	ctccaccagc	tgaaaacctg	atgaccaagc	cctcagtgaa	gtcgaaattc	4740
cgaaaactgt	ttaagatgca	aggacctatg	gacaaagtca	aagactggaa	ccaaatagct	4800
gccggcttga	agaattttca	atttgttctg	gacctagtca	aagaggtggg	cgattggctg	4860
caggcctgga	tcaacaaaga	gaaagccagc	cctgtcctcc	agtaccagtt	ggagatgaag	4920
aagctcgggc	gtgtgcccct	ggctcatgac	gctttcatgg	ctgggtcccg	gccccctctt	4980
agcgacgacc	agattgaata	cctccagaa	ctcaaatctc	ttgcccatac	actggggaag	5040
actaatttgc	cccaaaagtct	caccactatg	atcaatgcca	aacaaagtcc	agcccaacga	5100
gttgaaaccg	ttgtggtggt	ccttagaggg	aagccgggat	gcggcaagag	cttggcctct	5160
acgttgattg	cccaggctgt	gtccaaagcc	ctctatggct	cccaaaagtgt	atattctctt	5220
ccccagatgc	cagatttctt	cgatggatac	aaaggacagt	tcgtgacctt	gatggatgat	5280
ttgggacaaa	accggatggg	acaaagtctt	gtccaccttt	gtcagatggt	gtcgcagccc	5340
caatttctcc	ccaacatggc	ggaccttgca	gagaaagggc	gtccctttac	ctccaatctc	5400
atcattgcaa	ctacaaatct	cccccacttc	agtcctgtca	ccattgtgta	tcttctgtca	5460
gtctctcgcc	gtatcaacta	cgatctgact	ctagaagtat	ctgaggccca	caagaacac	5520
acacggctga	atcttgactt	ggctttcagg	cgcacagacg	cccccccat	ttatcctttt	5580
gctgcccatt	tgccctttgt	ggacgtagct	gtgcgcttca	aaaatggta	ccagaatttt	5640
aatctcctag	agttggttga	ttccatttgt	acagacattc	gagcccaagc	acaaggtgca	5700
cgaaacatgc	agactctggt	tctacagagc	cccaacgaga	acgacgacac	ccccgtcgac	5760
gaggcggtgg	gtagagttct	cacccccgct	gcggtcgacg	aggcgcttgt	cgacctcgct	5820
ccagatgcgc	acccggttgg	cggtttggct	attctcgcca	agctaggctt	tgccctagct	5880
gcggtcacc	ctggtttgat	aatcttggca	gtgggactct	acagggtact	ctctggctct	5940
gatacagacc	aagaagaac	agaaggtgag	gagcctgcta	aagcgcttag	gagcgagaat	6000
gcttatgacg	gcccgagaaa	aaactctaag	ccccctggag	cgctctccct	tatggaaatg	6060
caacagccca	acgtggacat	gggctttgag	gctgcggctc	ctaagaaagt	ggtcgtcccc	6120
attaccttca	tggttcccaa	cagaccttct	ggactttacac	agtcgctct	tcttggggcc	6180
ggccggacct	tcttaattaa	tgagcatata	tggtccaacc	cctcctggac	cagcttcaac	6240
atccgtggtg	aggtgcacac	ccgtgatgag	cctttccaaa	cggttcattt	tactcaccat	6300
ggtgttccca	cagatctggt	gatggtacgt	ctcggaccgg	gcaactcctt	ccctaacaat	6360
ctagacaaat	ttggacttga	tcagatgccc	gcacgttaact	cccgtgtggt	tggtgcttgc	6420
gctagttagc	gcaacttctt	ctctctggg	aacttctcgc	gggttgggtg	ctccatcacc	6480
tctgaccaa	gaacttatgc	gagacttttt	aggtacaggg	tgacgacctc	caaggggtgg	6540
tgccgttccg	ccctggttgg	tgaggccggg	gggtgcccgc	gcacatttgg	cctgcattct	6600
gctggtgcgc	ctggttatcg	cgccgggact	tacatctcaa	aattaggact	gatcaaaagc	6660
ctcaaacacc	tcggtgaacc	tctggctaca	atgcaaggac	tgatgactga	gctagagcct	6720
ggagtccacc	tgcatgtacc	ccggaaatct	aaattgagaa	agacgaccgc	acacgcgggt	6780
tacaacccgg	agtttgaacc	tgtgtgtgtg	tcaaaatttg	atcccagact	gaacaaggat	6840
gttgacctag	atgaggtaat	ttggtctaaa	cacactgcca	acgtccctta	tcaacctcct	6900
ttgttctaca	catacatgtc	agagtacgct	catcggtttt	tctccttttt	gggaaaagac	6960
aatgacattc	tgaccgtcaa	agaagcaatc	ttgggaatcc	ctggactaga	ccctatggat	7020
ccccacacag	ctccgggtct	gcctacgccc	attagcgccc	ttcgacgtac	tgatctcgct	7080
gattttgcga	acggcacggt	ggaccgcaca	ctggccgtac	aaatccaaaa	attcttagac	7140

-continued

ggtgactact	ctgatcatgt	cttccaaact	tttctgaaag	atgaaatcag	accctcagag	7200
aagggtccgag	cgggaaaaac	ccgcattgtc	gatgtgccct	ccctggcgca	ctgcattgtg	7260
ggcagaatgt	tgcttgggag	ctttgcccgc	aagtttcaat	cccatcctgg	ctttctcctt	7320
ggctctgcta	tcgggtctga	cctgatgtc	ttctggaccg	tcataggggc	tcagctcgag	7380
ggaagaaaaga	acacgtatga	cgtggactac	agtgcctttg	actcttcaca	cggcactggc	7440
tccttcgagg	ctctcatctc	tcacttttct	accgtggaca	atgggttttag	ccctgcgctg	7500
ggatcgtatc	tcagatccct	ggctgtctcg	gtgcacgctt	acggcgagcg	tcgcatacaag	7560
attacgggag	gcctcccttc	tggttgtgcc	gcgaccagcc	tgtgaaacac	agtgtcaaac	7620
aatgtgatca	tcaggactgc	tctggcattg	acctacaagg	aatttgaata	tgacatgggt	7680
gatatcatcg	cctacgggtga	cgaccttctg	gttggtacgg	attacgatct	ggacttcaat	7740
gaggtggcgc	ggcgcgctgc	caaaactgggg	tataagatga	ctcctgcaca	caaaggttct	7800
gtcttccctc	cgacttctct	tctctccgac	gctgttttct	taaaacgcaa	attcgtccaa	7860
aacaatgacg	gcttatataca	accagttatg	gatttaaaga	atttgaagc	catgctctcc	7920
tacttcaaac	caggaaacact	actcgagaag	ctgcaatctg	tttctatgtt	ggctcaacat	7980
tctggaaaag	aagaatatga	tagattgatg	cacctcttct	ctgactacgg	tgccgtaccg	8040
agtcacgagt	acctgcaggc	aagatggagg	gccttgttct	actgacccag	atagcccaag	8100
gcgcttcggt	gctgccggcg	attctggggg	aactcagtcg	gaacagaaaa	gggaaaaaaa	8160
aaaaaaaaaa	aaaaaaaaaa	aaaggccggc	atggtcccag	cctcctcgct	ggcgccggct	8220
gggaacatg	cttcggcatg	gcgaatggga	cgcggccgc			8259

SEQ ID NO: 49 moltype = DNA length = 8259
FEATURE Location/Qualifiers
misc_feature 1..8259
 note = SVV-P3-2-GFP IVT template
source 1..8259
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 49

taatacgact	cactataggg	agacccaagc	tggttagcgt	ttaaacttaa	gcttggtagc	60
ttatcaaaact	gatgagtcgc	tgaggacgaa	acgagtaaac	tcgtctttga	aatggggggc	120
tgggccctga	tgccacgtcc	ttcctttccc	cttcgggggg	gttaaccggc	tgtgtttgct	180
agaggcacag	agggggcaaca	tccaacctgc	tttttcgggg	aacgggtcgg	ctccgattcc	240
tgcgtcgcca	aaggtgttag	cgcacccaaa	cggcgccact	accaatgtta	ttggtgtggt	300
ctgcgagttc	tagcctactc	gtttctcccc	cgaccattca	ctcaccacag	aaaagtgtgt	360
tgtaacccata	agatttaacc	cccgccgggg	atgtgcgata	accgtaagac	tggtcacaagc	420
gcggaaagcg	ctgtaaccac	atgctgttag	tccctttatg	gctgcaagat	ggctacccac	480
ctcggatcac	tgaactggag	ctcgaccctc	cttagtaagg	gaaccgagag	gccttcgtgc	540
aacaagctcc	gacacagagt	ccacgtgact	gctaccacca	tgagtaacat	gttctccctc	600
ctcgacccag	gacttctttt	tgaatatcca	cggctcgatc	cagagggtag	ggcatgaccc	660
ctagcatagc	gagctacagc	gggaactgta	gctaggcctt	agcgtgcctt	ggatactgac	720
tgtagggggc	acggcctagt	cgtgtcgggt	ctataggtag	cacatacaaa	tatgcagaa	780
tctcattttt	cttctcgatc	agcctctggc	acctttgaag	atgtaaccgg	aacaaaagtc	840
aagatcgttg	aataccccag	atcgggtgaac	aatgggtgtt	acgattcgtc	tactcatttg	900
gagatactga	acctacaggg	tgaatttgaa	attttaaggt	ctttcaatga	ataccaaatt	960
cgcgcggcca	aacaacaact	cggactggac	atcgtgtacg	aactacaggg	taatgttcag	1020
acaaacgtca	agaaatgatt	tgaattcccgt	ggcaataatg	gtaacatgac	cttcaattac	1080
tacgcaaaaca	attatcagaa	ttcagtagac	ttctcgacct	cctcgtcgcc	gtcaggcgcc	1140
ggactcggga	actctcgggg	cggattagcg	ggtctcctca	caaatctcag	tggaattctg	1200
aaacctcttg	gctacctcaa	agatcacaa	accgaagaaa	tggaaaactc	tgctgatcga	1260
gtcacaaacg	aaacggcggg	caacactgcc	ataaacacgc	aatcatcatt	gggtgtgttg	1320
tgtgcctacg	ttgaagaccc	gcacaaatct	gatcctccgt	ccagcagcac	agatcaaccc	1380
accacccact	tcactcgcat	cgacaggtgg	tacactggac	gtctcaattc	ttggacaaaa	1440
gctgtaaaaa	ccttctcttt	tcaggccgtc	ccgcttcccg	gtgcctttct	gtctaggcag	1500
ggaggcctca	acggaggggc	cttcacagct	acctacata	gacacttttt	gatgaagtgc	1560
gggtggcagg	tgcaggtcca	atgtaatttg	acacaattcc	accaaggcgc	tcttcttgtt	1620
gccatgggtc	ctgaaaccac	ccttgatgtc	aagcccagac	gtaaggcaaa	gagcttacag	1680
gagctgaatg	aagaacagtg	gggtgaaatg	tctgacgatt	accggaccgg	gaaaaacatg	1740
ccttttctag	ctcttggcac	atactatcgg	ccccctaact	ggacttgggg	tcccaatttc	1800
atcaaccctc	atcaagtaac	gggttttcca	caccaaattc	tgaacgcgag	aacctctacc	1860
tcggttagaca	taaacgtccc	atacatcggg	gagaccccca	cgcaatctct	agagacacag	1920
aaactcctga	ccctcctcgt	tatgggtgct	gttcccttag	actataagga	aggagccaca	1980
actgacccag	aaattacatt	ttctgtgaag	cctacaagtc	cctacttcaa	tgggcttctc	2040
aaaccgtaca	cggccggggc	ggacgaagaa	cagggggcca	ttctacagcg	accagagaaa	2100
aattcgtctt	tgtttctctc	aacctctcct	gacgacactg	tcctcgttta	cgggaatgtg	2160
cgtacccctc	ctgtcaatta	cctccctggt	gaaataaccg	accttttgca	actggcccg	2220
atacccaact	tcattggcatt	tgagcgggtg	cctgaacccg	tgcctgcctc	agacacatat	2280
gtgcctcag	ttgcggttcc	cacccagttc	gatgacaggg	ctctcatctc	cttcccgatc	2340
accctttcag	atcccgctca	tcagaacacc	ctgggtggcg	ccatcagttc	aaatttcgcc	2400
aattaccgtg	gggtgatcca	aatcactctg	acattttgtg	gacccatgat	ggcgagaggg	2460
aaattcctgc	tctcgtatct	tcccccaaat	ggaacgcaac	cacagactct	ttccgaagct	2520
atcgagtcca	catactctat	ttgggacata	ggcttgaact	ctagtgggac	cttgcctgct	2580
ccctacatct	cgcccagtg	ctaccgtgaa	actcgagcca	ttaccaactc	ggtttactcc	2640
gctgatggtt	gggttagcct	gcacaaagtg	acaaaaatta	ctctaccacc	tgactgtccg	2700
caaagtccct	gcattctctt	tttcgcttct	gctgggtgag	attacactct	cgtctctccc	2760
gttgattgta	atccttctca	tccaccgaca	acgcgcgag	acggggttat		2820
gaggcgggta	acactgacac	cgattttctct	ggtgaactgg	cggctcctg	ctctaaccac	2880

-continued

actaatgtca	agttcctgtt	tgategatct	cgattattga	atgtaatcaa	ggtagtgag	2940
aaggacgccc	ttttccccc	ccctttccct	acacaagaag	gtgcgcagca	ggatgatgg	3000
tacttttgtc	ttctgacccc	ccgcccaaca	gtcgtctccc	gacccgccac	tcgtttcggc	3060
ctgtacgcca	atccgtccgg	cagtgggtgt	cttgctaaca	cttcactgga	cttcaatttt	3120
tatagcttgg	cctgtttcac	ttactttaga	tcggaccttg	aggttacggg	ggctcacta	3180
gagccggatc	tggaaatttg	tgtagggtgg	ttcctctctg	gcagtgaata	ccaggcttcc	3240
agctttgtct	acgaccagct	gcattgtgcc	ttccacttta	ctgggcgcac	tccccgcgct	3300
tcgctagca	aggggtggga	ggatcttttc	gtgctccctt	ggaactctgt	ctcgtctgtg	3360
ctcccgctgc	gctggggggg	ggcttccaag	ctctcttctg	ctacgcgggg	tctaccggcg	3420
catgctgatt	gggggactat	tacgcctttt	gtcccccgtc	ctaagagaa	gaaaagcacc	3480
gctgtaaaa	acgtggcggt	gtacattcgg	tacaagaacg	cacgtgcctg	gtgccccagc	3540
atgcttccct	ttcgcagcta	caagcagaag	atgctgatgc	aattcggcga	tatcgagacc	3600
aatcccgggc	cgtatgacaa	gggcgaggag	ctgttcaccg	gggtgggtgc	catcctggte	3660
gagctggagc	gcgacgtaaa	cggccacaag	ttcagcgtgt	cggcgagggg	caggggcgat	3720
gccacctacg	gcaagctgac	cctgaagtte	atctgcacca	cggcgaagct	gcccgtgccc	3780
tggccccccc	tcgtgaccac	ctgacctac	ggcgtgcagt	gcttcagccg	ctaccccgac	3840
cacatgaagc	gcgacagctt	cttcaagtcc	gccatgcccg	aaggctacgt	ccaggagcgc	3900
accatctttc	tcaaggacga	cggcaactac	aagaccccg	cggaggtgaa	gttcgagggc	3960
gacaccctgg	tgaaccgcat	cgagctgaag	ggcatcgact	tcaaggagga	cggcaacatc	4020
ctgggggcaca	agctggagta	caactacaac	agccacaacg	tctatatcat	ggccgacaa	4080
cagaagaacg	gcacaaaggt	gaacttcaag	atccgccaca	acatcgagga	cggcagcgtg	4140
cagctcggcg	accactacca	gcagaacacc	cccatcgccg	acggccccgt	gctgctgccc	4200
gacaaccact	acctgagcac	ccagtcggcc	ctgagcaaa	accccaacga	gaagcgcgat	4260
cacatgggtc	tgtcggagtt	cgtgaccgcc	gccgggatca	ctctcggcat	ggacgagctg	4320
tacaaggagg	gcagaggagg	tctgctaaca	tgcggtgacg	tcgaggagaa	tcccgggcct	4380
gcttctgaca	accctaattt	ggagtttctt	gaagcagaaa	atgatctagt	cactctggcc	4440
tctctctgga	agatgggtga	ctctgttcaa	cagacctgga	gaaagtatgt	gaagaacgat	4500
gatttttggc	ccaatttact	cgcgagctta	gtgggggaag	gctctgtcgc	cttggccgcc	4560
acgctatcca	accaagcttc	agtaaaaggc	cttttggggc	tgcactttct	ctctcggggg	4620
ctcaattaca	ctgactttta	ctctttactg	atagagaaat	gctctagtgt	ctttaccgta	4680
gaaccacctc	ctccaccagc	tgaaaacctg	atgaccaagc	cctcagtga	gtcgaatttc	4740
cgaaaactgt	ttaagatgca	aggacccatg	gacaaagtca	aagactggaa	ccaaatagct	4800
gccggcttga	agaattttca	atttgttcgt	gacctagtca	aagaggtggg	cgattggctg	4860
caggcctgga	tcaacaaaaga	gaaagccagc	cctgtcctcc	agtaccagtt	ggagatgaag	4920
aagctcgggc	ctgtggcctt	ggctcatgac	gctttcatgg	ctgggtccgg	gccccctctt	4980
agcgacgacc	agattgaata	cctccagaa	ctcaaatctc	ttgcctaac	actgggggaag	5040
actaatttgg	cccaaatgtc	caccactatg	atcaatgcca	aacaaagtte	agcccaacga	5100
gttgaaccgc	ttgtgggtgt	ccttagaggc	aagccgggat	gcggcaagag	cttggcctct	5160
acgttgattg	cccaggctgt	gctccaggcg	ctctatggct	cccaaatgtg	atattctctt	5220
ccccagatc	cagattttct	cgatggatac	aaaggacagt	tcgtgacctt	gatggatgat	5280
ttgggacaaa	accgggatgg	acaagatttc	tccacctttt	gtcagatggg	gtcgaccgcc	5340
caattttctc	ccaacatggc	ggaccttgca	gagaaagggc	gtccctttac	ctccaatctc	5400
atcattgcaa	ctacaaatct	ccccacttc	agtcctgtca	ccattgctga	tcttctgcca	5460
gtctctcgcc	gtatcaacta	cgatctgact	ctagaagtat	ctgaggccta	caagaaacac	5520
acacggctga	atatttgact	ggctttcagg	cgcacagacg	cccccccat	ttatcctttt	5580
gctgccccat	tgcctttgtg	ggacgtagct	gtgcgcttca	aaaatgggtc	ccagaatttt	5640
aatctcctag	agttgggtga	ttccatttgt	acagacattc	gagccaagca	acaagggtgc	5700
gaaacatgc	agactctggt	tctacagagc	cccaacgaga	atgatgacac	ccccctgcac	5760
gaggcggtga	tcagagttct	cacccccgtg	gcggctcgacg	aggcgcttgt	cgacctgcgt	5820
ccagagcccg	accgggttgg	ccgcttggct	attcttgcca	agctaggtct	tgcctgggct	5880
gcggtcaccc	ctggtttgat	aatcctggca	gtgggactct	acaggtaact	ctctggtctc	5940
gatacagacc	aagaagaaac	agaaagttag	gaacctgtta	aagcgccacg	gagcgagaat	6000
gcttatgacg	gccccaaaga	aaactctaag	ccccctgggg	cgctctctct	tatggaaatg	6060
cagcagccca	acgtggacat	gggcttttag	gctgcgggtc	ctaagaaagt	ggctcgtccc	6120
attaccttca	tggttcccaa	cagaccttct	ggacttacac	agtcgctctc	tcttgtggcc	6180
ggccggactt	tcctaattaa	tgagcataca	tgggtccaac	cctcctggag	cagcttcaca	6240
atccgtgggt	aggtgcacac	tcgtgatgag	cctttccaaa	cggttcattt	tactcaccat	6300
gggtttccca	cagatctgat	gatggtgcgt	ctcgggcggg	gcaactcttt	ccctaacaat	6360
ctagacaagt	ttggacttga	ccagatgcgg	gcacgttaact	cccgtgtggg	tggcggtttc	6420
gctagttagc	gtaacttctt	cttctctggg	aatttctctg	gggtttgtga	ctccatcacc	6480
tctgaccaag	gaactttatg	gagacttttt	aggtagacgg	tgacgactta	caagggtatg	6540
tgtggttcgg	ccctgggtctg	tgaggccggg	gggtgcggcg	gcacatttgg	cttgactctc	6600
gctggcgccg	ctggtatcgg	cgcggggact	tacatctcaa	aattgggact	gatcaaaagg	6660
cttaaacacc	tcggtgaacc	tctgggtaca	atgcaaggac	tgatgactga	gctagagcct	6720
ggagtccacc	tacatgtacc	cgggaatctc	aaattgagaa	agacgacggc	acacgcggtg	6780
tacaaaccgg	agtttgaacc	tgtgtgtgtg	tcaaaatttg	atcccgact	gaacaaggat	6840
gttgacttag	atgaggtgat	ttgggtctaaa	cacactgcca	acgtccctta	tcaacctcct	6900
ttgttctaca	catatatgtc	agagtacgct	cacgggtgtt	tctccttttt	gggaaaagac	6960
aatgacattc	tgaccgtcaa	agaagcaatc	ttgggcatcc	ctggactaga	ccctatggat	7020
ccccacacag	ctccgggtct	gccctacggc	attagcggcc	ttcgcagtac	tgatctcgtc	7080
gattttcgga	acggcaccgt	agacggcgca	ctggccatgc	aaattcagaa	attcttagat	7140
ggtgactact	ctgatcatgt	cttccaaaact	tttctgaaag	atgaaatcag	acccctcagag	7200
aaggctccag	cgggaaaaac	cgcatttgtc	gatgtgcctt	ccctggcgca	ctgcatttgt	7260
ggcagaatgc	tgtttggggg	ttttgcccgc	aagtttcaat	cccatcctgg	ctttctcctt	7320
ggctctgcta	tcgggtctga	cctgatgtc	ttctggacgg	tcataggggc	tcagctcgag	7380
ggaagaaaga	acacgtatga	cgtggactac	agtgcccttg	actcttcaca	cggcactggc	7440

-continued

tccttcgagg	ctctcatctc	tcactttttc	accgttgaca	atggttttag	cctgcgctg	7500
ggaccgtatc	tcagatccct	ggctgtctcg	gtgcacgctt	acggcgagcg	tcgcataaag	7560
attaccggag	gcctcccttc	tggttgtgcc	gcgaccagcc	tgctgaacac	agtgtccaac	7620
aatgtgatca	tcaggactgc	cttagcattg	acttacaagg	aatttgagta	tgacatgggt	7680
gatatcatcg	cctacgggtga	cgaaccttctg	gttggtacgg	attatgatct	ggacttcaat	7740
gagggtggcgc	ggcgcgctgc	caaacctgggg	tataagatga	ctcctgccaa	caagggttct	7800
gtcttccttc	cgaattcttc	tctctccgat	gctgtttttc	taaaacgcaa	attcgtccaa	7860
aacaatgacg	gcttatataa	accagttatg	gatttaaaga	atttggaagc	catgctctcc	7920
tacttcaaac	caggaacact	actcgagaag	ctgcaactctg	tttctatggt	ggctcaacat	7980
tctggaaaag	aagaatatga	tagattgatg	caccctctcg	ctgactacgg	tgccgtaccg	8040
agtcacgagt	acctgcaggg	aagatggagg	gccttggttcg	actgacccag	atagcccaag	8100
gcgcttcggt	gctgccggcg	attctgggag	aactcagtcg	gaacagaaaa	gggaaaaaaa	8160
aaaaaaaaaa	aaaaaaaaaa	aaaggccggc	atggtccccg	cctcctcgct	ggcgccggct	8220
gggcaacatg	cttcggcatg	gcgaatggga	cgcggccgcg			8259

SEQ ID NO: 50 moltype = DNA length = 8259
FEATURE Location/Qualifiers
misc_feature 1..8259
 note = SVV-P3-3-GFP IVT template
source 1..8259
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 50

taatacgact	cactataggg	agacccaagc	tggttagcgt	ttaaacttaa	gcttggtacc	60
ttatcaaaact	gatgagtcg	tgaggacgaa	acgagtaagc	tcgtctttga	aatggggggc	120
tgggcccctga	tgcccaagtc	ttcctttccc	cttcgggggg	gttaaccggc	tgtgtttgct	180
agaggcacag	aggggcaaca	tccaacctgc	ttttgcgggg	aacgggtcgg	ctccgattcc	240
tgcgtcgcca	aagggtgtag	gcaccccaaa	cggcgccact	accaatgta	ttggtgtggt	300
ctgcgagttc	tacgtacttc	gtttctcccc	cgaaccttca	ctcaccacg	aaaagtgtgt	360
tgtaaccata	agatttaacc	ccgcgacggg	atgtgcgata	acgtaagac	tggtccaagc	420
gcggaaagcg	ctgtaaacac	atgctgttag	tccctttatg	gctgcaagat	ggctaccacc	480
ctcggatcac	tgaactggag	ctcgaccttc	cttagtaagg	gaaccgagag	gccttcgtgc	540
aacaagctcc	gacacagagt	ccacgtgact	gctaccacca	tgagtacatg	gttctccctc	600
ctcgacccag	gacttctttt	tgaatatcca	cggctcgatc	cagaggggtg	ggcatgaccc	660
ctagcatagc	gagctacagc	gggaaactga	gctaggcctt	agcgtgcctt	ggatactgcc	720
tgatagggcg	acggcctagt	cgtgtcgggt	ctataggtag	cacatacaaa	tatgcagaac	780
tctcattttt	ctttcgatcc	agcctctggc	acctttgaag	atgtaaccgg	aacaaaagtc	840
aagatcggtg	aataccccag	atcgggtgaac	aatggtgttt	acgattcgct	tactcatttg	900
gagatctcga	acctacaggg	tgaatttgaa	attttaagggt	ctttcaatga	ataccaaatt	960
cgcgcgcgca	aacaacaact	cggactggac	atcgtgtacg	aactacaggg	taatgttcag	1020
acaacgtcaa	agaatgattt	tgattcccgt	ggcaataatg	gtaacatgac	cttcaattac	1080
tacgcaaaac	cttatcagaa	ttcagtagac	ttctcgacct	cctcgctggc	gtcaggcgcc	1140
ggacctggga	actctcgggg	cggattagcg	ggtctcctca	caaatttcag	tggaatcttg	1200
aaacctcttg	gctacctcaa	agatcacaca	accgaagaaa	tggaaaactc	tgctgatcga	1260
gtcacaaacg	aaacggcggg	caacactgcc	ataaacacgc	aatcatcatt	gggtgtgttg	1320
tgtgcctacg	tgaagacccc	gaccaaactc	gatcctccgt	ccagcagcac	agatcaaccc	1380
accaccactt	tcactgccat	cgacaggtgg	tacactggac	gtctcaattc	ttggacaaaa	1440
gctgtaaaaa	cctctctctt	tcaaggccgtc	ccgcttcccg	gtgcctttct	gtctaggcag	1500
ggaggcctca	acggaggggg	cttcacagct	accctacata	gacacttttt	gatgaagtgc	1560
gggtggcagg	tgacaggtcca	atgtaatttg	acacaattcc	accaaggcgc	tcttctctgt	1620
gcccattggt	ctgaaaccac	ccttgatgtc	aagcccagac	gtaaggcaaa	gagcttacag	1680
gagctgaatg	aagaacagtg	ggttgaaaatg	tctgacgatt	accggacccg	gaaaaacatg	1740
ccttttctag	ctcttgccac	atactatcgg	ccccctaact	ggacttgggg	tcccaatttc	1800
atcaacccct	atcaagtaac	ggttttccca	caccaaattc	tgaacgcgag	aacctctacc	1860
tcggtagaca	taaacgtccc	atacatcggg	gagaccccca	cgaactcttc	agagacacag	1920
aactcctgga	ccctcctcgt	tatggtgctc	gttcccctag	actataagga	aggagccaca	1980
actgacccag	aaattacatt	ttctgtaagg	cctacaagtc	cctacttcaa	tgggcttcgc	2040
aaaccgtaca	cggccggggc	ggacgaagaa	cagggggcca	ttcctacggc	accagagaaa	2100
aattcgctta	tgtttctctc	aaacctccct	gacgacactg	tccttgctta	cgggaatgtg	2160
cgtacccctc	ctgtcaatta	cctccctggt	gaaataaccg	accttttgca	actggcccgc	2220
ataccacatc	tcatggcaat	tgagcgggtg	cctgaaccgg	tgccgtgcctc	agacacatat	2280
gtgccctacg	ttgcggttcc	cacccagttc	gatgacaggg	ctctcatctc	cttcccgcgc	2340
accctttcag	atcccgctca	tcagaacacc	ctggttgggc	ccatcagttc	aaatttcgcc	2400
aattaccgtg	ggtgtatcca	aatcactctg	acattttgtg	gacccatgat	ggcgagaggg	2460
aaattcctgc	tctcgtatcc	tccccaaat	ggaaacgcaac	cacagactct	ttccgaagct	2520
atgcagtgca	catactctat	ttgggacata	ggcttgaact	ctagttaggac	cttcgtcgtc	2580
ccctacatct	cgcccagtg	ctacccgtgaa	actcgagcca	ttaccaactc	gggtttactcc	2640
gctgatgggt	ggtttagcct	gcacaagttg	accaaaatta	ctctaccacc	tgactgtccg	2700
caaagtcctc	gcattctctt	tttcgcttct	gctggtgagg	attacactct	ccgtctcccc	2760
gttgattgta	atccttctca	tgtgttccac	tccaccgaca	acgcccagac	cgggggttatt	2820
gaggcgggta	acactgacac	cgatttctct	ggtgaactgg	cggctcctgg	ctctaaccac	2880
actaatgtca	agttcctggt	tgatcgatct	cgattattga	atgtaatcaa	ggtaactggag	2940
aaggacgcgc	ttttcccccg	ccctttccct	acacaagaag	gtgcgcagca	ggatgatggt	3000
tacttttgtc	ttctgacccc	cgcaccaaca	gtcgttctcc	gacccgccac	tcgtttcggc	3060
ctgtacgcca	atccgtccgg	cagtggtggt	cttgctaaca	cttcaactgga	cttcaatttt	3120
tatagcttgg	cctgtttcac	ttactttaga	tcggaccttg	aggttacggt	ggtctcacta	3180

-continued

gagccggatc	tggaatttgc	tgtagggtgg	tttccttctg	gcagtgaata	ccaggettcc	3240
agctttgtct	acgaccagct	gcattgtgcc	ttccacttta	ctgggcgcac	tccccgcgct	3300
ttcgctagca	agggtgggaa	ggtatctttc	gtgctccctt	ggaactctgt	ctcgtctgtg	3360
ctccccgtgc	gctggggggg	ggtttccaag	ctctcttctg	ctacgcgggg	tctaccggcg	3420
catgctgatt	gggggactat	ttacgccttt	gtcccccgtc	ctaagagaa	gaaaagcacc	3480
gctgtaaaaac	acgtggccgt	gtacattcgg	tacaagaacg	cacgtgcctg	gtgccccagc	3540
atgcttcctc	ttcgacgcta	caagcagaag	atgctgatgc	aatctggcga	tatcgagacc	3600
aatcccgggc	cgatgagcaa	gggcgaggag	ctggtcaccg	gggtgggtgc	catcctgggtc	3660
gagctggacg	gcgacgtaaa	cggccacaag	ttcagcgtgt	cggcgagggg	cgagggcgat	3720
gcccactacg	gcaagctgac	cctgaagtgc	atctgcacca	cggcgaagct	gcccgtgccc	3780
tggccccacc	tcgtagccac	cctgacctac	ggcgtgcagt	gcttcagccg	ctaccccgac	3840
cacatgaagc	agcacgactt	cttcaagtcc	gccatgcccc	aaggctacgt	ccaggagcgc	3900
accatcttct	tcaaggacga	cggcaactac	aagacccgcg	ccgaggtgaa	gttcgagggc	3960
gacacccctg	tgaacccctc	cgagctgaag	ggcatcgact	tcaaggagga	cggcaacatc	4020
ctgggggcaca	agctggagta	caactacaac	agccacaacg	tctatatcat	ggcgcacaag	4080
cagaagaacg	gcatacaggt	gaacttcaag	atccgccaca	acatcgagga	cggcagcgtg	4140
cagctcgccg	accactacca	gcagaacacc	cccactcgcg	acggccccgt	gctgctgccc	4200
gacaaaccat	acctgagcac	ccagtccgcc	ctgagcaaaag	acccccacga	gaagcgcgat	4260
cacatgggtc	tgcctggagt	cgtgaccgcc	gcccggatca	ctctcgccat	ggacgagctg	4320
tacaaggagg	gcagaggaag	ctgcttaaca	tgcggtgacg	tgcaggagaa	tcccggggct	4380
gcttctgaca	accaattttt	ggagtttctt	gaagcagaaa	atgatctagt	cactctggcc	4440
tctctctgga	agatggtgca	ctctgttcaa	cagacctgga	gaaagtatgt	gaagaacgat	4500
gattttttggc	ccaattttact	cagcgagcta	gtggggggaag	gctctgtcgc	cttggccgcc	4560
acgctatcca	accaagcttc	agtaaaaggct	cttttggggc	tgcactttct	ctctcggggg	4620
ctcaattaca	ctgactttta	ctctttactg	atagagaaat	gctctagtgt	ctttaccgta	4680
gaaccacctc	ctccaccagc	tgaaaaacctg	atgaccaagc	cctcagtgaa	gtcgaatttc	4740
cgaaaactgt	ttaagatgca	aggacccatg	gacaaagtca	aagactggaa	ccaaatagct	4800
gcccgtctga	agaattttca	attgttctgt	gacctagtca	aagaggtggt	cgattggctg	4860
caggcctgga	tcaacaaaga	gaaagccagc	cctgtcctcc	agtaccagtt	ggagatgaag	4920
aagctcgggg	ctgtggccct	ggctcatgac	gcttctcatg	ctggttcctg	gccccctctt	4980
agcgacgacc	agattgaaata	ctccagaac	ctcaaatctc	tggccctaac	actggggaag	5040
actaatttgg	cccaagtctc	caccactatg	atcaatgcc	aacaaagttc	agcccaacga	5100
gttgaaaccg	ttgtgggtgt	ccttagaggc	aagccgggat	gcggcaagag	cttggccctc	5160
acgttgatgt	ccaggctgtg	gtccaagcgc	ctctatggct	cccaagtgt	atattctctt	5220
ccccagatc	cagatttctt	cgatggatgc	aaaggacagt	tgcgtgacct	gatggatgat	5280
tggggacaaa	accggatggt	acaagatttc	tccacctttt	gtcagatggt	gtcgaaccgc	5340
caatttctcc	ccaacatggc	ggaccttgca	gagaaagggc	gtccctttac	ctccaatctc	5400
atcattgcaa	ctacaaatct	ccccacttc	agtcctgtca	ccattgctga	tcttcttgca	5460
gtctctcgcc	gtatcaacta	cgatctgact	ctagaagtat	ctgagcccta	caagaacac	5520
acacggctga	attttgactt	ggctttcagg	cgcacagacg	cccccccat	ttatcctttt	5580
gctgccccatg	tgccttttgt	ggacgtagct	gtgccttca	aaaatggtca	ccagaatttt	5640
aatctcctag	agttgggtcga	ttccatttgt	acagacattc	gagccaaagca	acaaggtgcc	5700
cgaaacatgc	agactctgtg	tctacagagc	cctaacgaga	acgacgacac	ccccgtcgac	5760
gaggcgttgg	gtagagtctc	cacccccgct	gcggtcgacg	agggcgttgt	cgacctcgct	5820
ccagatgccg	accgggttgg	ccgcttggtc	attctcgcca	agctaggctc	tgccttagct	5880
gcggtcaccc	ctggtttgat	aatcttgcca	gtgggactct	acaagtactt	ctctggctct	5940
gatacagacc	aagaagaaac	agaaagttag	gagcctgtta	aagcgcttag	gagcgagaat	6000
gcttatgacg	gcccgagaa	aaactctaag	ccccctggag	cgctctctct	tatggaatg	6060
caacagccca	acgtggacat	gggtcttgag	gctgcggtcg	ctaagaaagt	ggctgctccc	6120
attaccttca	tgggtcccaa	cagacctctc	ggacttacac	agtcctgctc	tcttgtgacc	6180
ggccggagct	tcctaataca	tgagcataca	tgggtccaac	cctcctggac	cagcttcaca	6240
atccgtgggtg	aggtgcacac	tcgtgatgag	cctttccaaa	cggttcattt	tactcaccat	6300
ggtcttccca	cagatctgat	gatggtagct	ctcggaccgg	gcaactcctt	ccctaacaat	6360
ctagacaagt	ttggacttga	ccagatgccg	gcacgtaact	cccgtgtggt	cggcgtttcg	6420
gctagttagc	gtaacttctt	ctctctggg	aaactcctcg	ggtttgttga	ctccatcacc	6480
tctgaccaag	gaacctatgc	gagacttttc	aggtagcagg	tgacgactta	caagggatgg	6540
tgcggttcgg	ccctgggtcg	cgaggccggt	ggtgtccgac	gcataattgg	cctgcactct	6600
gctggtgccg	ctggtatcgg	tgcgggact	tacatctcaa	aattaggact	gatcaagacc	6660
cttaaacacc	tcggtgagcc	tctggctaca	atgcaaggac	tgatgactga	gctagagcct	6720
ggagtccaccg	tacatgtacc	ccgaaaatct	aaattgagaa	agacgaccgc	acacgcgggtg	6780
tacaaaccgg	agtttgaacc	tgcgtgtgtg	tcaaaatttg	atcccagact	gaacaagat	6840
gttgacctag	atgaggaat	tgggtccaaa	cacactgcc	acgtccctta	tcaacctcct	6900
tgtttctaca	catatctgct	agagtacgct	catcggtttt	tctccttttt	gggaaaaagac	6960
aatgacattc	tgaccgtcaa	agaagcaatc	ttgggcatcc	ctggactaga	ccctatggat	7020
ccccacacag	ctccgggtct	gccctacgcc	attaacggcc	tgcagcttac	tgatctcgct	7080
gatttttgcga	acggcacggg	agaccgggca	ctggccatgc	aaatccaaaa	attcttagac	7140
ggtgactact	ctgatcatgt	cttccaaaact	tttctgaaag	atgaaatcag	accctcagag	7200
aaagtcocggg	cgggaaatct	ccgcatgtgc	gatgtgccct	ccctggcgca	ctgcattgtg	7260
ggcagaatgc	tgcttggggg	ttttgccggc	aaagtttcaat	cccatcctgg	ctttctcctt	7320
ggctccgcta	tcgggtctga	ccctgatgtc	ttctggaccg	tcataggggc	tcagctcgag	7380
ggaagaaaga	acacgtactac	cgtggactac	agtgcccttg	actcttcaca	cggtagctggc	7440
tccttcgagg	ctctcatctc	tcaacttttc	accgtggaca	atggttttag	ccctgcgctg	7500
ggaccgtatc	tcagatccct	ggctgtctcg	gtgcacgctt	acggcgagcg	tcgcatcaag	7560
attaccggag	gcctcccttc	tgggtgtgct	gcgaccagcc	tgcgtgaacac	agtgtcaca	7620
aatgtgatca	tcaggactgc	tctagcattg	acctacaagg	aaattgaata	tgacatgggt	7680
gatatcatcg	cctacgggtga	cgacctctcg	gttggtacgg	attacgatct	ggacttcaat	7740

-continued

gaggtggcgc	ggcgcgctgc	caaaactgggg	tataagatga	ctcctgccaa	caagggttct	7800
gtcttccttc	cgacttcctc	tctctccgat	gctgtttttc	taaaacgcaa	attcgtocaa	7860
aacaatgacg	gcttatataa	accagttatg	gatttaaaga	atttggaagc	catgctctcc	7920
tacttcaaac	caggaacact	actcgagaag	ctgcaatctg	tttctatgtt	ggctcaacat	7980
tctggaaaag	aagaatatga	tagattgatg	caccccttcg	ctgactacgg	tgccgtaccg	8040
agtcacgagt	acctgcaggc	aagatggagg	gccttggttcg	actgaccacg	atagcccaag	8100
gcgcttcggt	gctgccggcg	attctgggag	aactcagtcg	gaacagaaaa	gggaaaaaaa	8160
aaaaaaaaaa	aaaaaaaaaa	aaaggccggc	atggtoccag	cctcctcgct	ggcgcgggct	8220
gggcaacatg	cttcggcatg	gcgaatggga	cgcggccgc			8259

SEQ ID NO: 51 moltype = DNA length = 7447
 FEATURE Location/Qualifiers
 misc_feature 1..7447
 note = SVV-003 (P30) IVT template
 source 1..7447
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 51

taatacgaact	cactataggg	cgctcatagta	ggaagtattg	gggtgggaag	aacttatcgt	60
ggactcgtct	gagcgagtat	aaacagtcaa	ttaagctcag	agcgttcacc	ggggaaattc	120
ggtagaggtt	gaaatggggg	gctggggccct	gatgcccagt	ccttcctttc	cccttcgggg	180
gggttaaccg	gctgtgtttg	ctagaggcac	agaggagcaa	catccaacct	gcttttgtgg	240
ggaacgggtg	ggctccaatt	cctgcgtcgc	caaagggtgt	agcgcaccca	aacggcgcat	300
ctaccaatgc	tattgggtgtg	gtctgcgagt	tctagcctac	tcgtttctcc	cctattcatt	360
cactcacgca	caaaaagtgt	gttgtaacta	caagatttag	ccctcacacg	ggatgtgtga	420
taaccgcaag	actgactcaa	gcgcggaaa	cgctgtaacc	gcatgctgtt	agtcctttta	480
tggtctgcag	atggctatcc	acctcggatc	actgaactgg	agctcgaccc	tccttagtaa	540
gggaaccgag	aggccttctt	gcaacaagct	cgcacacaga	gtccacgtga	ttgtctacc	600
catgagtaca	tggtttctcc	ctctcgaccc	aggacttctt	tttgaatata	caaggctcga	660
tccagagggg	ggggcatgat	ccccctagca	tagcgagcta	cagcgggaac	tgtagctagg	720
cccttagcgtg	ccttggtgat	ggcgcgggcc	tagtgcgtgc	ggttctatag		780
gtagcacata	caaatatgca	gaactctcat	ttttctttcg	atacagcttc	tggtcacttt	840
gaagatgtaa	ccggaacaaa	agtcgaagat	gttgaatacc	ccagatcggt	gaacaatggt	900
gtttacgatt	ctgtactcca	tttgagagata	ctgaacctac	agggtgaaat	tgaattttta	960
aggtctttca	atgaatacca	aatttcgcgc	gccaacaac	aactcggact	ggacatcggt	1020
tacgaactac	agggtaatgt	tcagacaacg	tcaagaatgt	atgttgattc	ccgttggaat	1080
aatggtaaca	tgaccttcca	ttactacgca	aacactttat	agaattcagt	agacttctcg	1140
acctcctcgt	cggcgctcagg	cgcgggacct	gggaactctc	ggggcgggatt	agcgggtctc	1200
ctcacaaatt	tcagtggaat	cttgaacctc	cttggtctacc	tcaaatgata	caacaccgaa	1260
gaaatggaaa	actctgctga	tcgagtcaca	acgcaaacgg	cgggcaaac	tgccataaac	1320
acgcaatcat	cattgggtgtg	gttgtgtgcc	tacgttgaag	acccgaccaa	atctgatcct	1380
ccgtcccgca	gcacagatca	accaccaccc	actttcactg	ccatcgacag	gtggtacact	1440
ggagctctca	attcttggag	aaaagctgta	aaaaccttct	cttttcaggc	cgtcccgctt	1500
cccggtgcct	ttctgtctag	gcaggggagg	ctcaacggag	gggccttcac	agctacccta	1560
catagacact	ttttgatgaa	gtcgggggtg	cagggtgcag	tccaatgtaa	tttgacacaa	1620
ttccaccaag	ggcctctcct	tgttgccatg	gttctctgaa	ccaccttgta	tgtcaagccc	1680
gacggtaagg	caaagagctt	acaggagctg	aatgaagaac	agtggttgga	aatgtctgac	1740
gattaccgga	ccgggaaaaa	catgcctttt	caggcgcttg	gcacatacta	tcggccccc	1800
aaactggact	gggggtccaa	tttcatcaac	ccctatcaag	taacgggttt	cccacaccaa	1860
attctgaacg	cgagaacctc	tacctcggtg	gacataaacg	tcccatatct	cggggagacc	1920
cccacgcaat	cctcagagac	acagaactcc	tggaccctcc	tcgttatggt	gctcgttccc	1980
ctagactata	aggaaggagc	cacaactgac	ccagaaatta	cattttctgt	aaggcctaca	2040
agtcctact	tcaatgggct	tcgcaaccgc	tacacggccg	ggacggagca	agaacagggg	2100
cccattccta	cggcacccag	agaaaattcg	cttatgtttc	tctcaacctc	ccctgacgac	2160
actgtccctg	cttacgggaa	tgtgcgtacc	cctcctgtca	attacctccc	tggtgaaata	2220
accgaccttt	tgcaactggc	cgcatacccc	actctcatgg	catttgagcg	ggtgcctgaa	2280
cccgctcctg	cctcagacac	atatgtgccc	tacgttgccg	ttcccaccca	gttcgatgac	2340
aggcctctca	tctccttccc	gatcacccct	tcagatcccg	tctatcagaa	caccctggtt	2400
ggcgcctatc	gttcaaattt	cgcacaattac	cgtgggtgta	tccaaatcac	tctgacattt	2460
tgtggaccca	tgtatggcgag	agggaaattc	ctgctctcgt	attctccccc	aaatggaaag	2520
caaccacaga	ctctttccga	agctatgcag	tgcaataact	ctatttggga	cataggcttg	2580
aaactctagt	ggacctctgt	cgtccctctc	atctcgccca	gtgactaccg	tgaactctga	2640
gccattacca	actcggttta	ctccgctgat	ggttgggtta	gcctgcacaa	gttgacccaa	2700
attactctac	caactgactg	tcgcgaaaag	ccctgcattc	tctttttcgc	ttctgctggt	2760
gaggattaca	ctctccgctc	ccccgttgat	tgtaatcctt	cctatgtggt	ccactccacc	2820
gacaaacggc	agacgggggt	tattgaggcg	ggtaaacctg	acaccgattt	ctctggtgaa	2880
ctggcgggctc	tgggctctaa	ccacactaat	gtcaagtctc	tgtttgatcg	atctcgatta	2940
ttgaatgtaa	tcaagggtact	ggagaaggac	gcggttttcc	ccgcgccctt	ccctacacaa	3000
gaaggtgcgc	agcaggatga	tggttacttt	tgtcttctga	ccccccgccc	aacagtcgct	3060
tcccagaccg	ccactcgttt	cggcctgtac	gccaatccgt	ccggcagttg	tgttcttctg	3120
aaactctcac	tggacttcaa	tttttatagc	ttggcctggt	tcacttaact	tagactcgac	3180
cttgagggtta	gggtggtctc	actagagccg	gatctggaat	ttgtgttagg	gtgggttctc	3240
tctggcagtg	aataccaggc	ttccagcttt	gtctacgacc	agctgcatgt	gcccctccac	3300
tttactgggc	gcactccccg	cgtcttctgt	agcaagggtg	ggaaggtatc	ttctgtgtct	3360
ccctggaaact	ctgtctcgtc	tgtgctcccc	gtgcgctggg	ggggggcttc	caagctctct	3420
tctgtctacg	gggtgtctacc	ggcgcgatgt	gattggggga	ctatttacgc	ctttgtcccc	3480

-continued

```

cgtcctaagt agaagaaaag caccgctgta aaacacgtgg ccgtgtacat tcggtacaag 3540
aacgcacgtg cctgggtgcc cagcatgctt ccttttcgca gctacaagca gaagatgctg 3600
atgcaatctg gcgatatcga gaccaatccc gggtctgtct ctgacaaccc aattttggag 3660
tttcttgaag cagaaaaatga tctagtcaat ctggcctctc tctggaagat ggtgcactct 3720
gttcaacaga cctggagaaa gtagtggaag aacgatgatt tttggcccaa ttactcagc 3780
gagctagtgg ggggaaggctc tgtcgccctt gccgccacgc tatccaacca agcttcagta 3840
aaggtctctt tgggacctga ctttctctct cgggggctca attacactga cttttactct 3900
ttactgatag agaaatgctc tagtttcttt accgtagaac cacctcctcc accagctgaa 3960
aacctgatga ccaagccctc agtgaagtgc aaattccgaa aactgtttaa gatgcaagga 4020
cccatggaca aagtcaaaaga ctggaaccaa atagctgccg gcttgaagaa ttttcaattt 4080
gttcgtgacc tagtcaaaaga ggtggtcgat tggctgcagg cctggatcaa caaagagaaa 4140
gccagccctg tcctccagta ccagttggag atgaagaagc tcgggctgtg ggccttggct 4200
catgacgctt tcattggctgg ttccggggccc cctcttagcg acgaccagat tgaataacct 4260
cagaacctca aatctcttgc cctaacactg ggggaagacta atttggccca aagtctcacc 4320
actatgatca atgccaacaa aagttcagcc caacgagttg aaccogttgt ggtggtcctt 4380
agaggcaagc cgggatgcgg caagagcttg gcctctactg tgattgcccc ggctgtgtcc 4440
aagcgctctc atggctccca aagtgatat tctcttcccc cagatccaga tttctcgat 4500
ggatacaaaag gacagtctgt gaccttgatg gatgatttgg gacaaaaacc ggatggacaa 4560
gatttctcca ccttttgtca gatggtgtcg accgccaat ttctcccaa catggcggac 4620
cttgacagaga aaggggtgcc ctttacctcc aatctcatca ttgcaactac aaatctcccc 4680
cacttcagtc ctgtccacct tgcgtatcct tctgcagtc ctgcgcgtat caactacgat 4740
ctgactctag aagtatctga ggcctacaag aaacacacac ggctgaattt tgacttggct 4800
ttcagggcgca cagacgcccc ccccatttat ccttttctgt cccatgtgcc ctttgtggac 4860
gtagctgtgc gcttcaaaaa tggtcaccag aattttaatc tcctagagtt ggtcgattcc 4920
atttgtacag acatttcgag caagcaacaa ggtgcccga acatgcagac tctggttcta 4980
cagagcccca acagagaatga tgacaccccc gtcgacgagg cgttgggtag agttctctcc 5040
cccgctgcgg tcgatgaggg gcttgtcgac ctcaactccag aggcgcagcc ggttggcctg 5100
ttggctatct tgcacaagct aggtcttgcc ctagctgcgg tcacccctgg tctgataatc 5160
ttggcagtg gactctacag gtactctctt ggctctgatg cagaccaaga agaaacagaa 5220
agttagggat ctgtcaaggg acccaggagc gaaaatgctt atgacggccc gaagaaaaac 5280
tctaagcccc ctggagcaat ctctctcatg gaaatgcaac agcccaacgt ggacatgggc 5340
tttgaggctg cggtcgctaa gaaagtggtc gtccccatta ccttcattgt tcccaacaga 5400
ccttctgggc ttacacagtc cgctctcctg gtgacggccc ggaccttctt aatcaatgaa 5460
catacatggt ccaatccctc ctggaccagc ttcaacaatc gcggtgaggt acacactcgt 5520
gatgagccct tccaaacggt tcatttcaat caccacggta tccccacaga tctgatgatg 5580
gtacgtctcg gaccgggcca ttctttccct aacaacttag acaagtttgg acttgaccag 5640
atgcgggcac gcaactcccg tgtggttggc gtttctgcca gttacgaaa cttctcttc 5700
tctggaaatt tctctggatt tgttgattcc atcacctctg aacaaggaaac ttacgcaaga 5760
ctctttaggt acaggggtgac gacctacaaa ggtatggtgc gctcgccctt ggtctgtgag 5820
gcgggtggcg tctgacgcat ctttggcctg cattctgctg gcgcgcggcg tatcgcgccc 5880
gggacctata tctcaaaatt aggactaatt aaagccctga aacacctcgg tgaacctttg 5940
gccacaatgc aaggactgat gactgaatta gagcctggaa tcacogtaca tgtaccccg 6000
aaatccaaat tgagaaacac gaccgcacac gcggtgtaca aaccggagtt tgagcctgct 6060
gtgtgtgcaa aatttgatcc cagactgaac aaggatgttg acttggatga agtaatttgg 6120
tctaacaaca ctgccaatgt cctttaccaa cctcctttgt tctacacata catgtcagag 6180
tacgtctatc gagttctctc cttcttgggg aaagacaatg acattctgac cgtcaagaa 6240
gcaattctgg gcatcccgcg actagacccc atggatcccc acacagctcc gggctctgct 6300
tacgccaatc acgcccctcg acgtactgat ctgcgtgat tgtgaaacgg tacagtagat 6360
gcggcgctgg ctgtacaaat ccagaatttc ttagacgggtg actactctga ccatgtcttc 6420
caaaactttc tgaagatga gatcagaccc tcagagaaag tccgagcggg aaaaacccgc 6480
attgttgatg tgccctccct ggcgcatgtc attgtgggca gaatgttctt tgggcgcttt 6540
gctgccaagt ttcaatccca tcttgctttt ctctcggtct ctgctatcgg gtctgacct 6600
gatgttttct ggaccgtcat aggggctcaa ctcgagggga gaaagaacac gtatgacgtg 6660
gactacagtg cctttgactc ttcacacggc actggctcct tcgaggctct catctctcac 6720
tttttcaccg tggacaatgg ttttagccct gcgctgggac cgtatctcag atccctggct 6780
gtctcggtgc acgcttacgg cgagcgtcgc atcaagatta ccggtggcct cccctccggt 6840
tgtgccgga ccagcctgct gaacacagtg ctcaacaatg tgatcatcag gactgtctctg 6900
gcattgactt acaaggaaat tgaatatgac atgggtgata tcatcgcta cggtgacgac 6960
cttctggttg gcacggatta cgatctggac ttcaatgagg tggcacgacg cgtgccaag 7020
ttgggggata agatgactcc tgccaacaag ggttctgtct tccctccgac ttctctctt 7080
tccgatgctg tttttctaaa gcgcaaatc gtccaaaaca acgacggctt atacaacca 7140
gttatggatt taaagaattt ggaagccatg ctctcctact tcaaacagg aacactactc 7200
gagaagctgc aatctgtttc tatgttggtc caacattctg gaaaagaaga atatgataga 7260
ttgatgcacc ccttcgctga ctacgggtgc gtaccgagtc acgagtacct gcaggcaaga 7320
tggagggcct tgttcgactg acccagatag ccaaggcgct ttcggtgtcg ccggcgattc 7380
tgggagaact cagtcggaac agaaaaggga aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 7440
gaagagc 7447

```

```

SEQ ID NO: 52      moltype = DNA length = 7487
FEATURE            Location/Qualifiers
misc_feature       1..7487
                    note = SVV-004 (P70) IVT template
source             1..7487
                    mol_type = other DNA
                    organism = synthetic construct
SEQUENCE: 52

```

-continued

taatacgact	cactataggg	cgtcatagta	ggaagtattg	ggttgggaag	aacttatcgt	60
ggactcgtct	gagcgagtat	aaacagtcac	ttaagctcag	agcgttcacc	ggggaatttc	120
ggtgaggttt	gaaatggggg	gctggggccct	gatgccccag	ccttcctttc	cccttcgggg	180
gggttaaccg	gctgtgtttt	ctagaggcac	agaggagcaa	catccaaact	gcttttgttg	240
ggaaacgggtc	ggctccaatt	cctgcgtcgc	caaagggtgt	agcgacacca	aacggcgcat	300
ctaccaatgc	tattgggtgtg	gtctgcgagt	tctagcctac	tcgtttctcc	cctattcatt	360
cactcacgca	caaaaagtgt	gttgtaacta	caagatttag	ccctcacacg	ggatgtgtga	420
taaccgcaag	actgactcaa	gcgcggaaaag	cgctgtaacc	gcatgctgtt	agtcccttta	480
tggctgcgag	atggctatcc	acctcggatc	actgaactgg	agctcgaccc	tccttagtaa	540
gggaaccgag	aggccttctt	gcaacaagct	ccgacacaga	gtccacgtga	ttgctaccac	600
catgagtaca	tggttctccc	ctctcgaccc	aggacttctt	tttgaatatc	cacggctcga	660
tcacagaggt	ggggcatgat	ccccctagca	tagcgagcta	cagcgggaac	tgtagctagg	720
cccttagcgtg	ccttggtatc	tgcctgatag	ggcgacggcc	tagtctgtgc	ggttctatag	780
gtagcacata	caaatatgca	gaactctcat	ttttctttcg	atacagcttc	tggcaccttt	840
gaagatgtaa	ccggaacaaa	agtcaagatc	gttgaatacc	ccagatcggg	gaacaatggt	900
gtttacgatt	cgctactaca	tttgagata	ctgaacctac	aggggtgaat	tgaattttta	960
aggtctttca	atgaatacca	aattcgcgcc	gccaaacac	aactcggact	ggacatcgtg	1020
tacgaactac	agggtaatgt	tcagacaacg	tcaaagaatg	attttgattc	ccgttggaat	1080
aatggtaaca	tgaccttcaa	ttactacgca	aacacttatc	agaattcagt	agacttctcg	1140
acctcctcgt	cgccgtcagg	cgccggaccc	gggaactctc	ggggcggatt	agcgggtctc	1200
ctcacaattt	tcagtgtgat	cttgaaccct	cttggtctac	tcaaagatca	caacaccgaa	1260
gaaatggaaa	actctgctga	tcgagtcaca	acgcaaacgg	cgggcaaacac	tgccataaac	1320
acgcaatcat	cattgggtgt	gttgtgtgcc	tacgttgaag	acccgaccaa	atctgatcct	1380
ccgtccagca	gcacagatca	accaccaccc	actttcactg	ccatcgacag	gtggtacact	1440
ggaggtctca	attcttggac	aaaagctgta	aaaaccttct	cttttcaggc	cgtcccgctt	1500
cccggtgcct	ttctgtctag	gcaggaggag	ctcaacggag	gggccttcac	agctacccta	1560
catagacact	ttttgatgaa	gtgcgggtgg	cagggtgcag	tccaatgtaa	tttgacacaa	1620
ttccaccaag	gcgctctcct	gttgcctatg	gttctgaaa	ccaccttga	tgtcaagccc	1680
gacggtaagg	caaagagctt	acaggagctg	aatgaagaac	agtgggtgga	aatgtctgac	1740
gattaccgga	ccgggaaaaa	catgcctttt	caggcgcttg	gcacatacta	tcggccccct	1800
aaactggact	gggggtccca	ttcatcaaac	ccctatcaag	taacgggttt	cccacaccaa	1860
attctgaacg	cgagaacctc	tacctcggtg	gacataaacg	tcccatacat	cggggagacc	1920
cccacgcaat	cctcagagac	acagaactcc	tggaccctcc	tcgttatggt	gctcgttccc	1980
ctagactata	aggaaaggag	ccacaactgac	ccagaaatta	cattttctgt	aaggcctaca	2040
agtcctact	tcaatggggt	tcgcaaccgc	tacacggcgg	ggacggagca	agaacagggg	2100
ccatttccta	cggcaccagg	agaaaattcg	cttatgttcc	tctcaacctc	ccctgacgac	2160
actgtctcct	cttaagggaa	gtgcgttacc	cctcctgtca	attacctccc	tgttgaataa	2220
accgaccttt	tgcaactggc	ccgcataccc	actctcatgg	catttgagcg	ggtgctgtaa	2280
cccggtcctg	cctcagacac	atatgtgccc	tacgttgccc	ttcccaccca	gttcgatgac	2340
aggcctctca	tctccttccc	gatcaccctt	tcagatcccc	tctatcagaa	caccttggtt	2400
ggcgccatca	gttcaaattt	ggccaattac	cgtgggtgta	tccaaatcac	tctgacattt	2460
tgtggacca	tgatggcgag	agggaatttc	ctgctctcgt	attctcccc	aaatggaaag	2520
caaccacaga	ctctttccga	agctatgcag	tgacataact	ctatttggga	cataggcttg	2580
aaactctagt	ggacctctgt	cgtccctcac	atctcgccca	gtgactaccg	tgaactcga	2640
gccattacca	actcgtttta	ctccgctgat	ggttggttta	gcctgcacaa	gttgacacaa	2700
attactctac	cactctgact	tcgcctaaag	ccctgcattc	tctttttcgc	ttctgctggt	2760
gaggattaca	ctctcctgtc	ccccgttgat	tgtaatcctt	cctatgtgtt	ccactccacc	2820
gacaaacgct	agacgggggt	tattgaggcg	ggttaacactg	acaccgattt	ctctggtgaa	2880
ctggcggtct	ctgggtctaa	ccacactaat	gtcaaagttcc	tgtttgatcg	atctcgatta	2940
ttgaatgtaa	tcaaggtact	ggagaaggac	gocgttttcc	cccccccttt	ccctacacaa	3000
gaaggtgcgc	agcaggatga	tggttacttt	tgtctcttga	cccccccgcc	aacagtgcgt	3060
tcgccgaccg	ccactcgttt	cgccctgtac	gccaatccgt	cggcagtggt	tgttcttgc	3120
aacacttcac	tggacttcaa	tttttatagc	ttggcctggt	tcacttactt	tagatcggac	3180
cttgaggtta	cggtggtctc	actagagccg	gatctggaat	ttgctgtagg	gtgggttctc	3240
tctggcagtg	aataccaggc	ttccagcttt	gtctacgacc	agctgcatgt	gccctccac	3300
tttactgggc	gcactccccg	cgtttctcgt	agcaagggtg	ggaagggtatc	ttctgtgctc	3360
ccttggaact	ctgtctcgtc	tgtgctcccc	gtgcgctggg	gggggggttc	caagctctct	3420
tctgctacgc	ggggctctac	ggcgcatgct	gattggggga	ctatttacgc	ccttgtcccc	3480
cgtcctaagt	agaagaaaa	caccgctgta	aaacacgtgg	ccgtgtacat	tcggtacaa	3540
aacgcacgtg	cctggtgccc	cagcatgctt	ccctttcgca	gctacaaaga	gaagatgctg	3600
atgcaatctg	gcgatatcga	gaccaatccc	gggcctgctt	ctgacaaacc	aattttggag	3660
ttttctgaag	cagaaaaatga	tctagtcact	ctggcctctc	tctggaagat	ggtgcactct	3720
gttcaacaga	cctggagaaa	gtatgtgaag	aacgatgatt	tttggcccaa	tttactcagc	3780
gagctagtgg	gggaaggctc	tgtgcctctg	gcccgcacgc	tatccaaacca	agcttcagta	3840
aaggctcttt	tgggcctgca	ctttctctct	cgggggctca	attacactga	cttttactct	3900
ttactgatag	agaaatgctc	tagtttcttt	accgtagaac	cacctctctc	accagctgaa	3960
aacctgatga	ccaagccctc	agtgaagtcg	aaattccgaa	aactgtttta	gatgcaagga	4020
cccatggaca	aagtcacaaga	ctggaaccaa	atagctgcgc	gcttgaagaa	ttttcaattt	4080
gttctgtgac	tagtcaaaga	ggtggtcgat	tggctgcagg	cctggatcaa	caaagagaaa	4140
gccagccctg	tcctccagta	ccagttggag	atgaagaagc	tcgggctgtg	ggccttggct	4200
catgacgctt	tcactggctg	ttccgggccc	cctcttagcg	acgaccagat	tgaataacctc	4260
cagaacctca	aatctcttgc	cctaaccactg	gggaagacta	atttggccca	aagtctcacc	4320
actatgatca	atgccaacaa	aagttcagcc	caacgagttg	aaccgctgtg	ggtggtcctt	4380
agaggcaagc	cgggatgcgg	caagagcttg	gcctctacgt	tgattgcccc	ggctgtgtcc	4440
aagcgctct	atggctccca	aagtgatat	tctcttcccc	cagatccaga	ttcttcgat	4500
ggatacaaa	gacagttcgt	gaccttgatg	gatgatttgg	gacaaaaccc	ggatggacaa	4560

-continued

```

gattttctcca cctttttgtca gatgggtgtcg accgcccacat ttctcccccac catggcgaggac 4620
ctttgcagaga aagggcggtcc ctttacctccc aatctcatca ttgcaactac aaatctcccc 4680
cacttcagtc cgttcacccat tgcgtgatcct tctgcagtcct ctgcgcgtat caactacgat 4740
ctgactctag aagtatctga ggccctacaag aaacacacac ggctgaattt tgacttggct 4800
ttcagggcgca cagacgcccc ccccatttat ccttttgctg cccatgtgcc ctttggggac 4860
gtagctgtgc gcttcaaaaa ttgtcaccag aattttaatc tcttagagtt ggctgatgcc 4920
atttgtacag acattcgagc caagcaacaa ggtgcccga acatgcagac tctgggttcta 4980
cagagcccca acgagaatga tgacaccccc gtccgagagg cgttgggtag agttctctcc 5040
cccgctgcgg tcgatgaggg gcttgtcgac ctccactccag aggcgcagccc ggttggccgt 5100
ttggctattc ttgccaaagt aggtcttgcc cttagctgcgg tcacccctgg tctgataatc 5160
ttggcagtggt gactctacag gtactctctc ggctctgatg cagaccaaga agaaacagaa 5220
agttaggggat ctgtcaaggc acccaggaggc gaaaatgctt atgacggccc gaagaaaaac 5280
tctaagcccc ctggagcact ctctctcatg gaaatgcaac agcccaacgt ggacatgggc 5340
tttgagcgtg cggtcgctaa gaaagtgggt gtcccccatta ccttcatggt tcccaacaga 5400
ccttctgggg ttaacacagtc cgtctctctg gtgacggccc ggaccttccc aatcaatgaa 5460
catacatggt ccaatccctc ctggaccagc ttcaacaatc gcggtgaggt acacactcgt 5520
gatgagccct tccaaacgggt tcatttcaact caccacggta tcccaacaga tctgatgatg 5580
gtacgtctcg gaccgggcaa ttctttccct aacaatctag acaagtttgg acttgaccag 5640
atgcccggcac gcaactcccc tgtgggttggc gtttcgtcca gttacggaaa cttctcttc 5700
tctggaattt tctcgggatt tgttgattcc atcacctctg aacaaggaaac ttacgcaaga 5760
ctctttaggt acaggggtgac gacctacaaa ggatgggtgcg gctcggccct ggtctgtgag 5820
gcccgtggcg tccgacgcat ctctggcctg cattctgctg gcgcgcggcg tatcgggccc 5880
gggacctata tctcaaaatt aggaactaatc aaagccctga aacacctcgg tgaaccttgg 5940
gccacaatgc aaggactgat gactgaatta gagcctggaa tcacccgtaca tgtacccccc 6000
aaatccaaat tgagaaagac gaccgcacac gcggtgtaca aaccggagtt tgagcctgct 6060
gtgttgtcaa aatttgatcc cagactgaac aaggatgttg acttggatga agtaatttgg 6120
tctaaacaca ctgccaatgt cctttaccaa cctcctttgt tctacacata catgtcagag 6180
tacgtctatc gactcttctc ctcttgggg aaagacaatg acattctgac cgtcaaaaga 6240
gcaattctgg gcatcccccg actagacccc atggatcccc acacagctcc gggctctgct 6300
tacgcatca acgcccctcg accactgat ctccgtcgtt ttgtgaaagg tacagtagat 6360
gcggcgctgg ctgtacaaatc ccagaaattc tttagcgggt actactctga ccatgtcttc 6420
caaaactttc tgaagatga gatcagaccc tcagagaaag tccgagcggg aaaaaccgcc 6480
attgttgatg tgccctccct ggccgattgc attgtgggca gaattgttgc ttggcgcttt 6540
gctgccaaatg ttcaatccca tcttggtctt ctccctggct ctgctatcgg gctgaccct 6600
gatgttttct ggacgctcat agggggtcaa ctgcagggga gaaagaacac gtatgacgtg 6660
gactacagtg cctttgactc ttacacggcg actggtcctc tcgaggtctc catctctcac 6720
tttttcaccg tggacaatgg ttttagccct gcgctgggac cgtatctcag atccctggct 6780
gtctcggtgc acgcttacgg cgagcgtcgc atcaagatta ccggtggcct cccctccggt 6840
tgtgcccgca ccagcctgct gaacacagtg ctcaacaatg tgatcatcag gactgctctg 6900
gcattgactt acaagggaatt tgaatatgac atggttgata tcatcgcccta cggtagacgac 6960
cttctgggtg gcacggatta cgatctggac ttcaatgagg tggcacgacg cgtgccaag 7020
ttgggggata agatgactcc tgccaacaag ggttctgtct tccctccgac ttctctctt 7080
tccgatgctg tttttctaaa gcgcacaattc gtccaaaaca acgacggctt atacaaacca 7140
gttatggatt taaagaattt ggaagccatg ctctcctact tcaaacagg aacactactc 7200
gagaagctgc aatctgtttc tatgttggtc caacattctg gaaaagaaga atatgataga 7260
ttgatgcacc ccttcgctga ctacggtgcc gtaccgagtc acgagtaact gcaggcaaga 7320
tggagggcct tgttcgactg acccagatag cccaaggcgc ttcgggtgctg ccggcgattc 7380
tgggagaact cagtcggaac agaaaaggga aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 7440
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa gaagagc 7487

```

```

SEQ ID NO: 53      moltype = DNA length = 43
FEATURE
misc_feature      1..43
                  note = Leader sequence SVV-L0
source            1..43
                  mol_type = other DNA
                  organism = synthetic construct

```

```

SEQUENCE: 53
gggcgtcata gtaggaagta ttgggttggg aagaacttat cgt 43

```

```

SEQ ID NO: 54      moltype = DNA length = 54
FEATURE
misc_feature      1..54
                  note = Leader sequence SVV-L1
source            1..54
                  mol_type = other DNA
                  organism = synthetic construct

```

```

SEQUENCE: 54
gggaagtagg gggttagca cattttaata cagcaaggta aagataagaa catt 54

```

```

SEQ ID NO: 55      moltype = DNA length = 54
FEATURE
misc_feature      1..54
                  note = Leader sequence SVV-L2
source            1..54
                  mol_type = other DNA

```

-continued

organism = synthetic construct
 SEQUENCE: 55
 gggatataaa cgaatagcac tttcaagaca ctatttttaa ctataaaggt aact 54

SEQ ID NO: 56 moltype = DNA length = 54
 FEATURE Location/Qualifiers
 misc_feature 1..54
 note = Leader sequence SVV-L3
 source 1..54
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 56
 gggatttaag caaccatctc ttttcctttc actcaccata cagcaatcaa ttct 54

SEQ ID NO: 57 moltype = DNA length = 54
 FEATURE Location/Qualifiers
 misc_feature 1..54
 note = Leader sequence SVV-L4
 source 1..54
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 57
 gggctcgata cggttctatt cttaaatcct gacaaaatca ctcattcatt actt 54

SEQ ID NO: 58 moltype = DNA length = 54
 FEATURE Location/Qualifiers
 misc_feature 1..54
 note = Leader sequence SVV-L5
 source 1..54
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 58
 gggacgcgctc gaaacgttac tttaaatggc agctaagaac ttaaactaca acat 54

SEQ ID NO: 59 moltype = DNA length = 54
 FEATURE Location/Qualifiers
 misc_feature 1..54
 note = Leader sequence SVV-L6
 source 1..54
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 59
 gggactaatt gtgaataaaa gactaacgcc ctaggagaga cgcagatcat taat 54

SEQ ID NO: 60 moltype = DNA length = 54
 FEATURE Location/Qualifiers
 misc_feature 1..54
 note = Leader sequence SVV-L7
 source 1..54
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 60
 gggagacatg aaatacagcg agatggatcg actaccaatg aattacttac gaat 54

SEQ ID NO: 61 moltype = DNA length = 54
 FEATURE Location/Qualifiers
 misc_feature 1..54
 note = Leader sequence SVV-L8
 source 1..54
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 61
 gggacgcact agtcgtagaa cttcacacgc ttcactatta aactttactt ctct 54

SEQ ID NO: 62 moltype = DNA length = 54
 FEATURE Location/Qualifiers
 misc_feature 1..54
 note = Leader sequence SVV-L9
 source 1..54
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 62
 gggttgctaa acgtactttc agaacctgca taaacacacg aaagattgat taat 54

SEQ ID NO: 63 moltype = DNA length = 54
 FEATURE Location/Qualifiers

-continued

```

misc_feature      1..54
                  note = Leader sequence SVV-L10
source            1..54
                  mol_type = other DNA
                  organism = synthetic construct

SEQUENCE: 63
gggaaagcaa ccttcctgaa agataagagc gtacatggat acaacaagg gact      54

SEQ ID NO: 64      moltype = DNA length = 67
FEATURE           Location/Qualifiers
misc_feature      1..67
                  note = Pistol Polymyxa ribozyme 1
source            1..67
                  mol_type = other DNA
                  organism = synthetic construct

SEQUENCE: 64
ggactcgtct gagcgagtat aaacagtcaa ttaagctcag agcgttcacc ggggaaattc 60
ggtgagg          67

SEQ ID NO: 65      moltype = DNA length = 67
FEATURE           Location/Qualifiers
misc_feature      1..67
                  note = Pistol Polymyxa ribozyme 2
source            1..67
                  mol_type = other DNA
                  organism = synthetic construct

SEQUENCE: 65
ggactcgtct gagcgagtat aaacagttaa ttaagctcag agcgttcacc ggggaaattc 60
ggtgagg          67

SEQ ID NO: 66      moltype = DNA length = 42
FEATURE           Location/Qualifiers
misc_feature      1..42
                  note = Hammerhead ribozyme
source            1..42
                  mol_type = other DNA
                  organism = synthetic construct

SEQUENCE: 66
tcaaactgat gagtccgtga ggacgaaacg agtaagctcg tc      42

SEQ ID NO: 67      moltype = DNA length = 47
FEATURE           Location/Qualifiers
misc_feature      1..47
                  note = ribozyme with a stabilized stem I (STBL)
source            1..47
                  mol_type = other DNA
                  organism = synthetic construct

SEQUENCE: 67
ccatttcaaa ctgatgagtc cgtgaggacg aaacgagtaa gctcgtc      47

SEQ ID NO: 68      moltype = RNA length = 7282
FEATURE           Location/Qualifiers
misc_feature      1..7282
                  note = SVV-IRES-2-S177A
source            1..7282
                  mol_type = other RNA
                  organism = synthetic construct

SEQUENCE: 68
tttgaatgg ggggctgggc cctgatgcc agtccttcct ttcccttcc ggggggttaa 60
ccggctgtgt ttgctagagg cacagaggag caacatccaa cctgcttttg tggggaacgg 120
tgcggtctca attcctcgct cgccaaaggt gttagcgcac ccaaacggcg catctacca 180
tgctattggt gtggtctgag agttctagcc tactcgtttc tcccctatc attcactcac 240
gcacaaaaag tgtgttgtaa ctacaagatt tagccctcac acgggatgtg tgataaccgc 300
aagactgact caagcgcgga aagcgctgta accgcattgt gttagtccct ttatggctgc 360
gagatggcta tccacctcgg atcactgaac tggagctcga cctccttag taagggaacc 420
gagaggccct cttgcaacaa gctccgacac agagtccacg tgattgtac caccatgagt 480
acatggttct cccctctcga cccaggactt ctttttgaat atccacggct cgatccagag 540
ggtggggcat gatcccccta gcatagcgag ctacagcggg aactgtagct aggccttagc 600
gtgccttgga tactgctga tagggcgacg gcctagtcgt gtcggttcta taggtagcac 660
atacaaatat gcagaactct catttttctt tcgatacagc ctctggcacc ttggaagatg 720
taaccggaac aaaagtcaag atcgttgaat accccagatc ggtgaacaat ggtgtttacg 780
attcgtctac tcatttgagg atactgaacc tacagggtga aattgaaatt ttaaggtctt 840
tcaatgaata ccaaatctgc gccgcaaac aacaactcgg actggacatc gtgtacgaac 900
tacagggtaa tgttcagaca acgtcaaga atgattttga ttcccggtgc aataatggta 960
acatgacctt caattactac gcaaacactt atcagaattc agtagacttc tcgacctcct 1020
cgtcggcgctc aggcgcggga cctgggaact ctcggggcgg attagcgggt ctctcacaa 1080

```

-continued

atctcagtg	aatcttgaac	cctcttggt	acctcaaaga	tcacaacacc	gaagaaatgg	1140
aaaactctgc	tgatcgagtc	acaacgcaaa	cggcgggcaa	cactgccata	aacacgcaat	1200
catcattggg	tgtgttgtgt	gcctacgttg	aagacccgac	caaactctgat	cctccgtcca	1260
gcagcacaga	tcaaccacc	accactttca	ctgccatcga	caggtggtac	actggacgtc	1320
tcaattcttg	gacaaaagct	gtaaaaacct	tctcttttca	ggcgtcccg	cttcccggtg	1380
cctttctgtc	taggcaggga	ggcctcaacg	gaggggcctt	cacagctacc	ctacatagac	1440
actttttgat	gaagtgcggg	tggcaggtgc	aggtccaatg	taatttgaca	caattccacc	1500
aaggcgctct	ccttggtgcc	atggttcctg	aaaccaccct	tgatgtcaag	cccgacggta	1560
aggcaaaag	cttacaggag	ctgaatgaag	aacagtggtg	ggaaatgtct	gacgattacc	1620
ggaccgggaa	aaacatgctt	tttcaggcgc	ttggcacata	ctatcgccc	cctaactgga	1680
cttgggggtcc	caattttcatc	aaacctatc	aagtaacggt	tttccacac	caaattctga	1740
acgcgagaa	ctctacctcg	gtagacataa	acgtcccata	catcgggag	acccccacgc	1800
aatcctcaga	gacacagaac	tccctggacc	tctctgttat	ggtgctcgtt	ccccctagact	1860
ataagggaagg	agccacaact	gacccagaaa	ttacattttc	tgttaaggct	acaagtcctt	1920
acttcaatgg	gcttcgcaac	cgtacacagg	ccgggacgga	cgaagaacag	gggcccattc	1980
ctacggcacc	cagagaaaaa	tcgcttatgt	ttctctcaac	cctccctgac	gacactgtcc	2040
ctgcttacgg	gaatgtgcgt	acccctcctg	tcaattacct	ccctgggtgaa	ataaccgacc	2100
ttttgcaact	ggcccgata	cccactctca	tggcatttga	gcgggtgcct	gaacccggtc	2160
ctgctcaga	cacatatgtg	cctacgttg	ccgttccac	ccagtctgat	gacaggctc	2220
tcatctcctt	cccgatcacc	ctttcagatc	ccgtctatca	gaacacccct	gttggcgcca	2280
tcagttaaaa	tttcgccaat	tacgtgggt	gtatccaaat	cactctgaca	ttttgtggac	2340
ccatgatggc	gagaggga	ttctgctct	cgtattctcc	cccaaatgga	acgcaaccac	2400
agactcttcc	cgaagctatg	cagtgcacat	actctatttg	ggacataggc	ttgaactcta	2460
gttggacctt	cgtcgtcccc	tacatctcgc	ccagtgcata	ccgtgaaact	cagaccatta	2520
ccaaactcgt	ttactccgct	gatggttgg	ttagcctgca	caagtgtgac	aaaattactc	2580
taccacctga	ctgtccgcaa	agtcctcgca	ttctcttttt	cgttctgct	ggtgaggatt	2640
acactctccg	tctcccggtt	gattgtaatc	cttctatgt	gttccactcc	accgacaacg	2700
ccgagaccgg	ggttattgag	gcgggttaaca	ctgacaccga	tttctctggt	gaactggcgg	2760
ctcctggctc	tacccacaat	aatgtcaagt	tctctgttga	tcgatctcga	ttattgaatg	2820
taatcaagg	actggagaag	gacgcggtt	tcccccgccc	tttccctaca	caagaagggtg	2880
cgcagcagga	tgtatgttac	ttttgtcttc	tgaccccccg	cccaacagtc	gcttcccgac	2940
cgcgcactcg	tttcggcctg	tacgccaatc	cgtccggcag	tggtgttctt	gctaaccactt	3000
cactggactt	caatttttat	agcttggcct	gtttcaactta	ctttagatcg	gaccttgagg	3060
ttacgggtgt	ctcactatgt	ccggtatctg	aatttgctgt	aggggtggtt	ccttctggca	3120
gtgaatacca	ggcttccagc	tttgtctacg	accagctgca	tgtgcccttc	cactttactg	3180
ggcgactcc	ccgcgcttcc	gctagcaagg	gtgggaagg	atcttctcgt	ctcccttgga	3240
actctgtctc	gtctgtgctc	cccgctcgct	gggggggggc	ttccaagctc	tcttctgcta	3300
cgcggggtct	accggcgcat	gctgattggg	ggactattta	cgcctttgtc	ccccgtccta	3360
atgagaagaa	aagcacgcgt	gtaaaaacacg	tggccgtgta	cattcggtag	aagaacgcac	3420
gtgcctgggt	ccccagcaatg	cttccctttc	gcagctacaa	gcagaagatg	ctgatgcaat	3480
ctggcgata	cgagaccaat	cccgggcctg	cttctgacaa	cccaattttg	gagtttcttg	3540
aagcagaaaa	tgatctagtc	actctggcct	ctctctggaa	gatgggtcac	tctgttcaac	3600
agactggag	aaagtatgtc	aagaacgatg	atttttggcc	caattttact	agcgagctag	3660
tgggggaagg	ctctgtcgcc	ttggccgcga	cgtatccaa	ccaagcttca	gtaaaggctc	3720
ttttgggct	gcactttctc	tctcgggggc	tcaatttac	tgacttttac	tctttactga	3780
tagagaaatg	ctctagtttc	tttaccgtag	aaccacctcc	tccaccagct	gaaaaactga	3840
tgaccaagcc	ctcagtgaag	tcgaaattcc	gaaaactgtt	taagatgcaa	ggacccatgg	3900
acaaagtc	agactggaac	caaatagtct	ccggcttgaa	gaattttcaa	tttggtcgtg	3960
acctaagtc	agaggtggct	gattggtcgc	aggcctggat	caacaaagag	aaagccagcc	4020
ctgtcctcca	gtaccagttg	gagatgaaga	agctcgggct	tgtggccttg	gctcatgacg	4080
ctttcatggc	tgggtccggg	ccccctctta	gcgacgacca	gattgaatac	ctccagaacc	4140
tcaaatctct	tgccctaaaca	ctgaatttggc	ccaaagtctc	accactatga		4200
tcaatgcca	acaaagtcca	gccccacgag	ttgaaccctg	tgtgggtggtc	cttagaggca	4260
agccgggatg	cggcaagcgc	ttggcctcta	cgttgattgc	ccaggctgtg	tccaagcgcc	4320
tctatggctc	ccaaagtgtg	tattctcttc	ccccagatcc	agatttcttc	gatggatata	4380
aaggacagtt	cgtgaccttg	atggatgatt	tgggacaaaa	cccggtatga	caagatttct	4440
ccaccttttg	tcagatgggt	tcgaccgccc	aatttctccc	caacatggcg	gaccttgacg	4500
agaaaggcg	tccctttacc	tccaatctca	tcattgcaac	tacaaatctc	ccccacttca	4560
gtcctgtcac	cattgtctgat	ccttctgcag	tctctcgccg	tatcaactac	gatctgactc	4620
tagaagatc	tgaggcctac	aagaaacaca	cacggtgaa	ttttgacttg	gctttcaggc	4680
gcacagacgc	ccccccaatt	tatccttttg	ctgcccctgt	gccctttgtg	gacgtagctg	4740
tgcgcttcaa	aaatggctac	cagaatttta	atctcctaga	gttggctgat	tccatttgta	4800
cagacattcg	agccaagcaa	caaggtgccc	gaaacatgca	gactctgggt	ctacagagcc	4860
ccaacgagaa	tgatgacacc	cccgctgcag	aggcgttggg	tagagttctc	tcccccgctg	4920
cggctgatga	ggcgcttgct	gacctcactc	cagaggccga	ccgggtgggc	cgtttggcta	4980
ttcttgccaa	gctaggtctt	gcctcagctg	cggctacccc	tggctcgata	atcttggcag	5040
tgggactcta	caggtacttc	tctggctctg	atgcagacca	agaagaacaa	gaaagtgagg	5100
gatctgtcaa	ggcaccagc	acgcaaaatg	cttatgacgg	cccgaagaaa	aactctaagc	5160
ccccggagc	actctctctc	atggaaatgc	aacagcccaa	cgtggacatg	ggctttgagg	5220
ctgcggctcg	taagaaagtg	gtcgtcccca	ttaccttcat	gggtcccaac	agaccttctg	5280
ggcttacaca	gtccgctctc	ctggtgaccg	gccggacctt	cctaatacat	gaacatacat	5340
gggtccaatcc	ctcctggacc	agcttcacaa	tcccggtgta	ggtacacact	cgtgatgacg	5400
ccttccaaac	gggtcaatttc	actcaccacg	gtattccac	agatctgatg	atggtacgtc	5460
tcggaccggg	caattctctc	cctaacaatc	tagacaagtt	tggacttgac	cagatgccgg	5520
cacgcaactc	ccgtgtgggt	ggcgttctgt	ccagttacgg	aaacttcttc	ttctctggaa	5580
atcttctcgg	atgtgtgat	tccatcacct	ctgaacaagg	aacttacgca	agactcttta	5640

-continued

```

ggtacagggt gacgacctac aaaggatggt gcggctcggc cctggctctgt gaggccgggtg 5700
gcgtccgacg catcattggc ctgcattctg ctggcgccgc cggtatcggc gccgggacct 5760
atatctcaaa attaggacta atcaaaagccc tgaaacacct cggtgaacct ttggccacaa 5820
tgcaaggact gatgactgaa ttagagcctg gaatcacctg acatgtaccc cggaatcca 5880
aattgagaaa gacgaccgca caccgggtgt acaaacccga gtttgagcct gctgtgttgt 5940
caaaatttga tccagactg aacaaggatg ttgacttgga tgaagtaatt tggctctaaac 6000
acactgccaa tgtcccttac caacctcctt tgttctacac atacatgtca ggtacgctc 6060
atcgagtctt ctccctcttg gggaaagaca atgacattct gaccgtcaaa gaagcaattc 6120
tgggcatccc cggaactagc cccatggatc cccacacagc tccgggtctg ccttacgccca 6180
tcaacggcct tcgacgtact gatctcgctg attttgtgaa cggtacagta gatgcggcgc 6240
tggctgtaca aatccagaaa ttcttagacg gtgactactc tgaccatgtc ttccaaactt 6300
ttctgaaaga tgagatcaga cctcagaga aagtcggagc gggaaaaacc cgcatgtgtg 6360
atgtgccctc cctggcgcat ttcattgtgg gcagaatgtt gcttgggcgc ttgtgtgcca 6420
agtttcaatc ccatcctggc ttctcctcg gctctgctat cggtctgac cctgatgttt 6480
tctggaccgt cataggggct caactcgagg ggagaaaaga cagctatgac gtggactaca 6540
gtgcctttga ccttctcacac ggcactggct ccttcgagcg tctcatctct cactttttca 6600
ccgtggacaa tggtttttagc cctgcgctgg gaccgtatct cagatccctg gctgtctcgg 6660
tgacgcgtta cggcgagcgt cgcatacaaga ttaccgggtg cctccccctc ggttgtgccc 6720
cgaccagcct gctgaacaca gtgctcaaca atgtgatcat caggactgct ctggcattga 6780
cttacaagga atttgaatat gacatgggtg atatcatcgc ctacgggtgac gacctctcgg 6840
ttggcacgga ttcatgactg gacttcaatg aggtggcacg acgcgctgcc aagttggggg 6900
ataagatgac tcttgcaaac aagggttctg tcttccctcc gacttctctt ctttccgatg 6960
ctgtttttct aaagcgcaaa ttctgccaac acaacgacgg cttatacaaa ccagtattag 7020
atttaagaaa tttggaagcc atgctctcct acttcaaac aggaacacta ctcgagaagc 7080
tgcaatctgt ttctatgttg gctcaacatt ctgaaaaaga agaataatga agattgatgc 7140
acccttccgc tgactacggt gccgtaccga gtcacgagta cctgcaggca agatggaggg 7200
ccttggtcga ctgaccacaga tagcccaagg cgcttcgggtg ctgcggcgca ttctgggaga 7260
actcagtcgg aacagaaaaa gg 7282

```

```

SEQ ID NO: 69      moltype = RNA length = 7270
FEATURE
source             Location/Qualifiers
                   1..7270
                   mol_type = unassigned RNA
                   organism = Senecavirus Seneca Valley virus A

```

```

SEQUENCE: 69
ctgggccctc atgcccagtc cttcccttcc ccttcggggg ggtaaacccg ctgtgtttgc 60
tagaggcaca gaggagcaac atccaaacct cttttgtggg gaacgggtgc gctccaattc 120
ctgcgtcgcc aaagggtgta gcgcacccaa acggcgcatc taccaatgct attgggtgtg 180
tctcgagagt ctagcctact cgtttctccc ctatccactc actcagcgac aaaaagtgtg 240
ctgtaattac aagattttag cctcgacga gatgtgcat aaccgcaaga ttgactcaag 300
cgcggaaaag cgtgtaacca catgctgtta gtcccttcat ggctgcgaga tggctatcca 360
cctcggtaca ctgaactgga gctcgaccct ccttagtaag ggaacggaga ggccctcttg 420
caacaagctc cgacacagag tccacgtgat tgctaccacc atgagtacat ggttctcccc 480
tctcgaccca ggacttcttt ttgaatatcc acggctcgat ccagaggggtg gggcatgatc 540
ccctagcatc agcgagctac agcgggaact gtatgtaggc cttagctgct cttggatact 600
gcttgatagg gcgacggcct atcgtgtctg gttctatagg tagcacatac aaatatgcag 660
aactctcact ttctttctga tctagcctct ggcacctttg aagacgtaac cggaaacaaa 720
gtcaagatcg ttgaataccc tagatcgggtg aacaatgggtg ttacagatc gtccactcat 780
ttagagatag tgaacctaca gggtgaaatt gaaattttaa agtctttcaa tgaataccaa 840
attcgcgcgc ccaaacacaa acttggactg gacatcgat acgaaactaca gggtaaatgt 900
cagacaacct caaagaatga ttttgattcc cgcggtaata atggtaacat gaccttcaat 960
tactacgcaa acacttaaca gaattcagta gacttctcga cctcctcgtc ggcctcaggc 1020
gccggaccgc ggaactcccg gggcggatta gcgggtctcc tcacaaaatt cagtggaaac 1080
ttgaacctcc ttggctacct caaagatcac aataccgaag aaatggaaaa ctctgctgat 1140
cgagtcatat cgcaaacggc gggcaacact gccataaaca cgcaatcact actgggtgtg 1200
ttgtgtgcct acgttgaaga cccgacccaa tctgacctc cgtccagcag cacagatcaa 1260
cccaccacca cttttactgc catcgacagg ttgtacactg gacgcctcaa ttcttgga 1320
aaagctgtaa aaaccttctc ttttcaggcc gtcccgtccc ctggagcctt cctgtctaga 1380
cagggaggcc tcaacggagg ggccttcacg gctaccctac atagacattt cttaatgaag 1440
tgccgggtggc aggtgcagggt ccaatgcaat ttgacgcaat tccaccaagg tgctcttctt 1500
gttgccatgg tcccgaaac caccctgat gtcaaacctg acggcaaggc aaagagctta 1560
caggagctga atgaagaaca gtgggtggaa atgtctgacg attaccggac cgggaaaaac 1620
atgcctttcc agtctcttgg cacatactat cggcccccta actggacttg gggccccaat 1680
ttcatcaacc cctatcaagt aacagtttcc ccacacaaa ttctgaacgc gagaacctct 1740
acctcggtag acataagtggt cccatacatc ggggagactc ctacacaatc ctacagaca 1800
cagaactcct ggacctcct cgttatgggt cttgtcccc tggactacaa ggagggagcc 1860
acaactgacc cagaaattac attttctgta aggcctacaa gtccctactt caatgggcta 1920
cgtaaccggt tcacgaccgg gacggacgag gaacaggggc ccatccacac agcaccacga 1980
gaaaattcgc ttatgtttct ctcaaccatc cctgacgaca ctgtccctgc ttacgggaat 2040
gtgcgtaccc ctcccgtcaa ttacctccct ggtgaaataa ccgacctctt acaactggcc 2100
cgtataccba ctctctaggg tctcggggcg gtgtctgaac ccgagcctgc ctacagaca 2160
tatgtgccct acgttgccgt tctgcccag ttgcacgaca agcctctcat ctcttccc 2220
atccaccttt cagatcctgt ctaccagaac accctggtag gcgcatcag ttcgaatttc 2280
gccaactacc gggggtgtat ccaaatcact ctgacatttt gtggacctat gatggcaaga 2340
gggaattccc tctctcgta ttctctcca aatggagcac aaccacagac cctttctgaa 2400
gctatgcagt gcacgtactc tatttgggat ataggcttga actctagtgt gacctttgtc 2460

```

-continued

atccccctaca	tctcgcccag	tgattaccgt	gaaactcggg	ctattaccac	ctcagtttat	2520
tctgctgatg	gttggttttag	cctgcacaag	ctgactaaaa	ttactctacc	acctgactgc	2580
ccacagagtc	cctgtattct	ctttttcgcc	tctgctggtg	aggattacac	cctccgtctc	2640
cctgttgatt	gtaatccttc	ctacgtgttc	cactccaccg	acaacgccga	gactgggggt	2700
attgagggcg	gtaacactga	caacgacttc	tctggtgagc	tggcggtccc	tggtctaac	2760
cacactaatg	tcaagtctct	gtttgatcga	tctcgattac	tgaatgtaat	taaggtagctg	2820
gagaaggacg	cgtctctccc	cgtctcttc	cccacagcaa	caggtgcaca	gcaggacgat	2880
ggttactttt	gccttctaac	accccgcaca	acagtgcgtt	cccgaccgcg	cactcgtttc	2940
ggcctgtacg	tcaatccgtc	tgacagtggc	gttctcgcta	acacttcaat	ggatttcaat	3000
ttttacagct	tggcctgttt	cacttacttt	agatcagacc	ttgaagtac	ggtggtctca	3060
ctggagccag	atctggcaatt	cgtcttaggg	tggttccctc	ctggcagtga	gtaccaggct	3120
tccagctttg	tctacgacca	actgcattga	ccctaccact	ttactggggc	cactccccgc	3180
gctttcacca	gcaagggtgg	aaaggtatct	ttcgtgcttc	cttggaaactc	tgtctcatcc	3240
gtgcttcccg	tgcgtcgggg	ggcgcgcttc	aaagctttctt	ccgcccacgcg	gggtctaccg	3300
gctcatgctg	actgggggac	cattttacgcc	ttcatccccc	gtcctaata	gaagaaaagc	3360
accgctgcaa	agcacgtggc	ggtgtacgtt	cggtaacaaga	acgcgcgtgc	ctggtgccc	3420
agcatgtctc	gcctccgcag	ctacaagcag	aagatgctga	tgcaatcagg	cgaagtcag	3480
accaaccctg	gcccgtcttc	tgacaaccca	atcttgagg	ttcttgaaag	tgaaaacgat	3540
ctagtcaact	tggcctctct	ctggaagatg	gtacactctg	ttcaacagac	ctggagaaag	3600
tatgtgaaga	atgacaattt	ttggcccaat	ttgctcagtg	agctagtggg	ggaaggctcc	3660
atcgctctgg	ccgccaacgt	atctaaccac	gcttcagtaa	aagctctctt	aggcctgcat	3720
tttctctccc	gagggctcaa	ttatacagat	ttttactctt	tactgataga	gaaatgctct	3780
agtttcttta	ctgtagaacc	gcctctctca	ccagctgaaa	atctgatgac	caagccctcc	3840
gtgaggtcga	aattccgaaa	gctgtttaag	atgcaaggac	ccatggacac	agtcaaaagc	3900
tggaaacaaa	tagccgcggg	cctgaagaat	ttccaatttg	ttcgtgacct	ggtcaaaagc	3960
gtggctcag	ggctccaggc	ctggattaat	aaagagaaag	ccagccctgt	cctccagtac	4020
cagctggaga	tgaagaaact	cggaccctgt	gctttggctc	atgatgcctt	catggccggt	4080
tcggggcccc	ctcttagtga	gcaccagatt	gaatatctcc	agaacctcaa	atctcttgcc	4140
ctaaacactg	ggaagactaa	tttggcccaa	agctctacca	ctatgatcaa	tgccaagcaa	4200
agctccgctc	aacgagctga	accgcttggt	gtggctcctt	gaggcaagcc	gggatgtggc	4260
aagagcttgg	ctccacgtt	gattgccag	gctgtgtcca	agcgtctcta	cggctcacaa	4320
agtgtgatt	ctcttctctc	ggatccagac	ttcttcgacg	gatacaaaag	acagtttgta	4380
accttgatgg	acgatctggg	acaaaacccg	gatgggcaag	atttctccac	cttttgctcag	4440
atggtgtcga	cgccccaatt	ttctcccaac	atggcggacc	ttacagagaa	ggggcgctcc	4500
ttcacctcca	atcttatcat	tgcactaca	aacctccctc	acttcagccc	tgtcacccat	4560
gctgatcctt	ctgcagcttc	tcgtctgtat	aactacgacc	tgactctaga	agtatctgag	4620
gctataaaga	agcacacaag	gctgaatttt	gacctggctt	tcagacgcac	agacccccc	4680
cccatatttc	cttttgctgc	ccatgtgccc	ttcgtggacg	tggtgtgccc	cttcaaaaat	4740
ggatcatcga	gcttcaatct	cctagagttg	gtcgactcta	tttgctcaga	catctcgacc	4800
aagcaacaag	gtgcccgaag	tatgcagact	ctgggtctac	agagccccc	cgagaacgac	4860
gacacccccc	tcgacgaggg	gttgggtaga	gttctcacc	ccgctgcggg	cgaagggcgg	4920
cttgctcagc	tcgctccaga	tgcgaccccg	gttgcccggt	tggtctatct	cgcccaagct	4980
ggctttggcc	tagctgcggg	caccctgggt	ttgataatct	tggcagtggt	actctacagg	5040
tacttctctg	gctctgatac	agaccaagaa	gaaacagaag	gtgaggagcc	tgctaaagcg	5100
cctaggagcg	agaatgctta	tgcgcccccg	aagaaaaact	ctaagccccc	tggagcgctc	5160
ttccttatgg	aaatgcaaca	gcccacgtg	gacatgggct	ttgagggctg	ggtcgctaag	5220
aaagtggctg	ttcccatctc	ttctcatggt	cccaacagac	cttctggact	tacacagctc	5280
gctcttctg	tggccggccg	gaccttctca	attaatgagc	atacatggct	caacccctcc	5340
tggaccagct	tcaacaatcg	tggtgaggtg	cacacccgtg	atgagccttt	ccaaacgggt	5400
cattttactc	accatggtgt	ttccacagat	ctgggtgatg	tacgtctcgg	accgggcaac	5460
tccttcccta	acaatctaga	caagtttgga	cttgatcaga	tgcgcccagc	taactcccg	5520
gtgggttggc	tttcggctag	ttacggcaac	ttcttctctc	ctgggaaact	cctcggtgtt	5580
gttgactcca	tcacctctga	ccaaggaaat	tatgcgagac	tttttaggta	cagggtgacg	5640
acctacaagg	ggtgggtcgg	ttcggccctg	gtttgtgagg	ccggtggtgt	ccggcgcatc	5700
attggcctgc	attctgctg	tgcgctgggt	atcgccgcgg	ggacttacat	ctcaaaatta	5760
ggactgatca	aagccctcaa	acacctcggt	gaacctctgg	ctacaatgca	aggactgatg	5820
actgagctag	agcctggagt	caccgtgcat	gtaccccgga	aatctaatt	gagaaagacg	5880
accgcacacg	cgggtgtaca	accggagttt	gaacctgctg	tgtgtgtcaa	atttgatccc	5940
agactgaaca	aggatgttga	cctagatgag	gtaatttggt	ctaaacacac	tgcacacgtc	6000
ccttatcaac	ctcctttggt	ctacacatac	atgtcagagt	acgctcatcg	ggttttctcc	6060
tttttgggaa	aagacaatga	catcttgacc	gtcaagaag	caatcttggg	aatccctgga	6120
ctagacccta	tggatcccca	cacagctccg	ggtctgcctt	acgcccattg	cggccttcga	6180
cgtactgatc	tcgtcgattt	tgcgaacggc	acgggtggac	cgacactggc	cgtacaaatc	6240
caaaaattct	tagacgggtga	ctactctgat	catgtcttcc	aaacttttct	gaaagatgaa	6300
atcagaccct	cagagaagg	ccgagcggga	aaaacccgca	ttgtcgatgt	gcctccctg	6360
gcgcactgca	ttgtgggacg	aatgttgctt	ggcgcgcttg	ccgccaagtt	tcaatcccat	6420
cctggcttct	tccttgctc	tgtctatcgg	tctgacctg	atgtctctg	gaccgtcata	6480
ggggtcagc	tcgaggggag	aaagaacacg	tatgacgtgg	actacagtgc	ctttgactct	6540
tcacacggca	ctggctcctt	cgaagctctc	atctctcact	ttttaccctg	ggacaatggt	6600
tttagccctg	cgtcgggatc	gtatctcaga	tcctgggtgt	tctcgggtga	cgttacgggc	6660
gagcgtcgca	tcaagattac	cggaggcctc	ccctctggtt	gtgcgcgac	cagcctgctg	6720
aaacacagtgc	tcaacaatgt	gatcatcagg	actgctctgg	cattgaccta	caagggaattt	6780
gaatgatgca	tggttgatgt	catcgcttac	ggtgacgacc	ttctggttgg	tacggattac	6840
gatctggact	tcaatgaggt	ggcgcgggcg	gctgccaac	tggggataaa	gatgactcct	6900
gccaaacaa	gtctgtctct	ccctccgact	tcctctctct	ccgacgctgt	ttttctaaaa	6960
cgcaaatctg	tccaaaacaa	tgacggctta	tacaaaccag	ttatggattt	aaagaatttg	7020

-continued

gaagccatgc	tctcctactt	caaaccagga	acactactcg	agaagctgca	atctgtttct	7080
atgttggctc	aacattcttg	aaaagaagaa	tatgatagat	tgatgcaccc	ctttgctgac	7140
tacgggtgcc	taccgagtc	cgagtactcg	caggcaagat	ggagggcctt	gttcgactga	7200
cctagatagc	ccaacgcgct	cgggtgctgc	cggcgattct	gggagaactc	agtcggaaca	7260
gaaaagggaa						7270

SEQ ID NO: 70 moltype = RNA length = 7212
 FEATURE Location/Qualifiers
 source 1..7212
 mol_type = unassigned RNA
 organism = Senecavirus Seneca Valley virus A

SEQUENCE: 70

aaccggctgt	gtttgctaga	ggcacagagg	agcaacatcc	aacctgcttt	tgtgggggaa	60
gggtcggtc	caattctctg	gtcgccaaag	gtgttagcgc	acccaaacgg	cgcactctacc	120
aatgctattg	gtgtgggtcg	cgagtctctg	cctactcgtt	tctcccttat	tcattcactc	180
acgcacaaaa	agtgtgttgt	aactacaaga	tttagccctc	acacgggatg	tgtgataacc	240
gcaagactga	ctcaagcgctg	gaaagcgctg	taaccgcatg	ctgttagtcc	ctttatggct	300
gcgagatggc	tatccacctc	ggatcactga	actggagctc	gacctcctt	agtaagggaa	360
ccgagaggcc	ttcttgcaac	aagctccgac	acagagtcca	cgtgattgct	accaccatga	420
gtacatgggt	ctccctcttc	gacccaggac	ttctttttga	atatccacgg	ctcgatccag	480
aggggtgggg	atgatccccc	tagcatagcg	agctacagcg	ggaactgtag	ctaggcctta	540
gcgtgccttg	gatactgect	gataggcgca	cggcctagtc	gtgtcggttc	tataagtagc	600
acatacaaat	atgcagaact	ctcatttttc	tttcgataca	gcctctggca	cctttgaaga	660
cgtaaccgga	acaaaagtca	agatcgttga	atacccccga	tcggtgaaca	atgggtgtta	720
cgtatcgctc	actcatttag	agatactgaa	cctacagggt	gaaattgaaa	ttttaaggct	780
tttcaatgaa	tacaaatttc	gcgcccgcga	acaacaactt	ggactagaca	ttgtatacga	840
actacagggt	aacgttcaga	caacctcaaa	gaatgatttt	gattcccgcg	gcaataacgg	900
taaatgacc	ttcaattact	agcacaacac	ttatcagaac	tcagttagct	tctcgacctc	960
ctcgtcggcg	tcaggcgccg	gacccgggaa	ctcccggggc	ggattagcgg	gtctcctcac	1020
aaatttcagt	ggaatcttga	accctcttgg	ctaccttaaa	gatcacataa	ccgaagaagt	1080
ggaaaactct	gctgatcgag	tcataacgca	aacggcgggc	aacctgcca	taaacacgca	1140
atcatcactg	gggtgttgtt	gtgcctatgt	tgaagaccgg	accaaactcg	atcctccgtc	1200
cagcagcaca	gatcaaccca	ccaccacttt	tactgccatc	gacaggtggg	acactggacg	1260
cctcaattct	tggacaaaga	ctgtaaaaac	cttctctttt	caggccgttc	cgctccctgg	1320
agccttctcg	cttagacagg	gaggcctcaa	cggagggggc	ttcacggcta	ccctacatag	1380
acatttctta	atgaagtgcg	ggtggcaggt	gcaggttcaa	tgcaatttga	cacaattcca	1440
ccaagggtgc	ctcttctgtg	ccatggtccc	cgaagctacc	cttgatgtca	agccccgacg	1500
caaggcaaa	agcctgcagg	agctgaatga	agagcagtg	gtagaaatgt	ccgacgatta	1560
cgggaccggg	aaaaacatgc	cttttcagtc	tcttggcaca	tactatcgcc	ccctcaactg	1620
gacttggggc	cctaatttca	tcaacccta	tcaagtaaca	gttttccac	accaaattct	1680
gaacgcgaga	acctctacct	cggtagacat	aagtgtccca	tacatcgggg	agactcctac	1740
acaatcctca	gagacacaga	actcctggac	cctcctcgtt	atggtgcttg	tccccctgga	1800
ctacaaggag	ggagccacaa	ctgacccaga	aattacattt	tctgtaaggc	ctacaagtcc	1860
ttacttcaat	gggtctcgta	accgttacac	gaccgggacg	gacgaggaa	agggggccat	1920
tcccacagca	cccagagaaa	attcgcttat	gtttctctca	accatccctg	acgacactgt	1980
ccctgcctac	gggaatgtgc	gtacccctcc	cgtaactac	ctccctgggt	aaataactga	2040
cctcttcaaa	ctggcccgta	taccactctc	catggcggtt	gggcggtttt	ctgaaccoga	2100
acctgcctca	gacgcataat	tgccctacgt	tgccgttcc	gcccagtttg	atgacaagcc	2160
tctcatctcc	ttcccgatca	ccctttcaga	tctgtcttac	cagaacaccc	tggtaggcgc	2220
catcagttcg	aatttcgcca	actaccgggg	gtgtatccaa	atcactctga	cattttgtgg	2280
acccatgatg	gcaagaggga	aattcctact	ctcgtattct	ccccaaatg	gaacacaaac	2340
acagaccctt	tctgaagcta	tgcagtgcac	gtactccatt	tggtatatag	gcttgaactc	2400
tagttggacc	tttgtcatcc	cctacatctc	gcccagtgac	taccgtgaaa	ctcgggccat	2460
caccaactcg	gtttattctg	ctgacggctg	gttttagccta	cacaagctga	ccaaaattac	2520
tctaccacct	cgtgcccac	agagccctcg	tattctcttt	ttcgctctcg	ctgggtgagga	2580
ttacaccctc	gctctccccg	ttgattgcaa	tccttctctac	gtgttccact	ccaccgataa	2640
cgccgagact	ggagtttatg	aggcgggtaa	tactgacacc	gatttctctg	gtgaactggc	2700
ggctcctggc	tctaaccata	ctaagtcaaa	gttctctgtt	gatcgatctc	gattactgaa	2760
tgtaattaa	gtactggaga	aggacgccgt	cttcccccg	cctttcccca	cagcaacagg	2820
tgacacagc	gacgattggt	acttttgtct	tctaaccacc	cgcccaacag	tcgcctcccg	2880
acccgcactc	cgtttcggcc	tgtatgtcaa	tcgctctgac	agtgggcgtt	tcgccaacac	2940
ttcactggat	ttcaattttt	acagcttggc	ctgcttcaat	tacttttagt	cagaccttga	3000
agtcacgggt	gtctcactgg	agccagatct	ggaattcgct	gtagggtggg	tccccctctg	3060
cagtgagtac	caggcttcca	gctttgtcta	cgaccaactg	catgtaccct	accactttac	3120
tggtgcgact	cccgcgctt	tcaccagcaa	gggtgggaag	gtatctttcg	tactcccttg	3180
gaactctgtc	tcacccgtgc	ttcccgtgcg	ctgggggggg	gcttccaagc	tttctctctg	3240
cacgcggggt	ttgcggctc	atgctgactg	ggggactatt	tacgccttta	tcccccgctc	3300
taatgagaag	aaaggcaccc	ctgtaaagca	cgtggccgtg	tacgttcggg	acaagaacgc	3360
gcgtgcctgg	tgccccagca	tgctccctct	ccgcagttac	aagcagaaga	tgctgatgca	3420
atcaggcgac	gtcgagacca	accctggccc	tgctctgac	aaccaaatct	tgagatttct	3480
tgaagcagaa	aacgatctag	tcactctggc	ctctctctgg	aagatggtag	actctgttca	3540
acagaccctg	agaaagtatg	tgaagaacga	caatttttgg	cccaatttac	tcagttagct	3600
agtgggggaa	ggctccatcg	ccttgccccc	cacgctatct	aatcaagctt	cagtaaaagc	3660
tctcttgggc	ctgcattttc	tctctcggcg	gctcaattac	acagactttt	actctttact	3720
gatagagaaa	tgctctagtt	tctttactgt	agaaccgcct	cctccaccag	ctgaaaatct	3780
gatgaccaag	ccctccgtga	agtcgaatt	ccgaaagctg	tttaagatgc	aaggaccat	3840

-continued

```

ggacaaagtc aaagactgga accaaatagc cgcgggcttg aagaatttcc aatttggttc 3900
tgacctagtc agagagggtg tcgactggct ccaggcctgg atcaacaaag agaaagccag 3960
ccctgtcctc cagtagcagt tggagatgaa gaagctcggg cccgtggctt tggctcatga 4020
tgcttcatg gccgggttcg ggcctcctct tggtagacac cagattgaat acctccaaaa 4080
ctcacaatct cttgccctaa cactggggaa gactaatttg gctcaaatg tcaccactat 4140
gatcaatgcc aagcaaatgt cgcaccaacg agtcgaaccc gttgtggttg tccttagagg 4200
caagccggga tgcggcaaga gcttggcctc cacgttgatt gccagggctg tgtctaagcg 4260
tctctacggc tcacaaagtg tgtattctct tctcctggat ccagacttct tcgacggata 4320
caaagacagc tttgtaacct tgatggatga tttgggacaa aaccggatg ggcaagattt 4380
ctccaccttt tgcagatgg tgcgacccgc ccaatttctt cccaacatgg cggaccttgc 4440
tgagaagggg cgtcccttca cctccaatct tatcattgca actacaaacc tccctcactt 4500
cagccctgtc accattgtcg atccttctgc agtctccgt cgtatcaact acgacctgac 4560
tctagaagta tctgaggctc acaagaagca cacacggctg aattttgacc tggctttcag 4620
gcgcacagac gcccccctca tttatccttt tgcgtcccac gtgcttttcg tggacgtggc 4680
tgtgcgcttc aaaaatggtc accagagctt caatctccta gaggttggtg actctatttg 4740
tgcagacatt cgagccaagc aacaaggtgc ccgaaatag cagactctgg ttctgcagag 4800
ccccaacgag aatgatgaca ccccgctcga cgaggcgttg agtagagttc tcacccccgc 4860
tgccgtcgac gaggcgcttg tgcacctcgc tccagaggcc gaccgggttg gccgcttggc 4920
tattcttgcc aagtaggttc ttgccctggc tgcggtcacc cctggtttga taatcctggc 4980
agtgggactc tacaggctact tctctggctc tgatacagac caagaagaaa cagaaagtga 5040
ggaaacctgtt aaagcgccca ggagcgagaa tgcttatgac ggcccaagaa aaaactctaa 5100
gccccctggg gcgctctctc ttatggaaat gcagcagccc aacgtggaca tgggctttga 5160
ggctcgggtc gctaagaagag tggctgtccc cattacctc atggttccca acagacctt 5220
tggacttaca cagtcgcctc ttcttgggtg cggccggact ttctaatta atgagcatac 5280
atggtccaac cctcctgga cagccttcac aatcctggg gaggtgcaca ctctgatga 5340
gcctttccaa acggttctatt ttaactacca tgggtttccc acagatctga tgatgggtcg 5400
tctcggggcg ggcaactctt tccctaacaa tctagacaa tttggacttg accagatgcc 5460
ggcacgtaac tcccggtgg ttggcgtttc ggctagttac ggtaacttct tctctcttgg 5520
gaatttctc ggggtttgtt actccatcac ctctgaccaa ggaacttatg cgagactttt 5580
taggtacagg gtgacgactt acaagggatg gtgtgggttc gccctggtct gtgaggccgg 5640
tgggtgcagg gcacatcatt gcttgcaact tgcctggcgc gctggatcg gcgccgggac 5700
ttacatctca aaattgggac tgatcaaac ccttaaacac ctcggtgaac ctctggctac 5760
aatgcaagga ctgatgact agctagagcc tggagtcacc gtacatgtac cccggaatc 5820
taaattgaga aagacgaccg cacacggctg gtacaaacc gagtttgaa ctgctgtgtt 5880
gtcaaaatgt gatccagac tgaacaagga tgttgactta gatgagtgga tttggtctaa 5940
acacactgcc aacgtccctt atcaacctcc tttgttctac acatatatgt cagagtacgc 6000
tcaccgggtt ttctcctttt tgggaaaaga caatgacatt ctgaccgtca aagaagcaat 6060
cttgggcctc cctggactag accctatgga tcccacaca gctccgggtc tgcctacgc 6120
cattagccgc cttcgacgta ctgatctcgt cgattttgct aacggcaccg tagacgcggc 6180
actggccatg caaattcaga aattcttaga tggtagctac tctgatcatg tcttccaaac 6240
ttttctgaaa gatgaaatca gacctcaga gaaggtccga gcgggaaaaa cccgcattgt 6300
cgatgtgcct tccctggcgc actgcattgt tggcagaatg ctgcttgggc gttttgccc 6360
caagtttcaa tccatcctg ccttctcct tggctctgct atcgggtctg accctgatgt 6420
cttctggacc gtcatagggg cctagctcga gggaagaaag aacacgtatg acgtggacta 6480
cagtgccctt gactcttcac acggcactgg ctccctcgag gctctcatct ctcaactttt 6540
cacggtgac aatggtttta gccctgcgct gggacgctat ctacagatcc tggctgtctc 6600
ggtgcacgct tacggcgagc gtcgcatcaa gattaccgga ggctccctc ctgggtgtgc 6660
cgcgaccagc ctgctgaaca cagtgtctaa caatgtgatc atcaggactg ctctagcatt 6720
gacttacaag gaatttgagt atgacatggt tgatcatcgc gctacgggtg acgaccttct 6780
ggttggtacg gattatgact tggacttcaa tgaggtggcg cggcgcgctg ccaaactggg 6840
gtataagatg actcctgcca acaagggttc tgtcttccct ccgacttctc ctctctccga 6900
tgctgttttt tccaaaacgca aattcttcca aaacaatgac ggcttatata aaccagttat 6960
ggatttaag aatttggaa ccatgctctc ctacttcaa ccaggaacac tactcgagaa 7020
gctgcaatct gttctatgt tggctcaaca tcttggaaaa gaagaatatg atagattgat 7080
gcaccccttc gctgactacg gtgcccgtacc gagtacagag tacctgcagg caagatggag 7140
ggccttgttc gactgacctc gatagcccaa cgcgcctcgg tgcctgcggc gattctggga 7200
gaactcagtc gg 7212

```

```

SEQ ID NO: 71      moltype = RNA length = 7174
FEATURE           Location/Qualifiers
source            1..7174
                  mol_type = unassigned RNA
                  organism = Senecavirus Seneca Valley virus A

```

```

SEQUENCE: 71
ccggctgtgt ttgtagagg cacagtggag caacatccaa cctgcttttg tggggaacgg 60
tgccgctcca attcctgcgt cgccaaaggt gttagcgcac ccaaacggcg cgtctaccaa 120
tgctattggt gtggtctgcg agttctagcc tactcgtttc tccctactc actcattcac 180
gcacaaaaac tgtgttgtaa ctacaaggtt tagccctcgc acgggatgtg cgataaccgc 240
aagatcgact caagcgcgga aagcgctgta accacatgct gttagtccct ttatggctgc 300
gagatgggta cccacctcgg atcactgaac tggagctcga cctccttag taagggaacc 360
gagaggcctt tctgcaacaa cctccgacac agagtccacg tgattgctac caccatgagt 420
acatggttct cccctctcga cccaggactt ctttttgaat atccacggct cgatccagag 480
ggtggggcat gatcccceta gcatagcgag ctacagcggg aactgtagct aggccttagc 540
tgctcttggg tactgctctg tagggcgacg gcctagtcgt gtcggttcta taggtagcac 600
atacaaatat gcagaactct catttttctt tcgatacagc ctctggcacc tttgaaaacg 660
taaccggaac aaaagtcaag atcgttgaat accccagatc ggtgaacaat ggtgtttacg 720

```

-continued

attcgtccac	tcatttagag	atactgaacc	tacagggtga	aattgaaatt	ttaaagtctt	780
tcaacgaata	ccaaattcgc	gccgccaaac	aacaacttgg	actggacatc	gtatacgaac	840
tacagggtta	tggtcagaca	acotcaaaaga	atgattttga	ttcccgcggc	aataatggta	900
acatgacctt	caattactac	gcaaacactt	accagaattc	agtagacttc	tcgacctcct	960
cgtcggcgct	agggcgccga	cccggaact	cccgggcg	attagcggtt	ctcctcaca	1020
atttcagtg	aattctgaac	cctcttggt	acotcaaaaga	tcacaatacc	gaagaaatgg	1080
aaaactctgc	tgatcgagtc	ataacgcaaa	cgcggggcaa	caactgccata	aacacgcaat	1140
catcactggg	tggtgtgtgt	gcctacgttg	aagacccgac	caaactcgac	cctccgtcca	1200
gcagcacaga	tcaacccacc	accactttta	ctgccatcga	caggtggtac	actggacgcc	1260
tcaattcttg	gacaaaagct	gtaaaaacct	tctcttttca	ggcgcgtccc	ctccctggag	1320
ccttcctgtc	tagacaggga	ggcctcaacg	gaggggcctt	cacggccacc	ctacatagac	1380
atttcttaat	gaagtgcggg	tggcaggtgc	agggtcaatg	caatttgacg	caattccacc	1440
aagggtgctc	tcttggtgac	atgggtcccc	aaaccaccct	tgatgtcaaa	cctgacggca	1500
aggcaaaag	cttacaggag	ctgaatgaag	agcagtgggt	ggaaatgtct	gacgactacc	1560
ggaccgggaa	aaacatgcct	tttcagttct	ttggtacata	ctatcggccc	cctaactgga	1620
ctgggggccc	caatttcatc	aaccctatc	aagtaacagt	tttcccacac	caaatttga	1680
acgcgagaa	ctctacctcg	gtagacataa	gtgtcccgta	catcggggag	actcctacac	1740
aatcctcaga	gacacagaa	tcttggaacc	tctctgttat	gggtcctgtc	cccctggact	1800
acaaggagg	agccacaact	gacccagaaa	ttacatttct	tgtaaggcct	acaagtccct	1860
acttcaatgg	gcttcgtaac	cgtttcacga	ccgggacgga	cgagggaacag	gggcccattc	1920
cacagcacc	cagagaaaat	tcgcttatgt	ttctctcaac	catccctgac	gacactgtcc	1980
ctgcttacgg	gaatgtgcgc	accctcccc	tcaattacct	cccgcgtgaa	ataaccgacc	2040
tcttacaact	ggcccgata	cccactctca	tggcggttgg	gcggggcgct	gaaccgcgac	2100
ctgcctcaga	cgcataatgt	ccctacgttg	ccgttccctg	ccagttcgac	gacaagcctc	2160
tcatctcctt	cccgatcacc	cttccagacc	ctgtctacca	gaacaccctg	gtaggcgcca	2220
tcagttcgaa	cttcgccaac	taccgggggt	gtatccaaat	tactctgaca	ttttgtggac	2280
catgatggc	aagaggga	ttcctgctct	cgtattctcc	cccaaatgga	gcacaaccac	2340
agacccttcc	tgaagtcac	cagtgcacat	actctatttg	ggatataggc	ttgaactcca	2400
gttggaacct	tgtcatcccc	tacatctcgc	ccagtgtata	ccgtgaaact	cggtctatta	2460
ccaactcagt	ttattctcgt	gatggttggt	ttagcttgca	caagctgacc	aaaattactc	2520
taccacctga	ctgcccacag	agtcctctga	ttctcttttt	cgctctgct	ggtgaggatt	2580
acaccctccg	tctccctggt	gattgtaatc	cttctcactg	gttccactcc	accgacaacc	2640
ccgagactgg	gggtattgag	gcaggtaaca	ctgacaccga	tttctctggt	gaactggcgg	2700
ctcctggctc	taacctactc	aatgtcaaat	tctgttttga	ccgatctcga	ctactgaatg	2760
taattaaggt	actggagaag	gacgcgctct	tcccccgctc	tttcccacac	gcaacagggtg	2820
cacagcagga	cgatgggttac	ttttgtcttc	taacaccccg	cccaacagtc	gcttcccgcac	2880
ccgcactcgt	tttcggcctg	tacgtcaacc	cgtctgacag	tggcggttctc	gctaaccactt	2940
caactggattt	caattttttac	agttttggcct	gtttcactta	ctttagatca	gaccttgaag	3000
tcacgggtggt	ctcactggag	ccagatttgg	aattcgccgt	gggggtggtc	ccctctggca	3060
gtgagtacaa	ggcttctagc	tttgtctacg	accaactgca	tgtaccctac	cactttactg	3120
ggcgactccc	ccgcgcttcc	accagcaagg	gtggaaaggt	atctttctgtg	ctcccttgga	3180
actctgtctc	ttccgtgctt	cccgctgcgt	gggggggtgc	ctccaagctt	tcttctgcca	3240
cgccgggtct	gcccgtctat	gctgactggg	ggaccattta	cgcttttacc	ccccgtccta	3300
acgagaagaa	aagcacccgt	gtaaagcacg	tggcggtgta	cggtcggtac	aagaacgcgc	3360
gtgcctgggt	cccgagcatg	cttccctttc	gcagctacaa	gcagaagatg	ctgatgcaat	3420
caaggcgagct	cgagaccaac	cctggccctg	cttctgacaa	cccgatcttg	gagtttcttg	3480
aagcggaaaa	cgatctagtc	actctggcct	ctctctggaa	gatgggtacac	tctgttcaac	3540
agacctggag	aaagtatgtg	aagaacgaca	atttttggcc	caacttgctc	agtgaagctag	3600
tgggggaagg	ctccatcgcc	ttggccgcca	cgctatctaa	ccaagcttca	gtgaaagctc	3660
tcttgggctc	gcattttctc	tctcgggggc	tcaattacac	agattttttac	tctttactga	3720
tagagaaatg	ctctagtttc	tttactgtgg	aaccgcctcc	tccaccagct	gaaaaatctga	3780
tgaccaagcc	ctccgtgaag	gaaagctgtt	taagatgcaa	ggaccctagg		3840
atacagtc	agactggaac	caaatagccg	ccggttgtaa	gaatttccaa	tttgttctgtg	3900
acctagtc	agaggtgggt	gactggctcc	aggcctggat	caataaagag	aaagccagcc	3960
ctgtcctcca	gtaccagctg	gagatgaaga	agctcgggcc	tgtagctttg	gctcatgatt	4020
ccttcatggc	gggttctggg	ccccctcttg	gtgacgacca	gattgaatac	ctccagaacc	4080
tcaaatctct	tgccctaaac	ctgggggaaga	ccaatttggc	ccaaagtctc	accactatga	4140
tcaatgcca	gcagagctcc	gccaacagag	tcgaacccgt	tgtggtgggtc	ctcagagcca	4200
agccgggatg	cgccaaaagc	ttggcctcca	cgttgattgc	ccaggctgtg	tccaagcgcc	4260
tctatggctc	acaaagtgtg	tattctcttc	ctccggaccc	agacttcttc	gacggataca	4320
aaaggacagt	tgtaaccttg	atggacgac	tgggacaaaa	cccgatggg	caagatttct	4380
ccaccttttg	ccagatgggtg	tcgaccgccc	aatttcttcc	caacatggcg	gaccttgacg	4440
agaagggg	ccccctcacc	tccaatctta	tcaatgcaac	tacaacctc	cctcacttta	4500
gcccgtgtac	catgtgtgat	ccttctgcag	tctctcggcg	tatcaactac	gacctgactc	4560
tggaagtatc	tgaggcctac	aagaagcaca	cacggctgaa	ttttgacttg	gctttcagac	4620
gcaactgacg	cccccccaatt	tatccttttg	ctgcccacgt	gcccctcggt	gacgtgggctg	4680
tgcgcttta	aaatgggtac	caaagcttca	atctcctaga	gttggtcgac	tctatttgtg	4740
cagacattcg	ggccaagcaa	caaggtgccc	gaaatagca	gactctggtt	ctacagagcc	4800
ctaaccagaa	cgacgacacc	cccgctcgacg	aggcgttggg	tagagttctc	acccccgctg	4860
gggtcgacga	ggcgcttgct	gacctcgctc	cagatgcgga	cccggttggc	cgcttgggcta	4920
ttctcgccaa	ctaggttctt	gcccctagctg	cggtcacccc	tggtttgata	atcttggcag	4980
tgggactcta	caagtacttc	tctggctctg	atacagacca	agaagaacaa	gaaagtggag	5040
agcctgttaa	agcgcttagg	agcgagaatg	cttatgacgg	cccgaaagaa	aactctaaagc	5100
ccccctggagc	gtctctctct	atggaaatgc	aacagcccaa	cgtggacatg	ggcttggagg	5160
ctgcggtcgc	taagaaagtg	gtcgtcccca	ttacottcat	gggtcccaac	agaccttctg	5220
gacttacaca	gtccgctctt	cttgtgaccg	gccggacctt	cctaatacat	gagcatacat	5280

-continued

ggtccaaccc	ctcttgacc	agttccaaa	tccgtggtga	ggtgcacact	cgtgatgagc	5340
ctttccaaac	gggttcattt	actcaccatg	gtcttccac	agatctgatg	atggtagctc	5400
tccgaccggg	caactccttc	cctaacaatc	tagacaagtt	tggacttgac	cagatgccgg	5460
cacgtaactc	cgtgtgggtc	ggcgtttcgg	ctagttacgg	taactttctc	ttctctggga	5520
acttcctcgg	gtttgttgac	tccatcacct	ctgaccaagg	aacctatgcg	agacttttca	5580
ggtacagggt	gacgacttac	aagggatggt	gcggttcggc	cctggtctgc	gagggcgggtg	5640
gtgtccgacg	catcattggc	ctgcactctg	ctggtgccgc	tggtatcggt	gccgggactt	5700
acatctcaaa	attaggactg	atcaaagccc	ttaaaccact	cggtagacct	ctggctacaa	5760
tgcaaggact	gatgactgag	ctagagcctg	gagtcaccgt	acatgtaccc	cgaaaatcta	5820
aattgagaaa	gacgaccgca	cacgcggtgt	acaaaccgga	gtttgaacct	gctgtgttgt	5880
caaaatttga	tcccagatct	aacaaggatg	ttgacctaga	tgaggtaatt	tggtccaaac	5940
acactgccaa	cgtcccttat	caacctcctt	tgtctacac	atacatgtca	gagtacgctc	6000
atcgggtttt	ctcctttttg	ggaaaagaca	atgacattct	gaccgtcaaa	gaagcaatct	6060
tgggcatccc	tggactagac	cctatggatc	cccacacagc	tccgggtctg	ccctacggca	6120
ttaacggcct	tccagctact	gatctcgtcg	attttgcgaa	cggcacggta	gacccggcac	6180
tggccatgca	aatccaaaaa	ttcttagacg	gtgactactc	tgatcatgtc	ttccaaactt	6240
ttctgaaaaga	tgaatcaga	ccctcagaga	aggctcgggc	gggaaaaacc	cgcattgtcg	6300
atgtgccctc	cctggcgcac	tgcatgtgtg	gcgaatgct	gcttgggctg	tttgcggcca	6360
agtttcaatc	ccatcctggc	tttctccttg	gctccgctat	cgggtctgac	cctgatgtct	6420
tctggaccgt	cataggggct	cagctcgagg	gaagaaaaga	cacgtatgac	gtggactaca	6480
gtgcctttga	ctcttcacac	ggtaactggc	ccttcgaggg	tctcatctct	cactttttca	6540
ccgtggacaa	tgggttttagc	cctgcgctgg	gaccgtatct	cagatccctg	gctgtctcgg	6600
tgacgcgtta	ggcgagcggt	cgcatacaaga	ttaccggagg	cctcccctct	ggttgtgcgg	6660
cgaccagcct	gctgaacaca	gtgctcaaca	atgtgatcat	caggactgct	ctagcattga	6720
cctacaagga	attgaaat	gacatgggtg	atatcatcgc	ctacggtgac	gaccttctgg	6780
ttggtacgga	ttacgatctg	gacttcaatg	agggtggcgg	gcgcgctgac	aaactggggg	6840
ataagatgac	tctcgcacac	aagggttctg	tcttccctcc	gacttccctc	ctctccgatg	6900
ctgtttttct	aaaacgcacaa	ttcgtccaaa	acaatgacgg	cttatataaa	ccagttatgg	6960
attttaaagaa	tttggaaagc	atgctctcct	acttcaaac	aggaaacacta	ctcgagaagc	7020
tgcaatctgt	ttctatgttg	gctcaacatt	ctggaaaaga	agaatatgat	agattgatgc	7080
accctctcgc	tgactacggg	gccgtaccga	gtcacgagta	cctgcaggca	agatggaggg	7140
ccttggtcga	ctgacctgga	tagcccaacg	cgct			7174

SEQ ID NO: 72 moltype = RNA length = 7280
 FEATURE Location/Qualifiers
 source 1..7280
 mol_type = unassigned RNA
 organism = Senecavirus Seneca Valley virus A

SEQUENCE: 72

tttgaatgg	ggggctgggc	cctgatgccc	agtccttctc	ttcccccttc	gggggggttaa	60
cgggtgtgt	ttgctagagg	cacagagggg	caacatccaa	cctgcttttg	cgggggaacgg	120
tgcggctcgc	attcctcgct	cgcacaaagg	gttagcgcac	ccaaacggcg	caactaccaa	180
tgttattggt	gtggtctgcg	agttctagcc	tactcgttct	tcccccgacc	attcactcac	240
ccacgaaaag	tgtgtttgtaa	ccataagatt	taacccccgc	acgggatgtg	cgataaacgt	300
aagactggct	caagcgcgga	aagcgtgtga	accacatgct	gttagtccct	ttatggctgc	360
aagatggcta	cccactcgg	atcactgaac	tggagctcga	ccctccttag	taagggaacc	420
gagaggcctt	cgtgcaacaa	gctccgacac	agagtccacg	tgactgctac	cacctgagt	480
acatgggtct	cccctctcga	cccaggactt	ctttttgaat	atccacggct	cgatccagag	540
ggtggggcat	gacccctagc	atagcgagct	acagcgggaa	ctgtagctag	gccttagcgt	600
gccttgata	gctcctgata	ggcgacgggc	ctagtcgtgt	cggttctata	ggtagcacat	660
acaaatagc	agaactctca	tttttcttct	gatacagcct	ctggcacctt	tgaagatgta	720
accggaacaa	aagtcacagat	cgttgaatac	cccagatcgg	tgaacaatgg	tgtttaacgat	780
tgcgtctact	atttggagat	actgaacctc	caggggtgaa	ttgaaatttt	aagggtcttc	840
aatgaatacc	aaattcgcgc	cgccaaacaa	caactcggac	tggacatcgt	gtacgaacta	900
cagggtaatg	ttcagacaac	gtcaaaagat	gattttgatt	cccgtggcaa	taatggtaac	960
atgaccttca	attactacgc	aaacacttat	cagaattcag	tagacttctc	gacctcctcg	1020
tccgcgtcag	gcgcgggacc	cgggaactcc	cggggcggat	tagcgggtct	cctcacaaat	1080
ttcagtggaa	tcttgacccc	tcttggtctc	ctcaaagatc	acaacaccga	agaaatggaa	1140
aactctgctg	atcaggtcac	aacgcaaacg	gcgggcaaca	ctgccataaa	cacgcaatca	1200
tcatgtgggt	tggtgtgtgc	ctacgttgaa	gacccgacca	aatctgatcc	tccgtccagc	1260
agcacagatc	aaccaccac	cactttcact	gccatcgaca	ggtggtacac	tggacgtctc	1320
aattcttgga	caaaagctgt	aaaaaccttc	tcttttcagg	ccgtcccgtc	tccgggggccc	1380
tttctgtcta	ggcagggagg	cctcaacgga	ggggccttca	cagctacccct	acatagacac	1440
tttttgatga	agtgcgggtg	gcaggtgcag	gtccaatgta	atttgacaca	attccaccaa	1500
ggcgtctctc	ttgttgccat	ggttctctgaa	accacccctg	atgtcaagcc	cgacggtaag	1560
gcaaagagct	tacaggagct	gaatgaagaa	cagtggggtg	aaatgtctga	cgattaccgg	1620
accgggaaaa	acatgccttt	tcagtcctct	ggcacatact	atcggccccc	taactggact	1680
tgggtgtcca	atttcatcaa	ccctatcaa	gtaacgggtt	tccacaccca	aattctgaac	1740
gcgagaacct	ctacctcggt	agacataaac	gtcccataca	tccggggagac	ccccacgcaa	1800
tccctcagaga	cacagaactc	ctggaccctc	ctcgttatgg	tgctcgttcc	cctagactat	1860
aaggaaaggag	ccacaactga	ccagaaatt	acattttctg	taaggcctac	aagtcctctac	1920
ttcaatgggc	ttcgcaaccg	ctacacggcc	gggacggacg	aagaacaggg	gcccattcct	1980
acggcaccca	gagaaaattc	gcttatgttt	ctctcaaccc	tccctgacga	cactgtccct	2040
gcttacggga	atgtgcgtac	cctcctgtc	aattacctcc	ctggtgaaat	aaccgacctt	2100
tgcaactcgg	ccgcataacc	cactctcatg	gcatttgagc	gggtgcctga	accgctgctc	2160
gcctcagaca	catatgtgcc	ctacgttgcc	gttcccaccc	agttcgatga	caggcctctc	2220

-continued

atctccttcc	cgatcaccc	tteagatccc	gtctatcaga	acacctgggt	tggcgccatc	2280
agttcaaat	tgcgaatta	cgtgggtgt	atccaaatca	ctctgacatt	ttgtggaccc	2340
atgatggcga	gagggaatt	cctgctctcg	tattctcccc	caaatggaa	gcaaccacag	2400
actctttccg	aagctatgca	gtgcacatac	tctatttggg	acataggctt	gaactctagt	2460
tggaccttcg	tcgtccctca	catctcgccc	agtgaactacc	gtgaaactcg	agccattacc	2520
aactcggttt	actcgcgtga	tggttgggtt	agcctgcaca	agttgaccaa	aattactcta	2580
ccactgact	gtccgcaag	tccttgcatt	ctctttttcg	cttctgctgg	tgaggattac	2640
actctccgtc	tcccgttga	ttgtaatcct	tccatgtgt	tccactccac	cgacaacgcc	2700
gagacccggg	ttattgaggc	gggtaacact	gacaccgatt	tctctggtga	actggcggt	2760
cctggctcta	accacactaa	tgtcaagttc	ctgtttgatc	gatctcgatt	attgaatgta	2820
atcaaggtac	tggagaagga	cgcgttttcc	ccccgccctt	tccctacaca	agaaggtgcy	2880
cagcaggatg	atggttactt	ttgtctctcg	accccccgcc	caacagtcgc	ttcccgaccc	2940
gccactcgtt	tcggcctgta	cgccaatccg	tcggcagtg	gtgttcttgc	taacacttca	3000
ctggacttca	atttttatag	cttggcctgt	tccacttact	ttagatcgga	ccttgagggt	3060
acggtgggtc	cactagagcc	ggatctggaa	tttgtgtgag	ggtgggttcc	ttctggcagt	3120
gaataccagg	cttccagctt	tgtctacgac	cagctgcatg	tgcctctcca	cttactggg	3180
cgcactcccc	cgcttttcgc	tagcaaggtt	gggaaggtat	ctttcgtgct	cccttggaac	3240
tctgtctcgt	ctgtgctccc	cgtgcgcgtg	gggggggctt	ccaagctctc	ttctgtacag	3300
cggggtctac	cggcgcctgc	tgattggggg	actatttacc	ccttgttccc	cgctccta	3360
gagaagaaaa	gcacgcctgt	aaaacacgtg	gccgtgtaca	tccggtaaca	gaacgcacgt	3420
gcctgggtcc	ccagcatgct	tccttttcgc	agctacaagc	agaagatgct	gatgcaatct	3480
ggcgatatcg	agacccaatc	tggtcctgct	tctgacaacc	caattttgga	gtttctgaa	3540
gcagaaaaatg	atctagtca	tctggcctct	ctctggaaga	tggtgcactc	tggtcaacag	3600
acctggagaa	agtatgtgaa	gaacgatgat	ttttggccca	atttactcag	cgagctagt	3660
ggggaaggct	ctgtgccttc	ggcgcgcacg	ctatccaacc	aagcttcagt	aaaggctcct	3720
ttgggcctgc	actttctctc	tcgggggctc	aattacactg	acttttactc	tttactgata	3780
gagaaatgct	ctagtttctt	tacogtagaa	ccacctctct	caccagctga	aaacctgatg	3840
accaagccct	cagtgaagtc	gaaattccga	aaactgttta	agatgcaagg	acccatggac	3900
aaagtcaaa	actggaacca	aatagctgcc	ggcttgga	attttcaatt	tggtctgtac	3960
ctagtcaaa	aggtgggtga	ttggctgcag	gcctggatca	acaaagagaa	agccagccct	4020
gtcctccagt	accagtggga	gatgaagaag	ctcgggcctg	tggccttggc	tcatgacgct	4080
ttcatggctg	gttcggggcc	ccctcttagc	gacgaccaga	ttgaatacct	ccagaacctc	4140
aaatctcttg	ccctaactct	ggggaagact	aatttggccc	aaagtctcac	cactatgatc	4200
aatgccaac	aaagtccagc	ccactcagtt	gaaccogttg	tgggtggtct	tagaggcaag	4260
cgggatgctg	gcaagagctg	ggcctctacg	ttgattgccc	aggctgtgtc	caagcgcctc	4320
tatggctccc	aaagtgtata	ttctcttccc	ccagatccag	atttcttcca	tggtacacaa	4380
ggacagttcg	tgacctgtat	ggatgatttg	ggacaaaacc	cggatggaca	agatttctcc	4440
accttttgtc	agatgggtgc	gaccgcccac	tttctcccca	acatggcgga	ccttgccagag	4500
aaagggcgct	cctttacctc	caatctcatc	attgcaacta	caaatctccc	ccacttcagt	4560
cctgtcacc	ttgtcgagtc	ttctgcagtc	tctcgccgta	tcaactacga	tctgactcta	4620
gaagtatctg	aggcctacaa	gaaacacaca	cggctgaatt	ttgacttggc	tttcaggcgc	4680
acagacgccc	ccccatttta	tccttttgc	gcccattgtc	cctttgtgga	cgtagctgtg	4740
cgcttcaaaa	aatgtccaca	gaattttaat	ctcctagagt	tggctgattc	cattttgtaca	4800
gacattcgag	ccaagcaaca	agggtcccga	aacatgcaga	ctctggttct	acagagcccc	4860
aacgagaaatg	atgacacccc	cgtcgacgag	cgtgtgggta	gagttctctc	ccccgcgtcg	4920
gtcgatgagg	cgtttgtcga	cctcactcca	gaggccgacc	cggttggccg	tttggctatt	4980
cttgccaagc	taggtcttgc	cctagctgcg	gtcaccctgt	gtctgataat	cctggcagtg	5040
ggactctaca	ggtagctctc	tggtctctgat	gcagaccaag	aagaaacaga	aagttagggga	5100
tctgtcaagg	caccacggag	gcaaaatgct	tatgacggcc	cgaagaaaaa	ctctaagccc	5160
cctggagcac	tctctctcat	ggaaatgcaa	cagcccaacg	tggacatggg	ccttgaggct	5220
gcggtcgcta	agaaagtggt	cgtcccccatt	acctcatggt	ttcccaacag	acctctggg	5280
cttacacagt	ccgctcttct	ggtgaccggc	cggaccttcc	taataaatga	acatacatgg	5340
tccaatccct	cctggaccag	cttcacaatc	cgcggtgagg	tacacactcg	tgatgagccc	5400
ttccaaacgg	ttcattttcc	tcaccacggt	attccacag	atctgatgat	ggtacgtctc	5460
ggaccgggca	attctttccc	taacaatcta	gacaagtttg	gacttgacca	gatgcgggca	5520
cgaactcccc	gtgtggttgg	cgtttcgtcc	agttacggaa	acttcttctt	ctctggaaat	5580
ttcctcggat	ttgttgattc	catcacctct	gaacaaggaa	cttacgcaag	actctttagg	5640
tacagggtga	cgactacaaa	aggatgggtc	ggctcggccc	tggctctgtga	ggcgggtggc	5700
gtccgacgca	tcattggcct	gcattctgct	ggcgccggcg	gtatcgggcg	cgggacctat	5760
atctcaaaat	taggactaat	caaagccctg	aaacacctcg	gtgaaccttt	ggccacaatg	5820
caaggactga	tgaactgaatt	agagcctgga	atcaccgta	atgtaccccg	gaaatccaaa	5880
ttgagaaaga	cgaccgcaca	cgcggtgtac	aaacccggag	ttgagcctgc	tggtgtgtca	5940
aaatttgatc	ccagactgaa	caaggatggt	gacttggatg	aagtaatttg	gtctaacaac	6000
actgccaatg	tcctttacca	acctcctttg	ttctacacat	acatgtcaga	gtacgctcat	6060
cgagtcttct	cctcttggg	gaaagacaat	gacattctga	cgtcaaaaga	agcaattctg	6120
ggcatccccg	gactagaccc	catggatccc	cacacagctc	cgggtctgcc	ttacgccaatc	6180
aacggccttc	gacgtactga	tctcgtcgat	tttgtgaacg	gtacagtga	tgccggcgctg	6240
gctgtacaaa	tccagaattt	cttagacggt	gactactctg	accatgtctt	ccaaactttt	6300
ctgaaagatg	agatcagacc	ctcagagaaa	gtccgagcgg	gaaaaacccg	cattgttgat	6360
gtgcctcccc	tggcgcttgg	cattgtgggc	agaatgttgc	ttgggctctt	tgctgccaag	6420
tttcaatccc	atcctggctt	tcctctcgcc	tctgctatcg	ggtctgaccc	tgatgttttc	6480
tggacgctca	taggggctca	actcgagggg	agaaagaaca	cgtatgacgt	ggactacagt	6540
gcctttgact	cttcacacgg	cactggctcc	ttcgaggctc	tcatctctca	ctttttcacc	6600
gtggacaatg	gttttagccc	tgcgtgggga	cgtatctca	gatccctggc	tgctctgggt	6660
cagcttacg	gcgagcgctg	catcaagatt	accggtggcc	tccctccgg	ttgtgcgcg	6720
accagcctgc	tgaacacagt	gctcaacaat	gtgatcatca	ggactgctct	ggcattgact	6780

-continued

tacaaggaat	ttgaatatga	catgggtgat	atcatcgct	acggtgacga	ccttctgggt	6840
ggcacggatt	acgatctgga	cttcaatgag	gtggcacgac	gcgctgcaa	gttggggat	6900
aagatgactc	ctgccaacaa	gggttctgtc	ttccctccga	cttctctct	ttccgatgct	6960
gtttttctaa	agcgcaaat	cgccccaaac	aacgacggct	tatacaaac	agttatggat	7020
ttaaagaatt	tggaagccat	gctctctac	ttcaaacag	gaacactact	cgagaagctg	7080
caatctgttt	ctatgttggc	tcaacattct	ggaaaagaag	aatatgatag	attgatgcac	7140
cccttcgctg	actacgggtg	cgtaccgagt	cacgagtacc	tgagggcaag	atggagggcc	7200
ttgttcgact	gacccagata	gcccaaggcg	cttcgggtgct	gccggcgatt	ctgggagaa	7260
tcagtccgaa	cagaaaagg					7280

SEQ ID NO: 73 moltype = RNA length = 7282
 FEATURE Location/Qualifiers
 source 1..7282
 mol_type = unassigned RNA
 organism = Senecavirus Seneca Valley virus A

SEQUENCE: 73

tttgaatagg	ggggctgggc	cctgatgccc	agtccttctc	ttcccttcc	gggggggttaa	60
cgggctgtgt	ttgctagagg	cacagaggag	caacatccaa	cctgcttttg	tggggaacgg	120
tgcggtccca	attcctcgct	cgccaaagg	gttagcgac	ccaaacggcg	catctacca	180
tgctattgg	gtggtctg	agttctagc	tactcgttc	tccctattc	attcactcac	240
gcacaaaaag	tggtttgtaa	ctacaagatt	tagccctcac	acgggatgtg	tgataaccgc	300
aagactgact	caagcgcgga	aagcgctgta	acgcgatgct	gttagtccct	ttatggctgc	360
gagatggcta	ttcacctcgg	atcactgaac	tggaagctga	ccctccttag	taagggaacc	420
gagagggcct	cttgcaacaa	gctccgacac	agagtcacac	tgattgctac	caccatgagt	480
acatgggtct	cccctctcga	cccaggactt	ctttttgaat	atccacggct	cgatccagag	540
gggtggggcat	gatcccccta	gcatagcgag	ctacagcggg	aactgtagct	aggccttagc	600
gtgccttgga	tactgcctga	tagggcgacg	gcctagtcgt	gtcggttcta	taggtagcac	660
atacaaatat	gcagaactct	catttttctt	tcgatacagc	ctctggcacc	tttgaagatg	720
taaccggaac	aaaagtcaag	atcgttgaat	acccacagac	gggtgaacaat	ggtgtttacg	780
attcgtctac	tcatttggag	atactgaacc	tacagggtga	aattgaaatt	tttaaggctct	840
tcaatgaata	ccaaattcgc	gccgcgaac	aacaactcgg	actggacatc	gtgtacgaac	900
tacagggtaa	tggtccagaca	acgtcaaa	atgattttga	ttcccggtgc	aataatggta	960
acatgacctt	caattactac	gcaaacactt	atcagaattc	agttagcttc	tcgacctcct	1020
cgctcggtc	agggcgcgga	cccgggaact	cccgggcgcg	attagcggtt	ctctcacaa	1080
atttcagtg	aatcttgaac	cctcttggct	acctcaaa	tcacaacacc	gaagaaatgg	1140
aaaaactctg	tgatcgagtc	acaacgcaaa	cggcgggcaa	cactgccata	aacacgcaat	1200
catcattggg	tgtgtgtgt	gctacgttg	aagacccgac	caaactctgat	cctccgtcca	1260
gcagcacaga	ttcaaccacc	accactttca	ctgccatcga	caggtggtag	actggacgtc	1320
tcaattcttg	gacaaaagct	gtaaaaacct	tctcttttca	ggccggtccc	cttccggggg	1380
cctttctgtc	taggcaggga	ggcctcaacg	gaggggcctt	cacagctacc	ctacatagac	1440
actttttgat	gaagtgcggg	tggcagggtc	aggtccaatg	taatttgaca	caattccacc	1500
aaggcgctct	tctgtgtgcc	atgggtcctg	aaaccacctt	tgatgtcaag	cccgacggta	1560
aggcaaaag	cttacaggag	ctgaatgaag	aacagtggtg	ggaaatgtct	gacgattacc	1620
ggacgggaa	aaacatgect	tttcaggcgc	ttggcacata	ctatcggtcc	cctaactgga	1680
cttgggggtc	caattttcat	aaaccttatc	aagtaacggt	tttccacac	caaatcttga	1740
acgcgagaa	ctctacctcg	gtagacataa	acgtcccata	catcggggag	acccccacgc	1800
aatcctcaga	gacacagaac	tctctggacc	tctctgttat	gggtgctggt	cccctagact	1860
ataaggaagg	agccacaa	gacccagaaa	ttacattttc	tgtaaggcct	acaagtccct	1920
acttcaatgg	cgttcgcaac	cgctacacgg	ccgggacgga	cgaagaacag	gggcccattc	1980
ctacggcacc	cagagaaaa	tcgcttatgt	ttctctcaac	cctccctgac	gacactgtcc	2040
ctgcttacgg	gaatgtgcgt	acccctcctg	tcaattacct	ccctgggtga	ataaccgacc	2100
ttttgcaact	ggcccgcata	cccactctca	tggcatttga	gcgggtgcct	gaaccggtgc	2160
ctgcctcaga	cacatatgtg	ccctacgttg	ccgttcccac	ccagttcgat	gacaggcctc	2220
tcactctcct	cccgatcacc	ctttcagatc	ccgtctatca	gaacaccctg	gttggcgcca	2280
tcagttcaaa	tttcgccaat	taccgtgggt	gtatccaaat	cactctgaca	ttttgtggac	2340
ccatgatggc	gagagggaaa	ttcctgctct	cgtattctcc	cccaaatgga	acgcaaccac	2400
agactcttct	cgaagctatg	cagtgacat	actctatttg	ggacataggg	ttgaactcta	2460
gttggaacct	cgtcgtcccc	tacatctcgc	ccagtgaact	ccgtgaaact	cgagccatta	2520
ccaaactcgt	ttactccgct	gatgggttgt	ttagctgca	caagttgacc	aaaattactc	2580
taccacctga	ctgtccgcaa	agtcctgca	ttctcttttt	cgtttctgct	gggtgaggatt	2640
acactctccg	tctcccggtt	gattgtaatc	cttctatgt	gttccactcc	accgacaacg	2700
ccgagaccgg	gggtatttag	gcgggtaaca	ctgacaccga	tttctctggt	gaactggcgg	2760
ctcctggctc	taaccacact	aatgtcaagt	tctgtttga	tcgatctcga	ttattgaatg	2820
taatcaagg	actggagaag	gacgcggtt	tccccgcgcc	tttccctaca	caagaagggtg	2880
cgcgcaggga	tgatgggttac	ttttgtcttc	tgaccccccg	cccaacagtc	gcttcccgac	2940
ccgcacactc	tttcggcctg	tacgccaatc	cgtccggcag	tggtgttctt	gctaacaactt	3000
actggacctt	caatttttat	agcttggcct	gtttcactta	cttttagatcg	gaccttgagg	3060
ttacgggtgt	ctcactagag	ccggatctcg	aatttgcgtg	agggtgggtt	ccttctggca	3120
gtgaatacca	ggcttccagc	tttgtctacg	accagctgca	tgtgcccttc	cactttactg	3180
ggcgactccc	ccgcgctttc	gctagcaagg	gtgggaagg	atctttctgtg	ctcccttgga	3240
actctgtctc	gtctgtcttc	cccgctgctc	gggggggggc	ttccaagctc	tcttctgcta	3300
cgcggggtct	acccggcgc	gctgatttgg	ggactattta	cgcctttgtc	ccccgctcta	3360
atgagaagaa	aagcacgcgt	gtaaaacacg	tgcccggtga	cattcggtac	aagaacgcac	3420
gtgctcgggt	ccccagcatg	cctccctttc	gcagctacaa	gcagaagatg	ctgatgcaat	3480
ctggcgatat	cgagaccaat	ctcggctcgt	cttctgacaa	cccaattttg	gagtttcttg	3540
aagcagaaaa	tgatctagtc	actctggcct	ctctctggaa	gatgggtgac	tctgttcaac	3600

-continued

```

agacctggag aaagtatgtg aagaacgatg atttttggcc caattttact agcgagctag 3660
tgggggaagg ctctgtcgcc ttggccgcca cgctatccaa ccaagcttca gtaagggtc 3720
ttttgggctt gcactttctc tctcgggggc tcaattacac tgacttttac tctttactga 3780
tagagaaatg ctctagtttc ttaccgttag aaccacctcc tccaccagct gaaaacctga 3840
tgaccaagcc ctccagtgaag tcgaaatttc gaaaactgtt taagatgcaa ggacctatgg 3900
acaaagtcaa agactggaac caaatagctg ccggcttgaa gaattttcaa tttgttcgtg 3960
acctagtcaa agaggtggtc gattggctgc aggcctggat caacaaagag aaagccagcc 4020
ctgtcctcca gtaccagtgt gagatgaaga agctcggggc tgtggccttg gctcatgacg 4080
ctttcatggc tggttccggg cccctcttta gcgacgacca gattgaatac ctccagaacc 4140
tcaaactctc tgccttaaca tgggggaaga ctaatttggc ccaaagtctc accactatga 4200
tcaatgccaa acaaagttca gcccaacgag ttgaaccctg tgtgggtggt cttagaggca 4260
agccgggatg cggcaagagc ttggcctcta cgttgattgc ccaggctgtg tccaagcgcc 4320
tctatggctc ccaaagtgtg tattctcttc cccagatgcc agatttcttc gatggataca 4380
aaggacagtt cgtgaccttg atggatgatt tgggacaaaa cccggatgga caagatttct 4440
ccactttttg tcagatgggt tcgaccgccc aatttctccc caacatggcg gaccttgacg 4500
agaaaggcgc tccctttacc tccaatctca tcattgcaac tacaaatctc cccacttca 4560
gtcctgtcac cattgtgat ccttctgcag tctctcgccg tatcaactac gatctgactc 4620
tagaagtatc tgaggcctac aagaaacaca cacggtgtaa ttttgacttg gctttcaggc 4680
gcacagagcc ccccccatt tatccttttg ctgcccattg gccctttgtg gacgtagctg 4740
tgcccttcaa aaatgggtcac cagaatttta atctcctaga gttggctgat tccatttcta 4800
cagacattcg agccaagcaa caaggtgccc gaaacatgca gactctggtt ctacagagcc 4860
ccaacgagaa tgatgacacc ccgctgcagc aggcgttggg tagagttctc tccccgctg 4920
cggctcgatg ggctgtgtc gacctcactc cagaggccga cccggttggc cgttttgcta 4980
ttcttgccaa gctaggtctt gccctagctg cgggtcaccct tggctcgata atcttggcag 5040
tgggactcta caggtacttc tctggctctg atgcagacca agaagaaaca gaaagtgaag 5100
gatctgtcaa ggcacccagg agcgaaaatg cttatgacgg ccgaagaaa aactctaagc 5160
cccctggagc actctctctc atggaaaatgc aacagcccaa cgtggacatg ggcttggagg 5220
ctgcggtcgc taagaaagtg gtcgtcccca ttaccttcat ggttcccaac agaccttctg 5280
ggcttacaca gtcgctctt cgtgtgaccg gccggacctt cctaatcaat gaacatacat 5340
gggtcaatcc ctcttgacc agcttcacaa tcccggtgga ggtacacact cgtgatgagc 5400
ccttccaaac ggttcaattt cctcaccacg gtattccac agatctgatg atggtacgtc 5460
tcggaccggg caattctttc cctaacaatc tagacaagtt tggacttgac cagatgccgg 5520
cacgcaactc ccgtgtgggt ggcgtttcgt ccagttacgg aaactcttct tctctggaa 5580
atttctctcg attgttgat tccatcacct ctgaacaagg aacttacgca agactcttta 5640
ggtacagggt gacgacctac aaaggatggt gcggctcggc cctggctctg gaggccgggt 5700
gcgtccgacg catcattggc ctgcattctg ctggcgccgc cgggtatcggc gccgggacct 5760
atatctcaaa attaggacat atcaagccc tgaaacacct cggtgaaact ttggccacaa 5820
tgcaaggact gatgactgaa ttagagcctg gaatcacctg acatgtaccc cggaaatcca 5880
aattgagaaa gccgaccgca cgcgcggtgt acaaaccgga gtttgagcct gctgtgttgt 5940
caaaatttga tcccgacttc aacaaggatg ttgacttgga tgaagtaatt tggctctaac 6000
acactgccaa tgtcccttac caacctcctt tgttctcac atacatgtca gactacgctc 6060
atcgagtctt ctcttcttg gggaaagaca atgacattct gaccgtcaaa gaagcaattc 6120
tgggcatccc cggactagat ccatgggatc cccacacagc tccgggtctg ccttacgcca 6180
tcaacggcct tcgacgtact gatctcgtcg attttgtgaa cgggtacagta gatgcggcgc 6240
tggctgtaca aatccagaaa ttcttagacg gtgactactc tgaccatgtc ttccaaactt 6300
ttctgaaaga tgagatcaga cctcagaga aagtcgagc gggaaaaacc cgcattgttg 6360
atgtgccctc cctggcgcgt tgcattgtgg gcagaatgtt gcttgggcgc tttgtgcca 6420
agtttcaatc ccatcctggc ttctctctcg gctctgctat cgggtctgac cctgatgttt 6480
tctggaccgt catagggggt caactcgagg ggagaaagaa cacgtatgac gtggactaca 6540
gtgccttga ctcttcacac ggcactggct ccttcgagggc tctcatctct caetttttca 6600
cgtggagcaa tggttttagc ctgcgctggt gaccgtatct cagatccctg gctgtctcgg 6660
tgacgcctta cggcgagcgt cgcataaaga ttaccggtgg cctcccctcc ggttgtgccc 6720
cgaccagcct cgtgaacaca gtgctcaaca atgtgatcat caggactgct ctggcattga 6780
cttacaagga atttgaatat gacatgggtg atatcatcgc ctacggtgac gaccttctgg 6840
ttggcacgga ttacgatctg gacttcaatg aggtggcacg acgctgccc aagttgggggt 6900
ataagatgac tcttgccaac aagggttctg tcttccctcc gacttctctc ctttccgatg 6960
ctgtttttct aaagcgcaaa ttctgtccaaa acaacgacgg cttatacaaa ccagttatgg 7020
atttaaagaa tttggaagcg atgctctcct acttcaaac aggaacacta ctcgagaagc 7080
tgcaatctgt ttctatgttg gctcaacatt ctggaaaaga agaatatgat agattgatgc 7140
accccttcgc tgactacggt gccgtaccga gtcacgagta cctgcaggca agatggaggg 7200
ccttgttcga ctgaccacga tagcccaagg cgcttcggtg ctgcccggca ttctgggaga 7260
actcagtcgg aacagaaaag gg 7282

```

```

SEQ ID NO: 74      moltype = RNA length = 46
FEATURE           Location/Qualifiers
misc_feature       1..46
                   note = ribozyme
misc_feature       1..6
                   note = n is a, c, g, or u
misc_feature       11
                   note = n is a, c, g, or u
misc_feature       15..24
                   note = n is a, c, g, or u
misc_feature       29..38
                   note = n is a, c, g, or u
misc_feature       41..46

```

-continued

```

source          note = n is a, c, g, or u
                1..46
                mol_type = other RNA
                organism = synthetic construct

SEQUENCE: 74
nnnnnnctga ngarnnnnnn nnnngaaann nnnnnnnnth nnnnnn      46

SEQ ID NO: 75    moltype = RNA length = 61
FEATURE         Location/Qualifiers
misc_feature     1..61
                note = hammerhead ribozyme
source          1..61
                mol_type = other RNA
                organism = synthetic construct

SEQUENCE: 75
gtaccttatc aaactgatga gtcggtgagg acgaaacgag taagctcgtc ttgaaatgg 60
g                                                    61

SEQ ID NO: 76    moltype = RNA length = 75
FEATURE         Location/Qualifiers
misc_feature     1..75
                note = hammerhead ribozyme
source          1..75
                mol_type = other RNA
                organism = synthetic construct

SEQUENCE: 76
tggtagctta ccatttcaaa ctgatgagtc cgtgaggacg aaacgagtaa gctcgtcttt 60
gaaatggggg gctgg                                                    75

SEQ ID NO: 77    moltype = RNA length = 59
FEATURE         Location/Qualifiers
misc_feature     1..59
                note = Pistol ribozyme
misc_feature     2
                note = n is a, c, g, or u
misc_feature     6
                note = n is a, c, g, or u
misc_feature     8..9
                note = n is a, c, g, or u
misc_feature     15
                note = n is a, c, g, or u
misc_feature     17
                note = n is a, c, g, or u
misc_feature     25
                note = n is a, c, g, or u
misc_feature     27
                note = n is a, c, g, or u
misc_feature     35..36
                note = n is a, c, g, or u
misc_feature     44..51
                note = n is a, c, g, or u
misc_feature     56
                note = n is a, c, g, or u
misc_feature     58..59
                note = n is a, c, g, or u
source          1..59
                mol_type = other RNA
                organism = synthetic construct

SEQUENCE: 77
rntcgnynnr gcganyntaa ayarnyntta rgcyynnrrgc gtynnnnnnn nrggtnrnn 59

SEQ ID NO: 78    moltype = RNA length = 72
FEATURE         Location/Qualifiers
source          1..72
                mol_type = unassigned RNA
                organism = Paenibacillus polymyxa

SEQUENCE: 78
ggactcgtct gagcgagtat aaacaggtca ttaagctcag agcggttcacc ggggaaattc 60
ggtgaggttg gc                                                    72

SEQ ID NO: 79    moltype = length =
SEQUENCE: 79
000

SEQ ID NO: 80    moltype = length =
SEQUENCE: 80

```


-continued

000

SEQ ID NO: 81 moltype = length =
 SEQUENCE: 81
 000

SEQ ID NO: 82 moltype = length =
 SEQUENCE: 82
 000

SEQ ID NO: 83 moltype = length =
 SEQUENCE: 83
 000

SEQ ID NO: 84 moltype = length =
 SEQUENCE: 84
 000

SEQ ID NO: 85 moltype = length =
 SEQUENCE: 85
 000

SEQ ID NO: 86 moltype = length =
 SEQUENCE: 86
 000

SEQ ID NO: 87 moltype = length =
 SEQUENCE: 87
 000

SEQ ID NO: 88 moltype = length =
 SEQUENCE: 88
 000

SEQ ID NO: 89 moltype = length =
 SEQUENCE: 89
 000

SEQ ID NO: 90 moltype = length =
 SEQUENCE: 90
 000

SEQ ID NO: 91 moltype = DNA length = 17
 FEATURE Location/Qualifiers
 misc_feature 1..17
 note = T7 promoter
 source 1..17
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 91
 taatacgact cactata

17

SEQ ID NO: 92 moltype = DNA length = 7498
 FEATURE Location/Qualifiers
 misc_feature 1..7498
 note = SVV-S177A-SapI_3p-Pistol1_5p IRES2_L5 -70pA-SVV-5.0
 source 1..7498
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 92
 taatacgact cactataggg acgcgctcgaa acgttacttt aaatggcagc taagaactta 60
 aactacaaca tggactcgtc tgagcgagta taaacagtca attaatgctca gagcggttcac 120
 cggggaaatt cggtgaggtt tgaaatgggg ggctggggccc tgatggcccag tccttccttt 180
 ccccttcggt ggggttaacc ggctgtgttt gctagaggca cagaggagca acatccaacc 240
 tgcttttgtt gggaacggtg cggctccaat tcctgcgtcg ccaaaggtgt tagcgcaccc 300
 aaacggcgca tctaccaatg ctattggtgt ggtctgcgag ttctagccta ctcgtttctc 360
 ccctattcat tcactcacgc acaaaaagtg tgttgtaact acaagattta gccctcacac 420
 gggatgtgtg ataaccgcaa gactgactca agcgcggaaa gcgctgtaac cgcattgctgt 480
 tagtcccttt atggctgcga gatggctatc cacctcggat cactgaactg gagctcgacc 540
 ctcccttagt agggaaacga gaggccttct tgcaacaagc tccgacacag agtccacgtg 600
 attgctacca ccatgagtag atggttctcc cctctcgacc caggacttct ttttgaatat 660
 ccacggctcg atccagaggg tggggcatga tccccctagc atagcgagct acagcgggaa 720
 ctgtagctag gccttagcgt gccttgata ctgcctgata gggcgacggc ctagtctgtg 780
 cggttctata ggtagcatat acaaatatgc agaactctca tttttctttc gatacagcct 840
 ctggcacctt tgaagatgta accggaacaa aagtcaagat cgttgaatac cccagatcgg 900
 tgaacaatgg tgtttacgat tcgtctactc atttgagat actgaaccta cagggtgaaa 960

-continued

ttgaaat	aaagtct	aatgaata	aaattcg	cgccaaaca	caactcgg	1020
tggaatc	gtacgaac	cagggta	ttcagaca	gtcaaga	gattttg	1080
cccggtg	taattgg	atgacct	attactac	aaacact	cagaatt	1140
tagactt	gactcct	tccggtc	gcgcggg	tggaact	cggggcg	1200
tagcggg	cctcaca	ttcagtg	tcttgaac	tcttggt	ctcaag	1260
acaacac	agaaatg	aactctg	atcgagt	aacgcaa	gcgggca	1320
ctgccata	cacgcaat	tcattgg	tgttgtg	ctacgtt	gacccga	1380
aatctgat	tccgtcc	agcacag	aaccacc	cactttc	gccatcg	1440
ggtgtgac	tggaagc	aattctt	caaaagt	aaaaact	tcttttc	1500
ccgtccgc	tcccggt	ttctgtc	ggcaggg	cctcaac	ggggcct	1560
cagctacc	acatagac	ttttgat	agtgcgg	gcagggt	gtccaat	1620
atttgaca	attccacca	ggcgctc	ttgttgcc	ggttcct	accacct	1680
atgtcaag	cgcggta	gcaagag	tacaggag	gaatga	cagtggg	1740
aaatgtct	cgattac	accggga	acatgcct	tcaggcg	ggcacat	1800
atcgcccc	taactga	tgggtcc	atttcat	ccccat	gtaacg	1860
tcccacac	aattctga	gcgaga	ctacctc	agacata	gtccata	1920
tccgggag	ccccacg	tcctcag	cacaga	ctggacc	ctcgtaa	1980
tgctcggt	cctagac	aaggaag	ccacaac	ccgaaat	acatttt	2040
taagccct	aagtccct	ttcaatg	ttcgca	ctacacg	gggacg	2100
aagaacag	gcccatt	acggcac	gagaaa	gcttatg	ctctcac	2160
tccctgac	cactgtc	gcttacg	atgtgcg	ccctcgt	aattacct	2220
ctggtgaa	aaccgac	ttgcact	ccgcata	cactctc	gcatttg	2280
gggtgcct	acccgtg	gcctcag	catatgt	ctacgtg	gtccccc	2340
agttcgat	caggcct	atctcct	cgatcac	ttcagat	gtctatc	2400
acacctgg	tggccgc	agttcaa	tcgcaat	ccgtggg	atccaat	2460
ctctgac	ttgtgg	atgatgg	gagggaa	cctgctc	tattctc	2520
caaatgga	gcaacc	actcttc	aagctat	gtgcata	tctattt	2580
acatagg	gaactct	tgacctt	tcgtccc	catctcg	agtga	2640
gtgaaact	agccatt	aactcgt	actccgt	tggttgg	agcctgc	2700
agttgacc	aattact	ccacctg	gtccgca	tcctcgt	ctctttt	2760
cttctgct	tgaggat	actctcg	tcccgtt	ttgtaat	tcctatg	2820
tccactcc	cgacaac	gagaccg	ttattga	gggtaac	gacacga	2880
tctctggt	actggcg	cctggct	accacac	tgtcaag	ctgtttg	2940
gattctga	attgaat	atcaagg	tggaga	cgccgtt	ccccgc	3000
tccctaca	agaaggt	cagcagg	atgggt	ttgtctt	accccc	3060
caacagtc	ttccgac	gccactc	tcggcgt	cgccaat	tcggcag	3120
gtgtcttg	taacact	ctgga	attttt	cttggc	ttcaact	3180
ttagatcg	ccttgagg	acgggtg	cactaga	ggatctg	tttgtgt	3240
ggtgtttc	ttctggc	gaatacc	cttccag	tgtctac	cagctgc	3300
tgcccttc	ctttact	gcactcc	gcgcttc	tagcaag	gggaagg	3360
ctttcgtg	cccttga	ctgtctc	ctgtgct	cgtgcgt	ggggggg	3420
ccaagctc	ttctgct	cgggtct	cggcgct	tgattgg	actattt	3480
cccttgct	ccgtcct	gagaaga	gcaccgt	aaaacac	gccgtgt	3540
ttcggta	gaacgc	gcctggt	ccagcat	tcctttc	agctaca	3600
agaagatg	gatcaat	ggcgat	agacca	cgggcgt	ctcgaca	3660
caatttgg	gtttctg	gcagaaa	atctagt	ctggcct	ctctgga	3720
tggtgcac	tgttca	acctgg	agtatgt	gaacgat	ttttggc	3780
atttactc	cgagct	ggggaag	ctgtcgc	ggccgc	ctatcca	3840
aagcttc	aaaggtc	ttgggc	actttct	tcggggc	aattaca	3900
actttact	tttactg	gagaaat	ctagttt	taccgt	ccacctc	3960
caccagct	aaactgt	accaagc	cagtga	gaaatcc	aaactgt	4020
agatgcaa	accatgg	aaagtca	actgga	aatagct	ggcttga	4080
attttcat	tgttcgt	ctagtca	agggtgc	ttggctg	gcctgg	4140
acaaagag	agccagc	gtcctcc	accagtg	gatgaag	ctcgggc	4200
tgccctgg	tcctgac	ttcagg	gttcggg	ccctctg	gacgacc	4260
ttgaata	ccagaac	aaatctt	cccta	gggga	aatttgg	4320
aaagtctc	cactatg	aatgcaa	aaagt	ccaac	gaaccg	4380
tggtggct	tagagca	ccgggat	gcaag	ggcctc	ttgattg	4440
aggctgtg	caagcgc	tatggct	aaagt	ttctctt	ccagatc	4500
atttctcg	tgataca	ggacagt	tgacctg	ggatgat	ggacaaa	4560
cggatgga	agatttct	acctttg	agatggt	gaccgc	tttctcc	4620
acatggcg	ccttgca	aaagggc	cctttac	caatctc	attgca	4680
caaatctc	ccactc	cctgtca	ttgtgat	ttctgac	tctcgcc	4740
tcaactac	tctgact	gaagtat	aggctac	gaaacac	cggtga	4800
ttgacttg	tttcagg	acagagc	ccccatt	tcctttg	gcccattg	4860
cccttggt	cgtagct	cgcttca	atggtc	gaatttt	ctcctag	4920
tggtcgat	catttgt	gacattc	ccaagca	agggtgc	aacatgc	4980
ctctgggt	ctcagccc	aacgaga	atgacac	cgtcgac	gcgttgg	5040
gagttctc	ccccgct	gtcgtag	cgttgtc	cctcact	gaggccg	5100
cgggtggc	tttggct	cttgcca	taggtct	cctagct	gtcacc	5160
gtctgata	cttggc	ggactct	ggtactt	tggtctg	gcagacc	5220
aagaacag	aagtga	ttctgca	caccagg	cgaaaat	tatgacg	5280
cgaagaaa	ctctaag	cctggag	tctctct	ggaaatg	cagccca	5340
tggacatg	ctttgag	gcggtcg	agaaagt	cgtcccc	accttca	5400
ttcccaac	accttcg	cttacac	ccgctct	ggtgacg	cggacct	5460
taatcaat	acatacat	tccaatc	cctggac	cttcaca	cgcggtg	5520

-continued

tacacactcg	tgatgagccc	ttccaaacgg	ttcatttcac	tcaccacggg	atccccacag	5580
atctgatgat	ggtaogetc	ggaccgggca	attctttccc	taacaatcta	gacaagtgtg	5640
gacttgacca	gatgccggca	cgaactccc	gtgtgggttg	cggttccgtc	agttacggaa	5700
actttctctt	ctctggaat	ttcctcggat	ttgttgattc	catcacctct	gaacaaggaa	5760
cttacgcaag	actctttagg	tacaggggta	cgacctacaa	aggatgggtg	ggctcggccc	5820
tgggtctgtga	ggcgggtggc	gtccgacgca	tcattggcct	gcattctgct	ggcgccggcg	5880
gtatcggcgc	cgggacctat	atctcaaaat	taggactaat	caaagccctg	aaacacctcg	5940
gtgaaccttt	ggccacaaag	caaggactga	tgaactgaatt	agagccctgga	atcacccgtac	6000
atgtaccocg	gaaatccaaa	ttgagaaaaga	cgaccgcaca	cgcggtgtac	aaaccggagt	6060
ttgagcctgc	tgtgttgtca	aaatttgatc	ccagactgaa	caaggatgtt	gacttggatg	6120
aagtaatttg	gtctaaacac	actgccaatg	tcccttacca	acctcctttg	ttctacacat	6180
acatgtcaga	gtacgctcat	cgaagtctct	ccttcttggg	gaaagacaat	gacattctga	6240
ccgtcaaaaga	agcaattctg	ggcatccccg	gactagaccc	catggatccc	cacacagctc	6300
cgggtctgcc	ttacggccatc	aacggccttc	gacgtactga	tctcgtcgat	tttgtgaacg	6360
gtacagtaga	tgcggcgctg	gctgtacaaa	tccagaaatt	cttagacggg	gactactctg	6420
accatgtctt	ccaaactttt	ctgaaagatg	agatcagacc	ctcagagaaa	gtccgagcgg	6480
gaaaaacccg	catgttgtat	gtgcccctcc	tggcgcatgt	cattgtgggg	agaatgttgc	6540
ttggggcgctt	tgtcgccaag	tttcaatccc	atcctggctt	tctcctcgcc	tctgctatcg	6600
ggcttgaccc	tgaatttttc	ggaccgtca	taggggttca	actcgagggg	agaaagaaca	6660
cgtatgcagt	ggactacagt	gcctttgact	cttcacacgg	cactggctcc	ttcgaggctc	6720
tcatctctca	ctttttcacc	gtggacaatg	gttttagccc	tgcgctggga	ccgtatctca	6780
gatccctggc	tgtctcggtg	cacgcttacg	gcgagcgtcg	catcaagatt	accggtggcc	6840
tccccctcgg	tgtgcccggc	accagcctgc	tgaacacagt	gctcaacaat	gtgatcatca	6900
ggactgctct	ggcattgact	tacaaggaat	ttgaatatga	catgggtgat	atcatcgctc	6960
acgggtgacga	cttctcggtt	ggcacgggatt	acgatctgga	cttcaatgag	gtggcacgac	7020
gcgctgccaa	gttgggtgat	aagatgactc	ctgccaacaa	gggttctgtc	ttccctccga	7080
cttctctctc	ttccgatgct	gtttttctaa	agcgcaaat	cgccccaaac	aacgacggct	7140
tatacaaaac	agttatggat	ttaaagaatt	tggaaagccat	gctctcctac	ttcaaacccag	7200
gaacactact	cgagaagctg	caatctgttt	ctatgtttggc	tcaacattct	ggaaaagtag	7260
aatatgatag	attgatgcac	cccttcgctg	actacgggtc	cgtaccgagt	cacgagtacc	7320
tgcaggcaag	atggaggggc	tgtttcgact	gaccagata	gcccaggcgg	cttcgggtgct	7380
gcggcgcat	ctgggagaac	tcagtccgaa	cagaaaaggg	aaaaaaaaaa	aaaaaaaaaa	7440
aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	agaagagc	7498

SEQ ID NO: 93 moltype = DNA length = 7626
 FEATURE Location/Qualifiers
 misc_feature 1..7626
 note = CVA-PP-TwL6-BsaI_KY_70pA
 source 1..7626
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 93

taatacgaact	cactataggg	tgcactctac	aaataacgga	taccaatttg	agtaacgagg	60
cttcaatgta	caataatgga	ctcgtctgag	cgagtataaa	cagtttttta	agctcagagc	120
gttcaccggg	gaaattcggg	gaggttaaaa	cagctctggg	gttggtccca	ccccagaggg	180
ccacgtggcg	gctatgactc	tggtatcacg	gtacctttgt	acgcctgttt	tatatccctt	240
cccccgcaac	tttagaagct	taacaaaagt	tcaatagcag	gggtgcaagc	cagtacctct	300
atgaacaagc	actctgtgct	ccccggtgaa	attacataga	ctgtaccac	ggtaaaaagt	360
aattgatccg	ttatccgctt	gagtaacttc	agaagcctag	tatcaccttg	gaattcttga	420
cgcgttgccg	tcaacactct	acccccgggtg	tagcttaggc	tgatgagtct	gggcaccccc	480
caccgggtgac	gggtggcccg	gctgcgttgg	cggcctaccc	atggctaacc	ccatggggag	540
ctagttgtga	acaaggtgtg	aaagacctat	tgaagctactc	aagagtccctc	cggcccttga	600
atgcccgttaa	tcccaaccac	ggagcaattg	ctcacgattc	agtgagtagg	ttgtcgtaat	660
gcgcaagtcc	gtggcggaac	cgactacttt	gggtgtccgt	gtttcccttt	ttacttatac	720
tggctgctta	tgggtgacaa	ttacagattg	ttaccatata	gctattggat	tggccatcca	780
gtatttgtgt	acacatatta	aaatactttt	ctacaagcat	caacaaacatt	gtgtttggac	840
cacaataatc	actacaaatg	ggagctcaag	tatcaaccac	aaagaccggg	gcacacgaaa	900
atcaaaacgt	ggctgccaat	ggatccacca	ttaattacac	tactatcaac	tactacaaag	960
atagtgcaag	taactcagcc	accagacaag	atctttctca	agatccatca	aaattttacag	1020
aaccagttaa	agattttaatg	ttgaaaacag	caccagcttt	gaattcaccac	aatgtgggaag	1080
catgtggata	cagtgcacctg	tgaaggcaaa	ttaccctggg	aaactcgact	attaccacac	1140
aagaagcagc	taacgctatt	gttgcttatg	gtgagtggcc	cacttacata	aatgactcag	1200
aagcaaaccc	agttagtgca	cccactgaac	cagatgttag	tagcaacagg	ttttacactc	1260
tggactcagt	gtcttggaa	actacctcaa	ggggttggtg	gtggaaacta	ccagactgct	1320
taaaagacat	ggggatgttt	ggtcagaata	tgtattacca	ctacctgggg	cgtccgggtt	1380
acaccattca	tgtccagtgc	aatgcctcaa	agtttcacca	aggggcatta	ggagttttct	1440
tgataccaga	gtttgttatg	gcctgtaaca	cagagagcaa	gacatcatat	gtttcatata	1500
tcaacgcaaa	tccctggtag	aggggtgggtg	agtttcaaaa	catttacaat	ccatcaagca	1560
cagatgctag	tcagggcaga	caatttgcag	cgctagatta	tttactgggt	tctgggtgtt	1620
tagctggaaa	tgcatttgtg	taccacaccc	agatcattaa	cctgcgtacc	aacaatagtg	1680
caactattgt	ggtaacctac	ttgtcattga	ttgcatggga	aaacacaaca		1740
actgggggtat	tgtcatcctg	ccactggcgc	cattggcctt	tgtgcgaca	tcataccac	1800
aagtgcctat	tacagtgaac	attgcaccca	tgtgcgcaga	attcaatgga	ttgagaaaca	1860
tcactattcc	agtgcaccaa	ggattaccaa	caatgaacac	acctggatcc	aatcagtttc	1920
tcacatctga	tgaactccag	tcacctgcgc	ctctacccaa	ctttgatgtc	actccacctc	1980
tacacatacc	cggagaagtg	aagaatatga	tggaaactggc	cgagattgac	acgctgatcc	2040

-continued

caatgaacgc	agtggacgga	aaggtaaaca	ctatggagat	gtatcaata	ccattaatg	2100
atgaactaag	caaagcacc	atattttgcc	tgtccctgtc	acctgcttct	gacaaacgat	2160
taagtcatac	gatgttggt	gaaattctaa	actattacac	tcaattggaca	gggtccatta	2220
ggttcacctt	tctattctgt	ggtagcatga	tggccactgg	taagtgtgct	ctcagttatt	2280
ccccaccagg	agctaaacca	ccaaccaacc	gcaaggatgc	aatgttgggc	acacatatca	2340
tctgggactt	gggtttacaa	tccagttgct	ccatgggtgc	accatggatc	tctaatacgg	2400
tatacaggcg	gtgtgcacgt	gatgacttca	cagagggtgg	gtttataact	tgtttttatc	2460
aaaccagaat	tgttgtgctt	gctcaaccc	ctaccagcat	gttcatgtta	ggctttgtga	2520
gtgcatgtcc	agattttcagc	gtcagactgc	tggaggacac	ttcccacatt	agtcaatcaa	2580
aactcatagc	acgctcacaa	ggcattgaag	atctcatcga	ttcagcaata	aagaatgctt	2640
tgagagtgtc	ccaaccgttc	acgggtcaat	cgactgaagc	aaccagtggg	gcaaacagtc	2700
aggaagtacc	agcactaact	gctgtagaaa	caggagcatc	aggccaagca	attcccagtg	2760
acgtgatgga	aaccagacac	gtgataaact	acaaaactag	gtctgagtca	tgtcttgaat	2820
cattctttgg	gagagctgcg	tgtgtcacia	tcttatctct	gaccaactct	tcaaaaagtg	2880
gagagggaaa	gaaacatttc	aacatttgga	acatcacgta	taccgacact	gtgcagctac	2940
gtagaaaaat	agagttcttc	acataattcca	gatttgacct	tgaatgact	tttgtgttca	3000
cagagaacta	cccagtcaca	gctagtggag	aagtgcgcaa	ccaggatatac	cagattatgt	3060
atatccacc	aggggcaccc	cgaccatcat	cctgggatga	ttatacatgg	caatccctct	3120
ccaaaccttc	tatcttttac	atgtacggga	acgcaccgcc	acggatgtca	atccctatg	3180
tagggattgc	taatgcctac	tccacttttt	atgacggttt	tgcacgagtg	ccacttgagg	3240
gtgagaacac	tgatgctggt	gacacgtttt	atggattggt	atccataaat	gattttggag	3300
tcttggcagt	cagagcagtg	aaccgcagca	atccacacac	aatacacaca	tccgtgagag	3360
tgtacatgaa	acaaaaacac	attcgggtgt	ggtgccccag	acccccctgc	gcagatttat	3420
acagaggaga	aggagtggac	atgatatacca	gtgcaatttt	acccctgacc	aaagttagatt	3480
ctattactac	cttcggattt	ggacacccaaa	gtaaggcagt	gtatgttgcc	gggtataaga	3540
tctgcaacta	ccacctagca	acccctagtg	atcatctaaa	tgcattagtg	gtgtttgtggg	3600
atagggattt	aatggtagta	gagtctagag	cccaagggaac	tgacaccata	gccagatgta	3660
gttgtagggt	tggggcttat	tactgtgaat	caagaaggaa	gtactaccct	gtcactttca	3720
ccggtccaac	gttccgatcc	atggaagcga	atgactacta	cccagcaaga	taccagtctc	3780
acatgctgat	aggatgtgga	tttgacagagc	ctggagattg	cggtggaata	ctaagggtgca	3840
cccatggggt	gattgtgtat	attactgcag	ggggtgaggg	agtagtagcc	tttctgaca	3900
tcagggtatc	ttgggtgtat	gaagaggagg	ccatggaaca	gggaataaca	agctacattg	3960
agtctcttgg	cacagccttt	ggtgcagggt	ttactcacac	aattagttaa	aaagtgactg	4020
agttaaactac	aatgtattacc	agtaaccatta	cagaaaaact	actaaaaaat	ttggtgaaaa	4080
tagtatcagc	tttagtaatt	gttgtgagaa	attatgaaga	cactactaca	gttcttgcaa	4140
cactagcatt	acttgggtgt	gacatatctc	cttggcagtg	gttgaagaaa	aaggcatgtg	4200
acctactaga	aattctctcat	gtactcgcgc	aagggtgatgg	gtggatgaag	aaattcacag	4260
aggcttgcaa	tgcagccaa	ggcttagaat	ggattagcaa	caaaatttct	aagttcatag	4320
actggttgaa	gtgcaaaatt	attccagaag	ccaaagataa	gggtggaatt	ctcaccgaagc	4380
tgaacacagt	agacatgta	gaaaatcaaa	ttgcaactat	tcaccagtct	tgcaccagcc	4440
aggagcaaca	agagattctc	ttcaacaatg	tgagatgggt	agcagtcag	tcccgctcat	4500
ttgcaccact	atatgtgtgt	gaagcacgga	gaattagcaa	aatggagaac	acaataaaca	4560
actacataca	gttcaagagc	aaacaccgta	ttgaaccagt	atgtatgctc	atccatgggt	4620
caccgggaac	aggcaaatca	atagccacct	cattgatagg	cagagcgata	gcagaaaagg	4680
agaatacatc	agtttactca	atgccacctg	acccatctca	ctttgatggc	tacaaacaac	4740
aaggggctgt	gatttggat	gatttgaatc	agaacccctga	tggcatggat	atgaaactgt	4800
tttgccaaat	gggtgtcaacg	gtggagttca	tcccaccgat	ggcctcacta	gaggagaagg	4860
gtattttgtt	tacatctgat	tatgtcctag	cctccacca	ctcccatcca	atagcaccac	4920
ccacggtagc	tcacagtgtat	gccttaacca	gacgatttgc	attcagatgt	gaagtttaca	4980
caatgtcaga	gcactcaatc	aaaggcaaat	tgaacatggc	cacagccacc	cagttatgca	5040
aggattgtcc	aacaccgca	aattttaaaa	agtgtgtccc	tctgtctgt	ggtaaggctt	5100
tgcagctaat	ggatagatat	accagacaga	gattcactgt	agatgaaact	accacattga	5160
ttatgaatga	gaaaaatagg	agggccaaata	ttggtaactg	catggaagcc	ttgttccaag	5220
gaccgctgag	gtacagggat	ctgaaaattg	atgtgaagac	agtcaccccc	cctgaatgca	5280
tcagtgcact	actacaagca	gtggattctc	aagaagttag	agattactgt	gaaaagaagg	5340
gctggatagt	caatgttact	agccaaatca	agttagaag	aaatatcaac	agggccatga	5400
ctatactcca	agctgtgact	acgtttgcag	cagttgcagg	agtatgttat	gtgatgtata	5460
aaactctttg	tggccaacag	ggtgcataca	ctggtttgcc	aagcaaaaag	cccaatgtcc	5520
caacaatcag	agttgccaaa	gtacagggac	cagggtttga	ttatgcagtg	gcaatggcta	5580
aaagaaacat	acttactgca	accactacta	aggggtgaatt	cactatgtta	ggagtgcagt	5640
ataatgtagc	gatactgcca	accatgcgcg	cccaggaga	aactatcatt	attggtggga	5700
aagaagtgga	gatcttgga	gccagagccc	tagaagatca	agcgggaacc	aatcttgaga	5760
tcactataat	cactctaaaa	agaaatgaga	agtttagaga	tatcagacca	catattccca	5820
cccaaatcac	cgaaccagct	gatggagtat	tgatcgtgaa	cactagtaag	taccccaata	5880
tgtatgtccc	tgttgggtgt	gtgaccgaac	aggggtatct	taatctcagt	ggacgccaaa	5940
ctgctcgtac	tctgatgtac	aactttccaa	cacgagcagg	ccagtgccgg	ggaatcatta	6000
cctgcactgg	taaagtcat	gggatgcagt	ttgggtggaa	cggttcacat	gggtttgcag	6060
cagcccttaa	gcgatcatac	ttcacccaaa	gtcaagggtga	aatccaatgg	atgaggtcat	6120
caaaagaagt	gggataccct	attataaatg	ccccatcaaa	aacaaagtta	gaaccagtg	6180
cttttcatta	tgtcttcgaa	ggtgtcaaa	aaccagcagt	gctcaccaag	agtgacccca	6240
gattgaaaac	agatttcgaa	gaagccattt	tttcaaaata	tgtggggact	aaaattgttg	6300
aagtggacga	atcatgaaa	gaagcagtg	accactatgc	agggcagcta	atgtcattga	6360
acattaatac	agaacaaatg	tgcttggaag	atgccatgta	cggcactgat	ggtcttgagg	6420
ctctagatct	tagtaccagt	gcaggatacc	cttatgttgc	aatgggaaaa	aagaaaaag	6480
atatcttaga	caagcagact	agagatacta	aagagatgca	gaaacttcta	gacacttatg	6540
gaatcaacct	accattagtt	acctatgtta	aagatgaact	caggtcaaa	actaaagtag	6600

-continued

```

agcaaggaaa atcaaggcta attgaagctt ccagctctcaa tgattcagtt gcaatgagaa 6660
tggcatttcgg caatcttttac gcagccttcc ataagaatcc aggtgtggta accggctcag 6720
cagttgggttg tgacccagac ttatttttga gtaagatacc agtattaatg gaagaaaagc 6780
tctttgcctt tgattacaca gggatgatg cctcgcttag tctgcttgg tttgaggcac 6840
ttaaaatgggt gttagaaaag ataggttttg gtgatagagc agattacata gattacctga 6900
accactctca tcactctttac aaaaacaaaaa cttatttgtt taagggcggt atgccatctg 6960
gctgttctgg cacatcaatt tttactcaa tgattaacaa tttgatcatc aggacgcttt 7020
tactgaaaaac ctacaagggc atggatttag accattttaa aatgattgcc tatggtgatg 7080
atgtgatagc ttcttaccct catgagggtt acgctagtct cctagcccaa tcaggaaaag 7140
actacggact gaccatgact ccagcagata aatcagcaac ctttgaacaa gtcacatggg 7200
agaatgtaac gttcctgaaa agatttttca gagcagatga gaaatatcca ttcttggtgc 7260
atccagtaat gccaatgaaa gaaattcatg aatcaatcag atggaccaag gaccctagaa 7320
atacacaaga tcatgtgcgc tctgtgtgtt tattggcttg gcacaacggt gaagaagaat 7380
ataacaaatt cttagctaaa atcagaagtg tgcgatcgg tagagctttg ttgctccag 7440
agtactctac attgtaccgc cgttggtgtg actcgtttta gtaaccctac ctcagtcgaa 7500
ttgattggg ttatactgtt gtaggggtaa atttttcttt aattcggaga aaaaaaaaaa 7560
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 7620
gagacc 7626

```

```

SEQ ID NO: 94      moltype = DNA length = 7626
FEATURE           Location/Qualifiers
misc_feature       1..7626
                  note = CVA-PP-TwL6-BsaI_Kuykendall_70pA
source            1..7626
                  mol_type = other DNA
                  organism = synthetic construct

```

```

SEQUENCE: 94
taatacgaact cactataggg tcgactctac aaataacgga taccaatttg agtaacgcgg 60
cttcaatgta caataatgga ctgctctgag cgagatataa cagtttttta agctcagagc 120
gttcaccggg gaaattcggg gaggttaaaa cagctctggg gttgttccca ccccgagaggc 180
ccagtgggcg gctagtactt tggatttacg gtacctttgt acgctgtttt tgtatccctt 240
cccccgtaac tttagaagct tatcaaaagt tcaatagcag gggatcaaac cagtacctct 300
acgaacaagg acttctgttt ccccggtgat atcacataga ctgtaccacac ggtcaaaagt 360
gattgatccg ttatccgctt gagtacttcg agaagcctag tatcaccttg gaatcttcga 420
tgcgttgccg tcaacactct gccccgagtg tagcttaggc tgatgagctc gggcactccc 480
caccggcgac ggtggcccag gctgcgttgg cggcctaccc atggctgatg ccgtggggacg 540
ctagttgtga acaaggtgtg aagagcctat tgagctactc aagagtcctc cggccctga 600
atgcccgtta tcctaacccac ggagcaaccg ctcacaaccc agtgagtagg ttgtcgaat 660
gcgtgaagct gtggcggaac cgaactactt ggggtgcctg gtttcccttt atattcatac 720
tggctgctta tgggtgacaa ttacaaattg ttaccatata gctattggat tggccacca 780
gtattgtgca atatatgtga gtgtttcttt cataagcctt attaacatca catttttaat 840
cacaataaac agtgcaaatg gggggtcgaag tttcaacgca aaagaccggt ggcgcagaga 900
atcaaaacgt ggcagccaat ggatccacca ttaattacac tactatcaac tattacaaag 960
acagtgccag taattccgct actagacaag accctctcca agatccatca aaattccacg 1020
aaccgggtta ggaacttaag ttgaaaacag caccagctct aaactcgctt aacgtggaag 1080
catgtgggta cagtgaccgt gtgaggcaaa tcactttagg caactcgact attactacac 1140
aagaagcagc caatgctatt gttgcttacg gtgaatggcc cacttacata aatgattcag 1200
aagctaactc ggtagatgca cccactgagc cagacgttag tagcaaccgg ttttacaccc 1260
tagaatcggt gctttggaag accacttcaa ggggatgggt gtggaagtta ccagattggt 1320
tgaaggacat gggaatgttt ggtcagaata tgtactatca ctacttgggg cgtctggtt 1380
acaccattca tgtccagtgc aacgcttcaa aatttcacca aggggctgta ggagttttt 1440
tgataccaga ttttgtcatg gcttgcaaca ctgagagtaa aacgtcatac gtttcataca 1500
tcaatgcaaa tcttgggtgag agaggcggtg agtttacgaa cacctacaat ccgtcaaaata 1560
cagacgcgag tgaggggcaga aagtttgacg cattggatta tttgctgggt tctggtgttc 1620
tagcaggaaa cgcctttgtg taccgcacc agatcatcaa cctacgtacc aacaacagtg 1680
caacaattgt ggtgccatc gtaaaactcac ttgtgattga ttgtatggca aaacacaata 1740
actggggcat tgtcatatta ccactggcac ccttggcctt tgccgcaaca tcgtcaccac 1800
agggtcctat tacagtgaac attgcacca tgtgtacaga attcaatggg ttgagaaaca 1860
tcaccgtccc agtacatcaa ggggttgcca caatgaacac accgtggttc aatcaattcc 1920
ttacatctga tgacttccag tcgcccctgt ccttacctaa ttttgatggt actccacca 1980
tacacatacc cggggaagta aagaatatga tggaaactagc tgaattgac acattgatcc 2040
caatgaacgc agtggacggg aagggtgaaca caatggagat gtatcaaaata ccattgaatg 2100
acaatttgag caaggcacct atattctgtt tatccctatc accgtctctt gataaacgac 2160
tgagccgcac catgttgggt gaaatcctaa attattacac ccattggagc gggtcacatca 2220
ggttcacctt tctattttgt ggtagtatga tggccactgg taaactgctc ctcagctatt 2280
ccccaccggg agctaaacca ccaaccaatc gcaaggatgc aatgctaggc acacacatca 2340
tctgggacct aggggttaca tccagttgtt ccatgggtgc accgtggatc tccaacacag 2400
tgtacagacg gttgtgcagt gatgacttca ctgagggcgg atttataact tgcttctatc 2460
aaactagaat tgtgttacct gcttcaaccc ctaccagtat gttcatgtta ggctttgtta 2520
gtgcgtgtcc agacttcagt gtcagactgc ttagggacac tccccatatt agtcaatcga 2580
aactaatagg acgtacacaa ggcattgaag acctcattga cacagcgata aagaatgcct 2640
taagagtgtc ccaaccaccc tcgaccaggt caactgaagc aactagtgga gtgaatagcc 2700
aggaggtgcc agctctaaact gctgtggaaa caggagcatc tggtaagca atccccagtg 2760
atgtggtgga aactaggcac gtggtaaaat acaaaaccag gtctgaatcg tgtcttgagt 2820
cattctttgg gagagctgcg tgtgtcacaa tctatcctt gaccaactcc tccaagagcg 2880
gagaggagaa aaagcatttc aacatatgga atattacata caccgacact gtccagttac 2940

```

-continued

gcagaaaatt	agagtttttc	acgtattcca	ggtttgatct	tgaatgact	tttgattca	3000
cagagaacta	tcctagtaca	gccagtggag	aagtgcgaaa	ccaggtgtac	cagatcatgt	3060
atattccacc	agggggcacc	cgcccatcat	cctgggatga	ctacacatgg	caatcctctt	3120
caaacccttc	catcttctac	atgtatggaa	atgcacctcc	acggatgtca	attccttacg	3180
tagggattgc	caatgctcat	tcacacttct	acgatggctt	tgcacgggtg	ccacttgagg	3240
gtgagaacac	cgatgctggc	gacacgtttt	acggttttagt	gtccataaat	gattttggag	3300
ttttagcagt	tagagcagta	aaccgcagta	atccacatac	aatacacaca	tctgtgagag	3360
tgtacatgaa	acaaaaacac	attcgggtgt	ggtgccccag	acctcctcga	gctgtattat	3420
acaggggaga	gggagtggac	atgatatcca	gtgcaattct	acctctgacc	aaggtagact	3480
caattaccac	ttttgggttt	ggtcatcaga	acaaagcagt	gtacgttgcc	ggttacaaga	3540
tttgcaacta	ccacctagca	accccaagt	atcacttgaa	tgaattagt	atgttatggg	3600
acagggattt	aatgggtgtg	gaatctagag	cccagggaac	tgataccatc	gccagatgta	3660
gttgcagggt	tggagtttac	tattgtgaat	ctaggaggaa	gtactacctc	gtcactttta	3720
ctggcccaac	gtttcgattc	atggaagcaa	acgactacta	tccagcaaga	taccagtctc	3780
acatgctgat	aggggtcgga	tttgacagaac	ccggggcagt	cggtgggata	ctgaggtgca	3840
ctcatggggt	aattgggtatc	attactgcag	gaggtgaagg	ggtagttagc	tttctgaca	3900
ttagagatct	ctgggtgtat	gaagaggagg	ccatggaaca	gggaataaca	agctactcgc	3960
aatctctcgg	cacagccttt	ggcgaggggt	tcacccacac	aatcagtgag	aaagtgactg	4020
aattgacaac	aatggttacc	agcactatca	cagaaaaact	actgaaaaac	ttggtgaaaa	4080
tagtgtcgcc	tctagtgtat	gtgtgtgagaa	attatgagga	cactaccacg	atccttgcaa	4140
cactagcact	actcgggtgt	gatatacttc	cttggcaatg	gttgaagaag	aaggcatgtg	4200
acttactaga	gattccttat	gtgatgcgcc	aaggtgatgg	gtggatgaag	aaattcacag	4260
aggcgtgcaa	gtcagctaaa	ggcttagagt	ggattagcaa	caaaatttcc	aagttttatg	4320
attggttgaa	gtgtaaaaat	atcccagacg	ctaaggacaa	ggtggaattt	ctcaccaagt	4380
tgaacagct	agacatgttg	gaaaatcaaa	ttgcaaccat	ccaccaatct	tgcccagcc	4440
aagaacaaca	agagattctt	ttcaacaatg	tgagatggct	agcagtcagc	tcccgtcggg	4500
ttgcaccatt	atacgtctgt	gaggcacgcc	gaattaacaa	aatggagagc	acaataaaca	4560
attatataca	ggttcaagagc	aaacaccgta	ttgaaccagt	atgtatgctc	attcatgggt	4620
caccagggac	gggttaaatc	atagctactt	catttaatag	tagagcaata	gcagagaagg	4680
aaagcacatc	agtctattca	atgccacctg	acccatctca	ctttgatggc	tataaacaac	4740
aaagggtagt	gattatggag	gacctaaacc	aaaaccccga	tggatgggac	atgaaactgt	4800
tttgccaaat	gggtatcaaca	gtggagttta	ttcctccaat	ggcctcatta	gaggagaagg	4860
gcatttttgt	tacatctgat	tatgtcctgg	cttctaccaa	ctctcatcca	attgtaccac	4920
ccacagtggt	tcacagtgtg	gccttaacca	gacgatattg	atttgatgtg	gaggtttaca	4980
cgatgtctga	acattcagtc	aaaggcaaac	tgaatatggc	cacggccact	caattgtgta	5040
aggattgtcc	aacacctgca	aattttaaaa	agtgttgccc	tctcgtttgt	ggaaggccct	5100
tgaattaat	ggacaggtga	accagacaaa	ggttcactgt	agatgagatt	accacattaa	5160
tcataatga	gaaaaacaga	agggccaata	tcggcaattg	catgggaagc	ttgtttcaag	5220
gaccattaa	gtataaagat	ttgaagatcg	atgtgaagac	agttccccc	cctgagtgca	5280
tcagtgtatt	gttacaagca	gtggattctc	aagaggttag	ggattactgt	gagaagaagg	5340
gctggatcgt	taacgttact	agccagattc	aactagaaag	gaacatcaat	agggccatga	5400
ctatactcca	agctgttacc	acattcgcag	cagtcgcagg	agtatgttat	gtaatgtaca	5460
aaactctcgc	cggtcaacag	ggtgcataca	ctggccttgc	aaacaaaaaa	cccaatgtcc	5520
ctactatcag	agtcgctaaa	gtccaggggc	caggatttga	ctacgcagtg	gcaatggcaa	5580
aaagaaacat	agttactgca	accaccacca	aggggtgaatt	taccatgcta	gggggtgatg	5640
ataatgtagc	aatattgcga	acccatgcgc	ctccaggaga	aaccattatt	attgatggga	5700
aagaagttag	gatcctagat	gccagagcct	tagaagatca	agcgggaacc	aatcttgaga	5760
tcaccattat	tactctaaaa	agaaatgaga	agtttagaga	catcagatca	catattccca	5820
cccaaattac	tgaacttaac	gatggagtgt	tgatcgtgaa	cactagcaag	taccccaata	5880
tgtatgtccc	cgttggtgct	gtgacccaac	agggatatct	taatctcagt	ggacgtcaaa	5940
ctgctcgcac	tttaatgtac	aactttccaa	caagggcagg	ccagtgcgga	ggaatcatca	6000
cttgactcgg	caaatgtcatt	gggatgcagt	ttggcgggaa	cggttcacat	gggtttgcag	6060
cagccctcaa	gcgatcatc	ttcactcaaa	atcagggcga	aatccagtg	atgaggtcat	6120
caaaagaagt	ggggtagcccc	attataaatg	ccccatccaa	gacaaagtta	gaaccagtg	6180
ctttccacta	tgtttttgaa	ggtgttaagg	aaccagctgt	actcactaag	aatgacccca	6240
gactaaaaac	agattttgaa	gaagccatct	tttctaaata	tgtggggaac	aaaattactg	6300
aagtggacga	gtacatgaaa	gaagcagtg	atcactatgc	aggacagtta	atgtcactgg	6360
atatacaac	agaacacag	tgcttgagg	atgccatgta	cggcacagat	ggtcttgagg	6420
cctggatct	tagcactagt	gctggatata	cttatgttgc	aatggggaaa	aagaaaagag	6480
acattctaga	taaacagacc	agagatacta	aggagatgca	gagactttta	gatacctatg	6540
gaatacaatc	accattgaac	acgtacgtga	aagatgaact	caggtcaaa	actaaagtgg	6600
aacaaggaaa	gtcaagattg	attgaagctt	ccagccttaa	tgattcagtt	gcaatgagaa	6660
tggccttttg	caatctttac	gcagctttcc	acaagaatcc	aggtgtgggt	acaggatcag	6720
cagttgggtg	tgacccagat	ttgttttgga	gtaagatacc	agtgctaagt	gaagaaaaac	6780
tcttcgcttt	tgactacaca	gggtatgatg	cctcactcag	ccctgcttgg	tttgaagctc	6840
ttaaaatggt	gttagaaaaa	attggatttg	gcagttagag	agactatata	gactacctga	6900
accactctca	ccacctttac	aaaaacaaga	cttatttgtg	caaggcggcg	atgccatccg	6960
gctgctctgg	cacctcaatt	ttcaactcaa	tgatttaacaa	cctgatcatt	aggacgcttt	7020
tactgagaac	ctacaagggc	atagacttgg	accatttaaa	aatgattgct	tatggtgatg	7080
acgtgatagc	ttcctacccc	catgaggttg	acgtagtctc	cctagcccaa	tcaggaaaa	7140
actatggact	aaccatgata	caagcagata	aatcagtaac	ctttgaaaca	gtcacatggg	7200
agaatgtaac	attttctgaa	agatttttca	gagcagatga	gaagtatcca	ttcctgggtg	7260
atccagtgat	gccaatgaaa	gaatttcacg	aatcaatcag	atggaccaag	gaccctagaa	7320
acacacagga	tcacgtacgc	tcgttgtgcc	tattagcttg	gcacaacggt	gaagaagaat	7380
acaataaatt	tttagctaaa	atcagaagtg	tgccaatcgg	aagagcttta	ttgctcccaa	7440
agtactctac	attgtaccgc	cgatggctcg	actcatttta	gtaaccctac	ctcagtcgga	7500

-continued

ttggattggg	ttatactggt	gtaggggtaa	atTTTTcttt	aattcggaga	aaaaaaaa	7560
aaaaaaaa	aaaaaaaa	aaaaaaaa	aaaaaaaa	aaaaaaaa	aaaaaaaa	7620
gagacc						7626

SEQ ID NO: 95	moltype = DNA	length = 7661
FEATURE	Location/Qualifiers	
misc_feature	1..7661	
	note = CVA-PP-TwL6-BsaI_EF_70pA	
source	1..7661	
	mol_type = other DNA	
	organism = synthetic construct	

SEQUENCE: 95						
taatacgact	cactataggg	tgcactctac	aaataacgga	taccaatttg	agtaacgcgg	60
cttcaatgta	caataatgga	ctcgtctgag	cgagtataaa	cagtttttta	agctcagagc	120
gttcaccggg	gaaattcggt	gaggttaaaa	cagctctggg	gttggtccca	ccccagaggc	180
ccacgtggcg	gctagtactc	tggtatcgcg	gtacctttgt	acgcctgttt	tatactccct	240
tccccatgta	actttagaag	caattcacca	agttcaatag	aggggggtaca	agccagtacc	300
accacgaaca	agcactttctg	ttccccgggt	gagtttgcat	aagctgtgcc	cacggctgaa	360
agtaaatgat	ccgttatccg	cttgagtact	tcgagaagcc	tagtatcacc	ttggaatcct	420
cgacgcgttg	cgctcaacac	tctaccccca	gtgtagctta	ggctgatgag	tctgggcac	480
ccccaccggc	gacggtggcc	caggctgcgt	tggcggccta	cccattggcca	acgcccagg	540
acgctagtgt	tgaacaaggt	gtgaagagcc	tattgagcta	ctcaagagtc	ctccggcccc	600
tgaatgcggc	taatcctaac	catggagcaa	gtggcccca	cccaggggag	ggcttgtcgt	660
aacgcgcaag	tccgtggcgg	aacgcactac	tttgggtgtc	cgtgtttcct	tttattttat	720
atatggctgc	tattggtgac	aatcacagat	tgttatcata	aagcgaattg	gattggccat	780
ccggtgaaat	ataagcacat	tatttatatc	tttctgtgat	tcgctccgtt	gacacattct	840
tcaccaaatg	tgattttatc	agtccttagt	attagaaatc	accacttcag	tcattgggagc	900
tcaagtatcc	actcaaaaga	ctggggccca	cgaaaaccag	aatgtggccg	cgaacggggtc	960
cacaatcaat	tatacaacca	tcactacta	taaggacagt	gcaagcaatt	cgccgactcg	1020
gcaggatttc	tcacaggacc	cgtccaaatt	cactgaaccg	gtcaaggatt	taatgttaaa	1080
atccgcaccg	gctttgaatt	gcacaaacgt	cgaagcatgc	gggtacagtg	atcgcgtgag	1140
gcaaatcaca	ctgggaaatt	ccaccataac	cacacaggag	gctgcaaatg	caattgttgc	1200
ctatggggag	tggccaacct	acataaacga	taacgaggcc	aacctgtctg	atgcaccgac	1260
cgaaaccgat	tgtagtagca	accgctttta	cacctgggaa	tcagtgcagt	ggaaaacaac	1320
atccccgggg	gtgtgggtgga	aattgccaga	ctgtttgaaa	gacatgggta	tgttcgggca	1380
aaacatgtat	taccactatt	taggcaggtc	agggtatact	atacatgtgc	agtgtaatgc	1440
ctcaaaattt	caccaaggtg	cgttgggtgt	gtttctaata	cctgaatttg	tgatggcatg	1500
taacaccgag	acgaagacct	catatgtctc	atatattaat	gccaaacctg	gtgagaaggg	1560
tgggtgaatt	acaaacacct	acaacccatc	tggcacagac	gttagcgaag	ggaggaaatt	1620
tcocgctctg	gattatctgc	tagggtcagg	cgtcttggcg	ggaaacgcct	ttgtttaccc	1680
gcatacaaat	atcaaccttc	gcaccaacaa	tagtgcaaca	atagtgggtc	cttacgtcaa	1740
ctcactatgt	atcgattgca	tggcaaaaca	caacaactgg	gggtagcgca	tactacccct	1800
tgcacccctg	gccttttgca	caacgtcatc	accacaagta	ccgatcacag	tcacaattgc	1860
accaatgtgt	acagagttca	atggattgag	gaatgtaact	gtaccagtac	accagggcct	1920
tcagtgctatg	acaaccccg	gatcaaacca	attcctcaca	tcagatgatt	tcagtcgcc	1980
atgtgcctta	cccaattctg	atgtgacccc	tcacaatccac	atcccagggg	agggtcaaaa	2040
catgatggaa	ctagctgaaa	ttgacacact	gattccaatg	aatgcagtgg	atgggaaagt	2100
aaataccatg	gaaatgtacc	agatcccat	aaacgacaac	cttagcactg	aacctatctt	2160
ttgcctatca	ctatcaccag	cgtctgatag	gcgattgagt	cacaccatgc	tgggagagat	2220
tctgaactac	tacacacact	ggacgggctc	catcagattt	acttttctat	tttgtggtag	2280
tatgatggcc	acaggggaagt	tgtccttag	ctattcacc	ccaggggcga	agccacccaa	2340
aaaccgga	gacgcatgc	tggttacgca	cataaatatg	gacctgggtt	tacagtctag	2400
ttgttccatg	gtggcgccct	ggatttccaa	tacggtgtac	aggcgatgtg	ttcgcgacga	2460
ttttaccgaa	gggtggctaca	tcacctgttt	ctatcagact	agaatagtgg	taccagcctc	2520
gaccccaacc	agcatgttta	tgttaggctt	tgtcagtgct	tgtcccgaact	ttagtgtgag	2580
actgctcagg	gacacgacgc	acatcagtca	atcgaaattg	gtcgcagta	ggcagggcat	2640
agaggagttt	atagacacag	caattaaaaa	tgcattgaaa	gtgtcacaac	ccagcactgc	2700
acaatcaaca	gaagcaacca	gcggagtcaa	cagccaagag	gtgctgcac	taacagcagt	2760
agagactggc	gcacggggcc	aagcaatccc	aagtgtatgt	gtagaaactc	ggccactgggt	2820
gaactataag	acaagatcag	agtcctgcct	tgaatcattc	tttggtaggg	ccgcttgtgt	2880
gacaattctc	tcccttacaa	actcttcagg	tagcggagac	gcaagaagac	actacacaac	2940
atggaacatc	acatatacag	atacgggtgca	actgcgaagg	aaactggaat	tttttacgta	3000
ttccagggtt	gacttgga	tgacctttgt	attcactgag	aactacccta	gcacagctag	3060
tggagagggt	cgaaatcagg	tttaccaaat	catgtacatt	cctccagggg	cgcttagacc	3120
tagttcttgg	gatgtattaca	cctggcagtc	atcatcaaac	ccttcocat	tctacatgta	3180
tggtaaatgca	ccaccacgga	tgtcgattcc	ctatgtcggg	attgctaacg	cctactcgca	3240
cttctacgat	ggcttcgcgc	gagtgcgcgt	tgaagggtgag	aacacagatg	ccggggacac	3300
cttctacggg	ctagtatcca	tcaatgattt	tgggttactg	gcagttaggg	cagtgaaccg	3360
cagcagccct	cacgccatcc	acacttcagt	gaggggtgat	atgaaacctc	aacacattcg	3420
ctgctgggtg	cccaggccac	cacgagcagt	actttaccgt	ggtgagggag	tggacatgat	3480
ctcaagtcca	atccaaaccac	taaccaaggt	cgattctata	acaacattcg	gctttggtca	3540
ccagaacaag	gcagtttatg	ttgctgggta	taaaatttgt	aactaccact	tagcaacacc	3600
cagtgaaccac	ctgaacgcca	ttagtgtgat	gtgggacaga	gatttgatag	tagtggagtc	3660
aagagcacag	ggaattgaca	ccatagcccg	gtgcaactgc	aagtgtggcg	tatactactg	3720
tgaatcaagg	aaaaagtatt	atccccattc	gttcactggg	cccacattta	gatacatgga	3780
ggccaacgaa	tactttccag	ctagatatca	gtccccatta	ttaattgggt	gcgggtttgc	3840

-continued

```

agagcctgga gactgtggtg gcatactcag atgcacacac ggtgtgatcg gcataattac 3900
agcagggtgga cctggagtggt tggcctttgc cgacatcagg gacctctggg tgtatgagga 3960
ggaagcgatg gaacaaggca ttacaagcta catcgagact ttagggcgag catttggaac 4020
tgggttcact caacaaattg gagacaaaat tacagagttg actaatatgg tgacaagcac 4080
ttttacggac aaattgttta aaaacttgat taaaatagtg tcttcgttgg ttataataac 4140
tcgaaactac gaagacacca ccacagtatt ggccactcta gcattgttgg gttgtgattg 4200
ctctccgtgg caatggttga aacacaaagt atgtgacatc ctgcaactgc cattcgccct 4260
caaacagagt gacagttggc taagaagtt cactgaggcg tgtaatggcg caaaagggct 4320
cgaatggatt agcaacaagc tctccaaatt tgtggaatgg gtgaagaaca agataattcc 4380
tgaagccaga gacaaagtgg aatttctgca aaaattgaaa cagttagaaa tgcttgagaa 4440
ccagattgct acactacacc aatcctgtcc aagtcaagaa cagcaagaga cactctttaa 4500
caatgtccgc tgggtggcac tgcagtcaag acgctttgcg ccgttgtacg ctgttgaagc 4560
gcgcagaata caaaaattgg agaaccacct aaacaactac atacagttta agagcaaac 4620
ccgtattgaa ccagtatgta tgttgataca tggagctcct ggacgggca aatctatagc 4680
aacctcgttg attggcggtg ccattgctga aaaaagaaagc acctcagtgt attctctacc 4740
accagacccc tcacacttcg acggttacaa acaacaagggt gttgttatca tggatgacct 4800
caatcagaac ccggtatgta tggacatgaa gttgtttgt cagatggtgt ctacagtcca 4860
gttcataccc ccaatggcat ctctcgagga gaaaggaatc ctgttcaact cagactatgt 4920
gctagcatct acaaatcttc actcaattac ccacccact gtcgcacata gtgatgccct 4980
aagtagaaga tttgcatttg acatggatgt atacaccatg tctgaacact ctgtgaaggg 5040
aaagctcaac atggcgactg cgacgcagtt atgcaaaagag tgtccaccgc ccgctaactt 5100
caaaaagtgc tgtccactag tgtgtggtta agctttacaa ctgatggaca agcacaccag 5160
acagagattt acactagacg aaatcaccac tttgatcatc aatgagaaga acagaagggc 5220
taacattggt aattgcatgg aggtctcttt tcaaggccct ctacaatata aagatctcaa 5280
gatcgacatc aagaacactc ccctccaga gtgcataagt gatctacttc aggtctgtga 5340
ctcgcaagag gttagagatt actgtgagaa gaaaggatgg atcgtaacg tatccagtca 5400
ggttcaatta gagcgcaaca tcaatagagc tatgactatc ctccaggcag taaccacgtt 5460
tcctcgactg gcgggagtgg tttatgtcat gtacaagctc tttgcagggc atcaaggcgc 5520
ttatactggg ctcccgagca agaaacccaa cgtgcccacc attagaatag ctaaaagtga 5580
aggctccagg tttgactatg cagttgccat ggcaaaagaga aatatcgtaa ctgcaaccac 5640
caataaagggg gagttcacta tgttggagt gcatgataac gttgccgtac taccaaccca 5700
tgcataccca ggtgagacta tagttattga tggtaaggaa gttgaagtgc tggacgcca 5760
ggccctggag gaccaagctg gaactaacct agagatcacc attgtcactc tgagaaggaa 5820
tgagaagttc agggacatca gactcacatc cccactcaa atcactgaga caaatgatgg 5880
agtgttgatc gtgaacacta gtaagtaccc caacatgtat gtgcccgttg gtgcagtgc 5940
ggaacaaggg tacttgaacc tgggtgggagc tcaaaactgt cgcaactcaa tgtacaattt 6000
cccaaccgga gccggacaat gtggtggaat catcacatgc actggcaagg tcattgggat 6060
gcatgttggt gggaaacggt cacatgggtt cgtgcagcc ctaaaacggt catacttcac 6120
tcagagccaa ggtgagattc agtgatgag gccatcaaaa gaggtcgggt acccaataat 6180
taatgcacca atgcaagaca aactagaacc cagtgccttc cactatgttt ttgaagggtt 6240
aaaggaacct gcagtactga ctaaaaacga tcccagattg aaacggatt ttgaggaggc 6300
catattctca aagtatgtag ggaacaagat cactgaagtg gatgaatata tgaagaggc 6360
agtagaccat tatgtgggca aactcatgtc tttagacatc aatacagagc aaatgtgctt 6420
ggaagatgct atgtatggca ctgatggtct ggaagctttg gatctctcta ctagcgagg 6480
atacccttat gtggctcttg ggaaaaagaa gagagatata cttaataaac aaacaagaga 6540
caccaaagaa atgcaaaagc tactagatac ctatggaata aatttgcttc tagttactta 6600
cgtaaaagat gagctgagaa gcaagagcaa ggtggagcag ggtaaatcca gattaattga 6660
ggcctcaagc ttgaatgatt cagtagcaat gagaatggca tttggtaacc tgtatgcagc 6720
tttcacaag aatccaggag tcatcactgg ttctgctgta ggatgtgacc cagacttgtt 6780
ttggagcaag atcccagtat tgatggaaga aaagctcttt gcatttgatt acaccgggtt 6840
cgatgcctct ctacgtcccg ctgtggttga ggcaactcaa atggttttgg agaaaattgg 6900
attcggagat aggttgattt acattgatta tctcaaccat tcacaccatc tttacaaaaa 6960
caagacctat tgtgtcaagg gcggtatgcc atctggctgc tcaggcactt caatatttaa 7020
ttcaatgatt aacaatttaa taatcaggac actcttactg aagacctaca agggcataga 7080
tttgaccac ttgaagatga ttgctatgg tgatgatgta attgcctcct acccccacga 7140
agttgacgct agtctcctag cccaatcagg aaaagactat ggactaacca tgacaccagc 7200
tgacaagtca gccacctttg aaactgtcac gtgggagaat gtaacatttt taaaagatt 7260
ctttagggca gatgaaaagt acccattctt aatacatcca gtgatgcaa tgaagaaat 7320
acaagaatcg atcagatgga ctaaaagatc tagaaacacg caggaccatg ttcgctcact 7380
gtgcttattg gcttggcaca atggcgaaaga agagtacaat aaatttttag ctaaaatcag 7440
aagtgtgcca atcggaagag ctttactgct cccgaatac tcaactttgt accgcccgtt 7500
gctcgactcg ttttagtaac cctacctcag tcgaattgga ttgggtcata ctgttgtagg 7560
ggtaaatttt tctttgattc ggagaaaaaa aaaaaaaaaa aaaaaaaaaa 7620
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaagagac c 7661

```

```

SEQ ID NO: 96      moltype = DNA length = 57
FEATURE           Location/Qualifiers
misc_feature       1..57
                   note = Env25 Pistol Ribozyme
source            1..57
                   mol_type = other DNA
                   organism = synthetic construct

```

```

SEQUENCE: 96
cgtggttagg gccacgttaa atagtttatt aagccctaag cgttgatgaa aatcagg 57

```

```

SEQ ID NO: 97      moltype = DNA length = 62

```


-continued

FEATURE	Location/Qualifiers	
misc_feature	1..62	
	note = Alistipes Putredinis Pistol Ribozyme	
source	1..62	
	mol_type = other DNA	
	organism = synthetic construct	
SEQUENCE: 97		
ggagccgttc gggcggtat aaacatttat caggcccgaa gcgtggcggc gaaagccgcc	60	
gg	62	
SEQ ID NO: 98	moltype = DNA length = 70	
FEATURE	Location/Qualifiers	
misc_feature	1..70	
	note = Twister Sister1 Ribozyme	
source	1..70	
	mol_type = other DNA	
	organism = synthetic construct	
SEQUENCE: 98		
ggaccgcaaa ggccgacggc atccgcccgc gctggtgcaa gtccagccgc cccgaaagg	60	
gcggcgctc	70	
SEQ ID NO: 99	moltype = DNA length = 70	
FEATURE	Location/Qualifiers	
misc_feature	1..70	
	note = Twister Sister2 Ribozyme	
source	1..70	
	mol_type = other DNA	
	organism = synthetic construct	
SEQUENCE: 99		
ggaccgcaaa ggccgacggc atccgcccgc gctggtgcaa gtccagccgc cccgaaagg	60	
gcggcgctc	70	
SEQ ID NO: 100	moltype = RNA length = 57	
FEATURE	Location/Qualifiers	
misc_feature	1..57	
	note = Env25 Pistol Ribozyme	
source	1..57	
	mol_type = other RNA	
	organism = synthetic construct	
SEQUENCE: 100		
cgtggttagg gccacgttaa atagtttatt aagccctaag cggtgatgaa aatcagg	57	
SEQ ID NO: 101	moltype = RNA length = 62	
FEATURE	Location/Qualifiers	
misc_feature	1..62	
	note = Alistipes Putredinis Pistol Ribozyme	
source	1..62	
	mol_type = other RNA	
	organism = synthetic construct	
SEQUENCE: 101		
ggagccgttc gggcggtat aaacatttat caggcccgaa gcgtggcggc gaaagccgcc	60	
gg	62	
SEQ ID NO: 102	moltype = RNA length = 70	
FEATURE	Location/Qualifiers	
misc_feature	1..70	
	note = Twister Sister1 Ribozyme	
source	1..70	
	mol_type = other RNA	
	organism = synthetic construct	
SEQUENCE: 102		
ggaccgcaaa ggccgacggc atccgcccgc gctggtgcaa gtccagccgc cccgaaagg	60	
gcggcgctc	70	
SEQ ID NO: 103	moltype = DNA length = 70	
FEATURE	Location/Qualifiers	
misc_feature	1..70	
	note = Twister Sister2 Ribozyme	
source	1..70	
	mol_type = other DNA	
	organism = synthetic construct	
SEQUENCE: 103		
ggaccgcaaa ggccgacggc atccgcccgc gctggtgcaa gtccagccgc cccgaaagg	60	
gcggcgctc	70	
SEQ ID NO: 104	moltype = AA length = 471	

FEATURE	Location/Qualifiers									
source	1..471									
	mol_type = protein									
	organism = Homo sapiens									
SEQUENCE: 104										
MENLKHIITL	QGVIHKRC	EE	MKYCKKQCR	R	LGHRLVGLIK	PLEMLQDQ	GK	RSVPSEKLT	T	60
AMNRFKAAL	EANGEIEK	FS	NRSNICRFLT		ASQDKILFP	DN	VNRKLSDV	WK	ELSLLLQVE	120
RMPVSPISQ	ASWAQEDQ	DD	ADEDRRAFQ	M	LRRDNEKIE	A	SLRRLEIN	MK	EIKETLRQ	180
PPKMCQEIP	QEIKEIKKE	Q	LSGSPWILL	R	ENEVSTLYK	G	EYHRAPVA	IK	VFKKLQAG	240
AIVRQTFNK	EIKTMKFP	SP	NILRIPIGI	C	DETVTTPQ	FS	IVMEYCEL	GT	LRELLDRE	300
LTLGKRMVL	VGAAARGL	YLR	HHSEAPELH	G	KIRSSNFL	VLT	QGYQVKLA	GF	ELRKTQTS	360
LGTTRKTD	R	VKSTAYLS	PQ	ELEDVFYQ	YD	VKSEIYSF	GI	VLWEIATG	DI	420
RKLVAVKRQ	Q	EPLGEDCP	SE	LREIIDECA	R	HDPSVRPS	VD	EILKKLST	FS	471
SEQ ID NO: 105										
moltype = AA length = 484										
FEATURE	Location/Qualifiers									
source	1..484									
	mol_type = protein									
	organism = Homo sapiens									
SEQUENCE: 105										
MGSAFERVV	R	RVVQELDH	GG	EFIPVTSLS	Q	STGFQPYCL	V	VRKPSSSWF	W	60
IKIDLPEDA	A	EPDVQRGR	SF	HFYDAMDG	QI	QSSVELAAP	G	QAKIAGGA	AV	120
YLSVDPN	TW	QTLHLHER	HLR	QPEHKVLQ	QL	RSRGDNVY	VV	TEVLQTQK	EV	180
SGRFSPLG	A	CLQGEQG	HGL	SQKKTVTIP	S	GSTLAFRVA	Q	LVIDSDLD	VL	240
QPPATGHKR	S	TSEGAWPQL	P	SLGSMRCLH	N	FLTDGVP	PAE	GAFTEDFQ	GL	300
LELLDREL	CQ	LLLEGLE	GV	RDQLALRA	LE	EALGQGS	LG	PVEPLDGP	AG	360
GMLVPELA	IP	VVYLLGAL	TM	LSETQHKLL	A	EALESQTL	LLG	PLELVGSL	LE	420
RLVPLGLL	GN	SWGEGAP	AW	LLDECGL	ELG	EDTPHVC	WEP	QAQGRMC	ALY	480
QEPH										484
SEQ ID NO: 106										
moltype = AA length = 496										
FEATURE	Location/Qualifiers									
source	1..496									
	mol_type = protein									
	organism = Homo sapiens									
SEQUENCE: 106										
MFAKATRN	F	REVDA	DG	DLI	AVSNLND	SDK	LQLLSLV	T	K	60
VLIEDQFP	S	P	VVVE	SDFVK	Y	EKG	FANHV	S	G	120
QGVDLQQL	R	DSAE	RTIN	LR	NPVLQ	QVLE	G	RNEVLC	VL	180
GGIVGIQ	T	K	T	Q	TKDSN	NVNF	I	PPA	TTIAY	240
QGGFENK	K	R	DSVY	LDPL	V	REFAFID	M	P	AAHG	300
ELPEPQQT	A	L	SDIFQ	AVL	F	DELLMVL	EP	V	CDL	360
QLVGCSL	Q	G	CPGPE	DAG	S	QLFMTA	YFL	V	SALAE	420
RALSDDG	V	S	D	LEDPT	L	TP	L	DK	SSVKA	480
LCITLNL	G	L	CA	LG	REHS					496
SEQ ID NO: 107										
moltype = AA length = 215										
FEATURE	Location/Qualifiers									
source	1..215									
	mol_type = protein									
	organism = Homo sapiens									
SEQUENCE: 107										
MGKGDPK	K	P	G	K	M	S	S	A	F	60
EDMAKAD	K	R	Y	E	R	E	M	K	T	120
SIGDVA	K	D	E	M	N	N	T	A	A	180
SKKKKEE	E	E	E	E	E	E	E	E	E	215
SEQ ID NO: 108										
moltype = AA length = 239										
FEATURE	Location/Qualifiers									
source	1..239									
	mol_type = protein									
	organism = Homo sapiens									
SEQUENCE: 108										
MAALKSW	L	S	R	S	F	F	R	Y	R	60
QKSEPHS	L	S	E	A	L	M	R	R	A	120
LGMNSEE	E	D	E	W	Q	V	I	G	A	180
ITARNHI	Q	L	V	Q	E	E	V	H	Q	239
SEQ ID NO: 109										
moltype = AA length = 26										
FEATURE	Location/Qualifiers									
source	1..26									
	mol_type = protein									
	organism = Apis mellifera									
SEQUENCE: 109										
GIGAVLK	V	L	T	T	G	L	P	A	L	26

-continued

SEQ ID NO: 110 moltype = AA length = 485
 FEATURE Location/Qualifiers
 source 1..485
 mol_type = protein
 organism = *Bothrops pauloensis*

SEQUENCE: 110
 ADDGNPLEEC PRETDYEEFL EIAKNGLSAT SNPKHVIVG AGMSGLSAAY VLANAGHQVT 60
 VLEASKRAGG RVRTYRNDKE GWYANLGPMR LPEKHRIVRE YIRKFGQLQN EFSQENENAW 120
 YFIKNIRKRV GEVNKDPGVL EYPVKPSEVG KSAGQLYEES LQKAVEELRR TNCSYMLNKY 180
 DTYSTKEYLL KEGNLSPGAV DMIGDLLNED SGYYVSFIES LKHDDIFAYE KRFEIVVGM 240
 DKLPTSMYQA IQEKVRLNVR VIKIQQDVKE VTVTYQTSK ETLSTVADYV IVCTTSRAAR 300
 RIKFEPPLPP KKAHALRSVH YRSGTKIFLT CTKKFWEDDG IHGGKSTDL PSRFIYYPNH 360
 NFPSGVGVII AYGIGDDANF FQALDFKDCG DIVINDLSLI HQLPKEEIQ FCRPSMIQRW 420
 SLDKYAMGGI TTFTPYQFQH FSEALTAPVD RIYFAGEYTA QAHGWIDSTI KSGLTAARDV 480
 NRASE 485

SEQ ID NO: 111 moltype = AA length = 82
 FEATURE Location/Qualifiers
 source 1..82
 mol_type = protein
 organism = *Crotalus atrox*

SEQUENCE: 111
 TPVSGNELLE AGIECDCGSL ENPCCYATTC KMRPGSQCAE GLCCDQCRFM KKGTVCRVSM 60
 VDRNDDTCTG QSADCPRNGL YG 82

SEQ ID NO: 112 moltype = AA length = 281
 FEATURE Location/Qualifiers
 source 1..281
 mol_type = protein
 organism = *Homo sapiens*

SEQUENCE: 112
 MAMMEVQGGP SLGQTCVLIV IFTVLLQSLC VAVTVYVFTN ELKQMQDKYS KSGIACFLKE 60
 DDSYWDPNDE ESMNSPCWQV KWQLRQLVRK MILRTSEETI STVQEKQONI SPLVRERGPQ 120
 RVAAHITGTR GRSNTLSSPN SKNEKALGRK INSWESSRSG HSFLSNLHLR NGELVIHEKG 180
 FYYIYSQTYF RFQEEIKENT KNDKQMVQYI YKYTSYPDPI LLMKSARNSC WSKDAEYGLY 240
 SIYQGGIFEL KENDRIFVSV TNEHLIDMDH EASFFGAPLV G 281

SEQ ID NO: 113 moltype = AA length = 217
 FEATURE Location/Qualifiers
 source 1..217
 mol_type = protein
 organism = *Escherichia coli*

SEQUENCE: 113
 MDIISVALKR HSTKAFDASK KLTPEQAEQI KTLLOYSPPS TNSQPWHFIV ASTEEGKARV 60
 AKSAAGNYVF NERKMLDASH VVVFCAKTAM DDVWLKLVVD QEDADGRFAT PEAKAANDKG 120
 RKFFADMHRK DLHDDAEWMA KQVYLVGNF LLGVAALGLD AVPIEGFDAA ILDAEFGKLE 180
 KGYTSLVVVP VGHHSVEDFN ATLPKSRLPQ NITLTEV 217

SEQ ID NO: 114 moltype = AA length = 240
 FEATURE Location/Qualifiers
 source 1..240
 mol_type = protein
 organism = *Escherichia coli*

SEQUENCE: 114
 MPTTIELICG HRSIRHFTDE PISEAQREAI INSARATSSS SFLQCSSIIR ITDKALREEL 60
 VTLTGGQKHV AQAAEFWVFC ADFNRHLQIC PDAQLGLEAQ LLLGVVDTAM MAQNALIAAE 120
 SLGLGGVYIG GLRNNIEAVT KLLKLPQHVL PLFGLCCLGWP ADNPDLKPRL PASILVHENS 180
 YQPLDKGALA QYDEQLAEYY LTRGSNNRRD TWSDHIRRTI IKESRPFILD YLHKQGWATR 240

SEQ ID NO: 115 moltype = AA length = 125
 FEATURE Location/Qualifiers
 REGION 1..125
 note = ARV p14
 source 1..125
 mol_type = protein
 organism = synthetic construct

SEQUENCE: 115
 MGSGPSNFVN HAPGEAIVTG LEKGADKVAG TISHTIWEVI AGLVALLTFL AFGFWLFKYL 60
 QKRRERRRLQ TEFQKRYLRN SYRLSEIQRP ISQHEYEDPY EPPSRKPPP PPYSTVYNID 120
 NVSAI 125

SEQ ID NO: 116 moltype = AA length = 140
 FEATURE Location/Qualifiers
 REGION 1..140
 note = BRV p15
 source 1..140

-continued

```

mol_type = protein
organism = synthetic construct

SEQUENCE: 116
MGQRHSIVQP PAPPNFAVE IVSSSTGIII AVGIFAFIFS FLYKLLQWYN RSKSKKKRKE 60
QIREQIELGL LSYGAGVASL PLLNVIAHNP GSVISATPIY KGPCTGVPNS RLLQITSGTA 120
EENTRILNHD GRNPDGSINV 140

SEQ ID NO: 117      moltype = AA length = 154
FEATURE            Location/Qualifiers
REGION             1..154
                    note = p14-p15 hybrid
source             1..154
                    mol_type = protein
                    organism = synthetic construct

SEQUENCE: 117
MGSGPSNFVN HAPGEAIVTG LEKGADKVAG TISHTIWEVI AGLVALLTFL AFGFWLFKLL 60
QWYNRKSKNK KRKEQIREQI ELGLLSYGAG VASLPLLNV IAHNPGSVISA TPIYKGPCTG 120
VPNSRLLQIT SGTAENTRI LNHGGRNPDG SIN 154

SEQ ID NO: 118      moltype = AA length = 146
FEATURE            Location/Qualifiers
source             1..146
                    mol_type = protein
                    organism = Homo sapiens

SEQUENCE: 118
VPIQKVQDDT KTLIKTIVTR INDISHTQSV SSKQKVTGLD PIPGLHPILT LSKMDQTLAV 60
YQQILTSMP S RNVIQISNDL ENLRDLLHVL AFSK SCHLPW ASGLETLDSL GGVLEASGYS 120
TEVVALSRLQ GSLQDMLWQL DLSFGC 146

SEQ ID NO: 119      moltype = AA length = 482
FEATURE            Location/Qualifiers
source             1..482
                    mol_type = protein
                    organism = Homo sapiens

SEQUENCE: 119
IDETRAHLLL KEKMMRLGGR LVLNTKEELA NERLMTLKIA EMKEAMRTLI FPPSMHFFQA 60
KHLIERSQVF NILRMMPKGA ALHLHDIGIV TMDWLVNRVT YRPHCHICFT PRGIMQFRFA 120
HPTPRPSEKC SKWILLEAYR KRVQNVTEFD DSLRNFTLV TQHPFVIYTN QNVVWSKFET 180
IFFTISGLIH YAPVFRDYVF RSMQEFYEDN VLYMEIRARL LPVYELSGEH HDEEWSVKTY 240
QEVAQKFVET HPEFIGIKII YSDHRSKDVA VIAESIRMAM GLRIKFPTTV AGFDLVGHED 300
TGHSLEHDYKE ALMIPAKDGV KLPYFFHAGE TDWQGTSIDR NILDALMLNT TRIGHGFALS 360
KHPAVRTYSW KKDIPIEVCP ISNQVLKLV S DLRNHPVATL MATGHMPVIS SDDPAMFGAK 420
GLSYDFYEVF MGIGGMKADL RTLKQLAMNS IKYSTLLESE KNTFMETWKK RWDKFIADVA 480
TK 482

SEQ ID NO: 120      moltype = AA length = 340
FEATURE            Location/Qualifiers
source             1..340
                    mol_type = protein
                    organism = Homo sapiens

SEQUENCE: 120
MALKEGLRAW KRIFWRQILL TLGLLGLFLY GLPKFRHLEA LIPMGVCPSA TMSQLRDNFT 60
GALRPWARPE VLTCTPWGAP IIWDGSFDPD VAKQEARQON LTIGLTIFAV GRYLEKYLER 120
FLETAEQHFM AGQSVMYVVF TELPGAVPRV ALGPGRRLPV ERVARERWQ DVSMARMRTL 180
HAALGLPLGR EAHFMFCMDV DQHFSGTFGP EALAESVAQL HSWHYHWPSW LLPFERDAHS 240
AAAMAWGQGD FYNHAAVFGG SVAALRGLTA HCAGGLDWRD ARGLEARWHD ESHLNKFFWL 300
HKPAKVLSPF FCWSPDIGPR AEIRRPRLW APKGYRLLRN 340

SEQ ID NO: 121      moltype = AA length = 133
FEATURE            Location/Qualifiers
source             1..133
                    mol_type = protein
                    organism = Homo sapiens

SEQUENCE: 121
APTSSSTKKT QLQLEHLLLD LQMILNGINN YKNPKLTRML TFKFYMPKKA TELKHLQCLE 60
EELKPLEEVL NLAQSKNFHL RPRDLISNIN VIVLELKGSE TTFMCEYADE TATIVEFLNR 120
WITFCQSIIS TLT 133

SEQ ID NO: 122      moltype = AA length = 152
FEATURE            Location/Qualifiers
source             1..152
                    mol_type = protein
                    organism = Homo sapiens

SEQUENCE: 122
DCDIEGKDGK QYESVLMYSI DQLLDSMKEI GSNCLNNEFN FFKRHICDAN KEGMFLFRAA 60
RKLKQFLKMN STGDFDLHLL KVSEGTILL NCTGQVKGRK PAALGEAQPT KSLEENKSLK 120

```

-continued

EQKKLNDLCF LKRLLEIKT CWNKILMGTK EH 152

SEQ ID NO: 123 moltype = AA length = 306
 FEATURE Location/Qualifiers
 source 1..306
 mol_type = protein
 organism = Homo sapiens

SEQUENCE: 123
 IWELKKDVVY VELDWYPDAP GEMVVLTCDDT PEEDGITWTL DQSSEVLGSG KTLTIQVKEF 60
 GDAGQYTCHK GGEVLSSHLL LLHKKEDGIW STDILKDQKE PKNKTFLRCE AKNYSGRFTC 120
 WWLTTISTDL TFSVKSSRGS SDPQGVTCGA ATLSAERVRG DNKEYEYSVE CQEDSACPAA 180
 EESLPIEVMV DAVHKLKYEN YTSSFFIRDI IKPDPPKNLQ LKPLKNSRQV EVSWEYPTDW 240
 STPHSYFSLT PCVQVQGKSK REKKDRVFTD KTSATVICRK NASISVRAQD RYSSSSWSEW 300
 ASVPCS 306

SEQ ID NO: 124 moltype = AA length = 197
 FEATURE Location/Qualifiers
 source 1..197
 mol_type = protein
 organism = Homo sapiens

SEQUENCE: 124
 RNLPAVATPD GMFPCLLHSQ NLLRAVSNNL QKARQTLFYE PCTSEEIDHE DITKDKTSTV 60
 EACLPLELTK NESCLNSRET SPITNGSCLA SRKTSFMMAL CLSIYEDLK MYQVEFKTMN 120
 AKLLMDPKRQ IFLDQNNLAV IDELMQALNF NSETVPQKSS LEEPDPFYKTK IKLCILLHAF 180
 RIRAVTIDRV MSYLNAS 197

SEQ ID NO: 125 moltype = AA length = 157
 FEATURE Location/Qualifiers
 source 1..157
 mol_type = protein
 organism = Homo sapiens

SEQUENCE: 125
 YFGKLESKLS VIRNLNDQVL FIDQGNRPLF EDMTSDDCRD NAPRTIFIIS MYKDSQPRGM 60
 AVTISVKCEK ISTLSCENKI ISPKEMNPPD NIKDTSKDII FFQRSVPQHD NKMQFESSY 120
 EGYFLACEKE RDLFKLILKK EDELGDRSIM FTVQNEED 157

SEQ ID NO: 126 moltype = AA length = 138
 FEATURE Location/Qualifiers
 source 1..138
 mol_type = protein
 organism = Homo sapiens

SEQUENCE: 126
 HKSSSQGQDR HMIRMRLQID IVDQLKNYVN DLVPEFLPAP EDVETNCEWS AFSCFQKAQL 60
 KSANTGNNER IINVSIIKLLK RKPPSTNAGR RQKHRLTCPS CDSYEKKPPK EFLERFKSL 120
 QKMIHQHLSS RTHGSEDS 138

SEQ ID NO: 127 moltype = AA length = 152
 FEATURE Location/Qualifiers
 source 1..152
 mol_type = protein
 organism = Homo sapiens

SEQUENCE: 127
 SMCKPITGTI NDLNQQVWTL QGQNLVAVPR SDSVTPVTVA VITCKYPEAL EQGRGDPIYL 60
 GIQNPMECLY CEKVGEQPTL QLKEQKIMDL YGQPEPVKPF LFYRAKTGRT STLESVAFPD 120
 WFIASSKRDQ PIILTSELGK SYNTAFELNI ND 152

SEQ ID NO: 128 moltype = AA length = 138
 FEATURE Location/Qualifiers
 source 1..138
 mol_type = protein
 organism = Homo sapiens

SEQUENCE: 128
 QDPYVKEAEN LKKYFNAGHS DVADNGTLFL GILKNWKEES DRKIMQSQIV SFYFKLFKNF 60
 KDDQSIQKSV ETIKEDMNVK FFNSNKKKRD DFEKLTNYSV TDLNVQRKAI HELIQVMAEL 120
 SPAAKTGKRR RSQMLFRG 138

SEQ ID NO: 129 moltype = AA length = 111
 FEATURE Location/Qualifiers
 source 1..111
 mol_type = protein
 organism = Homo sapiens

SEQUENCE: 129
 SDGGAQDCCL KYSQRKIPAK VVRSYRKQEP SLGCSIPAIL FLPRKRSQAE LCADPKELWV 60
 QQLMQHLDKT PSPQKPAQGC RKDRGASKTG KKGKSGKCKG RTERSQTPKG P 111

SEQ ID NO: 130 moltype = DNA length = 66

-continued

FEATURE	Location/Qualifiers	
source	1..66	
	mol_type = other DNA	
	organism = synthetic construct	
SEQUENCE: 130		
actcgtttga gcgagtataa acagttgggtt aggtctcaaag cggagagcag atctgctctc		60
gtccaa		66
SEQ ID NO: 131	moltype = DNA length = 61	
FEATURE	Location/Qualifiers	
source	1..61	
	mol_type = other DNA	
	organism = synthetic construct	
SEQUENCE: 131		
actcgtttga gcgagtataa acagtttgggtt aggtctcaaag cggagagcag atctgctctc		60
g		61
SEQ ID NO: 132	moltype = DNA length = 61	
FEATURE	Location/Qualifiers	
source	1..61	
	mol_type = other DNA	
	organism = synthetic construct	
SEQUENCE: 132		
actcgtttga gcgagtataa acagttttatt aggtctcaaag cggagagcag atctgctctc		60
g		61
SEQ ID NO: 133	moltype = DNA length = 65	
FEATURE	Location/Qualifiers	
source	1..65	
	mol_type = other DNA	
	organism = synthetic construct	
SEQUENCE: 133		
actcgtttga gcgagtataa acagttttatt aggtctcaaag cggagagcag agaaatctgc		60
tctcg		65
SEQ ID NO: 134	moltype = DNA length = 73	
FEATURE	Location/Qualifiers	
source	1..73	
	mol_type = other DNA	
	organism = synthetic construct	
SEQUENCE: 134		
actcgtttga gcgagtataa acagttttatt aggtctcaaag cggagagcag aacgagaaat		60
cgttctgctc tcg		73
SEQ ID NO: 135	moltype = DNA length = 50	
FEATURE	Location/Qualifiers	
source	1..50	
	mol_type = other DNA	
	organism = synthetic construct	
SEQUENCE: 135		
ggatgttaat caggatatac atacagaagg aaaagtgaac tagggcatgg		50
SEQ ID NO: 136	moltype = DNA length = 50	
FEATURE	Location/Qualifiers	
source	1..50	
	mol_type = other DNA	
	organism = synthetic construct	
SEQUENCE: 136		
acataattct ggtgtaaacg acttaacaat acgaaagcct gcgatacacia		50
SEQ ID NO: 137	moltype = DNA length = 10	
FEATURE	Location/Qualifiers	
source	1..10	
	mol_type = other DNA	
	organism = synthetic construct	
SEQUENCE: 137		
agagaaatct		10
SEQ ID NO: 138	moltype = DNA length = 18	
FEATURE	Location/Qualifiers	
source	1..18	
	mol_type = other DNA	
	organism = synthetic construct	
SEQUENCE: 138		
agaacgagaa atcgttct		18

1. A recombinant DNA molecule comprising, from 5' to 3', a promoter sequence, a 5' junctional cleavage sequence, and a polynucleotide sequence encoding an RNA molecule comprising a synthetic RNA viral genome, wherein the 5' junctional cleavage sequence comprises or consists of a ENV27 ribozyme encoding sequence.

2. The recombinant DNA molecule of claim 1, wherein the ENV27 ribozyme encoding sequence comprises or consists of a polynucleotide sequence (excluding P3 stem insert) having at least 80% identity to SEQ ID NO: 132 (excluding its P3 stem insert corresponding to nucleotides 49-54 of SEQ ID NO: 132).

3. The recombinant DNA molecule of claim 2, wherein the polynucleotide sequence (excluding P3 stem insert) is 100% identical, or has at most 1, at most 2, at most 3, at most 4, at most 5, at most 6, at most 7, at most 8, at most 9, at most 10, or at most 11 mutations (insertions, deletions or substitutions), as compared to SEQ ID NO: 132 (excluding its P3 stem insert corresponding to nucleotides 49-54 of SEQ ID NO: 132).

4. The recombinant DNA molecule of any one of claims 1-3, wherein the polynucleotide sequence is 100% identical, or has at most 1, at most 2, at most 3, at most 4, at most 5, at most 6, at most 7, at most 8, at most 9, at most 10, or at most 11 mutations (insertions, deletions or substitutions), as compared to any one of SEQ ID NO: 130-134.

5. The recombinant DNA molecule of claim 3 or 4, wherein the mutation(s) are substitution(s).

6. The recombinant DNA molecule of any one of claims 1-5, wherein the ENV27 ribozyme encoding sequence comprises the polynucleotides "TTTATT" or "TTTGTT" at the positions corresponding to nucleotides 25-30 of SEQ ID NO: 132.

7. The recombinant DNA molecule of claim 6, wherein the ENV27 ribozyme encoding sequence comprises the polynucleotides "TTTATT" at the positions corresponding to nucleotides 25-30 of SEQ ID NO: 132.

8. The recombinant DNA molecule of any one of claims 2-7, wherein the ENV27 ribozyme encoding sequence comprises the P3 stem insert of about 1-30, about 1-20, about 6-20, or about 6-10 polynucleotides in length.

9. The recombinant DNA molecule of any one of claims 2-8, wherein the P3 stem insert is at least 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, or 20 polynucleotides in length.

10. The recombinant DNA molecule of any one of claims 2-9, wherein the P3 stem insert is 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, or 20 polynucleotides in length.

11. The recombinant DNA molecule of any one of claims 8-10, wherein the P3 stem insert comprises or consists of the polynucleotides "AGATCT" at the region corresponding to nucleotides 49-54 of SEQ ID NO: 132.

12. The recombinant DNA molecule of any one of claims 8-10, wherein the P3 stem insert comprises or consists of the polynucleotides "AGAGAAATCT" (SEQ ID NO: 137) at the region corresponding to nucleotides 49-54 of SEQ ID NO: 132.

13. The recombinant DNA molecule of any one of claims 8-10, wherein the P3 stem insert comprises or consists of the polynucleotides "AGAACGAGAAATCGTTCT" (SEQ ID NO: 138) at the region corresponding to nucleotides 49-54 of SEQ ID NO: 132.

14. The recombinant DNA molecule of any one of claims 1-13, comprising, from 5' to 3', the promoter sequence, the 5' junctional cleavage sequence, the polynucleotide sequence encoding the RNA molecule comprising the synthetic RNA viral genome, and a poly-A tail.

15. The recombinant DNA molecule of claim 14, comprising, from 5' to 3', the promoter sequence, the 5' junctional cleavage sequence, the polynucleotide sequence encoding the RNA molecule comprising the synthetic RNA viral genome, the poly-A tail, and a 3' junctional cleavage sequence.

16. The recombinant DNA molecule of any one of claims 1-15, wherein the synthetic RNA viral genome encodes a picornavirus.

17. The recombinant DNA molecule of claim 16, wherein the picornavirus is a coxsackievirus virus.

18. The recombinant DNA molecule of any one of claims 1-17, wherein the 5' end of the RNA viral genome starts with "UUAAA".

19. The recombinant DNA molecule of any one of claims 17-18, wherein the Coxsackievirus is a CVA21 strain.

20. The recombinant DNA molecule of claim 19, wherein the CVA21 strain is selected from the Kuykendall strain, the EF strain and the KY strain.

21. The recombinant DNA molecule of any one of claims 1-20, wherein the 5' end of the RNA viral genome comprises a polynucleotide sequence having at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identity to nucleotides 1-260 of any one of SEQ ID NO: 1, 5, or 9.

22. The recombinant DNA molecule of any one of claims 1-21, wherein the recombinant DNA molecule does not comprise additional nucleic acid between the 5' junctional cleavage sequence and the polynucleotide sequence encoding the RNA molecule.

23. The recombinant DNA molecule of any one of claims 1-22, wherein cleavage of the 5' junctional cleavage sequence and/or the 3' junctional cleavage sequence produces native 5' and/or 3' ends of the synthetic RNA viral genome after transcription.

24. The recombinant DNA molecule of any one of claims 1-23, further comprising a leader sequence between the promoter sequence and the 5' junctional cleavage sequence.

25. The recombinant DNA molecule of claim 24, wherein the leader sequence is less than 100 bp, less than 90 bp, less than 80 bp, less than 70 bp, less than 60 bp, less than 50 bp, or less than 40 bp in length.

26. The recombinant DNA molecule of any one of claims 24-25, wherein the leader sequence comprises or consists of a polynucleotide sequence having at least 70%, at least 80%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% sequence identity according to SEQ ID NO: 135 or 136.

27. The recombinant DNA molecule of any one of claims 24-25, wherein the leader sequence comprises or consists of a polynucleotide sequence having at least 70%, at least 80%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% sequence identity according to SEQ ID NO: 135.

28. The recombinant DNA molecule of any one of claims 24-27, wherein the recombinant DNA molecule does not comprise additional nucleic acid between the promoter sequence and the leader sequence.

29. The recombinant DNA molecule of any one of claims 24-28, wherein the recombinant DNA molecule does not comprise additional nucleic acid between the leader sequence and the 5' junctional cleavage sequence.

30. The recombinant DNA molecule of any one of claims 1-27, wherein the promoter sequence is a T7 promoter sequence.

31. The recombinant DNA molecule of claim 30, wherein the T7 promoter sequence comprises or consists of SEQ ID NO: 91.

32. The recombinant DNA molecule of any one of claims 1-31, wherein the poly-A tail is about 50-90 bp in length or about 65-75 bp in length.

33. The recombinant DNA molecule of claim 32, wherein the poly-A tail is about 70 bp in length.

34. The recombinant DNA molecule of any one of claims 1-31, wherein the poly-A tail is about 10-50 bp, or 25-35 bp in length.

35. The recombinant DNA molecule of any one of claims 1-34, wherein the 3' junctional cleavage sequence comprises or consists of a ribozyme sequence.

36. The recombinant DNA molecule of claim 35, wherein the 3' ribozyme sequence is a hepatitis delta virus ribozyme sequence.

37. The recombinant DNA molecule of any one of claims 1-34, wherein the 3' junctional cleavage sequence comprises or consists of a restriction enzyme recognition sequence.

38. The recombinant DNA molecule of any one of claims 1-34, wherein the 3' junctional cleavage sequence comprises or consists of a Type IIS restriction enzyme recognition sequence.

39. The recombinant DNA molecule of any one of claims 1-38, wherein the 3' junctional cleavage sequence comprises or consists of a BsmBI recognition sequence.

40. The recombinant DNA molecule of any one of claims 1-38, wherein the 3' junctional cleavage sequence comprises or consists of a BsaI recognition sequence.

41. The recombinant DNA molecule of any one of claims 1-40, wherein the promoter sequence is a T7 promoter sequence, wherein the leader sequence consists of a polynucleotide sequence according to SEQ ID NO: 135, wherein the 5' junctional cleavage sequence comprises or consists of a ENV27 ribozyme sequence according to any one of SEQ ID NO: 132-134, wherein the poly-A tail is about 70 bp in length, and wherein the 3' junctional cleavage sequence comprises or consists of a BsmBI recognition sequence.

42. The recombinant DNA molecule of any one of claims 1-40, wherein the promoter sequence is a T7 promoter sequence, wherein the leader sequence consists of a polynucleotide sequence according to SEQ ID NO: 135, wherein the 5' junctional cleavage sequence comprises or consists of a ENV27 ribozyme sequence according to any one of SEQ ID NO: 132-134, wherein the poly-A tail is about 70 bp in length, and wherein the 3' junctional cleavage sequence comprises or consists of a BsaI recognition sequence.

43. The recombinant DNA molecule of any one of claims 1-42, wherein the recombinant DNA molecule does not comprise additional nucleic acid within the region spanning the promoter sequence and the 3' junctional cleavage sequence.

44. A method of producing a recombinant RNA molecule, comprising in vitro transcription of the recombinant DNA molecule of any one of claims 1-43 and purification of the resulting recombinant RNA molecule.

45. The method of claim 44, wherein the recombinant RNA molecule comprises 5' and 3' ends that are native to the viral genome encoded by the recombinant RNA molecule.

46. A recombinant RNA molecule, or a plurality of recombinant RNA molecules, transcribed from the recombinant DNA molecule of any one of claims 1-43.

47. The recombinant RNA molecules of claim 46, wherein at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, at least 99.5%, or at least 99.9%, of the recombinant RNA molecules comprise 5' and 3' ends that are native to the viral genome encoded by the recombinant RNA molecule.

48. The recombinant RNA molecules of claim 46 or 47, wherein no more than 30%, no more than 25%, no more than 20%, no more than 15%, no more than 10%, no more than 5%, no more than 4%, no more than 3%, no more than 2%, no more than 1%, no more than 0.5%, or no more than 0.1%, of the recombinant RNA molecules comprise an RNA sequence encoded by the ENV27 ribozyme encoding sequence.

49. A composition comprising an effective amount of the recombinant RNA molecules of any one of claims 46-48, and a carrier suitable for administration to a mammalian subject.

50. A particle comprising the recombinant RNA molecules of any one of claims 46-48.

51. The particle of claim 50, wherein the particle is selected from the group consisting of a nanoparticle, an exosome, a liposome, and a lipoplex.

52. The particle of claim 51, wherein the particle is a lipid nanoparticle.

53. A pharmaceutical composition comprising a plurality of particles according to any one of claims 50-52.

54. The pharmaceutical composition of claim 53, wherein delivery of the composition to a subject delivers the encapsulated recombinant RNA molecule to a target cell, and wherein the encapsulated recombinant RNA molecule produces an infectious virus capable of lysing the target cell.

55. A method of killing a cancerous cell comprising exposing the cancerous cell to the particle of any one of claims 50-52, or compositions thereof, under conditions sufficient for the intracellular delivery of the particle to said cancerous cell, wherein the replication-competent virus produced by the encapsulated polynucleotide results in killing of the cancerous cell.

56. The method of claim 55, wherein the method is performed in vivo, in vitro, or ex vivo.

57. A method of treating a cancer in a subject comprising administering to a subject suffering from the cancer an effective amount of the particle of any one of claims 50-52, or compositions thereof.

58. The method of claim 57, wherein the cancer is lung cancer, breast cancer, colon cancer, or pancreatic cancer, and wherein the synthetic RNA viral genome comprises a polynucleotide sequence derived from the KY strain.

59. The method of any of claims 55-58, wherein the cancer is bladder cancer, renal cell carcinoma, ovarian cancer, gastric cancer or liver cancer, and wherein the synthetic RNA viral genome comprises a polynucleotide sequence derived from the EF strain.

60. The method of any one of claims 55-58, wherein the cancer is selected from lung cancer, breast cancer, ovarian cancer, cervical cancer, prostate cancer, testicular cancer, colorectal cancer, colon cancer, pancreatic cancer, liver cancer, renal cell carcinoma, gastric cancer, head and neck cancer, thyroid cancer, malignant glioma, glioblastoma,

melanoma, B-cell chronic lymphocytic leukemia, multiple myeloma, monoclonal gammopathy of undetermined significance (MGUS), Merkel cell carcinoma, diffuse large B-cell lymphoma (DLBCL), sarcoma, a neuroblastoma, a neuroendocrine cancer, a rhabdomyosarcoma, a medulloblastoma, a bladder cancer, and marginal zone lymphoma (MZL).

61. The method of any of claims **55-58**, wherein the cancer is selected from the groups consisting of lung cancer, breast cancer, colon cancer, pancreatic cancer, bladder cancer, renal cell carcinoma, ovarian cancer, gastric cancer and liver cancer.

62. The method of any of claims **55-58**, wherein the cancer is renal cell carcinoma, lung cancer, or liver cancer.

63. The method of any of claims **55-58**, wherein the cancer is small cell lung cancer or non-small cell lung cancer (e.g., squamous cell lung cancer or lung adenocarcinoma).

64. The method of any of claims **55-58**, wherein the cancer is hepatocellular carcinoma (HCC) (e.g., Hepatitis B virus associated HCC).

65. The method of any of claims **55-58**, wherein the cancer is treatment-emergent neuroendocrine prostate cancer.

66. The method of any of claims **55-58**, wherein the cancer is lung cancer, liver cancer, prostate cancer (e.g., CRPC-NE), bladder cancer, pancreatic cancer, colon cancer, gastric cancer, breast cancer, neuroblastoma, renal cell n cancer, rhabdomyosarcoma, medulloblastoma, neuroendocrine cancer, Merkel cell carcinoma, or melanoma.

67. The method of any of claims **55-58**, wherein the cancer is neuroblastoma.

* * * * *