



US0D1092799S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,092,799 S**
Nomoto (45) **Date of Patent:** **** Sep. 9, 2025**

(54) **LIGHT SOURCE FOR VEHICLE INTERIOR LIGHT**

(71) Applicant: **Yazaki Corporation**, Tokyo (JP)

(72) Inventor: **Daiki Nomoto**, Shizuoka (JP)

(73) Assignee: **YAZAKI CORPORATION**, Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/906,529**

(22) Filed: **Nov. 6, 2023**

(30) **Foreign Application Priority Data**

Jun. 8, 2023 (JP) 2023-011774 D

(51) **LOC (15) Cl.** **26-04**

(52) **U.S. Cl.** **D26/1; D26/28**

(58) **Field of Classification Search**

USPC D26/24, 28, 29, 30, 31, 32, 33, 34, 35, D26/36, 139, 63, 1, 2; D12/16.1

CPC F21S 41/00; F21S 41/141; F21S 41/162; F21S 41/18; F21S 41/20; F21S 41/33; F21S 41/36; F21S 41/60; F21S 43/00; F21W 2103/35; F21W 2103/40; F21W 2102/17; F21W 2102/30; F21W 2103/00; F21W 2103/55; F21W 2104/00; F21W 2107/17; F21W 2107/13; F21W 2107/20; F21W 2131/308; F21W 2131/401; B63B 45/02

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D508,573 S * 8/2005 Matsui D26/1
D710,043 S * 7/2014 Liao D26/28

D713,570 S * 9/2014 Yoshida D26/28
D719,690 S * 12/2014 Ding D26/28
D738,006 S * 9/2015 Pan D26/28
D738,007 S * 9/2015 Pan D26/2
D815,762 S * 4/2018 Wang D26/1
D890,372 S * 7/2020 Lan D26/28
D890,963 S * 7/2020 Lan D26/28
D892,370 S * 8/2020 Yan D26/28
D912,284 S * 3/2021 Wu D26/28
D973,245 S * 12/2022 Borgen D26/28
D1,002,883 S * 10/2023 Lan D26/2
D1,025,410 S * 4/2024 Zheng D26/28

(Continued)

Primary Examiner — Angela J Lee

(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC

(57) **CLAIM**


The ornamental design for a light source for vehicle interior light as shown and described.

DESCRIPTION

FIG. 1 is a front, top and left-side perspective view of a light source for vehicle interior light showing my new design; FIG. 2 is a rear, top and left-side perspective view thereof; FIG. 3 is a front, bottom, and left-side perspective view thereof; FIG. 4 is a rear, bottom and right-side perspective view thereof; FIG. 5 is a front elevational view thereof; FIG. 6 is rear elevational view thereof; FIG. 7 is a left-side elevational view thereof; FIG. 8 is a right-side elevational view thereof; FIG. 9 is a top plan view thereof; FIG. 10 is a bottom plan view thereof; and, FIG. 11 is a cross-sectional view taken along line 11-11 in FIG. 9.

The broken lines shown in FIG. 8 and FIG. 11 are provided to show portions of the light source for vehicle interior light that are not being claimed, and thus form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D1,050,509	S	*	11/2024	Luo		D26/28
2014/0104860	A1	*	4/2014	Chou		F21S 43/00
						362/487

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4






FIG. 5*FIG. 6*

FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11

