



US0D1090002S

(12) **United States Design Patent** (10) **Patent No.: US D1,090,002 S**
Wehrmeyer (45) **Date of Patent: ** Aug. 26, 2025**

(54) **FOOTWEAR UPPER**

(71) Applicant: **Wolverine Outdoors, Inc.**, Rockford,
MI (US)

(72) Inventor: **Brenton Scott Wehrmeyer**, Grand
Rapids, MI (US)

(73) Assignee: **Wolverine Outdoors, Inc.**, Rockford,
MI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/897,267**

(22) Filed: **Jul. 13, 2023**

(51) **LOC (15) Cl.** **02-04**

(52) **U.S. Cl.**
USPC **D2/969**

(58) **Field of Classification Search**
USPC D2/902–912, 947, 969–978
CPC A43B 1/00; A43B 1/02; A43B 1/04; A43B
1/05; A43B 3/00; A43B 3/02; A43B 3/16;
A43B 5/00; A43B 5/06; A43B 5/10;
A43B 13/00; A43B 13/02; A43B 13/14;
A43B 15/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D638,619	S	*	5/2011	Joseph		D2/912
D658,857	S	*	5/2012	Lonigan		D2/970
D707,940	S	*	7/2014	Lonigan		D2/969
D707,942	S	*	7/2014	Portzline		D2/969
D712,647	S	*	9/2014	Portzline		D2/969
D716,539	S	*	11/2014	Dombrow		D2/972
D730,036	S	*	5/2015	Portzline		D2/969
D811,711	S	*	3/2018	Dombrow		D2/972
D838,445	S	*	1/2019	Kalns		D2/912
D866,149	S	*	11/2019	Dombrow		D2/969
D873,541	S	*	1/2020	Wu		D2/960
D886,433	S	*	6/2020	Dean		D2/969
D950,222	S	*	5/2022	Cobb		D2/969

D953,720	S	*	6/2022	Engel		D2/969
D958,511	S	*	7/2022	Cobb		D2/969
D988,692	S	*	6/2023	Loyd		D2/969

(Continued)

OTHER PUBLICATIONS

Women's Wrapt Mid Waterproof, posting date not available [online],
[retrieved Jan. 10, 2025]. Retrieved from internet, https://www.merrell.com/US/en/wrapt-mid-waterproof/50942W.html?dwvar_50942W_color=J008264 (Year: 2025).*

(Continued)

Primary Examiner — Sandra Snapp

Assistant Examiner — Caitlin MacKenzie Williams

(74) *Attorney, Agent, or Firm* — Warner Norcross + Judd
LLP

(57) **CLAIM**

The ornamental design for a footwear upper as shown and
described.

DESCRIPTION

FIG. 1 is a perspective view of a footwear upper embodying
the new design;

FIG. 2 is a top view thereof;

FIG. 3 is a bottom view thereof;

FIG. 4 is a right side view thereof;


FIG. 5 is a left side view thereof;

FIG. 6 is a front view thereof; and,

FIG. 7 is a rear view thereof.

The figures show features in dash-dot-dot broken lines that
form no part of the claimed design. Further, the dash-dot-dot
broken lines immediately adjacent the solid line portions of
the design form the boundary of the design, with those
dash-dot-dot broken lines forming no part of the claimed
design. The evenly spaced dash-dash broken lines in the
figures depict stitching, which forms part of the claimed
design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D1,000,802	S	*	10/2023	Cobb		D2/969
D1,020,212	S	*	4/2024	Cobb		D2/969
D1,020,216	S	*	4/2024	Portzline		D2/969
D1,030,285	S	*	6/2024	Cobb		D2/969
D1,041,857	S	*	9/2024	Cobb		D2/969
D1,044,251	S	*	10/2024	Cobb		D2/969
D1,052,876	S	*	12/2024	Cobb		D2/969
D1,053,542	S	*	12/2024	Cobb		D2/969

OTHER PUBLICATIONS

Odyssey ELMT Mid Gore-Tex, posting date not available [online], [retrieved Jan. 10, 2025]. Retrieved from internet, <https://www.salomon.com/en-us/shop/product/odyssey-elmt-mid-gore-tex-li4621.html> (Year: 2025).*

<https://www.backcountry.com/patagonia-riverwalker-felt-wading-shoe-mens>, at least as early as Jul. 12, 2023.

https://www.amazon.com/Merrell-Trail-Glove-Orchid-5-5/dp/B0C1VD3RWQ/ref=sr_1_4_sspa?hvadid=664857740134&hvdev=c&hvlocphy=9017518&hvnetw=g&hvqmt=e&hvrnd=1246990807394229552&hvtargid=kwd-315246321786&hydadcr=14743_13542718&keywords=merrell+trail+glove+7&qid=1702483657&sr=8-4-spons&sp_csd=d2lkZ2V0TmFtZT1zcF9hdGY&psc=1, at least as early as Jul. 12, 2023.

https://www.merrell.com/US/en/wrapt-mid-waterproof/195019487796.html?gad_source=1&gclid=EAlaQobChMxMemi-aMgwMVU05HAR19egpfEAQYBCABEgKAcfD_BwE&gclsrc=aw.ds, at least as early as Jul. 12, 2023.

* cited by examiner

FIG. 1





FIG. 2






FIG. 3





FIG. 4

FIG. 5






FIG. 6




FIG. 7