



US0D1090636S

(12) **United States Design Patent** (10) **Patent No.: US D1,090,636 S**
In et al. (45) **Date of Patent: ** Aug. 26, 2025**

(54) **BRIDGE FOR DRIVING SIMULATOR**

OTHER PUBLICATIONS

(71) Applicant: **SAGINOMIYA SEISAKUSHO, INC.**,
Tokyo (JP)

Case Study: Osbit Telescoping Offshore Access System for GeoSea,
posted Sep. 18, 2018 [online], [retrieved Nov. 1, 2024]. Retrieved
from internet, <https://www.youtube.com/watch?v=FRAnlRvbyGw>
(Year: 2018).*

(72) Inventors: **Eisei In**, Sayama (JP); **Takayoshi**
Ozaku, Sayama (JP)

(Continued)

(73) Assignee: **SAGINOMIYA SEISAKUSHO, INC.**,
Tokyo (JP)

Primary Examiner — Richard Edgar

Assistant Examiner — Alexander Joseph David

(**) Term: **15 Years**

(74) *Attorney, Agent, or Firm* — Studebaker Brackett
PLLC

(21) Appl. No.: **29/911,634**

(57) **CLAIM**

(22) Filed: **Sep. 6, 2023**

The ornamental design for a bridge for driving simulator, as
shown and described.

(30) **Foreign Application Priority Data**

DESCRIPTION

Mar. 8, 2023 (JP) 2023-004592 D
Mar. 8, 2023 (JP) 2023-004593 D

(51) **LOC (15) Cl.** **25-03**

(52) **U.S. Cl.**
USPC **D25/3; D25/1**

(58) **Field of Classification Search**
USPC D15/1-6; D12/320; D25/1, 3, 66, 199;
D19/63; D34/30, 32, 34
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,046,850 A * 7/1962 Tellefson B61D 23/02
14/72.5
3,382,949 A * 5/1968 Bloch E04G 5/14
182/113

(Continued)

FOREIGN PATENT DOCUMENTS

CN 308124507 * 7/2023
JP D1759788 * 12/2023

(Continued)

FIG. 1 is a front view of a first embodiment of a bridge for
driving simulator showing our new design;
FIG. 2 is a rear view thereof;
FIG. 3 is a left side view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom view thereof;
FIG. 7 is a perspective view thereof;
FIG. 8 is a perspective view thereof, showing the state where
the jack is stored;
FIG. 9 is a perspective view thereof, showing the state in the
middle of expanding the bridge;
FIG. 10 is a perspective view thereof, showing the state
before expanding the bridge;
FIG. 11 is a partial enlarged view along line 11 shown in
FIG. 1;
FIG. 12 is a partial enlarged view along line 12 shown in
FIG. 1;
FIG. 13 is a partial enlarged view along line 13 shown in
FIG. 1;
FIG. 14 is a partial enlarged view along line 14 shown in
FIG. 1;
FIG. 15 is a partial enlarged view along line 15 shown in
FIG. 2;

(Continued)




FIG. 16 is a partial enlarged view along line 16 shown in FIG. 2;
 FIG. 17 is a partial enlarged view along line 17 shown in FIG. 2;
 FIG. 18 is a partial enlarged view along line 18 shown in FIG. 3;
 FIG. 19 is a partial enlarged view along line 19 shown in FIG. 5;
 FIG. 20 is a partial enlarged view along line 20 shown in FIG. 5;
 FIG. 21 is a partial enlarged view along line 21 shown in FIG. 5;
 FIG. 22 is a partial enlarged view along line 22 shown in FIG. 7;
 FIG. 23 is a partial enlarged view along line 23 shown in FIG. 7;
 FIG. 24 is a partial enlarged view along line 24 shown in FIG. 10;
 FIG. 25 is a partial enlarged view along line 25 shown in FIG. 10;
 FIG. 26 is a partial enlarged view along line 26 shown in FIG. 10;
 FIG. 27 is a front view of a second embodiment of a bridge for driving simulator showing our new design;
 FIG. 28 is a rear view thereof;
 FIG. 29 is a left side view thereof;
 FIG. 30 is a right side view thereof;
 FIG. 31 is a top plan view thereof;
 FIG. 32 is a bottom view thereof;
 FIG. 33 is a perspective view thereof;
 FIG. 34 is a perspective view thereof, showing the state where the jack is stored;
 FIG. 35 is a perspective view thereof, showing the state in the middle of expanding the bridge;
 FIG. 36 is a perspective view thereof, showing the state before expanding the bridge;
 FIG. 37 is a partial enlarged view along line 37 shown in FIG. 27;
 FIG. 38 is a partial enlarged view along line 38 shown in FIG. 27;
 FIG. 39 is a partial enlarged view along line 39 shown in FIG. 27;
 FIG. 40 is a partial enlarged view along line 40 shown in FIG. 27;
 FIG. 41 is a partial enlarged view along line 41 shown in FIG. 28;
 FIG. 42 is a partial enlarged view along line 42 shown in FIG. 28;
 FIG. 43 is a partial enlarged view along line 43 shown in FIG. 28;
 FIG. 44 is a partial enlarged view along line 44 shown in FIG. 29;
 FIG. 45 is a partial enlarged view along line 45 shown in FIG. 31;
 FIG. 46 is a partial enlarged view along line 46 shown in FIG. 31;
 FIG. 47 is a partial enlarged view along line 47 shown in FIG. 31;
 FIG. 48 is a partial enlarged view along line 48 shown in FIG. 33;

FIG. 49 is a partial enlarged view along line 49 shown in FIG. 33;

FIG. 50 is a partial enlarged view along line 50 shown in FIG. 36;

FIG. 51 is a partial enlarged view along line 51 shown in FIG. 36; and,

FIG. 52 is a partial enlarged view along line 52 shown in FIG. 36.

The dash-dash broken lines in the drawings illustrate portions of the bridge for driving simulator that form no part of the claimed design. The dash-dot broken lines in the drawings illustrate the boundaries and lead lines for the enlarged partial views and form no part of the claimed design.

1 Claim, 52 Drawing Sheets

(58) Field of Classification Search

CPC E04C 3/005; E04C 15/00; E01D 15/24;
 E01D 15/124; B66F 7/08; B66F 7/065;
 B65G 69/24; B65G 69/30; B61D 23/02;
 B64F 1/315

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

4,715,077	A *	12/1987	Shepherd		B64F 1/362
					14/71.5
4,787,111	A *	11/1988	Pacek		B65G 69/22
					49/369
4,869,343	A *	9/1989	Anderson		E04G 5/14
					182/113
5,054,580	A *	10/1991	Cheek		E04G 1/34
					182/151
D327,951	S *	7/1992	Anderberg		D25/1
D383,216	S *	9/1997	Anderberg		D25/1
6,993,802	B1 *	2/2006	Hone		B64F 1/305
					14/71.5
D609,363	S *	2/2010	Segall		D25/1
D707,365	S *	6/2014	Johnstone		D25/3
D845,406	S *	4/2019	Gilchrist		D21/686
11,591,802	B1 *	2/2023	Valore		E04F 11/035

FOREIGN PATENT DOCUMENTS

KR	300784410.0000	*	2/2015
KR	301000976.0000	*	4/2019
KR	301024 735.0000	*	9/2019

OTHER PUBLICATIONS

Anderson Hydra Platforms—Become a Certified Hydra Platform Operator, posted Feb. 20, 2015 [online], [retrieved Nov. 1, 2024]. Retrieved from internet, <https://www.youtube.com/watch?v=62TA97zV-OM> (Year: 2015).*

Aluminum Access Platforms, posted Jul. 21, 2021 [online], [retrieved Nov. 1, 2024]. Retrieved from internet, <https://tinyurl.com/yjvzd68f> (verified with Google AI). (Year: 2021).*

* cited by examiner




FIG. 1




FIG.2




FIG.3




FIG.4




FIG. 5




FIG.6




FIG. 7




FIG.8




FIG. 9




FIG.10




FIG.11




FIG.12




FIG.13




FIG.14




FIG.15




FIG.16





FIG.17

FIG.18






FIG.19




FIG.20




FIG.21




FIG.22




FIG.23




FIG.24




FIG.25




FIG.26




FIG. 27




FIG.28




FIG.29





FIG.30






FIG. 32




FIG.33




FIG. 34




FIG.35




FIG. 36




FIG.37




FIG.38




FIG.39




FIG.40




FIG.41




FIG. 42





FIG.43

FIG.44






FIG.45




FIG. 46




FIG.47




FIG. 48





FIG.49

FIG.50






FIG.51

FIG.52

