

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12417480
Kind Code	B2
Date of Patent	September 16, 2025
Inventor(s)	Agrawal; Amit Kumar et al.

Personalized product recommendations based on an itinerary

Abstract

Techniques for personalized product recommendations based on an itinerary are described and are implementable to generate a recommendation for a good and/or service based on product data associated with a destination. The described implementations, for instance, enable generation of a recommendation for a user to acquire the good and/or service prior to visiting the destination based on digital content associated with the destination. The described implementations further enable generation of synthetic digital content that depicts the user at the destination with the good and/or service. Additionally, the techniques described herein include a monitoring system that is operable to detect a development related to the destination, and generate an updated recommendation based on the development.

Inventors: Agrawal; Amit Kumar (Bangalore, IN), Raju; Srikanth (Sahakaranagar, IN), Rajashekaraiah; Renuka Prasad Herur (Bangalore, IN), Desai; Rahul Bharat (Hoffman Estates, IL)

Applicant: Motorola Mobility LLC (Chicago, IL)

Family ID: 1000008821638

Assignee: Motorola Mobility LLC (Chicago, IL)

Appl. No.: 17/957996

Filed: September 30, 2022

Prior Publication Data

Document Identifier	Publication Date
US 20240112241 A1	Apr. 04, 2024

Publication Classification

Int. Cl.: G06Q30/0601 (20230101); G06Q10/02 (20120101); G06Q50/14 (20120101)

U.S. Cl.:

CPC **G06Q30/0631** (20130101); **G06Q30/0625** (20130101); **G06Q30/0643** (20130101);
G06Q10/02 (20130101); G06Q50/14 (20130101)

Field of Classification Search

CPC: G06Q (10/02-025); G06Q (30/0205); G06Q (30/0207); G06Q (30/0251-0277); G06Q (30/0601-0645); G06Q (50/14); G06Q (50/26); G06Q (50/265); H04W (4/02); H04W (4/021); H04W (4/024-029); H04W (4/23); G01C (21/3605); G01C (21/3614); G01C (21/3617); G01C (21/3641); G01C (21/3644); G01C (21/3679); G01C (21/3691)

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
10270962	12/2018	Stout	N/A	N/A
10440169	12/2018	Gordon	N/A	G06F 3/04886
10460464	12/2018	Hasan	N/A	G06T 7/62
10803726	12/2019	Agrawal et al.	N/A	N/A
11443553	12/2021	Liu et al.	N/A	N/A
12190408	12/2024	Agrawal et al.	N/A	N/A
2002/0107895	12/2001	Timmer	N/A	N/A
2012/0159337	12/2011	Travilla et al.	N/A	N/A
2012/0221418	12/2011	Smith	705/14.67	G06Q 30/02
2013/0339341	12/2012	Fan	707/E17.014	G06Q 10/02
2014/0130076	12/2013	Moore et al.	N/A	N/A
2014/0160019	12/2013	Anda et al.	N/A	N/A
2014/0184841	12/2013	Woo et al.	N/A	N/A
2015/0055086	12/2014	Fonte et al.	N/A	N/A
2015/0186977	12/2014	Leonard et al.	N/A	N/A
2015/0296134	12/2014	Cudak et al.	N/A	N/A
2016/0142626	12/2015	Bostick et al.	N/A	N/A
2017/0004567	12/2016	Dutt et al.	N/A	N/A
2018/0032818	12/2017	Abraham et al.	N/A	N/A
2018/0211308	12/2017	Cheeks	N/A	N/A
2019/0102060	12/2018	Ishida	N/A	N/A
2020/0090388	12/2019	Kamoda et al.	N/A	N/A
2020/0302510	12/2019	Chachek et al.	N/A	N/A
2021/0248365	12/2020	Naderan et al.	N/A	N/A
2022/0254279	12/2021	Oonishi et al.	N/A	N/A
2022/0313077	12/2021	Singh et al.	N/A	N/A
2024/0111820	12/2023	Agrawal	N/A	N/A
2024/0112240	12/2023	Agrawal	N/A	N/A

FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
105320514	12/2015	CN	N/A

105320514	12/2015	CN	N/A
3139590	12/2016	EP	N/A
2017114581	12/2016	WO	N/A

OTHER PUBLICATIONS

Web crawling of social media and related web platforms to analyze backyard poultry owners responses to the 2018-2020 Newcastle Disease (ND) outbreak in Southern California. Jan. 2, 2022. <https://ucanr.edu/sites/poultry/files/365447.pdf> (Year: 2022). cited by examiner

Travel Bans Rescinded, Replaced With Vaccine Requirement. Oct. 2021. <https://www.mvalaw.com/alert-10265> (Year: 2021). cited by examiner

U.S. Appl. No. 17/957,455 , “Non-Final Office Action”, U.S. Appl. No. 17/957,455, Apr. 26, 2024, 38 pages. cited by applicant

U.S. Appl. No. 17/957,903 , “Non-Final Office Action”, U.S. Appl. No. 17/957,903, Feb. 23, 2024, 27 pages. cited by applicant

Chen, Yan-Ying , et al., “Travel Recommendation by Mining People Attributes and Travel Group Types From Community-Contributed Photos”, IEEE Transactions on Multimedia, vol. 15, No. 6, May 29, 2013, 13 pages. cited by applicant

Figueredo, Mickael , et al., “From Photos to Travel Itinerary: a Tourism Recommender System for Smart Tourism Destination”, 2018 IEEE Fourth International Conference on Big Data Computing Service and Applications (BigDataService), Mar. 2018, 8 pages. cited by applicant

Septiningrum, Lutfia , et al., “Tourism Itinerary Design: User Experience Approach”, 2022 International Conference Advancement in Data Science, E-learning and Information Systems (ICADEIS), Nov. 2022, 5 pages. cited by applicant

Setlur, Vidya, et al., “Travel Scrapbooks: Creating Rich Visual Travel Narratives”, Proceedings of the 2009 IEEE International Conference on Multimedia and Expo, Jul. 2009, pp. 1314-1317. cited by applicant

Yochum, Phatpicha , et al., “An Adaptive Genetic Algorithm for Personalized Itinerary Planning”, IEEE Access, vol. 8, Apr. 29, 2020, 11 pages. cited by applicant

U.S. Appl. No. 17/957,903 , “Non-Final Office Action”, U.S. Appl. No. 17/957,903, Jun. 6, 2024, 27 pages. cited by applicant

Blackwood, Emily , “How to take a good selfie with your iPhone”, Backlight [online] [retrieved Aug. 8, 2022]. Retrieved from the Internet <<https://backlightblog.com/how-to-take-a-good-selfie>>, Nov. 3, 2021, 15 Pages. cited by applicant

Fueneco , “Back Camera Selfie Pro”, Fueneco [retrieved Aug. 8, 2022]. Retrieved from the Internet <<https://play.google.com/store/apps/details?id=com.fueneco.backcameraselfiepro>>., Feb. 2016, 3 Pages. cited by applicant

Google , “Google Photos Help”, Google [retrieved Aug. 8, 2022]. Retrieved from the Internet <<https://support.google.com/photos/answer/6128838?hl=en&co=GENIE.Platform%3DAndroid>>., 3 Pages. cited by applicant

Google , “Travel Help”, Google [retrieved Aug. 8, 2022]. Retrieved from the Internet <<https://support.google.com/travel/answer/9098125?hl=en>> , 3 Pages. cited by applicant

U.S. Appl. No. 17/957,455 , “Final Office Action”, U.S. Appl. No. 17/957,455, Oct. 22, 2024, 48 pages. cited by applicant

U.S. Appl. No. 17/957,903 , “Corrected Notice of Allowability”, U.S. Appl. No. 17/957,903, Nov. 27, 2024, 2 pages. cited by applicant

U.S. Appl. No. 17/957,903 , “Notice of Allowance”, U.S. Appl. No. 17/957,903, Oct. 9, 2024, 9 pages. cited by applicant

U.S. Appl. No. 17/957,955 , “Non-Final Office Action”, U.S. Appl. No. 17/957,955, Sep. 26, 2024, 33 pages. cited by applicant

Lindecrantz, Erik , et al., “Personalizing the customer experience: Driving differentiation in retail”,

McKinsey & Company <<https://www.mckinsey.com/industries/retail/our-insights/personalizing-the-customer-experience-driving-differentiation-in-retail>>, Apr. 28, 2020, 14 pages. cited by applicant

“Non-Final Office Action”, U.S. Appl. No. 17/957,455, Feb. 13, 2025, 38 pages. cited by applicant

“Final Office Action”, U.S. Appl. No. 17/957,955, Mar. 3, 2025, 59 pages. cited by applicant

“Advisory Action”, U.S. Appl. No. 17/957,955, filed May 14, 2025, 3 pages. cited by applicant

Primary Examiner: Allen; William J

Attorney, Agent or Firm: FIG. 1 Patents

Background/Summary

BACKGROUND

(1) The proliferation of modern devices with enhanced digital content capture capabilities has led to an increase in the availability of a variety of digital content captured at locations around the world. Accordingly, a user preparing for a trip is able to view photographs of locations that other people have taken. However, viewing photographs of other individuals fails to provide a comprehensive idea of how a user may prepare to visit the location. Current ways for informing trip preparations are limited and time consuming, which can reduce user satisfaction and efficiency.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

(1) Aspects of personalized product recommendations based on an itinerary are described with reference to the following Figures. The same numbers may be used throughout to reference similar features and components that are shown in the Figures:

(2) FIG. 1 illustrates an example environment in which aspects of personalized product recommendations based on an itinerary can be implemented.

(3) FIG. 2 depicts an example system for personalized product recommendations based on an itinerary in accordance with one or more implementations.

(4) FIG. 3 depicts an example implementation for personalized product recommendations based on an itinerary in accordance with one or more implementations.

(5) FIG. 4 depicts an example implementation for personalized product recommendations based on an itinerary further depicting generation of synthetic digital content in accordance with one or more implementations.

(6) FIG. 5 depicts an example implementation for personalized product recommendations based on an itinerary in which the recommendation is based on several factors in accordance with one or more implementations.

(7) FIG. 6 depicts an example implementation for personalized product recommendations based on an itinerary depicting operation of the monitoring system in accordance with one or more implementations.

(8) FIG. 7 depicts an example implementation for personalized product recommendations based on an itinerary depicting further operation of a monitoring system in accordance with one or more implementations.

(9) FIG. 8 illustrates a flow chart depicting an example method for personalized product recommendations based on an itinerary in accordance with one or more implementations.

(10) FIG. 9 illustrates a flow chart depicting an example method for personalized product recommendations based on an itinerary including operation of a monitoring system in accordance with one or more implementations.

(11) FIG. 10 illustrates various components of an example device in which aspects of personalized product recommendations based on an itinerary can be implemented.

DETAILED DESCRIPTION

(12) Techniques for personalized product recommendations based on an itinerary are described and are implementable to generate a recommendation for a good and/or service based on product data associated with a destination. The described implementations, for instance, enable generation of a recommendation for a user to acquire the good and/or service prior to visiting the destination based on digital content associated with the destination. The described implementations further enable generation of synthetic digital content that depicts the user at the destination with the good and/or service. Additionally, the techniques described herein include a monitoring system that is operable to detect a development related to the destination, and generate an updated recommendation based on the development.

(13) According to various implementations, a client device includes a content control module that is operable to receive an input including a destination. For instance, the input includes an itinerary such as a travel itinerary that specifies one or more destinations that a user of the client device intends to visit, e.g., a city, a sight such as a historical monument, an address, etc. The input can further include additional criteria such as travel parameters that are usable in generating the recommendations as further described below. In an example, the travel parameters include one or more of a search radius around the destination, a time range such as times of the day and/or days of the week/month/year, style preferences, one or more themes, and/or a selection of particular individuals to visit the destination. In some embodiments, the itinerary also includes one or more digital content albums that depict the user at the destination.

(14) In some examples, the input is based on a user query, e.g., a request by a user in a user interface specifying the destination. In additional or alternative examples, the content control module is operable to detect the destination and/or the parameters automatically and without user intervention. For instance, the destination is detected automatically via a mapping application, e.g., as input into Google Maps, Apple Maps, MapQuest, Waze, etc. The content control module is also operable to detect a variety of digital content that indicates upcoming travel to the destination such as a lodging reservation, travel receipts, saved calendar events, various preconfigured itineraries, event tickets, a transportation reservation, etc.

(15) Based on the input, the content control module is operable to collect a variety of product data associated with the destination. The product data can include digital content (e.g., photos, videos, augmented reality/virtual reality (“AR/VR”) content, text, etc.) that depicts the destination and includes representations of goods and/or services. For instance, the digital content depicts goods such as clothing items, accessories, food, drinks, convenience products, vehicles, etc. The digital content can also depict various services, such as activities associated with the destination, sporting/music/arts events, a tour guide, restaurants, a spa, resorts, etc. In various embodiments, the product data is collected using one or more web-scraping techniques. For instance, the content control module is operable to employ one or more bots and/or web crawlers to compile various instances of digital content that represent scenes from the destination, e.g., from one or more social media platforms. The bots and/or web crawlers are also configurable to generate the product data based on text such as articles or suggestions from travel websites, reviews, forum posts, etc. that pertain to goods and/or services associated with the destination.

(16) The product data can also be collected based on the travel parameters. For instance, the content control module is operable to filter instances of digital content based on a search radius around the one or more destination, a time range such as times of the day and/or days of the week/month/year, style preferences, type of recommendation, one or more themes, etc. Consider,

for instance, an example in which the user of the client device is planning a trip to Machu Picchu, Peru for January 4.sup.th-January 8.sup.th. The content control module is operable to collect instances of digital content that depict Machu Picchu on and/or around January 4.sup.th-January 8.sup.th. Further, consider that one of the parameters specifies that the user desires recommendations for hats/headwear. The content control module is thus operable to collect product data including digital content that depicts individuals wearing hats at Machu Picchu.

(17) Based on the product data, the content control module is operable to generate a recommendation for a good and/or service. Generally, the recommendation represents a “desirable” good and/or service for the user, e.g., one that is suggested for the user based on functionality, fashion, theme, etc. Accordingly, the recommendation can be based on goods or services that are determined to be popular and/or “in style” at the destination based on the product data. To do so, in one example the recommendation is based on a prevalence of particular goods or services depicted by the product data, e.g., a number of instances that the good and/or service is included in instances of the digital content. To identify goods and/or services in a given instance of digital content, the content control module is operable to employ image recognition techniques to identify the goods and/or services. In various examples, the recommendation is based in part or in whole on product reviews for the good and/or service, social media statistics (e.g., a number of “likes” and/or “shares”) associated with the product data, AI-based content scoring algorithms, machine learning based image popularity assessments, etc.

(18) The recommendation can further be based on a variety of factors associated with the destination such as forecasted weather conditions, a particular time of day/week/month/year that the user is to visit the destination, detected events, local mandates, guidelines, regional social norms, etc. In one or more examples, the recommendation is based on factors associated with the user, such as user demographics (e.g., age, gender, income level, race, ethnicity, etc.), style preferences, theme preferences, size of the user, etc. For example, the content control module is operable to access stored user data to generate recommendations for clothing that will fit the user.

(19) In various examples, generating the recommendation includes calculating a product recommendation score, e.g., that indicates a likelihood of conversion by the user. The product recommendation score can be based on a variety of factors such as a correspondence of goods and/or services to the user, social media statistics associated with the goods and/or services, a “rating” of the goods and/or services, etc. Continuing the above example in which the user is planning a trip to Machu Picchu, the content control module is operable to generate a recommendation for a good and/or service. For instance, the content control module leverages image recognition techniques to detect an abundance of alpaca wool hats depicted by the digital content of the product data. Further, the content control module can access data about the user indicating that the user wears a small hat. Accordingly, the content control module is operable to generate a recommendation for a size small alpaca wool hat.

(20) Once generated, the content control module is operable to output the recommendation in a user interface of the client device. In an example, the recommendation includes a purchasing option to acquire the good and/or service, such as a link to acquire the good and/or service from a third-party vendor. Alternatively or additionally, the recommendation includes directions to acquire the good and/or service, such as directions to a brick and mortar store that distributes the good and/or service. Continuing the above example, the content control module is operable to display the recommendation for the alpaca hat in the user interface of the client device, along with a link to purchase the hat. Further, the recommendation is configured to provide a geolocation that the user can acquire the alpaca hat, e.g., an address of a local shop in the city of Cuzco, Peru before the user visits Machu Pichu.

(21) Additionally, the content control module is operable to generate synthetic digital content depicting the user with the good and/or service at the destination. For instance, the content control module is operable to incorporate a representation of the user into one or more scenes that depict

the destination. The content control module is further operable to include the recommended good and/or service into the representation of the user. In various examples, the synthetic digital content is configured as an album including a plurality of instances of digital content, e.g., various images and videos. Further, the synthetic digital content can be based on one or more themes. In the above example, the content control module is employed to generate synthetic digital content that depicts the user at Machu Picchu, wearing the recommended alpaca hat. In this way, the content control module is operable to generate digital images that enable a user to visualize how the user will look at a destination with a recommended good and/or service.

(22) In some implementations, the content control module includes a monitoring system that is operable to detect a development related to the destination. Generally, the development describes a change to the itinerary and/or variable conditions that impact the recommendation. Developments include a variety of scenarios, such as a weather update, an addition/cancellation/change to an event, a change in local style/fashion, a local directive particular to the destination, a developing geopolitical situation, construction/renovation events, a regional health mandate, natural disaster or occurrence, etc. The content control module is operable to detect the development in a variety of ways such as via a query to a travel advisory system, through one or more applications of the client device (e.g., a weather application, an event application, reservation application, etc.), using web-scraping operations, etc.

(23) Based on the development, the content control module is operable to generate an updated recommendation. The updated recommendation can pertain to a good and/or service, as well as one or more of a change to an itinerary, a changed location to capture digital content, settings that are recommended to obtain a content capture based on the development, etc. Continuing the above example, consider that the content control module detects that a forecast for the weather at Machu Picchu for January 4.sup.th-8.sup.th has recently changed from cold and dry, to heavy rain. The content control module is operable to generate an updated recommendation for the user, such as a rain hat and rain gear rather than an alpaca wool hat that is not waterproof. Thus, these techniques further support ongoing monitoring of a destination to generate updated recommendations for a user.

(24) Accordingly, using the techniques described herein, the client device is operable to automatically provide intuitive recommendations for various goods and or services based on a variety of factors as well as provide visual examples that depict the user with the recommended good and/or service at the destination itself. These capabilities obviate a conventional limitation for the user to expend a great deal of time manually researching a variety of destinations. Further, the monitoring system supports continuous detection of a variety of environmental scenarios to provide a user with relevant recommendations.

(25) While features and concepts of personalized product recommendations based on an itinerary can be implemented in any number of environments and/or configurations, aspects of personalized product recommendations based on an itinerary are described in the context of the following example systems, devices, and methods.

(26) FIG. 1 illustrates an example environment **100** in which aspects of personalized product recommendations based on an itinerary can be implemented. The environment **100** includes a computing device such as a client device **102**. The client device **102** can be implemented in a variety of different ways and form factors such as a mobile device, smartphone, tablet, wearable computing device, digital camera, laptop computer, desktop computer, webcam, a docked mobile device connected to a monitor, and so forth. These examples are not to be construed as limiting, however, and the client device **102** can be implemented in a variety of different ways and form factors. Example attributes of the client device **102** are discussed below with reference to the device **1000** of FIG. 10.

(27) The client device **102** includes various functionality that enables the client device **102** to perform different aspects of personalized product recommendations based on an itinerary discussed

herein including a connectivity module **104**, content capture devices **106** including cameras **108** and audio capture devices **110**, a display device **112** including a user interface **114**, and a content control module **116**. The connectivity module **104** represents functionality (e.g., logic and hardware) for enabling the client device **102** to interconnect with other devices, databases, storage systems, and/or networks, such as via a network **118**. The connectivity module **104**, for instance, enables wireless and/or wired connectivity of the client device **102** as well as accessing content stored remotely, for instance “in the cloud.”

(28) The content capture devices **106** are representative of functionality to enable various types of media to be captured via the client device **102**, such as visual media and audio media. In this particular example the content capture devices **106** include photo/video capture devices such as cameras **108** and audio capture devices **110**. The content capture devices **106** can include a variety of devices that are able to capture various types of media in accordance with the implementations discussed herein. The content capture devices **106**, for instance, include not only hardware for capturing associated media but also logic (e.g., drivers, firmware, etc.) for operating and configuring operation of the associated content capture devices **106**. The display device **112** represents functionality (e.g., hardware and logic) for enabling visual output via the client device **102**. For instance, via a user interface **114**.

(29) The content control module **116** represents functionality for performing various aspects of personalized product recommendations based on an itinerary described herein and is illustrated as including a recommendation module **120**, a representation module **122**, and a monitoring system **124**. The content control module **116** is operable to receive an input including a destination, e.g., based on an itinerary such as a travel itinerary that specifies a destination for a user of the client device **102** to visit. The recommendation module **120** is operable to collect product data associated with the destination, e.g., that includes digital content that depicts one or more goods and/or services at the destination. In an example, the recommendation module **120** leverages web-scraping techniques to generate the product data. Based on the product data, the recommendation module **120** is operable to generate a recommendation, such as for a desirable good and/or service. Once generated, the content control module **116** is operable to output the recommendation, e.g., in the user interface **114**.

(30) In various examples, the representation module **122** is employed to generate synthetic digital content that depicts the user of the client device **102** at the destination with the recommended good and/or service. For instance, the representation module **122** is operable to incorporate a representation of the user into one or more scenes that depict the destination and is further operable to include the recommended good and/or service along with the representation of the user. In an example in which the good and/or service is an article of clothing, the representation module **122** is operable to generate synthetic digital content that appears as if the user were wearing the article of clothing at the destination. In some implementations, the monitoring system **124** is operable to detect a development related to the destination, such as a weather update, a local directive/mandate, a change to an event, etc. Based on the development, the monitoring system **124** is operable to generate an updated recommendation. In this way, the monitoring system **124** can dynamically detect changing conditions associated with the destination and support generation of relevant recommendations to a user.

(31) Example operations of personalized product recommendations based on an itinerary are illustrated in FIG. **1**. In this example, a user of the client device (e.g., “Emily”) is planning an upcoming vacation. The recommendation module **120** receives an input including a destination **126**, which in this example is Paris, France. The input further includes additional travel parameters, such as a date range **128** for the trip, e.g., July 14.sup.th through July 21.sup.st. The recommendation module **120** is operable to collect product data, e.g., various instances of digital content, that depict scenes from the city of Paris in accordance with the date range **128**. Based on the product data, the recommendation module **120** generates a recommendation, in this example a

recommendation for a beret **130**.

(32) The recommendation includes a purchasing option **132** to acquire the beret **130**, e.g., a link to add the beret **130** to a digital shopping cart. Further, in this example the representation module **122** is employed to generate an instance of digital content that depicts the user at the destination with the recommended good and/or service. For instance, the representation module **122** generates an image **134** that depicts Emily wearing the beret **130** in Paris, standing in front of the Eiffel Tower. In this way, the techniques described herein enable the user to efficiently preview digital content that provides a visual example of what the upcoming vacation may look like as well as preview potential purchases before actually visiting the destination.

(33) Having discussed an example environment in which the disclosed techniques can be performed, consider now some example scenarios and implementation details for implementing the disclosed techniques.

(34) FIG. 2 depicts an example system **200** for personalized product recommendations based on an itinerary in accordance with one or more implementations. The system **200** can be implemented in the environment **100** and incorporates attributes of the environment **100** introduced above. In the example system **200**, the content control module **116** receives an input **202** including a destination **204**, e.g., one or more destinations for which a recommendation **206** is to be generated. The destination **204** can be a geographical area (e.g., a country, state, city, etc.), a sight (e.g., a monument, site, attraction, viewpoint, vista, etc.), an address, GPS coordinates (a “geolocation”), etc. In an example, the destination **204** is included as part of an itinerary **208**, e.g., a travel itinerary, that specifies one or more destinations **204** that a user of the client device **102** intends to visit. The input **202** and the itinerary **208** can include additional criteria such as parameters **210** that are usable in generating the recommendation **206** as further described below.

(35) In an example, the parameters **210** include but are not limited to one or more of a search radius around the destination **204**, a time range such as specified times of the day and/or days of the week/month/year, user preferences (e.g., style preferences), user data, one or more themes (e.g., adventurous theme, historical theme, nightlife theme, educational theme, sports theme, upscale theme, nature theme, etc.), and/or a selection of particular individuals to visit the destination **204**. In some embodiments, the itinerary **208** includes one or more digital content albums that depict the user and/or other individuals at the destination **204**. The parameters can also include style preferences such as a variety of styles including formal, semi-formal, casual, business-casual, vintage, chic, trendy, unique, popular, vibrant, etc. The style preferences can be user defined, e.g., by a user in the user interface **114**.

(36) The style preferences can also be determined automatically and without user intervention, e.g., by using one or more image recognition techniques. For instance, the content control module **116** includes a preference module **212** that can access a variety of digital content that depicts one or more individuals for which the recommendation **206** is to be generated, e.g., the user of the client device **102**. The digital content can be maintained in storage of the client device **102** and/or stored remotely such as “in the cloud.” The preference module **212** can leverage one or more image recognition techniques such as a clothing image artificial intelligence (“AI”) detection model to detect goods such as clothing or apparel that the individual is wearing in the digital content depicting the individual. In this way, the preference module **212** can extrapolate user preferences that indicate desirable goods and/or services in a variety of contexts.

(37) In some examples, the input **202** is based on a user query, e.g., a request by a user in the user interface **114** specifying the destination **204** and/or the one or more parameters **210**. The input **202** can also be detected in whole or in part automatically and without user intervention. For instance, the content control module **116** includes a detection module **214** that is operable to detect the destination **204** and/or the parameters **210**. In one example, the detection module **214** is operable to detect the destination **204** and/or the parameters **210** based on content that indicates travel to the destination **204** such as an input to a mapping application, lodging reservation, travel receipts,

saved calendar events, various preconfigured itineraries, event tickets, search history, and/or transportation reservations. For instance, the detection module **214** is operable to query various flight/travel booking applications, devices, systems etc. to detect the input **202**.

(38) A recommendation module **120** includes a collection module **216** to collect a variety of product data **218** associated with the destination **204**. Generally, the product data represents information and/or content describing goods and/or services as they relate to the destination **204**. The product data **218** can include digital content (e.g., photos, videos, augmented reality/virtual reality (“AR/VR”) content, etc.) that depicts the destination **204** and includes representations of goods and/or services. For instance, the digital content depicts goods such as clothing items, accessories, food, drinks, convenience products, equipment, vehicles, etc. The digital content can also depict various services, such as activities associated with the destination **204**, sporting/music/arts events, a tour guide service, various restaurants, classes and/or lessons (e.g., a cooking class), a spa and/or resort service, etc. The product data **218** can further include various text inputs, e.g., that describe the goods and/or services in relation to the destination **204**.

(39) In various embodiments, the collection module **216** collects the product data **218** using one or more web-scraping and/or web-crawling techniques. For instance, the collection module **216** is operable to employ one or more bots and/or web crawlers to compile various instances of digital content that represent scenes from the destination **204**, e.g., from one or more social media platforms, websites, databases, etc. The bots and/or web crawlers are also configurable to generate the product data **218** based on text such as articles or suggestions from travel websites, reviews, forum posts, etc. that pertain to goods and/or services associated with the destination **204**. The collection module **216** can also collect the product data **218** based on the parameters **210**. For instance, the collection module **216** is operable to filter instances of digital content based on a search radius around the one or more destination **204**, a time range such as specified times of the day and/or days of the week/month/year, style preferences, type of recommendation, one or more themes, etc. In this way, the techniques described herein increase computational efficiency by filtering out digital content likely not to be of interest to a user as well as increase user satisfaction by collecting relevant product data **218**.

(40) Based on the product data **218**, the recommendation module **120** is operable to generate a recommendation **206**, e.g., a recommendation for a good and/or service. Generally, the recommendation **206** represents a “desirable” good and/or service for the user, e.g., one that is suggested for the user based on functionality, fashion, theme, etc. Accordingly, the recommendation **206** can be based on goods and/or services that are determined to be popular and/or “in style” at the destination for certain conditions based on the product data **218**. To do so, in one example the recommendation **206** is based on a prevalence of particular goods and/or services depicted by the product data **218**, e.g., a number of instances that the good and/or service is included in instances of the digital content. To detect the presence of goods and/or services in a given instance of digital content, the recommendation module **120** is operable to employ a variety of image recognition techniques to identify the goods and/or services. In various examples, the recommendation **206** is based in part or in whole on product reviews for the good and/or service, social media statistics (e.g., a number of “likes” and/or “shares”) associated with the product data, AI-based content scoring algorithms, machine learning based image popularity assessments, etc. In this way, the recommendation module **120** can generate recommendations **206** that follow dynamically changing trends and styles, which is not possible using conventional techniques.

(41) The recommendation **206** can further be based on a variety of factors associated with the destination **204** such as forecasted weather conditions, time of day/week/month/year that the user is to visit the destination, detected events at the destination **204**, local mandates, guidelines, regional social norms, etc. In one example, the recommendation module **120** includes a forecast module **220** that is operable to determine a weather forecast for the destination **204** for a time that the user is to visit the destination **204**. The forecast module **220** does so, for instance, via one or more weather

applications, via a query to one or more weather services, via one or more sensors of the client device **102**, etc. In one or more examples, the recommendation is based on factors associated with the user, such as user demographics (e.g., age, gender, nationality, income level, race, ethnicity, etc.), style preferences, height and/or weight of the user, user clothing sizes, theme preferences, etc. (42) For instance, the recommendation **206** can be based on demographics of individuals to visit the destination **204**. Consider an example in which the user of a client device **102** is a 40-year-old man from Ireland. Accordingly, the recommendation module **120** is operable to generate a recommendation **206** for a good and/or service that is particular to the user, e.g., for a 40-year-old man from Ireland. Further, the recommendation **206** can be based on clothing sizes and/or measurements of an individual. In various examples, the recommendation module **120** is operable to access size data (e.g., accessed remotely and/or stored on the client device **102**) including clothing associated with various individuals to generate the recommendation **206**, e.g., such that a recommendation **206** for a clothing item “fits” the individual.

(43) In another example, the recommendation **206** can be based on a theme preference, e.g., as specified by the parameters **210**. As noted above, a variety of themes are considered, such as an adventurous theme, nature theme, historical theme, upscale theme, nightlife theme, educational theme, sports theme, etc. The recommendation module **120** can generate a recommendation **206** in accordance with such themes. In an example a user query specifies a “sports theme” for an upcoming vacation to a destination **204**. Accordingly, the recommendation **206** includes goods and/or services that adhere to the sports theme, e.g., sports apparel particular to the destination **204** such as a local soccer team's jersey and tickets to a game.

(44) In various examples, the recommendation module **120** includes a scoring module **222** that is operable to generate a product recommendation score, e.g., that indicates a likelihood of conversion by the user and/or a likelihood of user satisfaction with the good and/or service. The product recommendation score can be based on a variety of factors such as a correspondence of goods and/or services to the user, social media statistics associated with goods and/or services, a “rating” of the goods and/or services such as a product rating score, etc. In one example, calculating the product recommendation score includes determining a correlation between various goods and/or services with the style preferences as discussed above. In this way, the recommendation module **120** can generate recommendations **206** based on a variety of factors that are custom tailored to a particular individual, for a particular destination **204**, and for particular conditions.

(45) Once generated, the content control module **116** is operable to output the recommendation **206** in the user interface **114** of the client device **102**. In an example, the recommendation **206** includes a purchasing option to acquire the good and/or service, such as a link to acquire the good and/or service from a third-party platform. Alternatively or additionally, the recommendation **206** includes directions to acquire the good and/or service, such as directions to a brick and mortar store that distributes the good and/or service. In one example, a purveyor of a recommended good and/or service is a street vendor, and as such does not have an online presence nor does the purveyor have a store location. Accordingly, in this example the recommendation **206** includes one or more of a geolocation, instructions, contact information, etc. for the user to acquire the recommended good and/or service. In some implementations, the recommendation **206** includes more than one recommended good and/or service, and the recommendation **206** is configured as a list, e.g., a shopping list.

(46) The content control module **116** also includes a representation module **122** that is operable to generate synthetic digital content **224** that depicts the user with the good and/or service at the destination **204**. For instance, the representation module **122** is operable to incorporate a representation of the user into one or more scenes that depict the destination **204**. The content control module is further operable to include the recommended good and/or service into the representation of the user. To do so, in some examples the representation module **122** leverages an artificial intelligence (“AI”) based segmentation algorithm to generate the synthetic digital content

224, e.g., based on digital content that depicts the user, digital content that depicts the destination **204**, and digital content that depicts the good and/or service. In various examples, such digital content is stored on the client device **102**, e.g., in a content database **226**. In alternative or additional examples, such digital content is stored remotely such as “in the cloud.” In various examples, the synthetic digital content **224** is configured as an album including a plurality of instances of digital content, e.g., various images and videos. Further, the synthetic digital content **224** can be based on one or more themes, and thus the synthetic digital content **224** can include one or more theme-based albums.

(47) The representation module **122** is further operable to adjust visual properties of the various digital content. For instance, the representation module **122** is operable to adjust the sizing, location, positioning, contrast, exposure, lighting, resolution, etc. of portions of the digital content that represents the user, destination **204**, and/or the good and/or service as part of generating the synthetic digital content **224**. In various examples, the representation module **122** is operable to add visual effects, edits and/or features, such as shadows, filters, blending, etc. to the synthetic digital content **224**. In various examples, the visual effect is based on a relative intensity and location of a light source in an instance of the synthetic digital content **224**. Consider, for instance, an example in which a recommendation **206** for a user is for a cowboy hat, and a scene depicting the destination **204** includes the sun overhead. The representation module **122** is operable to generate synthetic digital content **224** that depicts the user wearing the cowboy hat at the destination and apply one or more shadow effects to replicate the impact of the sun as a light source. In this way, the synthetic digital content **224** is generated in a photorealistic manner and enables visualization of how the user will look at a destination **204** with a recommended good and/or service.

(48) In some embodiments, the content control module **116** includes a monitoring system **124**. In an example, the monitoring system **124** is operable to receive an input specifying the destination **204**, e.g., as part of an itinerary **208**. In some implementations, the input also includes a recommendation for a user based on the itinerary **208**, e.g., a recommendation **206** as described above. The monitoring system **124** is operable to detect a development **228** related to the destination **204**. Generally, the development **228** describes a change to the itinerary **208** and/or variable conditions that impact the recommendation **206**.

(49) Developments **228** can include a variety of scenarios, such as a weather update, an addition/cancellation/change to an event, a local directive particular to the destination **204**, a change in local trends/style/fashion, a recent discount for one or more goods and/or services, a developing geopolitical situation, construction/renovation events, a regional health mandate, an outbreak of an illness, a natural disaster or occurrence, etc. The monitoring system **124** is operable to detect the development **228** in a variety of ways such as via a query to one or more travel advisory systems, through one or more applications of the client device **102** (e.g., a weather application, an event application, reservation application, etc.), using web-scraping operations as described above, etc. In one example, the monitoring system **124** utilizes web scraping techniques to collect information from one or more social media platforms to detect the development **228**.

(50) Based on the development **228**, the monitoring system **124** is operable to generate an updated recommendation **230**, e.g., using the techniques described above with respect to the recommendation module **120**. That is, the monitoring system **124** can be configured to perform the same or similar functionality of the recommendation module **120**. Alternatively or additionally, the monitoring system **124** is operable to employ the recommendation module **120** to generate the updated recommendation **230**. In an example, the updated recommendation **230** includes a change to the itinerary **208**, e.g., to avoid the destination **204**, to include a different destination to the itinerary **208**, or to adjust the time/date to visit the destination **204** based on the development **228**.

(51) In various examples, the updated recommendation **230** pertains to a suggested good and/or service based on the development **228**. For instance, in response to a development **228** that includes an outbreak of an illness, the updated recommendation **230** includes a suggestion to obtain a

medical good and/or service based on the outbreak. In another example, the development **228** includes an announcement of an event at or in proximity to the destination **204**, such as a music concert. Thus, the updated recommendation **230** includes a good and/or service related to the event, such as a t-shirt for the music concert. In a further example, the development **228** includes a weather event (e.g., a forecasted rainstorm at the destination **204**), and the updated recommendation **230** includes a shopping list based on the weather event, e.g., a list including a raincoat, rain boots, umbrella, etc. The updated recommendation **230** can further include a purchasing option to acquire the goods and/or services, for instance purchasing options as described above. In one or more examples, the updated recommendation **230** includes a promotion related to the suggested good and/or service, such as a deal, coupon, etc.

(52) In some examples, the recommendation **206** includes a first good and/or service. Based on the development **228**, the monitoring system **124** is operable to generate the updated recommendation **230** for a second good and/or service, e.g., a different good and/or service in lieu of or in addition to the first good and/or service. Consider an example in which a user of the client device **102** is planning a backpacking trip to Glacier National Park. Using the techniques described above, the recommendation module **120** generates a recommendation **206** for campfire making materials, e.g., a fire starter and tinder. However, in this example, due to persistent dry weather conditions, the National Park Service has recently instituted a burn ban that prohibits open fires within the park but allows self-contained propane camp stoves. Accordingly, the monitoring system **124** is operable to detect this development **228** (e.g., the burn ban) and generate an updated recommendation **230** for a propane camp stove.

(53) Additionally, in some examples the recommendation **206** includes synthetic digital content **224** that depicts the user at the destination **204** with the recommended good and/or service. The monitoring system **124** is operable to generate updated instances of the synthetic digital content **224** to depict the user with a good and/or service included in the updated recommendation **230**, e.g., using the techniques described above with respect to the representation module **122**. That is, the monitoring system **124** can be configured to perform the same or similar functionality of the representation module **122**. Alternatively or additionally, the monitoring system **124** is operable to employ the representation module **122** to generate the updated recommendation **230**. Continuing the above example, the recommendation **206** includes a digital image of the user sitting near a campfire at Glacier National Park. Accordingly, the updated recommendation **230** is configured to include a digital image of the user cooking on a camp stove at Glacier National Park.

(54) In another example, the recommendation **206** includes a suggestion for user to obtain a particular content capture at the destination **204**, e.g., directions for a user to take a photograph at a particular site at the destination **204**. The recommendation **206** further includes one or more suggested configuration settings for a content capture device **106** of the client device **102**, such as whether to use a front or rear camera **108** of the client device **102**, how to orient the client device, various suggested settings such as aperture size, shutter speed, ISO, brightness settings, flash settings, night mode, exposure settings, image filters, contrast settings, etc. In this example, consider that the particular site has become unavailable due to a development **228**, such as being closed for emergency construction. Accordingly, based on the development **228**, the monitoring system **124** is operable to generate the updated recommendation **230** which includes a suggestion for a different site for the user to obtain a content capture. In this example, the updated recommendation **230** further includes updated device configuration settings to obtain the content capture based on the development **228**.

(55) Thus, the updated recommendation **230** can be based on a variety of extrinsic factors and can include a variety of content such as an updated product recommendation, a suggested location to capture digital content, settings that are recommended to obtain a content capture based on the development **228**, a suggestion to adjust one or more other parameters **210** associated with the itinerary **208**, a variety of synthetic digital content **224** as described above, etc. Once generated, the

updated recommendation **230** is output in the user interface **114**. Thus, the techniques described herein further support ongoing monitoring of the destination **204** to generate updated recommendations **230** for a user.

(56) FIG. 3 depicts an example implementation **300** for personalized product recommendations based on an itinerary in accordance with one or more implementations. In this example, shown in first stage **302** and second stage **304**, the content control module **116** is operable to receive an input **202** including an itinerary **208** for a user of the client device **102**. As shown in first stage **302**, the itinerary **208** includes a destination **204**, which in this example is the London Eye Ferris wheel in London, England. The itinerary **208** further includes additional parameters **210**, such as a date **306** (e.g., Oct. 8, 2024), a time **308** (e.g., 12:30 PM), as well as a name **310** of the individuals that will be visiting the destination **204**, in this example “Paul K.” The itinerary **208** also includes a weather forecast **312** for the time period that Paul will be at the London Eye. In this example, the weather forecast **312** indicates that the weather will be chilly with a temperature of 45 degrees, cloudy, and with a 45% chance of rain.

(57) Accordingly, the recommendation module **120** is operable to generate a recommendation **206** based on the destination **204** and the parameters **210** included in the itinerary **208** in accordance with the techniques described above. For instance, the recommendation **206** is based on product data **218** including a variety of digital content depicting the destination **204** under similar conditions. In this example, for instance, the recommendation **206** is based on digital content depicting London in October in similar weather conditions, e.g., 45 degrees and cloudy. In accordance with the techniques herein, the recommendation module **120** is operable to generate a recommendation **206** that is practical for the conditions, as well as “popular” as indicated by the product data **218**. For instance, as illustrated in second stage **304**, the recommendation **206** is output in the user interface **114** of the client device **102** and includes two suggested items, for instance a black jacket **314** and a white baseball hat **316**. The recommendation **206** further includes a purchase option associated with the jacket **314** and the hat **316**, e.g., the “add to cart” buttons **318a**, **318b**. Thus, the recommendation **206** for a good and/or service is based on the destination **204** as well as the conditions at the destination **204**.

(58) FIG. 4 depicts an example implementation **400** for personalized product recommendations based on an itinerary further depicting generation of synthetic digital content in accordance with one or more implementations. In this example, shown in first stage **402**, second stage **404**, and third stage **406**, the content control module **116** further includes a representation module **122** to generate synthetic digital content **224**. The first stage **402** and the second stage **404** are similar to the above example depicted in FIG. 3. For instance, based on an itinerary **208** shown in the first stage **402**, the recommendation module **120** is operable to generate a recommendation **206** including a black jacket **408** and a white baseball hat **410**. In this example, the black jacket **408** is recommended based in part on the weather, e.g., as being cold with a chance of rain. The white hat **410** is recommended based in part on a determination that white hats are “in style.” Accordingly, the recommendation **206** is based on a variety of considerations.

(59) As shown in the third stage **406**, the representation module **122** is operable to generate synthetic digital content **224** that depicts an individual with the good and/or service at the destination **204**. To do so, in this example the representation module **122** leverages an artificial intelligence (“AI”) based segmentation algorithm to generate the synthetic digital content **224**, e.g., based on digital content that depicts Paul, digital content that depicts the London Eye, and digital content that depicts the jacket **408** and the hat **410**. In this way, the synthetic digital content **224** is generated and depicts Paul at the London Eye Ferris wheel in London wearing the jacket **408** and the hat **410**.

(60) FIG. 5 depicts an example implementation **500** for personalized product recommendations based on an itinerary in which the recommendation is based on several factors in accordance with one or more implementations. In this example, shown in first stage **502**, second stage **504**, and third

stage **506**, the content control module **116** is operable to receive an input **202** including an itinerary **208** for a user of the client device **102**. As shown in first stage **502**, the itinerary **208** includes a destination **204**, which in this example is the Blue Mosque in Istanbul, Turkey. The itinerary **208** further includes additional parameters **210**, such as a date **508** (e.g., Apr. 10, 2023), an approximate time **510** (e.g., 1:30 PM), as well as a name **512** of the individuals that will be visiting the destination **204**, in this example “Rojalin P.” The itinerary **208** also includes a weather forecast **514** for the time period that Rojalin P. will be visiting the Blue Mosque. In this example, the weather forecast **514** indicates that the weather will be sunny and around 65 degrees. The user interface **114** also depicts travel information **516** that indicates that a head covering is required to enter the Blue Mosque, e.g., as detected by the content control module **116**.

(61) Accordingly, the recommendation module **120** is employed to generate a recommendation **206** based on the information included in the itinerary **208** in accordance with the techniques described above. For instance, the recommendation **206** is based on product data **218** including a variety of digital content depicting the destination **204** under similar conditions. In this example, for instance, the recommendation **206** is based in part on digital content depicting the Blue Mosque in April in similar weather conditions, e.g., 65 degrees and sunny. Further, the recommendation **206** is based on the travel information **516** indicating that a head covering is required to enter the mosque. The recommendation **206** is further based on one or more user preferences, e.g., that indicate that Rojalin prefers the color light blue, as well as one or more product ratings.

(62) As illustrated in second stage **504**, the recommendation **206** is output in the user interface **114** of the client device **102** and includes a recommendation for a light blue scarf **518**, e.g., based on the travel information **516**, the user preferences, and the product data **218** as described above. The recommendation **206** also includes a recommendation for a pair of sunglasses **520**, e.g., based on the product data **218** and the product rating that indicates that the sunglasses **520** are highly rated. The recommendation **206** further includes a purchase option associated with the scarf **518** and the sunglasses **520**, e.g., the “add to cart” buttons **522a**, **522b**. This is by way of example and not limitation, and in other examples a purchase option may include one or more of a link to acquire the good and/or service from a third-party vendor, directions to acquire the good and/or service, access to an external marketing platform, etc.

(63) As shown in the third stage **506**, the representation module **122** is operable to generate synthetic digital content **224** that depicts an individual with the good and/or service at the destination **204**. To do so, in this example the representation module **122** leverages an artificial intelligence (“AI”) based segmentation algorithm to generate the synthetic digital content **224**. Accordingly, the synthetic digital content **224** depicts Rojalin in front of the Blue Mosque wearing the scarf **518** and the sunglasses **520**. Further, the recommendation module **120** is operable to adjust visual properties of the synthetic digital content **224** such as adjust lighting effects of the synthetic digital content **224** based on the relative position and intensity of a light source, e.g., the sun in the scene. In this way, the synthetic digital content **224** is generated in a photorealistic manner and enables visualization of how the user will look at a destination **204** with a recommended good and/or service.

(64) FIG. 6 depicts an example implementation **600** for personalized product recommendations based on an itinerary depicting operation of the monitoring system in accordance with one or more implementations. In this example, shown in a first stage **602**, a second stage **604**, and a third stage **606**, the content control module **116** includes a monitoring system **124** that is operable to detect a development **228** related to a destination **204**. As shown in the first stage **602**, the monitoring system **124** is operable to receive an itinerary **208** that includes a destination **204**, which in this example is Seattle, Washington. The itinerary further includes additional parameters **210**, such as a date range **608** (e.g., May 1-May 5, 2023) as well as a name **610** of the individual that will be visiting the destination **204**, in this example “Ellie J.” In some examples, the monitoring system **124** is also operable to receive as input a recommendation **206** generated in accordance with the

techniques described above.

(65) In this example, the monitoring system **124** is employed to detect a development **228** related to Seattle, e.g., a travel alert **612** indicating that Seattle has recently experienced an outbreak of a contagious virus, and that a local mandate such as a mask mandate has been enacted. Accordingly, masks are required for Ellie for the duration of her visit. As shown in second stage **604**, the monitoring system **124** is operable to generate an updated recommendation **230**, for instance using similar techniques that are employed to generate the recommendation **206**. In this example, the updated recommendation **230** includes a recommendation for a first facemask **614** as well as for a second facemask **616** based on the travel alert **612**. As further illustrated in the second stage **604**, the updated recommendation **230** further includes a purchase option associated with the first facemask **614** and the second facemask **616**, e.g., the “add to cart” buttons **618a**, **618b**.

Accordingly, the techniques described herein enable ongoing monitoring of the destination **204** to generate updated recommendations **230** for a user based on developing situations and conditions.

(66) As shown in the second stage **604**, the updated recommendation **230** also includes options **620a**, **620b** to “preview” the first facemask **614** and the second facemask **616**. Accordingly, at the third stage **606**, the monitoring system **124** is operable to generate synthetic digital content **224** that depicts an individual with the good and/or service at the destination **204**. For instance, a first image **622** depicts Ellie in Seattle wearing the first facemask **614**, while a second image **624** depicts Ellie in Seattle wearing the second facemask **616**. In this way, the techniques described herein enable a user to compare different recommended goods and/or services in an efficient and intuitive manner via digital content that depicts the user at the destination **204** in which the goods and/or services will be utilized.

(67) FIG. 7 depicts an example implementation **700** for personalized product recommendations based on an itinerary depicting further operation of the monitoring system in accordance with one or more implementations. In this example, shown in first stage **702** and second stage **704**, the monitoring system **124** is operable to receive an itinerary **208** as input that includes a destination **204**, which in this example is Seattle, Washington. The itinerary further includes additional parameters **210**, such as a date **706** (e.g., May 4, 2023), a name **708** of the individual that will be visiting the destination **204**, in this example “Mark Q” and an event **710** in accordance with a specified theme, e.g., a “sports” theme, for Mark to play beach volleyball at 10:00 AM.

(68) In this example, the monitoring system **124** is employed to detect a development **228** related to Seattle, e.g., a weather alert **712** indicating that Seattle is anticipating snow and cold weather on May the 4^{sup}.th. Accordingly, it would be unpleasant to play beach volleyball in the snow and cold weather. The monitoring system **124** is further employed to detect a second development **228** related to Seattle, such as an event alert **714** that indicates that a baseball game has just been rescheduled to May 4^{sup}.th. As shown in second stage **704**, the monitoring system **124** is operable to generate an updated recommendation **230**, for instance using similar techniques that are employed to generate the recommendation **206**.

(69) In this example, the updated recommendation **230** includes an updated itinerary **716**, e.g., that suggests attending the baseball game as well as a location of the stadium. The updated recommendation **230** is generated based on the weather alert and a determination that the baseball stadium has indoor seating, as well as a user preference that indicates that Mark is interested in sports, and thus the event corresponds with Mark's interests. The updated recommendation **230** is further based on the theme, in this example a “sports” theme. The updated recommendation **230** further includes a recommendation for a baseball hat **718** with the team's logo, as well as for tickets **720** to the game. As further illustrated in the second stage **704**, the updated recommendation **230** includes a purchase option associated with the baseball hat **718**, e.g., the “Find near me!” button **722**. The updated recommendation **230** also includes a purchase option associated with the tickets **720**, e.g., the “Find Tickets!” button **724**. Accordingly, the techniques described herein support dynamic recommendations for a user along with corresponding product recommendations by

monitoring a variety of developments associated with the destination **204**.

(70) FIG. **8** illustrates a flow chart depicting an example method **800** for personalized product recommendations based on an itinerary in accordance with one or more implementations. At **802**, an input including a destination is received. For instance, the destination **204** is included as part of an itinerary **208** such as a travel itinerary that specifies one or more destinations **204** for a user of a client device **102** to visit. The destination **204** can be a geographical area (e.g., a country, state, city, etc.), a sight (e.g., a monument, attraction, viewpoint, vista, etc.), an address, GPS coordinates (a “geolocation”), etc. The input **202** and the itinerary **208** can include additional criteria such as parameters **210** that are usable in generating the recommendation **206**. For instance, the parameters **210** include one or more of a search radius around the destination **204**, a time range such as times of the day and/or days of the week/month/year, user preferences (e.g., style preferences), one or more themes, digital content albums that depict the user at the destination **204**, or a selection of particular individuals to visit the destination **204**.

(71) At **804**, product data associated with the one or more destinations is collected. The product data **218** can include digital content (e.g., photos, videos, augmented reality/virtual reality (“AR/VR”) content, etc.) that depicts the destination **204** and includes representations of goods and/or services. For instance, the digital content depicts goods such as clothing items, accessories, food, drinks, equipment, convenience products, vehicles, etc. The digital content can also depict various services, such as activities associated with the destination **204**, sporting/music/arts events, a tour guide service, various restaurants, classes and/or lessons (e.g., a cooking class), a spa and/or resort, etc. The product data **218** can further include various text inputs, e.g., that describe the goods and/or services in relation to the destination **204**. The product data **218** is collectible in a variety of ways, and in one example the product data **218** is collected using one or more web-scraping and/or web-crawling techniques, e.g., from one or more social media platforms, websites, databases, etc.

(72) At **806**, a recommendation for a good or service based on the product data is generated. Generally, the recommendation **206** represents a “desirable” good and/or service for the user. In various examples, generating the recommendation **206** includes identifying goods and/or services depicted by the product data **218**. The recommendation **206** can also be based in part or in whole on product reviews for the good and/or service, social media statistics (e.g., a number of “likes” and/or “shares”) associated with the product data, AI-based content scoring algorithms, machine learning based image popularity assessments, etc. In one or more examples, the recommendation **206** is based on a product recommendation score based on a variety of factors such as a correspondence of goods and/or services to the user, social media statistics associated with goods and/or services, a “rating” of the goods and/or services such as a product rating score, etc.

(73) At **808**, the recommendation is output in a user interface of the client device. In an example, the recommendation includes a purchasing option to acquire the good and/or service, e.g., for a visit to the destination **204**. For instance, the recommendation **206** can include a link to acquire the good and/or service from a third-party platform, directions to acquire the good and/or service, a geolocation, instructions, contact information, etc. for the user to acquire the recommended good and/or service. In some implementations, the recommendation **206** includes more than one recommended good and/or service, and the recommendation **206** is configured as a list, e.g., a shopping list.

(74) At **810**, an instance of synthetic digital content depicting a user with the good or service at the destination is generated. In some embodiments, the recommendation **206** includes a representation of the synthetic digital content **224**. The synthetic digital content **224** incorporates a representation of the user into one or more scenes that depict the destination **204** and further incorporates the recommended good and/or service into the representation of the user. In some examples, the synthetic digital content **224** is generated using an artificial intelligence (“AI”) based segmentation algorithm, e.g., based on digital content that depicts the user, digital content that depicts the

destination **204**, and digital content that depicts the good and/or service. The synthetic digital content **224** can also be edited to add/remove visual effects and/or features. In this way, the synthetic digital content **224** is generated in a photorealistic manner and enables visualization of how the user will look at a destination **204** with a recommended good and/or service.

(75) FIG. **9** illustrates a flow chart depicting an example method **900** for personalized product recommendations based on an itinerary including operation of a monitoring system in accordance with one or more implementations. At **902**, an input specifying an itinerary including a destination is received. In some examples, the input further includes a recommendation for a user based on the itinerary **208**, e.g., a recommendation **206** as described above.

(76) At **904**, a development related to the destination is detected. Generally, the development **228** describes a change to the itinerary **208** and/or variable conditions that impact the recommendation **206**. Developments **228** can include a variety of scenarios, such as a weather update, an addition/cancellation/change to an event, a local directive particular to the destination **204**, a change in local style/fashion, a recent discount for one or more goods and/or services, a developing geopolitical situation, construction/renovation events, a regional health mandate, a natural disaster or occurrence, etc. The development **228** can be detected in a variety of ways such as via a query to a travel advisory system, through one or more applications of the client device **102** (e.g., a weather application, an event application, reservation application, etc.), using web-scraping operations, etc.

(77) At **906**, an updated recommendation based on the development is generated. In an example, the updated recommendation **230** pertains to a good and/or service, e.g., a different good and/or service than was included in the recommendation **206**. In another example, the updated recommendation **230** includes a change to the itinerary **208**, e.g., to avoid the destination **204**, to include a different destination to the itinerary **208**, or to adjust the time/date to visit the destination **204**. In further examples, the updated recommendation **230** includes a suggested location to capture digital content, settings that are recommended to obtain a content capture based on the development **228**, a suggestion to adjust one or more other parameters **210** associated with the itinerary **208**, etc.

(78) At **908**, the updated recommendation is output in a user interface of a client device. In various examples, the updated recommendation **230** can include one or more of a purchasing option to acquire a different good and/or service, a link to acquire the good and/or service from a third-party platform, directions to acquire the good and/or service, a geolocation, instructions, contact information, etc. for the user to acquire the recommended good and/or service. In some implementations, the updated recommendation **230** includes more than one recommended good and/or service, and the updated recommendation **230** is configured as a list, e.g., a shopping list. The updated recommendation **230** can further be configured to include synthetic digital content **224** as described above, and thus provide a visual example that depicts the user with the good and/or service included in the updated recommendation **230** at the destination **204**.

(79) The example methods described above may be performed in various ways, such as for implementing different aspects of the systems and scenarios described herein. Generally, any services, components, modules, methods, and/or operations described herein can be implemented using software, firmware, hardware (e.g., fixed logic circuitry), manual processing, or any combination thereof. Some operations of the example methods may be described in the general context of executable instructions stored on computer-readable storage memory that is local and/or remote to a computer processing system, and implementations can include software applications, programs, functions, and the like. Alternatively or in addition, any of the functionality described herein can be performed, at least in part, by one or more hardware logic components, such as, and without limitation, Field-programmable Gate Arrays (FPGAs), Application-specific Integrated Circuits (ASICs), Application-specific Standard Products (ASSPs), System-on-a-chip systems (SoCs), Complex Programmable Logic Devices (CPLDs), and the like. The order in which the methods are described is not intended to be construed as a limitation, and any number or

combination of the described method operations can be performed in any order to perform a method, or an alternate method.

(80) FIG. **10** illustrates various components of an example device **1000** in which aspects of personalized product recommendations based on an itinerary can be implemented. The example device **1000** can be implemented as any of the devices described with reference to the previous FIGS. **1-9**, such as any type of mobile device, mobile phone, mobile device, wearable device, tablet, computing, communication, entertainment, gaming, media playback, and/or other type of electronic device. For example, the client device **102** as shown and described with reference to FIGS. **1-9** may be implemented as the example device **1000**.

(81) The device **1000** includes communication transceivers **1002** that enable wired and/or wireless communication of device data **1004** with other devices. The device data **1004** can include any of device identifying data, device location data, wireless connectivity data, and wireless protocol data. Additionally, the device data **1004** can include any type of audio, video, and/or image data. Example communication transceivers **1002** include wireless personal area network (WPAN) radios compliant with various IEEE 1002.15 (Bluetooth™) standards, wireless local area network (WLAN) radios compliant with any of the various IEEE 1002.11 (Wi-Fi™) standards, wireless wide area network (WWAN) radios for cellular phone communication, wireless metropolitan area network (WMAN) radios compliant with various IEEE 1002.16 (WiMAX™) standards, and wired local area network (LAN) Ethernet transceivers for network data communication.

(82) The device **1000** may also include one or more data input ports **1006** via which any type of data, media content, and/or inputs can be received, such as user-selectable inputs to the device, messages, music, television content, recorded content, and any other type of audio, video, and/or image data received from any content and/or data source. The data input ports may include USB ports, coaxial cable ports, and other serial or parallel connectors (including internal connectors) for flash memory, DVDs, CDs, and the like. These data input ports may be used to couple the device to any type of components, peripherals, or accessories such as microphones and/or cameras.

(83) The device **1000** includes a processing system **1008** of one or more processors (e.g., any of microprocessors, controllers, and the like) and/or a processor and memory system implemented as a system-on-chip (SoC) that processes computer-executable instructions. The processor system may be implemented at least partially in hardware, which can include components of an integrated circuit or on-chip system, an application-specific integrated circuit (ASIC), a field-programmable gate array (FPGA), a complex programmable logic device (CPLD), and other implementations in silicon and/or other hardware. Alternatively or in addition, the device can be implemented with any one or combination of software, hardware, firmware, or fixed logic circuitry that is implemented in connection with processing and control circuits, which are generally identified at **1010**. The device **1000** may further include any type of a system bus or other data and command transfer system that couples the various components within the device. A system bus can include any one or combination of different bus structures and architectures, as well as control and data lines.

(84) The device **1000** also includes computer-readable storage memory **1012** (e.g., memory devices) that enable data storage, such as data storage devices that can be accessed by a computing device, and that provide persistent storage of data and executable instructions (e.g., software applications, programs, functions, and the like). Examples of the computer-readable storage memory **1012** include volatile memory and non-volatile memory, fixed and removable media devices, and any suitable memory device or electronic data storage that maintains data for computing device access. The computer-readable storage memory can include various implementations of random access memory (RAM), read-only memory (ROM), flash memory, and other types of storage media in various memory device configurations. The device **1000** may also include a mass storage media device.

(85) The computer-readable storage memory **1012** provides data storage mechanisms to store the device data **1004**, other types of information and/or data, and various device applications **1014**

(e.g., software applications). For example, an operating system **1016** can be maintained as software instructions with a memory device and executed by the processing system **1008**. The device applications may also include a device manager, such as any form of a control application, software application, signal-processing and control module, code that is native to a particular device, a hardware abstraction layer for a particular device, and so on. Computer-readable storage memory **1012** represents media and/or devices that enable persistent and/or non-transitory storage of information in contrast to mere signal transmission, carrier waves, or signals per se. Computer-readable storage memory **1012** do not include signals per se or transitory signals.

(86) In this example, the device **1000** includes a content control module **1018** that implements aspects of personalized product recommendations based on an itinerary and may be implemented with hardware components and/or in software as one of the device applications **1014**. In an example, the content control module **1018** can be implemented as the content control module **116** described in detail above. In implementations, the content control module **1018** may include independent processing, memory, and logic components as a computing and/or electronic device integrated with the device **1000**. The device **1000** also includes digital content data **1020** for implementing aspects of personalized product recommendations based on an itinerary and may include data from and/or utilized by the content control module **1018**.

(87) In this example, the example device **1000** also includes a camera **1022** and motion sensors **1024**, such as may be implemented in an inertial measurement unit (IMU). The motion sensors **1024** can be implemented with various sensors, such as a gyroscope, an accelerometer, and/or other types of motion sensors to sense motion of the device. The various motion sensors **1024** may also be implemented as components of an inertial measurement unit in the device.

(88) The device **1000** also includes a wireless module **1026**, which is representative of functionality to perform various wireless communication tasks. For instance, for the client device **102**, the wireless module **1026** can be leveraged to scan for and detect wireless networks, as well as negotiate wireless connectivity to wireless networks for the client device **102**. The device **1000** can also include one or more power sources **1028**, such as when the device is implemented as a mobile device. The power sources **1028** may include a charging and/or power system, and can be implemented as a flexible strip battery, a rechargeable battery, a charged super-capacitor, and/or any other type of active or passive power source.

(89) The device **1000** also includes an audio and/or video processing system **1030** that generates audio data for an audio system **1032** and/or generates display data for a display system **1034**. The audio system and/or the display system may include any devices that process, display, and/or otherwise render audio, video, display, and/or image data. Display data and audio signals can be communicated to an audio component and/or to a display component via an RF (radio frequency) link, S-video link, HDMI (high-definition multimedia interface), composite video link, component video link, DVI (digital video interface), analog audio connection, or other similar communication link, such as media data port **1036**. In implementations, the audio system and/or the display system are integrated components of the example device. Alternatively, the audio system and/or the display system are external, peripheral components to the example device.

(90) Although implementations of personalized product recommendations based on an itinerary have been described in language specific to features and/or methods, the subject of the appended claims is not necessarily limited to the specific features or methods described. Rather, the features and methods are disclosed as example implementations of personalized product recommendations based on an itinerary, and other equivalent features and methods are intended to be within the scope of the appended claims. Further, various different examples are described and it is to be appreciated that each described example can be implemented independently or in connection with one or more other described examples. Additional aspects of the techniques, features, and/or methods discussed herein relate to one or more of the following:

(91) In some aspects, the techniques described herein relate to a computing device, including: a

content control module implemented at least partially in hardware and configured to: receive an input specifying an itinerary including a destination and a recommendation for a user based on the itinerary; detect a development related to the destination; generate an updated recommendation based on the development; and output the updated recommendation in a user interface of the computing device.

(92) In some aspects, the techniques described herein relate to a computing device, wherein the development includes one or more of a weather update, a change to a detected event included on the itinerary, or a local directive particular to the destination.

(93) In some aspects, the techniques described herein relate to a computing device, wherein the recommendation is for a particular content capture at the destination, and wherein the updated recommendation includes a suggestion for a different site for the user to obtain a content capture.

(94) In some aspects, the techniques described herein relate to a computing device, wherein the updated recommendation includes updated device configuration settings to obtain the content capture based on the development.

(95) In some aspects, the techniques described herein relate to a computing device, wherein the recommendation is for a good or service, and wherein the updated recommendation is for a different good or service and includes a purchasing option to acquire the different good or service.

(96) In some aspects, the techniques described herein relate to a computing device, wherein the recommendation includes digital content depicting the user at the destination, and wherein the updated recommendation includes an updated instance of digital content depicting the user with the different good or service at the destination.

(97) In some aspects, the techniques described herein relate to a computing device, wherein the development is detected in part by querying a travel advisory system.

(98) In some aspects, the techniques described herein relate to a computing device, wherein the development is detected in part through one or more weather applications of the computing device.

(99) In some aspects, the techniques described herein relate to a method, including: receiving an input specifying an itinerary including a destination and a recommendation for a user based on the itinerary; detecting a development related to the destination; generating an updated recommendation based on the development; and communicating the updated recommendation to the user.

(100) In some aspects, the techniques described herein relate to a method, wherein the development includes one or more of a weather event, a natural disaster, or a local directive particular to the destination.

(101) In some aspects, the techniques described herein relate to a method, wherein the recommendation is for a particular content capture at the destination, and wherein the updated recommendation includes a suggestion for a different site for the user to obtain a content capture.

(102) In some aspects, the techniques described herein relate to a method, wherein the recommendation is for a good or service, and wherein the updated recommendation is for a different good or service and includes a purchasing option to acquire the different good or service.

(103) In some aspects, the techniques described herein relate to a method, wherein the updated recommendation includes a promotion related to the different good or service.

(104) In some aspects, the techniques described herein relate to a method, wherein the itinerary includes digital content depicting the user at the destination, and wherein the updated recommendation includes an updated instance of digital content depicting the user with the different good or service at the destination.

(105) In some aspects, the techniques described herein relate to a method, wherein the development is detected in part utilizing web scraping techniques to collect information from one or more social media platforms.

(106) In some aspects, the techniques described herein relate to a method, wherein the development includes a regional health mandate, and the updated recommendation includes a suggestion to

obtain a good or service related to the regional health mandate.

(107) In some aspects, the techniques described herein relate to a system including: a network; and a computing device communicatively coupled to the network, the computing device to perform operations including: receiving, via the network, an input specifying an itinerary including one or more destinations and a product recommendation for a user based on the itinerary; detecting, via the network, a development related to the one or more destinations; generating an updated product recommendation for the user based on the development; and output the updated product recommendation with a purchasing option to acquire a good or service in a user interface of the computing device.

(108) In some aspects, the techniques described herein relate to a system, wherein the development includes a weather event, and the updated product recommendation includes a shopping list based on the weather event.

(109) In some aspects, the techniques described herein relate to a system, wherein the development includes an outbreak of an illness, and the updated product recommendation includes a suggestion to obtain a medical good or service based on the outbreak.

(110) In some aspects, the techniques described herein relate to a system, wherein the development includes an announcement of an event at the one or more destinations, and the updated product recommendation includes a good or service related to the event.

Claims

1. A computing device, comprising: at least one memory; and at least one processor coupled to the at least one memory and configured to cause the computing device to: receive an input that includes a destination and a recommendation for a good or service for a user based on the destination; detect, by an application of the computing device, a development that includes a variable condition related to the destination that impacts the recommended good or service; generate, responsive to detection of the development by the application, an updated recommendation based on the development that includes an updated good or service; generate synthetic digital content that depicts the user with the updated good or service at the destination with the variable condition including adjusting a visual property of the synthetic digital content based on the development by applying a visual edit including one or more of a shadow, filter, or blending effect to the synthetic digital content; and output the updated recommendation by causing display of the synthetic digital content with the adjusted visual property in a user interface of the computing device.

2. The computing device of claim 1, wherein the development includes one or more of a weather update, a change to an event, or a local directive particular to the destination.

3. The computing device of claim 1, wherein the development is detected in part by querying a travel advisory system.

4. The computing device of claim 1, wherein the development is detected in part through one or more weather applications of the computing device.

5. The computing device of claim 1, wherein adjusting the one or more visual properties includes adjusting a sizing, location, positioning, contrast, exposure, lighting, or resolution of one or more portions of the synthetic digital content.

6. The computing device of claim 1, wherein the input further includes digital content that depicts the user, and the computing device is further configured to extrapolate one or more user preferences based on processing of the digital content by a clothing image detection model configured to identify goods or services within instances of digital content.

7. The computing device of claim 6, the computing device further configured to collect product data that includes digital images associated with the destination; filter the digital images of the product data based on the one or more user preferences generated by the clothing image detection

model; and generate the synthetic digital content by processing the digital content that depicts the user and the filtered digital images of the product data.

8. The computing device of claim 6, wherein the synthetic digital content includes an album based on the one or more extrapolated user preferences and one or more themes.

9. A method performed by a client device, the method comprising: receiving, at the client device, an input that includes a destination and a recommendation for a good or service for a user based on the destination; detecting, by an application of the client device, a development that includes a variable condition related to the destination that impacts the good or service; generating, responsive to the detection of the development by the application, an updated recommendation based on the development that includes an updated good or service; generating synthetic digital content that depicts the user with the updated good or service at the destination with the variable condition, the generating including adjusting a visual property of the synthetic digital content based on the development by applying a visual edit including one or more a shadow, filter, or blending effect to the synthetic digital content; and outputting the updated recommendation including displaying the synthetic digital content with the adjusted visual property in a user interface of the client device.

10. The method of claim 9, wherein the development includes one or more of a weather event, a natural disaster, or a local directive particular to the destination.

11. The method of claim 9, wherein the development is detected in part utilizing web scraping techniques to collect information from one or more social media platforms.

12. The method of claim 9, wherein the development includes a regional health mandate, and the updated recommendation includes a suggestion to obtain a good or service related to the regional health mandate.

13. The method of claim 9, the generating the synthetic digital content including: receiving, by the client device, digital content that depicts the user, digital content that depicts the destination, and digital content that depicts the good or service; processing, by the client device, the digital content that depicts the user, the digital content that depicts the destination, and the digital content that depicts the good or service to generate the synthetic digital content; and applying the visual edit to the synthetic digital content based on the development.

14. The method of claim 9, the displaying the synthetic digital content including displaying a first instance of synthetic digital content that depicts the user with the updated good or service at the destination with the variable condition and a second instance of digital content that depicts the user with an additional updated good or service at the destination with the variable condition in the user interface of the client device.

15. The method of claim 9, wherein the visual edit includes a lighting effect applied to the synthetic digital content.

16. A system comprising: a network; and a computing device communicatively coupled to the network, the computing device configured to perform operations comprising: receiving, via the network, an input that includes a destination and a product recommendation for a user based on the destination; detecting, by an application of the computing device, a development that includes a variable condition related to the destination that impacts the product recommendation; generating, responsive to detection of the development by the application, an updated product recommendation for the user based on the development; generating synthetic digital content that depicts a user of the computing device with the updated product recommendation at the destination with the variable condition including adjusting a visual property of the synthetic digital content based on the development by applying a visual edit including one or more of a shadow, filter, or blending effect to the synthetic digital content; and output the updated product recommendation by causing display of the synthetic digital content with the adjusted visual property in a user interface of the computing device.

17. The system of claim 16, wherein the development includes a weather event, and the updated product recommendation includes a shopping list based on the weather event.

18. The system of claim 16, wherein the development includes an outbreak of an illness, and the updated product recommendation includes a suggestion to obtain a medical good or service based on the outbreak.
19. The system of claim 16, wherein the development includes an announcement of an event at the destination, and the updated product recommendation includes a good or service related to the event.
20. The system of claim 16, wherein the visual property includes a visual effect based on a relative intensity and location of a light source within the synthetic digital content.
-