



US012415783B2

(12) **United States Patent**
Mun et al.

(10) **Patent No.:** **US 12,415,783 B2**

(45) **Date of Patent:** **Sep. 16, 2025**

(54) **COMPOUND FOR ORGANIC ELECTRIC ELEMENT, ORGANIC ELECTRIC ELEMENT USING SAME, AND ELECTRONIC APPARATUS THEREOF**

(51) **Int. Cl.**
C07D 209/82 (2006.01)
H10K 30/50 (2023.01)
(Continued)

(71) Applicant: **DUK SAN NEOLUX CO., LTD.**,
Cheonan-si (KR)

(52) **U.S. Cl.**
CPC **C07D 209/82** (2013.01); **H10K 85/622**
(2023.02); **H10K 85/624** (2023.02); **H10K**
85/633 (2023.02); **H10K 85/636** (2023.02);
H10K 85/654 (2023.02); **H10K 85/6572**
(2023.02); **H10K 85/6574** (2023.02); **H10K**
85/6576 (2023.02); **H10K 30/50** (2023.02);
H10K 50/11 (2023.02); **H10K 50/15** (2023.02);
H10K 2101/90 (2023.02)

(72) Inventors: **Soung Yun Mun**, Cheonan-si (KR);
Nam Geol Lee, Cheonan-si (KR); **Sun**
Hee Lee, Hwaseong-si (KR); **Min Ji**
Jo, Cheonan-si (KR); **Jung Wook Lee**,
Cheonan-si (KR)

(58) **Field of Classification Search**
CPC . H10K 2101/90; H10K 85/654; H10K 85/636
See application file for complete search history.

(73) Assignee: **DUK SAN NEOLUX CO., LTD.**,
Cheonan-si (KR)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 1042 days.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2013/0341602 A1 12/2013 Hikime et al.
2019/0312215 A1* 10/2019 Kang H10K 85/615

(21) Appl. No.: **17/059,030**

(22) PCT Filed: **May 29, 2019**

FOREIGN PATENT DOCUMENTS

(86) PCT No.: **PCT/KR2019/006416**

JP 2012049518 A * 3/2012
JP 2013-131518 A 7/2013

§ 371 (c)(1),

(2) Date: **Nov. 25, 2020**

(Continued)

(87) PCT Pub. No.: **WO2019/231226**

Primary Examiner — Sean M DeGuire

(74) *Attorney, Agent, or Firm* — Vorys, Sater, Seymour
and Pease LLP; Mih Suhn Koh

PCT Pub. Date: **Dec. 5, 2019**

(65) **Prior Publication Data**

US 2021/0340103 A1 Nov. 4, 2021

(57) **ABSTRACT**


Provided are an organic electronic element comprising a
light emitting layer composed of a mixture of compounds
capable of improving luminous efficiency, stability, and
lifespan of the element, and an electronic device therefor.

(30) **Foreign Application Priority Data**

May 29, 2018 (KR) 10-2018-0061061

18 Claims, 1 Drawing Sheet

100




- (51) **Int. Cl.**
H10K 50/11 (2023.01)
H10K 50/15 (2023.01)
H10K 85/60 (2023.01)
H10K 101/00 (2023.01)

- (56) **References Cited**

FOREIGN PATENT DOCUMENTS

JP	2013-243266	A	12/2013
KR	10-1170666	B1	8/2012
KR	10-2016-0030402	A	3/2016
KR	10-2018-0031874	A	3/2018
WO	2016/015815	A1	2/2016

* cited by examiner



1

COMPOUND FOR ORGANIC ELECTRIC ELEMENT, ORGANIC ELECTRIC ELEMENT USING SAME, AND ELECTRONIC APPARATUS THEREOF

BACKGROUND

Technical Field

The present invention relates to compound for organic electric element, organic electric element using the same, and an electronic device thereof.

Background Art

In general, organic light emitting phenomenon refers to a phenomenon that converts electric energy into light energy by using an organic material. An organic electric element using an organic light emitting phenomenon usually has a structure including an anode, a cathode, and an organic material layer interposed therebetween. Here, in order to increase the efficiency and stability of the organic electric element, the organic material layer is often composed of a multi-layered structure composed of different materials, and for example, may include a hole injection layer, a hole transport layer, an emitting layer, an electron transport layer, an electron injection layer and the like.

A material used as an organic material layer in an organic electric element may be classified into a light emitting material and a charge transport material, such as a hole injection material, a hole transport material, an electron transport material, an electron injection material and the like depending on its function.

Bis-type cyclic compounds including heteroatoms have a very large difference in properties depending on the material structure, and are therefore applied to various layers as materials for organic electric elements. In particular, the band gap (HOMO, LUMO), electrical properties, chemical properties, and physical properties are different depending on the number of rings and the fused position, and the type and arrangement of heteroatoms, therefore application development for layers of various organic electric elements using the same has been progressed. In a phosphorescent organic electric element using a phosphorescent dopant material, the LUMO and HOMO levels of the host material have a great influence on the efficiency and life span of the organic electric element, and depending on whether electron and hole injection in the emission layer can be efficiently controlled, charge balance in the emission layer, dopant quenching, and reduction in efficiency and lifespan due to light emission at the hole transport layer interface can be prevented.

For fluorescent and phosphorescent host materials, recently we have been studying the increase of efficiency and life span of organic electric elements using TADF (thermal activated delayed fluorescent), exciplex, etc., particularly, and many studies have been carried out to identify the energy transfer method from the host material to the dopant material.

Although there are various methods for identifying the energy transfer in the emitting layer for TADF (thermally activated delayed fluorescent) and exciplex, it can be easily confirmed by the PL lifetime (TRTP) measurement method.

The TRTP (Time Resolved Transient PL) measurement method is a method of observing a decay time after irradiating a pulsed light source onto a host thin film, and is a measurement method that can identify the energy transfer

2

method by observing energy transfer and emission delay time. The TRTP measurement is a measurement method capable of distinguishing fluorescence and phosphorescence, and an energy transfer method in a mixed host material, an exciplex energy transfer method, and a TADF energy transfer method.

As such, there are various factors that affect the efficiency and lifespan depending on how energy is transferred from the host material to the dopant material.

Since the energy transfer method is different depending on the material, the development of a stable and efficient host material for an organic electric element has not been sufficiently performed. Therefore, development of new materials is continuously required, and especially development of a host material for an emitting layer is urgently required.

Reference KR101170666 B1 was used as a prior art document.

DETAILED DESCRIPTION OF THE INVENTION

Summary


The present invention has been proposed in order to solve the problems of the phosphorescent host material, and an object of the present invention is, by controlling the HOMO level of a host material of a phosphorescent emitting organic electric element including a phosphorescent dopant, to provide a compound capable of controlling charge balance and of improving efficiency and lifespan in an emitting layer, and an organic electric element using the same and an electronic device thereof.

Technical Solution

In order to control the efficient hole injection in the emitting layer of the phosphorescent emitting organic electric element, by containing a second host material in combination with a first host material as a main component, the energy barrier between the emitting layer and the adjacent layer can be reduced, and the charge balance in the emitting layer is maximized to provide high efficiency and high lifespan of the organic electric element.


The present invention provides an organic electronic element comprising a first electrode, a second electrode, and an organic material layer formed between the first electrode and the second electrode, wherein the organic material layer comprises an emitting layer, wherein the emitting layer is a phosphorescent emitting layer and comprises a first host compound represented by Formula 1 and a second host compound represented by Formula 2.

Formula 1



3

-continued



Formula 2

The present invention also provides organic electric elements and electronic devices using the compounds represented by the Formulas.

Effects of the Invention

By using the mixture according to the present invention as a phosphorescent host material, it is possible to achieve a high luminous efficiency and a low driving voltage of an organic electric element, and the life span of the device can be greatly improved.

BRIEF DESCRIPTION OF THE DRAWINGS

The FIGURE is an illustration of an organic electroluminescent device according to the present invention.

100: organic electric element,	110: substrate
120: the first electrode(anode),	130: the hole injection layer
140: the hole transport layer,	141: a buffer layer
150: the emitting layer,	151: the emitting auxiliary layer
160: the electron transport layer,	170: the electron injection layer
180: the second electrode(cathode)	

DETAILED DESCRIPTION

Hereinafter, some embodiments of the present invention will be described in detail. Further, in the following description of the present invention, a detailed description of known functions and configurations incorporated herein will be omitted when it may make the subject matter of the present invention rather unclear.

In addition, terms, such as first, second, A, B, (a), (b) or the like may be used herein when describing components of the present invention. Each of these terminologies is not used to define an essence, order or sequence of a corresponding component but used merely to distinguish the corresponding component from other component(s). It should be noted that if a component is described as being "connected", "coupled", or "connected" to another component, the component may be directly connected or connected to the other component, but another component may be "connected", "coupled" or "connected" between each component.

As used in the specification and the accompanying claims, unless otherwise stated, the following is the meaning of the term as follows.

Unless otherwise stated, the term "halo" or "halogen", as used herein, includes fluorine, bromine, chlorine, or iodine.

4

Unless otherwise stated, the term "alkyl" or "alkyl group", as used herein, has a single bond of 1 to 60 carbon atoms, and means saturated aliphatic functional radicals including a linear alkyl group, a branched chain alkyl group, a cycloalkyl group (alicyclic), an cycloalkyl group substituted with a alkyl or an alkyl group substituted with a cycloalkyl.

Unless otherwise stated, the term "haloalkyl" or "halogen alkyl", as used herein, includes an alkyl group substituted with a halogen.

Unless otherwise stated, the term "heteroalkyl", as used herein, means alkyl substituted one or more of carbon atoms consisting of an alkyl with hetero atom.

Unless otherwise stated, the term "alkenyl" or "alkynyl", as used herein, has double or triple bonds of 2 to 60 carbon atoms, but is not limited thereto, and includes a linear or a branched chain group.

Unless otherwise stated, the term "cycloalkyl", as used herein, means alkyl forming a ring having 3 to 60 carbon atoms, but is not limited thereto.

Unless otherwise stated, the term "alkoxy group", "alkoxy group" or "alkyloxy group", as used herein, means an oxygen radical attached to an alkyl group, but is not limited thereto, and has 1 to 60 carbon atoms.

Unless otherwise stated, the term "alkenoxyl group", "alkenoxyl group", "alkenyl group" or "alkenyl group", as used herein, means an oxygen radical attached to an alkenyl group, but is not limited thereto, and has 2 to 60 carbon atoms.

Unless otherwise stated, the term "aryloxy group" or "aryloxy group", as used herein, means an oxygen radical attached to an aryl group, but is not limited thereto, and has 6 to 60 carbon atoms.

Unless otherwise stated, the term "aryl group" or "arylene group", as used herein, has 6 to 60 carbon atoms, but is not limited thereto. Herein, the aryl group or arylene group means a monocyclic and polycyclic aromatic group, and may also be formed in conjunction with an adjacent group. Examples of "aryl group" may include a phenyl group, a biphenyl group, a fluorene group, or a spirofluorene group.

The prefix "aryl" or "ar" means a radical substituted with an aryl group. For example, an arylalkyl may be an alkyl substituted with an aryl, and an arylalanyl may be an alkenyl substituted with aryl, and a radical substituted with an aryl has a number of carbon atoms as defined herein.

Also, when prefixes are named subsequently, it means that substituents are listed in the order described first. For example, an arylalkoxy means an alkoxy substituted with an aryl, an alkoxycarbonyl means a carbonyl substituted with an alkoxy, and an arylcarbonylalkenyl also means an alkenyl substituted with an arylcarbonyl, wherein the arylcarbonyl may be a carbonyl substituted with an aryl.


Unless otherwise stated, the term "heteroalkyl", as used herein, means alkyl containing one or more of hetero atoms. Unless otherwise stated, the term "heteroaryl group" or "heteroarylene group", as used herein, means a C2 to C60 aryl containing one or more of hetero atoms or arylene group, but is not limited thereto, and includes at least one of monocyclic and polycyclic rings, and may also be formed in conjunction with an adjacent group.

Unless otherwise stated, the term "heterocyclic group", as used herein, contains one or more heteroatoms, but is not limited thereto, has 2 to 60 carbon atoms, includes any one of monocyclic and polycyclic rings, and may include heteroaliphatic ring and/or heteroaromatic ring. Also, the heterocyclic group may also be formed in conjunction with an adjacent group.

5

Unless otherwise stated, the term “heteroatom”, as used herein, represents at least one of N, O, S, P, or Si.

Also, the term “heterocyclic group” may include a ring containing SO₂ instead of carbon consisting of cycle. For example, “heterocyclic group” includes compound below.



Unless otherwise stated, the term “aliphatic”, as used herein, means an aliphatic hydrocarbon having 1 to 60 carbon atoms, and the term “aliphatic ring”, as used herein, means an aliphatic hydrocarbon ring having 3 to 60 carbon atoms.

Unless otherwise stated, the term “ring”, as used herein, means an aliphatic ring having 3 to 60 carbon atoms, or an aromatic ring having 6 to 60 carbon atoms, or a hetero ring having 2 to 60 carbon atoms, or a fused ring formed by the combination of them, and includes a saturated or unsaturated ring.


Other hetero compounds or hetero radicals other than the above-mentioned hetero compounds include, but are not limited thereto, one or more heteroatoms.

Unless otherwise stated, the term “carbonyl”, as used herein, is represented by —COR', wherein R' may be hydrogen, an alkyl having 1 to 20 carbon atoms, an aryl having 6 to 30 carbon atoms, a cycloalkyl having 3 to 30 carbon atoms, an alkenyl having 2 to 20 carbon atoms, an alkynyl having 2 to 20 carbon atoms, or the combination of these.

Unless otherwise stated, the term “ether”, as used herein, is represented by —R—O—R', wherein R or R' may be independently hydrogen, an alkyl having 1 to 20 carbon atoms, an aryl having 6 to 30 carbon atoms, a cycloalkyl having 3 to 30 carbon atoms, an alkenyl having 2 to 20 carbon atoms, an alkynyl having 2 to 20 carbon atoms, or the combination of these.

Unless otherwise stated, the term “substituted or unsubstituted”, as used herein, means that substitution is substituted by at least one substituent selected from the group consisting of, but is not limited thereto, deuterium, halogen, an amino group, a nitrile group, a nitro group, a C₁-C₂₀ alkyl group, a C₁-C₂₀ alkoxy group, a C₁-C₂₀ alkylamine group, a C₁-C₂₀ alkylthiopen group, a C₆-C₂₀ arylthiopen group, a C₂-C₂₀ alkenyl group, a C₂-C₂₀ alkynyl group, a C₃-C₂₀ cycloalkyl group, a C₆-C₂₀ aryl group, a C₆-C₂₀ aryl group substituted by deuterium, a C₈-C₂₀ arylalkenyl group, a silane group, a boron group, a germanium group, and a C₂-C₂₀ heterocyclic group.


Unless otherwise expressly stated, the Formula used in the present invention, as used herein, is applied in the same manner as the substituent definition according to the definition of the exponent of the following Formula.




6

Here, when a is an integer of 0, it means that the substituent R¹ is absent, that is, when a is 0, it means that all hydrogens are bonded to carbons forming the benzene ring, and in this case, the display of hydrogen bonded to carbon may be omitted and the chemical formula or compound may be described.

When a is an integer of 1, one substituent R¹ is bonded to any one of carbons forming a benzene ring, and when a is an integer of 2 or 3, they are respectively combined as follows, in which R¹ may be the same as or different from each other, and when a is an integer of 4 to 6, and it is bonded to the carbon of the benzene ring in a similar manner, whereas the indication of hydrogen bonded to the carbon forming the benzene ring is omitted.



(a=2)




(a=3)


Hereinafter, a compound according to an aspect of the present invention and an organic electric element comprising the same will be described.

The present invention provides an organic electronic element comprising a first electrode, a second electrode, and an organic material layer formed between the first electrode and the second electrode, wherein the organic material layer comprises an emitting layer, wherein the emitting layer comprises a first host compound represented by Formula 1 and a second host compound represented by Formula 2 as the phosphorescent emitting layer.

Formula 1



Formula 2



7

{In Formula 1 and Formula 2,

1) A and B rings are each independently C₆-C₂₀ aryl or C₂-C₂₀ heterocycle; and,

2) X¹ is S or O,

3) X² is N-L⁷-Ar⁹, O, S or CR^aR^a,

R^a and R^a are each independently hydrogen; a C₆-C₆₀ aryl group; a fluorenyl group; a C₃-C₆₀ heterocyclic group; a C₁-C₅₀ alkyl group; and -L¹-N(R^a)(R^b), R^a and R^a may be bonded to each other to form a spiro,

4) p and q are each independently an integer of 0~10, r is an integer of 0~3, s is an integer of 0~4,

5) R¹, R², R³ and R⁴ are each independently selected from a group consisting of hydrogen; a C₆-C₆₀ aryl group; a fluorenyl group; a C₂-C₆₀ heterocyclic group including at least one hetero atom of O, N, S, Si or P; a fused ring group of a C₃-C₆₀ aliphatic ring and a C₆-C₆₀ aromatic ring; a C₁-C₅₀ alkyl group; a C₂-C₂₀ alkenyl group; a C₂-C₂₀ alkynyl group; a C₁-C₃₀ alkoxyl group; a C₆-C₃₀ aryloxy group; and -L¹-N(R^a)(R^b), and

R^a and R^b are each independently selected from a group consisting of a C₆-C₆₀ aryl group; a fluorenyl group; a fused ring group of a C₃-C₆₀ aliphatic ring and a C₆-C₆₀ aromatic ring; a C₂-C₆₀ heterocyclic group including at least one hetero atom of O, N, S, Si or P;

6) wherein, L¹ is selected from the group consisting of a single bond; a C₆-C₆₀ arylene group; a fluorenylene group; a fused ring group of a C₃-C₆₀ aliphatic ring and a C₆-C₆₀ aromatic ring; and a C₂-C₆₀ heterocyclic,


7) Ar¹, Ar², Ar³, Ar⁴, Ar⁵, Ar⁶, Ar⁷, Ar⁸ and Ar⁹ are each independently selected from the group consisting of a C₆-C₆₀ aryl group; a C₂-C₆₀ heterocyclic group including at least one hetero atom of O, N, S, Si or P; a fluorenyl group; a fused ring group of a C₃-C₆₀ aliphatic ring and a C₆-C₆₀ aromatic ring; a C₁-C₅₀ alkyl group; a C₂-C₂₀ alkenyl group; a C₂-C₂₀ alkynyl group; a C₁-C₃₀ alkoxyl group; C₆-C₃₀ arylthio group; a C₆-C₃₀ aryloxy group; and Ar¹ and Ar², Ar³ and Ar⁴, and Ar⁵ and Ar⁶ may be bonded to each other to form a ring,

8) L¹, L², L³, L⁴, L⁵, L⁵, L⁶ and L⁷ are independently selected from the group consisting of a single bond; a C₆-C₆₀ arylene group; a fluorenylene group; or a C₂-C₆₀ heteroarylene group containing at least one hetero atom of O, N, S, Si or P; a fused ring group of a C₃-C₆₀ aliphatic ring and a C₆-C₆₀ aromatic ring; and an aliphatic hydrocarbon group;


9) wherein, the aryl group, fluorenyl group, arylene group, heterocyclic group, fluorenylene group, fused ring group, alkyl group, alkenyl group, alkoxy group and aryloxy group may be substituted with one or more substituents selected from the group consisting of deuterium; halogen; a silane group; siloxane group; boron group; germanium group; cyano group; nitro group; a C₁-C₂₀ alkylthio group; C₁-C₂₀ alkoxyl group; C₁-C₂₀ alkyl group; C₂-C₂₀ alkenyl group; C₂-C₂₀ alkynyl group; C₆-C₂₀ aryl group; C₆-C₂₀ aryl group substituted with deuterium; a fluorenyl group; C₂-C₂₀ heterocyclic group; C₃-C₂₀ cycloalkyl group; C₇-C₂₀ arylalkyl group and C₈-C₂₀ arylalkenyl group, wherein the substituents may be bonded to each other to form a saturated or unsaturated ring, wherein the term 'ring' means a C₃-C₆₀ aliphatic ring or a C₆-C₆₀ aromatic ring or a C₂-C₆₀ heterocyclic group or a fused ring formed by the combination thereof.}

8


Also, the present invention provides an organic electric element including a compound wherein A or B in Formula 1 is each independently selected from the group consisting of Formulas a-1 to a-7.




a-1




a-2




a-3




a-4



a-5



a-6



a-7

{In Formulas a-1 to a-7,

Z¹ to Z⁴⁸ are each independently CR^c or N,


Z¹ to Z⁴⁸ bonded to L¹ to L⁷ are carbon (C),

R^c is the same as the definition of R^a,

* indicates the position to be condensed.}

Also, the present invention provides an organic electric element including a compound wherein L¹ to L⁷ in Formula 1 or Formula 2 are represented by any one of the following Formulas b-1 to b-13.

9



10

-continued

b-1

5

10

b-2

15

20

25

b-3

30

35

40

b-4


45

50

b-5

60

65



b-6

b-7

b-8



b-9

b-10

b-11

11

-continued




{In Formulas b-1 to b-13,
Y is N-L⁸-Ar¹⁰, O, S or CR'R'',
L⁸ is as the definition of L¹,
Ar¹⁰ is as the definition of Ar¹,
R' and R'' are the same as defined above,
a, c, d and e are each independently an integer of 0 to 4,
and b is an integer of 0 to 6,
f and g are each independently an integer of 0 to 3, h is
an integer of 0 to 2, i is an integer of 0 or 1,
R⁵, R⁶ and R⁷ are each independently hydrogen; deuterium;
tritium; halogen; cyano group; nitro group;
C₆-C₆₀ aryl group; a fluorenyl group; a C₂-C₆₀ hetero-
cyclic group including at least one heteroatom of O, N,
S, Si or P; a fused ring group of a C₃-C₆₀ aliphatic ring
and a C₆-C₆₀ aromatic ring; a C₁-C₅₀ alkyl group; a
C₂-C₂₀ alkenyl group; a C₂-C₂₀ alkynyl group; a
C₁-C₃₀ alkoxy group; a C₆-C₃₀ aryloxy group; and
-L^a-N(R^d)(R^e); or in case a, b, c, d, e, f and g are 2 or
more, and h is 2 or more, R⁵, R⁶ and R⁷ are in plural
being the same as or different, and a plurality of R⁵ or
a plurality of R⁶ or a plurality of R⁷ or adjacent R⁵ and
R⁶, or adjacent R⁶ and R⁷ may be bonded to each other
to form an aromatic or a heteroaromatic ring, where, L^a
is selected from the group consisting of a single bond;
a C₆-C₆₀ arylene group; a fluorenylene group; a C₂-C₆₀
heterocyclic group containing at least one hetero atom
of O, N, S, Si, or P; a fused ring group of a C₃-C₆₀
aliphatic ring and a C₆-C₆₀ aromatic ring; and C₃-C₆₀
aliphatic hydrocarbon group;
R^d and R^e are each independently selected from the group
consisting of a C₆-C₆₀ aryl group; a fluorenyl group; a
C₂-C₆₀ heterocyclic group containing at least one hetero
atom of O, N, S, Si, or P; a fused ring group of a
C₃-C₆₀ aliphatic ring and a C₆-C₆₀ aromatic ring, Z⁴⁹,
Z⁵⁰, and Z⁵¹ are each independently CR^g or N, at least
one of Z⁴⁹, Z⁵⁰, and Z⁵¹ is N,
R^g is selected from the group consisting of hydrogen;
deuterium; tritium; halogen; cyano group; nitro group;
C₆-C₆₀ aryl group; a fluorenyl group; a C₂-C₆₀ hetero-
cyclic group including at least one heteroatom of O, N,
S, Si or P; a fused ring group of a C₃-C₆₀ aliphatic ring
and a C₆-C₆₀ aromatic ring; a C₁-C₅₀ alkyl group; a
C₂-C₂₀ alkenyl group; a C₂-C₂₀ alkynyl group; a
C₁-C₃₀ alkoxy group; a C₆-C₃₀ aryloxy group; and
adjacent R⁵ and R^g may be bonded to each other to form
an aromatic or a heteroaromatic ring.}

12

As another example, the present invention provides an
organic electric element including a compound in which at
least one of Ar¹ to Ar⁶ is represented by Formula 1-2.

Formula 1-2



{In Formula 1-2,

C and D are the same as the definition of A,

X³ is N-L¹⁰-Ar¹¹, O, S or CR'R'',


L⁹ and L¹⁰ are the same as the definition of L¹,

Ar¹¹ is as the definition of Ar¹,


R' and R'' are the same as defined above.}

The first host compound represented by Formula 1
includes a compound represented by Formula 3 or Formula
4 below.

Formula 3



Formula 4




{In Formula 3 or Formula 4,

Ar¹, Ar², Ar³, Ar⁴, Ar⁵, Ar⁶, L¹, L², L³, R¹, R² are the
same as defined above, p' is an integer from 0 to 3, and
q' is an integer from 0 to 2.}


More specifically, the present invention provides an
organic electric element wherein the first host compound
represented by Formula 1 includes compounds represented
by Formulas 5 to 11.

Formula 5




13


-continued




Formula 6




Formula 7




Formula 8



Formula 9



Formula 10




Formula 11

14


{In Formulas 5 to 11,

$L^1, L^2, L^3, Ar^1, Ar^2, Ar^3, Ar^4, Ar^5, Ar^6, R^1, R^2, X^1$ are the same as defined above, p' is an integer from 0 to 3, and q' is an integer from 0 to 2, o is an integer from 0 to 4.}


In the present invention, the first host compound represented by Formula 1 includes compounds represented by the following Formulas 12 to 21.




Formula 12




Formula 13



Formula 14








Formula 15



Formula 16

15

-continued



{In Formulas 12 to 21,

Ar¹, Ar², Ar³, Ar⁴, Ar⁵, Ar⁶, L¹, L², L³, R¹, R², p, q, X¹,
 A and B are the same as defined above, p' is an integer
 from 0 to 3, and q' is an integer from 0 to 2.}

The compound represented by Formula 1 of the present
 invention includes Compound 1-1 to Compound 1-146
 below.

16

Formula 17

1-1

5

10

Formula 18

15

20

Formula 19

25

30

35

Formula 20

40




45

Formula 21

50


55

60



17


-continued




1-4

18


-continued




1-7




1-5




1-8



1-6




1-9



1-10

19


-continued




1-11

20

-continued




1-14



1-15

1-12




30

35


1-16

40

45



1-13




55

60

65




1-17



21

-continued


1-18

**22**

-continued

1-21

5



10

15

20

1-19

25

30

35

40

1-20


45

50


55

60


65



1-22



1-23




1-24


23

-continued


1-25




1-26



1-27



1-28

**24**

-continued

1-29

5

10

15

20

25

30

35

40


45

50


55

60


65



1-30




1-31








25

-continued

**26**


-continued



27


-continued

1-38


**28**

-continued


1-42




1-39 20




1-43




1-40 35



1-44




1-41



29

-continued



1-45

5

10

15

20

1-46

25

30

35

1-47

50


55

60

65


30

-continued




1-48


1-49



1-50




1-51



31

-continued

1-52




5

10

15

20

1-53 25




30

35

40

45

1-54 50



55


60

65


32

-continued


1-55




1-56



1-57




1-58



33

-continued



1-59

5


10

15

20

34

-continued



1-62

25

1-60


30

35

40

45

1-63



50



1-61

55

60





65

1-64



35

-continued

**36**

-continued

1-65

5

10

15

1-66

20

25

30

1-67

35

40

45

1-68


50

55


60

65


1-69



1-70




1-71



37

-continued



1-72

5


10

15

20

38

-continued



1-75

25


1-73

30

35

40

45



1-76


1-74

50


55

60

65




1-77



39


-continued



1-78

40

-continued



1-81


5

10

15

20

1-79



25


30

35

40


45

1-82



50

1-80




55

60

65


1-83



41

-continued

1-84



5

10

15

20

25

30

1-85

35

40

45



50

1-86

55


60

65

**42**

-continued

1-87



5

10

15

20

25

30

1-88

35

40

45



50

1-89

55


60

65



43

-continued



1-91

5


10

15

20

25

1-92



30


35

40

45

50

1-93




55

60

65

44

-continued



1-94

5


10

15

20

25

1-95



30


35

40

45

50

1-96




55

60

65

45

-continued



1-97

46

-continued

5

10

15

20

25

30

35

40

45

50

55

60

65

70

75

80

85

90

95

100

105

110

115

120

125

130

135

140

145

150

155

160

165

1-100

1-101

1-102

1-103

1-104

1-105

1-106

1-107

1-108

1-109

1-110

1-111

1-112

1-113

1-114

1-115

1-116

1-117

1-118

1-119

1-120

1-121

1-122

1-123

1-124

1-125

1-126

1-127







1-128

1-129

1-130


1-131

1-132



47

-continued



1-104

48

-continued

5

10

15

20

25

1-105

1-107

25

30

35

40

45

50

1-106





1-108

1-109

55




60

65



49

-continued

**50**

-continued

1-110

5

10

15

20

1-111

25

30

35

1-112

50

55

60





65

1-113

1-114


1-115

1-116



51

-continued



1-117


5

10

15

1-118

20



25

30

1-119


35

40

45

50

1-120




55

60

65


52

-continued




1-121

1-122




1-123



53

-continued



1-124

5

10


15

20

25

54

-continued



1-127


1-125

30

35

40

45




1-128

1-126 50


55

60

65




1-129



55

-continued



1-130

5

10

15

1-131

20

25

1-132

35

40

45




1-133

50


55

60


65

**56**


-continued



1-134



1-135




1-136

57


-continued

1-137

**58**


-continued

1-140




1-141


1-138



1-139



1-142




1-143

59

-continued

1-144



5


10

15

20

1-145

25




30

35

40

1-146

45



50

55


60

65


Also, The second host compound represented by Formula 2 is represented by any one of Formulas 22 to 25 below.

60


Formulas 22




Formulas 23



Formulas 24



Formulas 25




{In Formulas 22 to 25,

X², L⁴, L⁵, L⁶, Ar⁷, Ar⁸, R³, R⁴, r and s are the same as defined above.}





61

Specifically, in the present invention, the second host compound represented by Formula 2 includes a compound represented by Formula 26 below.




{In Formula 26,
 X^2 , L^4 , L^5 , L^6 , Ar^7 , R^3 , R^4 , r and s are the same as defined
 above,
 X^4 is the same as the definition of X^2 ,
 R^8 and R^9 are the same as the definition of R^3 and R^4 ,
 u is the same as the definition of r , and t is the same as the
 definition of s .}

Also, in the present invention, the second host compound
 represented by Formula 2 includes a compound represented
 by Formulas 27 to 30 below.




{In Formulas 27 to 30,
 X^2 , L^4 , L^5 , L^6 , Ar^7 , R^3 , R^4 , r and s are the same as defined
 above,
 X^4 , R^8 and R^9 are the same as defined above.}


In the present invention, the second host compound
 represented by Formula 2 includes the following com-
 pounds.

63


1'-1

64


1'-2




1'-3




1'-4



1'-5




1'-6

65


-continued

1'-7


66

1'-8


1'-9




1'-10




1'-11




1'-12



67


-continued

1'-13


68

1'-14


1'-15




1'-16




1'-17



1'-18




69



-continued


1'-19

70




1'-20

1'-21




1'-22




71

-continued
1'-23




72


1'-24




1'-25



1'-26




73




-continued
1'-27

74




1'-28


1'-29



1'-30




75




-continued
1'-31

76




1'-32

1'-33




1'-34




77

-continued


1'-35



1'-37




1'-39




78


1'-36



1'-38



1'-40





79

80



-continued
1'-41

1'-42





1'-43

1'-44




1'-45

1'-46




81




-continued
1'-47

82




1'-48


1'-49




1'-50



83


-continued
1'-51

84




1'-52


1'-53




1'-54




1'-55




1'-56




85-continued
1'-57**86**


1'-58




1'-59




1'-60




1'-61




1'-62




87

-continued
1'-63


88

1'-64


1'-65



1'-66




89



-continued


1'-67

90




1'-68

1'-69




1'-70




91

-continued
1'-71




92


1'-72




1'-73



1'-74




93




-continued
1'-75

94




1'-76


1'-77



1'-78




95




-continued
1'-79

96




1'-80

1'-81



1'-82




99

100


-continued

2-4





2-5

2-6




2-7

2-8




101

-continued
2-9




102


2-10




2-11




2-12



103


-continued
2-13

104




2-14


2-15




2-16




2-17



2-18




105


-continued
2-19

106


2-20




2-21




2-22




2-23



2-24




107


-continued
2-25

108


2-26




2-27




2-28



2-29




109


-continued
2-30

110


2-31




2-32




2-33



2-34



2-35




111


112

-continued


2-36





2-37




2-38



2-39



2-40




2-41

115


116

-continued


2-42



2-43



2-44





117


118

-continued
2-45

2-46





2-47




2-48

2-49




119

-continued
2-50



120

2-51





2-52

2-53



2-54

2-55




121


122

-continued


2-56



2-57



2-58




123

124



-continued

2-59





2-60

3-1



3-2

3-3






125

126

-continued


3-4

3-5





3-6

3-7




3-8


3-9



127


-continued
3-10

128




3-11


3-12




3-13



3-14



3-15




129

130



-continued

3-16





3-17

3-18









3-19


3-20




3-22



133


-continued
3-27

134




3-28


3-29



3-30




3-31




135

-continued
3-32




136


3-33



3-34





3-35




3-36

P-1




137

-continued
P-2



138

P-3





P-4

P-5



P-6

P-7





139

140



-continued
P-8

P-9





P-10


P-11




P-12

P-13




141-continued
P-14**142**


P-15




P-16




P-17




P-18



P-19




143


-continued
P-20

144


P-21




P-22




P-23




P-24



P-25




145


-continued
P-26

146


P-27




P-28




P-29




P-30



P-31




147




-continued
P-32

148




P-33


P-34




P-35



P-36



P-37





149

150



-continued
P-38

P-39





P-40

P-41



P-42

P-43





151

152



-continued
P-44

P-45





P-46

P-47




P-48


P-49




153

-continued
P-50


154




P-51




P-52



P-53




P-54




P-55

155


-continued
P-56

156


P-57




P-58




P-59



157


-continued
P-60

158




P-61


P-62




P-63




P-64




P-65




159

-continued
P-66

P-68




P-70




160


P-67




P-69




P-71




161

-continued
P-72

P-74




P-76




162


P-73



P-75




P-77




163

-continued
P-78




164


P-79




P-80



P-81




165


-continued
P-82

166


P-83




P-84



P-85




167




-continued
P-86


168



P-87




P-88




P-89

169




-continued
P-90

170




P-91


P-92



P-93




171




-continued
P-94

172




P-95



P-96





P-97




P-99



P-101




175




-continued
P-102

176




P-103


P-104




P-105



P-106



P-107




177


178

-continued


P-108




P-109




P-110




P-111




P-112



P-113




179


-continued
P-114

180


P-115




P-116




P-117




P-118



P-119




181




-continued
P-120

182




4-1


4-2




4-3



183


-continued
4-4

184




4-5


4-6




4-7



185


-continued
4-8

186




4-9


4-10




4-11



187


-continued
4-12

188




5-1


5-2




5-3



5-4



5-5





189

190

-continued



5-6

5-7





5-8

5-9





5-10

5-11



5-12

5-13





191

192



-continued
5-14

5-15





5-16

5-17





5-18

5-19



5-20

6-1





193

194



-continued
6-2

6-3





6-4

6-5




6-6

6-7




195


-continued
6-8

196


6-9




6-10




6-11




6-12




6-13




197

-continued
6-14

198



6-15



6-16

Referring to the FIGURE, the organic electric element (100) according to the present invention includes a first electrode(120) formed on a substrate(110), a second electrode(180), and an organic material layer including the compound represented by Formula 1 between the first electrode(120) and the second electrode(180). Here, the first electrode(120) may be an anode (positive electrode), and the second electrode(180) may be a cathode (negative electrode). In the case of an inverted organic electric element, the first electrode may be a cathode, and the second electrode may be an anode.

The organic material layer may include a hole injection layer(130), a hole transport layer(140), an emitting layer (150), an emitting-auxiliary layer(151), an electron transport layer(160), and an electron injection layer(170) formed in sequence on the first electrode(120). Here, the remaining layers except the emitting layer(150) may not be formed. The organic material layer may further include a hole blocking layer, an electron blocking layer, an emitting-

auxiliary layer(151), an electron transport auxiliary layer, a buffer layer(141), etc., and the electron transport layer(160) and the like may serve as a hole blocking layer.

Although not shown, the organic electric element according to the present invention may further include a protective layer formed on at least one side of the first and second electrodes, which is a side opposite to the organic material layer.

Otherwise, even if the same core is used, the band gap, the electrical characteristics, the interface characteristics, and the like may vary depending on which substituent is bonded at which position, therefore the choice of core and the combination of sub-substituents associated therewith is also very important, and in particular, when the optimal combination of energy levels and T1 values and unique properties of materials (mobility, interfacial characteristics, etc.) of each organic material layer is achieved, a long lifespan and high efficiency can be achieved at the same time.

The organic electroluminescent device according to an embodiment of the present invention may be manufactured using a PVD (physical vapor deposition) method. For example, an anode is formed by depositing a metal or a conductive metal oxide or an alloy thereof on a substrate, and after forming an organic material layer including the hole injection layer(130), the hole transport layer(140), the emitting layer(150), the electron transport layer(160) and the electron injection layer(170) thereon, the organic electroluminescent device according to an embodiment of the present invention can be manufactured by depositing a material that can be used as a cathode thereon.

In addition, an emission auxiliary layer(151) may be further formed between the hole transport layer(140) and the emitting layer(150), and an electron transport auxiliary layer may be further formed between the emitting layer(150) and the electron transport layer (160).

Accordingly, the present invention includes at least one hole transport layer between the first electrode and the emitting layer, wherein the hole transport layer includes a hole transport layer, an emitting auxiliary layer, or both, and wherein the hole transport layer includes the compound represented by Formula 1.

Also, the compounds represented by Formula 1 and by Formula 2 are mixed in a ratio of any one of 1:9 to 9:1 to be included in the emitting layer, preferably mixed in a ratio of 1:9 to 5:5, more preferably in a ratio of 2:8 or 3:7 to be included in the emitting layer.

The present invention may further include a light efficiency enhancing layer formed on at least one of the opposite side to the organic material layer among one side of the first electrode, or one of the opposite side to the organic material layer among one side of the second electrode.

Also, the organic material layer is formed by one of a spin coating process, a nozzle printing process, an inkjet printing process, a slot coating process, a dip coating process or a roll-to-roll process, and since the organic material layer according to the present invention can be formed by various methods, the scope of the present invention is not limited by the method of forming the organic material layer.

The organic electric element according to an embodiment of the present invention may be a front emission type, a back emission type, or a both-sided emission type, depending on the material used.

WOLED (White Organic Light Emitting Device) is easy to realize high resolution and excellent processability, while there is an advantage that can be manufactured using the existing LCD color filter technology. Various structures for a white organic light emitting device mainly used as a backlight device have been proposed and patented. Typically, R(Red), G(Green), B(Blue) light emitting parts are arranged in a side-by-side manner, and R, G, B light emitting layers are stacked up and down, and blue (B) electroluminescence by organic emitting layer and, there is a color conversion material (CCM) method using photo-luminescence of an inorganic phosphor using light from this, and the present invention may be applied to such WOLED.

The present invention also provides an electronic device comprising a display device including the organic electric element; and a control unit for driving the display device.

According to another aspect, the present invention provides an electronic device wherein the organic electric element is at least one of an OLED, an organic solar cell, an organic photo conductor, an organic transistor and an element for monochromatic or white illumination. At this time, the electronic device may be a current or future wired/


wireless communication terminal, and covers all kinds of electronic devices including a mobile communication terminal such as a cellular phone, a personal digital assistant (PDA), an electronic dictionary, a point-to-multipoint (PMP), a remote controller, a navigation unit, a game player, various kinds of TVs, and various kinds of computers.

Hereinafter, Synthesis Examples of the compound represented by Formula 1 and Formula 2 according to the present invention and preparation examples of the organic electric element of the present invention will be described in detail by way of example, but are not limited to the following examples of the invention.

Synthesis Example 1


Synthesis of Formula 1

The compound represented by Formula 1 according to the present invention (final product 1) is synthesized by reacting Sub 1 and Sub 2 as shown in Scheme 1 below, but is not limited thereto.




201

-continued



Also, Sub 1-I of Reaction Scheme 2 may be synthesized by Reaction Scheme 3 below, but is not limited thereto.

<Reaction Scheme 3>




205

Synthesis examples of specific compounds belonging to Sub 1 are as follows.

1. Synthesis Example of Sub 1-1

(1) Synthesis of Sub 1-I-1



[1] Synthesis of Sub 1-I-c-1

To (4-Bromo-2-(methylthio)phenyl)boronic acid (20 g, 246.91 mmol), 3-bromo-5-iodophenol (24.2 g, 81.0 mmol), Pd(PPh₃)₄ (2.81 g, 2.43 mmol), NaOH (6.48 g, 162 mmol), THF (200 mL), H₂O (100 mL) were added and refluxed at 90° C. for 12 hours. When the reaction was completed, the temperature of the reaction product was cooled to room

206

temperature, and extracted with CH₂Cl₂ and water, and the organic layer was dried over MgSO₄ and concentrated, and the resulting compound was recrystallized with a silicagel column to obtain the product. (25.5 g, Yield: 84%)

[2] Synthesis of Sub 1-I-d-1

Add acetic acid (250 mL) to Sub 1-I-c-1 (25.5 g, 68.1 mmol), add 35% Hydrogen peroxide (H₂O₂) (6.94 g), and stir at room temperature. When the reaction was completed, it was neutralized with an aqueous NaOH solution, followed by extraction with ethylacetate (EA) and water. The organic layer was dried over MgSO₄ and concentrated, and the resulting compound was recrystallized with a silicagel column to obtain the product. (21.9 g, Yield: 82%)


[3] Synthesis of Sub 1-I-e-1

Sulfuric acid (H₂SO₄) (11 mL) was added to Sub 1-I-d-1 (21.9 g, 56.0 mmol) and stirred at room temperature. When the reaction was completed, it was neutralized with an aqueous NaOH solution, and extracted with CH₂Cl₂ and water. The organic layer was dried over MgSO₄ and concentrated, and the resulting compound was recrystallized with a silicagel column to obtain the product. (16.8 g, Yield: 84%)

[4] Synthesis of Sub 1-I-1


Sub 1-I-e-1 (16.8 g, 46.8 mmol) was added to an excess of trifluoromethane-sulfonic acid, stirred at room temperature for 24 hours, then water and pyridine (8:1) were slowly added and refluxed for 30 minutes. The temperature was lowered and extracted with CH₂Cl₂ and water. The organic layer was dried over MgSO₄ and concentrated, and the resulting compound was recrystallized with a silicagel column to obtain the product. (15.7 g, Yield: 68%)

(2) Synthesis of Sub 1-1



207

-continued




[1] Synthesis of Sub 1-1

After dissolving Sub1-I-1 (15.7 g, 32.0 mmol) with Toluene (210 mL), diphenylamine (10.8 g, 64.1 mmol), Pd₂(dba)₃ (1.76 g, 1.92 mmol), P(t-Bu)₃ (26.0 g, 64.0 mmol), NaOt-Bu (12.3 g, 128 mmol) were added and stirred at 90° C. When the reaction was completed, the temperature of the reaction product was cooled to room temperature, and extracted with CH₂Cl₂ and water, and the organic layer was dried over MgSO₄ and concentrated, and the resulting compound was recrystallized with a silicagel column to obtain Sub 1-1. (13.7 g, Yield: 64%)


208

-continued



[1] Synthesis of Sub 1-I-h-3

2. Synthesis Example of Sub 1-3



(4-bromo-2-hydroxyphenyl)boronic acid (20 g, 92.2 mmol) on 3-bromo-5-iodophenol (27.6 g, 92.2 mmol), Pd(PPh₃)₄ (3.20 g, 2.77 mmol), NaOH (7.38 g, 184.5 mmol), THF (200 mL), H₂O (100 mL) were added and refluxed at 90° C. for 12 hours. When the reaction was completed, the temperature of the reaction product was cooled to room temperature, and extracted with CH₂Cl₂ and water, and the organic layer was dried over MgSO₄ and concentrated, and the resulting compound was recrystallized with a silicagel column to obtain the product. (24.0 g, Yield: 76%)

[2] Synthesis of Sub 1-I-i-3

Sub1-I-h-3 (24.0 g, 69.8 mmol) on Pd(OAc)₂ (0.78 g, 3.49 mmol), 3-nitropyridine (0.43 g, 3.49 mmol), BzOObt-Bu (tert-butyl peroxybenzoate) (27.1 g, 139.5 mmol), C₆F₆ (hexafluorobenzene) (160 mL), DMI (N,N-dimethylimidazolidinone) (100 mL) were added and refluxed at 90° C. for 12 hours. When the reaction was completed, the temperature of the reaction product was cooled to room temperature, and extracted with EA and water. The organic layer was dried over MgSO₄ and concentrated, and the resulting compound was recrystallized with a silicagel column to obtain the product. (14.3 g, Yield: 60%)

[3] Synthesis of Sub 1-I-3

Sub1-I-i-3 (14.3 g, 41.7 mmol) was added to an excess of trifluoromethane-sulfonic acid, stirred at room temperature for 24 hours, then water and pyridine (8:1) were slowly added and refluxed for 30 minutes. The temperature was lowered and extracted with CH₂Cl₂ and water. The organic layer was dried over MgSO₄ and concentrated, and the


209

resulting compound was recrystallized with a silicagel column to obtain the product. (15.4 g, Yield: 78%)


[4] Synthesis of Sub 1-3

After dissolving Sub1-I-3 (15.4 g, 32.4 mmol) with Toluene (200 mL), diphenylamine (11.0 g, 64.8 mmol), $\text{Pd}_2(\text{dba})_3$ (1.78 g, 1.94 mmol), $\text{P}(\text{t-Bu})_3$ (26.4 g, 64.8 mmol), NaOt-Bu (12.5 g, 130 mmol) were added and stirred at 90° C. When the reaction was completed, the temperature of the reaction product was cooled to room temperature, and extracted with CH_2Cl_2 and water. The organic layer was dried over MgSO_4 and concentrated, and the resulting compound was recrystallized with a silicagel column to obtain Sub 1-3. (14.4 g, Yield: 68%)

3. Synthesis Example of Sub 1-30



210



[1] Synthesis of Sub 1-I-c-30

(5-Bromo-2-(methylthio)phenyl)boronic acid (20 g, 81.0 mmol), 3-bromo-5-iodophenol (24.2 g, 81.0 mmol), $\text{Pd(PPh}_3)_4$ (2.81 g, 2.43 mmol), NaOH (6.48 g, 2.43 mmol) were used to obtain a product (24.4 g, 81%) using the synthesis method of Sub 1-I-c-1.

[2] Synthesis of Sub 1-I-d-30

Sub 1-I-c-30 (24.4 g, 65.3 mmol), acetic acid (245 mL), 35% Hydrogen peroxide (H_2O_2) (6.66 g) were used to obtain a product (20.1 g, 79%) using the synthesis method of Sub 1-I-d-1.

[3] Synthesis of Sub 1-I-e-30

Sub 1-I-d-30 (20.1 g, 51.6 mmol), Sulfuric acid (H_2SO_4) (10 mL) were used to obtain a product (15.5 g, 84%) using the synthesis method of Sub 1-I-e-1.

[4] Synthesis of Sub 1-I-30

Sub 1-I-e-30 (15.5 g, 42.3 mmol) was added to an excess of trifluoromethane-sulfonic acid, and were used to obtain a product (16 g, 75%) using the synthesis method of Sub 1-I-1.






[5] Synthesis of Sub 1-30

Sub1-I-30 (15.5 g, 32.6 mmol), diphenylamine (11.0 g, 65.2 mmol), $\text{Pd}_2(\text{dba})_3$ (1.79 g, 2.00 mmol), $\text{P}(\text{t-Bu})_3$ (26.4

211


g, 65.2 mmol), NaOt-Bu (12.5 g, 130 mmol) were used to obtain Sub 1-30 (14.0 g, 64.5%) using the synthesis method of Sub 1-1.

4. Synthesis Example of Sub 1-33



212

-continued



[1] Synthesis of Sub 1-I-h-33

(5-chloro-2-hydroxyphenyl)boronic acid (20 g, 116 mmol), 3-bromo-4-iodophenol (34.8 g, 116 mmol), Pd(PPh₃)₄ (4.03 g, 3.49 mmol), NaOH (9.30 g, 233 mmol) were used to obtain a product (27.2 g, 78%) using the synthesis method of Sub 1-I-h-3.

[2] Synthesis of Sub 1-I-i-33

Sub 1-I-h-33 (27.2 g, 90.7 mmol), Pd(OAc)₂ (1.02 g, 4.54 mmol), 3-nitropyridine (0.56 g, 4.54 mmol), BzOObt-Bu (tert-butyl peroxybenzoate) (35.2 g, 181 mmol), C₆F₆ (hexafluorobenzene) (210 mL), DMI (N,N'-dimethylimidazolidinone) (135 mL) were used to obtain a product (14.7 g, 54%) using the synthesis method of Sub 1-I-i-3.

[3] Synthesis of Sub 1-I-33

Sub 1-I-i-33 (14.7 g, 49.3 mmol) was added to an excess of trifluoromethane-sulfonic acid, and were used to obtain a product (14.7 g, 69%) using the synthesis method of Sub 1-I-3.

[4] Synthesis of Sub 1-II-33

Sub 1-I-33 (14.7 g, 34.1 mmol), diphenylamine (5.77 g, 34.1 mmol), Pd₂(dba)₃ (0.94 g, 1.02 mmol), P(t-Bu)₃ (6.83 g, 34.1 mmol), NaOt-Bu (6.56 g, 68.2 mmol) were used to obtain Sub 1-II-33 (12.3 g, 70%) using the synthesis method of Sub 1-1.






[5] Synthesis of Sub 1-33

Sub 1-II-33 (12.3 g, 23.7 mmol), N-phenyldibenzo[b,d]thiophen-3-amine (6.54 g, 23.7 mmol), Pd₂(dba)₃ (0.65 g,

213


0.71 mmol), $P(t\text{-Bu})_3$ (4.83 g, 23.7 mmol), NaOt-Bu (4.56 g, 47.5 mmol)) were used to obtain Sub 1-33 (12.3 g, 70%) using the synthesis method of Sub 1-1.

5. Synthesis Example of Sub 1-46



214

-continued



[1] Synthesis of Sub 1-I-c-46

(5-chloro-2-(methylthio)phenyl)boronic acid (20 g, 98.8 mmol), 4-bromo-3-iodophenol (29.53 g, 98.8 mmol), $\text{Pd(PPh}_3)_4$ (3.42 g, 2.96 mmol), NaOH (7.90 g, 198 mmol) were used to obtain a product (27.2 g, 84%) using the synthesis method of Sub 1-I-c-1.

[2] Synthesis of Sub 1-I-d-46

Sub 1-I-c-46 (27.2 g, 82.6 mmol), acetic acid (270 mL), 35% Hydrogen peroxide (H_2O_2) (8.43 g) were used to obtain a product (21.8 g, 76%) using the synthesis method of Sub 1-I-d-1.

[3] Synthesis of Sub 1-I-e-4

Sub 1-I-d-46 (21.8 g, 62.9 mmol), Sulfuric acid (H_2SO_4) (11 mL) were used to obtain a product (15.7 g, 79%) using the synthesis method of Sub 1-I-e-1.

[4] Synthesis of Sub 1-I-46

Sub 1-I-e-46 (15.7 g, 50.0 mmol) was added to an excess of trifluoromethane-sulfonic acid, and were used to obtain a product (15.7 g, 71%) using the synthesis method of Sub 1-I-1.

[5] Synthesis of Sub 1-II-46

Sub 1-I-46 (15.7 g, 35.3 mmol), 9H-carbazole (5.91 g, 35.3 mmol), $\text{Pd}_2(\text{dba})_3$ (0.97 g, 1.06 mmol), $\text{P}(\text{t-Bu})_3$ (7.17


215

g, 35.3 mmol), NaOt-Bu (6.79 g, 70.7 mmol) were used to obtain Sub 1-II-46 (11.7 g, 62%) using the synthesis method of Sub 1-1.

[6] Synthesis of Sub 1-46


Sub1-II-46 (11.7 g, 22.0 mmol), diphenylamine (3.71 g, 22.0 mmol), Pd₂(dba)₃ (0.60 g, 0.66 mmol), P(t-Bu)₃ (4.50 g, 22.0 mmol), NaOt-Bu (4.22 g, 43.9 mmol) were used to obtain Sub 1-46 (9.77 g, 67%) using the synthesis method of Sub 1-1.

6. Synthesis Example of Sub 1-53



216

-continued



Sub1-53

[1] Synthesis of Sub 1-I-h-53

(2-bromo-6-hydroxy-4-methylphenyl)boronic acid (20 g, 86.6 mmol) on 3-bromo-5-iodophenol (25.9 g, 86.6 mmol), Pd(PPh₃)₄ (3.00 g, 2.60 mmol), NaOH (6.93 g, 173 mmol) were used to obtain a product (26 g, 84%) using the synthesis method of Sub 1-I-h-3.

[2] Synthesis of Sub 1-I-i-53

Sub 1-I-h-53 (26.0 g, 72.6 mmol) on Pd(OAc)₂ (0.82 g, 3.63 mmol), 3-nitropyridine (0.45 g, 3.63 mmol), BzOOt-Bu (tert-butyl peroxybenzoate) (28.2 g, 145 mmol), C₆F₆ (hexafluorobenzene) (170 mL), DMI (N,N'-dimethylimidazolidinone) (110 mL) were used to obtain a product (13.3 g, 51%) using the synthesis method of Sub 1-I-i-3.


[3] Synthesis of Sub 1-I-53

Sub 1-I-i-53 (13.3 g, 37.3 mmol) was added to an excess of trifluoromethane-sulfonic acid, and were used to obtain a product (13.2 g, 72%) using the synthesis method of Sub 1-I-3.

[4] Synthesis of Sub 1-I-53







Sub1-I-53 (13.2 g, 27.0 mmol), diphenylamine (9.14 g, 54.0 mmol), Pd₂(dba)₃ (1.48 g, 1.62 mmol), P(t-Bu)₃ (22.0 g, 54.0 mmol), NaOt-Bu (10.4 g, 108 mmol) were used to obtain Sub 1-53 (11.0 g, 61%) using the synthesis method of Sub 1-1.

7. Synthesis Example of Sub 1-81




217

-continued

**218**

-continued



[1] Synthesis of Sub 1-I-c-81

(3-bromo-2-(methylthio)phenyl)boronic acid (20 g, 81.0 mmol), 4-bromo-3-iodonaphthalen-1-ol (28.3 g, 81.0 mmol), $\text{Pd(PPh}_3)_4$ (2.81 g, 2.43 mmol), NaOH (6.48 g, 162 mmol) were used to obtain a product (29.0 g, 84%) using the synthesis method of Sub 1-I-c-1.

[2] Synthesis of Sub 1-I-d-81

Sub1-I-c-81 (29.0 g, 68.3 mmol), acetic acid (290 mL), 35% Hydrogen peroxide (H_2O_2) (6.96 g) were used to obtain a product (24.4 g, 81%) using the synthesis method of Sub 1-I-d-1.

[3] Synthesis of Sub 1-I-e-81

Sub1-I-d-81 (24.4 g, 55.3 mmol), Sulfuric acid (H_2SO_4) (12 mL) were used to obtain a product (18.0 g, 80%) using the synthesis method of Sub 1-I-e-1.


[4] Synthesis of Sub 1-I-81

Sub1-I-e-81 (18.0 g, 44.1 mmol) was added to an excess of trifluoromethane-sulfonic acid, and were used to obtain a product (17.0 g, 71%) using the synthesis method of Sub 1-I-1.


[5] Synthesis of Sub 1-81

Sub1-I-81 (17.0 g, 31.5 mmol), diphenylamine (10.7 g, 63.1 mmol), $\text{Pd}_2(\text{dba})_3$ (1.73 g, 1.89 mmol), P(t-Bu)_3 (25.6 g, 63 mmol), NaOt-Bu (12.1 g, 126 mmol) were used to obtain Sub 1-81 (15.3 g, 68%) using the synthesis method of Sub 1-1.

8. Synthesis Example of Sub 1-109



219



[1] Synthesis of Sub1-I-h-109

(3-bromo-2-hydroxynaphthalen-1-yl)boronic acid (g, mmol) on 3-bromo-5-iodophenol (20 g, 74.9 mmol), Pd(PPh₃)₄ (22.4 g, 74.9 mmol), NaOH (6.00 g, 150 mmol) were used to obtain a product (23.1 g, 78%) using the synthesis method of Sub 1-I-h-1.

220

[2] Synthesis of Sub 1-I-i-109

Sub1-I-h-109 (23.1 g, 58.5 mmol) on Pd(OAc)₂ (0.66 g, 2.93 mmol), 3-nitropyridine (0.36 g, 2.93 mmol), BzOOt-Bu (tert-butyl peroxybenzoate) (22.7 g, 117 mmol), C₆F₆ (hexafluorobenzene) (135 mL), DMI (N,N'-dimethylimidazolidinone) (90 mL) were used to obtain a product (12.5 g, 54.5%) using the synthesis method of Sub 1-I-i-3.


[3] Synthesis of Sub 1-I-109

Sub1-I-i-109 (12.5 g, 31.9 mmol) was added to an excess of trifluoromethane-sulfonic acid, and were used to obtain a product (11.7 g, 22.3%) using the synthesis method of Sub 1-I-3.

[4] Synthesis of Sub 1-109


Sub1-I-109 (11.7 g, 22.3 mmol), diphenylamine (7.55 g, 44.6 mmol), Pd₂(dba)₃ (1.22 g, 1.34 mmol), P(t-Bu)₃ (18.0 g, 44.6 mmol), NaOt-Bu (8.57 g, 89.2 mmol) were used to obtain Sub 1-109 (10.2 g, 65%) using the synthesis method of Sub 1-1.

9. Synthesis Example of Sub 1-133



221

-continued




Sub1-133

[1] Synthesis of Sub 1-II-133


Sub 1-I-20 (15 g, 35.1 mmol), N-phenylnaphthalen-1-amine (7.69 g, 35.1 mmol), $\text{Pd}_2(\text{dba})_3$ (0.96 g, 1.05 mmol), $\text{P}(\text{t-Bu})_3$ (7.17 g, 35.1 mmol), NaOt-Bu (6.74 g, 70.2 mmol) were used to obtain Sub 1-II-133 (12.5 g, 62%) using the synthesis method of Sub 1-1.

[2] Synthesis of Sub 1-133


Sub1-II-133 (12.5 g, 22.0 mmol), N-phenylquinolin-7-amine (4.85 g, 22.0 mmol), $\text{Pd}_2(\text{dba})_3$ (0.60 g, 0.66 mmol), $\text{P}(\text{t-Bu})_3$ (4.50 g, 22.0 mmol), NaOt-Bu (4.23 g, 44.0 mmol) were used to obtain Sub 1-133 (10.9 g, 66%) using the synthesis method of Sub 1-1.

10. Synthesis Example of Sub 1-137


Sub1-I-a-137





Sub1-I-b-10

**222**


-continued





Sub1-I-c-137





Sub1-I-d-137



Sub1-I-e-137




Sub1-I-137





223

-continued



Sub1-II-137



Sub1-137

224

[1] Synthesis of Sub 1-I-c-137

(3-bromo-2-(methylthio)phenyl)boronic acid (20 g, 71.8 mmol), 4-bromo-3-iodonaphthalen-1-ol (41.9 g, 71.8 mmol), Pd(PPh₃)₄ (2.49 g, 2.15 mmol), NaOH (5.74 g, 144 mmol) were used to obtain a product (38.9 g, 79%) using the synthesis method of Sub 1-I-I-c-1.

[2] Synthesis of Sub 1-I-d-137

Sub1-I-c-137 (38.9 g, 56.4 mmol), acetic acid (400 mL), 35% Hydrogen peroxide (H₂O₂) (5.75 g) were used to obtain a product (31.7 g, 80%) using the synthesis method of Sub 1-I-I-d-1.

[3] Synthesis of Sub 1-I-e-137

Sub1-I-d-137 (31.7 g, 45.0 mmol), Sulfuric acid (H₂SO₄) (16 mL) were used to obtain a product (19.9 g, 82%) using the synthesis method of Sub 1-I-e-1.

[4] Synthesis of Sub 1-I-137

Sub1-I-e-137 (19.9 g, 36.7 mmol) was added to an excess of trifluoromethane-sulfonic acid, and were used to obtain a product (17.4 g, 70%) using the synthesis method of Sub 1-I-1.


[5] Synthesis of Sub 1-II-137

Sub1-I-137 (17.4 g, 25.8 mmol), Sub2-1 (4.36 g, 25.8 mmol), Pd₂(dba)₃ (0.71 g, 0.77 mmol), P(t-Bu)₃ (5.17 g, 25.8 mmol), NaOt-Bu (4.96 g, 51.6 mmol) were used to obtain Sub 1-II-137 (12.8 g, 65%) using the synthesis method of Sub 1-1.

[6] Synthesis of Sub 1-137


Sub1-II-137 (12.8 g, 16.8 mmol), Sub2-11 (3.69 g, 16.8 mmol), Pd₂(dba)₃ (0.46 g, 0.51 mmol), P(t-Bu)₃ (3.33 g, 16.8 mmol), NaOt-Bu (3.24 g, 33.7 mmol) were used to obtain Sub 1-137 (10.3 g, 65%) using the synthesis method of Sub 1-1.

The compound belonging to Sub 1 may be the following compound, but is not limited thereto, and Table 1 shows the FD-MS (Field Desorption-Mass Spectrometry) values of some compounds belonging to Sub 1.

225**226**



Sub1-1

Sub1-2





Sub1-3

Sub1-4





Sub1-5

Sub1-6




Sub1-7

Sub1-8



227




228

-continued



Sub1-9

Sub1-10





Sub1-11

Sub1-12




Sub1-13


Sub1-14



229




230


-continued
Sub1-15

Sub1-16


Sub1-17




Sub1-18




Sub1-19




Sub1-20




Sub1-21




Sub1-22




231**232**

-continued
Sub1-23




Sub1-24


Sub1-25




Sub1-26




Sub1-27




Sub1-28




233

-continued
Sub1-29


234

Sub1-30


Sub1-31




Sub1-32




Sub1-33




Sub1-34




Sub1-35



Sub1-36




235




236

-continued
Sub1-37




Sub1-38


Sub1-39




Sub1-40




Sub1-41




Sub1-42




Sub1-43




Sub1-44



237


-continued

Sub1-45


238

Sub1-46


Sub1-47




Sub1-48




Sub1-49




Sub1-50




Sub1-51




Sub1-52




239**240**

-continued


Sub1-53




Sub1-54




Sub1-55




Sub1-56




Sub1-57




Sub1-58




Sub1-59



Sub1-60




Sub1-61




Sub1-62

241




-continued
Sub1-63

242




Sub1-64


Sub1-65




Sub1-66




Sub1-67




Sub1-68




Sub1-69



Sub1-70




243

-continued

Sub1-71


244

Sub1-72





Sub1-73

Sub1-74






Sub1-75

Sub1-76




Sub1-77

Sub1-78




245




-continued

Sub1-79

246





Sub1-80





Sub1-81

Sub1-82




Sub1-83

Sub1-84




Sub1-85


Sub1-86




247

-continued
Sub1-87


248




Sub1-88




Sub1-89




Sub1-90




Sub1-91



Sub1-92




Sub1-93




Sub1-94

249




-continued
Sub1-95


250




Sub1-96




Sub1-97




Sub1-98




Sub1-99




Sub1-100




Sub1-101



Sub1-102


251**252**

-continued
Sub1-103




Sub1-104


Sub1-105




Sub1-106




Sub1-107




Sub1-108




Sub1-109



Sub1-110




253




-continued

Sub1-111


254




Sub1-112




Sub1-113




Sub1-114




Sub1-115



Sub1-116




Sub1-117




Sub1-118

255




-continued
Sub1-119

256




Sub1-120


Sub1-121




Sub1-122




Sub1-123



Sub1-124




257


-continued
Sub1-125

258


Sub1-126




Sub1-127



Sub1-128




Sub1-129




259

-continued
Sub1-130




260


Sub1-131




Sub1-132




Sub1-133



Sub1-134



Sub1-135






261

262

-continued

Sub1-136

Sub1-137



Sub1-138

TABLE 1

compound	FD-MS	compound	FD-MS
Sub1-1	m/z = 666.13(C ₃₇ H ₂₅ F ₃ N ₂ O ₃ S ₂ = 666.73)	Sub1-2	m/z = 756.14(C ₄₃ H ₂₇ F ₃ N ₂ O ₄ S ₂ = 756.81)
Sub1-3	m/z = 650.15(C ₃₇ H ₂₅ F ₃ N ₂ O ₄ S = 650.67)	Sub1-4	m/z = 831.18(C ₄₉ H ₃₂ F ₃ N ₃ O ₃ S ₂ = 831.93)
Sub1-5	m/z = 664.11(C ₃₇ H ₂₃ F ₃ N ₂ O ₃ S ₂ = 664.72)	Sub1-6	m/z = 714.13(C ₄₁ H ₂₅ F ₃ N ₂ O ₃ S ₂ = 714.78)
Sub1-7	m/z = 742.16(C ₄₃ H ₂₉ F ₃ N ₂ O ₃ S ₂ = 742.83)	Sub1-8	m/z = 666.13(C ₃₇ H ₂₅ F ₃ N ₂ O ₃ S ₂ = 666.73)
Sub1-9	m/z = 756.14(C ₄₃ H ₂₇ F ₃ N ₂ O ₄ S ₂ = 756.81)	Sub1-10	m/z = 756.14(C ₄₃ H ₂₇ F ₃ N ₂ O ₄ S ₂ = 756.81)
Sub1-11	m/z = 700.16(C ₄₁ H ₂₇ F ₃ N ₂ O ₄ S = 700.73)	Sub1-12	m/z = 714.13(C ₄₁ H ₂₅ F ₃ N ₂ O ₃ S ₂ = 714.78)
Sub1-13	m/z = 648.13(C ₃₇ H ₂₃ F ₃ N ₂ O ₄ S = 648.66)	Sub1-14	m/z = 650.15(C ₃₇ H ₂₅ F ₃ N ₂ O ₄ S = 650.67)
Sub1-15	m/z = 666.13(C ₃₇ H ₂₅ F ₃ N ₂ O ₃ S ₂ = 666.73)	Sub1-16	m/z = 815.21(C ₄₉ H ₃₂ F ₃ N ₃ O ₄ S = 815.87)
Sub1-17	m/z = 772.11(C ₄₃ H ₂₇ F ₃ N ₂ O ₃ S ₃ = 772.88)	Sub1-18	m/z = 772.11(C ₄₃ H ₂₇ F ₃ N ₂ O ₃ S ₃ = 772.88)
Sub1-19	m/z = 664.11(C ₃₇ H ₂₃ F ₃ N ₂ O ₃ S ₂ = 664.72)	Sub1-20	m/z = 648.13(C ₃₇ H ₂₃ F ₃ N ₂ O ₄ S = 648.66)
Sub1-21	m/z = 743.15(C ₄₂ H ₂₈ F ₃ N ₃ O ₃ S ₂ = 743.82)	Sub1-22	m/z = 716.14(C ₄₁ H ₂₇ F ₃ N ₂ O ₃ S ₂ = 716.79)
Sub1-23	m/z = 802.21(C ₄₉ H ₃₃ F ₃ N ₂ O ₄ S = 802.87)	Sub1-24	m/z = 691.12(C ₃₈ H ₂₄ F ₃ N ₃ O ₃ S ₂ = 691.74)
Sub1-25	m/z = 667.12(C ₃₆ H ₂₄ F ₃ N ₃ O ₃ S ₂ = 667.72)	Sub1-26	m/z = 650.15(C ₃₇ H ₂₅ F ₃ N ₂ O ₄ S = 650.67)
Sub1-27	m/z = 882.18(C ₅₃ H ₃₃ F ₃ N ₂ O ₄ S ₂ = 882.97)	Sub1-28	m/z = 772.11(C ₄₃ H ₂₇ F ₃ N ₂ O ₃ S ₃ = 772.88)
Sub1-29	m/z = 740.16(C ₄₃ H ₂₇ F ₃ N ₂ O ₅ S = 740.75)	Sub1-30	m/z = 666.13(C ₃₇ H ₂₅ F ₃ N ₂ O ₃ S ₂ = 666.73)
Sub1-31	m/z = 726.18(C ₄₃ H ₂₉ F ₃ N ₂ O ₄ S = 726.77)	Sub1-32	m/z = 671.16(C ₃₇ H ₂₀ D ₄ F ₃ N ₂ O ₃ S ₂ = 671.76)
Sub1-33	m/z = 756.14(C ₄₃ H ₂₇ F ₃ N ₂ O ₄ S ₂ = 756.81)	Sub1-34	m/z = 904.20(C ₅₆ H ₃₅ F ₃ N ₃ O ₃ S ₂ = 905.02)
Sub1-35	m/z = 650.15(C ₃₇ H ₂₅ F ₃ N ₂ O ₄ S = 650.67)	Sub1-36	m/z = 716.14(C ₄₁ H ₂₇ F ₃ N ₂ O ₃ S ₂ = 716.79)
Sub1-37	m/z = 666.13(C ₃₇ H ₂₅ F ₃ N ₂ O ₃ S ₂ = 666.73)	Sub1-38	m/z = 675.14(C ₃₈ H ₂₄ F ₃ N ₃ O ₄ S = 675.68)
Sub1-39	m/z = 650.15(C ₃₇ H ₂₅ F ₃ N ₂ O ₄ S = 650.67)	Sub1-40	m/z = 772.11(C ₄₃ H ₂₇ F ₃ N ₂ O ₃ S ₃ = 772.88)
Sub1-41	m/z = 782.19(C ₄₆ H ₃₃ F ₃ N ₂ O ₃ S ₂ = 782.90)	Sub1-42	m/z = 716.14(C ₄₁ H ₂₇ F ₃ N ₂ O ₃ S ₂ = 716.79)
Sub1-43	m/z = 700.16(C ₄₁ H ₂₇ F ₃ N ₂ O ₄ S = 700.73)	Sub1-44	m/z = 818.19(C ₄₉ H ₃₃ F ₃ N ₂ O ₃ S ₂ = 818.93)
Sub1-45	m/z = 648.13(C ₃₇ H ₂₃ F ₃ N ₂ O ₄ S = 648.66)	Sub1-46	m/z = 664.11(C ₃₇ H ₂₃ F ₃ N ₂ O ₃ S ₂ = 664.72)
Sub1-47	m/z = 651.14(C ₃₆ H ₂₄ F ₃ N ₃ O ₄ S = 651.66)	Sub1-48	m/z = 650.15(C ₃₇ H ₂₅ F ₃ N ₂ O ₄ S = 650.67)
Sub1-49	m/z = 831.18(C ₄₉ H ₃₂ F ₃ N ₃ O ₃ S ₂ = 831.93)	Sub1-50	m/z = 740.16(C ₄₃ H ₂₇ F ₃ N ₂ O ₅ S = 740.75)
Sub1-51	m/z = 772.11(C ₄₃ H ₂₇ F ₃ N ₂ O ₃ S ₃ = 772.88)	Sub1-52	m/z = 742.16(C ₄₃ H ₂₉ F ₃ N ₂ O ₃ S ₂ = 742.83)
Sub1-53	m/z = 664.16(C ₃₈ H ₂₇ F ₃ N ₂ O ₄ S = 664.70)	Sub1-54	m/z = 648.13(C ₃₇ H ₂₃ F ₃ N ₂ O ₄ S = 648.66)
Sub1-55	m/z = 664.11(C ₃₇ H ₂₃ F ₃ N ₂ O ₃ S ₂ = 664.72)	Sub1-56	m/z = 696.14(C ₃₈ H ₂₇ F ₃ N ₂ O ₄ S = 696.76)
Sub1-57	m/z = 666.13(C ₃₇ H ₂₅ F ₃ N ₂ O ₃ S ₂ = 666.73)	Sub1-58	m/z = 766.21(C ₄₆ H ₃₃ F ₃ N ₂ O ₄ S = 766.84)
Sub1-59	m/z = 700.16(C ₄₁ H ₂₇ F ₃ N ₂ O ₄ S = 700.73)	Sub1-60	m/z = 650.15(C ₃₇ H ₂₅ F ₃ N ₂ O ₄ S = 650.67)
Sub1-61	m/z = 664.11(C ₃₇ H ₂₃ F ₃ N ₂ O ₃ S ₂ = 664.72)	Sub1-62	m/z = 664.11(C ₃₇ H ₂₃ F ₃ N ₂ O ₃ S ₂ = 664.72)
Sub1-63	m/z = 690.18(C ₄₆ H ₂₉ F ₃ N ₂ O ₄ S = 690.74)	Sub1-64	m/z = 666.13(C ₃₇ H ₂₅ F ₃ N ₂ O ₃ S ₂ = 666.73)

TABLE 1-continued


compound	FD-MS	compound	FD-MS
Sub1-65	m/z = 700.16(C ₄₁ H ₂₇ F ₃ N ₂ O ₄ S = 700.73)	Sub1-66	m/z = 740.16(C ₄₃ H ₂₇ F ₃ N ₂ O ₅ S = 740.75)
Sub1-67	m/z = 907.22(C ₅₅ H ₃₆ F ₃ N ₃ O ₃ S ₂ = 908.03)	Sub1-68	m/z = 726.18(C ₄₃ H ₂₉ F ₃ N ₂ O ₄ S = 726.77)
Sub1-69	m/z = 664.11(C ₃₇ H ₂₃ F ₃ N ₂ O ₃ S ₂ = 664.72)	Sub1-70	m/z = 648.13(C ₃₇ H ₂₃ F ₃ N ₂ O ₄ S = 648.66)
Sub1-71	m/z = 650.15(C ₃₇ H ₂₅ F ₃ N ₂ O ₄ S = 650.67)	Sub1-72	m/z = 833.20(C ₄₉ H ₃₄ F ₃ N ₃ O ₃ S ₂ = 833.94)
Sub1-73	m/z = 726.18(C ₄₃ H ₂₉ F ₃ N ₂ O ₄ S = 726.77)	Sub1-74	m/z = 818.19(C ₄₉ H ₃₃ F ₃ N ₂ O ₃ S ₂ = 818.93)
Sub1-75	m/z = 833.20(C ₄₉ H ₃₄ F ₃ N ₃ O ₃ S ₂ = 833.94)	Sub1-76	m/z = 833.20(C ₄₉ H ₃₄ F ₃ N ₃ O ₃ S ₂ = 833.94)
Sub1-77	m/z = 817.22(C ₄₉ H ₃₄ F ₃ N ₃ O ₄ S = 817.88)	Sub1-78	m/z = 716.14(C ₄₁ H ₂₇ F ₃ N ₂ O ₃ S ₂ = 716.79)
Sub1-79	m/z = 700.16(C ₄₁ H ₂₇ F ₃ N ₂ O ₄ S = 700.73)	Sub1-80	m/z = 716.14(C ₄₁ H ₂₇ F ₃ N ₂ O ₃ S ₂ = 716.79)
Sub1-81	m/z = 716.14(C ₄₁ H ₂₇ F ₃ N ₂ O ₃ S ₂ = 716.79)	Sub1-82	m/z = 700.16(C ₄₁ H ₂₇ F ₃ N ₂ O ₄ S = 700.73)
Sub1-83	m/z = 716.14(C ₄₁ H ₂₇ F ₃ N ₂ O ₃ S ₂ = 716.79)	Sub1-84	m/z = 700.16(C ₄₁ H ₂₇ F ₃ N ₂ O ₄ S = 700.73)
Sub1-85	m/z = 700.16(C ₄₁ H ₂₇ F ₃ N ₂ O ₄ S = 700.73)	Sub1-86	m/z = 700.16(C ₄₁ H ₂₇ F ₃ N ₂ O ₄ S = 700.73)
Sub1-87	m/z = 716.14(C ₄₁ H ₂₇ F ₃ N ₂ O ₃ S ₂ = 716.79)	Sub1-88	m/z = 716.14(C ₄₁ H ₂₇ F ₃ N ₂ O ₃ S ₂ = 716.79)
Sub1-89	m/z = 716.14(C ₄₁ H ₂₇ F ₃ N ₂ O ₃ S ₂ = 716.79)	Sub1-90	m/z = 700.16(C ₄₁ H ₂₇ F ₃ N ₂ O ₄ S = 700.73)
Sub1-91	m/z = 700.16(C ₄₁ H ₂₇ F ₃ N ₂ O ₄ S = 700.73)	Sub1-92	m/z = 716.14(C ₄₁ H ₂₇ F ₃ N ₂ O ₃ S ₂ = 716.79)
Sub1-93	m/z = 716.14(C ₄₁ H ₂₇ F ₃ N ₂ O ₃ S ₂ = 716.79)	Sub1-94	m/z = 700.16(C ₄₁ H ₂₇ F ₃ N ₂ O ₄ S = 700.73)
Sub1-95	m/z = 700.16(C ₄₁ H ₂₇ F ₃ N ₂ O ₄ S = 700.73)	Sub1-96	m/z = 716.14(C ₄₁ H ₂₇ F ₃ N ₂ O ₃ S ₂ = 716.79)
Sub1-97	m/z = 700.16(C ₄₁ H ₂₇ F ₃ N ₂ O ₄ S = 700.73)	Sub1-98	m/z = 716.14(C ₄₁ H ₂₇ F ₃ N ₂ O ₃ S ₂ = 716.79)
Sub1-99	m/z = 716.14(C ₄₁ H ₂₇ F ₃ N ₂ O ₃ S ₂ = 716.79)	Sub1-100	m/z = 700.16(C ₄₁ H ₂₇ F ₃ N ₂ O ₄ S = 700.73)
Sub1-101	m/z = 716.14(C ₄₁ H ₂₇ F ₃ N ₂ O ₃ S ₂ = 716.79)	Sub1-102	m/z = 716.14(C ₄₁ H ₂₇ F ₃ N ₂ O ₃ S ₂ = 716.79)
Sub1-103	m/z = 700.16(C ₄₁ H ₂₇ F ₃ N ₂ O ₄ S = 700.73)	Sub1-104	m/z = 716.14(C ₄₁ H ₂₇ F ₃ N ₂ O ₃ S ₂ = 716.79)
Sub1-105	m/z = 716.14(C ₄₁ H ₂₇ F ₃ N ₂ O ₃ S ₂ = 716.79)	Sub1-106	m/z = 700.16(C ₄₁ H ₂₇ F ₃ N ₂ O ₄ S = 700.73)
Sub1-107	m/z = 716.14(C ₄₁ H ₂₇ F ₃ N ₂ O ₃ S ₂ = 716.79)	Sub1-108	m/z = 716.14(C ₄₁ H ₂₇ F ₃ N ₂ O ₃ S ₂ = 716.79)
Sub1-109	m/z = 700.16(C ₄₁ H ₂₇ F ₃ N ₂ O ₄ S = 700.73)	Sub1-110	m/z = 716.14(C ₄₁ H ₂₇ F ₃ N ₂ O ₃ S ₂ = 716.79)
Sub1-111	m/z = 700.16(C ₄₁ H ₂₇ F ₃ N ₂ O ₄ S = 700.73)	Sub1-112	m/z = 716.14(C ₄₁ H ₂₇ F ₃ N ₂ O ₃ S ₂ = 716.79)
Sub1-113	m/z = 700.16(C ₄₁ H ₂₇ F ₃ N ₂ O ₄ S = 700.73)	Sub1-114	m/z = 700.16(C ₄₁ H ₂₇ F ₃ N ₂ O ₄ S = 700.73)
Sub1-115	m/z = 716.14(C ₄₁ H ₂₇ F ₃ N ₂ O ₃ S ₂ = 716.79)	Sub1-116	m/z = 700.16(C ₄₁ H ₂₇ F ₃ N ₂ O ₄ S = 700.73)
Sub1-117	m/z = 766.16(C ₄₅ H ₂₉ F ₃ N ₂ O ₃ S ₂ = 766.85)	Sub1-118	m/z = 766.16(C ₄₅ H ₂₉ F ₃ N ₂ O ₃ S ₂ = 766.85)
Sub1-119	m/z = 750.18(C ₄₅ H ₂₉ F ₃ N ₂ O ₄ S = 750.79)	Sub1-120	m/z = 766.16(C ₄₅ H ₂₉ F ₃ N ₂ O ₃ S ₂ = 766.85)
Sub1-121	m/z = 766.16(C ₄₅ H ₂₉ F ₃ N ₂ O ₃ S ₂ = 766.85)	Sub1-122	m/z = 750.18(C ₄₅ H ₂₉ F ₃ N ₂ O ₄ S = 750.79)
Sub1-123	m/z = 766.16(C ₄₅ H ₂₉ F ₃ N ₂ O ₃ S ₂ = 766.85)	Sub1-124	m/z = 796.17(C ₄₆ H ₃₁ F ₃ N ₂ O ₄ S ₂ = 796.88)
Sub1-125	m/z = 818.19(C ₄₉ H ₃₃ F ₃ N ₂ O ₃ S ₂ = 818.93)	Sub1-126	m/z = 726.18(C ₄₃ H ₂₉ F ₃ N ₂ O ₄ S = 726.77)
Sub1-127	m/z = 742.16(C ₄₃ H ₂₉ F ₃ N ₂ O ₃ S ₂ = 742.83)	Sub1-128	m/z = 1058.25(C ₆₇ H ₄₁ F ₃ N ₂ O ₄ S ₂ = 1059.19)
Sub1-129	m/z = 868.20(C ₅₃ H ₃₅ F ₃ N ₂ O ₃ S ₂ = 868.99)	Sub1-130	m/z = 892.26(C ₅₆ H ₃₉ F ₃ N ₂ O ₄ S = 892.99)
Sub1-131	m/z = 1112.32(C ₇₂ H ₄₃ D ₄ F ₃ N ₂ O ₃ S ₂ = 1113.32)	Sub1-132	m/z = 834.16(C ₄₇ H ₂₉ F ₃ N ₄ O ₄ S ₂ = 834.89)
Sub1-133	m/z = 751.18(C ₄₄ H ₂₈ F ₃ N ₂ O ₄ S = 751.78)	Sub1-134	m/z = 1135.28(C ₇₁ H ₄₄ F ₃ N ₅ O ₃ S ₂ = 1136.28)
Sub1-135	m/z = 928.26(C ₅₉ H ₃₉ F ₃ N ₂ O ₄ S = 929.03)	Sub1-136	m/z = 994.25(C ₆₃ H ₄₁ F ₃ N ₂ O ₃ S ₂ = 995.15)
Sub1-137	m/z = 944.24(C ₅₉ H ₃₉ F ₃ N ₂ O ₃ S ₂ = 945.09)	Sub1-138	m/z = 727.18(C ₄₂ H ₂₈ F ₃ N ₃ O ₄ S = 727.76)

35





II. Synthesis of Sub 2

Sub 2 of Reaction Scheme 1 may be synthesized (initiated in Korean Patent Registration No. 10-1251451 (registered on Apr. 5, 2013) of the applicant) by the reaction path of Scheme 4 below, but is not limited thereto.

Z¹ is Ar¹ or Ar³, Z² is Ar² or Ar⁴.














Compounds belonging to Sub 2 may be the following compounds, but are not limited thereto, and Table 2 shows FD-MS (Field Desorption-Mass Spectrometry) values of some compounds belonging to Sub 2.



265


-continued

**266**

-continued

Sub2-5


5



Sub2-16

Sub2-6


10



Sub2-17

Sub2-7


15



Sub2-18

Sub2-8


20



Sub2-19

Sub2-9


25



Sub2-20


Sub2-10

30



Sub2-11


35



Sub2-21

Sub2-12


40



Sub2-22

Sub2-13

50



Sub2-23

Sub2-14






60

Sub2-15

65

267


-continued

**268**

-continued

Sub2-24

5




Sub2-29

10

Sub2-25


15



Sub2-30

20


25



Sub2-31

Sub2-26


30



Sub2-32

35


40



Sub2-33


Sub2-27

45



Sub2-34


50



Sub2-35

Sub2-28

55



Sub2-36

60

65


TABLE 2

compound	FD-MS	compound	FD-MS
Sub2-1	m/z = 169.09(C ₁₂ H ₁₁ N = 169.23)	Sub2-2	m/z = 174.12(C ₁₂ H ₆ D ₅ N = 174.26)
Sub2-3	m/z = 245.12(C ₁₈ H ₁₅ N = 245.33)	Sub2-4	m/z = 321.15(C ₂₄ H ₁₉ N = 321.42)
Sub2-5	m/z = 209.12(C ₁₅ H ₁₅ N = 209.29)	Sub2-6	m/z = 215.08(C ₁₃ H ₁₃ NS = 215.31)
Sub2-7	m/z = 245.12(C ₁₈ H ₁₅ N = 245.33)	Sub2-8	m/z = 194.08(C ₁₃ H ₁₀ N ₂ = 194.24)
Sub2-9	m/z = 187.08(C ₁₂ H ₁₀ FN = 187.22)	Sub2-10	m/z = 205.07(C ₁₂ H ₉ F ₂ N = 205.21)
Sub2-11	m/z = 219.10(C ₁₆ H ₁₃ N = 219.29)	Sub2-12	m/z = 219.10(C ₁₆ H ₁₃ N = 219.29)
Sub2-13	m/z = 269.12(C ₂₀ H ₁₅ N = 269.35)	Sub2-14	m/z = 220.10(C ₁₅ H ₁₂ N ₂ = 200.28)
Sub2-15	m/z = 170.08(C ₁₁ H ₁₀ N ₂ = 170.22)	Sub2-16	m/z = 167.07(C ₁₂ H ₉ N = 167.21)
Sub2-17	m/z = 217.09(C ₁₆ H ₁₁ N = 217.27)	Sub2-18	m/z = 217.09(C ₁₆ H ₁₁ N = 217.27)
Sub2-19	m/z = 217.09(C ₁₆ H ₁₁ N = 217.27)	Sub2-20	m/z = 285.15(C ₂₁ H ₁₉ N = 285.39)
Sub2-21	m/z = 285.15(C ₂₁ H ₁₉ N = 285.39)	Sub2-22	m/z = 407.17(C ₃₁ H ₂₁ N = 407.52)
Sub2-23	m/z = 485.21(C ₃₇ H ₂₇ N = 485.63)	Sub2-24	m/z = 334.15(C ₂₄ H ₁₈ N ₂ = 334.42)
Sub2-25	m/z = 334.15(C ₂₄ H ₁₈ N ₂ = 334.42)	Sub2-26	m/z = 334.15(C ₂₄ H ₁₈ N ₂ = 334.42)
Sub2-27	m/z = 334.15(C ₂₄ H ₁₈ N ₂ = 334.42)	Sub2-28	m/z = 384.16(C ₂₈ H ₂₀ N ₂ = 384.48)
Sub2-29	m/z = 436.17(C ₃₀ H ₂₀ N ₄ = 436.52)	Sub2-30	m/z = 259.10(C ₁₈ H ₁₃ NO = 259.31)
Sub2-31	m/z = 259.10(C ₁₈ H ₁₃ NO = 259.31)	Sub2-32	m/z = 261.09(C ₁₆ H ₁₁ N ₃ O = 261.28)
Sub2-33	m/z = 275.08(C ₁₈ H ₁₃ NS = 275.37)	Sub2-34	m/z = 275.08(C ₁₈ H ₁₃ NS = 275.37)
Sub2-35	m/z = 275.08(C ₁₈ H ₁₃ NS = 275.37)	Sub2-36	m/z = 275.08(C ₁₈ H ₁₃ NS = 275.37)

III. Synthesis of Final Product 1

After dissolving Sub 1 (1 eq.) with Toluene in a round bottom flask, Sub 2 (1 eq.), Pd₂(dba)₃ (0.03 eq.), (t-Bu)₃P (0.06 eq.), and NaOt-Bu (2 eq.) were stirred at 100° C. When the reaction was completed, the resulting compound was extracted with CH₂Cl₂ and water, and the organic layer was dried over MgSO₄ and concentrated, and the resulting compound was recrystallized with a silicagel column to obtain Final product 1.



1. Synthesis Example of 1-1



+

After dissolving Sub 1-1 (13.7 g, 20.5 mmol) with Toluene (180 mL) in a round bottom flask, Sub 2-1 (3.48 g, 20.5 mmol), Pd₂(dba)₃ (0.56 g, 0.62 mmol), P(t-Bu)₃ (4.16 g, 20.5 mmol), NaOt-Bu (3.95 g, 41.1 mmol) were added and stirred at 120° C. When the reaction was completed, the resulting compound was extracted with CH₂Cl₂ and water, and the organic layer was dried over MgSO₄ and concentrated, and the resulting compound was recrystallized with a silicagel column to obtain 1-1 (10.5 g, yield: 74%)



2. Synthesis Example of 1-3



+


271

-continued





After dissolving Sub 1-3 (14.4 g, 22.1 mmol) with Toluene (190 mL) in a round bottom flask, Sub 2-31 (5.74 g, 22.1 mmol), $\text{Pd}_2(\text{dba})_3$ (0.61 g, 0.66 mmol), $\text{P}(\text{t-Bu})_3$ (4.48 g, 22.1 mmol), NaOt-Bu (4.25 g, 44.3 mmol) were added and stirred at 120° C. When the reaction was completed, the resulting compound was extracted with CH_2Cl_2 and water, and the organic layer was dried over MgSO_4 and concentrated, and the resulting compound was recrystallized with a silicagel column to obtain 1-3 (12.3 g, yield: 73%)

3. Synthesis Example of 1-32

**272**

-continued



After dissolving Sub 1-30 (14.0 g, 21.0 mmol) with Toluene (185 mL) in a round bottom flask, Sub 2-21 (5.99 g, 21.0 mmol), $\text{Pd}_2(\text{dba})_3$ (0.58 g, 0.63 mmol), $\text{P}(\text{t-Bu})_3$ (4.25 g, 21.0 mmol), NaOt-Bu (4.04 g, 42.0 mmol) were added and stirred at 120° C. When the reaction was completed, the resulting compound was extracted with CH_2Cl_2 and water, and the organic layer was dried over MgSO_4 and concentrated, and the resulting compound was recrystallized with a silicagel column to obtain 1-32 (12.4 g, yield: 74%)


4. Synthesis Example of 1-35

50

55


60

65






273

-continued

**274**


-continued




After dissolving Sub 1-33 (12.2 g, 16.1 mmol) with Toluene (160 mL) in a round bottom flask, Sub 2-1 (2.73 g, 16.1 mmol), $\text{Pd}_2(\text{dba})_3$ (0.44 g, 0.48 mmol), $\text{P}(\text{t-Bu})_3$ (3.26 g, 16.1 mmol), NaOt-Bu (3.10 g, 32.2 mmol) were added and stirred at 120° C. When the reaction was completed, the resulting compound was extracted with CH_2Cl_2 and water, and the organic layer was dried over MgSO_4 and concentrated, and the resulting compound was recrystallized with a silicagel column to obtain 1-35 (9.80 g, yield: 78%)

After dissolving Sub 1-46 (9.77 g, 14.7 mmol) with Toluene (120 mL) in a round bottom flask, Sub 2-1 (2.49 g, 14.7 mmol), $\text{Pd}_2(\text{dba})_3$ (0.40 g, 0.44 mmol), $\text{P}(\text{t-Bu})_3$ (2.97 g, 14.7 mmol), NaOt-Bu (2.83 g, 29.4 mmol) were added and stirred at 120° C. When the reaction was completed, the resulting compound was extracted with CH_2Cl_2 and water, and the organic layer was dried over MgSO_4 and concentrated, and the resulting compound was recrystallized with a silicagel column to obtain 1-49 (7.83 g, yield: 78%)

5. Synthesis Example of 1-49





6. Synthesis Example of 1-56




275

-continued





After dissolving Sub 1-53 (11.0 g, 16.5 mmol) with Toluene (160 mL) in a round bottom flask, Sub 2-1 (2.80 g, 16.5 mmol), $\text{Pd}_2(\text{dba})_3$ (0.45 g, 0.50 mmol), $\text{P}(\text{t-Bu})_3$ (3.35 g, 16.5 mmol), NaOt-Bu (3.18 g, 33.1 mmol) were added and stirred at 120° C. When the reaction was completed, the resulting compound was extracted with CH_2Cl_2 and water, and the organic layer was dried over MgSO_4 and concentrated, and the resulting compound was recrystallized with a silicagel column to obtain 1-56 (8.03 g, yield: 71%)

7. Synthesis Example of 1-89


**276**



-continued



After dissolving Sub 1-81 (15.3 g, 21.3 mmol) with Toluene (200 mL) in a round bottom flask, Sub 2-1 (3.61 g, 21.3 mmol), $\text{Pd}_2(\text{dba})_3$ (0.59 g, 0.64 mmol), $\text{P}(\text{t-Bu})_3$ (4.32 g, 21.3 mmol), NaOt-Bu (4.10 g, 42.7 mmol) were added and stirred at 120° C. When the reaction was completed, the resulting compound was extracted with CH_2Cl_2 and water, and the organic layer was dried over MgSO_4 and concentrated, and the resulting compound was recrystallized with a silicagel column to obtain 1-89 (11.7 g, yield: 74%)


8. Synthesis Example of 1-117






After dissolving Sub 1-109 (10.9 g, 14.6 mmol) with Toluene (140 mL) in around bottom flask, Sub 2-1 (2.46 g, 14.6 mmol), $\text{Pd}_2(\text{dba})_3$ (0.40 g, 0.44 mmol), $\text{P}(\text{t-Bu})_3$ (2.95 g, 14.6 mmol), NaOt-Bu (2.80 g, 29.1 mmol) were added and stirred at 120° C. When the reaction was completed, the resulting compound was extracted with CH_2Cl_2 and water, and the organic layer was dried over MgSO_4 and concentrated, and the resulting compound was recrystallized with a silicagel column to obtain 1-117 (7.9 g, yield: 76%)

9. Synthesis Example of 1-141




After dissolving Sub 1-133 (10.9 g, 14.5 mmol) with Toluene (140 mL) in around bottom flask, Sub 2-33 (4.00 g, 14.5 mmol), $\text{Pd}_2(\text{dba})_3$ (0.40 g, 0.43 mmol), $\text{P}(\text{t-Bu})_3$ (2.93 g, 14.5 mmol), NaOt-Bu (2.79 g, 29.0 mmol) were added and stirred at 120° C. When the reaction was completed, the resulting compound was extracted with CH_2Cl_2 and water, and the organic layer was dried over MgSO_4 and concentrated, and the resulting compound was recrystallized with a silicagel column to obtain 1-141 (8.69 g, yield: 68%)

10. Synthesis Example of 1-145



279

-continued



1-145

280

After dissolving Sub 1-137 (10.3 g, 10.9 mmol) with Toluene (140 mL) in a round bottom flask, Sub 2-1 (1.84 g, 10.9 mmol), Pd₂(dba)₃ (0.30 g, 0.33 mmol), P(t-Bu)₃ (2.20 g, 10.9 mmol), NaOt-Bu (2.09 g, 21.8 mmol) were added and stirred at 120° C. When the reaction was completed, the resulting compound was extracted with CH₂Cl₂ and water, and the organic layer was dried over MgSO₄ and concentrated, and the resulting compound was recrystallized with a silicagel column to obtain 1-145 (7.50 g, yield: 71%)

Otherwise, FD-MS values of compounds 1-1 to 1-146 of the present invention prepared according to the synthesis example as described above are shown in Table 3 below.

TABLE 3

compound	FD-MS	compound	FD-MS
1-1	m/z = 685.26(C ₄₈ H ₃₅ N ₃ S = 685.89)	1-2	m/z = 775.27(C ₅₄ H ₃₇ N ₃ OS = 775.97)
1-3	m/z = 759.29(C ₅₄ H ₃₇ N ₃ O ₂ = 759.91)	1-4	m/z = 850.31(C ₆₀ H ₄₂ N ₄ S = 851.08)
1-5	m/z = 762.28(C ₅₃ H ₃₈ N ₄ S = 762.98)	1-6	m/z = 733.26(C ₅₂ H ₃₅ N ₃ S = 733.93)
1-7	m/z = 761.29(C ₅₄ H ₃₉ N ₃ S = 761.99)	1-8	m/z = 761.29(C ₅₄ H ₃₉ N ₃ S = 761.99)
1-9	m/z = 685.26(C ₄₈ H ₃₅ N ₃ S = 685.89)	1-10	m/z = 775.27(C ₅₄ H ₃₇ N ₃ OS = 775.97)
1-11	m/z = 775.27(C ₅₄ H ₃₇ N ₃ OS = 775.97)	1-12	m/z = 801.32(C ₅₇ H ₄₃ N ₃ S = 802.05)
1-13	m/z = 719.29(C ₅₂ H ₃₇ N ₃ O = 719.89)	1-14	m/z = 733.26(C ₅₂ H ₃₅ N ₃ S = 733.93)
1-15	m/z = 667.26(C ₄₈ H ₃₃ N ₃ O = 667.81)	1-16	m/z = 717.28(C ₅₂ H ₃₅ N ₃ O = 717.87)
1-17	m/z = 685.26(C ₄₈ H ₃₅ N ₃ S = 685.89)	1-18	m/z = 834.34(C ₆₀ H ₄₂ N ₄ O = 835.02)
1-19	m/z = 791.24(C ₅₄ H ₃₇ N ₃ S ₂ = 792.03)	1-20	m/z = 881.25(C ₆₀ H ₃₉ N ₃ OS ₂ = 882.11)
1-21	m/z = 683.24(C ₄₈ H ₃₃ N ₃ S = 683.87)	1-22	m/z = 667.26(C ₄₈ H ₃₃ N ₃ O = 667.81)
1-23	m/z = 762.28(C ₅₃ H ₃₈ N ₄ S = 762.98)	1-24	m/z = 735.27(C ₅₂ H ₃₇ N ₃ S = 735.95)
1-25	m/z = 821.34(C ₆₀ H ₄₃ N ₃ O = 822.02)	1-26	m/z = 710.25(C ₄₉ H ₃₄ N ₄ S = 710.90)
1-27	m/z = 686.25(C ₄₇ H ₃₄ N ₄ S = 686.88)	1-28	m/z = 669.27(C ₄₈ H ₃₅ N ₃ O = 669.83)
1-29	m/z = 901.31(C ₆₄ H ₄₃ N ₃ OS = 902.13)	1-30	m/z = 791.24(C ₅₄ H ₃₇ N ₃ S ₂ = 792.03)
1-31	m/z = 759.29(C ₅₄ H ₃₇ N ₃ O ₂ = 759.91)	1-32	m/z = 801.32(C ₅₇ H ₄₃ N ₃ S = 802.05)
1-33	m/z = 745.31(C ₅₄ H ₃₉ N ₃ O = 745.93)	1-34	m/z = 674.31(C ₄₈ H ₃₀ D ₃ N ₃ O = 674.86)
1-35	m/z = 775.27(C ₅₄ H ₃₇ N ₃ OS = 775.97)	1-36	m/z = 923.33(C ₆₇ H ₄₅ N ₃ S = 924.18)
1-37	m/z = 834.34(C ₆₀ H ₄₂ N ₄ O = 835.02)	1-38	m/z = 735.27(C ₅₂ H ₃₇ N ₃ S = 735.95)
1-39	m/z = 703.25(C ₄₈ H ₃₄ FN ₃ S = 703.88)	1-40	m/z = 694.27(C ₄₉ H ₃₄ N ₄ O = 694.84)
1-41	m/z = 669.27(C ₄₈ H ₃₅ N ₃ O = 669.83)	1-42	m/z = 791.24(C ₅₄ H ₃₇ N ₃ S ₂ = 792.03)
1-43	m/z = 884.35(C ₆₄ H ₄₄ N ₄ O = 885.08)	1-44	m/z = 801.32(C ₅₇ H ₄₃ N ₃ S = 802.05)
1-45	m/z = 735.27(C ₅₂ H ₃₇ N ₃ S = 735.95)	1-46	m/z = 719.29(C ₅₂ H ₃₇ N ₃ O = 719.89)
1-47	m/z = 837.32(C ₆₀ H ₄₃ N ₃ S = 838.09)	1-48	m/z = 667.26(C ₄₈ H ₃₃ N ₃ O = 667.81)
1-49	m/z = 683.24(C ₄₈ H ₃₃ N ₃ S = 683.87)	1-50	m/z = 670.27(C ₄₇ H ₃₄ N ₃ O = 670.82)
1-51	m/z = 669.27(C ₄₈ H ₃₅ N ₃ O = 669.83)	1-52	m/z = 850.31(C ₆₀ H ₄₂ N ₄ S = 851.08)
1-53	m/z = 849.30(C ₆₀ H ₃₉ N ₃ O ₃ = 850.00)	1-54	m/z = 791.24(C ₅₄ H ₃₇ N ₃ S ₂ = 792.03)
1-55	m/z = 761.29(C ₅₄ H ₃₉ N ₃ S = 761.99)	1-56	m/z = 683.24(C ₄₈ H ₃₃ N ₃ S = 683.87)
1-57	m/z = 667.26(C ₄₈ H ₃₃ N ₃ O = 667.81)	1-58	m/z = 683.24(C ₄₈ H ₃₃ N ₃ S = 683.87)
1-59	m/z = 667.26(C ₄₈ H ₃₃ N ₃ O = 667.81)	1-60	m/z = 715.27(C ₄₉ H ₃₇ N ₃ OS = 715.92)
1-61	m/z = 685.26(C ₄₈ H ₃₅ N ₃ S = 685.89)	1-62	m/z = 785.34(C ₅₇ H ₄₃ N ₃ O = 785.99)
1-63	m/z = 719.29(C ₅₂ H ₃₇ N ₃ O = 719.89)	1-64	m/z = 821.34(C ₆₀ H ₄₃ N ₃ O = 822.02)
1-65	m/z = 683.24(C ₄₈ H ₃₃ N ₃ S = 683.87)	1-66	m/z = 683.24(C ₄₈ H ₃₃ N ₃ S = 683.87)
1-67	m/z = 707.29(C ₅₁ H ₃₇ N ₃ O = 707.88)	1-68	m/z = 685.26(C ₄₈ H ₃₅ N ₃ S = 685.89)
1-69	m/z = 719.29(C ₅₁ H ₃₇ N ₃ O = 719.89)	1-70	m/z = 775.27(C ₅₄ H ₃₇ N ₃ OS = 775.97)
1-71	m/z = 731.24(C ₄₉ H ₃₇ N ₃ S ₂ = 731.98)	1-72	m/z = 735.27(C ₅₂ H ₃₇ N ₃ S = 735.95)
1-73	m/z = 926.34(C ₆₆ H ₄₆ N ₄ S = 927.18)	1-74	m/z = 745.31(C ₅₄ H ₃₉ N ₃ O = 745.93)
1-75	m/z = 683.24(C ₄₈ H ₃₃ N ₃ S = 683.87)	1-76	m/z = 667.26(C ₄₈ H ₃₃ N ₃ O = 667.81)
1-77	m/z = 667.26(C ₄₈ H ₃₃ N ₃ O = 667.81)	1-78	m/z = 852.33(C ₆₀ H ₄₄ N ₃ S = 853.10)
1-79	m/z = 821.34(C ₆₀ H ₄₃ N ₃ O = 822.02)	1-80	m/z = 837.32(C ₆₀ H ₄₃ N ₃ S = 838.09)
1-81	m/z = 852.33(C ₆₀ H ₄₄ N ₃ S = 853.10)	1-82	m/z = 852.33(C ₆₀ H ₄₄ N ₃ S = 853.10)
1-83	m/z = 836.35(C ₆₀ H ₄₄ N ₃ O = 837.04)	1-84	m/z = 852.33(C ₆₀ H ₄₄ N ₃ S = 853.10)
1-85	m/z = 735.27(C ₅₂ H ₃₇ N ₃ S = 735.95)	1-86	m/z = 719.29(C ₅₂ H ₃₇ N ₃ O = 719.89)
1-87	m/z = 719.29(C ₅₂ H ₃₇ N ₃ O = 719.89)	1-88	m/z = 735.27(C ₅₂ H ₃₇ N ₃ S = 735.95)
1-89	m/z = 735.27(C ₅₂ H ₃₇ N ₃ S = 735.95)	1-90	m/z = 719.29(C ₅₂ H ₃₇ N ₃ O = 719.89)
1-91	m/z = 735.27(C ₅₂ H ₃₇ N ₃ S = 735.95)	1-92	m/z = 719.29(C ₅₂ H ₃₇ N ₃ O = 719.89)
1-93	m/z = 719.29(C ₅₂ H ₃₇ N ₃ O = 719.89)	1-94	m/z = 719.29(C ₅₂ H ₃₇ N ₃ O = 719.89)
1-95	m/z = 735.27(C ₅₂ H ₃₇ N ₃ S = 735.95)	1-96	m/z = 735.27(C ₅₂ H ₃₇ N ₃ S = 735.95)
1-97	m/z = 735.27(C ₅₂ H ₃₇ N ₃ S = 735.95)	1-98	m/z = 719.29(C ₅₂ H ₃₇ N ₃ O = 719.89)
1-99	m/z = 719.29(C ₅₂ H ₃₇ N ₃ O = 719.89)	1-100	m/z = 735.27(C ₅₂ H ₃₇ N ₃ S = 735.95)
1-101	m/z = 735.27(C ₅₂ H ₃₇ N ₃ S = 735.95)	1-102	m/z = 719.29(C ₅₂ H ₃₇ N ₃ O = 719.89)


TABLE 3-continued

compound	FD-MS	compound	FD-MS
1-103	m/z = 719.29(C ₅₂ H ₃₇ N ₃ O = 719.89)	1-104	m/z = 735.27(C ₅₂ H ₃₇ N ₃ S = 735.95)
1-105	m/z = 719.29(C ₅₂ H ₃₇ N ₃ O = 719.89)	1-106	m/z = 735.27(C ₅₂ H ₃₇ N ₃ S = 735.95)
1-107	m/z = 735.27(C ₅₂ H ₃₇ N ₃ S = 735.95)	1-108	m/z = 719.29(C ₅₂ H ₃₇ N ₃ O = 719.89)
1-109	m/z = 735.27(C ₅₂ H ₃₇ N ₃ S = 735.95)	1-110	m/z = 735.27(C ₅₂ H ₃₇ N ₃ S = 735.95)
1-111	m/z = 719.29(C ₅₂ H ₃₇ N ₃ O = 719.89)	1-112	m/z = 735.27(C ₅₂ H ₃₇ N ₃ S = 735.95)
1-113	m/z = 735.27(C ₅₂ H ₃₇ N ₃ S = 735.95)	1-114	m/z = 735.27(C ₅₂ H ₃₇ N ₃ S = 735.95)
1-115	m/z = 719.29(C ₅₂ H ₃₇ N ₃ O = 719.89)	1-116	m/z = 735.27(C ₅₂ H ₃₇ N ₃ S = 735.95)
1-117	m/z = 719.29(C ₅₂ H ₃₇ N ₃ O = 719.89)	1-118	m/z = 735.27(C ₅₂ H ₃₇ N ₃ S = 735.95)
1-119	m/z = 719.29(C ₅₂ H ₃₇ N ₃ O = 719.89)	1-120	m/z = 735.27(C ₅₂ H ₃₇ N ₃ S = 735.95)
1-121	m/z = 719.29(C ₅₂ H ₃₇ N ₃ O = 719.89)	1-122	m/z = 719.29(C ₅₂ H ₃₇ N ₃ O = 719.89)
1-123	m/z = 735.27(C ₅₂ H ₃₇ N ₃ S = 735.95)	1-124	m/z = 719.29(C ₅₂ H ₃₇ N ₃ O = 719.89)
1-125	m/z = 785.29(C ₅₆ H ₃₉ N ₃ S = 786.01)	1-126	m/z = 785.29(C ₅₆ H ₃₉ N ₃ S = 786.01)
1-127	m/z = 769.31(C ₅₆ H ₃₉ N ₃ O = 769.95)	1-128	m/z = 785.29(C ₅₆ H ₃₉ N ₃ S = 786.01)
1-129	m/z = 785.29(C ₅₆ H ₃₉ N ₃ S = 786.01)	1-130	m/z = 769.31(C ₅₆ H ₃₉ N ₃ O = 769.95)
1-131	m/z = 891.27(C ₆₂ H ₄₁ N ₃ S ₂ = 892.15)	1-132	m/z = 815.30(C ₅₇ H ₄₁ N ₃ OS = 816.04)
1-133	m/z = 837.32(C ₆₀ H ₄₃ N ₃ S = 838.09)	1-134	m/z = 745.31(C ₅₄ H ₃₉ N ₃ O = 745.93)
1-135	m/z = 761.29(C ₅₄ H ₃₉ N ₃ S = 761.99)	1-136	m/z = 1077.38(C ₇₈ H ₅₁ N ₃ OS = 1078.35)
1-137	m/z = 887.33(C ₆₄ H ₄₅ N ₃ S = 888.15)	1-138	m/z = 911.39(C ₆₇ H ₄₉ N ₃ O = 912.15)
1-139	m/z = 1131.45(C ₈₃ H ₅₃ D ₄ N ₃ S = 1132.47)	1-140	m/z = 1018.35(C ₇₀ H ₄₆ N ₆ OS = 1019.24)
1-141	m/z = 876.29(C ₆₁ H ₄₀ N ₄ OS = 877.08)	1-142	m/z = 1155.41(C ₈₁ H ₅₃ N ₇ S = 1156.42)
1-143	m/z = 947.39(C ₇₀ H ₄₉ N ₃ O = 948.18)	1-144	m/z = 1049.36(C ₇₄ H ₄₉ F ₂ N ₃ S = 1050.28)
1-145	m/z = 963.36(C ₇₀ H ₄₉ N ₃ S = 964.24)	1-146	m/z = 746.30(C ₅₃ H ₃₈ N ₄ O = 746.91)

Synthesis Example 2

The compound (final product) represented by Formula 2 according to the present invention may be prepared by reacting Sub 3 and Sub 4 as shown in Scheme 5 below, but is not limited thereto.

<Reaction Scheme>



25


30

35

40

45

-continued



45


Synthesis Example of 1'-1

50



55

60





65



Sub 4



Sub 1(1)







Sub 1(6) (44.6 g, 80 mmol) and Sub 2(2) (30.9 g, 80 mmol) were used to obtain a product (43.2 g, 69%) using the synthesis method of 1'-1.

Synthesis Example of 1-12

After placing Sub 1(1) (34.7 g, 80 mmol) and Sub 2(1) (30.9 g, 80 mmol), K_2CO_3 (19.3 g, 140 mmol), $Pd(PPh_3)_4$ (2.8 g, 2.4 mmol) in a round bottom flask, THF and water were added to dissolve, and then refluxed at 80° C. for 12 hours. When the reaction was completed, the temperature of the reaction product was cooled to room temperature, extracted with CH_2Cl_2 , and washed with water. The organic layer was dried over $MgSO_4$, concentrated, and the resulting organic material was separated using a silicagel column to obtain the desired product (37.4 g, 71%).


Synthesis Example of 1-6







Sub 1(12) (42.7 g, 80 mmol) and Sub 2(33) (34.9 g, 80 mmol) were used to obtain a product (42.7 g, 66%) using the synthesis method of 1'-1.

Synthesis Example of 1-33




Sub 1(27) (40.8 g, 80 mmol) and Sub 2(9) (43.1 g, 80 mmol) were used to obtain a product (51.0 g, 72%) using the synthesis method of 1'-1.

Synthesis Example of 1'-44



287


-continued



1'-44

288

-continued




1'-53

Sub 1(34) (44.0 g, 80 mmol) and Sub 2(29) (29.6 g, 80 mmol) were used to obtain a product (41.2 g, 68%) using the synthesis method of 1'-1.


Synthesis Example of 1-64

Sub 1(28) (40.8 g, 80 mmol) and Sub 2(10) (37.0 g, 80 mmol) were used to obtain a product (45.4 g, 70%) using the synthesis method of 1'-1.



Synthesis Example of 1-53




Sub 1(34)




Sub 2(29)



Sub 1(37)




Sub 2(34)



289


-continued




1'-64

Sub 1(37) (48.2 g, 80 mmol) and Sub 2(34) (34.9 g, 80 mmol) were used to obtain a product (45.6 g, 71%) using the synthesis method of 1'-1.


Synthesis Example of 1'-75




Sub 1(25)



Sub 2(35)

**290**


-continued




1'-75

Sub 1(25) (34.7 g, 80 mmol) and Sub 2(35) (41.8 g, 80 mmol) were used to obtain a product (46.4 g, 73%) using the synthesis method of 1'-1.


Synthesis Example of 2-1



Sub 1(1)




Sub 2(27)



291

-continued




2-1

Sub 1(1) (34.7 g, 80 mmol) and Sub 2(27) (37.0 g, 80 mmol) were used to obtain a product (42.3 g, 72%) using the synthesis method of 1'-1.

Synthesis Example of 2-22

292


-continued



2-22


Sub 1(38) (50.7 g, 80 mmol) and Sub 2(24) (37.0 g, 80 mmol) were used to obtain a product (51.6 g, 69%) using the synthesis method of 1'-1.

Synthesis Example of 2-33




Sub 1(38)

+




Sub 1(27)

50




Sub 2(24)




55

60

65




Sub 2(36)




293

-continued

**294**

-continued









Sub 1(27) (40.8 g, 80 mmol) and Sub 2(36) (49.2 g, 80 mmol) were used to obtain a product (53.9 g, 70%) using the synthesis method of 1'-1.

Synthesis Example of 2-40


Sub 1(25) (34.7 g, 80 mmol) and Sub 2(37) (43.1 g, 80 mmol) were used to obtain a product (44.7 g, 69%) using the synthesis method of 1'-1.

Synthesis Example of 2-51






295

-continued




Sub 1(33) (36.0 g, 80 mmol) and Sub 2(38) (35.7 g, 80 mmol) were used to obtain a product (41.1 g, 70%) using the synthesis method of 1'-1.

Synthesis Example of 2-55


**296**

-continued



Sub 1(39) (42.1 g, 80 mmol) and Sub 2(23) (37.0 g, 80 mmol) were used to obtain a product (44.9 g, 68%) using the synthesis method of 1'-1.

Synthesis Example of 2-58





45

50

55


60

65



297


-continued



2-58

Sub 1(25) (34.7 g, 80 mmol) and Sub 2(39) (47.9 g, 80 mmol) were used to obtain a product (45.9 g, 66%) using the synthesis method of 1'-1.


Synthesis Example of 3-10



Sub 1(37)

298


-continued




3-10

Sub 1(37) (28.6 g, 80 mmol) and Sub 2(10) (37.0 g, 80 mmol) were used to obtain a product (38.9 g, 74%) using the synthesis method of 1'-1.



Synthesis Example of P-41




Core 2



Sub 2(10)




Sub 1



299

-continued




P-41

Core 2 (5 g, 14 mmol), Sub 1 (4.6 g, 15.2 mmol), Pd(PPh₃)₄ (0.5 g, 0.4 mmol), K₂CO₃ (5.7 g, 41.3 mmol), THF and water were added in a round bottom flask and stirred at 90° C. After the reaction was completed, the reaction mixture was extracted with CH₂Cl₂ and water. The organic layer was dried over MgSO₄ and concentrated. The resulting compound was separated by silicagel column chromatography and recrystallized to obtain 4.6 g of P-41. (yield: 57%)

Synthesis Example of P-91

300


-continued




P-91

Core 1 (5 g, 14 mmol), Sub 9 (5.8 g, 15.4 mmol), Pd(PPh₃)₄ (0.5 g, 0.4 mmol), K₂CO₃ (5.8 g, 41.9 mmol), THF and water were added in a round bottom flask and stirred at 90° C. After the reaction was completed, the reaction mixture was extracted with CH₂Cl₂ and water. The organic layer was dried over MgSO₄ and concentrated. The resulting compound was separated by silicagel column chromatography and recrystallized to obtain 4.7 g of P-91. (yield: 51%)


Synthesis Example of P-106





Core 1




Core 1



Sub 9




Sub 16



301


-continued



P-106

Core 1 (5 g, 14 mmol), Sub 16 (5.8 g, 15.4 mmol), Pd(PPh₃)₄ (0.5 g, 0.4 mmol), K₂CO₃ (5.8 g, 41.9 mmol), THF and water were added in a round bottom flask and stirred at 90° C. After the reaction was completed, the reaction mixture was extracted with CH₂Cl₂ and water. The organic layer was dried over MgSO₄ and concentrated. The resulting compound was separated by silicagel column chromatography and recrystallized to obtain 5.8 g of P-106. (yield: 63%)

Synthesis Example of P-146




P-146

302

Core 1 (5 g, 14 mmol), Sub 2 (5.8 g, 15.4 mmol), Pd(PPh₃)₄ (0.5 g, 0.4 mmol), K₂CO₃ (5.8 g, 41.9 mmol), THF and water were added in a round bottom flask and stirred at 90° C. After the reaction was completed, the reaction mixture was extracted with CH₂Cl₂ and water. The organic layer was dried over MgSO₄ and concentrated. The resulting compound was separated by silicagel column chromatography and recrystallized to obtain 4.7 g of P-146. (yield: 51%)

Synthesis Example of P-4




P-4

Core 1 (5 g, 14 mmol), Sub 6 (5.9 g, 15.4 mmol), Pd(PPh₃)₄ (0.5 g, 0.4 mmol), K₂CO₃ (5.8 g, 41.9 mmol), THF and water were added in a round bottom flask and stirred at 90° C. After the reaction was completed, the reaction mixture was extracted with CH₂Cl₂ and water. The organic layer was dried over MgSO₄ and concentrated. The resulting compound was separated by silicagel column chromatography and recrystallized to obtain 6.1 g of P-4. (yield: 66%)

303


Synthesis Example of 4-1



Sub 1-1' (50 g, 98.04 mmol) was added to around bottom flask and dissolve with THF (359 mL), Sub 2-1' (52.51 g, 117.65 mmol), Pd(PPh₃)₄ (4.53 g, 3.92 mmol), K₂CO₃ (40.65 g, 294.12 mmol) and water (180 mL) were added and stirred to reflux. After the reaction was completed, the reaction mixture was extracted with ether and water. The organic layer was dried over MgSO₄ and concentrated. Thereafter, the concentrate was passed through a silicagel column and recrystallized to obtain 64.61 g of a product. (Yield: 83%)

304

Synthesis Example of 5-3



Sub 1-1'' (60 g, 133.35 mmol) was added to a round bottom flask and dissolve with THF (489 mL), Sub 2-3'' (58.28 g, 160.01 mmol), Pd(PPh₃)₄ (6.16 g, 5.33 mmol), K₂CO₃ (55.29 g, 400.04 mmol), and water (244 mL) were added and stirred to reflux. When the reaction is complete, the resulting compound was extracted with ether and water. The organic layer was dried over MgSO₄ and concentrated. The resulting compound was separated by silicagel column chromatography and recrystallized to obtain 73.40 g of the product. (yield: 75%)

TABLE 4

compound	FD-MS	compound	FD-MS
1'-1	m/z = 657.19(C ₄₃ H ₂₇ N ₃ OS = 657.79)	1'-2	m/z = 707.20(C ₄₉ H ₂₉ N ₃ OS = 707.85)
1'-3	m/z = 707.20(C ₄₉ H ₂₉ N ₃ OS = 707.85)	1'-4	m/z = 783.23(C ₅₅ H ₃₃ N ₃ OS = 783.95)
1'-5	m/z = 757.22(C ₅₃ H ₃₁ N ₃ OS = 757.91)	1'-6	m/z = 781.22(C ₅₅ H ₃₁ N ₃ OS = 781.93)
1'-7	m/z = 809.25(C ₅₇ H ₃₅ N ₃ OS = 809.99)	1'-8	m/z = 721.22(C ₅₀ H ₃₁ N ₃ OS = 721.88)

TABLE 4-continued

compound	FD-MS	compound	FD-MS
1'-9	m/z = 707.20(C ₄₉ H ₂₉ N ₃ O ₂ = 707.85)	1'-10	m/z = 707.20(C ₄₉ H ₂₉ N ₃ O ₂ = 707.85)
1'-11	m/z = 733.22(C ₅₁ H ₃₁ N ₃ O ₂ = 733.89)	1'-12	m/z = 807.23(C ₅₇ H ₃₃ N ₃ O ₂ = 807.97)
1'-13	m/z = 707.20(C ₄₉ H ₂₉ N ₃ O ₂ = 707.85)	1'-14	m/z = 707.20(C ₄₉ H ₂₉ N ₃ O ₂ = 707.85)
1'-15	m/z = 733.22(C ₅₁ H ₃₁ N ₃ O ₂ = 733.89)	1'-16	m/z = 859.27(C ₆₁ H ₃₇ N ₃ O ₂ = 860.05)
1'-17	m/z = 807.23(C ₅₇ H ₃₃ N ₃ O ₂ = 807.97)	1'-18	m/z = 757.22(C ₅₃ H ₃₁ N ₃ O ₂ = 757.91)
1'-19	m/z = 783.23(C ₅₅ H ₃₃ N ₃ O ₂ = 783.95)	1'-20	m/z = 859.27(C ₆₁ H ₃₇ N ₃ O ₂ = 860.05)
1'-21	m/z = 733.22(C ₅₁ H ₃₁ N ₃ O ₂ = 733.89)	1'-22	m/z = 857.25(C ₆₁ H ₃₅ N ₃ O ₂ = 858.03)
1'-23	m/z = 833.25(C ₅₉ H ₃₅ N ₃ O ₂ = 834.01)	1'-24	m/z = 825.23(C ₅₇ H ₃₃ FN ₃ O ₂ = 825.96)
1'-25	m/z = 657.19(C ₄₅ H ₂₇ N ₃ O ₂ = 657.79)	1'-26	m/z = 733.22(C ₅₁ H ₃₁ N ₃ O ₂ = 733.89)
1'-27	m/z = 809.25(C ₅₇ H ₃₅ N ₃ O ₂ = 809.99)	1'-28	m/z = 809.25(C ₅₇ H ₃₅ N ₃ O ₂ = 809.99)
1'-29	m/z = 732.22(C ₅₁ H ₃₁ N ₃ O ₂ = 733.89)	1'-30	m/z = 733.22(C ₅₁ H ₃₁ N ₃ O ₂ = 733.89)
1'-31	m/z = 657.19(C ₄₅ H ₂₇ N ₃ O ₂ = 657.79)	1'-32	m/z = 809.25(C ₅₇ H ₃₅ N ₃ O ₂ = 809.99)
1'-33	m/z = 885.28(C ₆₃ H ₃₉ N ₃ O ₂ = 886.09)	1'-34	m/z = 733.22(C ₅₁ H ₃₁ N ₃ O ₂ = 733.89)
1'-35	m/z = 733.22(C ₅₁ H ₃₁ N ₃ O ₂ = 733.89)	1'-36	m/z = 809.25(C ₅₇ H ₃₅ N ₃ O ₂ = 809.99)
1'-37	m/z = 733.22(C ₅₁ H ₃₁ N ₃ O ₂ = 733.89)	1'-38	m/z = 733.22(C ₅₁ H ₃₁ N ₃ O ₂ = 733.89)
1'-39	m/z = 809.25(C ₅₇ H ₃₅ N ₃ O ₂ = 809.99)	1'-40	m/z = 657.19(C ₄₅ H ₂₇ N ₃ O ₂ = 657.79)
1'-41	m/z = 783.23(C ₅₅ H ₃₃ N ₃ O ₂ = 783.95)	1'-42	m/z = 733.22(C ₅₁ H ₃₁ N ₃ O ₂ = 733.89)
1'-43	m/z = 733.22(C ₅₁ H ₃₁ N ₃ O ₂ = 733.89)	1'-44	m/z = 809.25(C ₅₇ H ₃₅ N ₃ O ₂ = 809.99)
1'-45	m/z = 809.25(C ₅₇ H ₃₅ N ₃ O ₂ = 809.99)	1'-46	m/z = 809.25(C ₅₇ H ₃₅ N ₃ O ₂ = 809.99)
1'-47	m/z = 885.28(C ₆₃ H ₃₉ N ₃ O ₂ = 886.09)	1'-48	m/z = 783.23(C ₅₅ H ₃₃ N ₃ O ₂ = 783.95)
1'-49	m/z = 657.19(C ₄₅ H ₂₇ N ₃ O ₂ = 657.79)	1'-50	m/z = 707.20(C ₄₉ H ₂₉ N ₃ O ₂ = 707.85)
1'-51	m/z = 707.20(C ₄₉ H ₂₉ N ₃ O ₂ = 707.85)	1'-52	m/z = 783.23(C ₅₅ H ₃₃ N ₃ O ₂ = 783.95)
1'-53	m/z = 757.22(C ₅₃ H ₃₁ N ₃ O ₂ = 757.91)	1'-54	m/z = 781.22(C ₅₅ H ₃₁ N ₃ O ₂ = 781.93)
1'-55	m/z = 809.25(C ₅₇ H ₃₅ N ₃ O ₂ = 809.99)	1'-56	m/z = 721.22(C ₅₀ H ₃₁ N ₃ O ₂ = 721.88)
1'-57	m/z = 707.20(C ₄₉ H ₂₉ N ₃ O ₂ = 707.85)	1'-58	m/z = 707.20(C ₄₉ H ₂₉ N ₃ O ₂ = 707.85)
1'-59	m/z = 733.22(C ₅₁ H ₃₁ N ₃ O ₂ = 733.89)	1'-60	m/z = 807.23(C ₅₇ H ₃₃ N ₃ O ₂ = 807.97)
1'-61	m/z = 723.18(C ₄₉ H ₂₉ N ₃ S ₂ = 723.91)	1'-62	m/z = 723.18(C ₄₉ H ₂₉ N ₃ S ₂ = 723.91)
1'-63	m/z = 749.20(C ₅₁ H ₃₁ N ₃ S ₂ = 749.95)	1'-64	m/z = 875.24(C ₆₁ H ₃₇ N ₃ S ₂ = 876.11)
1'-65	m/z = 823.21(C ₅₇ H ₃₃ N ₃ S ₂ = 824.03)	1'-66	m/z = 773.20(C ₅₃ H ₃₁ N ₃ S ₂ = 773.97)
1'-67	m/z = 799.21(C ₅₅ H ₃₃ N ₃ S ₂ = 800.01)	1'-68	m/z = 875.24(C ₆₁ H ₃₇ N ₃ S ₂ = 876.11)
1'-69	m/z = 749.20(C ₅₁ H ₃₁ N ₃ S ₂ = 749.95)	1'-70	m/z = 873.23(C ₆₁ H ₃₅ N ₃ S ₂ = 874.09)
1'-71	m/z = 849.23(C ₅₉ H ₃₅ N ₃ S ₂ = 850.07)	1'-72	m/z = 791.19(C ₅₃ H ₃₀ FN ₃ S ₂ = 791.96)
1'-73	m/z = 641.21(C ₄₅ H ₂₇ N ₃ O ₂ = 641.73)	1'-74	m/z = 717.24(C ₅₁ H ₃₁ N ₃ O ₂ = 717.83)
1'-75	m/z = 798.30(C ₅₇ H ₃₀ D ₃ N ₃ O ₂ = 799.0)	1'-76	m/z = 843.29(C ₆₁ H ₃₇ N ₃ O ₂ = 843.99)
1'-77	m/z = 717.24(C ₅₁ H ₃₁ N ₃ O ₂ = 717.83)	1'-78	m/z = 717.24(C ₅₁ H ₃₁ N ₃ O ₂ = 717.83)
1'-79	m/z = 641.21(C ₄₅ H ₂₇ N ₃ O ₂ = 641.73)	1'-80	m/z = 793.27(C ₅₇ H ₃₅ N ₃ O ₂ = 793.93)
1'-81	m/z = 869.30(C ₆₃ H ₃₉ N ₃ O ₂ = 870.02)	1'-82	m/z = 717.24(C ₅₁ H ₃₁ N ₃ O ₂ = 717.83)
1'-83	m/z = 722.27(C ₅₁ H ₂₆ D ₃ N ₃ O ₂ = 722.9)	1'-84	m/z = 793.27(C ₅₇ H ₃₅ N ₃ O ₂ = 793.93)
2-1	m/z = 733.22(C ₅₁ H ₃₁ N ₃ O ₂ = 733.89)	2-2	m/z = 783.23(C ₅₅ H ₃₃ N ₃ O ₂ = 783.95)
2-3	m/z = 783.23(C ₅₅ H ₃₃ N ₃ O ₂ = 783.95)	2-4	m/z = 859.27(C ₆₁ H ₃₇ N ₃ O ₂ = 860.05)
2-5	m/z = 833.25(C ₅₉ H ₃₅ N ₃ O ₂ = 834.01)	2-6	m/z = 857.25(C ₆₁ H ₃₅ N ₃ O ₂ = 858.03)
2-7	m/z = 885.28(C ₆₃ H ₃₉ N ₃ O ₂ = 886.09)	2-8	m/z = 797.25(C ₅₆ H ₃₅ N ₃ O ₂ = 797.98)
2-9	m/z = 783.23(C ₅₅ H ₃₃ N ₃ O ₂ = 783.95)	2-10	m/z = 783.23(C ₅₅ H ₃₃ N ₃ O ₂ = 783.95)
2-11	m/z = 809.25(C ₅₇ H ₃₅ N ₃ O ₂ = 809.99)	2-12	m/z = 883.27(C ₆₃ H ₃₇ N ₃ O ₂ = 884.07)
2-13	m/z = 783.23(C ₅₅ H ₃₃ N ₃ O ₂ = 783.95)	2-14	m/z = 783.23(C ₅₅ H ₃₃ N ₃ O ₂ = 783.95)
2-15	m/z = 809.25(C ₅₇ H ₃₅ N ₃ O ₂ = 809.99)	2-16	m/z = 935.30(C ₆₇ H ₄₁ N ₃ O ₂ = 936.15)
2-17	m/z = 883.27(C ₆₃ H ₃₇ N ₃ O ₂ = 884.07)	2-18	m/z = 833.25(C ₅₉ H ₃₅ N ₃ O ₂ = 834.01)
2-19	m/z = 885.28(C ₆₃ H ₃₉ N ₃ O ₂ = 886.09)	2-20	m/z = 909.28(C ₆₅ H ₃₉ N ₃ O ₂ = 910.11)
2-21	m/z = 809.25(C ₅₇ H ₃₅ N ₃ O ₂ = 809.99)	2-22	m/z = 933.28(C ₆₇ H ₃₉ N ₃ O ₂ = 934.13)
2-23	m/z = 909.28(C ₆₅ H ₃₉ N ₃ O ₂ = 910.11)	2-24	m/z = 851.24(C ₅₉ H ₃₄ FN ₃ O ₂ = 852.00)
2-25	m/z = 733.22(C ₅₁ H ₃₁ N ₃ O ₂ = 733.89)	2-26	m/z = 809.25(C ₅₇ H ₃₅ N ₃ O ₂ = 809.99)
2-27	m/z = 885.28(C ₆₃ H ₃₉ N ₃ O ₂ = 886.09)	2-28	m/z = 935.30(C ₆₇ H ₄₁ N ₃ O ₂ = 936.15)
2-29	m/z = 809.25(C ₅₇ H ₃₅ N ₃ O ₂ = 809.99)	2-30	m/z = 809.25(C ₅₇ H ₃₅ N ₃ O ₂ = 809.99)
2-31	m/z = 733.22(C ₅₁ H ₃₁ N ₃ O ₂ = 733.89)	2-32	m/z = 885.28(C ₆₃ H ₃₉ N ₃ O ₂ = 886.09)
2-33	m/z = 961.31(C ₆₉ H ₄₃ N ₃ O ₂ = 962.18)	2-34	m/z = 809.25(C ₅₇ H ₃₅ N ₃ O ₂ = 809.99)
2-35	m/z = 809.25(C ₅₇ H ₃₅ N ₃ O ₂ = 809.99)	2-36	m/z = 885.28(C ₆₃ H ₃₉ N ₃ O ₂ = 886.09)
2-37	m/z = 885.28(C ₆₃ H ₃₉ N ₃ O ₂ = 886.09)	2-38	m/z = 885.28(C ₆₃ H ₃₉ N ₃ O ₂ = 886.09)
2-39	m/z = 961.31(C ₆₉ H ₄₃ N ₃ O ₂ = 962.18)	2-40	m/z = 809.25(C ₅₇ H ₃₅ N ₃ O ₂ = 809.99)
2-41	m/z = 885.28(C ₆₃ H ₃₉ N ₃ O ₂ = 886.09)	2-42	m/z = 885.28(C ₆₃ H ₃₉ N ₃ O ₂ = 886.09)
2-43	m/z = 885.28(C ₆₃ H ₃₉ N ₃ O ₂ = 886.09)	2-44	m/z = 1032.40(C ₇₄ H ₅₄ N ₃ O ₂ = 1033.33)
2-45	m/z = 885.28(C ₆₃ H ₃₉ N ₃ O ₂ = 886.09)	2-46	m/z = 885.28(C ₆₃ H ₃₉ N ₃ O ₂ = 886.09)
2-47	m/z = 961.31(C ₆₉ H ₄₃ N ₃ O ₂ = 962.18)	2-48	m/z = 859.27(C ₆₁ H ₃₇ N ₃ O ₂ = 860.05)
2-49	m/z = 809.25(C ₅₇ H ₃₅ N ₃ O ₂ = 809.99)	2-50	m/z = 809.25(C ₅₇ H ₃₅ N ₃ O ₂ = 809.99)
2-51	m/z = 733.22(C ₅₁ H ₃₁ N ₃ O ₂ = 733.89)	2-52	m/z = 885.28(C ₆₃ H ₃₉ N ₃ O ₂ = 886.09)
2-53	m/z = 977.29(C ₆₉ H ₄₃ N ₃ S ₂ = 978.24)	2-54	m/z = 825.23(C ₅₇ H ₃₅ N ₃ S ₂ = 826.05)
2-55	m/z = 825.23(C ₅₇ H ₃₅ N ₃ S ₂ = 826.05)	2-56	m/z = 901.26(C ₆₃ H ₃₉ N ₃ S ₂ = 902.15)
2-57	m/z = 869.30(C ₆₃ H ₃₉ N ₃ O ₂ = 870.02)	2-58	m/z = 869.30(C ₆₃ H ₃₉ N ₃ O ₂ = 870.02)
2-59	m/z = 945.34(C ₆₉ H ₄₃ N ₃ O ₂ = 946.12)	2-60	m/z = 809.25(C ₅₇ H ₃₅ N ₃ O ₂ = 809.99)
3-1	m/z = 581.16(C ₃₉ H ₂₃ N ₃ O ₂ = 581.69)	3-2	m/z = 581.16(C ₃₉ H ₂₃ N ₃ O ₂ = 581.69)
3-3	m/z = 581.16(C ₃₉ H ₂₃ N ₃ O ₂ = 581.69)	3-4	m/z = 783.23(C ₅₅ H ₃₃ N ₃ O ₂ = 783.95)
3-5	m/z = 631.17(C ₄₃ H ₂₅ N ₃ O ₂ = 631.75)	3-6	m/z = 731.20(C ₅₁ H ₂₉ N ₃ O ₂ = 731.87)
3-7	m/z = 581.16(C ₃₉ H ₂₃ N ₃ O ₂ = 581.69)	3-8	m/z = 657.19(C ₄₅ H ₂₇ N ₃ O ₂ = 657.79)
3-9	m/z = 581.16(C ₃₉ H ₂₃ N ₃ O ₂ = 581.69)	3-10	m/z = 657.19(C ₄₅ H ₂₇ N ₃ O ₂ = 657.79)
3-11	m/z = 657.19(C ₄₅ H ₂₇ N ₃ O ₂ = 657.79)	3-12	m/z = 733.22(C ₅₁ H ₃₁ N ₃ O ₂ = 733.89)
3-13	m/z = 631.17(C ₄₃ H ₂₅ N ₃ O ₂ = 631.75)	3-14	m/z = 581.16(C ₃₉ H ₂₃ N ₃ O ₂ = 581.69)
3-15	m/z = 581.16(C ₃₉ H ₂₃ N ₃ O ₂ = 581.69)	3-16	m/z = 799.21(C ₅₅ H ₃₃ N ₃ S ₂ = 800.01)
3-17	m/z = 647.15(C ₄₃ H ₂₅ N ₃ S ₂ = 647.81)	3-18	m/z = 747.18(C ₅₁ H ₂₉ N ₃ S ₂ = 747.93)
3-19	m/z = 565.18(C ₃₉ H ₂₃ N ₃ O ₂ = 565.63)	3-20	m/z = 641.21(C ₄₅ H ₂₇ N ₃ O ₂ = 641.73)

TABLE 4-continued

compound	FD-MS	compound	FD-MS
3-21	m/z = 722.27(C ₅₁ H ₂₆ D ₅ N ₃ S ₂ = 722.86)	3-22	m/z = 657.19(C ₄₅ H ₂₇ N ₃ OS = 657.79)
3-23	m/z = 657.19(C ₄₅ H ₂₇ N ₃ OS = 657.79)	3-24	m/z = 707.20(C ₄₉ H ₂₉ N ₃ OS = 707.85)
3-25	m/z = 733.22(C ₅₁ H ₃₁ N ₃ OS = 733.89)	3-26	m/z = 707.20(C ₄₉ H ₂₉ N ₃ OS = 707.85)
3-27	m/z = 707.20(C ₄₉ H ₂₉ N ₃ OS = 707.85)	3-28	m/z = 859.27(C ₆₁ H ₃₇ N ₃ OS = 860.05)
3-29	m/z = 657.19(C ₄₅ H ₂₇ N ₃ OS = 657.79)	3-30	m/z = 733.22(C ₅₁ H ₃₁ N ₃ OS = 733.89)
3-31	m/z = 809.25(C ₅₇ H ₃₅ N ₃ OS = 809.99)	3-32	m/z = 809.25(C ₅₇ H ₃₅ N ₃ OS = 809.99)
3-33	m/z = 885.28(C ₆₃ H ₃₉ N ₃ OS = 886.09)	3-34	m/z = 809.25(C ₅₇ H ₃₅ N ₃ OS = 809.99)
3-35	m/z = 673.16(C ₄₅ H ₂₇ N ₃ S ₂ = 673.85)	3-36	m/z = 793.27(C ₅₇ H ₃₅ N ₃ O ₂ = 793.93)
P-1	m/z = 581.16(C ₃₉ H ₂₃ N ₃ OS = 581.69)	P-2	m/z = 631.17(C ₄₃ H ₂₅ N ₃ OS = 631.75)
P-3	m/z = 631.17(C ₄₃ H ₂₅ N ₃ OS = 631.75)	P-4	m/z = 657.19(C ₄₅ H ₂₇ N ₃ OS = 657.79)
P-5	m/z = 681.19(C ₄₇ H ₂₇ N ₃ OS = 681.81)	P-6	m/z = 631.17(C ₄₃ H ₂₅ N ₃ OS = 631.75)
P-7	m/z = 631.17(C ₄₃ H ₂₅ N ₃ OS = 631.75)	P-8	m/z = 657.19(C ₄₅ H ₂₇ N ₃ OS = 657.79)
P-9	m/z = 657.19(C ₄₅ H ₂₇ N ₃ OS = 657.79)	P-10	m/z = 657.19(C ₄₅ H ₂₇ N ₃ OS = 657.79)
P-11	m/z = 586.19(C ₃₉ H ₁₈ D ₅ N ₃ OS = 586.7)	P-12	m/z = 681.19(C ₄₇ H ₂₇ N ₃ OS = 681.81)
P-13	m/z = 681.19(C ₄₇ H ₂₇ N ₃ OS = 681.81)	P-14	m/z = 707.20(C ₄₉ H ₂₉ N ₃ OS = 707.85)
P-15	m/z = 707.20(C ₄₉ H ₂₉ N ₃ OS = 707.85)	P-16	m/z = 707.20(C ₄₉ H ₂₉ N ₃ OS = 707.85)
P-17	m/z = 636.20(C ₄₃ H ₂₀ D ₅ N ₃ OS = 636.8)	P-18	m/z = 681.19(C ₄₇ H ₂₇ N ₃ OS = 681.81)
P-19	m/z = 681.19(C ₄₇ H ₂₇ N ₃ OS = 681.81)	P-20	m/z = 707.20(C ₄₉ H ₂₉ N ₃ OS = 707.85)
P-21	m/z = 707.20(C ₄₉ H ₂₉ N ₃ OS = 707.85)	P-22	m/z = 707.20(C ₄₉ H ₂₉ N ₃ OS = 707.85)
P-23	m/z = 636.20(C ₄₃ H ₂₀ D ₅ N ₃ OS = 636.8)	P-24	m/z = 707.20(C ₄₉ H ₂₉ N ₃ OS = 707.85)
P-25	m/z = 707.20(C ₄₉ H ₂₉ N ₃ OS = 707.85)	P-26	m/z = 733.22(C ₅₁ H ₃₁ N ₃ OS = 733.89)
P-27	m/z = 733.22(C ₅₁ H ₃₁ N ₃ OS = 733.89)	P-28	m/z = 733.22(C ₅₁ H ₃₁ N ₃ OS = 733.89)
P-29	m/z = 662.22(C ₄₅ H ₂₂ D ₅ N ₃ OS = 662.8)	P-30	m/z = 662.22(C ₄₅ H ₂₂ D ₅ N ₃ OS = 662.82)
P-31	m/z = 581.16(C ₃₉ H ₂₃ N ₃ OS = 581.69)	P-32	m/z = 631.17(C ₄₃ H ₂₅ N ₃ OS = 631.75)
P-33	m/z = 631.17(C ₄₃ H ₂₅ N ₃ OS = 631.75)	P-34	m/z = 657.19(C ₄₅ H ₂₇ N ₃ OS = 657.79)
P-35	m/z = 681.19(C ₄₇ H ₂₇ N ₃ OS = 681.81)	P-36	m/z = 631.17(C ₄₃ H ₂₅ N ₃ OS = 631.75)
P-37	m/z = 631.17(C ₄₃ H ₂₅ N ₃ OS = 631.75)	P-38	m/z = 657.19(C ₄₅ H ₂₇ N ₃ OS = 657.79)
P-39	m/z = 657.19(C ₄₅ H ₂₇ N ₃ OS = 657.79)	P-40	m/z = 657.19(C ₄₅ H ₂₇ N ₃ OS = 657.79)
P-41	m/z = 586.19(C ₃₉ H ₁₈ D ₅ N ₃ OS = 586.7)	P-42	m/z = 681.19(C ₄₇ H ₂₇ N ₃ OS = 681.81)
P-43	m/z = 681.19(C ₄₇ H ₂₇ N ₃ OS = 681.81)	P-44	m/z = 707.20(C ₄₉ H ₂₉ N ₃ OS = 707.85)
P-45	m/z = 707.20(C ₄₉ H ₂₉ N ₃ OS = 707.85)	P-46	m/z = 707.20(C ₄₉ H ₂₉ N ₃ OS = 707.85)
P-47	m/z = 636.20(C ₄₃ H ₂₀ D ₅ N ₃ OS = 636.8)	P-48	m/z = 681.19(C ₄₇ H ₂₇ N ₃ OS = 681.81)
P-49	m/z = 681.19(C ₄₇ H ₂₇ N ₃ OS = 681.81)	P-50	m/z = 707.20(C ₄₉ H ₂₉ N ₃ OS = 707.85)
P-51	m/z = 707.20(C ₄₉ H ₂₉ N ₃ OS = 707.85)	P-52	m/z = 707.20(C ₄₉ H ₂₉ N ₃ OS = 707.85)
P-53	m/z = 733.22(C ₅₁ H ₃₁ N ₃ OS = 733.89)	P-54	m/z = 707.20(C ₄₉ H ₂₉ N ₃ OS = 707.85)
P-55	m/z = 707.20(C ₄₉ H ₂₉ N ₃ OS = 707.85)	p-56	m/z = 733.22(C ₅₁ H ₃₁ N ₃ OS = 733.89)
P-57	m/z = 733.22(C ₅₁ H ₃₁ N ₃ OS = 733.89)	P-58	m/z = 733.22(C ₅₁ H ₃₁ N ₃ OS = 733.89)
P-59	m/z = 662.22(C ₄₅ H ₂₂ D ₅ N ₃ OS = 662.82)	P-60	m/z = 662.22(C ₄₅ H ₂₂ D ₅ N ₃ OS = 662.82)
P-61	m/z = 657.19(C ₄₅ H ₂₇ N ₃ OS = 657.79)	P-62	m/z = 707.20(C ₄₉ H ₂₉ N ₃ OS = 707.85)
P-63	m/z = 707.20(C ₄₉ H ₂₉ N ₃ OS = 707.85)	P-64	m/z = 733.22(C ₅₁ H ₃₁ N ₃ OS = 733.89)
P-65	m/z = 757.22(C ₅₃ H ₃₁ N ₃ OS = 757.91)	P-66	m/z = 707.20(C ₄₉ H ₂₉ N ₃ OS = 707.85)
P-67	m/z = 707.20(C ₄₉ H ₂₉ N ₃ OS = 707.85)	P-68	m/z = 733.22(C ₅₁ H ₃₁ N ₃ OS = 733.89)
P-69	m/z = 733.22(C ₅₁ H ₃₁ N ₃ OS = 733.89)	P-70	m/z = 733.22(C ₅₁ H ₃₁ N ₃ OS = 733.89)
P-71	m/z = 662.22(C ₄₅ H ₂₂ D ₅ N ₃ OS = 662.8)	P-72	m/z = 757.22(C ₅₃ H ₃₁ N ₃ OS = 757.91)
P-73	m/z = 757.22(C ₅₃ H ₃₁ N ₃ OS = 757.91)	P-74	m/z = 783.23(C ₅₅ H ₃₃ N ₃ OS = 783.95)
P-75	m/z = 783.23(C ₅₅ H ₃₃ N ₃ OS = 783.95)	P-76	m/z = 783.23(C ₅₅ H ₃₃ N ₃ OS = 783.95)
P-77	m/z = 712.23(C ₄₉ H ₂₄ D ₅ N ₃ OS = 712.9)	P-78	m/z = 757.22(C ₅₃ H ₃₁ N ₃ OS = 757.91)
P-79	m/z = 757.22(C ₅₃ H ₃₁ N ₃ OS = 757.91)	P-80	m/z = 783.23(C ₅₅ H ₃₃ N ₃ OS = 783.95)
P-81	m/z = 783.23(C ₅₅ H ₃₃ N ₃ OS = 783.95)	P-82	m/z = 783.23(C ₅₅ H ₃₃ N ₃ OS = 783.95)
P-83	m/z = 712.23(C ₄₉ H ₂₄ D ₅ N ₃ OS = 712.9)	P-84	m/z = 783.23(C ₅₅ H ₃₃ N ₃ OS = 783.95)
P-85	m/z = 783.23(C ₅₅ H ₃₃ N ₃ OS = 783.95)	P-86	m/z = 809.25(C ₅₇ H ₃₅ N ₃ OS = 809.99)
P-87	m/z = 809.25(C ₅₇ H ₃₅ N ₃ OS = 809.99)	P-88	m/z = 809.25(C ₅₇ H ₃₅ N ₃ OS = 809.99)
P-89	m/z = 738.25(C ₅₁ H ₂₆ D ₅ N ₃ OS = 738.9)	P-90	m/z = 738.25(C ₅₁ H ₂₆ D ₅ N ₃ OS = 738.92)
P-91	m/z = 662.22(C ₄₅ H ₂₂ D ₅ N ₃ OS = 662.82)	P-92	m/z = 712.23(C ₄₉ H ₂₄ D ₅ N ₃ OS = 712.88)
P-93	m/z = 712.23(C ₄₉ H ₂₄ D ₅ N ₃ OS = 712.9)	P-94	m/z = 738.25(C ₅₁ H ₂₆ D ₅ N ₃ OS = 738.92)
P-95	m/z = 762.25(C ₅₃ H ₂₆ D ₅ N ₃ OS = 762.9)	P-96	m/z = 712.23(C ₄₉ H ₂₄ D ₅ N ₃ OS = 712.88)
P-97	m/z = 712.23(C ₄₉ H ₂₄ D ₅ N ₃ OS = 712.9)	P-98	m/z = 738.25(C ₅₁ H ₂₆ D ₅ N ₃ OS = 738.92)
P-99	m/z = 738.25(C ₅₁ H ₂₆ D ₅ N ₃ OS = 738.9)	P-100	m/z = 738.25(C ₅₁ H ₂₆ D ₅ N ₃ OS = 738.92)
P-101	m/z = 667.2(C ₄₅ H ₁₇ D ₁₀ N ₃ OS = 667.9)	P-102	m/z = 707.20(C ₄₉ H ₂₉ N ₃ OS = 707.85)
P-103	m/z = 707.20(C ₄₉ H ₂₉ N ₃ OS = 707.85)	P-104	m/z = 733.22(C ₅₁ H ₃₁ N ₃ OS = 733.89)
P-105	m/z = 733.22(C ₅₁ H ₃₁ N ₃ OS = 733.89)	P-106	m/z = 657.19(C ₄₅ H ₂₇ N ₃ OS = 657.79)
P-107	m/z = 707.20(C ₄₉ H ₂₉ N ₃ OS = 707.85)	P-108	m/z = 707.20(C ₄₉ H ₂₉ N ₃ OS = 707.85)
P-109	m/z = 733.22(C ₅₁ H ₃₁ N ₃ OS = 733.89)	P-110	m/z = 757.22(C ₅₃ H ₃₁ N ₃ OS = 757.91)
P-111	m/z = 707.20(C ₄₉ H ₂₉ N ₃ OS = 707.85)	P-112	m/z = 707.20(C ₄₉ H ₂₉ N ₃ OS = 707.85)
P-113	m/z = 733.22(C ₅₁ H ₃₁ N ₃ OS = 733.89)	P-114	m/z = 733.22(C ₅₁ H ₃₁ N ₃ OS = 733.89)
P-115	m/z = 733.22(C ₅₁ H ₃₁ N ₃ OS = 733.89)	P-116	m/z = 662.22(C ₄₅ H ₂₂ D ₅ N ₃ OS = 662.82)
P-117	m/z = 757.22(C ₅₃ H ₃₁ N ₃ OS = 757.91)	P-118	m/z = 757.22(C ₅₃ H ₃₁ N ₃ OS = 757.91)
P-119	m/z = 783.23(C ₅₅ H ₃₃ N ₃ OS = 783.95)	P-120	m/z = 783.23(C ₅₅ H ₃₃ N ₃ OS = 783.95)
4-1	m/z = 793.27(C ₅₇ H ₃₅ N ₃ O ₂ = 793.93)	4-2	m/z = 869.30(C ₆₃ H ₃₉ N ₃ O ₂ = 870.02)
4-4	m/z = 798.3(C ₅₇ H ₃₀ D ₅ N ₃ O ₂ = 798.96)	4-7	m/z = 919.32(C ₆₇ H ₄₁ N ₃ O ₂ = 920.08)
4-8	m/z = 843.29(C ₆₁ H ₃₇ N ₃ O ₂ = 843.99)	4-10	m/z = 945.34(C ₆₉ H ₄₃ N ₃ O ₂ = 946.12)
4-11	m/z = 944.32(C ₆₉ H ₄₆ N ₄ O ₂ = 945.09)	4-12	m/z = 970.33(C ₇₀ H ₄₂ N ₄ O ₂ = 971.13)
5-1	m/z = 657.19(C ₄₅ H ₂₇ N ₃ OS = 657.79)	5-2	m/z = 733.22(C ₅₁ H ₃₁ N ₃ OS = 733.89)
5-3	m/z = 733.22(C ₅₁ H ₃₁ N ₃ OS = 733.89)	5-4	m/z = 733.22(C ₅₁ H ₃₁ N ₃ OS = 733.89)
5-7	m/z = 707.20(C ₄₉ H ₂₉ N ₃ OS = 707.85)	5-8	m/z = 757.22(C ₅₃ H ₃₁ N ₃ OS = 757.91)
5-9	m/z = 859.27(C ₆₁ H ₃₇ N ₃ OS = 860.05)	5-10	m/z = 707.20(C ₄₉ H ₂₉ N ₃ OS = 707.85)
5-11	m/z = 808.23(C ₅₆ H ₃₂ N ₄ OS = 808.96)	5-12	m/z = 890.31(C ₆₃ H ₃₄ D ₅ N ₃ OS = 891.1)
5-13	m/z = 824.24(C ₅₅ H ₃₂ N ₆ OS = 824.96)	5-14	m/z = 752.20(C ₅₀ H ₂₉ FN ₄ OS = 752.87)

TABLE 4-continued

compound	FD-MS	compound	FD-MS
5-15	m/z = 765.26 (C ₅₁ H ₃₅ N ₃ OS = 765.94)	5-16	m/z = 765.17 (C ₄₉ H ₂₇ N ₃ OS ₂ = 765.91)
5-17	m/z = 807.23 (C ₅₇ H ₃₃ N ₃ OS = 807.97)	5-18	m/z = 833.25 (C ₅₉ H ₃₅ N ₃ OS = 834.01)
5-19	m/z = 733.22 (C ₅₁ H ₃₁ N ₃ OS = 733.89)	5-20	m/z = 733.22 (C ₅₁ H ₃₁ N ₃ OS = 733.89)

Otherwise, the synthesis examples of the present invention represented by the Formulas 1 and 2 have been described, but these are all based on the Buchwald-Hartwig cross coupling reaction, Miyaura boration reaction, Suzuki cross-coupling reaction, Intramolecular acid-induced cyclization reaction (*J. mater. Chem.* 1999, 9, 2095.), Pd(II)-catalyzed oxidative cyclization reaction (*Org. Lett.* 2011, 13, 5504), and PPh₃-mediated reductive cyclization reaction (*J. Org. Chem.* 2005, 70, 5014.), and those skilled in the art will readily understand that the above reaction proceeds even when, besides the substituent specified in the specific synthesis example, other substituents (X¹ to X³, L¹ to L⁷, Ar¹ to Ar⁸, Substituents such as A, B, C, D, E, F, G and H) defined in the Formulas 1 and 2 are bonded.

Evaluation of Manufacture of Organic Electric Element

Example 1) Manufacture and Evaluation of Green Organic Light Emitting Diode

First, on an ITO layer(anode) formed on a glass substrate, N¹-(naphthalen-2-yl)-N⁴,N⁴-bis(4-(naphthalen-2-yl(phenyl) amino)phenyl)-N¹-phenylbenzene-1,4-diamine (hereinafter will be abbreviated as 2-TNATA) film was vacuum-deposited as a hole injection layer to form a thickness of 60 nm. Subsequently, 4,4-bis[N-(1-naphthyl)-N-phenylamino]biphenyl (hereinafter abbreviated as -NPD) was vacuum deposited to form a hole transport layer with a thickness of 60 nm. A mixture obtained by mixing the compounds represented by Formulas 1 and 2 as a host on the hole transport layer at 60:40 was used, and as a dopant, an emitting layer having a thickness of 30 nm was deposited on the hole transport layer by doping Ir(ppy)₃[tris(2-phenylpyridine)-iridium] at 95:5 weight. (1,1'-bis(phenyl)-4-oleato) bis(2-methyl-8-quinolinoleato) aluminum (hereinafter abbreviated as BAlq) was vacuum deposited to a thickness of 10 nm as a hole blocking layer, and Tris(8-quinolinol) aluminum (hereinafter abbreviated as Alq3) was formed as an electron transport layer to a thickness of 40 nm. Thereafter, as an electron injection layer, LiF, an alkali metal halide, was deposited to a thickness of 0.2 nm. Subsequently, Al was deposited to a thickness of 150 nm and used as a cathode to manufacture an organic electric element.

To the OLEDs which were manufactured by examples and comparative examples, a forward bias direct current voltage was applied, and electroluminescent (EL) properties were measured using PR-650 of Photoresearch Co., and T95 life was measured using a life measuring apparatus manu-

factured by McScience Inc. with a reference luminance of 5000 cd/m². In the following table, the manufacture of a device and the results of evaluation are shown.


Comparative Example 1~3

An organic electric element was manufactured in the same manner as in Example 1, except that Comparative Compound A to C alone was used as a host.


Comparative Example 4~6

An organic electric element was manufactured in the same manner as in Example 1, except that Comparative Compound A to C and the compound represented by Formula 2 were mixed and used as a host.

Comparative compound A



Comparative compound B






TABLE 5

	First host	Second host	Voltage	Current Density (mA/cm ²)	Brightness (cd/m ²)	Efficiency (cd/A)	CIE		
							T(95)	X	Y
comparative	comparative	—	5.6	21.6	5000.0	23.2	61.7	0.32	0.62
example1	compound A	—	5.9	15.7	5000.0	24.5	69.9	0.34	0.61
comparative	compound B	—	5.4	15.6	5000.0	32.1	77.5	0.32	0.64
example2	compound C	—	5.4	15.6	5000.0	32.1	77.5	0.32	0.64
comparative	compound A	1'-25	4.9	15.1	5000.0	33.1	93.6	0.33	0.60
example3	compound A	1'-25	5.1	14.2	5000.0	35.2	97.5	0.35	0.63
comparative	compound B	1'-25	4.9	13.6	5000.0	36.8	105.0	0.35	0.62
example4	compound C	1'-25	4.9	13.6	5000.0	36.8	105.0	0.35	0.62
example1	1-1	1'-25	4.1	12.8	5000.0	39.0	127.6	0.32	0.63
example2	1-4	1'-25	4.0	12.4	5000.0	40.4	124.6	0.34	0.64
example3	1-6	1'-25	4.1	12.5	5000.0	39.9	134.1	0.30	0.61
example4	1-28	1'-25	3.9	13.2	5000.0	37.8	129.2	0.30	0.62
example5	1-30	1'-25	3.9	12.5	5000.0	40.1	127.1	0.35	0.64
example6	1-35	1'-25	4.1	13.1	5000.0	38.1	128.3	0.34	0.61
example7	1-38	1'-25	4.0	12.7	5000.0	39.3	128.1	0.31	0.63
example8	1-39	1'-25	4.1	12.6	5000.0	39.7	128.4	0.33	0.60
example9	1-40	1'-25	4.2	12.7	5000.0	39.4	126.5	0.32	0.61
example10	1-42	1'-25	4.2	12.1	5000.0	41.4	124.2	0.34	0.61
example11	1-48	1'-25	4.2	12.3	5000.0	40.7	127.8	0.32	0.61
example12	1-102	1'-25	4.3	12.6	5000.0	39.7	128.9	0.34	0.64
example13	1-143	1'-25	4.2	11.8	5000.0	42.2	123.3	0.34	0.62
example14	1-1	P-8	4.0	12.7	5000.0	39.3	125.7	0.34	0.64
example15	1-4	P-8	4.1	12.7	5000.0	39.3	125.4	0.33	0.60
example16	1-6	P-8	4.1	12.9	5000.0	38.7	128.0	0.33	0.63
example17	1-28	P-8	4.0	13.1	5000.0	38.2	129.9	0.32	0.64
example18	1-30	P-8	4.1	12.1	5000.0	41.4	123.9	0.34	0.62
example19	1-35	P-8	4.0	13.1	5000.0	38.2	132.7	0.30	0.64
example20	1-38	P-8	4.0	13.2	5000.0	37.9	131.2	0.32	0.61
example21	1-39	P-8	4.2	12.5	5000.0	40.0	129.0	0.30	0.65
example22	1-40	P-8	4.1	12.6	5000.0	39.6	120.9	0.31	0.64
example23	1-42	P-8	4.1	12.3	5000.0	40.7	125.1	0.34	0.62
example24	1-48	P-8	4.2	12.2	5000.0	41.1	124.0	0.33	0.60
example25	1-102	P-8	4.3	12.5	5000.0	40.1	125.6	0.30	0.60
example26	1-143	P-8	4.3	12.1	5000.0	41.3	126.7	0.32	0.61
example27	1-1	P-26	4.0	12.9	5000.0	38.9	128.1	0.31	0.62
example28	1-4	P-26	4.0	12.4	5000.0	40.4	125.2	0.31	0.61
example29	1-6	P-26	4.1	12.8	5000.0	39.2	131.5	0.33	0.63
example30	1-28	P-26	4.0	13.1	5000.0	38.1	130.8	0.34	0.65
example31	1-30	P-26	4.0	12.6	5000.0	39.6	124.4	0.33	0.63
example32	1-35	P-26	3.9	12.9	5000.0	38.8	132.2	0.31	0.64
example33	1-38	P-26	4.0	13.3	5000.0	37.6	128.7	0.30	0.65
example34	1-39	P-26	4.1	12.2	5000.0	40.9	128.7	0.32	0.61
example35	1-40	P-26	4.2	12.7	5000.0	39.4	122.2	0.34	0.62
example36	1-42	P-26	4.1	12.1	5000.0	41.2	123.6	0.33	0.63
example37	1-48	P-26	4.2	12.2	5000.0	41.1	127.8	0.31	0.65
example38	1-102	P-26	4.3	12.3	5000.0	40.5	126.9	0.31	0.64

TABLE 5-continued

	First host	Second host	Voltage	Current Density (mA/cm ²)	Brightness (cd/m ²)	Efficiency (cd/A)	CIE		
						T(95)	X	Y	
example39	1-143	P-69	4.2	11.8	5000.0	42.4	126.9	0.31	0.64
example40	1-1		4.1	12.5	5000.0	39.9	130.1	0.33	0.60
example41	1-4		4.1	12.8	5000.0	39.1	130.5	0.31	0.60
example42	1-6		4.0	12.4	5000.0	40.5	130.2	0.33	0.61
example43	1-28		4.0	13.1	5000.0	38.0	133.3	0.34	0.62
example44	1-30		4.1	12.6	5000.0	39.6	124.1	0.35	0.62
example45	1-35		4.1	12.8	5000.0	39.0	133.3	0.30	0.62
example46	1-38		4.0	12.8	5000.0	39.1	131.6	0.35	0.64
example47	1-39		4.2	12.4	5000.0	40.4	129.5	0.32	0.63
example48	1-40		4.2	12.4	5000.0	40.5	120.4	0.31	0.62
example49	1-42	4-5	4.1	12.3	5000.0	40.8	121.8	0.32	0.61
example50	1-48		4.1	12.0	5000.0	41.7	120.9	0.35	0.61
example51	1-102		4.2	12.7	5000.0	39.5	128.7	0.34	0.61
example52	1-143		4.2	11.8	5000.0	42.2	126.4	0.33	0.63
example53	1-1		4.0	12.4	5000.0	40.2	126.2	0.31	0.64
example54	1-4		4.0	12.5	5000.0	40.1	131.2	0.33	0.61
example55	1-6		4.0	13.0	5000.0	38.6	133.4	0.31	0.62
example56	1-28		4.0	12.7	5000.0	39.3	134.2	0.34	0.62
example57	1-30		3.9	12.7	5000.0	39.5	127.3	0.35	0.61
example58	1-35		4.0	13.3	5000.0	37.6	131.7	0.30	0.64
example59	1-38	5-2	3.9	12.8	5000.0	39.1	132.9	0.35	0.64
example60	1-39		4.2	12.1	5000.0	41.3	125.8	0.31	0.65
example61	1-40		4.2	12.8	5000.0	38.9	126.8	0.32	0.60
example62	1-42		4.1	12.1	5000.0	41.4	120.4	0.33	0.63
example63	1-48		4.2	11.9	5000.0	41.8	121.4	0.34	0.64
example64	1-102		4.2	12.6	5000.0	39.6	124.6	0.32	0.61
example65	1-143		4.2	11.9	5000.0	42.0	125.6	0.30	0.61
example53	1-1		4.1	12.6	5000.0	39.7	127.9	0.32	0.62
example54	1-4		4.1	12.6	5000.0	39.7	128.9	0.34	0.60
example55	1-6		4.1	12.6	5000.0	39.8	131.4	0.34	0.61
example56	1-28		4.1	12.7	5000.0	39.4	133.1	0.33	0.65
example57	1-30		4.0	12.4	5000.0	40.4	125.0	0.34	0.64
example58	1-35		4.0	13.0	5000.0	38.4	130.6	0.34	0.65
example59	1-38		3.9	12.8	5000.0	39.1	131.4	0.35	0.63
example60	1-39		4.2	12.5	5000.0	39.9	127.5	0.30	0.63
example61	1-40		4.1	12.7	5000.0	39.4	124.1	0.31	0.60
example62	1-42		4.1	12.1	5000.0	41.5	125.7	0.34	0.61
example63	1-48		4.2	12.2	5000.0	40.8	127.4	0.34	0.61
example64	1-102		4.2	12.3	5000.0	40.5	125.5	0.32	0.63
example65	1-143		4.3	11.8	5000.0	42.2	123.9	0.34	0.63

40

As can be seen from the results of Table 5, when the material for an organic electroluminescent device of the present invention represented by Formula 1 and Formula 2 is mixed and used as a phosphorescent host (Examples 1 to 56), compared to devices using a single compound (Comparative Examples 1 to 3) or device mixed with a comparative compound (Comparative Examples 4 to 6), the driving voltage, efficiency, and lifespan are significantly improved.

First, it can be seen that driving, efficiency, and lifespan increase as the number of amines substituted in the core increases among the comparative compounds having the same dibenzofuran core. That is, compared to Comparative Example 1 in which three carbazoles were substituted in dibenzofuran, the device results in Comparative Examples 2 and 3 in which an amine group was substituted in the same core showed excellent electrical properties, and compared to Comparative Example 2 in which one amine group was substituted on the same core, Comparative Example 3 device in which two amine groups were substituted showed superior electrical characteristics. At this time, in the case of Comparative Examples 4 to 6 using a mixture of Comparative Compounds A to C and the compound represented by Formula 2 as a phosphorescent host, all electrical characteristics of the devices of Comparative Examples 1 to 3 using a single material were improved. It can be seen that even a compound having poor device performance with a

single host can improve the electrical characteristics of the device when mixed with a compound having a good charge balance.

It can be seen that Examples 1 to 65 in which the compounds of Formula 1 and Formula 2 of the present invention were mixed and used as a host were significantly improved than in Comparative Examples 3 to 6.

Based on the above experimental results, the present inventors determined that in the case of a mixture of the compound of Formula 1 and the compound of Formula 2, each of the compounds has novel properties other than those of the compound, and measured the PL lifetime using the compound of Formula 1, the compound of Formula 2, and the mixture of the present invention, respectively. As a result, it was confirmed that when the compounds of the present invention, Formula 1 and Formula 2, were mixed, a new PL wavelength was formed unlike the single compound, and the decrease and disappearance time of the newly formed PL wavelength increased from about 60 times to about 360 times less than the decrease and disappearance time of each of the compounds of Formula 1 and Formula 2. It is considered when mixed with the compound of the present invention, not only electrons and holes are moved through the energy level of each compound, but also the efficiency and life span are increased by electron, hole transport or energy transfer by a new region(exciplex)

315

having a new energy level formed due to mixing. As a result, when the mixture of the present invention is used, the mixed thin film is an important example showing exciplex energy transfer and light emitting process.

Also, the reason why the combination of the present invention is superior to Comparative Examples 4 to 6 in which a comparative compound is mixed and used as a phosphorescent host is that Formula 1 with high hole transport and stability by introducing Dibenzo[thiophene] or Dibenzo[furan] between amine groups has a good electrochemical synergy effect with Compound represented by Formula 2 with strong electron properties. Accordingly, the charge balance between holes and electrons in the emission layer is increased, so that light emission is well performed inside the emitting layer rather than the hole transport layer interface, thereby reducing deterioration at the HTL interface, maximizing the driving voltage, efficiency, and lifespan of the entire device. That is, in conclusion, it is considered that the combination of Formula 1 and Formula 2 has an electrochemical synergy effect to improve the performance of the entire device.

Example 2) Manufacture and Evaluation of Green Organic Light Emitting Diode by Mixing Ratio

TABLE 6

	First host	Second host	Mixing ratio (first host:second host)	Voltage	Current Density (mA/cm ²)	Brightness (cd/m ²)	Efficiency (cd/A)	T(95)
example66	1-1	1'-25	7:3	4.1	12.2	5000.0	41.1	133.5
example67			5:5	3.9	12.6	5000.0	39.7	131.1
example68			4:6	3.8	12.9	5000.0	38.6	127.7
example69			3:7	4.1	13.6	5000.0	36.8	124.5
example70	1-40	P-26	7:3	4.1	12.2	5000.0	40.8	132.5
example71			5:5	3.9	12.7	5000.0	39.2	129.3
example72			4:6	3.8	12.8	5000.0	38.9	128.6
example73			3:7	4.0	13.7	5000.0	36.5	125.3

As shown in Table 6, a device was manufactured and measured in the same manner as in Example 1 by using a mixture of the compounds of the present invention in different ratios (7:3, 5:5, 4:6, 3:7). As a result of measuring by ratio, in the case of 7:3, it was similar to the result of Example 1, which was measured as 6:4, but in the case of 5:5, 4:6, and 3:7 where the ratio of the first host decreases, the results of driving voltage, efficiency, and lifespan gradually declined. This can be explained because when an appropriate amount of the compound represented by Formula 1 having strong hole properties such as 7:3 and 4:6 is mixed, the charge balance in the emitting layer is maximized.

Although exemplary embodiments of the present invention have been described for illustrative purposes, those skilled in the art will appreciate that various modifications, additions and substitutions are possible, without departing from the scope and spirit of the invention as disclosed in the accompanying claims. Therefore, the embodiment disclosed in the present invention is intended to illustrate the scope of the technical idea of the present invention, and the scope of the present invention is not limited by the embodiment.

The scope of the present invention shall be construed on the basis of the accompanying claims, and it shall be construed that all of the technical ideas included within the scope equivalent to the claims belong to the present invention.


316

INDUSTRIAL AVAILABILITY


According to the present invention, it is possible to manufacture an organic device having excellent device characteristics of high luminance, high light emission and long life, and thus has industrial applicability.

What is claimed is:

1. An organic electronic element comprising a first electrode, a second electrode, and an organic material layer formed between the first electrode and the second electrode, wherein the organic material layer comprises an emitting layer, wherein the emitting layer comprises a first host compound represented by Formula 1 and a second host compound represented by Formula 2 as a phosphorescent emitting layer:



Formula 1



-continued

Formula 2

wherein:


- 1) A and B rings are each independently a C₆-C₂₀ aryl or C₂-C₂₀ heterocycle group,
- 2) X¹ is S or O,
- 3) X² is N-L⁷-Ar⁹, O, S or CR'R'', wherein R' and R'' are each independently hydrogen; a C₆-C₆₀ aryl group; a fluorenyl group; or a C₁-C₅₀ alkyl group, and R' and R'' may be bonded to each other to form a spiro ring,
- 4) p and q are each an integer of 0-10, r is an integer of 0-3, s is an integer of 0-4,

317

- 5) R^1 , R^2 , R^3 and R^4 are each independently selected from the group consisting of hydrogen; a C_6 - C_{60} aryl group; a fluorenyl group; a C_2 - C_{60} heterocyclic group including at least one hetero atom of O, N, S, Si or P; a C_1 - C_{50} alkyl group; a C_2 - C_{20} alkenyl group; a C_2 - C_{20} alkynyl group; and a C_1 - C_{30} alkoxy group;
- 6) Ar^1 , Ar^2 , Ar^3 , Ar^4 , Ar^5 , Ar^6 , Ar^7 , Ar^8 and Ar^9 are each independently selected from the group consisting of a C_6 - C_{60} aryl group; a C_2 - C_{60} heterocyclic group including at least one hetero atom of O, N, S, Si or P; a fluorenyl group; a fused ring group of a C_3 - C_{60} aliphatic ring and a C_6 - C_{60} aromatic ring; a C_1 - C_{50} alkyl group; and a C_2 - C_{20} alkenyl group;
- 7) L^1 , L^2 , L^3 , L^4 , L^5 , L^6 and L^7 are independently selected from the group consisting of a single bond; a C_6 - C_{60} arylene group; a fluorenylene group; and a C_2 - C_{60} heteroarylene group containing at least one hetero atom of O, N, S, Si or P,




wherein, the aryl group, fluorenyl group, arylene group, heterocyclic group, fluorenylene group, fused ring group, alkyl group, alkenyl group, alkoxy group and aryloxy group may be substituted with one or more substituents selected from the group consisting of deuterium; halogen; a cyano group; nitro group; C_1 - C_{20} alkoxy group; C_1 - C_{20} alkyl group; C_2 - C_{20} alkenyl group; C_2 - C_{20} alkynyl group; C_6 - C_{20} aryl group; C_6 - C_{20} aryl group substituted with deuterium; a fluorenyl group; C_2 - C_{20} heterocyclic group; and C_3 - C_{20} cycloalkyl group; wherein the substituents may be bonded to each other to form a saturated or unsaturated ring, wherein the term 'ring' means a C_3 - C_{60} aliphatic ring or a C_6 - C_{60} aromatic ring or a C_2 - C_{60} heterocyclic group or a fused ring formed by the combination thereof.

2. The organic electronic element of claim 1, wherein A or B in Formula 1 is each independently selected from the group consisting of Formulas a-1 to a-7:



318

-continued



wherein:



Z^1 to Z^{48} are each independently CR^C or N,

Z^1 to Z^{48} bonded to L^1 to L^7 are carbon (C),

R^C is selected from the group consisting of a C_5 - C_{50} aryl group; a fluorenyl group; a fused ring group of a C_3 - C_{60} aliphatic ring and a C_5 - C_{50} aromatic ring, a C_2 - C_{20} heterocyclic group including at least one hetero atom of O, N, S, Si or P,






* indicates the position to be condensed.

3. The organic electronic element of claim 1, wherein L^1 , L^2 , L^3 , L^4 , L^5 , L^6 and L^7 in Formula 1 or Formula 2 are represented by one of Formulas b-1 to b-13:



319

-continued

**320**

-continued

b-3

5

10

b-4

15

20

b-5

25

30

b-6







35

40

45

50

b-7



b-8

b-9

b-10

b-11

b-12

b-13

wherein:

Y is N-L⁸-Ar¹⁰, O, S or CR'R",L⁸ is the same as the definition of L¹ in claim 1,Ar¹⁰ is the same as the definition of Ar¹ in claim 1,

R' and R" are the same as defined in claim 1,

a, c, d and e are each independently an integer of 0 to 4,

and b is an integer of 0 to 6, f and g are each

independently an integer of 0 to 3, h is an integer of 0

to 2, i is an integer of 0 or 1,

R⁵, R⁶ and R⁷ are each independently hydrogen; deute-

rium; tritium; halogen; cyano group; nitro group;

C₆-C₆₀ aryl group; a fluorenyl group; a C₂-C₆₀ hetero-

cyclic group including at least one heteroatom of O, N,

321

S, Si or P; a fused ring group of a C₃-C₆₀ aliphatic ring and a C₆-C₆₀ aromatic ring; a C₁-C₅₀ alkyl group; a C₂-C₂₀ alkenyl group; a C₂-C₂₀ alkynyl group; a C₁-C₃₀ alkoxy group; a C₆-C₃₀ aryloxy group; and -L^a-N(R^d)(R^e);

or in case a, b, c, d, e, f and g are 2 or more, and h is 2 or more, R⁵, R⁶ and R⁷ are in plural being the same as or different, and a plurality of R⁵ or a plurality of R⁶ or a plurality of R⁷ or adjacent R⁵ and R⁶, or adjacent R⁶ and R⁷ may be bonded to each other to form an aromatic or a heteroaromatic ring,


wherein L^a is selected from the group consisting of a single bond; a C₆-C₆₀ arylene group; a fluorenylene group; a C₂-C₆₀ heterocyclic group containing at least one hetero atom of O, N, S, Si, or P; a fused ring group of a C₃-C₆₀ aliphatic ring and a C₃-C₆₀ aromatic ring; and C₃-C₆₀ aliphatic hydrocarbon group;

R^d and R^e are each independently selected from the group consisting of a C₆-C₆₀ aryl group; a fluorenyl group; a C₂-C₆₀ heterocyclic group containing at least one hetero atom of O, N, S, Si, or P; a fused ring group of a C₃-C₆₀ aliphatic ring and a C₆-C₆₀ aromatic ring,

Z⁴⁹, Z⁵⁰, and Z⁵¹ are each independently CR^g or N, at least one of Z⁴⁹, Z⁵⁰, and Z⁵¹ is N,

R^g is selected from the group consisting of hydrogen; deuterium; tritium; halogen; cyano group; nitro group; C₆-C₆₀ aryl group; a fluorenyl group; a C₂-C₆₀ heterocyclic group including at least one heteroatom of O, N, S, Si or P; a fused ring group of a C₃-C₆₀ aliphatic ring and a C₆-C₆₀ aromatic ring; a C₁-C₅₀ alkyl group; a C₂-C₂₀ alkenyl group; a C₂-C₂₀ alkynyl group; a C₁-C₃₀ alkoxy group; a C₆-C₃₀ aryloxy group; and adjacent R⁵ and R^g may be bonded to each other to form an aromatic or a heteroaromatic ring.

4. The organic electronic element of claim 1, wherein at least one of Ar¹, Ar², Ar³, Ar⁴ and Ar⁵ is represented by Formula 1-2:



Formula 1-2

wherein:

C and D are the same as the definition of A in claim 1,


X³ is N-L¹⁰-Ar¹¹, O, S or CR¹R²,

L⁹ and L¹⁰ are the same as the definition of L¹ in claim 1,

Ar¹¹ is the same as the definition of Ar¹ in claim 1,

R¹ and R² are the same as defined in claim 1.

5. The organic electronic element of claim 1, wherein the first host compound represented by Formula 1 includes a compound represented by Formula 3 or Formula 4:




Formula 3

322

-continued

Formula 4




wherein:

Ar¹, Ar², Ar³, Ar⁴, Ar⁵, Ar⁶, L¹, L², L³, R¹, R² are the same as defined in claim 1,


p' is an integer of 0 to 3, and q' is an integer of 0 to 2.

6. The organic electronic element of claim 1, wherein the first host compound represented by Formula 1 includes a compound represented by any of Formulas 5 to 11:


Formula 5




Formula 6



Formula 7




Formula 8



323

-continued

Formula 9




5

10

15


Formula 10



20

25

Formula 11



30

35

40

45

wherein:


$L^1, L^2, L^3, Ar^1, Ar^2, Ar^3, Ar^4, Ar^5, Ar^6, R^1, R^2, X^1$ are the same as defined in claim 1,

p' is an integer of 0 to 3, and q' is an integer of 0 to 2, o is an integer of 0 to 4.

7. The organic electronic element of claim 1, wherein the first host compound represented by Formula 1 includes a compound represented by any of Formulas 12 to 21:

55

Formula 12




60

65


324

-continued


Formula 13




Formula 14




Formula 15



Formula 16




Formula 17




325

-continued

**326**

-continued

Formula 18



Formula 20

5


10

15

20

25

Formula 19




30

35

40

Formula 21



wherein:


Ar¹, Ar², Ar³, Ar⁴, Ar⁵, Ar⁶, L¹, L², L³, R¹, R², p, q, X¹,

A and B are the same as defined in claim 1,


p' is an integer of 0 to 3, and q' is an integer of 0 to 2.



8. The organic electronic element of claim 1, wherein the compound represented by Formula 1 includes any of the following compounds:

1-1




1-2




327-continued
1-3**328**

1-4


1-5




1-6




1-7



1-8




329




-continued
1-9

330




1-10


1-11




1-12



1-13




331




332

-continued
1-17


1-18




1-19



1-20




333




-continued
1-22

334




1-23


1-24




1-25




1-26



1-27




335




-continued

1-28


336




1-29




1-30



1-31




1-32




1-33

337




-continued
1-34

338




1-35


1-36




1-37




1-38



1-39




339




-continued
1-40


340




1-41




1-42



1-43




1-44




1-45

341




-continued
1-46


342




1-47



1-48




1-50




1-51

343




-continued
1-52


344




1-53



1-54




1-55




1-56

345




-continued
1-60

346




1-61


1-62




1-63



1-64




347




-continued
1-68


348




1-69




1-70



1-71



1-72




1-73

349


-continued

350


1-74




1-78




1-79



1-80



1-81




351


-continued

352


1-82




1-83




1-84




1-85




1-86




353

-continued
1-87


354




1-88




1-89



1-90




1-91




1-92

355




-continued
1-93

356




1-94


1-95




1-96




1-97



1-98




357




-continued
1-99


358




1-100




1-101





1-102




1-103




1-104

359-continued
1-105**360**


1-106




1-107





1-108



1-109




1-110


361-continued
1-111**362**

1-112


1-113




1-114




1-115




1-116





1-117




1-118




363-continued
1-119**364**

1-120


1-121




1-122




1-123




1-124




1-125




1-126




365

-continued
1-127


366




1-128




1-129



1-130



1-131





1-132

367


-continued
1-133

368


1-134




1-135




1-136



369


-continued
1-137

370




1-138


1-139




1-140




1-141



1-142




371


-continued
1-143

372


1-144



1-145



1-146




9. The organic electronic element of claim 1, wherein the second host compound represented by Formula 2 is represented by any of Formulas 22 to 25:

-continued

Formulas 23


Formulas 22

55





60

65



373


-continued



wherein:

X², L⁴, L⁵, L⁶, Ar⁷, Ar⁸, R³, R⁴, r and s are the same as defined in claim 1.

10. The organic electronic element of claim 1, wherein the second host compound represented by Formula 2 includes a compound represented by Formula 26:



wherein:

X², L⁴, L⁵, L⁶, Ar⁷, R³, R⁴, r and s are the same as defined in claim 1,

X⁴ is the same as the definition of X² in claim 1,

R⁸ and R⁹ are the same as the definition of R³ and R⁴ in claim 1,

u is the same as the definition of r in claim 1, and t is the same as the definition of s in claim 1.

374

11. The organic electronic element of claim 1, wherein the second host compound represented by Formula 2 includes a compound represented by any of Formulas 27 to 30:

Formulas 24

5

Formula 27

10

15

Formulas 25

20

25

Formula 28

30

35

40

Formula 26

45




50

Formula 29

55


60

65



375

-continued



Formula 30

376

wherein:

X^2 , L^4 , L^5 , L^6 , Ar^7 , R^3 , R^4 , r and s are the same as defined in claim 1,


X^4 is the same as the definition of X^2 in claim 1,

R^8 and R^9 are the same as definition of R^3 and R^4 in claim 1,


u is the same as the definition of r in claim 1, and t is the same as the definition of s in claim 1.

12. The organic electronic element of claim 1, wherein the second host compound represented by Formula 2 includes any of the following compounds:


1'-1




1'-2



1'-3



1'-4




377


378

-continued


1'-5




1'-6




1'-7




1'-8




1'-9



1'-10




379




-continued
1'-11


380




1'-12




1'-13



1'-14



1'-15




1'-16

381


-continued

1'-17





382

1'-18



1'-19

1'-20




383

384



-continued

1'-21




1'-22

1'-23




385




-continued
1'-24

386




1'-25


1'-26



1'-27




387


-continued
1'-28

388


1'-29




1'-30



1'-31




389


-continued
1'-32

390


1'-33




1'-34



1'-35




391


-continued
1'-36

392


1'-37




1'-38



1'-39




393


-continued
1'-40

394


1'-41




1'-42



1'-43




395


-continued
1'-44

396


1'-45




1'-46




1'-47




1'-48



1'-49




397



398



-continued
1'-50

1'-51




1'-52


1'-53



399


-continued
1'-54

400




1'-55


1'-56




1'-57




1'-58




1'-59




401

-continued
1'-60


402




1'-61




1'-62



1'-63




1'-64




1'-65

403




-continued
1'-66

404




1'-67


1'-68



1'-69




405



-continued


1'-70

406




1'-71


1'-72



1'-73




407




-continued
1'-74

408




1'-75

1'-76



1'-77





409

-continued
1'-78



410

1'-79



1'-80

1'-81





411

412

-continued



1'-82

1'-83




1'-84

2'-1



2-2




413


414

-continued

2-3





2-4




2-5

2-6




415




-continued
2-7

416




2-8


2-9



2-10



2-11




417

418



-continued

2-12



2-13

2-14





419

420



-continued
2-15

2-16





2-17

2-18




2-19

2-20




421


-continued
2-21

422


2-22




2-23




2-24



2-25



2-26




423


424

-continued


2-27




2-28




2-29




2-30



2-31




425


-continued
2-32

426


2-33



2-34



2-35




427


428

-continued


2-36




2-37



2-38



2-39





429


430

-continued

2-40



2-41




2-42

431


432

-continued

2-43





2-44



2-45

2-46




433


434

-continued


2-47




2-48




2-49




2-50



2-51




435




-continued
2-52

436




2-53


2-54



2-55



2-56




437


438

-continued


2-57



2-58





2-59




2-60

3-1




439




-continued
3-2

440




3-3


3-4




3-5




3-6



3-7




441




-continued
3-8

442




3-9


3-10




3-11




3-12



3-13




443




-continued
3-14


444




3-15




3-16



3-17




3-18




3-19

445




-continued
3-20

446




3-21

3-22





3-23





3-24

3-25



3-26

3-27





447


448

-continued
3-28


3-29



3-30



3-31




449

450



-continued

3-32





3-33

3-34




3-35

3-36



451



P-1

P-2

P-3

P-4

452

-continued

5

10

15

20

25

30

35

40

45

50

55

60






65

P-5

P-6

P-7


P-8



453

-continued

P-9



5


10

15

454

-continued

P-13




5

10

15

P-10

20




25

30

35

P-11

P-14




40

45


50

P-15



P-12


55



60

65


P-16



455

-continued

P-17



5

10


15

20


456

-continued

P-20



P-18 25




30

35


40

45

P-21



P-19 50




55

60

65


P-22



457

-continued

P-23




5

10

15

20

P-24 25




30

35

40

45

P-25 50



55


60

65


458

-continued


P-26



P-27




P-28



459


-continued

P-29

**460**


-continued

P-32



P-33


P-30



45

P-34

P-31




65

461

-continued

P-35



5


10

15

20

P-36

25



30


35

40

45

P-37

50



55


60

65


462

-continued


P-38



P-39




P-40



463

-continued

P-41



5


10

15

20

25

P-42




30

35

40

45

P-43



50

55


60

65

464

-continued

P-44



5


10

15

20

25

P-45




30

35

40

45

P-46



50

55


60

65

465

-continued

P-47




5

10

15

20

P-48 25




30

35

40

45

P-49



50

55


60

65


466

-continued


P-50



P-51






P-52



467

-continued



P-53

5

10

15

20

P-54

25

30

35

40

45

P-55

50


55

60

65

468

-continued




P-56

P-57

469

-continued

P-58




5

10

15

20

P-59



25


30

35

40

45

P-60



50

55


60

65

470

-continued

P-61




5

10

15

20

P-62



25


30

35

40

45

P-63



50

55


60

65

471

-continued

P-64



5

10


15

20

472

-continued


P-67



25

P-65

P-68




30

35


40

45



P-66

P-69




50

55

60


65



473

-continued

P-70



5

10


15

20

474

-continued


P-73



20

P-71

25




30

35

40


45

P-74



P-72

50




55

60

65


P-75



475

-continued

P-76



5


10

15

20

P-77

25



30


35

40

45

P-78

50



55


60

65


476

-continued

P-79




P-80



477

-continued

P-81



5

10


15

20

478

-continued


P-84



P-85

P-82


25



30

35


40



P-86

P-83

45




50

55

60


65



479

-continued

P-87



5


10

15

20

P-88

25




30

35

40

P-89

45



50

55


60

65


480

-continued


P-90




P-91




P-92




P-93



P-94 25



P-95 45



-continued

P-96

5

10

15

20

30

35


40

50


55

60

65




P-97



483

-continued

P-98



5


10

15

20

25

P-99




30

35

40

45

P-100



50

55


60

65

484


-continued

P-101



25


P-102



485

-continued


P-103




486

-continued


P-105




P-106



P-104




P-107



487

-continued

P-108



5

10

15

20

488

-continued


P-111

5

10

15

20



25

P-109


30

35

40

45

P-112



50



P-110

55

60

65


P-113



489

-continued

P-114



5

10


15

20

490

-continued

P-117




5

10

15

20

P-115



25


30

35

40

45

P-118



25

30


35

40

45

P-119

P-116




50

55

60

65



50

55




60

65

491




-continued

P-120


**492**

-continued

4-3



-continued



30

35

40

4-6

45


50

55

60



65

-continued




4-7

4-8



495

-continued



4-9

5


10

15

20

25

4-10




30

35

40

4-11 45



50


55

60


65

496


-continued



4-12



5-1




5-2

497

-continued

5-3




5

10

15


20

5-4



25

30


35
5-5

40

45

50

5-6



55


60

65


498

-continued


5-7




5-8



5-9




5-10




499

-continued


5-11




5-12



5-13




5-14


**500**

-continued


5-15




5-16



5-17




5-18



501

-continued

5-19




5

10

15

5-20

20



25


30

35

6-1


40

45



6-2

50



55


60

65


502

-continued


6-3



6-4






6-5






503

-continued




**504**

-continued





505

-continued

**506**

-continued



6-12

6-15

5

10

15

20

25

6-13

35

40

45

6-16

13. The organic electronic element of claim 1 comprising a hole transport layer, an emitting auxiliary layer, or both the layers between the first electrode and the emitting layer, wherein either of or both the layers include the compound of Formula 1.

6-14

14. The organic electronic element of claim 1, wherein the compounds represented by Formula 1 and by Formula 2 are mixed in a ratio of 1:9 to 9:1 and are included in the emitting layer.

15. The organic electronic element of claim 1, wherein the compounds represented by Formula 1 and by Formula 2 are mixed in a ratio of 1:9 to 5:5 and are included in the emitting layer.

16. The organic electronic element of claim 1, wherein the compounds represented by Formula 1 and by Formula 2 are mixed in a ratio of 2:8 or 3:7 and are included in the emitting layer.

17. An electronic device comprising: a display device including the organic electric element of claim 1; and a control unit for driving the display device.

507**508**

18. The compound of claim **17**, wherein the organic electric element is at least one of an OLED, an organic solar cell, an organic photo conductor, an organic transistor and an element for monochromic or white illumination.

* * * * *