

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12402620
Kind Code	B2
Date of Patent	September 02, 2025
Inventor(s)	Inoue; Futoshi et al.

Cell cryopreservation pretreatment operation plate

Abstract

A cell cryopreservation pretreatment operation plate includes a planar operation portion, a first recess for storing a treatment solution, a second recess for storing a treatment solution, a third recess for storing a treatment solution, and a fourth recess for storing discarded solutions. The planar operation portion includes, on a surface thereof, a first circular segment, second circular segment, and third circular segment for placing treatment solutions, an enlarged first circular segment enclosing the first circular segment, an enlarged second circular segment enclosing the second circular segment, and an enlarged third circular segment enclosing the third circular segment.

Inventors: Inoue; Futoshi (Fujinomiya, JP), Kato; Keiichi (Tokyo, JP), Ueno; Satoshi (Kawasaki, JP)

Applicant: Kitazato Corporation (Fuji, JP)

Family ID: 74503007

Assignee: KITAZATO CORPORATION (Fuji, JP)

Appl. No.: 17/592785

Filed: February 04, 2022

Prior Publication Data

Document Identifier	Publication Date
US 20220151223 A1	May. 19, 2022

Foreign Application Priority Data

JP	2019-143967	Aug. 05, 2019
----	-------------	---------------

Related U.S. Application Data

Publication Classification

Int. Cl.: **A01N1/00** (20060101); **A01N1/125** (20250101); **A01N1/142** (20250101); **C12M1/00** (20060101)

U.S. Cl.:

CPC **A01N1/142** (20250101); **A01N1/125** (20250101);

Field of Classification Search

CPC: **A01N** (1/0268); **C12M** (21/06)

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
10494593	12/2018	Ejiri	N/A	C12M 23/08
2010/0221768	12/2009	Akai	435/29	C12M 23/10
2010/0297600	12/2009	Cecchi	N/A	N/A
2011/0111447	12/2010	Ramsing	435/303.1	C12M 41/46
2015/0329814	12/2014	Cecchi	N/A	N/A

FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
2000189155	12/1999	JP	N/A
2002315573	12/2001	JP	N/A
2015053876	12/2014	JP	N/A
2016099547	12/2015	JP	N/A
2017060428	12/2016	JP	N/A
2017118884	12/2016	JP	N/A
6349847	12/2017	JP	N/A
02085110	12/2001	WO	N/A
2016190322	12/2015	WO	N/A

OTHER PUBLICATIONS

International Preliminary Report/Written Opinion on Patentability (PCT/IB/338 and 373) issued in corresponding International Patent Application No. PCT/JP2020/029814 dated Feb. 17, 2022. (6 pages). cited by applicant

Katazato Corporation, “Kitazato Oocyte Cryo Plate”, Feb. 13, 2019, [retrieved on Sep. 16, 2020]

Internet URL:[https://www.kitazato.co.jp/ja/pdf/cryo/Flyer-](https://www.kitazato.co.jp/ja/pdf/cryo/Flyer-JPOocyte%20Cryo%20Plate20190213%20for%20mail.pdf)

JPOocyte%20Cryo%20Plate20190213%20for%20mail.pdf. (2 pages) (cited in International Search Report and discussed in International Preliminary Report/Written Opinion). cited by applicant

Ueno, Satoshi et al. “Vitrification of human embryos and ovum-Freezing and thawing embryos and ovum by the Cryotop method-” J. Clin. Embryologist, 2017 (month unknown), pp. 130-133, vol. 19, No. 2, Medical Online. (4 pages) (cited in International Search Report and discussed in

International Preliminary Report/Written Opinion). cited by applicant

The extended European Search Report issued Sep. 21, 2022, by the European Patent Office in corresponding European Patent Application No. 20850279.9-1111. (88 pages). cited by applicant International Search Report (PCT/ISA/210) with translation and Written Opinion (PCT/ISA/237) mailed on Oct. 13, 2020, by the Japanese Patent Office as the International Searching Authority for International Application No. PCT/JP2020/029814. (10 pages). cited by applicant

Primary Examiner: Bowers; Nathan A

Attorney, Agent or Firm: BUCHANAN INGERSOLL & ROONEY PC

Background/Summary

TECHNICAL FIELD

(1) The present invention relates to a cell cryopreservation pretreatment operation plate for use in cryopreservation of living cells including eggs such as mammalian ova and embryos, sperms, and stem cells such as hematopoietic stem cells and pluripotent stem cells.

BACKGROUND ART

(2) Cryopreservation of mammalian embryos enables preservation of genetic resources of specific breeds and species. It is also effective for maintaining animal species that stand on the verge of extinction. In addition, it is also useful for treatment of human infertility.

(3) As a method for cryopreserving mammalian embryos, JP 2000-189155A (Patent Document 1) has proposed a method in which mammalian embryos or ova are caused to adhere to the inner surface of a cryopreservation container, such as a frozen straw, frozen vial, or frozen tube that has been sterilized, using the least amount of a vitrification solution sufficient to encapsulate these embryos or ova, and thereafter, the cryopreservation container is hermetically sealed and then rapidly cooled by contact with liquid nitrogen.

(4) The inventors of the present invention have proposed Patent Document 2 (JP 2002-315573A, WO 02/085110 A1). Patent Document 2 discloses an egg cryopreservation tool **1** including a main body **2** made of a cold-resistant material, an egg adhesion holding strip **3** attached to one end of the main body **2** and made of a material that is flexible, transparent, and resistant to liquid nitrogen, and a cylindrical member **4** detachably attached to the main body **2** in a manner capable of covering the egg adhesion holding strip **3**, sealed at one end, and made of a cold-resistant material.

(5) JP 2017-118884A (Patent Document 3) has proposed a cell treatment container for use in cell treatments using a treatment solution, including a treatment of embryos immediately before transfer.

CITATION LIST

Patent Documents

(6) Patent Document 1: JP 2000-189155A Patent Document 2: JP 2002-315573A (WO 02/085110 A1) Patent Document 3: JP 2017-118884A (WO 2016/190322 A1)

SUMMARY OF INVENTION

Technical Problem

(7) For the above-described egg cryopreservation, a vitrification preservation method is used. The vitrification preservation method is a technique utilizing the principle that the freezing point of an aqueous solution is lowered when it contains a cryoprotective agent such as glycerol or ethylene glycol, whereby the formation of ice crystals is inhibited even at temperatures below the freezing point. When this solution is rapidly cooled in liquid nitrogen, it can be solidified without forming ice crystals. Since water turns to a glassy solid without causing crystallization, this technique is called “vitrification”. In order to freeze eggs using a vitrification method, the eggs need to be

pretreated. The intended use of the treatment container of Patent Document 3 is not pretreatments for vitrification freezing but treatments such as a treatment of embryos immediately before transfer. (8) Containers dedicated to pretreatments for the above-described vitrification freezing have not been provided heretofore. Thus, at present, an ordinary petri dish, multi-well petri dish, center-well dish, and the like are used at each clinic with efforts to complete transfer operations in a short time while avoiding the occurrence of errors as much as possible.

(9) It is an object of the present invention to provide a cell cryopreservation pretreatment operation plate that allows a pretreatment for vitrification freezing to be performed easily with few procedural errors.

Solution to Problem

(10) The following is provided as means for achieving the above-described object.

(11) A cell cryopreservation pretreatment operation plate comprising: a planar operation portion; a first recess for storing a low-concentration treatment solution that contains a cell membrane-permeable cryoprotectant at a low concentration; a second recess for storing a high-concentration treatment solution that contains a cell membrane-permeable cryoprotectant at a high concentration; a third recess for storing a high-concentration treatment solution that contains a cell membrane-permeable cryoprotectant at a high concentration; and a fourth recess for storing a discarded solution, wherein the planar operation portion includes, on a surface thereof, a first circular segment for placing a cell membrane-permeable cryoprotectant-free treatment solution, a second circular segment for placing the low-concentration treatment solution, and a third circular segment for placing the low-concentration treatment solution, the first circular segment, the second circular segment, and the third circular segment are located close to each other, and the planar operation portion further includes, on the surface thereof, an enlarged first circular segment enclosing the first circular segment, an enlarged second circular segment enclosing the second circular segment, and an enlarged third circular segment enclosing the third circular segment.

(12) The following is provided as other means for achieving the above-described object.

(13) A cell cryopreservation pretreatment operation plate comprising: a planar operation portion; a first recess for storing a cell treatment solution; a second recess for storing a cell treatment solution; a third recess for storing a cell treatment solution; and a fourth recess for storing a discarded solution, wherein the planar operation portion includes, on a surface thereof, a first circular segment for placing a cell treatment solution, a second circular segment for placing a cell treatment solution, and a third circular segment for placing a cell treatment solution, the first circular segment, the second circular segment, and the third circular segment are located close to each other, and the planar operation portion further includes, on the surface thereof, an enlarged first circular segment enclosing the first circular segment, an enlarged second circular segment enclosing the second circular segment, and an enlarged third circular segment enclosing the third circular segment.

Description

BRIEF DESCRIPTION OF DRAWINGS

(1) FIG. 1 is a front view of a cell cryopreservation pretreatment operation plate having the basic configuration of the cell cryopreservation pretreatment operation plate according to the present invention.

(2) FIG. 2 is a cross-sectional view taken along line A-A in FIG. 1.

(3) FIG. 3 is a cross-sectional view taken along line B-B in FIG. 1.

(4) FIG. 4 is a perspective view of the cell cryopreservation pretreatment operation plate shown in FIG. 1.

(5) FIG. 5 is a front view of the cell cryopreservation pretreatment operation plate shown in FIG. 1

with a lid placed thereon.

(6) FIG. 6 is a perspective view of the lid placed on the cell cryopreservation pretreatment operation plate shown in FIG. 5.

(7) FIG. 7 is an enlarged view of a planar portion of the cell cryopreservation pretreatment operation plate shown in FIG. 1.

(8) FIG. 8 is an enlarged cross-sectional view taken along line C-C in FIG. 7.

(9) FIG. 9 is an enlarged cross-sectional view taken along line D-D in FIG. 7.

(10) FIG. 10 is a front view of another example of the cell cryopreservation pretreatment operation plate having the basic configuration of the cell cryopreservation pretreatment operation plate according to the present invention.

(11) FIG. 11 is a front view of still another example of the cell cryopreservation pretreatment operation plate having the basic configuration of the cell cryopreservation pretreatment operation plate according to the present invention.

(12) FIG. 12 is a front view of a cell cryopreservation pretreatment operation plate according to an example of the present invention.

(13) FIG. 13 is a front view of a cell cryopreservation pretreatment operation plate according to another example of the present invention.

(14) FIG. 14 is a front view of a cell cryopreservation pretreatment operation plate according to still another example of the present invention.

DESCRIPTION OF EMBODIMENTS

(15) The cell cryopreservation pretreatment operation plate according to the present invention will be described with reference to examples illustrated in the drawings.

(16) A cell cryopreservation pretreatment operation plate having the basic configuration of the cell cryopreservation pretreatment operation plate according to the present invention includes a planar operation portion **2**, a first recess **14** for storing a low-concentration treatment solution that contains a cell membrane-permeable cryoprotectant at a low concentration, a second recess **15** for storing a high-concentration treatment solution that contains a cell membrane-permeable cryoprotectant at a high concentration, a third recess **16** for storing a high-concentration treatment solution that contains a cell membrane-permeable cryoprotectant at a high concentration, and a fourth recess **18** for storing discarded solutions (used treatment solutions). The planar operation portion **2** includes, on a surface thereof, a first circular segment **21** for placing a cell membrane-permeable cryoprotectant-free treatment solution, a second circular segment for placing the low-concentration treatment solution, and a third circular segment for placing the low-concentration treatment solution. The first circular segment **21**, the second circular segment **22**, and the third circular segment **23** are located close to each other.

(17) Alternatively, the cell cryopreservation pretreatment operation plate having the basic configuration of the cell cryopreservation pretreatment operation plate according to the present invention may be as follows.

(18) A cell cryopreservation pretreatment operation plate according to this embodiment includes a planar operation portion **2**, a first recess **14** for storing a cell treatment solution, a second recess **15** for storing a cell treatment solution, a third recess **16** for storing a cell treatment solution, and a fourth recess **18** for storing discarded solutions. The planar operation portion **2** includes, on a surface thereof, a first circular segment **21** for placing a cell treatment solution, a second circular segment **22** for placing a cell treatment solution, and a third circular segment **23** for placing a cell treatment solution. The first circular segment **21**, the second circular segment **22**, and the third circular segment **23** are located close to each other.

(19) Alternatively, the cell cryopreservation pretreatment operation plate having the basic configuration of the cell cryopreservation pretreatment operation plate according to the present invention may be as follows.

(20) This cell cryopreservation pretreatment operation plate includes a planar operation portion **2**, a

first recess **14** for storing a treatment solution, a second recess **15** for storing a treatment solution, a third recess **16** for storing a treatment solution, and a fourth recess **18** for storing discarded solutions. The planar operation portion **2** includes, on a surface thereof, a first circular segment **21** for placing a treatment solution, a second circular segment **22** for placing a treatment solution, and a third circular segment **23** for placing a treatment solution. The first circular segment **21**, the second circular segment **22**, and the third circular segment **23** are located close to each other. The planar operation portion **2** further includes a first indication portion **26** in which the name and the amount of the treatment solution to be placed on the first circular segment **21** are indicated, a second indication portion **27** in which the name and the amount of the treatment solution to be placed on the second circular segment **22** are indicated, and a third indication portion **28** in which the name and the amount of the treatment solution to be placed on the third circular segment **23** are indicated. The cell cryopreservation pretreatment operation plate **1** further includes a fourth indication portion **29** in which the name and the amount of the treatment solution to be contained in the first recess **14** are indicated.

(21) The cell cryopreservation pretreatment operation plate **1** shown in FIGS. **1** to **4** includes a lower surrounding wall **4**, a surrounding side wall **3** extending upward from the lower surrounding wall **4**, a bottom **6** located inside the surrounding side wall **3**, and an upper surface portion **12** provided at one end portion of the lower surrounding wall **4**. In the plate **1** of this example, the lower surrounding wall **4** is substantially rectangular and larger than the surrounding side wall **3**, and on an upper surface of a portion of the lower surrounding wall **4** protruding from the surrounding side wall **3**, the above-described upper surface portion **12**, which is horizontally elongated, and a narrow U-shaped flat portion **13** that connects the lower end of both side portions and the back side portion of the surrounding side wall **3** to the upper end of the lower surrounding wall **4** are provided.

(22) The lower surrounding wall **4** is a rectangular surrounding wall with curved corners. One end portion of the lower surrounding wall, specifically, the lower end portion (on the front side) in FIG. **1** of the lower surrounding wall has the upper surface portion **12** jointed to the upper end of the lower surrounding wall **4**. The upper surface portion **12** is flat, and characters and the like can be written on the surface thereof with a writing tool. The upper surface portion **12** preferably has a rough surface, specifically a satin-finished surface. This makes writing on the surface with a writing tool or the like easier and also helps visual recognition of the written characters and the like.

(23) The cell cryopreservation pretreatment operation plate **1** has the surrounding side wall **3** extending upward from a portion of the lower surrounding wall **4** excluding the upper surface portion **12**. Also, the narrow U-shaped flat portion **13** that connects the lower end of both side portions and the back side portion of the surrounding side wall **3** to the upper end of the lower surrounding wall **4** is provided. Thus, between the lower surrounding wall **4** and the surrounding side wall **3**, a step is formed by the upper surface portion **12** and the flat portion **13**. The upper surface of this step serves as a placement portion for a lid **5**. As shown in FIG. **3**, the surrounding side wall **3** is formed so as to be higher than the upper surface portion **12**. In this example, as shown in FIGS. **1** to **4**, the surrounding side wall **3** is a rectangular surrounding wall with curved corners.

(24) Inside the surrounding side wall **3**, a planar operation portion **2**, a first recess **14** for storing a treatment solution, a second recess **15** for storing a treatment solution, a third recess **16** for storing a treatment solution, and a fourth recess **18** for storing discarded solutions are provided.

(25) As shown in FIG. **4**, in this cell cryopreservation pretreatment operation plate **1**, the planar operation portion **2** is provided at a position slightly lower than the upper end of the surrounding side wall **3** and is substantially rectangular. In this example, a second planar portion **17** is provided, and the first recess **14** is formed in the second planar portion **17**. Specifically, the second planar portion **17** is provided adjacent to the planar operation portion **2**, and the upper surface thereof is

substantially level with the upper surface of the planar operation portion 2.

(26) The first recess **14** is formed in the central portion of the second planar portion **17**. The first recess **14** has a flat bottom surface in a small circular shape and a tapered side surface whose diameter decreases toward the bottom surface. Thus, the first recess **14** has an inverted truncated cone shape (the cross-sectional area thereof decreases toward the bottom surface). The first recess **14** is a recess for storing a cell treatment solution. Specifically, it is a recess for storing a low-concentration treatment solution that contains a cell membrane-permeable cryoprotectant at a low concentration.

(27) As shown in FIGS. **1** to **4**, this cell cryopreservation pretreatment operation plate **1** includes a first protruding portion **41** protruding upward from the bottom **6** inside the surrounding side wall **3**, and the second recess **15** is formed in the first protruding portion **41**. Further, the cell cryopreservation pretreatment operation plate **1** of this example includes a second protruding portion **42** protruding upward from the bottom **6** inside the surrounding side wall **3**, and the third recess **16** is formed in the second protruding portion **42**. The second recess **15** and the third recess **16** each have a flat bottom surface in a small circular shape and a tapered side surface whose diameter decreases toward the bottom surface. Thus, the second recess **15** and the third recess **16** each have an inverted truncated cone shape (the cross-sectional area thereof decreases toward the bottom surface).

(28) The height of the surrounding side wall **3**, in other words, the distance from the upper end of the surrounding side wall **3** to the planar operation portion **2**, the second planar portion **17**, the upper end of the first protruding portion **41** (the second recess **15**), and the upper end of the second protruding portion **42** (the third recess **16**) is preferably 1 to 5 mm and particularly preferably 1.5 to 4 mm.

(29) The second recess **15** is a recess for storing a cell treatment solution, and specifically is a recess for storing a high-concentration treatment solution that contains a cell membrane-permeable cryoprotectant at a high concentration. Similarly, the third recess **16** is a recess for storing a cell treatment solution, and specifically is a recess for storing a high-concentration treatment solution that contains a cell membrane-permeable cryoprotectant at a high concentration. The concentration of the cell membrane-permeable cryoprotectant in the treatment solution to be stored in the second recess **15** may be different from the concentration of the cell membrane-permeable cryoprotectant in the treatment solution to be stored in the third recess **16**.

(30) As shown in FIGS. **1** to **4**, this cell cryopreservation pretreatment operation plate **1** includes the fourth recess **18** for storing discarded solutions. Specifically, the fourth recess **18** is a recess formed by the side surfaces of the protruding portions **41** and **42**, the inner surface of the surrounding side wall **3**, and the bottom **6**.

(31) As shown in FIG. **7**, the planar operation portion **2** includes, on a surface thereof, a first circular segment **21** for placing a treatment solution, a second circular portion **22** for placing a treatment solution, and a third circular segment **23** for placing a treatment solution.

(32) The first circular segment **21** is a circular segment for placing a cell membrane-permeable cryoprotectant-free treatment solution. The second circular segment **22** is a circular segment for placing a treatment solution that contains a cell membrane-permeable cryoprotectant at a low concentration, and the third circular segment **23** is a circular segment for placing a treatment solution that contains a cell membrane-permeable cryoprotectant at a low concentration. The size (diameter) of each of the circular segments **21**, **22**, and **23** is preferably 3 to 8 mm and particularly preferably 4 to 7 mm. The area of each of the circular segments **21**, **22**, and **23** is preferably 7 to 50 mm² and particularly preferably 12 to 40 mm².

(33) Although it is preferable that the circular segments **21**, **22**, and **23** have approximately the same size, their sizes may be different from each other. Also, each of the circular segments **21**, **22**, and **23** is preferably such that a predetermined amount of the treatment solution can be placed thereon. The amount of the treatment solution capable of being placed thereon is preferably 10 to

50 μ L and particularly preferably 15 to 25 μ L.

(34) The first circular segment **21**, the second circular segment **22**, and the third circular segment **23** are located close to each other. The distance between the first circular segment **21** and the second circular segment **22** is preferably 1 to 5 mm and particularly preferably 1.5 to 3 mm. Preferably, as shown in FIG. 7, the third circular segment **23** is located close to the first circular segment **21** and the second circular segment **22** and is spaced apart from them by approximately the same distance. Specifically, as shown in FIG. 7, the third circular segment **23** is preferably located on the front side of the midpoint between the first circular segment **21** and the second circular segment **22**. The distance between the third circular segment **23** and each of the first circular segment **21** and the second circular segment **22** is preferably 1 to 5 mm and particularly preferably 1.5 to 3 mm.

(35) As shown in FIGS. 7 to 9, an outer edge **21a** of the first circular segment **21**, an outer edge **22a** of the second circular segment **22**, and an outer edge **23a** of the third circular segment **23** are preferably annular grooves. Alternatively, the above-described outer edges **21a**, **22a**, and **23a** may be annular ribs.

(36) As shown in FIGS. 1 and 7, in this cell cryopreservation pretreatment operation plate **1**, the planar operation portion **2** has a first indication portion **26** in which the name and the amount of the treatment solution to be placed on the first circular segment **21** are indicated. “BS” in the indication portion **26** is an abbreviation of “Basic Solution”, which refers to a cell membrane-permeable cryoprotectant-free treatment solution. This is to inform an operator that the treatment solution to be placed on the first circular segment **21** is a cell membrane-permeable cryoprotectant-free treatment solution, and “20 μ L” indicated beside “BS” is to inform an operator of the amount of the treatment solution to be placed.

(37) As BS (cell membrane-permeable cryoprotectant-free treatment solution), those conventionally used are suitably used. As the cell membrane-permeable cryoprotectant-free treatment solution, it is suitable to use, for example, a basal cell culture medium (e.g., a cell culture medium containing HEPES [4-(2-HydroxyEthyl)-1-PiperazineEthaneSulfonic acid]) that does not contain a cell membrane-permeable cryoprotectant and contains compounds considered necessary, such as, for example: one type or two or more types of cell membrane-impermeable cryoprotectants selected from sucrose, trehalose, Percoll, polyethylene glycol, polyvinyl pyrrolidone, bovine serum albumin, Ficoll, and at least one type of water-soluble cellulose selected from the group consisting of hydroxypropyl cellulose, hydroxypropyl methylcellulose, and hydroxyethyl methylcellulose; and an antibiotic such as gentamicin.

(38) As shown in FIGS. 1 and 7, this cell cryopreservation pretreatment operation plate **1** has a second indication portion **27** in which the name and the amount of the treatment solution to be placed on the second circular segment **22** are indicated. “ES” in the indication portion **27** is an abbreviation of “Equilibration Solution”, which refers to a low-concentration treatment solution that contains a cell membrane-permeable cryoprotectant at a low concentration. This is to inform an operator that the treatment solution to be placed on the second circular segment **22** is a low-concentration treatment solution, and “20 μ L” indicated beside “ES” is to inform an operator of the amount of the treatment solution to be placed.

(39) As shown in FIGS. 1 and 7, this cell cryopreservation pretreatment operation plate **1** has a third indication portion **28** in which the name and the amount of the treatment solution to be placed on the third circular segment **23** are indicated. “ES” in the indication portion **28** is an abbreviation of “Equilibration Solution”, which refers to a low-concentration treatment solution that contains a cell membrane-permeable cryoprotectant at a low concentration. This is to inform an operator that the treatment solution to be placed on the third circular segment **23** is a low-concentration treatment solution, and “20 μ L” indicated beside “ES” is to inform an operator of the amount of the treatment solution to be placed.

(40) As ES (low-concentration treatment solution that contains a cell membrane-permeable

cryoprotectant at a low concentration), those conventionally used are suitably used. As the low-concentration treatment solution that contains a cell membrane-permeable cryoprotectant at a low concentration, it is suitable to use, for example, a basal cell culture medium (e.g., a cell culture medium containing HEPES [4-(2-HydroxyEthyl)-1-PiperazineEthaneSulfonic acid]) that contains a membrane-permeable cryoprotectant such as glycerol, propylene glycol, dimethylsulfoxide (DMSO), ethylene glycol, or butanediol at a low concentration and also contains a cell membrane-impermeable cryoprotectant such as sucrose, trehalose, Percoll, polyethylene glycol, polyvinyl pyrrolidone, bovine serum albumin, Ficoll, hydroxypropyl cellulose, hydroxypropyl methylcellulose, or hydroxyethyl methylcellulose. This ES also may contain an antibiotic such as gentamicin. The content of the cell membrane-permeable cryoprotectant in this ES is preferably 20% to 70% and particularly preferably 30% to 60% of the content of a cell membrane-permeable cryoprotectant in “VS” (high-concentration treatment solution that contains a cell membrane-permeable cryoprotectant at a high concentration) to be described below.

(41) As shown in FIG. 1, this cell cryopreservation pretreatment operation plate **1** has a fourth indication portion **29** in which the name and the amount of the treatment solution to be stored in the first recess **14** are indicated. “ES” in the indication portion **29** is an abbreviation of “Equilibration Solution”, which refers to a low-concentration treatment solution that contains a cell membrane-permeable cryoprotectant at a low concentration. This is to inform an operator that the treatment solution to be stored in (injected into) the first recess **14** is a low-concentration treatment solution, and “300 μ L” indicated beside “ES” is to inform an operator of the amount of the treatment solution to be injected.

(42) Like a plate **1a** shown in FIG. 10, the cell cryopreservation pretreatment operation plate may also have a fifth indication portion **43** in which the name and the amount of a treatment solution to be stored in the second recess **15** are indicated and a sixth indication portion **44** in which the name and the amount of a treatment solution to be stored in the third recess **16** are indicated.

(43) Also, like the plate **1a** shown in FIG. 10, the cell cryopreservation pretreatment operation plate may be configured such that the fourth recess is divided into a recess **18a** on the second recess side and a recess **18b** on the third recess side by a partition **46**.

(44) “VS” in each of the indication portions **43** and **44** is an abbreviation of “Vitrification Solution”, which refers to a high-concentration treatment solution that contains a cell membrane-permeable cryoprotectant at a high concentration. This is to inform an operator that the treatment solution to be stored in (injected into) the second recess **15** and the third recess **16** is a high-concentration treatment solution, and “300 μ L” indicated beside “VS” is to inform an operator of the amount of the treatment solution to be injected.

(45) As VS (high-concentration treatment solution that contains a cell membrane-permeable cryoprotectant at a high concentration), those conventionally used are suitably used. As the high-concentration treatment solution that contains a cell membrane-permeable cryoprotectant at a high concentration, it is suitable to use, for example, a basal cell culture medium (e.g., a cell culture medium containing HEPES [4-(2-HydroxyEthyl)-1-PiperazineEthaneSulfonic acid]) that contains a cell membrane-permeable cryoprotectant such as glycerol, propylene glycol, dimethylsulfoxide (DMSO), ethylene glycol, or butanediol at a high concentration and also contains a cell membrane-impermeable cryoprotectant such as sucrose, trehalose, Percoll, polyethylene glycol, polyvinyl pyrrolidone, bovine serum albumin, Ficoll, hydroxypropyl cellulose, hydroxypropyl methylcellulose, or hydroxyethyl methylcellulose. This VS also may contain an antibiotic such as gentamicin. The content of the cell membrane-permeable cryoprotectant in this VS is preferably 1.5 to 3 times and particularly preferably 1.7 to 2.5 times the content of the cell membrane-permeable cryoprotectant in the above-described “ES” (low-concentration treatment solution that contains a cell membrane-permeable cryoprotectant at a low concentration).

(46) As shown in FIGS. 1 and 7, in this cell cryopreservation pretreatment operation plate **1**, the planar operation portion **2** includes, on the surface thereof, a first arrow indication **24** extending

from the second circular segment **22** toward the first circular segment **21** and a second arrow indication **25** extending from the third circular segment **23** toward the first arrow indication **24**. The second arrow indication **25** may extend toward the first circular segment **21**.

(47) In this cell cryopreservation pretreatment operation plate **1**, as shown in FIGS. **1** and **7**, the planar operation portion **2** includes, on the surface thereof, a first step order indication (1) near the first arrow indication and a second step order indication (2) near the second arrow indication. Also, as shown in FIG. **1**, the second planar portion **17** includes a third step order indication (3). Further, the cell cryopreservation pretreatment operation plate **1** of this example includes a first step time indication near the first step order indication (1), a second step time indication near the second step order indication (2), and a third step time indication near the third step order indication (3).

(48) As shown in FIGS. **1** and **4**, in this cell cryopreservation pretreatment operation plate **1**, the second planar portion **17** with the first recess **14** is located next to (on the right side of) the planar operation portion **2**, and the second recess **15**, the third recess **16**, and the fourth recess **18** are located on the front side of the planar operation portion **2** and the second planar portion **17**, whereby a rectangular operation surface is formed. The central portion of the rectangular operation surface includes an operation sequence indication **45** (1, 2, 3, 4) that indicates the order of operations to be performed in the planar operation portion **2**, the first recess **14**, the second recess **15**, and the third recess **16**, respectively. In the operation sequence indication, 3 and 4 are interchangeable.

(49) As shown in FIGS. **5** and **6**, the cell cryopreservation pretreatment operation plate preferably includes a lid **5** for covering the planar operation portion **2**, the first recess **14**, the second recess **15**, and the third recess **16** at the same time. As shown in FIG. **6**, the lid **5** in this example is configured to cover the above-described rectangular operation surface entirely, and the upper surface portion **12** is exposed in the state where the lid **5** is fitted onto the plate. Accordingly, the lid **5** does not interfere with operations such as writing characters on the upper surface portion **12**. The lid **5** in this example has a top plate portion **51** and a surrounding side wall **52** extending downward from the top plate portion **51**. The surrounding side wall **52** includes a plurality of sets of opposing slits **53** on its side surfaces. Further, opposing ribs **54** are provided on the inner upper surface of the lid **5**.

(50) The cell cryopreservation pretreatment operation plate **1** and the lid **5** are made of a synthetic resin material. The cell cryopreservation pretreatment operation plate **1** and the lid **5** desirably have high transparency, and accordingly, a transparent hard synthetic resin is suitably used. As the transparent hard synthetic resin, it is preferable to use a styrene resin such as polystyrene or SBS, polycarbonate, an acrylonitrile resin, polyolefin such as polypropylene or polyethylene, polyvinyl chloride, or a polyester resin such as PMMA (polymethyl methacrylate), polyethylene terephthalate, or polybutylene terephthalate.

(51) Next, a cell cryopreservation pretreatment operation plate **1b** shown in FIG. **11** will be described. The basic configuration of this plate **1b** is the same as that of the above-described plate **1**. The differences between them are positions where a second recess **15**, a third recess **16**, and a fourth recess **18** are arranged relative to a planar operation portion **2** and a first recess **14**.

(52) In this cell cryopreservation pretreatment operation plate **1b**, a second planar portion **17** with the first recess **14** is located next to (on the right side of) the planar operation portion **2**, and the second recess **15**, the third recess **16**, and the fourth recess **18** are located next to (on the right side of) the second planar portion **17**, whereby a horizontally elongated rectangular operation surface is formed. Accordingly, in the plate **1b**, a lower surrounding wall **4a** and a surrounding side wall **3a** are also horizontally elongated rectangular, and an upper surface portion **12** is also horizontally elongated. The plate **1b** also includes a narrow flat portion **13** that connects the lower end of both side portions and the back side portion of the surrounding side wall **3a** to the upper end of the lower surrounding wall **4a**. Further, this plate **1b** also includes an operation sequence indication (1, 2, 3, 4) that indicates the order of operations to be performed in the planar operation portion **2**, the

first recess **14**, the second recess **15**, and the third recess **16**, respectively.

(53) Next, a cell cryopreservation pretreatment operation plate **1c** according to an example of the present invention shown in FIG. **12** will be described. The basic configuration of this plate **1c** is the same as that of the above-described plate **1**. The differences between them are the configuration of a planar operation portion **2** and positions where the planar operation portion **2**, a first recess **14**, a second recess **15**, a third recess **16**, and a fourth recess **18** are arranged.

(54) As shown in FIG. **12**, in the plate **1c** of this example, the planar operation portion **2a** is larger than the planar operation portion **2** of the above-described plate **1**. The planar operation portion **2a** includes, on a surface thereof, a first circular segment **21**, a second circular segment **22**, a third circular segment **23**, an enlarged first circular segment **61** enclosing the first circular segment **21**, an enlarged second circular segment **62** enclosing the second circular segment **22**, and an enlarged third circular segment **63** enclosing the third circular segment **23**. The sizes, arrangement, and the like of the first circular segment **21**, the second circular segment **22**, and the third circular segment **23** are the same as those in the above-described plate **1**.

(55) The enlarged first circular segment **61** has a larger diameter than the first circular segment **21**, and encloses the first circular segment **21** in such a manner that the first circular segment **21** is located inside the enlarged first circular segment **61** and closer to or in contact with the outer edge of the enlarged first circular segment **61** rather than concentrically located in the enlarged first circular segment **61**. Also, the enlarged second circular segment **62** has a larger diameter than the second circular segment **22**, and encloses the second circular segment **22** in such a manner that the second circular segment **22** is located inside the enlarged second circular segment **62** and closer to or in contact with the outer edge of the enlarged second circular segment **62** rather than concentrically located in the enlarged second circular segment **62**. Also, the enlarged third circular segment **63** has a larger diameter than the third circular segment **23**, and encloses the third circular segment **23** in such a manner that the third circular segment **23** is located inside the enlarged third circular segment **63** and closer to or in contact with the outer edge of the enlarged third circular segment **63** rather than concentrically located in the enlarged third circular segment **63**.

(56) Outer edges **21a**, **22a**, **23a**, **61a**, **62a**, and **63a** of the first circular segment **21**, the enlarged first circular segment **61**, the second circular segment **22**, the enlarged second circular segment **62**, the third circular segment **23**, and the enlarged third circular segment **63** are annular grooves. Alternatively, the above-described outer edges may be annular ribs.

(57) The enlarged first circular segment **61** is a circular segment for placing a cell membrane-permeable cryoprotectant-free treatment solution. The enlarged second circular segment **62** is a circular segment for placing a treatment solution that contains a cell membrane-permeable cryoprotectant at a low concentration. The enlarged third circular segment **63** is a circular segment for placing a treatment solution that contains a cell membrane-permeable cryoprotectant at a low concentration. The diameters of the enlarged circular segments **61**, **62**, and **63** are preferably 1.5 to 3 times and particularly preferably 1.7 to 2.5 times the diameters of the circular segments **21**, **22**, and **23**, respectively. Similarly, the areas of the enlarged circular segments **61**, **62**, and **63** are preferably 2 to 10 times and particularly preferably 3 to 7 times the areas of the circular segments **21**, **22**, and **23**, respectively.

(58) As shown in FIG. **12**, in the cell cryopreservation pretreatment operation plate **1c** of this example, the planar operation portion **2a** includes a first indication portion **26a** in which the name and the amounts (two amounts) of the treatment solution to be placed on the first circular segment **21** and the enlarged first circular segment **61** are indicated. “BS” in the indication portion **26a** is an abbreviation of “Basic Solution”, which refers to a cell membrane-permeable cryoprotectant-free treatment solution. “20 μ L” indicated near “BS” is to inform an operator of the amount of the treatment solution to be placed on the first circular segment **21**, and “100 μ L” also indicated near “BS” is to inform an operator of the amount of the treatment solution to be placed on the enlarged first circular segment **61**. The enlarged first circular segment **61** is used when treating a plurality of

cells at the same time, and the first circular segment **21** is used when treating a single cell.

(59) As shown in FIG. **12**, in the cell cryopreservation pretreatment operation plate **1c** of this example, the planar operation portion **2a** includes a second indication portion **27a** in which the name and the amounts (two amounts) of the treatment solution to be placed on the second circular segment **22** and the enlarged second circular segment **62** are indicated. “ES” in the indication portion **27a** indicates a low-concentration treatment solution that contains a cell membrane-permeable cryoprotectant at a low concentration. “20 μ L” indicated near “ES” is to inform an operator of the amount of the treatment solution to be placed on the second circular segment **22**, and “100 μ L” also indicated near “ES” is to inform an operator of the amount of the treatment solution to be placed on the enlarged second circular segment **62**. The enlarged second circular segment **62** is used when treating a plurality of cells at the same time, and the second circular segment **22** is used when treating a single cell.

(60) As shown in FIG. **12**, in the cell cryopreservation pretreatment operation plate **1c** of this example, the planar operation portion **2a** includes a third indication portion **28a** in which the name and the amounts (two amounts) of the treatment solution to be placed on the third circular segment **23** and the enlarged third circular segment **63** are indicated. “ES” in the indication portion **28a** refers to a low-concentration treatment solution that contains a cell membrane-permeable cryoprotectant at a low concentration. “20 μ L” indicated near “ES” is to inform an operator of the amount of the treatment solution to be placed on the third circular segment **23**, and “100 μ L” also indicated near “ES” is to inform an operator of the amount of the treatment solution to be placed on the enlarged third circular segment **63**. The enlarged third circular segment **63** is used when treating a plurality of cells at the same time, and the third circular segment **23** is used when treating a single cell.

(61) In the plate **1c** of this example, the first recess **14**, the second recess **15**, the third recess **16**, and the fourth recess **18** are arranged on the front side of the planar operation portion **2a**. The plate **1c** of this example also indicates the name and the amount of the treatment solution to be stored in (injected into) each of the first recess **14**, the second recess **15**, and the third recess **16**. The planar operation portion **2**, the first recess **14**, the second recess **15**, the third recess **16**, and the fourth recess **18** are surrounded by a surrounding side wall **3b**, and the upper surfaces of them are located slightly below the upper end of the surrounding side wall **3b**. In the plate **1c** of this example, a lower surrounding wall **4b** is also substantially rectangular, and similarly to the plate **1**, the lower surrounding wall **4b** is larger than the surrounding side wall **3b**, and on an upper surface of a portion of the lower surrounding wall **4b** protruding from the surrounding side wall **3b**, a horizontally elongated upper surface portion **12** and a narrow flat portion **13** that connects the lower end of both side portions and the back side portion of the surrounding side wall **3b** to the upper end of the lower surrounding wall **4b** are provided.

(62) Next, a cell cryopreservation pretreatment operation plate **1d** of the example of the present invention shown in FIG. **13** will be described. The basic configuration of this plate **1d** is the same as that of the above-described plate **1c**. The differences between them are positions where a planar operation portion **2b**, a first recess **14**, a second recess **15**, a third recess **16**, and a fourth recess **18** are arranged.

(63) In the plate **1d** of this example, in a side portion (specifically, on the right side) of the planar operation portion **2b**, the first recess **14**, the second recess **15**, and the third recess **16** are arranged in this order from the back side, and the fourth recess **18** is provided so as to surround the second recess **15** and the third recess **16**. The plate **1d** of this example also indicates the name and the amount of the treatment solution to be stored in (injected into) each of the first recess **14**, the second recess **15**, and the third recess **16**. The planar operation portion **2b**, the first recess **14**, the second recess **15**, the third recess **16**, and the fourth recess **18** are surrounded by a surrounding side wall **3c**, and the upper surfaces of them are located slightly below the upper end of the surrounding side wall **3c**. In the plate **1d** of this example, a lower surrounding wall **4c** is also substantially

rectangular, and similarly to the plate **1**, the lower surrounding wall **4c** is larger than the surrounding side wall **3c**, and on an upper surface of a portion of the lower surrounding wall **4c** protruding from the surrounding side wall **3c**, a horizontally elongated upper surface portion **12** and a narrow flat portion **13** that connects the lower end of both side portions and the back side portion of the surrounding side wall **3c** to the upper end of the lower surrounding wall **4c** are provided.

(64) Next, a cell cryopreservation pretreatment operation plate **1e** of the example of the present invention shown in FIG. **14** will be described. The basic configuration of this plate **1e** is the same as that of the above-described plate **1c**. The differences between them are positions where a planar operation portion **2c**, a first recess **14**, a second recess **15**, a third recess **16**, and fourth recesses **18a** and **18b** are arranged. In the plate **1e** of this example, a lower surrounding wall **4d** and a surrounding side wall **3d** are each substantially pentagonal with the back side thereof being substantially triangular, and similarly to the plate **1**, the lower surrounding wall **4d** is larger than the surrounding side wall **3d**, and on an upper surface of a portion of the lower surrounding wall **4d** protruding from the surrounding side wall **3d**, a horizontally elongated upper surface portion **12** and a narrow flat portion **13** that connects the lower end of both side portions and the back side portion of the surrounding side wall **3d** to the upper end of the lower surrounding wall **4d** are provided.

(65) In the plate **1e** of this example, the first recess **14** is arranged on the back side of the planar operation portion **2c**. The second recess **15** and the fourth recess **18a** are arranged in one (left) side portion on the front side of the planar operation portion **2c**. The third recess **16** and the fourth recess **18b** are arranged in the other (right) side portion on the front side of the planar operation portion **2c**.

(66) The plate **1e** of this example also indicates the name and the amount of the treatment solution to be stored in (injected into) each of the first recess **14**, the second recess **15**, and the third recess **16**. The planar operation portion **2c**, the first recess **14**, the second recess **15**, the third recess **16**, and the fourth recesses **18a** and **18b** are surrounded by the surrounding side wall **3d**, and the upper surfaces of them are located slightly below the upper end of the surrounding side wall **3d**.

(67) Next, a cell cryopreservation pretreatment procedure using the cell cryopreservation pretreatment operation plate of the present invention will be described with reference to FIGS. **1** and **7**.

(68) First, a cell to be cryopreserved (e.g., an embryo), BS (cell membrane-permeable cryoprotectant-free treatment solution), ES (low-concentration treatment solution that contains a cell membrane-permeable cryoprotectant at a low concentration), and VS (high-concentration treatment solution that contains a cell membrane-permeable cryoprotectant at a high concentration) are prepared. Then, a predetermined amount (300 μ L) of ES as indicated in the indication portion **29** is injected into the first recess **14** of the plate **1**, predetermined amounts (300 μ L) of VS are injected into the second recess **15** and the third recess **16**, a proper amount (20 μ L) of BS as indicated in the indication portion **26** is placed (dropped) on the first circular portion **21**, a proper amount (20 μ L) of ES as indicated in the indication portion **27** is placed (dropped) on the second circular portion **22**, and a proper amount (20 μ L) of ES as indicated in the indication portion **28** is placed (dropped) on the third circular portion **23**. Preparation for the cell cryopreservation pretreatment is thus completed.

(69) First, the cell to be cryopreserved is collected with a micropipette or the like, and transferred to the BS placed on the first circular segment **21**. Subsequently, according to the indication (1) **35** and the arrow indication **24** in the planar operation portion **2** shown in FIG. **7**, the second circular segment **22** and the first circular portion **21** are connected to each other using the member (e.g., pipette) used for the transfer. As a result, the second circular segment **22** and the first circular segment **21** are in communication with each other. Then, according to the indication in an indication portion **37**, the cell is allowed to stand for 3 minutes. By this operation, the ES is gradually mixed with the BS containing the transferred cell in the first circular segment **21**, thereby

providing a mixed portion where the concentration of the low-concentration treatment solution in the treatment solution surrounding the cell has increased.

(70) Subsequently, according to the indication (2) **36** and the arrow indication **25** in the planar operation portion **2** shown in FIG. 7, the third circular segment **23** is connected to the above-described mixed portion using the member (e.g., pipette) used for the transfer. As a result, the second circular segment **22**, the first circular segment **21**, and the third circular segment **23** are in communication with each other. Then, according to the indication in an indication portion **38**, the cell is allowed to stand for 3 minutes. By this operation, the concentration of the low-concentration treatment solution in the treatment solution surrounding the cell to be cryopreserved increases further and gradually. This allows a gradual increase in the concentration of the cell membrane-permeable cryoprotectant in the treatment solution surrounding the cells to be cryopreserved, thereby allowing an equilibration treatment of the cell to be cryopreserved to proceed without damaging the cell. Through the above-described operations, the first step of equilibration is completed.

(71) In particular, the plate **1** of this example is configured such that the planar operation portion **2** includes, on the surface thereof, the first circular segment **21** for placing a cell membrane-permeable cryoprotectant-free treatment solution, the second circular segment **22** for placing a low-concentration treatment solution, and the third circular segment **23** for placing a low-concentration treatment solution, and the first circular segment, the second circular segment, and the third circular segment are located close to each other. With this configuration, the above-described preparation for the equilibration and also operations for the equilibration can be carried out easily and reliably.

(72) The cell having undergone the first step of the equilibration on the planar operation portion **2** in the above-described manner is then aspirated with the micropipette or the like, and placed on the surface of the ES injected in the first recess **14**. Thereafter, the cell is allowed to stand for 9 minutes. When the cell placed on the surface of the ES is an embryo, it can be observed that the embryo shrinks while sinking within 30 seconds, and the operator waits for full recovery of the volume of the embryo that has once shrunk largely. The second step of equilibration is thus completed.

(73) Subsequently, the cell in the first recess **14** is aspirated with the micropipette or the like and then placed on the surface of the second recess **15** storing the VS injected thereto. In this operation, the amount of the ES solution brought to the VS solution in the second recess **15** should be made as small as possible. After placing the cell, the ES remaining in the micropipette is discarded in the fourth recess **18** for storing discarded solutions. Subsequently, the micropipette is rinsed with the VS in the second recess **15** by aspirating fresh VS from the edge of the second recess **15** and then discarding the VS. In the second recess **15** (VS), sufficient pipetting (vigorously expelling the embryo from the pipette into the VS and then quickly stirring the solution around the embryo several times) is performed while changing the position such that the pipetting is performed at about three different sites. The cell is subjected to replacement of extracellular ES with the VS in the second recess **15** until shimmering due to the presence of the ES is no longer visible. The third step of equilibration is thus completed.

(74) Subsequently, the VS in the micropipette is discarded in the fourth recess **18** for storing discarded solutions, and fresh VS injected in the third recess **16** is aspirated. Then, the cell in the second recess **15** is aspirated with the micropipette containing the aspirated fresh VS, and the cell is introduced into the third recess **16** storing the VS injected therein. Sufficient pipetting (vigorously expelling the embryo from the pipette into the VS and then quickly stirring the solution around the embryo several times) is performed while changing the position such that the pipetting is performed at about two different sites. Then, the operator checks whether the cell has shrunk to be flat in shape owing to dehydration. The equilibration is thus completed.

(75) Subsequently, the cell to be cryopreserved is collected at the tip of the micropipette, and under a microscope, the cell and a small amount of VS are placed on a living cell holding portion (not

shown) of a living cell cryopreservation tool (not shown). The living cell holding portion with the cell of the living cell cryopreservation tool is immersed in liquid nitrogen prepared beforehand to freeze (vitrify) the cell. Then, the living cell cryopreservation tool with the cell is inserted into a cylindrical member (not shown), and this cylindrical housing member with the living cell cryopreservation tool contained therein is then stored in a storage container (not shown). Subsequently, the storage container is placed in a liquid nitrogen tank for storage.

INDUSTRIAL APPLICABILITY

(76) The cell cryopreservation pretreatment operation plate of the present invention is as described below.

(77) (1) A cell cryopreservation pretreatment operation plate comprising:

(78) a planar operation portion; a first recess for storing a low-concentration treatment solution that contains a cell membrane-permeable cryoprotectant at a low concentration; a second recess for storing a high-concentration treatment solution that contains a cell membrane-permeable cryoprotectant at a high concentration; a third recess for storing a high-concentration treatment solution that contains a cell membrane-permeable cryoprotectant at a high concentration; and a fourth recess for storing a discarded solution, wherein the planar operation portion includes, on a surface thereof, a first circular segment for placing a cell membrane-permeable cryoprotectant-free treatment solution, a second circular segment for placing the low-concentration treatment solution, and a third circular segment for placing the low-concentration treatment solution, the first circular segment, the second circular segment, and the third circular segment are located close to each other, and the planar operation portion further includes, on the surface thereof, an enlarged first circular segment enclosing the first circular segment, an enlarged second circular segment enclosing the second circular segment, and an enlarged third circular segment enclosing the third circular segment.

(79) In this plate, a proper amount of a cell membrane-permeable cryoprotectant-free treatment solution is placed (dropped) on the first circular segment, a proper amount of a low-concentration treatment solution is placed (dropped) on the second circular segment, and a proper amount of a low-concentration treatment solution is placed (dropped) on the third circular segment. The cell to be cryopreserved is then transferred to the cell membrane-permeable cryoprotectant-free treatment solution, and subsequently, the second circular segment and the first circular segment are connected to each other using the member (e.g., pipette) used for the transfer. As a result, the low-concentration treatment solution is gradually mixed with the cell membrane-permeable cryoprotectant-free treatment solution, whereby the concentration of the low-concentration treatment solution in the treatment solution surrounding the cell to be cryopreserved increases. Further, by connecting, with the member (e.g., pipette) used for the transfer, the third circular segment to the above-described mixed portion where the cell membrane-permeable cryoprotectant-free treatment solution and the low-concentration treatment solution are mixed together, the low-concentration treatment solution is gradually mixed with the mixed portion, whereby the concentration of the low-concentration treatment solution in the treatment solution surrounding the cell to be cryopreserved increases gradually. This allows a gradual increase in the concentration of the cell membrane-permeable cryoprotectant in the treatment solution surrounding the cell to be cryopreserved, whereby an equilibration treatment of the cell with the cell membrane-permeable cryoprotectant can be carried out favorably.

(80) In particular, the above-described preparation for equilibration and also a favorable equilibration treatment can be carried out easily and reliably with the configuration in which the planar operation portion includes, on the surface thereof, the first circular segment for placing a cell membrane-permeable cryoprotectant-free treatment solution, the second circular segment for placing a low-concentration treatment solution, and the third circular segment for placing a low-concentration treatment solution, and the first circular segment, the second circular segment, and the third circular segment are located close to each other.

(81) The enlarged circular segments are used when treating a plurality of cells at the same time, and the smaller circular segments inside the enlarged circular segments are used when treating a single cell. Thus, the circular segments and the enlarged circular segments can be used appropriately depending on the number of cells to be treated.

(82) Embodiments of the above-described cell cryopreservation pretreatment operation plate are as described below.

(83) (2) The cell cryopreservation pretreatment operation plate according to above (1),

(84) wherein the planar operation portion includes a first indication portion in which a name and an amount of a treatment solution to be placed on the first circular segment are indicated, a second indication portion in which a name and an amount of a treatment solution to be placed on the second circular segment are indicated, and a third indication portion in which a name and an amount of a treatment solution to be placed on the third circular segment are indicated.

(3) The cell cryopreservation pretreatment operation plate according to above (1) or (2), further comprising a fourth indication portion in which the name and the amount of the treatment solution to be contained in the first recess are indicated.

(4) The cell cryopreservation pretreatment operation plate according to any one of above (1) to (3), wherein the planar operation portion includes, on the surface thereof, a first arrow indication extending from the second circular segment toward the first circular segment and a second arrow indication extending from the third circular segment toward the first arrow indication or toward the first circular segment.

(5) The cell cryopreservation pretreatment operation plate according to any one of above (1) to (4), further comprising a lid for covering the planar operation portion, the first recess, the second recess, and the third recess at the same time.

(6) The cell cryopreservation pretreatment operation plate according to any one of above (1) to (5), further comprising a bottom, a surrounding side wall extending upward from the bottom, and a protruding portion extending upward from the bottom, wherein the second recess or the third recess is provided in the protruding portion, and the fourth recess is formed by a side surface of the protruding portion, an inner surface of the surrounding side wall, and the bottom.

(7) The cell cryopreservation pretreatment operation plate according to any one of above (1) to (6), further comprising a bottom, a surrounding side wall extending upward from the bottom, a first protruding portion protruding upward from the bottom, and a second protruding portion protruding upward from the bottom, wherein the second recess is provided in the first protruding portion, the third recess is provided in the second protruding portion, and the fourth recess is formed by side surfaces of the protruding portions, an inner surface of the surrounding side wall, and the bottom.

(8) The cell cryopreservation pretreatment operation plate according to any one of above (1) to (7), further comprising a second planar portion, wherein the first recess is formed in the second planar portion.

(9) The cell cryopreservation pretreatment operation plate according to any one of above (1) to (8), wherein the planar operation portion includes a first indication portion in which the name and the amounts of the treatment solution to be placed on the first circular segment and the enlarged first circular segment are indicated, a second indication portion in which the name and the amounts of the treatment solution to be placed on the second circular segment and the enlarged second circular segment are indicated, and a third indication portion in which the name and the amounts of the treatment solution to be placed on the third circular segment and the enlarged third circular segment are indicated.

(85) Also, the cell cryopreservation pretreatment operation plate of the present invention is as described below.

(86) (10) A cell cryopreservation pretreatment operation plate comprising:

(87) a planar operation portion; a first recess for storing a cell treatment solution; a second recess for storing a cell treatment solution; a third recess for storing a cell treatment solution; and a fourth

recess for storing a discarded solution, wherein the planar operation portion includes, on a surface thereof, a first circular segment for placing a cell treatment solution, a second circular segment for placing a cell treatment solution, and a third circular segment for placing a cell treatment solution, the first circular segment, the second circular segment, and the third circular segment are located close to each other, and the planar operation portion further includes, on the surface thereof, an enlarged first circular segment enclosing the first circular segment, an enlarged second circular segment enclosing the second circular segment, and an enlarged third circular segment enclosing the third circular segment.

(88) Embodiments of the above-described cell cryopreservation pretreatment operation plate are as described below.

(89) (11) The cell cryopreservation pretreatment operation plate according to above (10),

(90) wherein the planar operation portion includes a first indication portion in which a name and an amount of a cell treatment solution to be placed on the first circular segment are indicated, a second indication portion in which a name and an amount of a cell treatment solution to be placed on the second circular segment are indicated, and a third indication portion in which a name and an amount of a cell treatment solution to be placed on the third circular segment are indicated, and the cell cryopreservation pretreatment operation plate further includes a fourth indication portion in which the name and the amount of the cell treatment solution to be contained in the first recess are indicated.

(12) The cell cryopreservation pretreatment operation plate according to above (10) or (11), wherein the planar operation portion includes a first indication portion in which the name and the amounts of the cell treatment solution to be placed on the first circular segment and the enlarged first circular segment are indicated, a second indication portion in which the name and the amounts of the cell treatment solution to be placed on the second circular segment and the enlarged second circular segment are indicated, and a third indication portion in which the name and the amounts of the cell treatment solution to be placed on the third circular segment and the enlarged third circular segment are indicated.

(13) The cell cryopreservation pretreatment operation plate according to any one of above (10) to (12), wherein the planar operation portion includes, on the surface thereof, a first arrow indication extending from the second circular segment toward the first circular segment and a second arrow indication extending from the third circular segment toward the first arrow indication or toward the first circular segment.

Claims

1. A cell cryopreservation pretreatment operation plate comprising: a planar operation portion; a first recess for storing a low-concentration treatment solution that contains a cell membrane-permeable cryoprotectant at a low concentration; a second recess for storing a high-concentration treatment solution that contains a cell membrane-permeable cryoprotectant at a high concentration; a third recess for storing a high-concentration treatment solution that contains a cell membrane-permeable cryoprotectant at a high concentration; and a fourth recess for storing a discarded solution, wherein the planar operation portion includes, on a surface thereof, a first circular segment for placing a cell membrane-permeable cryoprotectant-free treatment solution, a second circular segment for placing the low-concentration treatment solution, and a third circular segment for placing the low-concentration treatment solution, the planar operation portion further includes, on the surface thereof, an enlarged first circular segment for placing a cell membrane-permeable cryoprotectant-free treatment solution, an enlarged second circular segment for placing the low-concentration treatment solution, and an enlarged third circular segment for placing the low-concentration treatment solution, the enlarged first circular segment enclosing the first circular segment, the enlarged second circular segment enclosing the second circular segment, and the

enlarged third circular segment enclosing the third circular segment, the enlarged first circular segment has a diameter larger than a diameter of the first circular segment and encloses the first circular segment in such a manner that the first circular segment is located inside the enlarged first circular segment and is in contact with an outer edge of the enlarged first circular segment, the enlarged second circular segment has a diameter larger than a diameter of the second circular segment and encloses the second circular segment in such a manner that the second circular segment is located inside the enlarged second circular segment and is in contact with an outer edge of the enlarged second circular segment, the enlarged third circular segment has a diameter larger than a diameter of the third circular segment and encloses the third circular segment in such a manner that the third circular segment is located inside the enlarged third circular segment and is in contact with an outer edge of the enlarged third circular segment, outer edges of the first circular segment, the second circular segment and the third circular segment are annular grooves, outer edges of the enlarged first circular segment, the enlarged second circular segment and the enlarged third circular segment are annular grooves, the diameter of the enlarged first circular segment is 1.5 to 3 times the diameter of the first circular segment, and an area of the enlarged first circular segment is 2 to 10 times an area of the first circular segment, the diameter of the enlarged second circular segment is 1.5 to 3 times the diameter of the second circular segment, and an area of the enlarged second circular segment is 2 to 10 times an area of the second circular segment, and the diameter of the enlarged third circular segment is 1.5 to 3 times the diameter of the third circular segment, and an area of the enlarged third circular segment is 2 to 10 times an area of the third circular segment.

2. The cell cryopreservation pretreatment operation plate according to claim 1, wherein the planar operation portion includes a first indication portion in which a name and an amount of a treatment solution to be placed on the first circular segment are indicated, a second indication portion in which a name and an amount of a treatment solution to be placed on the second circular segment are indicated, and a third indication portion in which a name and an amount of a treatment solution to be placed on the third circular segment are indicated.

3. The cell cryopreservation pretreatment operation plate according to claim 2, further comprising a fourth indication portion in which the name and the amount of the treatment solution to be contained in the first recess are indicated.

4. The cell cryopreservation pretreatment operation plate according to claim 1, wherein the planar operation portion includes, on the surface thereof, a first arrow indication extending from the second circular segment toward the first circular segment and a second arrow indication extending from the third circular segment toward the first arrow indication or toward the first circular segment.

5. The cell cryopreservation pretreatment operation plate according to claim 1, further comprising a lid for covering the planar operation portion, the first recess, the second recess, and the third recess at the same time.

6. The cell cryopreservation pretreatment operation plate according to claim 1, further comprising a bottom, a surrounding side wall extending upward from the bottom, and a protruding portion extending upward from the bottom, wherein the second recess or the third recess is provided in the protruding portion, and the fourth recess is formed by a side surface of the protruding portion, an inner surface of the surrounding side wall, and the bottom.

7. The cell cryopreservation pretreatment operation plate according to claim 1, further comprising a bottom, a surrounding side wall extending upward from the bottom, a first protruding portion protruding upward from the bottom, and a second protruding portion protruding upward from the bottom, wherein the second recess is provided in the first protruding portion, the third recess is provided in the second protruding portion, and the fourth recess is formed by side surfaces of the protruding portions, an inner surface of the surrounding side wall, and the bottom.

8. The cell cryopreservation pretreatment operation plate according to claim 1, further comprising a

second planar portion, wherein the first recess is formed in the second planar portion.

9. The cell cryopreservation pretreatment operation plate according to claim 1, wherein the planar operation portion includes a first indication portion in which the name and the amounts of the treatment solution to be placed on the first circular segment and the enlarged first circular segment are indicated, a second indication portion in which the name and the amounts of the treatment solution to be placed on the second circular segment and the enlarged second circular segment are indicated, and a third indication portion in which the name and the amounts of the treatment solution to be placed on the third circular segment and the enlarged third circular segment are indicated.

10. The cell cryopreservation pretreatment operation plate according to claim 1, wherein the first circular segment, the second circular segment and the third circular segment each have a respective center, wherein the enlarged first circular segment, the enlarged second circular segment and the enlarged third circular segment each have a respective center, wherein a first imaginary triangle connects the center of the first circular segment, the center of the second circular segment and the center of the third circular segment to each other such that a first corner of the first imaginary triangle is coincident with the center of the first circular segment, a second corner of the first imaginary triangle is coincident with the center of the second circular segment and a third corner of the first imaginary triangle is coincident with the center of the third circular segment, wherein a second imaginary triangle connects the center of the enlarged first circular segment, the center of the second circular segment and the center of the enlarged third circular segment to each other such that a first corner of the second imaginary triangle is coincident with the center of the enlarged first circular segment, a second corner of the second imaginary triangle is coincident with the center of the enlarged second circular segment and a third corner of the second imaginary triangle is coincident with the center of the enlarged third circular segment, and wherein a size of the first imaginary triangle and a size of the second imaginary triangle are different.

11. The cell cryopreservation pretreatment operation plate according to claim 1, wherein the size of the first imaginary triangle is smaller than the size of the second imaginary triangle.

12. The cell cryopreservation pretreatment operation plate according to claim 10, wherein the first imaginary triangle is located entirely inside the second imaginary triangle.

13. The cell cryopreservation pretreatment operation plate according to claim 10, wherein the first imaginary triangle is located at a central region of the second imaginary triangle.

14. The cell cryopreservation pretreatment operation plate according to claim 10, wherein a portion of the fourth recess completely surrounds at least two of the first recess, the second recess and the third recess.

15. A cell cryopreservation pretreatment operation plate comprising: a planar operation portion having an upwardly facing surface; a first recess for storing a low-concentration treatment solution that contains a cell membrane-permeable cryoprotectant at a low concentration; a second recess for storing a high-concentration treatment solution that contains a cell membrane-permeable cryoprotectant at a high concentration; a third recess for storing a high-concentration treatment solution that contains a cell membrane-permeable cryoprotectant at a high concentration; a fourth recess for storing a discarded solution; the upwardly facing surface of the planar operation portion including three spaced-apart circular segments for placing: i) a cell membrane-permeable cryoprotectant-free treatment solution; ii) the low-concentration treatment solution; and iii) the low-concentration treatment solution; the three spaced-apart circular segments including a first circular segment, a second circular segment and a third circular segment; the upwardly facing surface of the planar operation portion further including three enlarged first circular segments for placing: i) a cell membrane-permeable cryoprotectant-free treatment solution; ii) the low-concentration treatment solution; and iii) the low-concentration treatment solution; the three spaced-apart circular segments including an enlarged first circular segment, an enlarged second circular segment and an enlarged third circular segment; the first circular segment, the second

circular segment and the third circular segment each having a respective diameter; the enlarged first circular segment, the enlarged second circular segment and the enlarged third circular segment each having a respective diameter; the diameter of the enlarged first circular segment being larger than the diameter of the first circular segment, the diameter of the enlarged second circular segment being larger than the diameter of the second circular segment, the diameter of the enlarged third circular segment being larger than the diameter of the third circular segment; the enlarged first circular segment having an outer edge that is either an annular groove or an annular rib, the enlarged second circular segment having an outer edge that is either an annular groove or an annular rib, and the enlarged third circular segment having an outer edge that is either an annular groove or an annular rib; the enlarged first circular segment enclosing the first circular segment, and the first circular segment being in contact with the outer edge of the enlarged first circular segment; the enlarged second circular segment enclosing the second circular segment, and the second circular segment being in contact with the outer edge of the enlarged second circular segment; and the enlarged third circular segment enclosing the third circular segment.

16. The cell cryopreservation pretreatment operation plate according to claim 15, wherein the third circular segment is in contact with the outer edge of the enlarged third circular segment.

17. The cell cryopreservation pretreatment operation plate according to claim 16, wherein: the enlarged first circular segment, the enlarged second circular segment and the enlarged third circular segment each have a respective center; the second circular segment contacts the enlarged second circular segment at a second contact point; the third circular segment contacts the enlarged third circular segment at a third contact point; an inner imaginary triangle connects the first contact point, the second contact point and the third contact point to each other such that a first corner of the inner imaginary triangle is coincident with the first contact point, a second corner of the inner imaginary triangle is coincident with the second contact point, and a third corner of the inner imaginary triangle is coincident with the third contact point; an outer imaginary triangle connects the center of the enlarged first circular segment, the center of the second circular segment and the center of the enlarged third circular segment to each other such that a first corner of the outer imaginary triangle is coincident with the center of the enlarged first circular segment, a second corner of the outer imaginary triangle is coincident with the center of the enlarged second circular segment and a third corner of the outer imaginary triangle is coincident with the center of the enlarged third circular segment; and the inner imaginary triangle is positioned entirely within the outer imaginary triangle.

18. The cell cryopreservation pretreatment operation plate according to claim 17, wherein: the diameter of the enlarged first circular segment is 1.5 to 3 times the diameter of the first circular segment, and an area of the enlarged first circular segment is 2 to 10 times an area of the first circular segment; the diameter of the enlarged second circular segment is 1.5 to 3 times the diameter of the second circular segment, and an area of the enlarged second circular segment is 2 to 10 times an area of the second circular segment; and the diameter of the enlarged third circular segment is 1.5 to 3 times the diameter of the third circular segment, and an area of the enlarged third circular segment **3** is 2 to 10 times an area of the third circular segment.
