

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12405264
Kind Code	B2
Date of Patent	September 02, 2025
Inventor(s)	Stoeckius; Marlon

Electrophoretic system and method for analyte capture

Abstract

An electrophoretic system is provided for analyte capture from a biological sample. The electrophoretic system can be used to permeabilize the sample to allow analytes to be released from the sample. For example, the sample can be contacted with capture probes attached to a substrate, and an electric field created by the electrophoretic system can cause analytes to be released from the cell, and effectively migrate toward and bind to the capture probes attached to the substrate.

Inventors:	Stoeckius; Marlon (Stockholm, SE)
Applicant:	10x Genomics, Inc. (Pleasanton, CA)
Family ID:	76856964
Assignee:	10x Genomics, Inc. (Pleasanton, CA)
Appl. No.:	17/150997
Filed:	January 15, 2021

Prior Publication Data

Document Identifier	Publication Date
US 20210223227 A1	Jul. 22, 2021

Related U.S. Application Data

us-provisional-application US 62962559 20200117

Publication Classification

Int. Cl.: G01N33/487 (20060101); B01L3/00 (20060101); G01N27/447 (20060101)

U.S. Cl.:

CPC G01N33/48721 (20130101); B01L3/5025 (20130101); G01N27/44791 (20130101); B01L2400/0421 (20130101)

Field of Classification Search

CPC: B01L (2400/0421); B01L (3/5025); B01L (9/52); B01L (3/508); B01L (3/50851); B01L (3/50853); B01L (2300/047); B01L (2300/0809); B01L (2300/0829); B01L (2200/0689); B01L (2300/043); B01L (2300/048); B01L (2300/0618); B01L (2300/0822); B01L (2300/0858); B01L (2300/123); B01L (3/5085); G01N (27/44791); G01N (33/48721); G01N (27/447); G01N (27/44786); C12M (23/12); C12M (1/05); B65D (5/643)

USPC: 435/971; 435/204; 435/205; 435/40; 435/287.9; 435/2; 435/287.1; 435/287.2; 435/288.3; 435/288.4; 435/7.1; 436/7; 436/775; 436/151; 436/205; 436/501; 436/516; 204/450; 204/451; 204/452

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
4557903	12/1984	McCormick	N/A	N/A
4574729	12/1985	Wells	N/A	N/A
4683195	12/1986	Mullis	N/A	N/A
4683202	12/1986	Mullis	N/A	N/A
4800159	12/1988	Mullis	N/A	N/A
4883867	12/1988	Lee	N/A	N/A
4965188	12/1989	Mullis	N/A	N/A
4988617	12/1990	Landegren et al.	N/A	N/A
5002882	12/1990	Lunnen	N/A	N/A

5061049	12/1990	Hornbeck	N/A	N/A
5130238	12/1991	Malek	N/A	N/A
5183053	12/1992	Ych et al.	N/A	N/A
5308751	12/1993	Ohkawa	N/A	N/A
5321130	12/1993	Yue	N/A	N/A
5410030	12/1994	Yue	N/A	N/A
5436134	12/1994	Haugland	N/A	N/A
5455166	12/1994	Walker	N/A	N/A
5494810	12/1995	Barany et al.	N/A	N/A
5503980	12/1995	Cantor	N/A	N/A
5512439	12/1995	Hornes	N/A	N/A
5512462	12/1995	Cheng	N/A	N/A
5559032	12/1995	Pomeroy	N/A	N/A
5582977	12/1995	Yue	N/A	N/A
5599675	12/1996	Brenner	N/A	N/A
5641658	12/1996	Adams	N/A	N/A
5648245	12/1996	Fire et al.	N/A	N/A
5658751	12/1996	Yue	N/A	N/A
5695940	12/1996	Drmanac et al.	N/A	N/A
5716825	12/1997	Hancock et al.	N/A	N/A
5750341	12/1997	Macevicz	N/A	N/A
5763175	12/1997	Brenner	N/A	N/A
5830711	12/1997	Barany et al.	N/A	N/A
5837832	12/1997	Chee et al.	N/A	N/A
5854033	12/1997	Lizardi	N/A	N/A
5863753	12/1998	Haugland	N/A	N/A
5871921	12/1998	Landegren et al.	N/A	N/A
5912148	12/1998	Eggerding	N/A	N/A
5925545	12/1998	Reznikoff et al.	N/A	N/A
5928906	12/1998	Koester et al.	N/A	N/A
5958775	12/1998	Wickstrom	N/A	N/A
5962271	12/1998	Chenchik et al.	N/A	N/A
5962272	12/1998	Chenchik et al.	N/A	N/A
5965443	12/1998	Reznikoff et al.	N/A	N/A
6013440	12/1999	Lipshutz	N/A	N/A
6027889	12/1999	Barany et al.	N/A	N/A
6054274	12/1999	Sampson et al.	N/A	N/A
6060240	12/1999	Kamb et al.	N/A	N/A
6083761	12/1999	Kedar et al.	N/A	N/A
6130073	12/1999	Eggerding	N/A	N/A
6136592	12/1999	Leighton	N/A	N/A
6143496	12/1999	Brown	N/A	N/A
6153389	12/1999	Haarer	N/A	N/A
6157432	12/1999	Helbing	N/A	N/A
6159736	12/1999	Reznikoff et al.	N/A	N/A
6165714	12/1999	Lane et al.	N/A	N/A
6210891	12/2000	Nyren	N/A	N/A
6210894	12/2000	Brennan	N/A	N/A
6214587	12/2000	Dattagupta	N/A	N/A
6221654	12/2000	Quake	N/A	N/A
6251639	12/2000	Kurn	N/A	N/A
6258568	12/2000	Nyren	N/A	N/A
6266459	12/2000	Walt	N/A	N/A
6268148	12/2000	Barany et al.	N/A	N/A
6274320	12/2000	Rothberg	N/A	N/A
6291180	12/2000	Chu	N/A	N/A
6291187	12/2000	Kingsmore et al.	N/A	N/A
6300063	12/2000	Lipshutz et al.	N/A	N/A
6309824	12/2000	Drmanac	N/A	N/A
6323009	12/2000	Lasken et al.	N/A	N/A
6337472	12/2001	Gamer et al.	N/A	N/A
6344316	12/2001	Lockhart	N/A	N/A
6344329	12/2001	Lizardi et al.	N/A	N/A
6348990	12/2001	Igasaki et al.	N/A	N/A
6355431	12/2001	Chee	N/A	N/A
6368801	12/2001	Faruqi	N/A	N/A
6401267	12/2001	Drmanac	N/A	N/A
6404907	12/2001	Gilchrist	N/A	N/A
6432360	12/2001	Church et al.	N/A	N/A
6485982	12/2001	Charlton	N/A	N/A
6503713	12/2002	Rana	N/A	N/A
6506561	12/2002	Cheval et al.	N/A	N/A
6534266	12/2002	Singer	N/A	N/A
6544732	12/2002	Chee	N/A	N/A
6565727	12/2002	Shenderov	N/A	N/A

6573043	12/2002	Cohen et al.	N/A	N/A
6579695	12/2002	Lambalot	N/A	N/A
6620584	12/2002	Chee	N/A	N/A
6632641	12/2002	Brennan	N/A	N/A
6673620	12/2003	Loeffler	N/A	N/A
6737236	12/2003	Pieken et al.	N/A	N/A
6770441	12/2003	Dickinson	N/A	N/A
6773566	12/2003	Shenderov	N/A	N/A
6773886	12/2003	Kaufman	N/A	N/A
6787308	12/2003	Balasubramanian	N/A	N/A
6797470	12/2003	Barany et al.	N/A	N/A
6800453	12/2003	Labaer	N/A	N/A
6812005	12/2003	Fan et al.	N/A	N/A
6828100	12/2003	Ronaghi	N/A	N/A
6833246	12/2003	Balasubramanian	N/A	N/A
6852487	12/2004	Barany et al.	N/A	N/A
6859570	12/2004	Walt	N/A	N/A
6864052	12/2004	Drmanac	N/A	N/A
6867028	12/2004	Janulaitis	N/A	N/A
6872816	12/2004	Hall et al.	N/A	N/A
6875572	12/2004	Prudent et al.	N/A	N/A
6890741	12/2004	Fan et al.	N/A	N/A
6897023	12/2004	Fu	N/A	N/A
6911132	12/2004	Pamula	N/A	N/A
6911345	12/2004	Quake	N/A	N/A
6913881	12/2004	Aizenstein et al.	N/A	N/A
6913921	12/2004	Fischer	N/A	N/A
6942968	12/2004	Dickinson et al.	N/A	N/A
6969488	12/2004	Bridgham	N/A	N/A
6977033	12/2004	Becker	N/A	N/A
7001792	12/2005	Sauer et al.	N/A	N/A
7011944	12/2005	Prudent et al.	N/A	N/A
7052244	12/2005	Fouillet	N/A	N/A
7057026	12/2005	Barnes	N/A	N/A
7083980	12/2005	Reznikoff et al.	N/A	N/A
7098041	12/2005	Kaylor et al.	N/A	N/A
7115400	12/2005	Adessi	N/A	N/A
7118883	12/2005	Inoue	N/A	N/A
7163612	12/2006	Sterling	N/A	N/A
7166431	12/2006	Chee et al.	N/A	N/A
7192735	12/2006	Lambalot	N/A	N/A
7211414	12/2006	Hardin	N/A	N/A
7223371	12/2006	Hayenga et al.	N/A	N/A
7244559	12/2006	Rothberg	N/A	N/A
7255994	12/2006	Lao	N/A	N/A
7258976	12/2006	Mitsubashi	N/A	N/A
7264929	12/2006	Rothberg	N/A	N/A
7282328	12/2006	Kong et al.	N/A	N/A
7297518	12/2006	Quake	N/A	N/A
7328979	12/2007	Decre	N/A	N/A
7329492	12/2007	Hardin	N/A	N/A
7358047	12/2007	Hafner et al.	N/A	N/A
7361488	12/2007	Fan et al.	N/A	N/A
7378242	12/2007	Hurt	N/A	N/A
7393665	12/2007	Brenner	N/A	N/A
7405281	12/2007	Xu	N/A	N/A
7407757	12/2007	Brenner	N/A	N/A
7456012	12/2007	Ryttsen et al.	N/A	N/A
7462449	12/2007	Quake	N/A	N/A
7473767	12/2008	Dimitrov	N/A	N/A
7499806	12/2008	Kermani et al.	N/A	N/A
7501245	12/2008	Quake	N/A	N/A
7537897	12/2008	Brenner	N/A	N/A
7547380	12/2008	Velev	N/A	N/A
7561336	12/2008	Osaka et al.	N/A	N/A
7563576	12/2008	Chee	N/A	N/A
7579153	12/2008	Brenner	N/A	N/A
7582420	12/2008	Oliphant et al.	N/A	N/A
7595883	12/2008	El Gamal	N/A	N/A
7601492	12/2008	Fu et al.	N/A	N/A
7601498	12/2008	Mao	N/A	N/A
7608434	12/2008	Reznikoff et al.	N/A	N/A
7611869	12/2008	Fan	N/A	N/A
7635566	12/2008	Brenner	N/A	N/A
7641779	12/2009	Becker	N/A	N/A

7666612	12/2009	Johnsson	N/A	N/A
7674752	12/2009	He	N/A	N/A
7709198	12/2009	Luo et al.	N/A	N/A
7776547	12/2009	Roth	N/A	N/A
7776567	12/2009	Mao	N/A	N/A
7785869	12/2009	Belgrader et al.	N/A	N/A
7803943	12/2009	Mao	N/A	N/A
7858321	12/2009	Glezer et al.	N/A	N/A
7888009	12/2010	Barany et al.	N/A	N/A
7892747	12/2010	Barany et al.	N/A	N/A
7910304	12/2010	Drmanac	N/A	N/A
7914981	12/2010	Barany et al.	N/A	N/A
7955794	12/2010	Shen	N/A	N/A
7960119	12/2010	Chee	N/A	N/A
7985565	12/2010	Mayer et al.	N/A	N/A
8003354	12/2010	Shen et al.	N/A	N/A
8076063	12/2010	Fan	N/A	N/A
8092784	12/2011	Mao	N/A	N/A
8148068	12/2011	Brenner	N/A	N/A
8206917	12/2011	Chee	N/A	N/A
8268554	12/2011	Schallmeiner	N/A	N/A
8278034	12/2011	Muraca	N/A	N/A
8288103	12/2011	Oliphant	N/A	N/A
8288122	12/2011	O'Leary et al.	N/A	N/A
8330087	12/2011	Domenicali	N/A	N/A
8383338	12/2012	Kitzman	N/A	N/A
8431691	12/2012	McKernan et al.	N/A	N/A
8460865	12/2012	Chee	N/A	N/A
8481257	12/2012	Van Eijk	N/A	N/A
8481258	12/2012	Church et al.	N/A	N/A
8481292	12/2012	Casbon	N/A	N/A
8481698	12/2012	Lieberman et al.	N/A	N/A
8507204	12/2012	Pierce et al.	N/A	N/A
8519115	12/2012	Webster et al.	N/A	N/A
8551710	12/2012	Bernitz et al.	N/A	N/A
8568979	12/2012	Stuelpnagel et al.	N/A	N/A
8586310	12/2012	Mitra	N/A	N/A
8597891	12/2012	Barany et al.	N/A	N/A
8603743	12/2012	Liu et al.	N/A	N/A
8604182	12/2012	Luo et al.	N/A	N/A
8614073	12/2012	Van Eijk	N/A	N/A
8624016	12/2013	Barany et al.	N/A	N/A
8637242	12/2013	Shen	N/A	N/A
8685889	12/2013	Van Eijk	N/A	N/A
8741564	12/2013	Seligmann	N/A	N/A
8741606	12/2013	Casbon	N/A	N/A
8771950	12/2013	Church et al.	N/A	N/A
8778849	12/2013	Bowen	N/A	N/A
8785353	12/2013	Van Eijk	N/A	N/A
8790873	12/2013	Namsaraev et al.	N/A	N/A
8809238	12/2013	Livak et al.	N/A	N/A
8815512	12/2013	Van Eijk	N/A	N/A
8835358	12/2013	Fodor	N/A	N/A
8865410	12/2013	Shendure	N/A	N/A
8900529	12/2013	Shaikh et al.	N/A	N/A
8906626	12/2013	Oliphant et al.	N/A	N/A
8911945	12/2013	Van Eijk	N/A	N/A
8936912	12/2014	Mitra	N/A	N/A
8951726	12/2014	Luo et al.	N/A	N/A
8951728	12/2014	Rasmussen	N/A	N/A
8951781	12/2014	Reed	N/A	N/A
8986926	12/2014	Ferree et al.	N/A	N/A
9005891	12/2014	Sinicropi et al.	N/A	N/A
9005935	12/2014	Belyaev	N/A	N/A
9023768	12/2014	Van Eijk	N/A	N/A
9062348	12/2014	Van Eijk	N/A	N/A
9080210	12/2014	Van Eijk	N/A	N/A
9194001	12/2014	Brenner	N/A	N/A
9201063	12/2014	Sood et al.	N/A	N/A
9273349	12/2015	Nguyen et al.	N/A	N/A
9290808	12/2015	Fodor	N/A	N/A
9290809	12/2015	Fodor	N/A	N/A
9328383	12/2015	Van Eijk	N/A	N/A
9334536	12/2015	Van Eijk	N/A	N/A
9371563	12/2015	Geiss et al.	N/A	N/A

9371598	12/2015	Chee	N/A	N/A
9376716	12/2015	Van Eijk	N/A	N/A
9376717	12/2015	Gao et al.	N/A	N/A
9376719	12/2015	Van Eijk	N/A	N/A
9416409	12/2015	Hayden	N/A	N/A
9447459	12/2015	Van Eijk	N/A	N/A
9453256	12/2015	Van Eijk	N/A	N/A
9493820	12/2015	Van Eijk	N/A	N/A
9506061	12/2015	Brown et al.	N/A	N/A
9512422	12/2015	Barnard et al.	N/A	N/A
9557330	12/2016	Siciliano	N/A	N/A
9574230	12/2016	Van Eijk	N/A	N/A
9582877	12/2016	Fu	N/A	N/A
9593365	12/2016	Frisen et al.	N/A	N/A
9598728	12/2016	Barany et al.	N/A	N/A
9624538	12/2016	Church et al.	N/A	N/A
9644204	12/2016	Hindson et al.	N/A	N/A
9657335	12/2016	Van Eijk	N/A	N/A
9670542	12/2016	Van Eijk	N/A	N/A
9694361	12/2016	Bharadwaj	N/A	N/A
9702004	12/2016	Van Eijk	N/A	N/A
9714446	12/2016	Webster et al.	N/A	N/A
9714937	12/2016	Dunaway	N/A	N/A
9727810	12/2016	Fodor et al.	N/A	N/A
9745627	12/2016	Van Eijk	N/A	N/A
9777324	12/2016	Van Eijk	N/A	N/A
9783841	12/2016	Nolan et al.	N/A	N/A
9790476	12/2016	Gloeckner et al.	N/A	N/A
9799992	12/2016	Hirose et al.	N/A	N/A
9816134	12/2016	Namsaraev	N/A	N/A
9834814	12/2016	Peter et al.	N/A	N/A
9850536	12/2016	Oliphant et al.	N/A	N/A
9856521	12/2017	Stevens et al.	N/A	N/A
9868979	12/2017	Chee et al.	N/A	N/A
9879313	12/2017	Chee et al.	N/A	N/A
9896721	12/2017	Van Eijk	N/A	N/A
9898576	12/2017	Van Eijk	N/A	N/A
9898577	12/2017	Van Eijk	N/A	N/A
9902991	12/2017	Sinicropi et al.	N/A	N/A
9909167	12/2017	Samusik et al.	N/A	N/A
9938566	12/2017	Shepard et al.	N/A	N/A
9957550	12/2017	Yeakley et al.	N/A	N/A
9975122	12/2017	Masquelier et al.	N/A	N/A
10002316	12/2017	Fodor et al.	N/A	N/A
10023907	12/2017	Van Eijk	N/A	N/A
10030261	12/2017	Frisen et al.	N/A	N/A
10032064	12/2017	Hoyt	N/A	N/A
10035992	12/2017	Gloeckner et al.	N/A	N/A
10041949	12/2017	Bendall et al.	N/A	N/A
10053723	12/2017	Hindson et al.	N/A	N/A
10059989	12/2017	Giresi et al.	N/A	N/A
10059990	12/2017	Boyden et al.	N/A	N/A
10071377	12/2017	Bharadwaj et al.	N/A	N/A
10095832	12/2017	Van Eijk	N/A	N/A
10144966	12/2017	Cantor	N/A	N/A
10208982	12/2018	Bannish et al.	N/A	N/A
10227639	12/2018	Levner et al.	N/A	N/A
10246700	12/2018	Dunaway et al.	N/A	N/A
10266888	12/2018	Daugharthy et al.	N/A	N/A
10273541	12/2018	Hindson et al.	N/A	N/A
10308982	12/2018	Chee	N/A	N/A
10357771	12/2018	Bharadwaj	N/A	N/A
10370698	12/2018	Nolan et al.	N/A	N/A
10415080	12/2018	Dunaway et al.	N/A	N/A
10465235	12/2018	Gullberg et al.	N/A	N/A
10472669	12/2018	Chee	N/A	N/A
10480022	12/2018	Chee	N/A	N/A
10480029	12/2018	Bent et al.	N/A	N/A
10494667	12/2018	Chee	N/A	N/A
10495554	12/2018	Deisseroth et al.	N/A	N/A
10501777	12/2018	Beechem et al.	N/A	N/A
10501791	12/2018	Church et al.	N/A	N/A
10510435	12/2018	Cai et al.	N/A	N/A
10544403	12/2019	Gloeckner et al.	N/A	N/A
10550429	12/2019	Harada et al.	N/A	N/A

10590244	12/2019	Delaney et al.	N/A	N/A
10633648	12/2019	Seelig et al.	N/A	N/A
10640816	12/2019	Beechem et al.	N/A	N/A
10640826	12/2019	Church et al.	N/A	N/A
10662468	12/2019	Chee	N/A	N/A
10669569	12/2019	Gullberg et al.	N/A	N/A
10724078	12/2019	Van Driel et al.	N/A	N/A
10725027	12/2019	Bell	N/A	N/A
10774372	12/2019	Chee et al.	N/A	N/A
10774374	12/2019	Frisen et al.	N/A	N/A
10787701	12/2019	Chee	N/A	N/A
10815519	12/2019	Husain et al.	N/A	N/A
10829803	12/2019	Terbrueggen et al.	N/A	N/A
10844426	12/2019	Daugharthy et al.	N/A	N/A
10858698	12/2019	Church et al.	N/A	N/A
10858702	12/2019	Lucero et al.	N/A	N/A
10913975	12/2020	So et al.	N/A	N/A
10914730	12/2020	Chee et al.	N/A	N/A
10927403	12/2020	Chee et al.	N/A	N/A
10961566	12/2020	Chee	N/A	N/A
11001879	12/2020	Chee	N/A	N/A
11008607	12/2020	Chee	N/A	N/A
11046996	12/2020	Chee et al.	N/A	N/A
11067567	12/2020	Chee	N/A	N/A
11104936	12/2020	Zhang et al.	N/A	N/A
11118216	12/2020	Koshinsky et al.	N/A	N/A
11156603	12/2020	Chee	N/A	N/A
11162132	12/2020	Frisen et al.	N/A	N/A
11208684	12/2020	Chee	N/A	N/A
11214796	12/2021	Shirai et al.	N/A	N/A
11286515	12/2021	Chee et al.	N/A	N/A
11293917	12/2021	Chee	N/A	N/A
11299774	12/2021	Frisen et al.	N/A	N/A
11313856	12/2021	Chee	N/A	N/A
11332790	12/2021	Chell et al.	N/A	N/A
11352659	12/2021	Frisen et al.	N/A	N/A
11352667	12/2021	Hauling et al.	N/A	N/A
11359228	12/2021	Chee et al.	N/A	N/A
11365442	12/2021	Chee	N/A	N/A
11371086	12/2021	Chee	N/A	N/A
11384386	12/2021	Chee	N/A	N/A
11390912	12/2021	Frisen et al.	N/A	N/A
11401545	12/2021	Chee	N/A	N/A
11407992	12/2021	Dadhwai	N/A	N/A
11408029	12/2021	Katirae et al.	N/A	N/A
11434524	12/2021	Ramachandran Iyer et al.	N/A	N/A
11459607	12/2021	Terry et al.	N/A	N/A
11479809	12/2021	Frisen et al.	N/A	N/A
11479810	12/2021	Chee	N/A	N/A
11492612	12/2021	Dadhwai	N/A	N/A
11501440	12/2021	Weisenfeld et al.	N/A	N/A
11505828	12/2021	Chell et al.	N/A	N/A
11512308	12/2021	Gallant et al.	N/A	N/A
11519022	12/2021	Chee	N/A	N/A
11519033	12/2021	Schnall-Levin et al.	N/A	N/A
11519138	12/2021	Meier	N/A	N/A
11530438	12/2021	Persson et al.	N/A	N/A
11535887	12/2021	Gallant et al.	N/A	N/A
11542543	12/2022	Chee	N/A	N/A
11549138	12/2022	Chee	N/A	N/A
11560587	12/2022	Chee	N/A	N/A
11560592	12/2022	Chew et al.	N/A	N/A
11560593	12/2022	Chell et al.	N/A	N/A
11592447	12/2022	Uytingco et al.	N/A	N/A
11608498	12/2022	Gallant et al.	N/A	N/A
11608520	12/2022	Galonska et al.	N/A	N/A
11613773	12/2022	Frisen et al.	N/A	N/A
11618897	12/2022	Kim et al.	N/A	N/A
11618918	12/2022	Chee et al.	N/A	N/A
11624063	12/2022	Dadhwai	N/A	N/A
11624086	12/2022	Uytingco et al.	N/A	N/A
11634756	12/2022	Chee	N/A	N/A
11649485	12/2022	Yin et al.	N/A	N/A
11661626	12/2022	Katirae et al.	N/A	N/A
11680260	12/2022	Kim et al.	N/A	N/A

11692218	12/2022	Engblom et al.	N/A	N/A
11702693	12/2022	Bharadwaj	N/A	N/A
11702698	12/2022	Stoeckius	N/A	N/A
11713480	12/2022	Lee	N/A	N/A
11732292	12/2022	Chee	N/A	N/A
11732299	12/2022	Ramachandran Iyer	N/A	N/A
11732300	12/2022	Bava	N/A	N/A
11733238	12/2022	Chee	N/A	N/A
11739372	12/2022	Frisen et al.	N/A	N/A
11739381	12/2022	Chew et al.	N/A	N/A
11753673	12/2022	Chew et al.	N/A	N/A
11753674	12/2022	Chee et al.	N/A	N/A
11753675	12/2022	Ramachandran Iyer	N/A	N/A
11761030	12/2022	Chee	N/A	N/A
11761038	12/2022	Stoeckius	N/A	N/A
11767550	12/2022	Chee	N/A	N/A
11768175	12/2022	Kim et al.	N/A	N/A
11773433	12/2022	Gallant et al.	N/A	N/A
11781130	12/2022	Dadhwal	N/A	N/A
11788122	12/2022	Frisen et al.	N/A	N/A
11795498	12/2022	Frisen et al.	N/A	N/A
11795507	12/2022	Chell et al.	N/A	N/A
11808769	12/2022	Uytingco et al.	N/A	N/A
11821024	12/2022	Chee et al.	N/A	N/A
11821035	12/2022	Bent et al.	N/A	N/A
11827935	12/2022	Ramachandran Iyer et al.	N/A	N/A
11835462	12/2022	Bava	N/A	N/A
11840687	12/2022	Gallant et al.	N/A	N/A
11840724	12/2022	Chew et al.	N/A	N/A
11845979	12/2022	Engblom et al.	N/A	N/A
11859178	12/2023	Gallant et al.	N/A	N/A
11866767	12/2023	Uytingco et al.	N/A	N/A
11866770	12/2023	Chee	N/A	N/A
11873482	12/2023	Kim et al.	N/A	N/A
11891654	12/2023	Alvarado Martinez et al.	N/A	N/A
11898205	12/2023	Bava	N/A	N/A
11926822	12/2023	Gohil et al.	N/A	N/A
11926863	12/2023	Boutet	N/A	N/A
11926867	12/2023	Yin et al.	N/A	N/A
11933957	12/2023	Tentori et al.	N/A	N/A
11952627	12/2023	Stoeckius	N/A	N/A
11959076	12/2023	Kim et al.	N/A	N/A
11959130	12/2023	Galonska et al.	N/A	N/A
11965213	12/2023	Williams	N/A	N/A
11970739	12/2023	Chew et al.	N/A	N/A
11981958	12/2023	Galonska	N/A	N/A
11981960	12/2023	Lin et al.	N/A	N/A
11981965	12/2023	Chell et al.	N/A	N/A
RE50065	12/2023	Frisen et al.	N/A	N/A
12024741	12/2023	Tentori et al.	N/A	N/A
12031177	12/2023	Tentori et al.	N/A	N/A
12060604	12/2023	Katirae et al.	N/A	N/A
12071655	12/2023	Sukovich et al.	N/A	N/A
12076701	12/2023	Bava	N/A	N/A
12098417	12/2023	Engblom et al.	N/A	N/A
12098985	12/2023	Cox et al.	N/A	N/A
12110541	12/2023	Bava	N/A	N/A
12117439	12/2023	Delaney et al.	N/A	N/A
12128403	12/2023	Kim et al.	N/A	N/A
12129516	12/2023	Tentori et al.	N/A	N/A
12157124	12/2023	Cox et al.	N/A	N/A
12180543	12/2023	Uytingco et al.	N/A	N/A
12195790	12/2024	Sukovich et al.	N/A	N/A
12203134	12/2024	Nagendran et al.	N/A	N/A
12209280	12/2024	Mignardi et al.	N/A	N/A
D1064308	12/2024	Alimsijah et al.	N/A	N/A
12223751	12/2024	Li et al.	N/A	N/A
12228544	12/2024	Kim et al.	N/A	N/A
12234505	12/2024	Chee	N/A	N/A
12241060	12/2024	Kim et al.	N/A	N/A
12241890	12/2024	Delaney et al.	N/A	N/A
12249085	12/2024	Tentori et al.	N/A	N/A
12265079	12/2024	Bent	N/A	N/A
12270077	12/2024	Schnall-Levin et al.	N/A	N/A
12275988	12/2024	Galonska et al.	N/A	N/A

12281357	12/2024	Tentori et al.	N/A	N/A
12286673	12/2024	Bava	N/A	N/A
12287264	12/2024	Cox et al.	N/A	N/A
12297486	12/2024	Patterson et al.	N/A	N/A
12297487	12/2024	Chee	N/A	N/A
12297488	12/2024	Chec	N/A	N/A
2001/0055764	12/2000	Empendocles et al.	N/A	N/A
2002/0022261	12/2001	Anderson et al.	N/A	N/A
2002/0040275	12/2001	Cravatt	N/A	N/A
2002/0045272	12/2001	McDevitt et al.	N/A	N/A
2002/0051986	12/2001	Baez et al.	N/A	N/A
2002/0055100	12/2001	Kawashima	N/A	N/A
2002/0058250	12/2001	Firth	N/A	N/A
2002/0086441	12/2001	Baranov et al.	N/A	N/A
2002/0150909	12/2001	Stuelpnagel	N/A	N/A
2002/0164611	12/2001	Bamdad	N/A	N/A
2003/0017451	12/2002	Wang et al.	N/A	N/A
2003/0022207	12/2002	Balasubramanian	N/A	N/A
2003/0064398	12/2002	Barnes	N/A	N/A
2003/0092624	12/2002	Wang et al.	N/A	N/A
2003/0113713	12/2002	Glezer	N/A	N/A
2003/0138879	12/2002	Lambalot	N/A	N/A
2003/0148335	12/2002	Shen et al.	N/A	N/A
2003/0162216	12/2002	Gold	N/A	N/A
2003/0165948	12/2002	Alsmadi et al.	N/A	N/A
2003/0175947	12/2002	Liu et al.	N/A	N/A
2003/0190744	12/2002	McGarry et al.	N/A	N/A
2003/0205632	12/2002	Kim et al.	N/A	N/A
2003/0211489	12/2002	Shen et al.	N/A	N/A
2003/0215936	12/2002	Kallioniemi et al.	N/A	N/A
2003/0224419	12/2002	Corcoran	N/A	N/A
2003/0232348	12/2002	Jones et al.	N/A	N/A
2003/0232382	12/2002	Brennan	N/A	N/A
2003/0235854	12/2002	Chan et al.	N/A	N/A
2004/0033499	12/2003	Ilsley et al.	N/A	N/A
2004/0050699	12/2003	Goncalves	N/A	N/A
2004/0067492	12/2003	Peng et al.	N/A	N/A
2004/0082058	12/2003	Schleifer et al.	N/A	N/A
2004/0082059	12/2003	Webb et al.	N/A	N/A
2004/0096853	12/2003	Mayer	N/A	N/A
2004/0106110	12/2003	Balasubramanian	N/A	N/A
2004/0112442	12/2003	Maerkl	N/A	N/A
2004/0121456	12/2003	Fischer	N/A	N/A
2004/0219588	12/2003	Furuta	N/A	N/A
2004/0235103	12/2003	Reznikoff et al.	N/A	N/A
2004/0241660	12/2003	Wojtowicz et al.	N/A	N/A
2004/0248287	12/2003	Hu et al.	N/A	N/A
2004/0248325	12/2003	Bukusoglu et al.	N/A	N/A
2004/0259105	12/2003	Fan et al.	N/A	N/A
2005/0003431	12/2004	Wucherpfennig	N/A	N/A
2005/0014203	12/2004	Darfler et al.	N/A	N/A
2005/0037393	12/2004	Gunderson et al.	N/A	N/A
2005/0048580	12/2004	Labaer	N/A	N/A
2005/0064460	12/2004	Holliger et al.	N/A	N/A
2005/0095627	12/2004	Kolman et al.	N/A	N/A
2005/0100900	12/2004	Kawashima	N/A	N/A
2005/0106617	12/2004	Besemer et al.	N/A	N/A
2005/0130173	12/2004	Leamon et al.	N/A	N/A
2005/0136414	12/2004	Gunderson et al.	N/A	N/A
2005/0164292	12/2004	Farooqui	N/A	N/A
2005/0170373	12/2004	Monforte	N/A	N/A
2005/0179746	12/2004	Roux et al.	N/A	N/A
2005/0191656	12/2004	Drmanac et al.	N/A	N/A
2005/0191698	12/2004	Chee et al.	N/A	N/A
2005/0202433	12/2004	Van Beuningen	N/A	N/A
2005/0226780	12/2004	Sandell et al.	N/A	N/A
2005/0227271	12/2004	Kwon	N/A	N/A
2005/0239119	12/2004	Tsukada et al.	N/A	N/A
2005/0239192	12/2004	Nasarabadi et al.	N/A	N/A
2005/0260653	12/2004	LaBaer	N/A	N/A
2005/0266417	12/2004	Barany et al.	N/A	N/A
2006/0039823	12/2005	Yamakawa et al.	N/A	N/A
2006/0041385	12/2005	Bauer et al.	N/A	N/A
2006/0046313	12/2005	Roth	N/A	N/A
2006/0063160	12/2005	West et al.	N/A	N/A

2006/0084078	12/2005	Zhao	N/A	N/A
2006/0105352	12/2005	Qiao et al.	N/A	N/A
2006/0127946	12/2005	Montagu et al.	N/A	N/A
2006/0134669	12/2005	Casasanta	N/A	N/A
2006/0154286	12/2005	Kong et al.	N/A	N/A
2006/0164490	12/2005	Kim et al.	N/A	N/A
2006/0180489	12/2005	Guiney et al.	N/A	N/A
2006/0188901	12/2005	Barnes et al.	N/A	N/A
2006/0194331	12/2005	Pamula et al.	N/A	N/A
2006/0199183	12/2005	Valat et al.	N/A	N/A
2006/0211001	12/2005	Yu et al.	N/A	N/A
2006/0216775	12/2005	Burkart et al.	N/A	N/A
2006/0240439	12/2005	Smith et al.	N/A	N/A
2006/0263789	12/2005	Kincaid	N/A	N/A
2006/0275782	12/2005	Gunderson et al.	N/A	N/A
2006/0281109	12/2005	Barr Ost et al.	N/A	N/A
2007/0020640	12/2006	McCloskey et al.	N/A	N/A
2007/0020669	12/2006	Ericsson	N/A	N/A
2007/0023292	12/2006	Kim et al.	N/A	N/A
2007/0026430	12/2006	Andersen et al.	N/A	N/A
2007/0036511	12/2006	Lundquist et al.	N/A	N/A
2007/0054288	12/2006	Su et al.	N/A	N/A
2007/0087360	12/2006	Boyd	N/A	N/A
2007/0099208	12/2006	Drmanac et al.	N/A	N/A
2007/0116612	12/2006	Williamson	N/A	N/A
2007/0128071	12/2006	Shea et al.	N/A	N/A
2007/0128624	12/2006	Gormley et al.	N/A	N/A
2007/0128656	12/2006	Agrawal	N/A	N/A
2007/0134723	12/2006	Kozlov et al.	N/A	N/A
2007/0161020	12/2006	Luo et al.	N/A	N/A
2007/0166705	12/2006	Milton et al.	N/A	N/A
2007/0166725	12/2006	McBride et al.	N/A	N/A
2007/0172873	12/2006	Brenner et al.	N/A	N/A
2007/0184456	12/2006	Chee et al.	N/A	N/A
2007/0207482	12/2006	Church et al.	N/A	N/A
2007/0215466	12/2006	Okada	N/A	N/A
2007/0243634	12/2006	Pamula et al.	N/A	N/A
2007/0254305	12/2006	Paik et al.	N/A	N/A
2007/0269805	12/2006	Hogers	N/A	N/A
2008/0003586	12/2007	Hyde et al.	N/A	N/A
2008/0009071	12/2007	Sogard	N/A	N/A
2008/0009420	12/2007	Schroth et al.	N/A	N/A
2008/0043235	12/2007	Oldham et al.	N/A	N/A
2008/0108082	12/2007	Rank et al.	N/A	N/A
2008/0108804	12/2007	Hayashizaki et al.	N/A	N/A
2008/0132429	12/2007	Perov et al.	N/A	N/A
2008/0160580	12/2007	Adessi et al.	N/A	N/A
2008/0218838	12/2007	Rey-Mermet	N/A	N/A
2008/0220434	12/2007	Thomas	N/A	N/A
2008/0261204	12/2007	Lexow	N/A	N/A
2008/0286795	12/2007	Kawashima et al.	N/A	N/A
2008/0293046	12/2007	Allawi et al.	N/A	N/A
2009/0005252	12/2008	Drmanac et al.	N/A	N/A
2009/0006002	12/2008	Honisch et al.	N/A	N/A
2009/0011943	12/2008	Drmanac et al.	N/A	N/A
2009/0018024	12/2008	Church et al.	N/A	N/A
2009/0023148	12/2008	Moyle	435/7.1	B01L 3/50851
2009/0026082	12/2008	Rothberg et al.	N/A	N/A
2009/0036323	12/2008	van Eijk et al.	N/A	N/A
2009/0082212	12/2008	Williams	N/A	N/A
2009/0099041	12/2008	Church et al.	N/A	N/A
2009/0105959	12/2008	Braverman et al.	N/A	N/A
2009/0117573	12/2008	Fu et al.	N/A	N/A
2009/0127589	12/2008	Rothberg et al.	N/A	N/A
2009/0155781	12/2008	Drmanac et al.	N/A	N/A
2009/0169089	12/2008	Hunt et al.	N/A	N/A
2009/0170713	12/2008	van Eijk et al.	N/A	N/A
2009/0192044	12/2008	Fouillet	N/A	N/A
2009/0197326	12/2008	El Gamal et al.	N/A	N/A
2009/0202998	12/2008	Schlumpberger et al.	N/A	N/A
2009/0233802	12/2008	Bignell et al.	N/A	N/A
2009/0239232	12/2008	Kurn	N/A	N/A
2009/0253163	12/2008	Xie et al.	N/A	N/A
2009/0253581	12/2008	van Eijk et al.	N/A	N/A
2009/0253582	12/2008	Pena	506/7	B29C 45/1676

2009/0270273	12/2008	Burns et al.	N/A	N/A
2009/0283407	12/2008	Van Eijk	N/A	N/A
2009/0286249	12/2008	Bekcer et al.	N/A	N/A
2009/0291854	12/2008	Weisinger-Mayr et al.	N/A	N/A
2009/0312193	12/2008	Kim et al.	N/A	N/A
2009/0321262	12/2008	Adachi et al.	N/A	N/A
2010/0009871	12/2009	Reed et al.	N/A	N/A
2010/0031757	12/2009	Hoyer	N/A	N/A
2010/0035249	12/2009	Hayashizaki et al.	N/A	N/A
2010/0069263	12/2009	Shendure et al.	N/A	N/A
2010/0096266	12/2009	Kim et al.	N/A	N/A
2010/0105052	12/2009	Drmanac et al.	N/A	N/A
2010/0111768	12/2009	Banerjee et al.	N/A	N/A
2010/0120097	12/2009	Matz et al.	N/A	N/A
2010/0120098	12/2009	Grunenwald et al.	N/A	N/A
2010/0126862	12/2009	Sabin et al.	N/A	N/A
2010/0129874	12/2009	Mitra	N/A	N/A
2010/0145037	12/2009	Brive et al.	N/A	N/A
2010/0151511	12/2009	Gereenizer et al.	N/A	N/A
2010/0173384	12/2009	Johnsson et al.	N/A	N/A
2010/0184618	12/2009	Namsaraev et al.	N/A	N/A
2010/0210475	12/2009	Lee et al.	N/A	N/A
2010/0227329	12/2009	Cuppens	N/A	N/A
2010/0267590	12/2009	Grudzien et al.	N/A	N/A
2010/0273219	12/2009	May et al.	N/A	N/A
2010/0273679	12/2009	Cuppoletti et al.	N/A	N/A
2010/0282617	12/2009	Rothberg et al.	N/A	N/A
2011/0028685	12/2010	Purkayastha	N/A	N/A
2011/0033854	12/2010	Drmanac et al.	N/A	N/A
2011/0045462	12/2010	Fu et al.	N/A	N/A
2011/0048951	12/2010	Wu	N/A	N/A
2011/0059436	12/2010	Hardin et al.	N/A	N/A
2011/0090563	12/2010	Krasov	N/A	N/A
2011/0111409	12/2010	Sinicropi et al.	N/A	N/A
2011/0152111	12/2010	Illumina	N/A	N/A
2011/0177518	12/2010	Kartalov et al.	N/A	N/A
2011/0244448	12/2010	Shirai et al.	N/A	N/A
2011/0245101	12/2010	Chee et al.	N/A	N/A
2011/0245111	12/2010	Chee	N/A	N/A
2011/0287435	12/2010	Grunenwald et al.	N/A	N/A
2012/0021930	12/2011	Schoen et al.	N/A	N/A
2012/0046175	12/2011	Rodesch et al.	N/A	N/A
2012/0046178	12/2011	Van Den Boom et al.	N/A	N/A
2012/0065081	12/2011	Chee	N/A	N/A
2012/0135871	12/2011	Van Eijk et al.	N/A	N/A
2012/0160683	12/2011	Ye et al.	N/A	N/A
2012/0177543	12/2011	Battrell	N/A	N/A
2012/0195810	12/2011	Coben et al.	N/A	N/A
2012/0202698	12/2011	van Eijk et al.	N/A	N/A
2012/0202704	12/2011	Fan et al.	N/A	N/A
2012/0220479	12/2011	Ericsson et al.	N/A	N/A
2012/0245053	12/2011	Shirai et al.	N/A	N/A
2012/0252702	12/2011	Muratani et al.	N/A	N/A
2012/0258871	12/2011	Kozlov et al.	N/A	N/A
2012/0270305	12/2011	Reed et al.	N/A	N/A
2012/0279954	12/2011	Ceremony et al.	N/A	N/A
2012/0289414	12/2011	Mitra et al.	N/A	N/A
2012/0301925	12/2011	Belyaev	N/A	N/A
2013/0005594	12/2012	Terbrueggen et al.	N/A	N/A
2013/0005600	12/2012	Olek	N/A	N/A
2013/0023433	12/2012	Luo et al.	N/A	N/A
2013/0035239	12/2012	Kong et al.	N/A	N/A
2013/0040842	12/2012	Lim et al.	N/A	N/A
2013/0053273	12/2012	Juncker et al.	N/A	N/A
2013/0065768	12/2012	Zheng et al.	N/A	N/A
2013/0065788	12/2012	Glezer et al.	N/A	N/A
2013/0079232	12/2012	Kain et al.	N/A	N/A
2013/0146459	12/2012	Bazant et al.	N/A	N/A
2013/0171621	12/2012	Luo et al.	N/A	N/A
2013/0203100	12/2012	Otter et al.	N/A	N/A
2013/0244884	12/2012	Jacobson et al.	N/A	N/A
2013/0252847	12/2012	McKenna et al.	N/A	N/A
2013/0260372	12/2012	Buermann et al.	N/A	N/A
2013/0261019	12/2012	Lin et al.	N/A	N/A
2013/0296174	12/2012	Peumans	N/A	N/A

2013/0302801	12/2012	Asbury et al.	N/A	N/A
2013/0338042	12/2012	Shen et al.	N/A	N/A
2014/0011707	12/2013	Ye et al.	N/A	N/A
2014/0066318	12/2013	Frisen et al.	N/A	N/A
2014/0121118	12/2013	Warner	N/A	N/A
2014/0155295	12/2013	Hindson et al.	N/A	N/A
2014/0270435	12/2013	Dunn	N/A	N/A
2014/0274731	12/2013	Raymond et al.	N/A	N/A
2014/0323330	12/2013	Glezer et al.	N/A	N/A
2014/0342921	12/2013	Weiner	N/A	N/A
2014/0378350	12/2013	Hindson et al.	N/A	N/A
2015/0000854	12/2014	Gann-Fetter et al.	N/A	N/A
2015/0292988	12/2014	Bharadwaj et al.	N/A	N/A
2015/0298091	12/2014	Weitz et al.	N/A	N/A
2015/0344942	12/2014	Frisen et al.	N/A	N/A
2016/0019337	12/2015	Roberts et al.	N/A	N/A
2016/0024576	12/2015	Chee	N/A	N/A
2016/0033496	12/2015	Chou et al.	N/A	N/A
2016/0041159	12/2015	Labaer et al.	N/A	N/A
2016/0060687	12/2015	Zhu et al.	N/A	N/A
2016/0108458	12/2015	Frei et al.	N/A	N/A
2016/0122817	12/2015	Jarosz et al.	N/A	N/A
2016/0138091	12/2015	Chee et al.	N/A	N/A
2016/0145677	12/2015	Chee et al.	N/A	N/A
2016/0194692	12/2015	Gore et al.	N/A	N/A
2016/0201125	12/2015	Samuels et al.	N/A	N/A
2016/0253584	12/2015	Fodor et al.	N/A	N/A
2016/0289669	12/2015	Fan et al.	N/A	N/A
2016/0289740	12/2015	Fu et al.	N/A	N/A
2016/0298180	12/2015	Chee	N/A	N/A
2016/0299165	12/2015	Zhou	N/A	N/A
2016/0305856	12/2015	Boyden et al.	N/A	N/A
2016/0333403	12/2015	Chee	N/A	N/A
2016/0376642	12/2015	Landegren et al.	N/A	N/A
2017/0009278	12/2016	Söderberg et al.	N/A	N/A
2017/0016053	12/2016	Beechem et al.	N/A	N/A
2017/0029875	12/2016	Zhang et al.	N/A	N/A
2017/0058339	12/2016	Chee	N/A	N/A
2017/0058340	12/2016	Chee	N/A	N/A
2017/0058345	12/2016	Chee	N/A	N/A
2017/0067096	12/2016	Wassie et al.	N/A	N/A
2017/0088881	12/2016	Chee	N/A	N/A
2017/0089811	12/2016	Tillberg et al.	N/A	N/A
2017/0159109	12/2016	Zheng et al.	N/A	N/A
2017/0166962	12/2016	van Eijk et al.	N/A	N/A
2017/0220733	12/2016	Zhuang	N/A	N/A
2017/0233722	12/2016	Scelig et al.	N/A	N/A
2017/0241911	12/2016	Rockel et al.	N/A	N/A
2017/0283860	12/2016	Kool et al.	N/A	N/A
2017/0335297	12/2016	Ha et al.	N/A	N/A
2017/0335410	12/2016	Driscoll et al.	N/A	N/A
2017/0342405	12/2016	Fu et al.	N/A	N/A
2017/0349940	12/2016	Morin et al.	N/A	N/A
2018/0051322	12/2017	Church et al.	N/A	N/A
2018/0052082	12/2017	Groll et al.	N/A	N/A
2018/0057873	12/2017	Zhou et al.	N/A	N/A
2018/0074039	12/2017	Soper et al.	N/A	N/A
2018/0080019	12/2017	Blainey et al.	N/A	N/A
2018/0080876	12/2017	Rockel et al.	N/A	N/A
2018/0088112	12/2017	Fan et al.	N/A	N/A
2018/0094316	12/2017	Oliphant et al.	N/A	N/A
2018/0095067	12/2017	Huff et al.	N/A	N/A
2018/0104694	12/2017	Huff et al.	N/A	N/A
2018/0104964	12/2017	Uemura et al.	N/A	N/A
2018/0112248	12/2017	Lam et al.	N/A	N/A
2018/0112261	12/2017	Van Driel et al.	N/A	N/A
2018/0127817	12/2017	Borchert et al.	N/A	N/A
2018/0163265	12/2017	Zhang et al.	N/A	N/A
2018/0179591	12/2017	van Eijk	N/A	N/A
2018/0201925	12/2017	Steemers et al.	N/A	N/A
2018/0201980	12/2017	Chee et al.	N/A	N/A
2018/0208967	12/2017	Larman et al.	N/A	N/A
2018/0216161	12/2017	Chen et al.	N/A	N/A
2018/0216162	12/2017	Belhocine et al.	N/A	N/A
2018/0217094	12/2017	Herr et al.	N/A	N/A

2018/0237864	12/2017	Imler et al.	N/A	N/A
2018/0245142	12/2017	So	N/A	C12Q 1/6816
2018/0247017	12/2017	van Eijk et al.	N/A	N/A
2018/0251833	12/2017	Daugharthy et al.	N/A	N/A
2018/0291427	12/2017	Edelman	N/A	N/A
2018/0291439	12/2017	van Eijk et al.	N/A	N/A
2018/0305681	12/2017	Jovanovich et al.	N/A	N/A
2018/0312822	12/2017	Lee et al.	N/A	N/A
2018/0320226	12/2017	Church et al.	N/A	N/A
2018/0334670	12/2017	Bharadwaj et al.	N/A	N/A
2019/0055594	12/2018	Samusik et al.	N/A	N/A
2019/0064173	12/2018	Bharadwaj et al.	N/A	N/A
2019/0071656	12/2018	Chang et al.	N/A	N/A
2019/0085383	12/2018	Church et al.	N/A	N/A
2019/0099754	12/2018	Dupouy et al.	N/A	N/A
2019/0113532	12/2018	Tan et al.	N/A	N/A
2019/0119735	12/2018	Deisseroth et al.	N/A	N/A
2019/0126280	12/2018	Gach et al.	N/A	N/A
2019/0135774	12/2018	Orbai	N/A	N/A
2019/0145982	12/2018	Chee et al.	N/A	N/A
2019/0155835	12/2018	Daugharthy et al.	N/A	N/A
2019/0161796	12/2018	Hauling et al.	N/A	N/A
2019/0177777	12/2018	Chee	N/A	N/A
2019/0177778	12/2018	Chee	N/A	N/A
2019/0177789	12/2018	Hindson et al.	N/A	N/A
2019/0177800	12/2018	Boutet et al.	N/A	N/A
2019/0194709	12/2018	Church et al.	N/A	N/A
2019/0201891	12/2018	Pallas et al.	N/A	N/A
2019/0203275	12/2018	Frisen et al.	N/A	N/A
2019/0218276	12/2018	Regev et al.	N/A	N/A
2019/0218608	12/2018	Daugharthy et al.	N/A	N/A
2019/0233878	12/2018	Delaney et al.	N/A	N/A
2019/0233880	12/2018	Mir	N/A	N/A
2019/0249226	12/2018	Bent et al.	N/A	N/A
2019/0262831	12/2018	West et al.	N/A	N/A
2019/0264268	12/2018	Frisen et al.	N/A	N/A
2019/0271028	12/2018	Khafizov et al.	N/A	N/A
2019/0271030	12/2018	Chee	N/A	N/A
2019/0271031	12/2018	Chee	N/A	N/A
2019/0300943	12/2018	Chee et al.	N/A	N/A
2019/0300944	12/2018	Chee et al.	N/A	N/A
2019/0300945	12/2018	Chee et al.	N/A	N/A
2019/0309353	12/2018	Chee	N/A	N/A
2019/0309354	12/2018	Chee	N/A	N/A
2019/0309355	12/2018	Chee	N/A	N/A
2019/0323071	12/2018	Chee	N/A	N/A
2019/0323088	12/2018	Boutet et al.	N/A	N/A
2019/0330617	12/2018	Church et al.	N/A	N/A
2019/0338353	12/2018	Belgrader et al.	N/A	N/A
2019/0360034	12/2018	Zhou et al.	N/A	N/A
2019/0360043	12/2018	Pham et al.	N/A	N/A
2019/0367969	12/2018	Belhocine et al.	N/A	N/A
2019/0367982	12/2018	Belhocine et al.	N/A	N/A
2019/0367997	12/2018	Bent et al.	N/A	N/A
2020/0002763	12/2019	Belgrader et al.	N/A	N/A
2020/0010891	12/2019	Beechem et al.	N/A	N/A
2020/0024641	12/2019	Nolan et al.	N/A	N/A
2020/0047010	12/2019	Lee et al.	N/A	N/A
2020/0048690	12/2019	Chee	N/A	N/A
2020/0049599	12/2019	Alexander et al.	N/A	N/A
2020/0063191	12/2019	Kennedy-Darling et al.	N/A	N/A
2020/0063195	12/2019	Chee	N/A	N/A
2020/0063196	12/2019	Chee	N/A	N/A
2020/0071751	12/2019	Daugharthy et al.	N/A	N/A
2020/0080136	12/2019	Zhang et al.	N/A	N/A
2020/0109443	12/2019	Chee	N/A	N/A
2020/0123597	12/2019	Daniel	N/A	N/A
2020/0140920	12/2019	Pierce et al.	N/A	N/A
2020/0173985	12/2019	Dong et al.	N/A	N/A
2020/0199565	12/2019	Chen et al.	N/A	N/A
2020/0199572	12/2019	Kuersten et al.	N/A	N/A
2020/0224244	12/2019	Nilsson et al.	N/A	N/A
2020/0239874	12/2019	Mikkelsen	N/A	N/A
2020/0239946	12/2019	Dewal	N/A	N/A
2020/0256867	12/2019	Hennek et al.	N/A	N/A

2020/0277663	12/2019	Iyer	N/A	N/A
2020/0277664	12/2019	Frenz	N/A	N/A
2020/0283852	12/2019	Oliphant et al.	N/A	N/A
2020/0298241	12/2019	Kabaha et al.	N/A	N/A
2020/0299757	12/2019	Chee et al.	N/A	N/A
2020/0325531	12/2019	Chee	N/A	N/A
2020/0362398	12/2019	Kishi et al.	N/A	N/A
2020/0370095	12/2019	Farmer et al.	N/A	N/A
2020/0393343	12/2019	Kennedy-Darling et al.	N/A	N/A
2020/0399687	12/2019	Frisen et al.	N/A	N/A
2020/0407781	12/2019	Schnall-Levin	N/A	N/A
2021/0010068	12/2020	Chee et al.	N/A	N/A
2021/0010070	12/2020	Schnall-Levin et al.	N/A	N/A
2021/0017587	12/2020	Cai et al.	N/A	N/A
2021/0095331	12/2020	Fan et al.	N/A	N/A
2021/0115504	12/2020	Cai et al.	N/A	N/A
2021/0123040	12/2020	Macosko et al.	N/A	N/A
2021/0130881	12/2020	Cox	N/A	N/A
2021/0140982	12/2020	Uytingco et al.	N/A	N/A
2021/0150707	12/2020	Weisenfeld et al.	N/A	N/A
2021/0155982	12/2020	Yin et al.	N/A	N/A
2021/0158522	12/2020	Weisenfeld et al.	N/A	N/A
2021/0172007	12/2020	Chee et al.	N/A	N/A
2021/0189475	12/2020	Tentori et al.	N/A	N/A
2021/0190770	12/2020	Delaney et al.	N/A	N/A
2021/0198741	12/2020	Williams	N/A	N/A
2021/0199660	12/2020	Williams et al.	N/A	N/A
2021/0207202	12/2020	Chee	N/A	N/A
2021/0214785	12/2020	Stoeckius	N/A	N/A
2021/0222235	12/2020	Chee	N/A	N/A
2021/0222241	12/2020	Bharadwaj	N/A	N/A
2021/0222242	12/2020	Ramachandran Iyer	N/A	N/A
2021/0222253	12/2020	Uytingco	N/A	N/A
2021/0230584	12/2020	Mikkelsen et al.	N/A	N/A
2021/0230681	12/2020	Patterson et al.	N/A	N/A
2021/0230692	12/2020	Daugharthy et al.	N/A	N/A
2021/0237022	12/2020	Bava	N/A	N/A
2021/0238581	12/2020	Mikkelsen et al.	N/A	N/A
2021/0238664	12/2020	Bava et al.	N/A	N/A
2021/0238675	12/2020	Bava et al.	N/A	N/A
2021/0238680	12/2020	Bava	N/A	N/A
2021/0247316	12/2020	Bava	N/A	N/A
2021/0255175	12/2020	Chee et al.	N/A	N/A
2021/0262018	12/2020	Bava et al.	N/A	N/A
2021/0262019	12/2020	Alvarado Martinez et al.	N/A	N/A
2021/0269864	12/2020	Chee	N/A	N/A
2021/0270822	12/2020	Chee	N/A	N/A
2021/0285036	12/2020	Yin et al.	N/A	N/A
2021/0285046	12/2020	Chell et al.	N/A	N/A
2021/0292748	12/2020	Frisen et al.	N/A	N/A
2021/0292822	12/2020	Frisen et al.	N/A	N/A
2021/0317510	12/2020	Chee et al.	N/A	N/A
2021/0317524	12/2020	Lucero et al.	N/A	N/A
2021/0324457	12/2020	Ramachandran Iyer et al.	N/A	N/A
2021/0332424	12/2020	Schnall-Levin	N/A	N/A
2021/0332425	12/2020	Pfeiffer et al.	N/A	N/A
2021/0348221	12/2020	Chell et al.	N/A	N/A
2022/0002791	12/2021	Frisen et al.	N/A	N/A
2022/0003755	12/2021	Chee	N/A	N/A
2022/0010367	12/2021	Ramachandran Iyer et al.	N/A	N/A
2022/0017951	12/2021	Ramachandran Iyer et al.	N/A	N/A
2022/0025446	12/2021	Shah	N/A	N/A
2022/0025447	12/2021	Tentori et al.	N/A	N/A
2022/0033888	12/2021	Schnall-Levin et al.	N/A	N/A
2022/0049293	12/2021	Frenz et al.	N/A	N/A
2022/0049294	12/2021	Uytingco et al.	N/A	N/A
2022/0064630	12/2021	Bent et al.	N/A	N/A
2022/0081728	12/2021	Williams	N/A	N/A
2022/0090058	12/2021	Frisen et al.	N/A	N/A
2022/0090175	12/2021	Uytingco et al.	N/A	N/A
2022/0090181	12/2021	Gallant et al.	N/A	N/A
2022/0098576	12/2021	Dadhwal	N/A	N/A
2022/0098661	12/2021	Chew et al.	N/A	N/A
2022/0106632	12/2021	Galonska et al.	N/A	N/A
2022/0106633	12/2021	Engblom et al.	N/A	N/A

2022/0112486	12/2021	Ramachandran Iyer et al.	N/A	N/A
2022/0112545	12/2021	Chee	N/A	N/A
2022/0119869	12/2021	Ramachandran Iyer et al.	N/A	N/A
2022/0127659	12/2021	Frisen et al.	N/A	N/A
2022/0127666	12/2021	Katirae et al.	N/A	N/A
2022/0127672	12/2021	Stoeckius	N/A	N/A
2022/0145361	12/2021	Frenz et al.	N/A	N/A
2022/0154255	12/2021	Chee et al.	N/A	N/A
2022/0170083	12/2021	Khaled et al.	N/A	N/A
2022/0195422	12/2021	Gallant et al.	N/A	N/A
2022/0195505	12/2021	Frisen et al.	N/A	N/A
2022/0196644	12/2021	Chee	N/A	N/A
2022/0213526	12/2021	Frisen et al.	N/A	N/A
2022/0220544	12/2021	Ach et al.	N/A	N/A
2022/0241780	12/2021	Tentori et al.	N/A	N/A
2022/0267844	12/2021	Ramachandran Iyer et al.	N/A	N/A
2022/0282329	12/2021	Chell et al.	N/A	N/A
2022/0290217	12/2021	Frenz et al.	N/A	N/A
2022/0290219	12/2021	Chee	N/A	N/A
2022/0298560	12/2021	Frisen et al.	N/A	N/A
2022/0325325	12/2021	Chee et al.	N/A	N/A
2022/0326251	12/2021	Uytingco et al.	N/A	N/A
2022/0333171	12/2021	Chee	N/A	N/A
2022/0333191	12/2021	Mikkelsen et al.	N/A	N/A
2022/0333192	12/2021	Uytingco	N/A	N/A
2022/0333195	12/2021	Schnall-Levin et al.	N/A	N/A
2022/0334031	12/2021	Delaney et al.	N/A	N/A
2022/0348905	12/2021	Dadhwai	N/A	N/A
2022/0348992	12/2021	Stoeckius et al.	N/A	N/A
2022/0356464	12/2021	Kim et al.	N/A	N/A
2022/0364163	12/2021	Stahl et al.	N/A	N/A
2022/0389491	12/2021	Chee	N/A	N/A
2022/0389503	12/2021	Mikkelsen et al.	N/A	N/A
2022/0389504	12/2021	Chew et al.	N/A	N/A
2022/0403455	12/2021	Ramachandran Iyer et al.	N/A	N/A
2022/0404245	12/2021	Chell et al.	N/A	N/A
2023/0002812	12/2022	Stoeckius et al.	N/A	N/A
2023/0014008	12/2022	Shastri	N/A	N/A
2023/0017773	12/2022	Kim et al.	N/A	N/A
2023/0031305	12/2022	Hernandez Neuta et al.	N/A	N/A
2023/0033960	12/2022	Gallant et al.	N/A	N/A
2023/0034039	12/2022	Shahjamali	N/A	N/A
2023/0034216	12/2022	Bava	N/A	N/A
2023/0040363	12/2022	Chee	N/A	N/A
2023/0042088	12/2022	Chee	N/A	N/A
2023/0042817	12/2022	Mignardi	N/A	N/A
2023/0047782	12/2022	Tentori et al.	N/A	N/A
2023/0056549	12/2022	Dadhwai	N/A	N/A
2023/0064372	12/2022	Chell et al.	N/A	N/A
2023/0069046	12/2022	Chew et al.	N/A	N/A
2023/0077364	12/2022	Patterson et al.	N/A	N/A
2023/0080543	12/2022	Katirae et al.	N/A	N/A
2023/0081381	12/2022	Chew et al.	N/A	N/A
2023/0100497	12/2022	Frisen et al.	N/A	N/A
2023/0107023	12/2022	Chee	N/A	N/A
2023/0111225	12/2022	Chew et al.	N/A	N/A
2023/0113230	12/2022	Kim et al.	N/A	N/A
2023/0126825	12/2022	Nagendran et al.	N/A	N/A
2023/0129552	12/2022	Ramachandran Iyer	N/A	N/A
2023/0135010	12/2022	Tentori et al.	N/A	N/A
2023/0143569	12/2022	Iyer et al.	N/A	N/A
2023/0145575	12/2022	Gallant et al.	N/A	N/A
2023/0147726	12/2022	Hadrup et al.	N/A	N/A
2023/0151412	12/2022	Chee	N/A	N/A
2023/0159994	12/2022	Chee	N/A	N/A
2023/0159995	12/2022	Iyer et al.	N/A	N/A
2023/0160008	12/2022	Chell et al.	N/A	N/A
2023/0175045	12/2022	Katsori et al.	N/A	N/A
2023/0183684	12/2022	Gallant et al.	N/A	N/A
2023/0183785	12/2022	Frisen et al.	N/A	N/A
2023/0194469	12/2022	Tentori et al.	N/A	N/A
2023/0194470	12/2022	Kim et al.	N/A	N/A
2023/0203478	12/2022	Kim et al.	N/A	N/A
2023/0212650	12/2022	Chew et al.	N/A	N/A
2023/0212655	12/2022	Chee	N/A	N/A

2023/0212656	12/2022	Chow et al.	N/A	N/A
2023/0220368	12/2022	Kim	N/A	N/A
2023/0220454	12/2022	Bent et al.	N/A	N/A
2023/0220455	12/2022	Galonska et al.	N/A	N/A
2023/0227811	12/2022	Dadhwai	N/A	N/A
2023/0228762	12/2022	Uytingco et al.	N/A	N/A
2023/0242973	12/2022	Frisen et al.	N/A	N/A
2023/0242976	12/2022	Tentori et al.	N/A	N/A
2023/0265488	12/2022	Gohil et al.	N/A	N/A
2023/0265489	12/2022	Uytingco et al.	N/A	N/A
2023/0265491	12/2022	Tentori et al.	N/A	N/A
2023/0267625	12/2022	Tentori et al.	N/A	N/A
2023/0279474	12/2022	Katirae	N/A	N/A
2023/0279477	12/2022	Kvastad et al.	N/A	N/A
2023/0279481	12/2022	Marrache et al.	N/A	N/A
2023/0287399	12/2022	Gallant et al.	N/A	N/A
2023/0287475	12/2022	Chell et al.	N/A	N/A
2023/0287481	12/2022	Katsori et al.	N/A	N/A
2023/0295699	12/2022	Sukovich et al.	N/A	N/A
2023/0295722	12/2022	Bharadwaj	N/A	N/A
2023/0304072	12/2022	Gohil et al.	N/A	N/A
2023/0304074	12/2022	Chee et al.	N/A	N/A
2023/0304078	12/2022	Frisen et al.	N/A	N/A
2023/0313279	12/2022	Giacomello et al.	N/A	N/A
2023/0323340	12/2022	Dadhwai	N/A	N/A
2023/0323434	12/2022	Yin et al.	N/A	N/A
2023/0323436	12/2022	Chee	N/A	N/A
2023/0323447	12/2022	Schnall-Levin et al.	N/A	N/A
2023/0323453	12/2022	Stoeckius	N/A	N/A
2023/0332138	12/2022	Kim et al.	N/A	N/A
2023/0332211	12/2022	Chee	N/A	N/A
2023/0332212	12/2022	Chew et al.	N/A	N/A
2023/0332227	12/2022	Ramachandran Iyer	N/A	N/A
2023/0332247	12/2022	Singh et al.	N/A	N/A
2023/0351619	12/2022	Tentori et al.	N/A	N/A
2023/0358733	12/2022	Chee	N/A	N/A
2023/0366008	12/2022	Chew et al.	N/A	N/A
2023/0383285	12/2022	Kim et al.	N/A	N/A
2023/0383344	12/2022	Stoeckius	N/A	N/A
2023/0392204	12/2022	Chell et al.	N/A	N/A
2023/0393071	12/2022	Bava	N/A	N/A
2023/0407404	12/2022	Baumgartner et al.	N/A	N/A
2023/0416807	12/2022	Chee	N/A	N/A
2023/0416808	12/2022	Sukovich et al.	N/A	N/A
2023/0416850	12/2022	Singh et al.	N/A	N/A
2024/0002931	12/2023	Bava	N/A	N/A
2024/0011081	12/2023	Chee	N/A	N/A
2024/0011090	12/2023	Chew et al.	N/A	N/A
2024/0018572	12/2023	Mignardi	N/A	N/A
2024/0018575	12/2023	Gallant et al.	N/A	N/A
2024/0018589	12/2023	Schnall-Levin et al.	N/A	N/A
2024/0026445	12/2023	Ramachandran Iyer et al.	N/A	N/A
2024/0033743	12/2023	Tentori et al.	N/A	N/A
2024/0035937	12/2023	Cox et al.	N/A	N/A
2024/0043908	12/2023	Chew et al.	N/A	N/A
2024/0043925	12/2023	Bent et al.	N/A	N/A
2024/0052343	12/2023	Gallant et al.	N/A	N/A
2024/0053351	12/2023	Uytingco et al.	N/A	N/A
2024/0060115	12/2023	Chee et al.	N/A	N/A
2024/0067953	12/2023	Mikkelsen et al.	N/A	N/A
2024/0068016	12/2023	Frisen et al.	N/A	N/A
2024/0068017	12/2023	Lundeberg et al.	N/A	N/A
2024/0076723	12/2023	Mignardi	N/A	N/A
2024/0080346	12/2023	Engblom et al.	N/A	N/A
2024/0084365	12/2023	Frisen et al.	N/A	N/A
2024/0084366	12/2023	Chee	N/A	N/A
2024/0084383	12/2023	Ramachandran Iyer et al.	N/A	N/A
2024/0093274	12/2023	Frisen et al.	N/A	N/A
2024/0093290	12/2023	Stahl et al.	N/A	N/A
2024/0110228	12/2023	Uytingco et al.	N/A	N/A
2024/0124933	12/2023	Chell et al.	N/A	N/A
2024/0125772	12/2023	Delaney et al.	N/A	N/A
2024/0141327	12/2023	Kim et al.	N/A	N/A
2024/0158838	12/2023	Alvarado Martinez et al.	N/A	N/A
2024/0175080	12/2023	Galonska et al.	N/A	N/A

2024/0182968	12/2023	Bava	N/A	N/A
2024/0191286	12/2023	Boutet et al.	N/A	N/A
2024/0200121	12/2023	Boutet	N/A	N/A
2024/0209425	12/2023	Yin et al.	N/A	N/A
2024/0218427	12/2023	Sukovich et al.	N/A	N/A
2024/0218432	12/2023	Mielinis	N/A	N/A
2024/0219701	12/2023	Tentori et al.	N/A	N/A
2024/0253036	12/2023	Kim et al.	N/A	N/A
2024/0263218	12/2023	Katirae et al.	N/A	N/A
2024/0271190	12/2023	Stoeckius et al.	N/A	N/A
2024/0271195	12/2023	Mikhael et al.	N/A	N/A
2024/0279747	12/2023	Williams	N/A	N/A
2024/0287600	12/2023	Iyer et al.	N/A	N/A
2024/0294971	12/2023	Galonska	N/A	N/A
2024/0294974	12/2023	Galonska et al.	N/A	N/A
2024/0294975	12/2023	Lin et al.	N/A	N/A
2024/0301488	12/2023	Stoeckius	N/A	N/A
2024/0301489	12/2023	Chew et al.	N/A	N/A
2024/0360494	12/2023	Costa et al.	N/A	N/A
2024/0368711	12/2023	Giacomello et al.	N/A	N/A
2024/0377297	12/2023	Cox et al.	N/A	N/A
2024/0385088	12/2023	Kim et al.	N/A	N/A
2024/0392349	12/2023	Frisen et al.	N/A	N/A
2024/0392351	12/2023	Chee	N/A	N/A
2024/0392352	12/2023	Stahl et al.	N/A	N/A
2024/0392353	12/2023	Engblom et al.	N/A	N/A
2024/0401109	12/2023	Kim et al.	N/A	N/A
2024/0401117	12/2023	Bava	N/A	N/A
2024/0401118	12/2023	Tentori et al.	N/A	N/A
2024/0404301	12/2023	Li et al.	N/A	N/A
2024/0408593	12/2023	Kim et al.	N/A	N/A
2024/0416315	12/2023	Bava	N/A	N/A
2024/0417783	12/2023	Chew et al.	N/A	N/A
2024/0417784	12/2023	Sukovich et al.	N/A	N/A
2025/0002980	12/2024	Tentori et al.	N/A	N/A
2025/0002982	12/2024	Stoeckius et al.	N/A	N/A
2025/0003956	12/2024	Delaney et al.	N/A	N/A
2025/0019689	12/2024	Galonska et al.	N/A	N/A
2025/0019749	12/2024	Katirae et al.	N/A	N/A
2025/0066762	12/2024	Man et al.	N/A	N/A
2025/0066770	12/2024	Costa	N/A	N/A
2025/0073719	12/2024	Cox et al.	N/A	N/A
2025/0075261	12/2024	Kim	N/A	N/A
2025/0101501	12/2024	Chee	N/A	N/A
2025/0101502	12/2024	Chee	N/A	N/A
2025/0101504	12/2024	Nagendran et al.	N/A	N/A
2025/0122564	12/2024	Mignardi et al.	N/A	N/A
2025/0122565	12/2024	Schnall-Levin et al.	N/A	N/A
2025/0129412	12/2024	Uytingco et al.	N/A	N/A
2025/0129421	12/2024	Schnall-Levin et al.	N/A	N/A
2025/0137043	12/2024	Tentori	N/A	N/A
2025/0146057	12/2024	Schnall-Levin et al.	N/A	N/A
2025/0146071	12/2024	Schnall-Levin et al.	N/A	N/A
2025/0146072	12/2024	Schnall-Levin et al.	N/A	N/A
2025/0154565	12/2024	Chee	N/A	N/A
2025/0154566	12/2024	Chee	N/A	N/A
2025/0154567	12/2024	Chee	N/A	N/A
2025/0154568	12/2024	Frisen et al.	N/A	N/A
2025/0154569	12/2024	Stoeckius et al.	N/A	N/A
2025/0154571	12/2024	Ramachandran Iyer et al.	N/A	N/A
2025/0154588	12/2024	Ramachandran Iyer et al.	N/A	N/A
2025/0155446	12/2024	Uytingco et al.	N/A	N/A

FOREIGN PATENT DOCUMENTS			
Patent No.	Application Date	Country	CPC
2003200718	12/2005	AU	N/A
3054046	12/2019	CA	N/A
1273609	12/1999	CN	N/A
1425133	12/2002	CN	N/A
1537953	12/2003	CN	N/A
1680604	12/2004	CN	N/A
1749752	12/2005	CN	N/A
1898398	12/2006	CN	N/A
1981188	12/2006	CN	N/A
101142325	12/2007	CN	N/A

101221182	12/2007	CN	N/A
101522915	12/2008	CN	N/A
202548048	12/2011	CN	N/A
102851369	12/2012	CN	N/A
104513785	12/2014	CN	N/A
107849606	12/2017	CN	N/A
108949924	12/2017	CN	N/A
0961110	12/1998	EP	N/A
1782737	12/2006	EP	N/A
1878502	12/2007	EP	N/A
1910562	12/2007	EP	N/A
1923471	12/2007	EP	N/A
2002017	12/2007	EP	N/A
2130913	12/2008	EP	N/A
2292788	12/2010	EP	N/A
2302070	12/2010	EP	N/A
2881465	12/2014	EP	N/A
3013984	12/2015	EP	N/A
3207134	12/2018	EP	N/A
3511423	12/2018	EP	N/A
3541956	12/2018	EP	N/A
2520765	12/2014	GB	N/A
2007-014297	12/2006	JP	N/A
2007-074967	12/2006	JP	N/A
2009-036694	12/2008	JP	N/A
WO 1989/010977	12/1988	WO	N/A
WO 1991/006678	12/1990	WO	N/A
WO 1993/004199	12/1992	WO	N/A
WO 1995/023875	12/1994	WO	N/A
WO 1995/025116	12/1994	WO	N/A
WO 1995/035505	12/1994	WO	N/A
WO 1997/031256	12/1996	WO	N/A
WO 1999/063385	12/1998	WO	N/A
WO 2000/17390	12/1999	WO	N/A
WO 2001/06012	12/2000	WO	N/A
WO 2001/009363	12/2000	WO	N/A
WO 2001/012862	12/2000	WO	N/A
WO 2001/042796	12/2000	WO	N/A
WO 2001/046402	12/2000	WO	N/A
WO 2001/059161	12/2000	WO	N/A
WO 2001/090415	12/2000	WO	N/A
WO 2001/096608	12/2000	WO	N/A
WO 2002/040874	12/2001	WO	N/A
WO 2002/059355	12/2001	WO	N/A
WO 2002/059364	12/2001	WO	N/A
WO 2002/077283	12/2001	WO	N/A
WO 2003/002979	12/2002	WO	N/A
WO 2003/008538	12/2002	WO	N/A
WO 2003/010176	12/2002	WO	N/A
WO 2003/102233	12/2002	WO	N/A
WO 2003/106973	12/2002	WO	N/A
WO 2004/015080	12/2003	WO	N/A
WO 2004/028955	12/2003	WO	N/A
WO 2004/067759	12/2003	WO	N/A
WO 2004/081225	12/2003	WO	N/A
WO 2004/108268	12/2003	WO	N/A
WO 2005/007814	12/2004	WO	N/A
WO 2005/010145	12/2004	WO	N/A
WO 2005/026387	12/2004	WO	N/A
WO 2005/042759	12/2004	WO	N/A
WO 2005/113804	12/2004	WO	N/A
WO 2006/020515	12/2005	WO	N/A
WO 2006/056861	12/2005	WO	N/A
WO 2006/124771	12/2005	WO	N/A
WO 2007/041689	12/2006	WO	N/A
WO 2007/060599	12/2006	WO	N/A
WO 2007/073171	12/2006	WO	N/A
WO 2007/076726	12/2006	WO	N/A
WO 2007/120241	12/2006	WO	N/A
WO 2007/123744	12/2006	WO	N/A
WO 2007/139766	12/2006	WO	N/A
WO 2007/145612	12/2006	WO	N/A
WO 2008/069906	12/2007	WO	N/A
WO 2008/075086	12/2007	WO	N/A
WO 2008/157801	12/2007	WO	N/A

WO 2009/032167	12/2008	WO	N/A
WO 2009/137521	12/2008	WO	N/A
WO 2009/152928	12/2008	WO	N/A
WO 2010/019826	12/2009	WO	N/A
WO 2010/027870	12/2009	WO	N/A
WO 2010/088517	12/2009	WO	N/A
WO 2010/126614	12/2009	WO	N/A
WO 2011/008502	12/2010	WO	N/A
WO 2011/062933	12/2010	WO	N/A
WO 2011/068088	12/2010	WO	N/A
WO 2011/102903	12/2010	WO	N/A
WO 2012/049316	12/2011	WO	N/A
WO 2012/058096	12/2011	WO	N/A
WO 2012/061832	12/2011	WO	N/A
WO 2012/071428	12/2011	WO	N/A
WO 2012/129242	12/2011	WO	N/A
WO 2012/159089	12/2011	WO	N/A
WO 2012/168003	12/2011	WO	N/A
WO 2013/022807	12/2012	WO	N/A
WO 2013/123442	12/2012	WO	N/A
WO 2013/131962	12/2012	WO	N/A
WO 2013/138510	12/2012	WO	N/A
WO 2013/142389	12/2012	WO	N/A
WO 2013/150082	12/2012	WO	N/A
WO 2013/150083	12/2012	WO	N/A
WO 2014/044724	12/2013	WO	N/A
WO 2014/060483	12/2013	WO	N/A
WO 2014/071361	12/2013	WO	N/A
WO 2014/128129	12/2013	WO	N/A
WO 2014/130576	12/2013	WO	N/A
WO 2014/142841	12/2013	WO	N/A
WO 2014/144713	12/2013	WO	N/A
WO 2014/152397	12/2013	WO	N/A
WO 2014/210223	12/2013	WO	N/A
WO 2014/210225	12/2013	WO	N/A
WO 2014/210353	12/2013	WO	N/A
WO 2015/031691	12/2014	WO	N/A
WO 2015/069374	12/2014	WO	N/A
WO 2015/161173	12/2014	WO	N/A
WO 2016/077763	12/2015	WO	N/A
WO 2016/100196	12/2015	WO	N/A
WO 2016/138496	12/2015	WO	N/A
WO 2016/138500	12/2015	WO	N/A
WO 2016/166128	12/2015	WO	N/A
WO 2016/168825	12/2015	WO	N/A
WO 2016/172362	12/2015	WO	N/A
WO 2017/019456	12/2016	WO	N/A
WO 2017/019481	12/2016	WO	N/A
WO 2017/044993	12/2016	WO	N/A
WO 2017/048871	12/2016	WO	N/A
WO 2017/075293	12/2016	WO	N/A
WO 2017/112957	12/2016	WO	N/A
WO 2017/096158	12/2016	WO	N/A
WO 2017/143155	12/2016	WO	N/A
WO 2017/144338	12/2016	WO	N/A
WO 2017/156336	12/2016	WO	N/A
WO 2017/184984	12/2016	WO	N/A
WO 2017/192633	12/2016	WO	N/A
WO 2018/023068	12/2017	WO	N/A
WO 2018/026873	12/2017	WO	N/A
WO 2018/045181	12/2017	WO	N/A
WO 2018/064640	12/2017	WO	N/A
WO 2018/075436	12/2017	WO	N/A
WO 2018/085599	12/2017	WO	N/A
WO 2018/089550	12/2017	WO	N/A
WO 2018/091676	12/2017	WO	N/A
WO 2018/136397	12/2017	WO	N/A
WO 2018/136856	12/2017	WO	N/A
WO 2018/144582	12/2017	WO	N/A
WO 2018/148471	12/2017	WO	N/A
WO 2018/175779	12/2017	WO	N/A
WO 2018/209398	12/2017	WO	N/A
WO 2019/023214	12/2018	WO	N/A
WO 2019/032760	12/2018	WO	N/A
WO 2019/068880	12/2018	WO	N/A

WO 2019/104337	12/2018	WO	N/A
WO 2019/113457	12/2018	WO	N/A
WO 2019/126313	12/2018	WO	N/A
WO 2019/140201	12/2018	WO	N/A
WO 2019/140334	12/2018	WO	N/A
WO 2019/165318	12/2018	WO	N/A
WO 2019/213254	12/2018	WO	N/A
WO 2019/213294	12/2018	WO	N/A
WO 2019/241290	12/2018	WO	N/A
WO 2020/028194	12/2019	WO	N/A
WO 2020/047002	12/2019	WO	N/A
WO 2020/047005	12/2019	WO	N/A
WO 2020/047010	12/2019	WO	N/A
WO 2020/053655	12/2019	WO	N/A
WO 2020/056381	12/2019	WO	N/A
WO 2020/061064	12/2019	WO	N/A
WO 2020/061066	12/2019	WO	N/A
WO 2020/061108	12/2019	WO	N/A
WO 2020/076979	12/2019	WO	N/A
WO 2020/099640	12/2019	WO	N/A
WO 2020/112604	12/2019	WO	N/A
WO 2020/117914	12/2019	WO	N/A
WO 2020/123301	12/2019	WO	N/A
WO 2020/123305	12/2019	WO	N/A
WO 2020/123309	12/2019	WO	N/A
WO 2020/123311	12/2019	WO	N/A
WO 2020/123316	12/2019	WO	N/A
WO 2020/123317	12/2019	WO	N/A
WO 2020/123318	12/2019	WO	N/A
WO 2020/123319	12/2019	WO	N/A
WO 2020/123320	12/2019	WO	N/A
WO 2020/160044	12/2019	WO	N/A
WO 2020/167862	12/2019	WO	N/A
WO 2020/176788	12/2019	WO	N/A
WO 2020/176882	12/2019	WO	N/A
WO 2020/190509	12/2019	WO	N/A
WO 2020/198071	12/2019	WO	N/A
WO 2020/206285	12/2019	WO	N/A
WO 2020/219901	12/2019	WO	N/A
WO 2020/240025	12/2019	WO	N/A
WO 2020/243579	12/2019	WO	N/A
WO 2020/254519	12/2019	WO	N/A
WO 2021/041974	12/2020	WO	N/A
WO 2021/067246	12/2020	WO	N/A
WO 2021/067514	12/2020	WO	N/A
WO 2021/091611	12/2020	WO	N/A
WO 2021/092433	12/2020	WO	N/A
WO 2021/097255	12/2020	WO	N/A
WO 2021/102003	12/2020	WO	N/A
WO 2021/102005	12/2020	WO	N/A
WO 2021/102039	12/2020	WO	N/A
WO 2021/116715	12/2020	WO	N/A
WO 2021/119320	12/2020	WO	N/A
WO 2021/133842	12/2020	WO	N/A
WO 2021/133845	12/2020	WO	N/A
WO 2021/133849	12/2020	WO	N/A
WO 2021/142233	12/2020	WO	N/A
WO 2021/168261	12/2020	WO	N/A
WO 2021/168278	12/2020	WO	N/A
WO 2021/207610	12/2020	WO	N/A
WO 2021/216708	12/2020	WO	N/A
WO 2021/225900	12/2020	WO	N/A
WO 2021/236625	12/2020	WO	N/A
WO 2021/236929	12/2020	WO	N/A
WO 2021/237056	12/2020	WO	N/A
WO 2021/237087	12/2020	WO	N/A
WO 2021/242834	12/2020	WO	N/A
WO 2021/247543	12/2020	WO	N/A
WO 2021/247568	12/2020	WO	N/A
WO 2021/247593	12/2020	WO	N/A
WO 2021/252499	12/2020	WO	N/A
WO 2021/252576	12/2020	WO	N/A
WO 2021/252591	12/2020	WO	N/A
WO 2021/252747	12/2020	WO	N/A
WO 2021/263111	12/2020	WO	N/A

WO 2022/025965	12/2021	WO	N/A
WO 2022/032195	12/2021	WO	N/A
WO 2022/051152	12/2021	WO	N/A
WO 2022/060798	12/2021	WO	N/A
WO 2022/060953	12/2021	WO	N/A
WO 2022/061150	12/2021	WO	N/A
WO 2022/061152	12/2021	WO	N/A
WO 2022/087273	12/2021	WO	N/A
WO 2022/098810	12/2021	WO	N/A
WO 2022/099037	12/2021	WO	N/A
WO 2022/103712	12/2021	WO	N/A
WO 2022/109181	12/2021	WO	N/A
WO 2011/019964	12/2021	WO	N/A
WO 2022/132645	12/2021	WO	N/A
WO 2022/140028	12/2021	WO	N/A
WO 2022/147005	12/2021	WO	N/A
WO 2022/147296	12/2021	WO	N/A
WO 2022/164615	12/2021	WO	N/A
WO 2022/178267	12/2021	WO	N/A
WO 2022/198068	12/2021	WO	N/A
WO 2022/212269	12/2021	WO	N/A
WO 2022/221425	12/2021	WO	N/A
WO 2022/226057	12/2021	WO	N/A
WO 2022/015913	12/2021	WO	N/A
WO 2022/236054	12/2021	WO	N/A
WO 2022/243303	12/2021	WO	N/A
WO 2022/226372	12/2021	WO	N/A
WO 2022/256503	12/2021	WO	N/A
WO 2022/271820	12/2021	WO	N/A
WO 2023/287765	12/2022	WO	N/A
WO 2023/018799	12/2022	WO	N/A
WO 2023/034489	12/2022	WO	N/A
WO 2023/044071	12/2022	WO	N/A
WO 2023/076345	12/2022	WO	N/A
WO 2023/086880	12/2022	WO	N/A
WO 2023/102118	12/2022	WO	N/A
WO 2023/122033	12/2022	WO	N/A
WO 2023/150098	12/2022	WO	N/A
WO 2023/150163	12/2022	WO	N/A
WO 2023/150171	12/2022	WO	N/A
WO 2023/215552	12/2022	WO	N/A
WO 2023/225519	12/2022	WO	N/A
WO 2023/229988	12/2022	WO	N/A
WO 2023/250077	12/2022	WO	N/A
WO 2024/015578	12/2023	WO	N/A
WO 2024/035844	12/2023	WO	N/A
WO 2024/081212	12/2023	WO	N/A
WO 2024/086167	12/2023	WO	N/A
WO 2024/086776	12/2023	WO	N/A
WO 2024/102809	12/2023	WO	N/A
WO 2024/137826	12/2023	WO	N/A
WO 2024/145224	12/2023	WO	N/A
WO 2024/145441	12/2023	WO	N/A
WO 2024/145445	12/2023	WO	N/A
WO 2024/145491	12/2023	WO	N/A
WO 2024/206603	12/2023	WO	N/A
WO 2024/220882	12/2023	WO	N/A
WO 2024/238900	12/2023	WO	N/A
WO 2024/254316	12/2023	WO	N/A
WO 2025/029605	12/2024	WO	N/A
WO 2025/029627	12/2024	WO	N/A
WO 2025/043076	12/2024	WO	N/A
WO 2025/072119	12/2024	WO	N/A
WO 2025/090912	12/2024	WO	N/A
WO 2025/096581	12/2024	WO	N/A

OTHER PUBLICATIONS

Bibikova et al., “Quantitative gene expression profiling in formalin-fixed paraffin-embedded tissues using universal bead arrays,” The American Journal of Pa 165(5):1799-1807. cited by applicant

Choi et al., “Multiplexed detection of mRNA using porosity-tuned hydrogel microparticles,” Analytical chemistry, Sep. 28, 2012, 84(21):9370-9378. cited by

Fan et al., “A versatile assay for high-throughput gene expression profiling on universal array matrices,” Genome Research, May 1, 2004, 14(5):878-885. cited

Goldmeyer et al., “Development of a novel one-tube isothermal reverse transcription thermophilic helicase-dependent amplification platform for rapid RNA d

Molecular Diagnostics, American Society for Investigative Pathology and the Association for Molecular Pathology, Nov. 1, 2007, 9(5):639-644. cited by appli

Kim, “Development of Microdevices for Applications to Bioanalysis,” Dissertation for the degree of Doctor of Philosophy, University of Texas at Austin, Aug applicant

Sun et al., "Spatial Analysis of Spatial Expression Pattern for Spatially Resolved Transcriptomic Studies," Nature Methods, Jan. 27, 2020, 17(2): 193-200.

Svensson et al., "SpatialDE: identification of spatially variable genes," Nature Methods, May 2018, 15:343-346, 15 pages. cited by applicant

Zahra et al., "Assessment of Different Permeabilization Methods of Minimizing Damage to the Adherent Cells for Detection of Intracellular RNA by Flow Cytometry," Journal of Medical Biotechnology, Jan. 1, 2014, 6(1):38-46. cited by applicant

Amidzadeh et al., "Assessment of different permeabilization methods of minimizing damage to the adherent cells for detection of intracellular RNA by flow cytometry," Biotechnol., Jan. 2014, 6(1):38-46. cited by applicant

Boulé et al., "Terminal deoxynucleotidyl transferase indiscriminately incorporates ribonucleotides and deoxyribonucleotides," J Biol Chem., Aug. 2001, 276(3):276-280. cited by applicant

Burgess, "Spatial transcriptomics coming of age," Nat Rev Genet., Jun. 2019, 20(6):317, 1 page. cited by applicant

Caliri et al., "A practical guide to hydrogels for cell culture," Nat Methods., Apr. 2016, 13(5):405-14. cited by applicant

Evers et al., "The effect of formaldehyde fixation on RNA: optimization of formaldehyde adduct removal," J Mol Diagn., May 2011, 13(3):282-8. cited by applicant

Gansauge et al., "Single-stranded DNA library preparation from highly degraded DNA using T4 DNA ligase," Nucleic Acids Res., Jun. 2017, 45(10):e79, 10 pages. cited by applicant

Hafner et al., "Identification of microRNAs and other small regulatory RNAs using cDNA library sequencing," Methods, Jan. 2008, 44(1):3-12. cited by applicant

Hanauer et al., "Separation of nanoparticles by gel electrophoresis according to size and shape," Nano Lett., Sep. 2007, 7(9):2881-5. cited by applicant

Hattersley et al., "Development of a microfluidic device for the maintenance and interrogation of viable tissue biopsies," Lab Chip., Nov. 2008, 8(11):1842-6. cited by applicant

Ho et al., "Characterization of an ATP-Dependent DNA Ligase Encoded by Chlorella Virus PBCV-1," Journal of Virology, Mar. 1997, 71(3):1931-1937. cited by applicant

Hsuih et al., "Novel, Ligation-Dependent PCR Assay for Detection of Hepatitis C Virus in Serum," Journal of Clinical Microbiology, Mar. 1996, 34(3):501-504. cited by applicant

Kumar et al., "Template-directed oligonucleotide strand ligation, covalent intramolecular DNA circularization and catenation using click chemistry," J Am Chem Soc, 2009, 131(21):6859-64. cited by applicant

Miura et al., "Highly efficient single-stranded DNA ligation technique improves low-input whole-genome bisulfite sequencing by post-bisulfite adaptor tagging," Nucleic Acids Res., Sep. 2019, 47(15):e85, 10 pages. cited by applicant

Nandakumar et al., "RNA Substrate Specificity and Structure-guided Mutational Analysis of Bacteriophage T4 RNA Ligase 2," Journal of Biological Chemistry, 2019, 294(3):279(30):31337-31347. cited by applicant

Ozsolak et al., "Digital transcriptome profiling from attomole-level RNA samples," Genome Res., Apr. 2010, 20(4):519-25. cited by applicant

Slomovic et al., "Addition of poly(A) and poly(A)-rich tails during RNA degradation in the cytoplasm of human cells," Proc Natl Acad Sci USA, Apr. 2010, 107(10):4599-504. cited by applicant

Taylor et al., "Microfluidic local perfusion chambers for the visualization and manipulation of synapses," Neuron., Apr. 2010, 66(1):57-68, 25 pages. cited by applicant

Thomas et al., "A chamber for the perfusion of in vitro tissue with multiple solutions," J. Neurophysiol., Jul. 2013, 110:269-277. cited by applicant

Toy et al., "A Simple Plastic Perfusion Chamber for Continuous Maintenance and Cinematography of Tissue Cultures," Experimental Cell Research, 1958, 14(1):1-10. cited by applicant

Ulerly et al., "Biomedical Applications of Biodegradable Polymers," J Polym Sci B Polym Phys., Jun. 2011, 49(12):832-864. cited by applicant

Vandenbroucke et al., "Quantification of splice variants using real-time PCR," Nucleic Acids Research, 2001, 29(13):e68, 7 pages. cited by applicant

Zhang et al., "Genome-wide open chromatin regions and their effects on the regulation of silk protein genes in *Bombyx mori*," Sci Rep., Oct. 2017, 7(1):12919. cited by applicant

U.S. Appl. No. 63/033,348, filed Jun. 2, 2020, Bent. cited by applicant

Arslan et al., "Engineering of a superhelicase through conformational control (Supplementary Materials)," Science, Apr. 17, 2015, 348(6232):344-347, 18 pages. cited by applicant

Arslan et al., "Engineering of a superhelicase through conformational control," Science, Apr. 17, 2015, 348(6232):344-347. cited by applicant

Baner et al., "Signal amplification of padlock probes by rolling circle replication," Nucleic Acids Res., 1998, 26(22):5073-5078. cited by applicant

Borm et al., "High throughput Human embryo spatial transcriptome mapping by surface transfer of tissue RNA," Abstracts Selected Talks, Single Cell Genomics, 2020, 1 pages (Abstract Only). cited by applicant

Chen et al., "Efficient in situ barcode sequencing using padlock probe-based BaristaSeq," Nucleic Acids Res., 2018, 46(4): e22, 11 pages. cited by applicant

Chen et al., "Large field of view-spatially resolved transcriptomics at nanoscale resolution," bioRxiv, Jan. 19, 2021, retrieved from URL <<https://www.biorxiv.org/node/1751045.abstract>>, 37 pages. cited by applicant

Codeluppi et al., "Spatial organization of the somatosensory cortex revealed by osmFISH," Nature Methods, Nov. 2018, 15:932-935. cited by applicant

Dean et al., "Rapid Amplification Of Plasmid And Phage DNA Using Phi29 DNA Polymerase And Multiply-Primed Rolling Circle Amplification," Genome Research, 2005, 15(11):1095-1099. cited by applicant

Eng et al., "Transcriptome-scale super-resolved imaging in tissues by RNA seqFISH+," Nature, Apr. 2019, 568(7751):235-239, 37 pages. cited by applicant

Ergin et al., "Proteomic Analysis of PAXgene-Fixed Tissues," J Proteome Res., 2010, 9(10):5188-96. cited by applicant

Faruqi et al., "High-throughput genotyping of single nucleotide polymorphisms with rolling circle amplification," BMC Genomics, Aug. 2001, 2:4, 10 pages. cited by applicant

Gao et al., "A highly homogeneous expansion microscopy polymer composed of tetrahedron-like monomers," bioRxiv, Oct. 22, 2019, 23 pages (Preprint). cited by applicant

Gilar et al., "Study of phosphorothioate-modified oligonucleotide resistance to 3'-exonuclease using capillary electrophoresis," J Chromatogr B Biomed Sci Appl, 2001, 714(1):13-20. cited by applicant

Goh et al., "Highly Specific Multiplexed RNA Imaging In Tissues With Split-FISH," Nat Methods, Jun. 15, 2020, 17(7):689-693, 21 pages. cited by applicant

Govindarajan et al., "A single molecule array for digital targeted molecular analyses," Nucleic Acids Res., Nov. 25, 2009, 37(1):e7, 9 pages. cited by applicant

Li et al., "A new GSH-responsive prodrug of 5-aminolevulinic acid for photodiagnosis and photodynamic therapy of tumors," European Journal of Medicinal Chemistry, 2019, 181:111583, 9 pages. cited by applicant

Liu et al., "High-Spatial-Resolution Multi-Omnics Sequencing via Deterministic Barcoding in Tissue," Cell, Nov. 13, 2020, 183(6):1665-1681, 36 pages. cited by applicant

Liu et al., "Spatial transcriptome sequencing of FFPE tissues at cellular level," bioRxiv 788992, Oct. 14, 2020, 39 pages. cited by applicant

Mathieson et al., "A Critical Evaluation of the PAXgene Tissue Fixation System: Morphology, Immunohistochemistry, Molecular Biology, and Proteomics," Analytical Chemistry, 2016, 146(1):25-40. cited by applicant

Mignardi et al., "Oligonucleotide gap-fill ligation for mutation detection and sequencing in situ," Nucleic Acids Research, Aug. 3, 2015, 43(22):e151, 12 pages. cited by applicant

Mohsen et al., "The Discovery of Rolling Circle Amplification and Rolling Circle Transcription," Acc Chem Res., Nov. 15, 2016, 49(11):2540-2550, 25 pages. cited by applicant

Nallur et al., "Signal amplification by rolling circle amplification on DNA microarrays," Nucleic Acids Res., Dec. 1, 2001, 29(23):e118, 9 pages. cited by applicant

Raj et al., "Imaging individual mRNA molecules using multiple singly labeled probes," Nature Methods, Oct. 2008, 5(10):877-879, 9 pages. cited by applicant

Schweitzer et al., "Immunoassays with rolling circle DNA amplification: A versatile platform for ultrasensitive antigen detection," Proc. Natl Acad. Sci. USA, 2006, 103(1):119. cited by applicant

Takei et al., "Integrated Spatial Genomics Reveals Global Architecture Of Single Nuclei," Nature, Jan. 27, 2021, 590(7845):344-350, 53 pages. cited by applicant

Xia et al., "Spatial transcriptome profiling by MERFISH reveals subcellular RNA compartmentalization and cell cycle-dependent gene expression", Proceedings of the National Academy of Sciences, Sep. 2019, 116(39):19490-19499. cited by applicant

Mulder et al., "CapTCR-seq: hybrid capture for T-cell receptor repertoire profiling," Blood Advances, Dec. 2018, 2(23):3506-3514. cited by applicant

Appella, "Non-natural nucleic acids for synthetic biology," Current Opinion in Chemical Biology, Dec. 2009, 13(5-6): 687-696. cited by applicant

Bunt et al., "FRET from single to multiplexed signaling events," Biophys Rev. Apr. 2017, 9(2): 119-129. cited by applicant

Grünweller et al., "Locked Nucleic Acid Oligonucleotides," BioDrugs, Jul. 2007, 21(4): 235-243. cited by applicant

Gu et al., "Multiplex single-molecule interaction profiling of DNA-barcoded proteins," Nature, Sep. 21, 2014, 515:554-557. cited by applicant

Ma et al., "Isothermal amplification method for next-generation sequencing," PNAS, Aug. 12, 2013, 110(35):14320-14323. cited by applicant

Orenstein et al., "vPNA FRET Pair Miniprobos for Quantitative Fluorescent In Situ Hybridization to Telomeric DNA in Cells and Tissue," Molecules, Dec. 2, 2019, 24(23):4199, 10 pages. cited by applicant

Chen et al., "Arrayed profiling of multiple glycans on whole living cell surfaces." *Analytical Chemistry*, Oct. 15, 2013, 85(22):11153-11158. cited by applicant

Belaghzal et al., "Hi-C 2.0: An Optimized Hi-C Procedure for High-Resolution Genome-Wide Mapping of Chromosome Conformation," *Methods*, Jul. 1, 2016, 101:1-10. cited by applicant

Belton et al., "Hi-C: A comprehensive technique to capture the conformation of genomes," *Methods*, Nov. 2012, 58(3):268-276, 16 pages. cited by applicant

Bentzen et al., "Large-scale detection of antigen-specific T cells using peptide-MHC-I multimers labeled with DNA barcodes," *Nat Biotechnol.*, Oct. 2016, 34(10):1031-1036. cited by applicant

Eastburn, "Microfluidic droplet enrichment for targeted sequencing," *Nucleic Acids Research*, 2015, 43(13):1-8. cited by applicant

Fan et al., "Illumina Universal Bead Arrays," *Methods in Enzymology*, 2006, 410:57-73. cited by applicant

Hadrup et al., "Parallel detection of antigen-specific T-cell responses by multidimensional encoding of MHC multimers," *Nat. Methods.*, Jul. 2009, 6(7), 520-524. cited by applicant

Hobro et al., "An evaluation of fixation methods: Spatial and compositional cellular changes observed by Raman imaging," *Vibrational Spectroscopy*, Jul. 2011, 55(2):145-152. cited by applicant

Landegren et al., "A Ligase-Mediated Gene Detection Technique," *Science*, 1988, 241(4869):1077-1080. cited by applicant

Mamedov et al., "Preparing unbiased T-cell receptor and antibody cDNA libraries for the deep next generation sequencing profiling," *Frontiers in Immunol.*, 2016, 7:152. cited by applicant

Oksuz et al., "Systematic evaluation of chromosome conformation capture assays," *Nature Methods*, Sep. 2021, 18:1046-1055. cited by applicant

Rohland et al., "Partial uracil-DNA-glycosylase treatment for screening of ancient DNA," *Phil. Trans. R. Soc. B*, Jan. 19, 2015, 370(1660): 20130624, 11 pages. cited by applicant

Schmidl et al., "ChIPmentation: fast, robust, low-input ChIP-seq for histones and transcription factors," *Nature Methods*, Oct. 2015, 12:963-965. cited by applicant

Su et al., "Restriction enzyme selection dictates detection range sensitivity in chromatin conformation capture-based variant-to-gene mapping approaches," *bioRxiv*, 2019, 416811. cited by applicant

10xGenomics.com, [online], "Visium Spatial Gene Expression Reagent Kits—User Guide," Jan. 2022, retrieved on Jun. 27, 2024, retrieved from URL <<https://web.archive.org/web/20230326192142/https://www.10xgenomics.com/support/spatial-gene-expression-fresh-frozen/documentation/steps/library-preparation/spatial-gene-expression-reagent-kits-user-guide>>, 71 pages. cited by applicant

Kuhn et al., "A novel, high-performance random array platform for quantitative gene expression profiling," *Genome Res*, 2004, 14:2347-2356. cited by applicant

Howell et al., "iFRET: An Improved Fluorescence System for DNA-Melting Analysis," *Genome Research*, 2002, 12:1401-1407. cited by applicant

Nam et al., "Nanoparticle-Based Bio-Bar Codes for the Ultrasensitive Detection of Proteins," *Science*, Sep. 26, 2003, 301(5641):1884-1886. cited by applicant

Redmond et al., "Single-cell TCRseq: paired recovery of entire T-cell alpha and beta chain transcripts in T-cell receptors from single-cell RNAseq," *Genome Biology*, 2017, 18:1-12. cited by applicant

Asp et al., "A spatiotemporal organ-wide gene expression and cell atlas of the developing human heart," *Cell*, Dec. 12, 2019, 179(7):1647-1660. cited by applicant

Nelson, "The Most Popular Cutting Styles of Gaskets & Their Advantages," *Grand River Rubber & Plastics Blog*, Feb. 18, 2020, retrieved on Dec. 3, 2024, retrieved from URL <<https://www.info.grrp.com/blog/the-most-popular-cutting-styles-of-gaskets-their-advantages>>, 4 pages. cited by applicant

Schwiers et al., "A high-sensitivity, medium-density, and target amplification-free planar waveguide microarray system for gene expression analysis of formalin-fixed paraffin-embedded tissue," *Clin. Chem.*, Nov. 2009, 55(11):1995-2003. cited by applicant

10xGenomics.com [online], "Visium Spatial Gene Expression Reagent Kits—Tissue Optimization," Nov. 2019, retrieved on Jan. 25, 2022, retrieved from URL <https://assets.ctfassets.net/an68im79xiti/4q03w6959AJFxfS5w1ee9/6a2ac61cf6388a7256eeb96bc294967/CG00238_VisiumSpatialTissueOptimization.pdf>, 10 pages. cited by applicant

Barnett et al., "ATAC-Me Captures Prolonged DNA Methylation of Dynamic Chromatin Accessibility Loci during Cell Fate Transitions," *Mol Cell.*, Mar. 2020, 77(3):651-663. cited by applicant

Cruz et al., "Methylation in cell-free DNA for early cancer detection," *Ann Oncol.*, Jun. 2018, 29(6):1351-1353. cited by applicant

Hamaguchi et al., "Direct reverse transcription-PCR on oligo(dr)-immobilized polypropylene microplates after capturing total mRNA from crude cell lysates," *Anal. Biochem.*, 2004, 344(11):2256-63. cited by applicant

Ke et al., "In situ sequencing for RNA analysis in preserved tissue and cells," *Nat Methods.*, Sep. 2013, Supplementary Materials, 29 pages. cited by applicant

Miner et al., "Molecular barcodes detect redundancy and contamination in hairpin-bisulfite PCR," *Nucleic Acids Res.*, Sep. 2004, 32(17):e135, 4 pages. cited by applicant

Wang et al., "Tagmentation-based whole-genome bisulfite sequencing," *Nature Protocols*, Oct. 2013, 8(10):2022-2032. cited by applicant

Dalma-Weiszhauz et al., "The affymetrix GeneChip platform: an overview," *Methods Enzymol.*, 2006, 410:3-28. cited by applicant

Jensen et al., "Zinc fixation preserves flow cytometry scatter and fluorescence parameters and allows simultaneous analysis of DNA content and synthesis, and protein expression," *Cytometry A.*, Aug. 2010, 77(8):798-804. cited by applicant

Lahiani et al., "Enabling Histopathological Annotations on Immunofluorescent Images through Virtualization of Hematoxylin and Eosin," *J Pathol Inform.*, Feb. 2016, 7(1):1-10. cited by applicant

Lou et al., "A review of room temperature storage of biospecimen tissue and nucleic acids for anatomic pathology laboratories and biorepositories," *Clin Biochem.*, 2016, 51:267-73. cited by applicant

Lykidis et al., "Novel zinc-based fixative for high quality DNA, RNA and protein analysis," *Nucleic Acids Res.*, Jun. 2007, 35(12):e85, 10 pages. cited by applicant

Miller et al., "Chapter 11—Solid and Suspension Microarrays for Microbial Diagnostics," *Methods in Microbiology*, 2015, 42:395-431. cited by applicant

Nadji et al., "Immunohistochemistry of tissue prepared by a molecular-friendly fixation and processing system," *Appl Immunohistochem Mol Morphol.*, Sep. 2016, 24:1-10. cited by applicant

Passow et al., "RNA later and flash freezing storage methods nonrandomly influence observed gene expression in RNAseq experiments," *bioRxiv*, Jul. 2018, 358811. cited by applicant

Porreca et al., "Polony DNA sequencing," *Curr Protoc Mol Biol.*, Nov. 2006, Chapter 7, Unit 7.8, pp. 7.8.1-7.8.22. cited by applicant

Vickovic et al., "SM-Omics: An automated Platform for High-Throughput Spatial Multi-Omics," *bioRxiv*, Oct. 2020, 40 pages. cited by applicant

Wohnhaas et al., "DMSO cryopreservation is the method of choice to preserve cells for droplet-based single-cell RNA sequencing," *Scientific Reports*, Jul. 2020, 10(1):1-10. cited by applicant

Asp et al., "Spatially Resolved Transcriptomes-Next Generation Tools for Tissue Exploration," *Bioessays*, Oct. 2020, 42(10):e1900221, 16 pages. cited by applicant

Balakrishnan et al., "Flap endonuclease 1," *Annu Rev Biochem.*, Jun. 2013, 82:119-138. cited by applicant

Bergenstr hle et al., "Seamless integration of image and molecular analysis for spatial transcriptomics workflows," *BMC Genomics*, Jul. 2020, 21(1):482, 7 pages. cited by applicant

Berger et al., "Universal bases for hybridization, replication and chain termination," *Nucleic Acid Res.*, Aug. 2000, 28(15): 2911-2914. cited by applicant

Blair et al., "Microarray temperature optimization using hybridization kinetics," *Methods Mol Biol.*, 2009, 529:171-96. cited by applicant

Bolotin et al., "MiXCR: software for comprehensive adaptive immunity profiling," *Nat Methods.*, May 2015, 12(5):380-1. cited by applicant

Chen et al., "Parallel single nucleotide polymorphism genotyping by surface invasive cleavage with universal detection," *Anal. Chem.*, Apr. 2005, 77(8):2400-2406. cited by applicant

Chester et al., "Dimethyl sulfoxide-mediated primer Tm reduction: a method for analyzing the role of renaturation temperature in the polymerase chain reaction," *Anal. Biochem.*, 1993, 209(2):284-90. cited by applicant

Ciacio et al., "Systems analysis of EGF receptor signaling dynamics with microwestern arrays," *Nat Methods*, Feb. 2010, 7(2):148-55. cited by applicant

Gerard et al., "Excess dNTPs minimize RNA hydrolysis during reverse transcription," *Biotechniques*, Nov. 2002, 33(5):984, 986, 988, 990. cited by applicant

Hessner et al., "Genotyping of factor V G1691A (Leiden) without the use of PCR by invasive cleavage of oligonucleotide probes," *Clin Chem.*, Aug. 2000, 46(8):1031-1036. cited by applicant

Hoffman et al., "Formaldehyde crosslinking: a tool for the study of chromatin complexes," *J Biol Chem.*, Oct. 2015, 290(44):26404-11. cited by applicant

Hughes et al., "Microfluidic Western blotting," *PNAS*, Dec. 2012, 109(52):21450-21455. cited by applicant

Juc  et al., "Effect of dimethyl sulfoxide on reverse transcriptase activity," *Braz. J. Med. Biol. Res.*, Mar. 1995, 28(3):285-90. cited by applicant

Kalantari et al., "Deparaffinization of formalin-fixed paraffin-embedded tissue blocks using hot water instead of xylene," *Anal Biochem.*, Aug. 2016, 507:71-3.

Krzywkowski et al., "Chimeric padlock and iLock probes for increased efficiency of targeted RNA detection," *RNA*, Jan. 2019, 25(1):82-89. cited by applicant

Krzywkowski et al., "Fidelity of RNA templated end-joining by chlorella virus DNA ligase and a novel iLock assay with improved direct R.NA detection accuracy," *RNA*, Oct. 2017, 45(18):e161, 9 pages. cited by applicant

Lyamichev et al., "Invader assay for SNP genotyping," *Methods Mol Biol.*, 2003, 212:229-40. cited by applicant

Lyamichev et al., "Polymorphism identification and quantitative detection of genomic DNA by invasive cleavage of oligonucleotide probes," *Nat Biotechnol.*, 2003, 21:103-107. cited by applicant

Nilsson et al., "RNA-templated DNA ligation for transcript analysis," *Nucleic Acids Res.*, Jan. 2001, 29(2):578-81. cited by applicant

Olivier, "The Invader assay for SNP genotyping," *Mutat. Res.*, Jun. 2005, 573(1-2):103-110. cited by applicant

Penno et al., "Stimulation of reverse transcriptase generated cDNAs with specific indels by template RNA structure: retrotransposon, dNTP balance, RT-reagents," *Nucleic Acids Res.*, Sep. 2017, 45(17):10143-10155. cited by applicant

Perocchi et al., "Antisense artifacts in transcriptome microarray experiments are resolved by actinomycin D," *Nucleic Acids Res.*, 2007, 35(19):e128, 7 pages.

Picelli et al., "Full-length RNA-seq from single cells using Smart-seq2," *Nat Protoc.*, Jan. 2014, 9(1):171-81. cited by applicant

Schouten et al., "Relative quantification of 40 nucleic acid sequences by multiplex ligation-dependent probe amplification," *Nucleic Acids Res.*, Jun. 2002, 30(12):E150-E156. cited by applicant

Singh et al., "High-throughput targeted long-read single cell sequencing reveals the clonal and transcriptional landscape of lymphocytes," *Nat Commun.*, Jul. 2019, 10(7):1-10. cited by applicant

Sountoulidis et al., "SCRINSHOT, a spatial method for single-cell resolution mapping of cell states in tissue sections," *PLoS Biol.*, Nov. 2020, 18(11):e300061. cited by applicant

Spiess et al., "A highly efficient method for long-chain cDNA synthesis using trehalose and betaine," *Anal. Biochem.*, Feb. 2002, 301(2):168-74. cited by applicant

Sutherland et al., "Utility of formaldehyde cross-linking and mass spectrometry in the study of protein-protein interactions," *J. Mass Spectrom.*, Jun. 2008, 43(6):1033-1042. cited by applicant

Toubanaki et al., "Dry-reagent disposable biosensor for visual genotyping of single nucleotide polymorphisms by oligonucleotide ligation reaction: application in forensic DNA analysis," *Hum Mutat.*, Aug. 2008, 29(8):1071-8. cited by applicant

Tu et al., "TCR sequencing paired with massively parallel 3' RNA-seq reveals clonotypic T cell signatures," *Nature Immunology*, Dec. 2019, 20(12):1692-1699.

Valley et al., "Optoelectronic tweezers as a tool for parallel single-cell manipulation and stimulation," *IEEE Trans Biomed Circuits Syst.*, Dec. 2009, 3(6):424-431.

Vázquez Bernat et al., "High-Quality Library Preparation for NGS-Based Immunoglobulin Germline Gene Inference and Repertoire Expression Analysis," *Front Immunol.*, 2020, 11:10660, 12 pages. cited by applicant

Wu et al., "RollFISH achieves robust quantification of single-molecule RNA biomarkers in paraffin-embedded tumor tissue samples," *Commun Biol.*, Nov. 2020, 3(11):1-10. cited by applicant

Yasukawa et al., "Effects of organic solvents on the reverse transcription reaction catalyzed by reverse transcriptases from avian myeloblastosis virus and Moloney murine leukemia virus," *Biosci Biotechnol Biochem.*, 2010, 74(9):1925-30. cited by applicant

Aran et al., "xCell: digitally portraying the tissue cellular heterogeneity landscape," *Genome Biol.*, Nov. 2017, 18(1):220, 14 pages. cited by applicant

Plongthongkum et al., "Advances in the profiling of DNA modifications: cytosine methylation and beyond," *Nature Reviews Genetics*, Aug. 2014, 15(10):647-660.

Salmén et al., "Barcoded solid-phase RNA capture for Spatial Transcriptomics profiling in mammalian tissue sections," *Nature Protocols*, Oct. 2018, 13(11):2159-2174. cited by applicant

Hayes et al., "Electrophoresis of proteins and nucleic acids: I-Theory," *BMJ*, Sep. 1989, 299(6703):843-6. cited by applicant

[No Author Listed], "Chromium Next GEM Single Cell 3' Reagent Kits v3.1 (Dual Index)—User Guide," 10x Genomics, Mar. 2021, Document No. CG000310. cited by applicant

10xGenomics.com, [online], "Visium Spatial Gene Expression Reagent Kits—Tissue Optimization," Oct. 2020, retrieved on Dec. 28, 2021, retrieved from URL <https://assets.ctfassets.net/an68im79xiti/5UJrNOCH17rEkOUXwd19It/e54d99fb08a8f1500aba503005a04a56/CG000238_VisiumSpatialTissueOptimization.pdf>, 43 pages. cited by applicant

10xGenomics.com, [online], "Visium Spatial Gene Expression Reagent Kits—User Guide," Oct. 2020, retrieved on Dec. 28, 2021, retrieved from URL <https://assets.ctfassets.net/an68im79xiti/3GGlfH3RWpd1bFVhalpexR/8baa08d9007157592b65b2cdc7130990/CG000239_VisiumSpatialGeneExpressionUserGuide.pdf>, 70 pages. cited by applicant

Blanco et al., "A practical approach to FRET-based PNA fluorescence in situ hybridization," *Methods*, Dec. 2010, 52(4):343-51. cited by applicant

Czarnik, "Encoding methods for combinatorial chemistry," *Curr Opin Chem Biol.*, Jun. 1997, 1(1):60-6. cited by applicant

Macbeath et al., "Printing proteins as microarrays for high-throughput function determination," *Science*, Sep. 2000, 289(5485):1760-1763. cited by applicant

Morlan et al., "Selective depletion of rRNA enables whole transcriptome profiling of archival fixed tissue," *PLoS One*, Aug. 2012, 7(8):e42882, 8 pages. cited by applicant

Pellestor et al., "The peptide nucleic acids (PNAs), powerful tools for molecular genetics and cytogenetics," *Eur J Hum Genet.*, Sep. 2004, 12(9):694-700. cited by applicant

illumina.com [online], "Ribo-Zero® rRNA Removal Kit Reference Guide," Aug. 2016, retrieved on Apr. 26, 2022, retrieved from URL <https://jp.support.illumina.com/content/dam/illumina-support/documents/documentation/chemistry_documentation/ribosomal-depletion/ribo-zero/ribo-zero-15066012-02.pdf>, 36 pages. cited by applicant

Niedringhaus et al., "Landscape of next-generation sequencing technologies," *Anal Chem.*, Jun. 2011, 83(12):4327-41. cited by applicant

Qiu et al., "Combination probes with intercalating anchors and proximal fluorophores for DNA and RNA detection," *Nucleic Acids Research*, Sep. 2016, 44(18):8331-8341. cited by applicant

Zhao et al., "Isothermal Amplification of Nucleic Acids," *Chemical Reviews*, Nov. 2015, 115(22):12491-12545. cited by applicant

U.S. Appl. No. 16/353,937, Frisen et al.. cited by applicant

U.S. Appl. No. 17/707,189, Chell et al.. cited by applicant

Wang et al., "Optimization of Process Conditions for Infected Animal Tissues by Alkaline Hydrolysis Technology," *Procedia Environmental Sciences*, 2016, 309:103-110. cited by applicant

U.S. Appl. No. 60/416,118, filed Oct. 3, 2002, Fan et al. cited by applicant

U.S. Appl. No. 61/267,363, filed Dec. 7, 2009, Fan et al. cited by applicant

U.S. Appl. No. 61/839,313, filed Jun. 25, 2013, Chee et al. cited by applicant

U.S. Appl. No. 61/839,320, filed Jun. 25, 2013, Chee et al. cited by applicant

[No Author Listed], "Chromium Next GEM Single Cell 3' Reagent Kits v3.1," User Guide, Document No. CG000204, 10x Genomics, Nov. 2019, 58 pages. cited by applicant

[No Author Listed], "HuSNP Mapping Assay User's Manual," Affymetrix Part No. 90094 (Affymetrix, Santa Clara, Calif.), GeneChip, 2000, 104 pages. cited by applicant

[No Author Listed], "Microarray technologies have excellent possibilities in genomics-related researches," *Science Tools From Amersham Pharmacia Biotech* (English Translation). cited by applicant

[No Author Listed], "Proseek@ Multiplex 96x96 User Manual," Olink Proteomics, Olink Bioscience, Uppsala, Sweden, 2017, 20 pages. cited by applicant

10xGenomics.com, [online], "Visium Spatial Gene Expression Reagent Kits—User Guide," Jun. 2020, retrieved on May 25, 2021, retrieved from URL <https://assets.ctfassets.net/an68im79xiti/3GGHH3RWpd1bFVhalpexR/8baa08d9007157592b65b2cdc7130990/CG000239_VisiumSpatialGeneExpressionUserGuide.pdf>, 70 pages. cited by applicant

10xGenomics.com, [online], "Visium Spatial Gene Expression Reagent Kits—Tissue Optimization—User Guide," Jul. 2020, retrieved on May 25, 2021, retrieved from URL <https://assets.ctfassets.net/an68im79xiti/5UJrNOCH17rEkOUXwd19It/e54d99fb08a8f1500aba503005a04a56/CG000238_VisiumSpatialTissueOptimization.pdf>

43 pages. cited by applicant

- Adessi et al., "Solid phase DNA amplification: characterisation of primer attachment and amplification mechanisms," Nucl. Acids Res., 2000, 28(20):E87, 8 pages. cited by applicant
- Adiconis et al., "Comparative analysis of RNA sequencing methods for degraded or low-input samples," Nat Methods, Jul. 2013, 10(7):623-9. cited by applicant
- Affymetrix, "GeneChip Human Genome U133 Set," retrieved from the Internet: on the World Wide Web at affymetrix.com/support/technical/datasheets/hgu133a2.pdf, on Feb. 26, 2003, 2 pages. cited by applicant
- Affymetrix, "Human Genome U95Av2," Internet Citation, retrieved from the internet: on the World Wide Web affymetrix.com, retrieved on Oct. 2, 2002, 1 page. cited by applicant
- Alam, "Proximity Ligation Assay (PLA)," Curr Protoc Immunol., Nov. 2018, 123(1):e58, 8 pages. cited by applicant
- Albretsen et al., "Applications of magnetic beads with covalently attached oligonucleotides in hybridization: Isolation and detection of specific measles virus RNA from cell lysate," Anal. Biochem., 1990, 189(1):40-50. cited by applicant
- Allawi et al., "Thermodynamics and NMR of Internal GAT Mismatches in DNA," Biochemistry, 1996, 36(34):10581-10594. cited by applicant
- Andor.com [online], "Discover new ways of seeing," Next Generation Digital Illumination, Mosaic 3, 2020. 11 pages. cited by applicant
- Andresen et al., "Helicase-dependent amplification: use in OnChip amplification and potential for point-of-care diagnostics," Expert Rev Mol Diagn., Oct. 2011, 11(10):1191-1200. cited by applicant
- Archer et al., "Selective and flexible depletion of problematic sequences from RNA-seq libraries at the cDNA stage," BMC Genomics, May 2014, 15(1):401-410. cited by applicant
- Armani et al., "2D-PCR: a method of mapping DNA in tissue sections," Lab Chip, 2009, 9(24):3526-34. cited by applicant
- Atkinson et al., "An Updated Protocol for High Throughput Plant Tissue Sectioning," Front Plant Sci, 2017, 8:1721, 8 pages. cited by applicant
- Atkinson, "Overview of Translation: Lecture Manuscript," U of Texas, 2000, DD, pp. 6.1-6.8. cited by applicant
- Bains et al., "A novel method for nucleic acid sequence determination," Journal of Theoretical Biology, 1988, 135(3), 303-7. cited by applicant
- Barnes, "PCR amplification of up to 35-kb DNA with high fidelity and high yield from lambda bacteriophage templates," Proc. Natl. Acad. Sci USA, 1994, 91(12):5600-5604. cited by applicant
- Bartosovic et al., "Single-cell CUT&Tag profiles histone modifications and transcription factors in complex tissues," Nat Biotechnol., Jul. 2021, 39(7):825-833. cited by applicant
- Baugh et al., "Quantitative analysis of mRNA amplification by in vitro transcription," Nucleic Acids Res., 2001, 29(5):e29. 9 pages. cited by applicant
- Beattie et al., "Advances in genosensor research," Clin Chem., May 1995, 41(5):700-6. cited by applicant
- Beechem et al., "High-Plex Spatially Resolved RNA and Protein Detection Using Digital Spatial Profiling: A Technology Designed for Immuno-oncology Biomedical Translational Research," Methods Mol Biol, 2020, Chapter 25, 2055:563-583. cited by applicant
- Bell, "A simple way to treat PCR products prior to sequencing using ExoSAP-IT," Biotechniques, 2008, 44(6):834, 1 page. cited by applicant
- Bentley et al., "Accurate whole human genome sequencing using reversible terminator chemistry," Nature, 2008, 456(7218):53-59. cited by applicant
- Bimey et al., "Identification and analysis of functional elements in 1% of the human genome by the Encode pilot project," Nature, 2007, 447(7146):799-816. cited by applicant
- Blanchard et al., "High-density oligonucleotide arrays," Biosensors & Bioelectronics, 1996, 11(6-7):687-690. cited by applicant
- Blokzijl et al., "Profiling protein expression and interactions: proximity ligation as a tool for personalized medicine," J Intern. Med., 2010, 268(3):232-245. cited by applicant
- Blow, "Tissue Issues," Nature, 2007, 448(7156):959-962. cited by applicant
- Brandon et al., "Mitochondrial mutations in cancer," Oncogene, 2006, 25(34):4647-4662. cited by applicant
- Brenner et al., "Gene expression analysis by massively parallel signature sequencing (MPSS) on microbead arrays," Nat. Biotech., 2000, 18(6):630-634. cited by applicant
- Brenner et al., "In vitro cloning of complex mixtures of DNA on microbeads: physical separation of differentially expressed cDNAs," Proc. Natl. Acad. Sci. U.S.A., 1996, 93(12):6160-6165. cited by applicant
- Brow, "35 - The Cleavase I enzyme for mutation and polymorphism scanning," PCR Applications Protocols for Functional Genomics, 1999, pp. 537-550. cited by applicant
- Brown et al., "Retroviral integration: structure of the initial covalent product and its precursor, and a role for the viral IN protein," Proc Natl Acad Sci USA, 1996, 93(12):6160-6165. cited by applicant
- Buenrostro et al., "Transposition of native chromatin for multimodal regulatory analysis and personal epigenomics," Nat Methods, Dec. 2013, 10(12):1213-1218. cited by applicant
- Bullard et al., "Direct comparison of nick-joining activity of the nucleic acid ligases from bacteriophage T4," Biochem. J. 2006, 398(1):135-144. cited by applicant
- Burgess, "A space for transcriptomics," Nature Reviews Genetics, 2016, 17(8):436-7. cited by applicant
- Burgess, "Finding structure in gene expression," Nature Reviews Genetics, 2018, 19(5):249, 1 page. cited by applicant
- Burton et al., "Coverslip Mounted-Immersion Cycled in Situ RT-PCR for the Localization of mRNA in Tissue Sections," Biotechniques, 1998, 24(1):92-100. cited by applicant
- Calvert, "Materials science. Printing cells," Science, Oct. 2007, 318(5848):208-209. cited by applicant
- Carter et al., "Stabilization of an optical microscope to 0.1 nm in three dimensions," Applied Optics, 2007, 46:421-427. cited by applicant
- Cha et al., "Specificity, efficiency, and fidelity of PCR," Genome Res., 1993, 3(3):S18-29. cited by applicant
- Chandra et al., "Cell-free synthesis-based protein microarrays and their applications," Proteomics, 2009, 9(6):717-30. cited by applicant
- Chatterjee et al., "Mitochondrial DNA mutations in human cancer. Oncogene," 2006, 25(34):4663-4674. cited by applicant
- Chen et al., "DNA hybridization detection in a microfluidic Channel using two fluorescently labelled nucleic acid probes," Biosensors and Bioelectronics, 2000, 15(12):1055-1060. cited by applicant
- Chen et al., "Expansion microscopy," Science, 2015, 347(6221):543-548. cited by applicant
- Chen et al., "Nanoscale imaging of RNA with expansion microscopy," Nat Methods, Aug. 2016, 13(8):679-84. cited by applicant
- Chen et al., "RNA imaging. Spatially resolved, highly multiplexed RNA profiling in single cells," Science, Apr. 2015, 348(6233):aaa6090, 21 pages. cited by applicant
- Chen et al., "Spatial Transcriptomics and In Situ Sequencing to Study Alzheimer's Disease," Cell, Aug. 2020, 182(4):976-991. cited by applicant
- Chen et al., "Spatially resolved, highly multiplexed RNA profiling in single cells," Science, 2015, 348(6233):aaa6090, 21 pages. cited by applicant
- Chen et al., "μCB-seq: microfluidic cell barcoding and sequencing for high-resolution imaging and sequencing of single cells," Lab Chip. Nov. 2020, 20(21):3950-3960. cited by applicant
- Chrisney et al., "Covalent attachment of synthetic DNA to self-assembled monolayer films," Nucleic Acids Res., Aug. 1996, 24(15):3031-9. cited by applicant
- Cockroft et al., "A single-molecule nanopore device detects DNA polymerase activity with single-nucleotide resolution," J Am Chem Soc., Jan. 2008, 130(3):1000-1005. cited by applicant
- Constantine et al., "Use of genechip high-density oligonucleotide arrays for gene expression monitoring," Life Science News, Amersham Life Science, 1998, 19(1):1-6. cited by applicant
- Corces et al., "An improved ATAC-seq protocol reduces background and enables interrogation of frozen tissues," Nat. Methods, 2017, 14(10):959-962. cited by applicant
- Credle et al., "Multiplexed analysis of fixed tissue RNA using Ligation *in situ* Hybridization," Nucleic Acids Research, 2017, 45(14):e128, 9 pages. cited by applicant
- Crosetto et al., "Spatially resolved transcriptomics and beyond," Nature Review Genetics, 2015, 16(1):57-66. cited by applicant
- Cujec et al., "Selection of v-abl tyrosine kinase substrate sequences from randomized peptide and cellular proteomic libraries using mRNA display," Chemistry Letters, 1999, 28(2):253-264. cited by applicant
- Dahl et al., "Circle-to-circle amplification for precise and sensitive DNA analysis," Proc. Natl. Acad. Sci., 2004, 101(13):4548-4553. cited by applicant
- Darmanis et al., "ProteinSeq: High-Performance Proteomic Analyses by Proximity, Ligation and Next Generation Sequencing," PLoS One, 2011, 6(9):e25583. cited by applicant
- Daubendiek et al., "Rolling-Circle RNA Synthesis: Circular Oligonucleotides as Efficient Substrates for T7 RNA Polymerase," J. Am. Chem. Soc., 1995, 117(1):1-6. cited by applicant
- Davies et al., "How best to identify chromosomal interactions: a comparison of approaches," Nat. Methods, 2017, 14(2):125-134. cited by applicant
- Deamer et al., "Characterization of nucleic acids by nanopore analysis," Acc Chem Res., Oct. 2002, 35(10):817-25. cited by applicant
- Dean et al., "Comprehensive human genome amplification using multiple displacement amplification," Proc Natl. Acad. Sci. USA, 2002, 99(8):5261-66. cited by applicant

Deng et al., "Spatial Epigenome Sequencing at Tissue Scale and Cellular Level," BioRxiv, Mar. 2021, 40 pages. cited by applicant

Dhindsa et al., "Virtual Electrowetting Channels: Electronic Liquid Transport with Continuous Channel Functionality," Lab Chip, 2010, 10:832-836. cited by applicant

Dressman et al., "Transforming single DNA molecules into fluorescent magnetic particles for detection and enumeration of genetic variations," Proc. Natl. Acad. Sci., 100(15):8817-8822. cited by applicant

Drmanac et al., "CoolMPS™: Advanced massively parallel sequencing using antibodies specific to each natural nucleobase," BioRxiv, 2020, 19 pages. cited by applicant

Druley et al., "Quantification of rare allelic variants from pooled genomic DNA," Nat. Methods, 2009, 6(4):263-65. cited by applicant

Duncan et al., "Affinity chromatography of a sequence-specific DNA binding protein using Teflon-linked oligonucleotides," Anal. Biochem., 1988, 169(1):10-15. cited by applicant

Eberwine, "Amplification of mRNA populations using aRNA generated from immobilized oligo(dT)-T7 primed cDNA," Bio Techniques, 1996, 20(4):584-91. cited by applicant

Eguiluz et al., "Multitissue array review: a chronological description of tissue array techniques, applications and procedures," Pathology Research and Practice, 2007, 105(1):1-10. cited by applicant

Eldridge et al., "An in vitro selection strategy for conferring protease resistance to ligand binding peptides," Protein Eng Des Sel., 2009, 22(11):691-698. cited by applicant

Ellington et al., "Antibody-based protein multiplex platforms: technical and operational challenges," Clin Chem, 2010, 56(2):186-193. cited by applicant

Eng et al., "Profiling the transcriptome with RNA SPOTs," Nat Methods., 2017, 14(12):1153-1155. cited by applicant

Fire et al., "Rolling replication of short DNA circles," Proc. Natl. Acad. Sci., 1995, 92(10):4641-4645. cited by applicant

Flanigan et al., "Multiplex protein detection with DNA readout via mass spectrometry," N. Biotechnol., 2013, 30(2):153-158. cited by applicant

Fluidigm, "Equivalence of Imaging Mass Cytometry and Immunofluorescence on FFPE Tissue Sections," White Paper, 2017, 12 pages. cited by applicant

Fluidigm, "Hyperion Imaging System: Visualize a new path forward," Feb. 2018, retrieved from URL <<https://www.fluidigm.com/binaries/content/documents/Aresultset/hyperion-imaging-system-br-400326/fluidigm%3Afile>>, 27 pages. cited by applicant

Fluidigm, "Immuno-Oncology Research with the Hyperion Imaging System: A high-parameter imaging solution at subcellular resolution to characterize the intratumor microenvironment," Apr. 2018, retrieved from URL <<https://www.fluidigm.com/binaries/content/documents/fluidigm/search/hippo%3Aresultset/application/immuno-oncology-research-with-the-hyperion-imaging-system-br-400332/fluidigm%3Afile>>, 6 pages. cited by applicant

Fluidigm, "Immuno-Oncology Research with the Hyperion Imaging System: A high-parameter imaging solution at subcellular resolution to characterize the intratumor microenvironment," Aug. 2018, retrieved from URL <<https://www.fluidigm.com/binaries/content/documents/fluidigm/marketing/immuno-oncology-research-with-the-hyperion-imaging-system-appnote-400332/fluidigm%3Afile>>, 6 pages. cited by applicant

Fluidigm, "Maxpar Antibodies for Imaging Mass Cytometry," Mar. 2018, retrieved from URL <<https://www.fluidigm.com/binaries/content/documents/fluidigm/search/maxpar-antibodies-for-imaging-mass-cytometry-br-101-7115/fluidigm%3Afile>>, 2 pages. cited by applicant

Fodor et al., "Light-directed, spatially addressable parallel chemical synthesis," Science, 1995, 251(4995):767-773. cited by applicant

Forcucci et al., "All-plastic miniature fluorescence microscope for point-of-care readout of bead-based bioassays," J. Biomed Opt., 2015, 20(10):105010, 15 pages. cited by applicant

Forster et al., "A human gut bacterial genome and culture collection for improved metagenomic analyses," Nature Biotechnology, 2019, 37(2):186-192. cited by applicant

Frese et al., "Formylglycine aldehyde Tag—protein engineering through a novel post-translational modification," ChemBioChem., 2009, 10(3):425-27. cited by applicant

Fu et al., "Counting individual DNA molecules by the stochastic attachment of diverse labels," PNAS, 2011, 108(22):9026-9031. cited by applicant

Fu et al., "Repeat subtraction-mediated sequence capture from a complex genome," Plant J., Jun. 2010, 62(5):898-909. cited by applicant

Fu et al., "Continuous Polony Gels for Tissue Mapping with High Resolution and RNA Capture Efficiency," bioRxiv, 2021, 20 pages. cited by applicant

Fullwood et al., "Next-generation DNA sequencing of paired-end tags (PET) for transcriptome and genome analyses," Genome Res., 2009, 19(4):521-532. cited by applicant

Ganguli et al., "Pixelated spatial gene expression analysis from tissue," Nat Commun., Jan. 2018, 9(1):202, 9 pages. cited by applicant

Gao et al., "Q&A: Expansion microscopy," BMC Biology, 15:50, 9 pages, 2017. cited by applicant

Genc@arrays[online], BeadArray Technology, available on or before Feb. 14, 2015, via Internet Archive: Wayback Machine URL <<https://web.archive.org/web/20150214084616/http://genearrays.com/services/microarrays/illumina/beadarray-technology/>>, [retrieved on Jan. 30, 2020], 3 pages. cited by applicant

Gill et al., "Nucleic acid isothermal amplification technologies: a review," Nucleosides Nucleotides Nucleic Acids, Mar. 2008, 27(3):224-43. cited by applicant

Glass et al., "SIMPLE: a sequential immunoperoxidase labeling and erasing method," J. Histochem. Cytochem., Oct. 2009, 57(10):899-905. cited by applicant

Gloor, "Gene targeting in *Drosophila*," Methods Mol Biol., 2004, 260:97-114. cited by applicant

Gnanapragasam, "Unlocking the molecular archive: the emerging use of formalin-fixed paraffin-embedded tissue for biomarker research in urological cancer," J. Urol., 2005, 173(2):274-278. cited by applicant

Goldkorn et al., "A simple and efficient enzymatic method for covalent attachment of DNA to cellulose. Application for hybridization-restriction analysis and DNA probes," Nucleic Acids Res., 1986, 14(22):9171-9191. cited by applicant

Goryshin et al., "Tn5 in vitro transposition," J Biol Chem., Mar. 1998, 273(13):7367-74. cited by applicant

Gracia Villacampa et al., "Genome-wide Spatial Expression Profiling in FFPE Tissues," bioRxiv, 2020, pp. 38 pages. cited by applicant

Grokhovsky, "Specificity of DNA cleavage by ultrasound," Molecular Biology, 2006, 40(2):276-283. cited by applicant

Gu et al., "Protein tag-mediated conjugation of oligonucleotides to recombinant affinity binders for proximity ligation," N Biotechnol., 2013, 30(2):144-152. cited by applicant

Gunderson et al., "Decoding randomly ordered DNA arrays," Genome Research, 2004, 14(5):870-877. cited by applicant

Guo et al., "Direct fluorescence analysis of genetic polymorphisms by hybridization with oligonucleotide arrays on glass supports," Nucleic Acids Res., Dec. 2000, 28(24):5507-5512. cited by applicant

Gupta et al., "Single-cell isoform RNA sequencing characterizes isoforms in thousands of cerebellar cells," Nature Biotechnol., Oct. 2018, 36:1197-1202. cited by applicant

Hahnke et al., "Stripease on glass: validation of an improved stripping procedure for in situ microarrays," J Biotechnol., Jan. 2007, 128(1):1-13. cited by applicant

Hardenbol et al., "Highly multiplexed molecular inversion probe genotyping: over 10,000 targeted SNPs genotyped in a single tube assay," Genome Res., Feb. 2007, 17(2):243-252. cited by applicant

Hardenbol et al., "Multiplexed genotyping with sequence-tagged molecular inversion probes," Nature Biotechnol., Jun. 2003, 21(6):673-678. cited by applicant

He et al., "In situ synthesis of protein arrays," Current Opinion in Biotechnology, 2008, 19(1):4-9. cited by applicant

He et al., "Printing protein arrays from DNA arrays," Nature Methods, 2008, 5(2):175-77. cited by applicant

He, "Cell-free protein synthesis: applications in proteomics and biotechnology," New Biotechnology, 2008, 25(2-3):126-132. cited by applicant

Healy, "Nanopore-based single-molecule DNA analysis," Nanomedicine (Lond), Aug. 2007, 2(4):459-81. cited by applicant

Hejatk et al., "In situ hybridization technique for mRNA detection in whole mount Arabidopsis samples," Nature Protocols, 2006, 1(4):1939-1946. cited by applicant

Hiatt et al., "Parallel, tag-directed assembly of locally derived short sequence reads," Nature Methods, 2010, 7(2):119-25. cited by applicant

Ho et al., "Bacteriophage T4 RNA ligase 2 (gp24.1) exemplifies a family of RNA ligases found in all phylogenetic domains," PNAS, Oct. 2002, 99(20):12709-12714. cited by applicant

Hoyer et al., "Electrostatic spraying: a novel technique for preparation of polymer coatings on electrodes," Anal Chem, Nov. 1996, 68(21):3840-4. cited by applicant

Hu et al., "High reproducibility using sodium hydroxide-stripped long oligonucleotide DNA microarrays," Biotechniques, Jan. 2005, 38(1):121-4. cited by applicant

Hycultbiotech.com, [online], "Immunohistochemistry, Paraffin" Apr. 2010, retrieved on Apr. 16, 2020, retrieved from URL <https://www.hycultbiotech.com/media/wysiwyg/Protocol_Immunohistochemistry_Paraffin_2.pdf>, 3 pages. cited by applicant

Ichikawa et al., "In vitro transposition of transposon Tn3," J Biol. Chem., Nov. 1990, 265(31):18829-32, Abstract. cited by applicant

Jamur et al., "Permeabilization of cell membranes," Method Mol. Biol., 2010, 588:63-66. cited by applicant

Jemt et al., "An automated approach to prepare tissue-derived spatially barcoded RNA-sequencing libraries," Scientific Reports, 2016, 6:37137, 10 pages. cited by applicant

Kap et al., "Histological assessment of PAXgene tissue fixation and stabilization reagents," PLoS One, 2011, 6:027704, 10 pages. cited by applicant

Kapteyn et al., "Incorporation of non-natural nucleotides into template-switching oligonucleotides reduces background and improves cDNA synthesis from vesicles," BMC Genomics, Jul. 2010, 11:413, 9 pages. cited by applicant

Karmakar et al., "Organocatalytic removal of formaldehyde adducts from RNA and DNA bases," Nature Chemistry, Aug. 3, 2015, 7(9):752-758. cited by applicant

Kaya-Akura et al., "CUT&Tag for efficient epigenomic profiling of small samples and single cells," Apr. 2019, 10(1):1930, 10 pages. cited by applicant

Kennedy-Darling et al., "Measuring the Formaldehyde Protein-DNA Cross-Link Reversal Rate," Analytical Chemistry, 2014, 86(12):5678-5681. cited by applicant

Kent et al., "Polymerase θ is a robust terminal transferase that oscillates between three different mechanisms during end-joining" Elife, Jun. 2016, 5:e13740, 2 pages. cited by applicant

Kirby et al., "Cryptic plasmids of *Mycobacterium avium*: Tn552 to the rescue," Mol Microbiol., Jan. 2002, 43(1):173-86. cited by applicant

Kleckner et al., "Tn10 and IS10 transposition and chromosome rearrangements: mechanism and regulation in vivo and in vitro," Curr Top Microbiol Immunol, 1990, 167:1-14. cited by applicant

Korbel et al., "Paired-end mapping reveals extensive structural variation in the human genome," Science, 2007, 318(5849):420-426. cited by applicant

Kozlov et al., "A highly scalable peptide-based assay system for proteomics," PLoS ONE, 2012, 7(6):c37441, 10 pages. cited by applicant

Kozlov et al., "A method for rapid protease substrate evaluation and optimization," Comb Chem High Throughput Screen, 2006, 9(6):481-87. cited by applicant

Kristensen et al., "High-Throughput Methods for Detection of Genetic Variation," BioTechniques, Feb. 2001, 30(2):318-332. cited by applicant

Kurz et al., "cDNA—protein fusions: covalent protein—gene conjugates for the in vitro selection of peptides and proteins," ChemBioChem., 2001, 2(9):666-7. cited by applicant

Kwok, "High-throughput genotyping assay approaches," Pharmacogenomics, Feb. 2000, 1(1):95-100. cited by applicant

Lage et al., "Whole genome analysis of genetic alterations in small DNA samples using hyperbranched strand displacement amplification and array-CGH," Genome Res., 2003, 13(2):294-307. cited by applicant

Lampe et al., "A purified mariner transposase is sufficient to mediate transposition in vitro," EMBO J., Oct. 1996, 15(19):5470-9. cited by applicant

Landegren et al., "Reading bits of genetic information: methods for single-nucleotide polymorphism analysis," Genome Res., Aug. 1998, 8(8):769-76. cited by applicant

Langdale et al., "A rapid method of gene detection using DNA bound to Sephacryl," Gene, 1985, 36(3):201-210. cited by applicant

Larman et al., "Sensitive, multiplex and direct quantification of RNA sequences using a modified RASL assay," Nucleic Acids Research, 2014, 42(14):9146-9. cited by applicant

Lee et al., "Fluorescent in situ sequencing (FISSEQ) of RNA for gene expression profiling in intact cells and tissues," Nature Protocols, 2015, 10(3):442-458. cited by applicant

Lee et al., "Improving the efficiency of genomic loci capture using oligonucleotide arrays for high throughput resequencing," BMC Genomics, Dec. 2009, 10(1):1-10. cited by applicant

Leriche et al., "Cleavable linkers in chemical biology," Bioorganic & Medicinal Chemistry, 2012, 20:571-582. cited by applicant

Levene et al., "Zero-Mode Waveguides for Single-Molecule Analysis at High Concentrations," Science 299, 682-686. 2003. cited by applicant

Li et al., "A photocleavable fluorescent nucleotide for DNA sequencing and analysis," Proc. Natl. Acad. Sci., 2003, 100(2):414-419. cited by applicant

Li et al., "An activity-dependent proximity ligation platform for spatially resolved quantification of active enzymes in single cells," Nat Commun, Nov. 2017, 8:14612. cited by applicant

Li et al., "DNA molecules and configurations in a solid-state nanopore microscope," Nat Mater., Sep. 2003, 2(9):611-5. cited by applicant

Li et al., "RASL-seq for Massively Parallel and Quantitative Analysis of Gene Expression," Curr Protoc Mol Biol., Apr. 2012, 4(13):1-10. cited by applicant

Li et al., "Review: a comprehensive summary of a decade development of the recombinase polymerase amplification," Analyst, Dec. 2018, 144(1):31-67. cited by applicant

Lin et al., "Highly multiplexed imaging of single cells using a high-throughput cyclic immunofluorescence method," Nat Commun., Sep. 2015, 6:8390, 7 pages. cited by applicant

Lin et al., "Microfluidic cell trap array for controlled positioning of single cells on adhesive micropatterns," Lab Chip, Feb. 2013, 13(4):714-721. cited by applicant

Linnarsson, "Recent advances in DNA sequencing methods—general principles of sample preparation," Experimental Cell Research, 2010, 316(8):1339-1343. cited by applicant

Liu et al., "High-Spatial-Resolution Multi-Omics Atlas Sequencing of Mouse Embryos via Deterministic Barcoding in Tissue," BioRxiv, 2019, 55 pages. cited by applicant

Lizardi et al., "Mutation detection and single-molecule counting using isothermal rolling-circle amplification," Nat. Genet., 1998, 19(3):225-232. cited by applicant

Lovatt et al., "Transcriptome in vivo analysis (TIVA) of spatially defined single cells in live tissue," Nature Methods, 2013, 11(2):190-196. cited by applicant

Lu et al., "A microfluidic electroporation device for cell lysis," Lab Chip., Jan. 2005, 5(1):23-29. cited by applicant

Lund et al., "Assessment of methods for covalent binding of nucleic acids to magnetic beads, Dynabeads, and the characteristics of the bound nucleic acids in solution," Nucleic Acids Res., 1988, 16(22):10861-80. cited by applicant

Lundberg et al., "High-fidelity amplification using a thermostable DNA polymerase isolated from *Pyrococcus furiosus*," Gene, 1991, 108(1):1-6. cited by applicant

Lundberg et al., "Homogeneous antibody-based proximity extension assays provide sensitive and specific detection of low-abundant proteins in human blood," Nat Commun, 2015, 6:8390, 7 pages. cited by applicant

Lundberg et al., "Multiplexed homogeneous proximity ligation assays for high-throughput protein biomarker research in serological material," Mol Cell Proteomics, 2010, 9(4):M110.004978, 11 pages. cited by applicant

Lundin et al., "Increased throughput by parallelization of library preparation for massive sequencing," PLoS One, Apr. 2010, 5(4):e10029, 7 pages. cited by applicant

Lundquist et al., "Parallel confocal detection of single molecules in real time," Opt. Lett. 33, 1026-1028, 2008. cited by applicant

Lynch et al., "Immunohistochemical markers for quantitative studies of neurons and glia in human neocortex," J Histochem Cytochem, 2008, 56(3):201-21. cited by applicant

MacIntyre, "Unmasking antigens for immunohistochemistry," Br J Biomed Sci., 2001, 58(3):190-6. cited by applicant

Marx, "Method of the Year: spatially resolved transcriptomics," Nature Methods. 2021, 18(1):9-14. cited by applicant

McCloskey et al., "Encoding PCR products with batch-stamps and barcodes," Biochem. Genet., 2007, 45(11-12):761-767. cited by applicant

Meers et al., "Improved CUT&RUN chromatin profiling tools," Elife, Jun. 2019, 8:e46314, 16 pages. cited by applicant

Merritt et al., "Multiplex digital spatial profiling of proteins and RNA in fixed tissue," Nat Biotechnol, May 2020, 38(5):586-599. cited by applicant

Metzker, "Sequencing technologies—the next generation," Nature Reviews Genetics, 2010, 11(1):31-46. cited by applicant

Miele et al., "Mapping cis- and trans-chromatin interaction networks using chromosome conformation capture (3C)," Methods Mol Biol., 2009, 464:105-21. cited by applicant

Miller et al., "Basic concepts of microarrays and potential applications in clinical microbiology," Clinical Microbiology Reviews, 2009, 22(4):611-633. cited by applicant

Mishra et al., "Three-dimensional genome architecture and emerging technologies: looping in disease," Genome Medicine, 2017, 9(1):87. 14 pages. cited by applicant

Mitra et al., "Digital genotyping and haplotyping with polymerase colonies," Proc. Natl. Acad. Sci. USA, May 2003, 100(10):5926-5931. cited by applicant

Mizusawa et al., "A bacteriophage lambda vector for cloning with BamH1 and Sau3A," Gene, 1982, 20(3):317-322. cited by applicant

Motca et al., "Terminal deoxynucleotidyl transferase: the story of a misguided DNA polymerase," Biochim Biophys Acta., May 2010, 1804(5):1151-66. cited by applicant

Nandakumar et al., "How an RNA Ligase Discriminates RNA versus DNA Damage," Molecular Cell, 2004, 16:211-221. cited by applicant

Ncbi.nlm.nih.gov, [online], "Molecular Inversion Probe Assay," available on or before Oct. 14, 2014, via Internet Archive: Wayback Machine URL <<https://web.archive.org/web/20141014124037/https://www.ncbi.nlm.nih.gov/probe/docs/techmip/>>, retrieved on Jun. 16, 2021, retrieved from URL <<https://www.ncbi.nlm.nih.gov/probe/docs/techmip/>>, 2 pages. cited by applicant

Ng et al., "Gene identification signature (GIS) analysis for transcriptome characterization and genome annotation," Nature Methods, 2005, 2(2):105-111. cited by applicant

Nichols et al., "RNA Ligases," Curr Protoc Mol Biol., Oct. 2008, 84(1):3.15.1-3.15.4. cited by applicant

Nikiforov et al., "The use of 96-well polystyrene plates for DNA hybridization-based assays: an evaluation of different approaches to oligonucleotide immobilization," J Biomater Sci Polym Ed, May 1995, 227(1):201-9. cited by applicant

Niklas et al., "Selective permeabilization for the high-throughput measurement of compartmented enzyme activities in mammalian cells," Anal Biochem, Sep. 1995, 232(1):1-10. cited by applicant

Nowak et al., "Entering the Postgenome Era," Science, 1995, 270(5235):368-71. cited by applicant

Ohtsubo et al., "Bacterial insertion sequences," Curr Top Microbiol Immunol., 1996, 204:1-26. cited by applicant

Pandey et al., "Inhibition of terminal deoxynucleotidyl transferase by adenine dinucleotides. Unique inhibitory action of Ap5A," FEBS Lett., Mar. 1987, 213(1):1-4. cited by applicant

Park et al., "Single cell trapping in larger microwells capable of supporting cell spreading and proliferation," Microfluid Nanofluid, 2010, 8:263-268. cited by applicant

Pemov et al., "DNA analysis with multiplex microarray-enhanced PCR," Nucl. Acids Res., Jan. 2005, 33(2):e11, 9 pages. cited by applicant

Perler et al., "Intervening sequences in an Archaea DNA polymerase gen," Proc Natl Acad Sci USA, Jun. 1992, 89(12):5577-5581. cited by applicant

Pettersson et al., "Generations of sequencing technologies," Genomics, 2009, 93(2):105-111. cited by applicant

Picelli et al., "Tn5 transposase and tagmentation procedures for massively scaled sequencing projects," *Genome Res.*, Dec. 2014, 24(12):2033-40. cited by applicant

Pipenburg et al., "DNA detection using recombination proteins," *PLoS Biol.*, Jul. 2006, 4(7):e204, 7 pages. cited by applicant

Plasterk, "The Tc1/mariner transposon family," *Curr Top Microbiol Immunol.*, 1996, 204:125-43. cited by applicant

Polsky-Cynkin et al., "Use of DNA immobilized on plastic and agarose supports to detect DNA by sandwich hybridization," *Clin. Chem.*, 1985, 31(9):1438-1444. cited by applicant

U.S. Appl. No. 61/267,363, filed Dec. 7, 2009, 33 pages. cited by applicant

Raab et al., "Human tRNA genes function as chromatin insulators," *EMBO J.*, Jan. 2012, 31(2):330-50. cited by applicant

Ranki et al., "Sandwich hybridization as a convenient method for the detection of nucleic acids in crude samples," *Gene*, 1983, 21(1-2):77-85. cited by applicant

Reinartz et al., "Massively parallel signature sequencing (MPSS) as a tool for in-depth quantitative gene expression profiling in all organisms," *Brief Funct Genomics*, 2002, 1(1):95-104. cited by applicant

Reznikoff, "Tn5 as a model for understanding DNA transposition," *Mol Microbiol.*, Mar. 2003, 47(5):1199-206. cited by applicant

Ristic et al., "Detection of Protein-Protein Interactions and Posttranslational Modifications Using the Proximity Ligation Assay: Application to the Study of the Tn5 Transposase," *Methods Mol. Biol.*, 2016, 1449:279-90. cited by applicant

Rodrigues et al., "Slide-seq: A scalable technology for measuring genome-wide expression at high spatial resolution," *Science*, 2019, 363(6434):1463-1467. cited by applicant

Ronaghi et al., "A sequencing method based on real-time pyrophosphate," *Science*, Jul. 1998, 281(5375):363-365. cited by applicant

Ronaghi et al., "Real-time DNA sequencing using detection of pyrophosphate release," *Analytical Biochemistry*, Nov. 1996, 242(1):84-89. cited by applicant

Ronaghi, "Pyrosequencing sheds light on DNA sequencing," *Genome Res.*, Jan. 2001, 11(1):3-11. cited by applicant

Rountenberg et al., "Microfluidic probe: a new tool for integrating microfluidic environments and electronic wafer-orbina," *Lab Chip*, Oct. 2009, 10: 123-124. cited by applicant

Roy et al., "Assessing long-distance RNA sequence connectivity via RNA-templated DNA-DNA ligation," *eLife*, 2015, 4:e03700, 21 pages. cited by applicant

Saxonov et al., "10x Genomics, Mastering Biology to Advance Human Health," PowerPoint, 10x. 2020, 41 pages. cited by applicant

Schena et al., "Quantitative monitoring of gene expression patterns with a complementary DNA microarray," *Science*, Oct. 1995, 270(5235):467-470. cited by applicant

Schweitzer et al., "Multiplexed protein profiling on microarrays by rolling-circle amplification," *Nature Biotechnology*, Apr. 2002, 20(4):359-365. cited by applicant

Shalon et al., "A Dna microarray system for analyzing complex DNA samples using two-color fluorescent probe hybridization," *Genome Res.*, Jul. 1996, 6(7):743-751. cited by applicant

Shelbourne et al., "Fast copper-free click DNA ligation by the ring-strain promoted alkyne-azide cycloaddition reaction," *Chem. Commun.*, 2011, 47(22):6257-6259. cited by applicant

Shendure et al., "Accurate multiplex polony sequencing of an evolved bacterial genome," *Science*, 2005, 309(5741):1728-1732. cited by applicant

Simonis et al., "Nuclear organization of active and inactive chromatin domains uncovered by chromosome conformation capture-on-chip (4C)," *Nat Genet.*, Nov. 2007, 39(11):1201-1209. cited by applicant

Skene et al., "An efficient targeted nuclease strategy for high-resolution mapping of DNA binding sites," *Elife*, Jan. 2017, 6:e21856, 35 pages. cited by applicant

Soni and Meller, "Progress toward ultrafast DNA sequencing using solid-state nanopores," *Clin Chem.*, 2007, 53:1996-2001. cited by applicant

Spitale et al., "Structural imprints in vivo decode RNA regulatory mechanisms," *Nature*, 2015, 519(7544):486-90. cited by applicant

Stahl et al., "Visualization and analysis of gene expression in tissue sections by spatial transcriptomics," *Science*, Jun. 2016, 353(6294):78-82. cited by applicant

Stahl et al., "Visualization and analysis of gene expression in tissue sections by spatial transcriptomics," *Supplementary Materials, Science*, Jul. 2016, 353(6294):78-82. cited by applicant

Stimpson et al., "Real-time detection of DNA hybridization and melting on oligonucleotide arrays by using optical wave guides," *Proc Natl Acad Sci USA*, Jun. 2000, 97(12):6445-6450. cited by applicant

Stoddart et al., "Single-nucleotide discrimination in immobilized DNA oligonucleotides with a biological nanopore," *PNAS USA.*, May 2009, 106(19):7702-7707. cited by applicant

Strell et al., "Placing RNA in context and space—methods for spatially resolved transcriptomics," *The FEBS Journal*, 2019, 286(8):1468-1481. cited by applicant

Stroh et al., "Quantum dots spectrally distinguish multiple species within the tumor milieu in vivo," *Nat Med.*, Jun. 2005, 11(6):678-82. cited by applicant

Taylor et al., "Mitochondrial DNA mutations in human disease," *Nature Reviews Genetics*, May 2005, 6(5):389-402. cited by applicant

Tentori et al., "Detection of Isoforms Differing by a Single Charge Unit in Individual Cells," *Chem. Int. Ed.*, 2016, 55(40):12431-5. cited by applicant

Tian et al., "Antigen peptide-based immunosensors for rapid detection of antibodies and antigens," *Anal Chem*, 2009, 81(13):5218-5225. cited by applicant

Tijssen et al., "Overview of principles of hybridization and the strategy of nucleic acid assays" in *Techniques in Biochemistry and Molecular Biology—Hybridization*, 1993. 24(Chapter 2), 65 pages. cited by applicant

Tolbert et al., "New methods for proteomic research: preparation of proteins with N-terminal cysteines for labeling and conjugation," *Angewandte Chemie International Edition*, 2002, 41(12):2171-4. cited by applicant

Trejo et al., "Extraction-free whole transcriptome gene expression analysis of FFPE sections and histology-directed subareas of tissue," *PLoS ONE*, Feb. 2015, 10(2):e0117830. cited by applicant

Twyman et al., "Techniques Patents for SNP Genotyping," *Pharmacogenomics*, Jan. 2003, 4(1):67-79. cited by applicant

U.S. Appl. No. 60/416,118 Fan et al., Multiplex Nucleic Acid Analysis Using Archived or Fixed Samples, filed Oct. 3, 2002, 22 pages. cited by applicant

Van Gelder et al., "Amplified RNA synthesized from limited quantities of heterogeneous cDNA," *Proc. Natl. Acad. Sci. USA*, 1990, 87(5):1663-1667. cited by applicant

Vandernoot et al., "cDNA normalization by hydroxyapatite chromatography to enrich transcriptome diversity in RNA-seq applications," *Biotechniques*, Dec. 2000, 29(6):1005-1007. cited by applicant

Vasiliskov et al., "Fabrication of microarray of gel-immobilized compounds on a chip by copolymerization," *Biotechniques*, Sep. 1999, 27(3):592-606. cited by applicant

Velculescu et al., "Serial analysis of gene expression," *Science*, Oct. 1995, 270(5235):484-7. cited by applicant

Vickovic et al., "High-definition spatial transcriptomics for in situ tissue profiling," *Nature Methods*, 2019, 9 pages. cited by applicant

Vincent et al., "Helicase-dependent isothermal DNA amplification," *EMBO Rep.*, Aug. 2004, 5(8):795-800. cited by applicant

Viollet et al., "T4 RNA ligase 2 truncated active site mutants: improved tools for RNA analysis," *BMC Biotechnol.*, Jul. 2011, 11:72, 14 pages. cited by applicant

Vogelstein et al., "Digital PCR," *Proceedings of the National Academy of Sciences*, Aug. 1999, 96(16):9236-9241. cited by applicant

Waichman et al., "Functional immobilization and patterning of proteins by an enzymatic transfer reaction," *Analytical chemistry*, 2010, 82(4):1478-85. cited by applicant

Walker et al., "Strand displacement amplification—an isothermal, in vitro DNA amplification technique," *Nucleic Acids Research*, 1992, 20(7):1691-1696. cited by applicant

Wang et al., "Concentration gradient generation methods based on microfluidic systems," *RSC Adv.*, 2017, 7:29966-29984. cited by applicant

Wang et al., "Imaging-based pooled CRISPR screening reveals regulators of lncRNA localization," *Proc Natl Acad Sci USA*, May 2019, 116(22):10842-10850. cited by applicant

Wang et al., "High-fidelity mRNA amplification for gene profiling," *Nature Biotechnology*, Apr. 2000, 18(4):457-459. cited by applicant

Wang, "RNA amplification for successful gene profiling analysis," *J Transl Med.*, Jul. 2005, 3:28, 11 pages. cited by applicant

Weinreich et al., "Evidence that the cis Preference of the Tn5 Transposase is Caused by Nonproductive Multimerization," *Genes and Development*, Oct. 1994, 8(10):1201-1210. cited by applicant

Wheeler et al., "Microfluidic device for single-cell analysis," *Analytical Chemistry*, Jul. 2003, 75(14):3581-3586. cited by applicant

Wiedmann et al., "Ligase chain reaction (LCR)—overview and applications," *PCR Methods Appl.*, Feb. 1994, 3(4):S51-64. cited by applicant

Wilson et al., "New transposon delivery plasmids for insertional mutagenesis in *Bacillus anthracis*," *J Microbiol Methods*, Dec. 2007, 71(3):332-5. cited by applicant

Wolf et al., "Rapid hybridization kinetics of DNA attached to submicron latex particles," *Nucleic Acids Res*, 1987, 15(7):2911-2926. cited by applicant

Wong et al., "Direct Site-Selective Covalent Protein Immobilization Catalyzed by a Phosphopantetheinyl Transferase," *J. Am. Chem Soc.*, 2008, 130(37):12453-12462. cited by applicant

Worthington et al., "Cloning of random oligonucleotides to create single-insert plasmid libraries," *Anal Biochem*, 2001, 294(2):169-175. cited by applicant

Wu et al., "Detection DNA Point Mutation with Rolling-Circle Amplification Chip," *IEEE, 2010 4th International Conference on Bioinformatics and Biomedical Engineering*, 2010, 4 pages. cited by applicant

Yeakley et al., "Profiling alternative splicing on fiber-optic arrays," *Nature biotechnology*, 2002, 20:353-358. cited by applicant

Yeakley et al., "A trichostatin A expression signature identified by TempO-Seq targeted whole transcriptome profiling," *PLoS One*, May 2017, 12(5):e0178300. cited by applicant

applicant
Yershov et al., "DNA analysis and diagnostics on oligonucleotide microchips," Proc. Natl. Acad. Sci. USA, May 1996, 93(10):4913-4918. cited by applicant
Yin et al., "Genetically encoded short peptide tag for versatile protein labeling by Sfp phosphopantetheinyl transferase," PNAS, 2005, 102(44):15815-20. cited by applicant
Yoda et al., "Site-specific gene expression analysis using an automated tissue micro-dissection punching system," Sci Rep., Jun. 2017. 7(1):4325, 11 pages. cited by applicant
Zhang et al., "Archaeal RNA ligase from thermococcus kodakarensis for template dependent ligation," RNA Biol., Jan. 2017, 14(1):36-44. cited by applicant
Zhang et al., "Assembling DNA through Affinity Binding to Achieve Ultrasensitive Protein Detection," Angew Chem Int Ed Engl., 2013, 52(41):10698-705. cited by applicant
Zhang et al., "Binding-induced DNA assembly and its application to yoctomole detection of proteins," Anal Chem, 2012, 84(2):877-884. cited by applicant
Zhang et al., "Multiplex ligation-dependent probe amplification (MLPA) for ultrasensitive multiplexed microRNA detection using ribonucleotide-modified DNA," J. Biomater. Sci. Polym. Ed., 2013, 25(1):1-10. cited by applicant
Commun., 2013, 49:10013-10015. cited by applicant
Zheng et al., "Origins of human mitochondrial point mutations as DNA polymerase gamma-mediated errors," Mutat. Res., 2006, 599(1-2):11-20. cited by applicant
Zhou et al., "Genetically encoded short peptide tags for orthogonal protein labeling by Sfp and AcpS phosphopantetheinyl transferases," ACS Chemical Biol., 2012, 7(12):1055-1062. cited by applicant
Zhu et al., "Reverse transcriptase template switching: a SMART approach for full-length cDNA library construction," Biotechniques, Apr. 2001, 30(4):892-894. cited by applicant

Primary Examiner: Chin; Christopher L

Assistant Examiner: Lusi; Ellis Follett

Attorney, Agent or Firm: Fish & Richardson P.C.

Background/Summary

CROSS-REFERENCE TO RELATED APPLICATION (1) This application claims the benefit of U.S. Patent Application Ser. No. 62/962,559, titled ELECTROPHORETIC SYSTEM AND METHOD FOR PREPARING SAMPLE, filed Jan. 17, 2020, the disclosure of which is hereby incorporated by reference in its entirety.

BACKGROUND

(1) Cells within a tissue have differences in cell morphology and/or function due to varied analyte levels (e.g., gene and/or protein expression) within the different cells. The specific position of a cell within a tissue (e.g., the cell's position relative to neighboring cells or the cell's position relative to the tissue microenvironment) can affect, e.g., the cell's morphology, differentiation, fate, viability, proliferation, behavior, signaling, and cross-talk with other cells in the tissue.

(2) Spatial heterogeneity has been previously studied using techniques that typically provide data for a handful of analytes in the context of intact tissue or a portion of a tissue (e.g., tissue section), or provide significant analyte data from individual, single cells, but fails to provide information regarding the position of the single cells from the originating biological sample (e.g., tissue).

(3) Various methods have been used to capture analytes from a biological sample for analyzing analyte data in the sample. In some applications, a biological sample can be permeabilized to facilitate transfer of analytes out of the sample, and/or to facilitate transfer of species (such as capture probes) into the sample. If a sample is not permeabilized sufficiently, the amount of analyte captured from the sample may be too low to enable adequate analysis.

SUMMARY

(4) This document generally relates to electrophoretic apparatuses, systems, and methods for capturing analytes from a sample, such as a biological sample.

(5) Some embodiments described herein include an electrophoretic system for analyte capture from a biological sample, such as a cell or a tissue sample including a cell. The electrophoretic system can be used to permeabilize the sample to allow analytes to be released from the sample (e.g., the cell therein). For example, the sample can be contacted with capture probes attached to a substrate (e.g., a surface of the substrate), and an electric field created by the electrophoretic system can cause analytes to be released from the cell, and effectively migrate toward and bind to the capture probes attached to the substrate. Loss of spatial resolution can occur when analytes migrate from a sample to capture probes (e.g., feature array) and a component of diffusive migration occurs in a transverse (e.g., lateral) direction, approximately parallel to the surface of the substrate on which the sample is mounted. The electrophoretic system described herein can actively direct analytes released from a cell to the capture probes, thereby improving spatial resolution by eliminating or reducing such diffusive migration in the transverse direction.

(6) In some implementations, a substrate (e.g., slide) on which a sample (e.g., cell, tissue, etc.) is placed can include a conductive material and used as an anode in the electrophoretic system described herein. An electrode can be placed to be spaced apart from the substrate, and used as a cathode. A non-conductive spacer can be arranged between the substrate and the electrode. The substrate, the electrode, and the spacer can be at least partially immersed in a buffer. The electrophoretic system can apply a voltage between the electrodes (i.e., the substrate comprising the anode, and the electrode as the cathode) to cause analytes to release from the sample and migrate to capture probes attached to the substrate.

(7) In some implementations, the electrophoretic system described herein can include a variety of substrate cassettes configured for analyzing multiple samples. For example, a substrate cassette can be configured to engage a substrate that has multiple substrate regions. The substrate cassette can include a plurality of apertures corresponding to the substrate regions of the substrate, respectively. The plurality of apertures can be used as a plurality of chambers for receiving buffers, respectively. The substrate can be made of a conductive material and used as a common anode for the plurality of chambers. A cathode can be configured to include a plurality of electrode plates or pins that can extend into the chambers at least partially filled with buffers, respectively. The electrophoretic system can apply a voltage between the substrate (as the anode) and the cathode (including the electrode plates or pins) to cause analytes to release from the samples in each of the substrate regions, and migrate to a capture probe provided at each of the substrate regions of the substrate.

(8) Particular embodiments described herein include an electrophoretic system for migrating analytes in a biological sample. The system includes a substrate, a cathode, a buffer chamber, and a controller. The substrate may include a substrate region configured to place a capture probe thereon. The substrate region may be configured to receive the biological sample containing analytes. The substrate may be configured to be usable as an anode. The cathode may be spaced apart from the substrate. The buffer chamber may be disposed between the substrate and the cathode and configured to contain a buffer. The controller may be configured to generate an electric field between the substrate and the cathode such that the analytes in the biological sample migrate toward the capture probe on the substrate.

(9) In some implementations, the system can optionally include one or more of the following features. The substrate may include a conductive material. The substrate may be coated with a conductive material. The conductive material may include at least one of tin oxide (TO), indium tin oxide (ITO), a transparent conductive oxide (TCO), aluminum doped zinc oxide (AZO), or fluorine doped tin oxide (FTO). The substrate may include an array of substrate regions configured to place capture probes thereon. The capture probe may be immobilized on the substrate region. The system may include a spacer disposed between the substrate and the cathode to define the buffer chamber. The buffer may include a permeabilization reagent. The system may include a power supply, and electrical wires connecting the power supply to the substrate and the cathode. The system may

include a substrate cassette configured to hold the substrate and include a plurality of apertures configured to define a plurality of buffer chambers on the substrate.

(10) Particular embodiments described herein include a method for migrating analytes in a biological sample to a substrate. The method may include placing the biological sample in contact with a capture probe on a substrate, the biological sample including analytes; arranging a cathode relative to the substrate at a distance; providing a buffer between the cathode and the biological sample on the substrate; and generating an electric field between the cathode and the substrate to cause the analytes to migrate toward the capture probe on the substrate.

(11) In some implementations, the system can optionally include one or more of the following features. The capture probe may be immobilized on the substrate. The substrate may include a conductive material. The substrate may be coated with a conductive material. The conductive material may include at least one of tin oxide (TO), indium tin oxide (ITO), a transparent conductive oxide (TCO), aluminum doped zinc oxide (AZO), or fluorine doped tin oxide (FTO). The substrate may include an array of substrate regions configured to place capture probes thereon. The method may include arranging a spacer between the substrate and the cathode to contain the buffer between the substrate and the cathode. The buffer may include a permeabilization reagent. The method may include connecting electrical wires from a power supply with the substrate and the cathode, respectively.

(12) Particular embodiments described herein include an electrophoretic system. The system may include a substrate, a substrate cassette, a cathode assembly, and a controller. The substrate may include a plurality of substrate regions including capture probes and one or more biological samples containing analytes. The substrate cassette may be configured to hold the substrate and include a plurality of apertures corresponding to the plurality of substrate regions of the substrate. The plurality of apertures may be configured to define a plurality of buffer chambers on the plurality of substrate regions of the substrate. The cathode assembly may include a plurality of electrode plates. The plurality of electrode plates may be configured to position within the plurality of buffer chambers of the substrate cassette. The controller may be configured to generate electric fields between the plurality of substrate regions and the plurality of electrode plates, respectively, such that the analytes in the biological samples migrate toward the capture probes on the substrate.

(13) In some implementations, the system can optionally include one or more of the following features. The biological samples may be placed in contact with the capture probes on the plurality of substrate regions. The plurality of substrate regions may include a plurality of wells recessed on the substrate. The substrate cassette may include a substrate holder and a gasket. The substrate holder may include a substrate mount for securing the substrate. The gasket may include a plurality of gasket apertures configured to align with the plurality of substrate regions when the substrate is secured by the substrate holder. The plurality of apertures may include the plurality of gasket apertures. The substrate holder may include a plurality of holder apertures configured to align with the plurality of gasket apertures when the substrate is secured by the substrate holder. The plurality of apertures may include the plurality of gasket apertures and the plurality of holder apertures. The system may include a substrate cover configured to be arranged on the substrate cassette and include a plurality of cover apertures configured to align with the plurality of apertures of the substrate cassette. The cathode assembly may be mounted to the substrate cover and the plurality of electrode plates of the cathode assembly may be configured to extend through the plurality of cover apertures into the plurality of apertures of the substrate. The substrate may be coated with a conductive material. The conductive material may include at least one of tin oxide (TO), indium tin oxide (ITO), a transparent conductive oxide (TCO), aluminum doped zinc oxide (AZO), or fluorine doped tin oxide (FTO). The buffer may include a permeabilization reagent. The system may include a power supply, and electrical wires connecting the power supply to the cathode and each of the plurality of substrate regions of the substrate.

(14) Particular embodiments described herein include a method for capturing analytes from a biological sample. The method may include placing biological samples in contact with capture probes on a substrate, the biological sample including analytes; arranging a substrate cassette onto the substrate to align a plurality of apertures of the substrate cassette with a plurality of substrate regions of the substrate and define a plurality of buffer chambers on the plurality of substrate regions; supplying buffers in the plurality of buffer chambers; arranging a cathode to place a plurality of electrode plates of the cathode within the plurality of buffer chambers; and generating electric fields between the plurality of substrate regions and the plurality of electrode plates to cause the analytes in the biological samples to migrate toward the capture probes on the substrate.

(15) In some implementations, the system can optionally include one or more of the following features. The capture probes may be immobilized on the plurality of substrate regions. The biological samples may be placed in contact with the capture probes on the plurality of substrate regions. The plurality of substrate regions may include a plurality of wells recessed on the substrate. The substrate cassette may include a substrate holder and a gasket. The substrate holder may include a substrate mount for securing the substrate. The gasket may include a plurality of gasket apertures configured to align with the plurality of substrate regions when the substrate is secured by the substrate holder. The plurality of apertures may include the plurality of gasket apertures. The substrate holder may include a plurality of holder apertures configured to align with the plurality of gasket apertures when the substrate is secured by the substrate holder. The plurality of apertures may include the plurality of gasket apertures and the plurality of holder apertures. The method may include providing a substrate cover including a plurality of cover apertures and mounting the cathode assembly; and placing the substrate cover onto the substrate cassette such that the plurality of cover apertures of the substrate cover is aligned with the plurality of apertures of the substrate cassette, respectively, and such that the plurality of plates of the cathode assembly extends through the plurality of cover apertures into the plurality of apertures of the substrate. The substrate may be coated with a conductive material. The conductive material may include at least one of tin oxide (TO), indium tin oxide (ITO), a transparent conductive oxide (TCO), aluminum doped zinc oxide (AZO), or fluorine doped tin oxide (FTO).

(16) The devices, system, and techniques described herein may provide one or more of the following advantages. Some embodiments described herein include an electrophoretic system configured to provide appropriate permeabilization of a sample and reduce lateral diffusion that may result from incomplete permeabilization of the sample, thereby increasing the amount of analytes captured and available for detection.

(17) Further, the electrophoretic system described herein can eliminate or reduce additional permeabilization processes. The electrophoretic system can achieve a desired level of spatial resolution without other types of permeabilization or with reduced additional permeabilization. For example, the electrophoretic system can eliminate a need of a permeabilization agent. Alternatively, the electrophoretic system can permit for a reduced amount of permeabilization agent to be used to achieve a desired level of spatial resolution. For example, prior to electrophoresis, a sample can be contacted with a permeabilization agent only for a shorter period of time than a time for complete permeabilization of the sample. Such incomplete permeabilization of the sample can be compensated by the electrophoretic system described herein that eliminates or reduces lateral diffusion of migrating analytes (i.e., analyte diffusion in the transverse direction—orthogonal to the normal direction to the surface of the sample).

(18) Moreover, the electrophoretic system described herein can cause analytes to actively migrate to capture probes by electrophoretic transfer, thereby permitting for the spatial location of the analytes captured by the capture probes on a substrate to be more precise and representative of the spatial location of the analytes in the biological sample than when the analytes are migrated to the capture probes under different environments.

(19) All publications, patents, and patent applications mentioned in this specification are herein incorporated by reference to the same extent as if each individual publication, patent, patent application, or item of information was specifically and individually indicated to be incorporated by reference. To the extent publications, patents, patent applications, and items of information incorporated by reference contradict the disclosure contained in the specification, the specification is intended to supersede and/or take precedence over any such contradictory material.

(20) Where values are described in terms of ranges, it should be understood that the description includes the disclosure of all possible sub-ranges within such ranges, as well as specific numerical values that fall within such ranges irrespective of whether a specific numerical value or specific sub-range is expressly stated.

(21) The term “each,” when used in reference to a collection of items, is intended to identify an individual item in the collection but does not necessarily refer to every item in the collection, unless expressly stated otherwise, or unless the context of the usage clearly indicates otherwise.

(22) Various embodiments of the features of this disclosure are described herein. However, it should be understood that such embodiments are

provided merely by way of example, and numerous variations, changes, and substitutions can occur to those skilled in the art without departing from the scope of this disclosure. It should also be understood that various alternatives to the specific embodiments described herein are also within the scope of this disclosure.

Description

DESCRIPTION OF DRAWINGS

- (1) The following drawings illustrate certain embodiments of the features and advantages of this disclosure. These embodiments are not intended to limit the scope of the appended claims in any manner. Like reference symbols in the drawings indicate like elements.
 - (2) FIG. 1 schematically illustrates an example electrophoretic system.
 - (3) FIG. 2 schematically illustrates an example substrate.
 - (4) FIGS. 3A-D illustrate example substrates and samples undergoing electrophoretic process.
 - (5) FIG. 4 is a flowchart of an example process for preparing a sample.
 - (6) FIG. 5 schematically illustrates an example electrophoretic system.
 - (7) FIG. 6 schematically illustrates an example substrate.
 - (8) FIG. 7 shows an example substrate holder with a substrate in an assembled state.
 - (9) FIG. 8 shows a bottom surface of an example substrate holder including a gasket and receiving a substrate.
 - (10) FIGS. 9A-C show A) a top view of an example substrate holder in an open position, B) a side view of a latitudinal side of the substrate holder and C) is a cross sectional view of the substrate holder.
 - (11) FIGS. 10A and B illustrate an example placement of a substrate into the substrate holder.
 - (12) FIG. 11 schematically illustrates an example configuration of a substrate region and a sample undergoing electrophoretic process in each buffer chamber.
 - (13) FIG. 12 is a flowchart of an example process for preparing a sample.
 - (14) FIG. 13 schematically illustrates an example system for preparing a sample.
 - (15) FIG. 14 illustrates another example substrate.
 - (16) FIGS. 15A-C are A) a perspective view of an example device including a plate and a substrate holder for heating a substrate, B) top perspective view of the plate, and C) a bottom perspective view of the plate.
 - (17) FIG. 16 is an exploded view of the substrate holder of FIG. 15.
 - (18) FIGS. 17A-B are A) a top perspective view of a bottom member of the substrate, and B) a bottom perspective view of the bottom member of FIG. 16.
 - (19) FIG. 18 is a perspective view of the bottom member of FIG. 17A coupled to the plate of FIG. 15.
 - (20) FIG. 19 is a perspective view of the bottom member of FIG. 17A coupled to a second plate embodiment.
 - (21) FIGS. 20A-B are A) a front perspective view of a fastener for use with the bottom member of FIG. 17 and B) a back perspective view of the fastener.
 - (22) FIG. 21 is a perspective view of a gasket for use with the substrate holder of FIG. 16.
 - (23) FIGS. 22A-B are A) a top perspective view of a top member of the substrate holder, and B) a bottom perspective view of the top member of FIG. 16.
 - (24) FIGS. 23A-C are A) a perspective view of an example substrate holder, B) an exploded view of the substrate holder, and C) a partial, perspective view of the substrate holder.
 - (25) FIGS. 24A-C are A) a top perspective view of the substrate, B) a bottom perspective view of the substrate, and C) a side perspective view of the substrate holder of FIG. 23A.
 - (26) FIG. 25 is a perspective view of an example gasket.
- ### DETAILED DESCRIPTION
- (27) In general, the present disclosure provides electrophoretic apparatuses, systems, and methods for preparing a sample for a spatial analysis described herein.
- (28) Some embodiments include an electrophoretic system for preparing a biological sample, such as a cell or a tissue sample including a cell. The electrophoretic system can be used to permeabilize the sample to allow analytes to be released from the sample (e.g., the cell therein). For example, the sample can be contacted with capture probes attached to a substrate (e.g., a surface of the substrate), and an electric field created by the electrophoretic system can cause analytes to be released from the cell, and effectively migrate toward and bind to the capture probes attached to the substrate. The electrophoretic system described herein can actively direct analytes released from a cell to the capture probes, thereby improving spatial resolution by eliminating or reducing diffusive migration.
- (29) In some implementations, a substrate on which a sample is placed can include a conductive material that can be used as an anode in the electrophoretic system described herein. An electrode can be placed in an arrangement in the system such that the electrode is spaced apart from the substrate. The electrode can be used as a cathode in the system. A non-conductive spacer can be arranged between the substrate and the electrode. In some embodiments, one or more conductive materials, electrodes, and/or non-conductive spacers can be used in the system described herein. The substrate, the electrode, and the spacer can be at least partially immersed in a buffer. In some embodiments, the substrate, the electrode, the spacer, or any combination thereof, can be fully immersed in a buffer. The electrophoretic system can apply a voltage between the electrodes (i.e., the substrate as the anode, and the electrode as the cathode) to cause analytes to release from the sample and migrate to capture probes attached to the substrate.
- (30) In some implementations, a variety of substrate cassettes for analyzing multiple samples can be used with the electrophoresis system provided herein. For example, a substrate cassette can be configured to engage a substrate that has multiple substrate regions. The substrate cassette can include a plurality of apertures corresponding to the substrate regions of the substrate, respectively. The plurality of apertures can be used as a plurality of chambers for receiving buffers, respectively. The substrate can be made of a conductive material and used as a common anode for the plurality of chambers. A cathode can be configured to include a plurality of electrode plates that can extend into the chambers at least partially filled with buffers, respectively. The electrophoretic system can apply a voltage between the substrate (as the anode) and the cathode (including the electrode plates) to cause analytes to release from the samples in each of the substrate regions, and migrate to a capture probe provided at each of the substrate regions of the substrate.
- (31) Referring to FIGS. 1-4, an example electrophoretic system **3000** is described for preparing a sample. FIG. 1 schematically illustrates an example configuration of the electrophoretic system **3000**. In some implementations, the electrophoretic system **3000** can be used to provide electrophoretic permeabilization of a sample, and/or actively cause analytes in the sample to migrate to capture probes on a substrate. In some embodiments, the electrophoretic system **3000** can be used to enhance electrophoretic permeabilization of a sample by actively directing analytes in the sample with desired directionality. For example, electrophoretic permeabilization by the system **3000** can result in higher analyte capture events (by, e.g., driving more analytes to the capture probes) and better spatial fidelity of captured analytes (e.g., on a feature array) than random diffusion onto matched substrates without the application of an electric (e.g., increases resolution of spatial analysis detection).
- (32) In some implementations, the electrophoretic system **3000** can include a substrate **3002** as a first electrode, a second electrode **3004**, an electrophoretic container **3006**, and a control system **3008**. The system **3000** can further include a spacer **3010**.

(33) Referring to FIG. 1, the substrate **3002** is configured to receive a sample **3012** that contains analytes. The sample **3012** includes a biological sample, such as a cell or a tissue including a cell. The substrate **3002** can include a substrate region **3016** for receiving the sample **3012** thereon. In some implementations, the substrate **3002** can place a plurality of capture probes **3018** on the substrate region **3016**. The capture probes **3018** can be placed on the substrate region **3016** in various manners, such as a variety of ways generally described herein. For example, the capture probes **3018** can be directly attached to a feature that is on an array. Alternatively or in addition, the capture probes **3018** can be immobilized on the substrate region **3016** of the substrate **3002**. The sample **3012** can be prepared on the substrate **3002** in various ways generally described herein.

(34) In some implementations, the substrate **3002** is configured to be used as a first electrode in the electrophoretic system **3000**. For example, the substrate **3002** can be used as an anode. In another example, the substrate **3002** can be used as a cathode.

(35) The substrate **3002** can be configured as a conductive substrate described generally herein. For example, the substrate **3002** can include one or more conductive materials that permit for the substrate **3002** to function as an electrode (e.g., the anode). Examples of such a conductive material include tin oxide (TO), indium tin oxide (ITO), a transparent conductive oxide (TCO), aluminum doped zinc oxide (AZO), fluorine doped tin oxide (FTO), and any combination thereof. Alternatively or in addition, other materials may be used to provide desired conductivity to the substrate **3002**. In some implementations, the substrate **3002** can be coated with the conductive material. For example, the substrate **3002** can include a conductive coating on the surface thereof, and the sample **3012** is provided on the coating of the substrate **3002**.

(36) Although the substrate **3002** is illustrated to include a single substrate region **3016** in FIG. 2, other implementations of the substrate **3002** can include a plurality of substrate regions that are configured to place capture probes and/or samples thereon, respectively.

(37) In the illustrated example of FIG. 1, the substrate **3002** is used as the anode, and the second electrode **3004** is configured as a cathode. In this example, therefore, the second electrode **3004** can also be referred to as the cathode **3004**. In some implementations, the cathode **3004** can include a conductive plate, one or more pins, or other suitable configurations. In other implementations, the cathode **3004** can include a conductive substrate that is similar to the substrate **3002**. In this configuration, in some implementations, the cathode **3004** does not include capture probes, agents, solutions, or other substances or materials that may interact with the sample placed on the substrate **3002**.

(38) The substrate **3002** and the cathode **3004** can be arranged within the electrophoretic container **3006**. The electrophoretic container **3006** can provide a buffer chamber **3022** between the substrate **3002** and the cathode **3004**. The buffer chamber **3022** is configured to contain a buffer **3024**. In some implementations, the substrate **3002** and the cathode **3004** can be fully immersed into the buffer **3024**. In alternative implementations, either or both of the substrate **3002** and the cathode **3004** can be partially inserted into the buffer **3024** contained in the electrophoretic container **3006**.

(39) The buffer **3024** can be of various types. In some implementations, the buffer **3024** includes a permeabilization reagent. In some implementations, the buffer **3024** does not include a permeabilization reagent. The buffer **3024** is contained in the buffer chamber **3022** throughout the electrophoretic process.

(40) The spacer **3010** can be disposed between the substrate **3002** and the cathode **3004** to space them apart at a distance D. The spacer **3010** is made of non-conductive material, such as plastic, glass, porcelain, rubber, etc. The distance D can be determined to provide a desired level of spatial resolution based on several factors, such as the strength and/or duration of electric field generated between the substrate **3002** and the cathode **3004**, and other parameters described herein. The spacer **3010** can define at least part of the buffer chamber **3022** between the substrate **3002** and the cathode **3004**.

(41) The controller **3008** operates to generate an electric field ($-E$) between the substrate **3002** and the cathode **3004**. As illustrated in FIG. 3, the analytes **3014** in the sample **3012** can migrate toward the capture probes **3018** under the electric field ($-E$). The controller **3008** can operate to apply a voltage between the substrate **3002** and the cathode **3004** using a power supply **3020**. The power supply **3020** can include a high voltage power supply. The controller **3008** can be electrically connected to the substrate **3002** and the cathode **3004** using electrical wires **3023**.

(42) FIGS. 3A-D illustrate examples of configurations of a substrate and a sample undergoing electrophoretic process using the electrophoretic system **3000**. The application of electric field ($-E$) causes the analytes **3014** to move towards the capture probes **3018** in the direction of the arrow shown. In some implementations, the analytes **3014** include a protein or a nucleic acid. In some embodiments, the analytes **3014** are negatively charged proteins or nucleic acids. In some embodiments, the analytes **3014** include a positively charged protein or a nucleic acid. In some embodiments, the analytes **3014** includes a negatively charged transcript. For example, the analytes **3014** include a polyA transcript. In some embodiments, the capture probes **3018** are attached to the substrate **3002**. In some embodiments, the capture probes **3018** can be attached on a feature of an array array. In some embodiments, the analytes **3014** move towards the capture probes **3018** for a distance (h). In some embodiments, the buffer **3024** (e.g., including a permeabilization reagent) can be in contact with the sample **3012**, the substrate **3002**, the cathodes **3004**, or any combination thereof. The buffer **3024** can include any of the permeabilization reagents disclosed above including but not limited to a permeabilization reagent, a permeabilization buffer, a permeabilization enzyme, a buffer without a permeabilization reagent, a permeabilization gel, and a permeabilization solution.

(43) FIG. 3B shows another example configuration in which the sample **3012** is on a first substrate **3106**, and there is a gap **3114** in between the sample **3012** and a coating **3110** on the surface of a second substrate **3108**. The coating **3110** can be a conductive coating as described herein. For this embodiment, applied electrophoretic charge causes the analytes **3102** to migrate from the biological sample **3012** on the first substrate, through the buffer **3112** and across the gap **3114** to the capture probes **3104** disposed on the second substrate **3108**. FIG. 3C shows another example configuration in which sample **3012** is on coating **3110** of the second substrate **3108**, but there is no gap present in between the sample **3012** and the first substrate **3106**. FIG. 3D shows another example configuration similar to that of FIG. 3B in which sample **3012** is on the first substrate **3106**, but there is no or minimal gap present between the sample **3012** and the second substrate **3108** upon which is located the capture probes **3104**.

(44) FIG. 4 is a flowchart of an example process **3200** for preparing a sample for use in the electrophoretic systems described herein. In some implementations, the process **3200** includes providing a substrate including capture probes (**3202**), and placing a sample in contact with the the substrate (**3204**). The capture probes can be attached to the substrate in various ways generally described herein. The sample can be placed on the substrate in various ways generally described herein. As described herein, the substrate can be configured and used as an electrophoretic electrode (also referred to herein as a first electrode). In some implementations, the substrate can be configured as a conductive substrate as described herein, such as by including a conductive material in the substrate or providing a conductive coating on an upper or lower surface of the substrate. In some implementations, the substrate can be used as an anode. In alternative implementations, the substrate can be used as a cathode.

(45) The process **3200** can further include arranging a spacer on or above the substrate (**3206**). When a second electrode is arranged as described below, the spacer can be arranged between the second electrode and the first electrode (e.g., the substrate). As described herein, the spacer can be made of a non-conductive material and used to provide a buffer chamber between the first and second electrodes.

(46) The process **3200** can include arranging a second electrode relative to the first electrode (e.g., the substrate) at a distance (**3208**). The second electrode can be used as a cathode when the substrate is used as an anode. Alternatively, the second electrode can be used as an anode when the substrate is used as a cathode. The second electrode can be made of various configurations. For example, the second electrode can include a conductive plate. Alternatively, the second electrode can be configured as a conductive substrate that is configured similarly to the first electrode (e.g., the substrate).

(47) The process **3200** can include providing a buffer between the first electrode and the second electrode (**3210**). The buffer can be contained in the buffer chamber that is provided by the spacer and used to at least partially immerse the first electrode (e.g., the substrate), the second electrode, or both. In some implementations, the buffer can include a permeabilization reagent. Other buffers as described generally herein can be used in other implementations. In some embodiments, both electrodes are immersed in a buffer.

(48) The process **3200** can include generating an electric field between the first electrode (e.g., the substrate) and the second electrode (**3212**). Under

the electric field, analytes included in the sample toward the capture probe on the substrate, wherein the analytes can hybridize to the captures probes. In some implementations, the electric field is generated by applying a voltage between the first and second electrodes, using a power supply electrically connected to the first and second electrodes. For example, the process **3200** can include connecting electrical wires from the power supply with the first electrode (e.g., the substrate) and the second electrode.

(49) Referring to FIGS. **5-12**, another example electrophoretic system **4000** is described. FIG. **5** schematically illustrates an example configuration of the electrophoretic system **4000**. In some implementations, the electrophoretic system **4000** can be used to provide electrophoretic permeabilization of a plurality of samples, and/or actively cause analytes in each sample to migrate to capture probes on a substrate. For example, electrophoretic permeabilization by the system **4000** can result in more analytes being captured by capture probes and better spatial fidelity of captured analytes (e.g., on a feature array) than random diffusion onto substrates without the application of an electric field.

(50) In some implementations, the electrophoretic system **4000** can include a substrate **4002** as a first electrode, a second electrode **4004**, a control system **4008**, and a substrate cassette **4010**.

(51) Referring to FIG. **6**, the substrate **4002** is configured to receive a plurality of samples **4012** that contain analytes. The samples **4012** can include biological samples **4012**, such as a cell or a tissue including a cell. The substrate **4002** can include a plurality of substrate regions **4016** for receiving the sample **4012** thereon. In some implementations, the substrate **4002** a plurality of capture probes **4018** on each substrate region **4016**. The capture probes **4018** can be placed on the substrate region **4016** in various manners, such as a variety of ways generally described herein. For example, the capture probes **4018** can be directly attached to a feature on an array. Alternatively or in addition, the capture probes **4018** can be immobilized on the substrate region **4016** of the substrate **4002**. The sample **4012** can be prepared on the substrate **4002** in various ways generally described herein.

(52) In some implementations, the substrate **4002** is configured to be used as a first electrode in the electrophoretic system **4000**. For example, the substrate **4002** can be used as an anode. In another example, the substrate **4002** can be used as a cathode.

(53) The substrate **4002** can be configured as a conductive substrate as described generally herein. For example, the substrate **4002** can include a conductive material that permits for the substrate **4002** to function as an electrode (e.g., the anode). Examples of such a conductive material include tin oxide (TO), indium tin oxide (ITO), a transparent conductive oxide (TCO), aluminum doped zinc oxide (AZO), fluorine doped tin oxide (FTO), and any combination thereof. Alternatively or in addition, other materials may be used to provide conductivity to the substrate **4002**. In some implementations, the substrate **4002** can be coated with the conductive material. For example, the substrate **4002** can include a conductive coating on the surface thereof, and the sample **4012** is provided on the coating of the substrate **4002**. Other examples of the substrate **4002** are further described below, for example with reference to FIG. **14**.

(54) Referring back to FIG. **5**, the substrate cassette **4010** is configured to accommodate the substrate **4002**. For example, the substrate cassette **4010** can be configured to immovably mount and hold the substrate **4002**. The substrate cassette **4010** can include a plurality of apertures **4006**. The plurality of apertures **4006** can be positioned in the substrate cassette **4110** so as to correspond to the plurality of substrate regions **4016** of the substrate **4002** when the substrate cassette **4010** mounts the substrate **4002**. The plurality of apertures **4006** can define a plurality of buffer chambers **4022** on the plurality of substrate regions **4106** of the substrate **4002**, respectively. The substrate cassette **4010** can be made of non-conductive material, such as plastic, glass, porcelain, rubber, etc.

(55) Referring to FIGS. **7-10**, an example substrate cassette **4190** is illustrated. The substrate cassette **4190** can be used to implement the substrate cassette **4010** in FIG. **5**. The substrate cassette **4190** can include a substrate holder **4200** configured to hold a substrate.

(56) FIG. **7** shows an example substrate holder **4200** with a substrate in an assembled state. This embodiment of the shown substrate holder **4200** can advantageously provide a single-piece component that can be arranged in an open configuration or closed configuration, when desired. In particular, FIG. **7** shows a top surface **4293** of the substrate holder **4200** in a closed position. The substrate holder **4200** includes a plurality of apertures **4256**, which can be used to implement the plurality of apertures **4006** of the substrate cassette **4010** of FIG. **5**.

(57) The substrate holder **4200** can include a substrate loading mechanism for loading and holding the substrate. For example, the substrate loading mechanism can include a first tab **4250a** and a second tab **4250b**. In some embodiments, any type of fastener or engagement feature that allows releasable engagement can be used instead of the first and second tabs **4250a** and **4250b**, such as, for example, screws and press fit type connectors. In some embodiments, the substrate holder **4200** includes 5 tabs or less (e.g., 4 tabs or less, 3 tabs or less, 2 tabs or less, or 1 tab). In some embodiments, the substrate holder **4200** is a single molded unit. Any suitable plastic or polymer can be used as a suitable molding material.

(58) In some embodiments, the substrate holder **4200** includes a substrate mount that has a first surface and a second surface, where the second surface of the substrate mount is configured to mount a substrate for receiving a sample. The substrate holder can include a first portion configured to receive a gasket. The first portion can include a plurality of ribs extending from a surface of the substrate holder. The substrate holder can include a second portion configured to receive a substrate. The first and second portions can be coupled together by a hinge. The first portion can be configured to fold over the second portion to secure the substrate between the first and second portions. In some embodiments, the substrate is a glass slide. In some embodiments, the substrate holder comprises a gasket disposed between the first portion and the second portion of the substrate holder. In some embodiments, the first portion of the substrate holder includes a releasable engagement mechanism configured to secure the first portion to the second portion when the substrate holder is in the closed state. In some embodiments, the first surface of the substrate engages with at least one of the plurality of ribs extending from a surface of the substrate holder. In some embodiments, the second portion defines a recessed cavity formed in the substrate holder configured to receive the substrate. In some embodiments, the second portion can define a cavity configured to receive the substrate.

(59) FIG. **8** shows the bottom surface **4297** of the top component of the substrate holder **4200** of the substrate cassette **4190**, which includes a gasket **4254** and receiving a slide **4252** (e.g., the substrate). The substrate holder **4200** has longitudinal sides **4205** and latitudinal sides **4207**. First and second tabs **4250a** and **4250b** (FIG. **9**), respectively, can protrude from a longitudinal side **4205** of the substrate holder **4200**. In some embodiments, the substrate holder **4200** is a single molded unit that includes the gasket **4254**. That is, the substrate holder **4200** and the gasket **4254** are one part. In some embodiments, the substrate holder **4200** is overmolded with the gasket **4254**. For example, the substrate holder **4200** is a first injection molded plastic part with a second part (e.g., a pliable material) molded onto it to create the gasket **4254**. In some embodiments, the pliable material is an elastomer. In some embodiments, the pliable material is silicone rubber. In some embodiments, the gasket **4254** is a separate part that is not molded with the substrate holder **4200**.

(60) FIG. **9A** shows a top view of the substrate holder **4200** of the substrate cassette **4190** in an open position. The opening and closing mechanism of the substrate holder **4200** is a hinged mechanism. A bottom component **4362** of the substrate holder **4200** can be hinged to a top component **4364** of the substrate holder **4200** via a hinge **4360**. In some embodiments, the hinge **4360** can be a living hinge. In some embodiments, the substrate holder **4200** includes 10 hinges or less (e.g., 9 hinges or less, 8 hinges or less, 7 hinges or less, 6 hinges or less, 5 hinges or less, 4 hinges or less, 3 hinges or less, 2 hinges or less, or 1 hinge). Non-limiting examples of hinges that the substrate holder **4200** can include, include a straight or flat living hinge, a butterfly living hinge, a child safe hinge, a double living hinge, and a triple living hinge.

(61) The substrate holder **4200** further includes one or more engagement features, such as a first notch **4358a** and a second notch **4358b**. The first and second notches **4358a** and **4358b** can engage the first and second tabs **4250a** and **4250b**, respectively, when pressed together. The first and second notches **4358a** and **4358b** can protrude from a longitudinal side **4205** of the top component **4364** of the substrate holder **4200**. In some embodiments, the substrate holder **4200** includes three, four, five, six, seven, eight, nine, ten or more notches. In some embodiments, the notches protrude from a latitudinal side **4207** of the substrate holder **4200**. In some embodiments, the first and second notches **4358a** and **4358b** are rigid and do not flex when engaging the first and second tabs **4250a** and **4250b**, respectively. In some embodiments, the first and second notches **4358a** and **4358b**, respectively, can be flexible.

(62) FIG. 9B shows a side view of a side view of a substrate cassette **4190**. The first and second notches **4358a** and **4358b** can project upward and include a notch ledge **4366** that engages a tab ledge **4368**, as shown in FIG. 9C. Alternatively, in some embodiments, the substrate holder **4200** includes a snap fit locking mechanism for releasably receiving and releasably securing the slide **4252**. Non-limiting examples of other types of fasteners to be used in locking mechanisms of the substrate holder **4200** include a catch, a projection, a male connector, and a female connector.

(63) FIGS. 10A and B illustrate the placement of the slide **4252** into the substrate holder **4200** of the substrate cassette **4190**. In some embodiments, the slide **4252** can be “loaded” or placed onto an inner rim or an inner edge of the bottom component **4362** of substrate holder **4200**. Once loaded, the top component **4364** is closed by pressing the first notch **4358a** and the second notch **4358b** against the first and second tabs **4250a** and **4250b**, respectively, thereby forming a tight seal with the slide **4252**. In some embodiments, the slide does not have to be tilted under tabs **4250** or any other tabs. In some embodiments, the substrate holder **4200** includes one or more tabs to help load the slide onto the inner rim or inner edge of the bottom component **4362** of substrate holder **4200**.

(64) A variety of other configurations of substrate holder can be used to implement the substrate cassette **4010** in FIG. 5. Examples of such other configurations are further illustrated below, for example with reference to FIG. 15.

(65) Referring back to FIG. 5, the substrate **4002** is used as the anode, and the second electrode **4004** is configured as a cathode. In this example, therefore, the second electrode **4004** can also be referred to as the cathode **4004**. In some implementations, the cathode **4004** can include a conductive plate, one or more pins, or other suitable configurations. As illustrated, for example, the cathode **4004** can include a plurality of electrode plates **4104**. The electrode plates **4104** are configured to be positioned within the plurality of buffer chambers **4022** of the substrate cassette **4010**, respectively.

(66) The samples **4012** on the substrate regions **4016** of the substrate **4002**, respectively, can be arranged within the buffer chambers **4022** that are defined by the apertures **4006** of the substrate cassette **4010**. The buffer chambers **4022** can contain buffers **4024** therein, so that the samples **4012** are fully immersed into the buffers **4024** in the buffer chambers **4022**, respectively. Further, as illustrated in FIGS. 5 and 7, the electrode plates **4104** of the cathode **4004** can be arranged within the buffer chambers **4022**, respectively. Each of the electrode plates **4104** can be immersed into a buffer **4024** contained in the buffer chamber **4022**. The electrode plates **4104** are arranged to be spaced apart from the corresponding substrate regions **4016** of the substrate **4002**.

(67) The buffer **4024** can be of various types. In some implementations, the buffer **4024** includes a permeabilization reagent. Alternatively or in addition, other type of buffers as generally described herein can be used. The buffer **4024** is contained in each of the buffer chambers **4022** throughout the electrophoretic process.

(68) The controller **4008** operates to generate an electric field ($-E$) between the substrate (anode) **4002** and the cathode **4004**. For example, the controller **4008** operates to generate an electric field between the substrate regions **4016** of the substrate **4002** and the electrode plates **4104** of the cathode **4004** that correspond to the substrate regions **4016**, respectively. Thus, the electric field is generated through each of the buffer chambers **4022**. In some implementations, the same electric field is generated for all of the buffer chambers **4022**. In other implementations, different electric fields are generated for at least two of the buffer chambers **4022**.

(69) In some implementations, the controller **4008** can operate to apply a voltage between the entire substrate **4002** and the entire cathode **4004** using a power supply **4020**. In other implementations, the controller **4008** can operate to apply voltages between the substrate regions **4016** of the substrate **4002** and the corresponding electrode plates **4104** of the cathode **4004**, respectively. The power supply **4020** can include a high voltage power supply. The controller **4008** can be electrically connected to the substrate **4002** and the cathode **4004** using electrical wires **4023**.

(70) FIG. 11 schematically illustrates an example configuration of a substrate region and a sample undergoing electrophoretic process in each buffer chamber of the electrophoretic system **4000**. In each buffer chamber **4022**, the analytes **4014** in the sample **4012** can migrate toward the capture probes **4018** under the electric field ($-E$).

(71) The application of electric field ($-E$) can cause the analytes **4014** (e.g., negatively charged analytes) to move towards the capture probes **4018** (e.g., positively charged analytes) in the direction of the arrow shown. In some implementations, the analytes **4014** include a protein or a nucleic acid. In some embodiments, the analytes **4014** are negatively charged proteins or nucleic acids. In some embodiments, the analytes **4014** include a positively charged protein or a nucleic acid. In some embodiments, the analytes **4014** includes a negatively charged transcript. For example, the analytes **4014** include a polyA transcript. In some embodiments, the capture probes **4018** are affixed on the substrate **4002** at the substrate regions **4016** of the substrate **4002**. In some embodiments, the capture probes **4018** are location at a feature on the array, or can be replaced at a feature on the array. In some embodiments, the analytes **4014** move towards the capture probes **4018** for a distance (h). In some embodiments, the buffer **4024** (e.g., comprising a permeabilization reagent) can be in contact with the sample **4012**, the substrate **4002** (e.g., the substrate region **4016** thereof), the cathode **4004** (e.g., the electrode plates **4104** thereof), or any combination thereof. The buffer **4024** can include any of the permeabilization reagents disclosed including but not limited to a permeabilization reagent such as a permeabilization enzyme, a permeabilization buffer, a buffer without a permeabilization reagent, a permeabilization gel, and a permeabilization solution.

(72) In other implementations, the electrophoretic system **4000** can be configured to provide different configurations in the buffer chambers **4024**, using, for example, those described in FIG. 3 above.

(73) FIG. 12 is a flowchart of an example process **4500** for preparing a sample. In some implementations, the process **4500** includes providing a substrate including a plurality of substrate regions (**4502**). Each substrate region of the substrate can include a plurality of capture probes. The process **4500** can include placing multiple samples in contact with the capture probes on the substrate regions of the substrate (**4504**), for example, when there are two substrate regions one sample is contacted to each region, when there are three regions, there are three samples (one on each region), etc. The capture probes can be attached to the substrate regions in various ways described herein. The sample can be placed on the substrate region in various ways described herein.

(74) The substrate can be configured and used as an electrophoretic electrode (also referred to herein as a first electrode). In some implementations, the substrate can be configured as a conductive substrate as described herein, such as by including a conductive material in the substrate or providing a conductive coating on an upper or lower surface of the substrate. In some implementations, the substrate can be used as an anode. In alternative implementations, the substrate can be used as a cathode.

(75) Alternatively, the substrate can be configured and used such that each substrate region operates as an electrophoretic electrode (also referred to herein as a first electrode), while the other portion (e.g., at least a portion around each conductive substrate region) is non-conductive. In some implementations, each substrate region can be configured as a conductive region, such as by including a conductive material in the substrate region or providing a conductive coating on an upper or lower surface of the substrate region. In some implementations, each substrate region can be used as an anode. In alternative implementations, each substrate region can be used as a cathode.

(76) The process **4500** can further include arranging a substrate cassette on or above the substrate (**4506**). The substrate cassette can be arranged such that a plurality of apertures of the substrate cassette are aligned with the substrate regions of the substrate, respectively, thereby defining a plurality of buffer chambers on the plurality of substrate regions. As described herein, the substrate cassette can be at least partially made of a non-conductive material and used to provide the buffer chambers between the first and second electrodes.

(77) The process **4500** can include arranging a second electrode relative to the first electrode (e.g., the substrate or each substrate region) at a distance (**4508**). The second electrode can be used as a cathode when the substrate or each substrate region is used as an anode. Alternatively, the second electrode can be used as an anode when the substrate or each substrate region is used as a cathode. The second electrode can be made of various configurations. For example, the second electrode can include a plurality of electrode plates configured to be placed within the buffer chambers, respectively.

(78) The process **4500** can include providing a buffer between the first electrode (e.g., the substrate or each substrate region) and the second electrode (e.g., each electrode plate) (**4510**). The buffer can be contained in each buffer chamber that is provided by the substrate cassette and used to at least partially immerse the first electrode (e.g., the substrate or each substrate region), the second electrode (e.g., each electrode plate), or both. In some implementations, the buffer can include a permeabilization reagent.

(79) The process **4500** can include generating an electric field between the first electrode (e.g., the substrate or each substrate region) and the second electrode (e.g., each electrode plate) (**4512**). Under the electric field, analytes included in the sample can migrate toward the capture probes on each substrate region, for example in order to hybridize (e.g., captured) to the capture probe. In some implementations, the electric field is generated by applying a voltage between the first and second electrodes, using a power supply electrically connected to the first and second electrodes. For example, the process **4500** can include connecting electrical wires from the power supply with the first electrode (e.g., the substrate or each substrate region) and the second electrode (e.g., each electrode plate).

(80) FIG. **13** schematically illustrates an example system **4700** for preparing a sample. The system **4700** can include a sample preparation instrument **4702**, a substrate **4802** as a first electrode, a second electrode **4804**, a control system **4808**, and a substrate cassette **4810**.

(81) The sample preparation instrument **4702** is configured to support the substrate cassette **4810** with the substrate **4802**, and provide the second electrode **4804** to generate an electric field between the substrate **4802** and the second electrode **4804**. In some implementations, the sample preparation instrument **4702** includes a body **4704** and a lid **4706** configured to be placed over the body **4704**. For example, the lid **4706** is hingedly connected to the body **4704**. Alternatively, the lid **4706** can be coupled to the body **4704** in other configurations. In yet alternative implementations, the lid **4706** is configured to be separate from the body **4704**, or detachably attached to the body **4704**.

(82) In some implementations, the body **4704** provides a supporting surface **4708** configured to support the substrate cassette **4810** including the substrate **4802**. The body **4704** further provides an electrical connector **4710** for electrically contacting the substrate **4802** so that the substrate **4802** can be used as an electrode (e.g., an anode) for electrophoresis. The substrate **4802** and the substrate cassette **4810** can be configured identically or similarly to the substrate **4002** and the substrate **4010**, respectively. For example, the substrate **4802** includes a plurality of substrate regions that include capture probes configured to place samples thereon. The substrate cassette **4810** includes a plurality of apertures that correspond to the plurality of substrate regions and define a plurality of buffer chambers.

(83) The lid **4706** can be configured to mount the second electrode **4804** (e.g., a cathode). The second electrode **4804** can be configured similarly to the second electrode **4004**. For example, the second electrode **4804** can include a plurality of electrode plates **4814** corresponding to the buffer chambers on the substrate **4802**. The second electrode **4804** is arranged such that, when the lid **4706** is closed onto the body **4704**, or comes close to the body **4704**, the electrode plates **4814** of the second electrode **4004** are at least partially inserted into the buffer chambers of the substrate cassette **4810**.

(84) The sample preparation instrument **4702** can include the control system **4808** that is identical or similar to the controller **4008**. For example, the control system **4808** can be housed in the body **4704**. Alternatively, at least part of the control system **4808** can be housed in or mounted to another part of the instrument, such as the lid **4706**. Alternatively, the control system **4808** can be at least partially configured as a separate apparatus from the instrument **4702** and electrically connected to the instrument **4702**. The control system **4808** can be electrically connected to the substrate **4802** (or each substrate region thereof) and the second electrode **4804** (or each electrode plate thereof) using electrical wires **4822**.

(85) The sample preparation instrument **4702** can further include a power supply **4820** configured to apply a voltage between the substrate **4802** (or each substrate region thereof) and the second electrode **4804** (or each electrode plate thereof). The power supply **4820** can be housed in the body **4704**. Alternatively, the power supply **4820** can be housed in or mounted to another part of the instrument, such as the lid **4706**. Alternatively, the power supply **4820** can be provided separately from the instrument **4702**.

(86) In some implementations, the sample preparation instrument **4702** can be configured to automatically start electrophoresis when the lid **4706** is closed over the body **4704**, or lowered to a predetermined position (or angle) over the samples, and stop electrophoresis when the lid **4706** returns to be opened or raised from the predetermined position. Alternatively, the sample preparation instrument **4702** can provide a user interface **4720** (e.g., a button, switch, etc.) to receive a manual input of starting or stopping the electrophoretic process. The user interface **4720** can include an output device, such as a display, lamps, etc., configured to output operating parameters of the instrument **4702** (e.g., a voltage being applied, a duration of such application, etc.) or other information associated with the system **4700**. The user interface **4720** can further include an input device, such as physical or virtual buttons, switches, keypads, etc., configured to receive a user input of adjusting the operating parameters of the instrument **4702** or other information associated with the system **4700**.

(87) Referring to FIG. **14**, another example substrate **5000** is described. The substrate **5000** can be used to implement the substrates **4002**, and **4802** described herein. The substrate **5000** has a surface **5501** that includes substrate regions **5002a-h**. The substrate **5000** can include a first substrate region **5002a**, a second substrate region **5002b**, a third substrate region **5002c**, a fourth substrate region **5002d**, a fifth substrate region **5002e**, a sixth substrate region **5002f**, a seventh substrate region **5002g**, and an eighth substrate region **5002h**. In some embodiments, substrate **5000** can have less than eight substrate regions or more than eight substrate regions. Each substrate region can be enclosed within a defined perimeter of a frame **5006**, for example a frame comprising fiducial markers.

(88) In some implementations, the eight substrate regions **5002a-h** can be positioned at the center of the substrate **5000**. For example, the eight substrate regions **5002a-h** can be centered on the substrate **5000** such that a first distance extending from an outer edge of a frame **5006** of one of the first substrate region **5002a**, second substrate region **5002b**, third substrate region **5002c**, or fourth substrate region **5002d** to a longitudinal edge (i.e., along length *l*) of the substrate **5000** is substantially the same to a second distance extending from an outer edge of a frame **5006** of one of the fifth substrate region **5002e**, sixth substrate region **5002f**, seventh substrate region **5002g**, or eighth substrate region **5002h** to a longitudinal edge (i.e., along length *l*) of substrate **5000**. For example, the substrate arrays can be positioned about 28.5 mm from the top edge **5032** of substrate, about 11.25 mm from the bottom edge **5034** of substrate, and about 3.5 mm from the left edge **5036** and right edge **5038** of substrate, when the substrate is oriented vertically as is shown in FIG. **14**.

(89) In some embodiments, the eight substrate regions **5002a-h** can be centered on the substrate **5000** such that a first distance extending from an outer edge of a frame **5006** of one of the first substrate region **5002a**, second substrate region **5002b**, third substrate region **5002c**, or fourth substrate region **5002d** to a latitudinal edge (i.e., along width *w*) of the substrate **5000** is substantially the same to a second distance extending from an outer edge of a frame **5006** of one of the fifth substrate region **5002e**, sixth substrate region **5002f**, seventh substrate region **5002g**, or eighth substrate region **5002h** to a longitudinal edge (i.e., along width *w*) of the substrate **5000**.

(90) In some embodiments, the substrate **5000** can be rectangular in shape. In some embodiments, the substrate **5000** has a length *l* of about 100 mm to about 10 mm (e.g., 90 mm or less, 85 mm or less, 80 mm or less, 75 mm or less, 70 mm or less, 65 mm or less, 60 mm or less, 55 mm or less, 50 mm or less, 45 mm or less, 40 mm or less, 35 mm or less, 30 mm or less, 25 mm or less, 20 mm or less, 15 mm or less). In some embodiments, the substrate **5000** has a width *w* of about 100 mm to about 10 mm (e.g., 90 mm or less, 85 mm or less, 80 mm or less, 75 mm or less, 70 mm or less, 65 mm or less, 60 mm or less, 55 mm or less, 50 mm or less, 45 mm or less, 40 mm or less, 35 mm or less, 30 mm or less, 25 mm or less, 20 mm or less, 15 mm or less). In some embodiments, substrates of the disclosure can be square or circular in shape. In some embodiments, substrates of the disclosure can be rectangular, triangular, hexagonal, octagonal, pentagonal, or any other suitable two-dimensional, geometric shape.

(91) In some embodiments, the substrate **5000** includes 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 or more substrate arrays. The substrate **5000** includes four substrate arrays **5004**, as shown in FIG. **14**. The substrate **5000** can include a substrate array **5004** arranged within the frame **5006**. For example, the substrate array **5004** can be positioned at the center of a frame **5006**. In some embodiments, the substrate arrays **5004** can be the same (e.g., can have a same pattern). In some embodiments, the substrate arrays **5004** can be the different (e.g., can have a different pattern). The four substrate arrays **5004**,

shown in FIG. 14, can be repeated and arranged in a checked pattern. That is, substrate array 5004 is positioned at the center of the first substrate region 5002a, the third substrate region 5002c, the sixth substrate region 5002f, and the eighth substrate region 5002h. In some embodiments, the checked pattern is meant to occupy as much of the surface of the substrate to ensure consistency of image acquisition when scanning different regions of the substrate.

(92) In some embodiments, the substrate regions 5002a-h can be arranged vertically in two columns, as shown in FIG. 14. In some embodiments, the substrate regions are arranged on the substrate in one column. In some embodiments, the substrate regions are arranged on the substrate in 2, 3, 4, 5, 6, 7, 8, 9, 10, or more columns. In some embodiments, the substrate arrays 5004 can be positioned adjacent to each other. For example, in some embodiments, the substrate arrays 5004 can be arranged vertically in a column (e.g., positioned on the first four substrate regions 5002a-2402d). Alternatively, in other embodiments, the substrate arrays 5004 can be positioned on the substrate regions 5002a, 5002b, 5002e, and 5002f. In some embodiments, the substrate arrays 5004 can be positioned on the substrate regions 5002e, 5002f, 5002g, and 5002h. In some embodiments, the substrate arrays 5004 can be positioned on the substrate regions 5002c, 5002d, 5002e, and 5002h. In some embodiments, the substrate arrays 5004 can be positioned on the substrate regions 5002e, 5002b, 5002g, and 5002d. In some embodiments, the substrate arrays 5004 are not arranged in a particular pattern. In some embodiments, the substrate arrays 5004 vary individually in size. For example, in some embodiments, a first substrate array may have a greater size than the size of a second substrate array. In some embodiments, a first substrate array may have a smaller size than the size of a second substrate array. In some embodiments, the distance between substrate arrays may vary and be different. For example, in some embodiments, the distance between a first substrate array and a second substrate array may be different than the distance between a third substrate array and a fourth substrate array. In various embodiments, the substrate 5000 can have eight substrate arrays 5004 or less (e.g., 7 substrate arrays or less, 6 substrate arrays or less, 5 substrate arrays or less, 4 substrate arrays or less, 3 substrate arrays or less, 2 substrate arrays or less). In some embodiments, the substrate arrays are arranged on the substrate in one column. In some embodiments, the substrate arrays are arranged on the substrate in 2, 3, 4, 5, 6, 7, 8, 9, 10, or more columns.

(93) Referring to FIGS. 15-22, an example substrate cassette is described. In some implementations, an example system 6102 is configured to heat a substrate and includes a plate 6110 and a substrate holder 6150. The substrate holder 6150 can be used to replace the substrate cassette 4010, 4810 described herein. The plate 6110 can be configured to be received by a heating device (e.g., a thermocycler) and provide heat transfer between the heating device and the substrate holder 6150. The substrate holder 6150 holds one or more substrates (such as one or more microscope slides), and can removably couple to the plate 6110 to facilitate heat transfer from the plate 6110 to the one or more substrates.

(94) Referring to FIGS. 15B and 15C, the plate 6110 can include a platform 6212 with a first surface 6314 and a second surface 6216. The plate 6110 can further include a plurality of members 6318 extending from the first surface 6314. In some embodiments, the plate 6110 can include one or more support members 6220.

(95) The plate 6110 can be generally formed of thermally conductive material to facilitate heat transfer between a heating device and the substrate holder 6150. In some embodiments, the plate 6110 can be made of a metal such as (but not limited to) aluminum and/or stainless steel.

(96) In general, the platform 6212 is configured to be received by a heating device. More specifically, the platform 6212 is generally configured such that thermal transfer occurs between the heating elements of a heating device and the platform 6212. The heat transferred to the platform 6212 is then further transferred to a substrate, as will be discussed in greater detail below.

(97) The plurality of members 6318 can be dimensioned to be received by different regions of a heating device. For example, in some embodiments, the plurality of members 6318 can be dimensioned to be received within individual sample wells of a thermocycler (for example, thermocycler wells that are generally dimensioned to receive small volume test tubes such as 200 μ L tubes). In general, the platform 6212 can include any number of members 6318. For example, in some embodiments, the platform 6212 includes between 4 members and 96 members. Typically, heat is more evenly transferred to the platform 6212 when the number of members 6318 is larger, and they are distributed relatively evenly on the surface 6314.

(98) The support member 6220 can extend from the platform 6212 and be configured to couple to the substrate holder 6150. In some embodiments, the support member 6220 can include one or more recesses or protrusions that couple to one or more complementary protrusions or recesses on the substrate holder 6150 to aid in coupling the substrate holder 6150 to the plate 6110. In some embodiments, the support member 6220 can be entirely received by a portion of the substrate holder 6150. In some embodiments, a portion of the support member 6220 can be received by a portion of the substrate holder 6150. In some embodiments, the support member 6220 can be substantially flat on a top face. In some embodiments, the support member 6220 can be sized and positioned such that the plate 6110 can include multiple support members 6220. For example, in some embodiments, the plate 6110 can include two support members 6220.

(99) Referring generally to FIGS. 16-22, a substrate holder 6150 can include a bottom member 6460 and a top member 6480. In some embodiments, the substrate holder 6150 can further include a slide 6452. In some embodiments, the substrate holder 6150 can include a gasket 6454 (see also FIG. 21).

(100) Referring to FIGS. 17A and 17B, the bottom member 6460 can include a base 6562, a first side wall 6566 and a second side wall 6568. The bottom member 6460 can be configured to mount slide 6452.

(101) In some embodiments, the base 6562 can include a marker 6564. The marker 6564 can aid in coupling the bottom member 6460 and the top member 6480 in a certain orientation. For example, in some embodiments, the bottom member 6460 and the top member 6480 may only be able to couple together in a single orientation. In some embodiments, the marker 6564 can be a line, groove, indent, protrusion, symbol, color, etc. to distinguish one side of the base 6562 from another side of the base 6562.

(102) The first side wall 6566 and the second side wall 6568 can be positioned on opposing longitudinal sides of the base 6562. The side walls 6566 and 6568 can extend substantially perpendicular from the base 6562. In some embodiments, the side walls 6566 and 6568 are slightly offset on edges of the base 6562 such that a portion of the base 6562 is exposed on either side of both side walls 6566 and 6568. The side walls 6566 and 6568 can aid in securing the slide 6452 in the bottom member 6460. In some embodiments, when the slide 6452 is secured in the bottom member 6460, the slide 6452 may rest on the base 6562. In some embodiments, the side walls 6566 and 6568 can be configured to engage with the top member 6480. For example, in some embodiments, the side walls 6566 and 6568 can include one or more recesses 6570. In some embodiments, the side wall 6566 can include a single recess 6570, while the side wall 6568 includes multiple recesses (e.g., two recesses). Such a configuration can provide single direction coupling of the bottom member 6460 and the top member 6480 for ease of use.

(103) The base 6562 can further include means for mounting the slide 6452. For example, in some embodiments, the base 6562 can include a fastener housing 6572 and an end securing member 6574. The end securing member 6574 can aid in securing the slide 6452 in the bottom member 6460. In some embodiments, the end securing member 6574 can include a ridge to limit movement of the slide 6452 away from the base 6562. The fastener housing 6572 can provide housing for a fastener 6458 (see e.g., FIG. 20). The fastener 6458 can be a clip, ridge, or other means of removably coupling the slide 6452 to the bottom member 6460. In some embodiments, the fastener 6458 can include a spring such that pushing the slide 6452 against the fastener 6458 causes the fastener 6458 to move past the ridge of the end securing member 6574, allowing the slide 6452 to enter the bottom member 6460. Once the slide 6452 is released, the spring can return the fastener 6458 to a more neutral position, causing the slide 6452 to abut the end securing member 6574.

(104) The bottom member 6460 can include means for coupling to the support member 6220 of the plate 6110. For example, in some embodiments, the base 6562 can include an aperture 6576 extending through the base 6562 within the side walls 6566 and 6568. Referring to FIGS. 25 and 26, the bottom member 6460 is shown coupled to the plate 6110. In some embodiments, the aperture 6576 can be sized such that the support member 6220 substantially fills the aperture 6576 (see FIG. 18). In some embodiments, the aperture 6576 can be larger than the support member 6822, such that the support member 6220 only fills a portion of aperture 6576 (see FIG. 19). In some embodiments, the support member 6220, the bottom member

6460 and the aperture **6576** are configured such that the slide **6452** is in close proximity to the support member **6220**. In some embodiments, the support member **6220**, the bottom member **6460** and the aperture **6576** are configured such that the slide **6452** is in direct contact with the support member **6220**. In some embodiments, the support member **6220**, the bottom member **6460** and the aperture **6576** are configured such that a portion of a sample region of the slide **6452** is in proximity to the support member **6220**. In some embodiments, the portion of the sample region of the slide **6452** is 50% to 100% of the sample region. In some embodiments, the portion of the sample region is at least 60% of the sample region. In some embodiments, the portion of the sample region is at least 75% of the sample region. In some embodiments, the portion of the sample region is at least 80% of the sample region. In some embodiments, the portion of the sample region is at least 85% of the sample region.

(105) Referring back to FIGS. 16-22, the bottom member **6460** can include an engagement mechanism for coupling the bottom member **6460** to the top member **6480**. In some embodiments, the engagement mechanism includes screws **6496**. Accordingly, the base **6562** can include one or more threaded apertures **6578** configured to receive the screws **6496**. The base **6562** can be sized such that the screws **6496** do not protrude underside of the base **6562**.

(106) The gasket **6454** can be positioned inside the substrate holder **6150**. The gasket **6454** can include a plurality of apertures **7156** (see also FIG. 21) that can create a plurality of wells when the gasket **6454** abuts the slide **6452**. In some embodiments, the gasket **6454** can be made of rubber, silicone, or a similar material to create a seal with the slide **6452**. In some embodiments, the gasket **6454** can be made of a material that is hydrophobic. Accordingly, different reactions can be conducted in the various wells of the gasket **6454**. In some embodiments, the engagement of the bottom member **6460** and the top member **6480** creates ample pressure to maintain division between the wells created by the apertures **7156**.

(107) Referring to FIGS. 22A and 22B, the top member **6480** can include a body **7282** with walls **7284**. In some embodiments, one side of the body **7282** and/or the wall **7284** can include a marker **7286**. Marker **7286** can aid in coupling the bottom member **6460** and the top member **6480** in a certain orientation. For example, in some embodiments, the bottom member **6460** and the top member **6480** may only be able to couple together in a single orientation. In some embodiments, the marker **7286** can be a line, groove, indent, protrusion, symbol, color, etc. to distinguish one side of the body **7282** from another side of the body **7282**.

(108) In some embodiments, the walls **7284** can be configured to engage with the bottom member **6460**. For example, in some embodiments, the walls **7284** can include one or more protrusions **7388**. In some embodiments, a first wall **7284** can include a single protrusion **7388**, while a second wall **7284** can include multiple protrusions **7388** (e.g., two protrusions). Such a configuration can provide single direction coupling of the bottom member **6460** and the top member **6480** for ease of use.

(109) The body **7282** can further include an engagement mechanism for coupling the top member **6480** to the bottom member **6460**. In some embodiments, the engagement mechanism includes screws **6496**. Accordingly, the body **7282** can include one or more threaded apertures **7290** configured to receive the screw **6496**. The body **7282** can be configured such that when the apertures **7290** receive the screws **6496**, the heads of the screws **6496** are flush or lower than an upper face of the body **7282**. Accordingly, the top member **6480** can be configured such that a top plate of a heating device can abut the top member **6480**, providing heating of the substrate holder **6150**.

(110) In some embodiments, the body **7282** can include a recess **7392** on the underside of the body **7282**. In some embodiments, the recess **7392** can receive the gasket **6454**. In some embodiments, the recess **7392** can removably couple the gasket **6454**. In some embodiments, the body **7282** can include the gasket **6454**, such that the gasket **6454** is integrated with the body **7282**.

(111) In some embodiments, the body **7282** can include a plurality of apertures **7294**. In some embodiments, the plurality of apertures **7294** can be configured to enable reagents to be added to the substrate on the slide **6452**. In some embodiments, the plurality of apertures **7294** can be configured to be aligned with the plurality of apertures **7156** of the gasket **6454**. In some embodiments, the plurality of apertures **7294** can be configured with a format and spacing to enable use with a multichannel pipette. In some embodiments, the plurality of apertures **7294** can be located on only a portion of the body **7282**. In some embodiments, the body **7282** can include labels or markings adjacent to the plurality of apertures **7294**.

(112) While the substrate holder **6150** is described as including multiple pieces (e.g., the bottom member **6460**, the top member **6480**, the slide **6452**, the gasket **6454**, etc.), components of the substrate holder **6150** can be integrated with one another. For example, in some embodiments, the gasket **6454** can be integrated with the top member **6480**. As another example, the top member **6480** and the bottom member **6460** can be a single piece that is configured to receive the slide **6452**.

(113) In some embodiments, the substrate holder **6150** can be made of a material that is reusable. For example, in some embodiments, the substrate holder **6150** can be washed and sanitized for reuse. Optionally, the gasket **6454** can be reusable or replaceable in such an embodiment. In some embodiments, the substrate holder **6150** can be made for single use and can be disposable.

(114) Referring to FIGS. 23-25, another example substrate cassette is described. An example device **7498** can be used to replace the substrate cassettes **4010**, **4810** described herein. The device **7498** can include a substrate holder **7400**, a gasket **6454**, and a substrate, such as a glass slide **6452**. The slide **6452** includes a first surface and a second surface. In some embodiments, the substrate holder **7400** is configured to receive the slide **6452**. In some embodiments, the substrate holder **7400** includes an attachment mechanism to hold the slide **6452** to the substrate holder **7400**. The second surface of the slide **6452** can provide a substrate for receiving a sample. In some embodiments, the substrate holder **7400** is plastic component (e.g., injection molded plastic component). In some embodiments, the gasket **6454** is configured to be positioned in between the substrate holder **7400** and the slide **6452**. In some embodiments, the device **7498** (or any one of its components) can be a single-use device (or component). In some embodiments, the device **7498** is entirely disposable or at least partially composed of disposable components.

(115) FIG. 23A shows the device **7498** in an assembled state. In particular, FIG. 23A shows the substrate holder **7400** receiving the gasket **6454** and the slide **6452**. The substrate holder **7400** has longitudinal sides **7405** and latitudinal sides **7407**. The substrate holder **7400** can include one or more fasteners, such as a side mounted press latch **7410** for snap engagement. Any type of fastener that allows releasable engagement can be used, such as, for example, screws and press fit type connectors. The press latch **7410** can be mounted in a longitudinal side **7505** of the substrate holder **7400**, as shown in FIGS. 23A-23C. Alternatively, in some embodiments, the press latch **7410** can be mounted in a latitudinal side **7407** of the substrate holder **7400**. In some embodiments, the substrate holder **7400** can include two, three, or four press latches. The press latch **7410** can be configured to engage the slide **6452**. In some embodiments, the press latch **7410** can be a lever, a clip, or a clamp. In some embodiments, the press latch **7410** can further include one or more springs.

(116) The substrate holder **7400** can further include one or more engagement features, such as a first tab **7412a** and a second tab **7412b**. The first and second tabs **7412a** and **7412b**, respectively, can protrude from a longitudinal side **7505** of the substrate holder **7400** that opposes the longitudinal side having the press latch **7410**. In some embodiments, the substrate holder **7400** includes three, four, five, six, seven, eight, nine, ten or more tabs. In some embodiments, the tabs protrude from a longitudinal side **7505** or a latitudinal side **7407** of the substrate holder **7400**. The first and second tabs **7412a** and **7412b** can be configured to engage the slide **6452**. In some embodiments, the first and second tabs **7412a** and **7412b** are rigid and do not flex when engaging the slide **6452**. In some embodiments, the tabs **7412a** and **7412b** can be flexible.

(117) Referring to FIG. 23B, the substrate holder **7400** includes a bottom surface **7401**. The bottom surface **7401** includes a plurality of latitudinal ribs **7414** and longitudinal ribs **7416** configured to support the slide **6452** and the gasket **6454** when the device **7498** is assembled. The bottom surface **7401** further defines a plurality of apertures **7294** that are configured to align with the plurality of apertures **7156** defined by the gasket **6454**, when the device **7498** is assembled. The substrate holder **7400** further includes a c-shaped tab **7422** shaped to provide the user with an ergonomic grip surface to help facilitate engagement with the press latch **7410**.

(118) Referring to FIG. 23C, the slide **6452** includes a first surface **7446**, a second surface **7448**, and a side edge **7418**. When inserting the slide **6452** into the substrate holder **7400**, the side edge **7418** can be inserted first such that first and second tabs **7412a** and **7412b** engage the side edge **7418** as the slide **6452** rests on the gasket **6454** and on the plurality of latitudinal ribs **7414**. In some embodiments, the side **7418** can measure about 6 inches.

In some embodiments, the sides shorter than side 7418 can measure about 1 inch. In some embodiments, the slide 6452 can measure about 75 millimeters (mm) by 25 mm. In some embodiments, the slide 6452 can measure about 75 millimeters (mm) by 50 mm. In some embodiments, the slide 6452 can measure about 48 millimeters (mm) by 28 mm. In some embodiments, the slide 6452 can measure about 46 millimeters (mm) by 27 mm. In some embodiments, the slide 6452 is a glass slide.

(119) Referring to FIG. 24A, the substrate holder 7400 includes a top surface 7503. The top surface 7503 defines the plurality of apertures 7294. Furthermore, the top surface 7503 includes a logo 7502, a first identifier 7504, and a second identifier 7506. The first identifier 7504 can identify the columns of the plurality of apertures 7294. The second identifier 7506 can identify the rows of the plurality of apertures 7294. In some embodiments, the first identifier 7504 and the second identifier 7506 are letters or numbers. In some embodiments, the first identifier 7504 and the second identifier 7506 can aid in aligning and/or inserting the slide 6452 into the substrate holder 7400 in a certain orientation. In some embodiments, the slide 6452 may include samples (e.g., biological material samples) on a portion of its surface that align with one or more of the plurality of apertures 7294. In some embodiments, the samples (e.g., biological material samples) may be identified in the same manner as the corresponding aperture of the plurality of apertures 7294. For example, in some embodiments, the slide 6452 may include a sample named "A1" that corresponds with the aperture 7511 labeled as "A1" by the first identifier 7504 and the second identifier 7506 in FIG. 24A. As such, in some embodiments, the first identifier 7504 and the second identifier 7506 guide a user to correctly place the slide 6452 into the substrate holder 7400. In some embodiments, the first identifier 7504 and the second identifier 7506 can be a line, groove, indent, protrusion, symbol, color, etc. to distinguish the rows and columns of the plurality of apertures 7294.

(120) Referring to FIG. 24B, the substrate holder 7400 includes a first latitudinal rib 7414a, a second latitudinal rib 7414b, a third latitudinal rib 7414c, a fourth latitudinal rib 7414d, and a fifth latitudinal rib 7414e having a width w. The plurality of latitudinal ribs 7414 is configured to support a slide 6452. The first, second, third, fourth, and fifth latitudinal ribs 7414a, 7414b, 7414c, 7414d, and 7414e can have an equal width w, as shown in FIG. 24B. In some embodiments, the widths of the plurality of latitudinal ribs can vary. The first, second, and third latitudinal ribs 7414a, 7414b, and 7414c, respectively, extend perpendicular from the bottom surface 7401 near a first end 7515a of the substrate holder 7400. The fifth latitudinal rib 7414e extends substantially perpendicular from the bottom surface 7401 near a second end 7515b of the substrate holder 7400. In some embodiments, the substrate holder 7400 may include 6, 7, 8, 9, 10, 15, 20 or more latitudinal ribs.

(121) The substrate holder 7400 further includes a first longitudinal rib 7416a, a second longitudinal rib 7416b, a third longitudinal rib 7416c, and a fourth longitudinal rib 7416d that extend substantially perpendicular from the bottom surface 7401. The plurality of longitudinal ribs 7416 is configured to provide longitudinal support to the gasket 6454. For example, in some embodiments, the plurality of longitudinal ribs 7416 abuts the longitudinal sides of the gasket 6454. Furthermore, together with the fourth and fifth latitudinal ribs 7414c and 7414e, the plurality of longitudinal ribs frame an area of the bottom surface 7401 (e.g., gasket area) that is sufficiently sized and configured to receive the gasket 6454. The first longitudinal rib 7416a, second longitudinal rib 7416b, third longitudinal rib 7416c, and fourth longitudinal rib 7416d can be disposed parallel to the longitudinal sides 7505 along the side edges. The first longitudinal rib 7416a, second longitudinal rib 7416b, third longitudinal rib 7416c, and fourth longitudinal rib 7416d have a second height 7426, as shown in FIG. 24B. The first, second, third, fourth, and fifth latitudinal ribs 7414a, 7414b, 7414c, 7414d, and 7414e have a first height 7424, as shown in FIG. 32B. The first height 7424 can be greater than the second height 7426, as shown in FIGS. 32-33. In some embodiments, the first height 7424 is equal to the second height 7426 (see FIG. 23B). In some embodiments, the first height 7424 is less than the second height 7426. The first and second longitudinal ribs 7416a and 7416b have a length l'. The third and fourth longitudinal ribs 7416c and 7416d have a length l''. The length l' is can be greater than the length l'', as shown in FIG. 23B. In some embodiments, the length l' is equal to the length l''. In some embodiments, the length l' is less than the length l''. In some embodiments, the substrate holder 7400 may include 5, 6, 7, 8, 9, 10, 15, 20 or more longitudinal ribs.

(122) The substrate holder 7400 further includes a third identifier 7508 that aids a user in positioning and/or orienting the substrate holder 7400. For example, in some embodiments, the third identifier 7508 aids in identifying the first end 7515a or aids in distinguishing the first end 7515a from the second end 7515b. Still yet in further embodiments, the third identifier can be a line, groove, indent, protrusion, symbol, color, etc. that aids a user in correctly positioning slide 6452 into the substrate holder 7400.

(123) Referring to FIG. 24C, the substrate holder includes a first flexible tab 7513a and a second flexible tab 7513b. The first and second flexible tabs 7513a and 7513b, respectively, can protrude from top portions 7517 of the press latch 7410 that oppose the longitudinal side 7505 having the first and second tabs 7412a and 7412b. The first and second flexible tabs 7513a and 7513b can protrude from an interior surface 75109 of the top portions 7517 of the press latch 7410. To utilize the substrate holder 7400, a user can grip the substrate holder 7400 in one hand with the bottom surface 7401 face up (i.e., facing the user). Next, the user can place the gasket 6454 over the plurality of apertures 7294. The user can depress the press latch 7410 with one hand, this flexes the first and second flexible tabs 7513a and 7513b on one longitudinal side 7505 open, in the direction of arrows A. As such, the user can load the slide 6452 into the first and second tabs 7412a and 7412b first, and subsequently hinge slide 6452 into opposite longitudinal side (i.e., the side having the first and second flexible tabs 7513a and 7513b). Lastly, the user can release the press latch 7410 so the slide 6452 can snap into the first and second flexible tabs 7513a and 7513b.

(124) Referring to FIG. 25, the gasket 6454 includes a plurality of apertures 7156. In some embodiments, the gasket 6454 includes eight apertures. In some embodiments, the gasket 6454 includes sixteen apertures. In some embodiments, the gasket 6454 includes 24 apertures. In some embodiments, the gasket 6454 includes 96 apertures. In some embodiments, the gasket 6454 is made from a material that can withstand temperatures up to about 60 degrees Celsius. In some embodiments, the gasket 6454 is made from a heat-resistant material. In some embodiments, the gasket 6454 is made from a flexible or pliable material. Non-limiting examples of flexible or pliable materials include rubber, silicone, and polyurethane. It is contemplated that the number of apertures is the same as the number of sample arrays on a substrate.

(125) Spatial analysis methodologies and compositions described herein can provide a vast amount of analyte and/or expression data for a variety of analytes within a biological sample at high spatial resolution, while retaining native spatial context. Spatial analysis methods and compositions can include, e.g., the use of a capture probe including a spatial barcode (e.g., a nucleic acid sequence that provides information as to the location or position of an analyte within a cell or a tissue sample (e.g., mammalian cell or a mammalian tissue sample) and a capture domain that is capable of binding to an analyte (e.g., a protein and/or a nucleic acid) produced by and/or present in a cell. Spatial analysis methods and compositions can also include the use of a capture probe having a capture domain that captures an intermediate agent for indirect detection of an analyte. For example, the intermediate agent can include a nucleic acid sequence (e.g., a barcode) associated with the intermediate agent. Detection of the intermediate agent is therefore indicative of the analyte in the cell or tissue sample.

(126) Non-limiting aspects of spatial analysis methodologies and compositions are described in U.S. Pat. Nos. 10,774,374, 10,724,078, 10,480,022, 10,059,990, 10,041,949, 10,002,316, 9,879,313, 9,783,841, 9,727,810, 9,593,365, 8,951,726, 8,604,182, 7,709,198, U.S. Patent Application Publication Nos. 2020/239946, 2020/080136, 2020/0277663, 2020/024641, 2019/330617, 2019/264268, 2020/256867, 2020/224244, 2019/194709, 2019/161796, 2019/085383, 2019/055594, 2018/216161, 2018/051322, 2018/0245142, 2017/241911, 2017/089811, 2017/067096, 2017/029875, 2017/0016053, 2016/108458, 2015/000854, 2013/171621, WO 2018/091676, WO 2020/176788, Rodrigues et al., Science 363(6434):1463-1467, 2019; Lee et al., Nat. Protoc. 10(3):442-458, 2015; Trejo et al., PLoS ONE 14(2):e0212031, 2019; Chen et al., Science 348(6233):aaa6090, 2015; Gao et al., BMC Biol. 15:50, 2017; and Gupta et al., Nature Biotechnol. 36:1197-1202, 2018; the Visium Spatial Gene Expression Reagent Kits User Guide (e.g., Rev C, dated June 2020), and/or the Visium Spatial Tissue Optimization Reagent Kits User Guide (e.g., Rev C, dated July 2020), both of which are available at the 10× Genomics Support Documentation website, and can be used herein in any combination. Further non-limiting aspects of spatial analysis methodologies and compositions are described herein.

(127) Some general terminology that may be used in this disclosure can be found in Section (I)(b) of WO 2020/176788 and/or U. S. Patent

Application Publication No. 2020/0277663. Typically, a “barcode” is a label, or identifier, that is capable of conveying information (e.g., information about an analyte in a sample, a bead, and/or a capture probe). A barcode can be part of an analyte, or independent of an analyte. A barcode can be attached to an analyte. A particular barcode can be unique relative to other barcodes. For the purpose of this disclosure, an “analyte” can include any biological substance, structure, moiety, or component to be analyzed. The term “target” can similarly refer to an analyte of interest. (128) Analytes can be broadly classified into one of two groups: nucleic acid analytes, and non-nucleic acid analytes. Examples of non-nucleic acid analytes include, but are not limited to, lipids, carbohydrates, peptides, proteins, glycoproteins (N-linked or O-linked), lipoproteins, phosphoproteins, specific phosphorylated or acetylated variants of proteins, amidation variants of proteins, hydroxylation variants of proteins, methylation variants of proteins, ubiquitylation variants of proteins, sulfation variants of proteins, viral proteins (e.g., viral capsid, viral envelope, viral coat, viral accessory, viral glycoproteins, viral spike, etc.), extracellular and intracellular proteins, antibodies, and antigen binding fragments. In some embodiments, the analyte(s) can be localized to subcellular location(s), including, for example, organelles, e.g., mitochondria, Golgi apparatus, endoplasmic reticulum, chloroplasts, endocytic vesicles, exocytic vesicles, vacuoles, lysosomes, etc. In some embodiments, analyte(s) can be peptides or proteins, including without limitation antibodies and enzymes. Additional examples of analytes can be found in Section (I)(c) of WO 2020/176788 and/or U.S. Patent Application Publication No. 2020/0277663. In some embodiments, an analyte can be detected indirectly, such as through detection of an intermediate agent, for example, a ligation product or an analyte capture agent (e.g., an oligonucleotide-conjugated antibody), such as those described herein.

(129) A “biological sample” is typically obtained from the subject for analysis using any of a variety of techniques including, but not limited to, biopsy, surgery, and laser capture microscopy (LCM), and generally includes cells and/or other biological material from the subject. In some embodiments, a biological sample can be a tissue section. In some embodiments, a biological sample can be a fixed and/or stained biological sample (e.g., a fixed and/or stained tissue section). Non-limiting examples of stains include histological stains (e.g., hematoxylin and/or eosin) and immunological stains (e.g., fluorescent stains). In some embodiments, a biological sample (e.g., a fixed and/or stained biological sample) can be imaged. Biological samples are also described in Section (I)(d) of WO 2020/176788 and/or U.S. Patent Application Publication No. 2020/0277663.

(130) In some embodiments, a biological sample is permeabilized with one or more permeabilization reagents. For example, permeabilization of a biological sample can facilitate analyte capture. Exemplary permeabilization agents and conditions are described in Section (I)(d)(ii)(13) or the Exemplary Embodiments Section of WO 2020/176788 and/or U.S. Patent Application Publication No. 2020/0277663.

(131) Array-based spatial analysis methods involve the transfer of one or more analytes from a biological sample to an array of features on a substrate, where each feature is associated with a unique spatial location on the array. Subsequent analysis of the transferred analytes includes determining the identity of the analytes and the spatial location of the analytes within the biological sample. The spatial location of an analyte within the biological sample is determined based on the feature to which the analyte is bound (e.g., directly or indirectly) on the array, and the feature's relative spatial location within the array.

(132) A “capture probe” refers to any molecule capable of capturing (directly or indirectly) and/or labelling an analyte (e.g., an analyte of interest) in a biological sample. In some embodiments, the capture probe is a nucleic acid or a polypeptide. In some embodiments, the capture probe includes a barcode (e.g., a spatial barcode and/or a unique molecular identifier (UMI)) and a capture domain. In some embodiments, a capture probe can include a cleavage domain and/or a functional domain (e.g., a primer-binding site, such as for next-generation sequencing (NGS)). See, e.g., Section (II)(b) (e.g., subsections (i)-(vi)) of WO 2020/176788 and/or U.S. Patent Application Publication No. 2020/0277663. Generation of capture probes can be achieved by any appropriate method, including those described in Section (II)(d)(ii) of WO 2020/176788 and/or U.S. Patent Application Publication No. 2020/0277663.

(133) In some embodiments, more than one analyte type (e.g., nucleic acids and proteins) from a biological sample can be detected (e.g., simultaneously or sequentially) using any appropriate multiplexing technique, such as those described in Section (IV) of WO 2020/176788 and/or U.S. Patent Application Publication No. 2020/0277663.

(134) In some embodiments, detection of one or more analytes (e.g., protein analytes) can be performed using one or more analyte capture agents. As used herein, an “analyte capture agent” refers to an agent that interacts with an analyte (e.g., an analyte in a biological sample) and with a capture probe (e.g., a capture probe attached to a substrate or a feature) to identify the analyte. In some embodiments, the analyte capture agent includes: (i) an analyte binding moiety (e.g., that binds to an analyte), for example, an antibody or antigen-binding fragment thereof, (ii) analyte binding moiety barcode; and (iii) an analyte capture sequence. As used herein, the term “analyte binding moiety barcode” refers to a barcode that is associated with or otherwise identifies the analyte binding moiety. As used herein, the term “analyte capture sequence” refers to a region or moiety configured to hybridize to, bind to, couple to, or otherwise interact with a capture domain of a capture probe. In some cases, an analyte binding moiety barcode (or portion thereof) may be able to be removed (e.g., cleaved) from the analyte capture agent. Additional description of analyte capture agents can be found in Section (II)(b)(ix) of WO 2020/176788 and/or Section (II)(b)(viii) U.S. Patent Application Publication No. 2020/0277663.

(135) There are at least two methods to associate a spatial barcode with one or more neighboring cells, such that the spatial barcode identifies the one or more cells, and/or contents of the one or more cells, as associated with a particular spatial location. One method is to promote analytes or analyte proxies (e.g., intermediate agents) out of a cell and towards a spatially-barcode array (e.g., including spatially-barcode capture probes). Another method is to cleave spatially-barcode capture probes from an array and promote the spatially-barcode capture probes towards and/or into or onto the biological sample.

(136) In some cases, capture probes may be configured to prime, replicate, and consequently yield optionally barcoded extension products from a template (e.g., a DNA or RNA template, such as an analyte or an intermediate agent (e.g., a ligation product or an analyte capture agent), or a portion thereof), or derivatives thereof (see, e.g., Section (II)(b)(vii) of WO 2020/176788 and/or U.S. Patent Application Publication No. 2020/0277663 regarding extended capture probes). In some cases, capture probes may be configured to form ligation products with a template (e.g., a DNA or RNA template, such as an analyte or an intermediate agent, or portion thereof), thereby creating ligations products that serve as proxies for a template.

(137) Additional variants of spatial analysis methods, including in some embodiments, an imaging step, are described in Section (II)(a) of WO 2020/176788 and/or U.S. Patent Application Publication No. 2020/0277663. Analysis of captured analytes (and/or intermediate agents or portions thereof), for example, including sample removal, extension of capture probes, sequencing (e.g., of a cleaved extended capture probe and/or a cDNA molecule complementary to an extended capture probe), sequencing on the array (e.g., using, for example, in situ hybridization or in situ ligation approaches), temporal analysis, and/or proximity capture, is described in Section (II)(g) of WO 2020/176788 and/or U.S. Patent Application Publication No. 2020/0277663. Some quality control measures are described in Section (II)(h) of WO 2020/176788 and/or U.S. Patent Application Publication No. 2020/0277663.

(138) Spatial information can provide information of biological and/or medical importance. For example, the methods and compositions described herein can allow for: identification of one or more biomarkers (e.g., diagnostic, prognostic, and/or for determination of efficacy of a treatment) of a disease or disorder; identification of a candidate drug target for treatment of a disease or disorder; identification (e.g., diagnosis) of a subject as having a disease or disorder; identification of stage and/or prognosis of a disease or disorder in a subject; identification of a subject as having an increased likelihood of developing a disease or disorder; monitoring of progression of a disease or disorder in a subject; determination of efficacy of a treatment of a disease or disorder in a subject; identification of a patient subpopulation for which a treatment is effective for a disease or disorder; modification of a treatment of a subject with a disease or disorder; selection of a subject for participation in a clinical trial; and/or selection of a treatment for a subject with a disease or disorder.

(139) Spatial information can provide information of biological importance. For example, the methods and compositions described herein can allow for: identification of transcriptome and/or proteome expression profiles (e.g., in healthy and/or diseased tissue); identification of multiple analyte types in close proximity (e.g., nearest neighbor analysis); determination of up- and/or down-regulated genes and/or proteins in diseased tissue;

characterization of tumor microenvironments; characterization of tumor immune responses; characterization of cell types and their co-localization in tissue; and identification of genetic variants within tissues (e.g., based on gene and/or protein expression profiles associated with specific disease or disorder biomarkers).

(140) Typically, for spatial array-based methods, a substrate functions as a support for direct or indirect attachment of capture probes to features of the array. A “feature” is an entity that acts as a support or repository for various molecular entities used in spatial analysis. In some embodiments, some or all of the features in an array are functionalized for analyte capture. Exemplary substrates are described in Section (II)(c) of WO 2020/176788 and/or U.S. Patent Application Publication No. 2020/0277663. Exemplary features and geometric attributes of an array can be found in Sections (II)(d)(i), (II)(d)(iii), and (II)(d)(iv) of WO 2020/176788 and/or U.S. Patent Application Publication No. 2020/0277663.

(141) Generally, analytes and/or intermediate agents (or portions thereof) can be captured when contacting a biological sample with a substrate including capture probes (e.g., a substrate with capture probes embedded, spotted, printed, fabricated on the substrate, or a substrate with features (e.g., beads, wells) comprising capture probes). As used herein, “contact,” “contacted,” and/or “contacting,” a biological sample with a substrate refers to any contact (e.g., direct or indirect) such that capture probes can interact (e.g., bind covalently or non-covalently (e.g., hybridize)) with analytes from the biological sample. Capture can be achieved actively (e.g., using electrophoresis) or passively (e.g., using diffusion). Analyte capture is further described in Section (II)(e) of WO 2020/176788 and/or U.S. Patent Application Publication No. 2020/0277663.

(142) In some cases, spatial analysis can be performed by attaching and/or introducing a molecule (e.g., a peptide, a lipid, or a nucleic acid molecule) having a barcode (e.g., a spatial barcode) to a biological sample (e.g., to a cell in a biological sample). In some embodiments, a plurality of molecules (e.g., a plurality of nucleic acid molecules) having a plurality of barcodes (e.g., a plurality of spatial barcodes) are introduced to a biological sample (e.g., to a plurality of cells in a biological sample) for use in spatial analysis. In some embodiments, after attaching and/or introducing a molecule having a barcode to a biological sample, the biological sample can be physically separated (e.g., dissociated) into single cells or cell groups for analysis. Some such methods of spatial analysis are described in Section (III) of WO 2020/176788 and/or U.S. Patent Application Publication No. 2020/0277663.

(143) In some cases, spatial analysis can be performed by detecting multiple oligonucleotides that hybridize to an analyte. In some instances, for example, spatial analysis can be performed using RNA-templated ligation (RTL). Methods of RTL have been described previously. See, e.g., Credle et al., *Nucleic Acids Res.* 2017 Aug. 21; 45(14):e128. Typically, RTL includes hybridization of two oligonucleotides to adjacent sequences on an analyte (e.g., an RNA molecule, such as an mRNA molecule). In some instances, the oligonucleotides are DNA molecules. In some instances, one of the oligonucleotides includes at least two ribonucleic acid bases at the 3' end and/or the other oligonucleotide includes a phosphorylated nucleotide at the 5' end. In some instances, one of the two oligonucleotides includes a capture domain (e.g., a poly(A) sequence, a non-homopolymeric sequence). After hybridization to the analyte, a ligase (e.g., Splint® ligase) ligates the two oligonucleotides together, creating a ligation product. In some instances, the two oligonucleotides hybridize to sequences that are not adjacent to one another. For example, hybridization of the two oligonucleotides creates a gap between the hybridized oligonucleotides. In some instances, a polymerase (e.g., a DNA polymerase) can extend one of the oligonucleotides prior to ligation. After ligation, the ligation product is released from the analyte. In some instances, the ligation product is released using an endonuclease (e.g., RNase H). The released ligation product can then be captured by capture probes (e.g., instead of direct capture of an analyte) on an array, optionally amplified, and sequenced, thus determining the location and optionally the abundance of the analyte in the biological sample.

(144) During analysis of spatial information, sequence information for a spatial barcode associated with an analyte is obtained, and the sequence information can be used to provide information about the spatial distribution of the analyte in the biological sample. Various methods can be used to obtain the spatial information. In some embodiments, specific capture probes and the analytes they capture are associated with specific locations in an array of features on a substrate. For example, specific spatial barcodes can be associated with specific array locations prior to array fabrication, and the sequences of the spatial barcodes can be stored (e.g., in a database) along with specific array location information, so that each spatial barcode uniquely maps to a particular array location.

(145) Alternatively, specific spatial barcodes can be deposited at predetermined locations in an array of features during fabrication such that at each location, only one type of spatial barcode is present so that spatial barcodes are uniquely associated with a single feature of the array. Where necessary, the arrays can be decoded using any of the methods described herein so that spatial barcodes are uniquely associated with array feature locations, and this mapping can be stored as described above.

(146) When sequence information is obtained for capture probes and/or analytes during analysis of spatial information, the locations of the capture probes and/or analytes can be determined by referring to the stored information that uniquely associates each spatial barcode with an array feature location. In this manner, specific capture probes and captured analytes are associated with specific locations in the array of features. Each array feature location represents a position relative to a coordinate reference point (e.g., an array location, a fiducial marker) for the array. Accordingly, each feature location has an “address” or location in the coordinate space of the array.

(147) Some exemplary spatial analysis workflows are described in the Exemplary Embodiments section of WO 2020/176788 and/or U.S. Patent Application Publication No. 2020/0277663. See, for example, the Exemplary embodiment starting with “In some non-limiting examples of the workflows described herein, the sample can be immersed . . .” of WO 2020/176788 and/or U.S. Patent Application Publication No. 2020/0277663. See also, e.g., the Visium Spatial Gene Expression Reagent Kits User Guide (e.g., Rev C, dated June 2020), and/or the Visium Spatial Tissue Optimization Reagent Kits User Guide (e.g., Rev C, dated July 2020).

(148) In some embodiments, spatial analysis can be performed using dedicated hardware and/or software, such as any of the systems described in Sections (II)(e)(ii) and/or (V) of WO 2020/176788 and/or U.S. Patent Application Publication No. 2020/0277663, or any of one or more of the devices or methods described in Sections Control Slide for Imaging, Methods of Using Control Slides and Substrates for, Systems of Using Control Slides and Substrates for Imaging, and/or Sample and Array Alignment Devices and Methods, Informational labels of WO 2020/123320.

(149) Suitable systems for performing spatial analysis can include components such as a chamber (e.g., a flow cell or sealable, fluid-tight chamber) for containing a biological sample. The biological sample can be mounted for example, in a biological sample holder. One or more fluid chambers can be connected to the chamber and/or the sample holder via fluid conduits, and fluids can be delivered into the chamber and/or sample holder via fluidic pumps, vacuum sources, or other devices coupled to the fluid conduits that create a pressure gradient to drive fluid flow. One or more valves can also be connected to fluid conduits to regulate the flow of reagents from reservoirs to the chamber and/or sample holder.

(150) The systems can optionally include a control unit that includes one or more electronic processors, an input interface, an output interface (such as a display), and a storage unit (e.g., a solid state storage medium such as, but not limited to, a magnetic, optical, or other solid state, persistent, writeable and/or re-writable storage medium). The control unit can optionally be connected to one or more remote devices via a network. The control unit (and components thereof) can generally perform any of the steps and functions described herein. Where the system is connected to a remote device, the remote device (or devices) can perform any of the steps or features described herein. The systems can optionally include one or more detectors (e.g., CCD, CMOS) used to capture images. The systems can also optionally include one or more light sources (e.g., LED-based, diode-based, lasers) for illuminating a sample, a substrate with features, analytes from a biological sample captured on a substrate, and various control and calibration media.

(151) The systems can optionally include software instructions encoded and/or implemented in one or more of tangible storage media and hardware components such as application specific integrated circuits. The software instructions, when executed by a control unit (and in particular, an electronic processor) or an integrated circuit, can cause the control unit, integrated circuit, or other component executing the software instructions to perform any of the method steps or functions described herein.

(152) In some cases, the systems described herein can detect (e.g., register an image) the biological sample on the array. Exemplary methods to detect the biological sample on an array are described in PCT Application No. 2020/061064 and/or U.S. patent application Ser. No. 16/951,854.

(153) Prior to transferring analytes from the biological sample to the array of features on the substrate, the biological sample can be aligned with the array. Alignment of a biological sample and an array of features including capture probes can facilitate spatial analysis, which can be used to detect differences in analyte presence and/or level within different positions in the biological sample, for example, to generate a three-dimensional map of the analyte presence and/or level. Exemplary methods to generate a two- and/or three-dimensional map of the analyte presence and/or level are described in PCT Application No. 2020/053655 and spatial analysis methods are generally described in WO 2020/061108 and/or U.S. patent application Ser. No. 16/951,864.

(154) In some cases, a map of analyte presence and/or level can be aligned to an image of a biological sample using one or more fiducial markers, e.g., objects placed in the field of view of an imaging system which appear in the image produced, as described in the Substrate Attributes Section, Control Slide for Imaging Section of WO 2020/123320, PCT Application No. 2020/061066, and/or U.S. patent application Ser. No. 16/951,843. Fiducial markers can be used as a point of reference or measurement scale for alignment (e.g., to align a sample and an array, to align two substrates, to determine a location of a sample or array on a substrate relative to a fiducial marker) and/or for quantitative measurements of sizes and/or distances.

(155) While this specification contains many specific implementation details, these should not be construed as limitations on the scope of any inventions or of what may be claimed, but rather as descriptions of features specific to particular implementations of particular inventions. Certain features that are described in this specification in the context of separate implementations can also be implemented in combination in a single implementation. Conversely, various features that are described in the context of a single implementation can also be implemented in multiple implementations separately or in any suitable sub-combination. Moreover, although features may be described above as acting in certain combinations and even initially claimed as such, one or more features from a claimed combination can in some cases be excised from the combination, and the claimed combination may be directed to a sub-combination or variation of a sub-combination.

(156) Similarly, while operations are depicted in the drawings in a particular order, this should not be understood as requiring that such operations be performed in the particular order shown or in sequential order, or that all illustrated operations be performed, to achieve desirable results. In certain circumstances, multitasking and parallel processing may be advantageous. Moreover, the separation of various system components in the implementations described above should not be understood as requiring such separation in all implementations, and it should be understood that the described program components and systems can generally be integrated together in a single software product or packaged into multiple software products.

(157) Thus, particular implementations of the subject matter have been described. Other implementations are within the scope of the following claims. In some cases, the actions recited in the claims can be performed in a different order and still achieve desirable results. In addition, the processes depicted in the accompanying figures do not necessarily require the particular order shown, or sequential order, to achieve desirable results. In certain implementations, multitasking and parallel processing may be advantageous.

Claims

1. A method for capturing analytes from one or more biological samples, the method comprising: placing the one or more biological samples in contact with capture probes on a substrate, the one or more biological samples including the analytes; inserting the substrate into a substrate holder of a substrate cassette; subsequent to placing the one or more biological samples in contact with the capture probes on the substrate and inserting the substrate into the substrate holder, arranging the substrate cassette and the substrate to align one or more apertures of the substrate cassette with one or more substrate regions of the substrate and define one or more buffer chambers on the one or more substrate regions; supplying buffers in the one or more buffer chambers; arranging a cathode to place one or more electrode plates of the cathode within the one or more buffer chambers; and generating electric fields between the one or more substrate regions and the one or more electrode plates to cause the analytes in the one or more biological samples to migrate toward the capture probes on the substrate, wherein the substrate functions as an anode that is removably coupled to the substrate cassette.
2. The method of claim 1, wherein the capture probes are immobilized on the one or more substrate regions, and wherein the one or more biological samples are placed in contact with the capture probes on the one or more substrate regions.
3. The method of claim 1, wherein the one or more substrate regions include one or more wells recessed on the substrate.
4. The method of claim 1, wherein the substrate holder comprises a substrate mount for securing the substrate, wherein the substrate cassette comprises: a gasket including one or more gasket apertures configured to align with the one or more substrate regions when the substrate is secured by the substrate holder, wherein the one or more apertures include the one or more gasket apertures, and wherein the substrate holder comprises: one or more holder apertures configured to align with the one or more gasket apertures when the substrate is secured by the substrate holder, wherein the one or more apertures include the one or more gasket apertures and the one or more holder apertures.
5. The method of claim 1, further comprising: providing a substrate cover including one or more cover apertures and mounting the cathode; and placing the substrate cover onto the substrate cassette such that the one or more cover apertures of the substrate cover are aligned with the one or more apertures of the substrate cassette, respectively, and such that the one or more electrode plates of the cathode extends through the one or more cover apertures into the one or more apertures of the substrate.
6. The method of claim 1, wherein the substrate is coated with a conductive material, and wherein the conductive material includes at least one of tin oxide (TO), indium tin oxide (ITO), a transparent conductive oxide (TCO), aluminum doped zinc oxide (AZO), or fluorine doped tin oxide (FTO).
7. The method of claim 1, further comprising: arranging one or more spacers between the substrate and the cathode to define the one or more buffer chambers.
8. The method of claim 7, wherein the one or more spacers comprise a non-conductive material.
9. The method of claim 1, wherein said arranging the cathode to place the one or more electrode plates of the cathode within the one or more buffer chambers further comprises at least partially immersing the one or more electrode plates of the cathode in the buffers supplied in the one or more buffer chambers.
10. The method of claim 9, wherein the buffers supplied in the one or more buffer chambers include a permeabilization reagent.
11. The method of claim 1, wherein the buffers supplied in the one or more buffer chambers include at least one of a permeabilization reagent, a permeabilization buffer, a permeabilization enzyme, a buffer without a permeabilization reagent, a permeabilization gel, or a permeabilization solution.
12. The method of claim 1, further comprising: providing, from a power supply, a voltage between the substrate and the cathode through electrical wires connecting the power supply to the substrate and the cathode.
13. The method of claim 12, further comprising: connecting the electrical wires from the power supply to the substrate and the cathode prior to providing the voltage.
14. The method of claim 1, wherein the one or more biological samples each comprises a cell or a tissue including a cell, and wherein the analytes comprise one of a protein or a nucleic acid.
15. The method of claim 1, wherein the substrate cassette comprises a non-conductive material, and wherein the non-conductive material is one of plastic, glass, porcelain, or rubber.

16. The method of claim 1, further comprising: immersing at least a portion of the one or more electrode plates of the cathode in a buffer supplied in the one or more buffer chambers; and providing a voltage between the substrate cassette and the one or more electrode plates to generate the electric fields between the one or more substrate regions and the one or more electrode plates.
17. The method of claim 16, wherein the capture probes are immobilized on the one or more substrate regions, and wherein the one or more biological samples are placed in contact with the capture probes on the one or more substrate regions.
18. The method of claim 17, wherein the one or more substrate regions include one or more wells recessed on the substrate cassette.
19. The method of claim 16, wherein the substrate cassette is coated with a conductive material, and wherein the conductive material includes at least one of tin oxide (TO), indium tin oxide (ITO), a transparent conductive oxide (TCO), aluminum doped zinc oxide (AZO), or fluorine doped tin oxide (FTO).
20. The method of claim 16, wherein the substrate cassette comprises a non-conductive material, and wherein the non-conductive material is one of plastic, glass, porcelain, or rubber.
-