



US0D1091550S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,091,550 S**
Ninomiya et al. (45) **Date of Patent:** **** Sep. 2, 2025**

(54) **COORDINATE INPUT APPARATUS**

(71) Applicant: **Wacom Co., Ltd.**, Kazo (JP)

(72) Inventors: **Kenichi Ninomiya**, Kazo (JP);
Yoshiharu Ishitsu, Kazo (JP)

(73) Assignee: **Wacom Co., Ltd.**, Kazo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/947,682**

(22) Filed: **Jun. 17, 2024**

(30) **Foreign Application Priority Data**

Dec. 19, 2023 (JP) 2023-026337 D

(51) **LOC (15) Cl.** **14-02**

(52) **U.S. Cl.** **D14/411**
USPC

(58) **Field of Classification Search**

USPC D14/411, 480.3, 264; D19/115, 117,
D19/156, 163, 164, 168, 170, 173, 174;
178/18.01–18.7, 19.04; 345/156, 157,
345/158, 173, 179

CPC B43K 21/08; B43K 29/02; B43K 29/0875;
B43K 7/005; F16B 11/006; F16B 2/22;
F16B 9/023

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D886,822 S 6/2020 Mitchell
D897,341 S * 9/2020 Kamiyama D14/411
D933,660 S * 10/2021 Hashimoto D14/411
D946,575 S * 3/2022 Kamiyama D14/411
D946,576 S * 3/2022 Kamiyama D14/411

D947,192 S * 3/2022 Kamiyama D14/411
D966,268 S * 10/2022 Kamiyama D14/411
D968,408 S * 11/2022 Kamiyama D14/411
D978,243 S * 2/2023 Kamiyama D14/411
D978,966 S * 2/2023 Kamiyama D14/411
D1,001,130 S * 10/2023 Kamiyama D14/411
D1,053,192 S * 12/2024 Arai D14/411

* cited by examiner

Primary Examiner — Austin Murphy

(74) *Attorney, Agent, or Firm* — CHRISTENSEN
O'CONNOR JOHNSON KINDNESS PLLC

(57) **CLAIM**

The ornamental design for a coordinate input apparatus as shown and described.

DESCRIPTION

FIG. 1 is a top-front-left perspective view of a coordinate input apparatus according to our new design, wherein an end cap is removed;

FIG. 2 is a bottom-front-right perspective view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is left side elevational view thereof;

FIG. 6 is a right side elevational view thereof;

FIG. 7 is top plan view thereof;

FIG. 8 is a bottom plan view thereof;


FIG. 9 is an enlarged right side elevational view thereof;

FIG. 10 is a partially exploded top-front-left perspective view thereof showing the end cap; and,

FIG. 11 is a top-rear-right perspective view of the coordinate input apparatus of FIG. 1, wherein nibs are removed from the apparatus.

The broken lines in the figures depict portions of the coordinate input apparatus that form no part of the claimed design.

1 Claim, 6 Drawing Sheets







FIG. 1






FIG. 3



FIG. 4



FIG. 5




FIG. 6




FIG. 7



FIG. 8




FIG. 9




FIG. 10




FIG. 11