



US0D1091979S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,091,979 S**
Luo (45) **Date of Patent:** **** Sep. 2, 2025**

(54) **DOG TRAINING SET**

OTHER PUBLICATIONS

(71) Applicant: **SHENZHEN WELLTURN TECHNOLOGY CO., LTD**, Shenzhen (CN)

Invirox Collar, 2021, https://www.amazon.com/INVIROX-Dog-Training-Collar-2022/dp/B08TP8Y266/ref=sr_1_65.*

(72) Inventor: **Xingsheng Luo**, Shenzhen (CN)

Primary Examiner — Susan Moon Lee

(74) *Attorney, Agent, or Firm* — Birchwood IP

(73) Assignee: **SHENZHEN WELLTURN TECHNOLOGY CO., LTD**, Shenzhen (CN)

(57) **CLAIM**

The ornamental design for a dog training set, as shown and described.

(**) Term: **15 Years**

DESCRIPTION

(21) Appl. No.: **29/941,074**

(22) Filed: **May 7, 2024**

(51) **LOC (15) Cl.** **30-99**

(52) **U.S. Cl.**
USPC **D30/199; D10/104.1**

(58) **Field of Classification Search**

USPC D30/151–155, 144, 199, 160;
119/792–798, 850, 855–859, 863–865,
119/654, 905, 907, 815, 712, 802, 784,
119/769, 760, 776, 862, 908, 860,
119/719–721; 242/381.1–381.2, 385.4,
242/378.3, 376.1, 385.1, 916, 601, 570,
242/405, 404, 371, 223, 170, 388.1,
242/405.2, 377, 381.3, 381.6, 405.3,
242/388.6, 384.7, 382, 396.1, 404.1, 380;
362/108; 33/767, 769, 414; D12/400;
D3/229, 230, 207, 208, 215; 40/1.5, 455,
40/640, 303; 206/63.3, 459.5, 702, 408;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D725,324 S * 3/2015 Schrick D10/104.1
D898,308 S * 10/2020 Yang D10/104.1
(Continued)

FIG. 1 is a perspective view of a dog training set in accordance with the present design;

FIG. 2 is a front, top and right side perspective view of the signal receiver component of the dog training set of FIG. 1, shown separately for clarity;

FIG. 3 is a rear, bottom and left side perspective view thereof;

FIG. 4 is a front elevation view thereof;

FIG. 5 is a rear elevation view thereof;

FIG. 6 is a left side elevation view thereof;

FIG. 7 is a right side elevation view thereof;

FIG. 8 is a top plan view thereof;

FIG. 9 is a bottom view thereof;

FIG. 10 is a front, top and right side perspective view of the transmitter component of the dog training set of FIG. 1, shown separately for clarity;

FIG. 11 is a rear, bottom and left side perspective view thereof;

FIG. 12 is a front elevation view thereof;

FIG. 13 is a rear elevation view thereof;

FIG. 14 is a left side elevation view thereof;


FIG. 15 is a right side elevation view thereof;

FIG. 16 is a top plan view thereof; and,

FIG. 17 is a bottom view thereof.

The broken lines shown in the drawings illustrate portions of the dog training set that form no part of the claimed design.

1 Claim, 17 Drawing Sheets



(58) **Field of Classification Search**

USPC D6/515; D8/358, 360, 347, 360.1, 359,
D8/356, DIG. 1; D24/145, 167, 186, 146,
D24/169; D10/57, 72, 106.1, 104.1,
D10/104.2, 109.2, 70, 97, 98, 78, 65;
D20/28; 224/666, 678; 16/445; 283/74,
283/70; D11/232, 200, 216, 1, 2, 86, 87,
D11/201, 206–210, 212–215, 218;
24/163 K, 122.3, 323, 702, 600.4–600.7,
24/163 R, 169–171, 173, 177–179, 191,
24/194, 195, 197, 200, 303, 616, 635,
24/313, 615, 3, 6, 3 K, 599.2, 96, 221,
24/237, 311, 312, 314, 321, 338, 339,
24/309; 428/3, 4; 54/76, 1, 71; 63/29.1,
63/3; 191/12.2 R, 12.4; D13/154, 153,
D13/137.4, 155, 103, 168; D19/69, 67;
379/438; 446/26; 473/576; D22/140;
174/135; 439/504, 13, 501; D34/33;
188/83, 82.1, 65.1; 254/134.3 FT;
D29/124; D2/627, 624, 633, 625;
132/145, 146, 148; 2/314; 59/79.1;
340/573.3, 573.1, 573, 573.4,
340/539.13–539.19; 343/895;
278/8 AES; 231/7; 361/232; D14/344,
D14/341, 137, 155, 496, 203.5, 203.3,
D14/144, 218, 188, 216, 192;
342/357.51, 357.57, 357.52, 357.55;
455/100, 352, 456.1, 550.1; 315/291
CPC A01K 15/021; A01K 15/02; A01K 15/022;
A01K 15/023; A01K 15/029; A01K
15/04; A01K 15/00; A01K 15/006; A01K
12/022; A01K 27/009; A01K 27/00;
A01K 27/001; A01K 27/006–008; A01K
29/005; A01K 29/00; A61B 5/0002–0028;

A61B 5/681; A61B 5/6822; A61B

5/6824; A61B 5/6829; G01S 5/0294

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

D899,717	S	*	10/2020	Van Curen		D30/199
D930,294	S	*	9/2021	Jia		D10/104.1
D931,557	S	*	9/2021	Xie		D10/104.1
D932,712	S	*	10/2021	Mott		D30/152
D945,721	S	*	3/2022	Luo		D10/104.1
D950,863	S	*	5/2022	Mott		D30/152
D951,894	S	*	5/2022	Xiao		D14/137
D964,667	S	*	9/2022	Mo		D10/104.1
D970,827	S	*	11/2022	Zhuang		D30/152
D977,765	S	*	2/2023	Zhang		D30/199
D987,217	S	*	5/2023	Xiong		D30/152
D987,914	S	*	5/2023	Zhang		D10/104.1
D991,592	S	*	7/2023	Lan		D10/104.1
D991,596	S	*	7/2023	Jiang		D10/104.1
D996,746	S	*	8/2023	Li		D10/104.1
D1,004,223	S	*	11/2023	Xie		D10/104.1
D1,010,250	S	*	1/2024	Mo		D10/104.1
D1,027,338	S	*	5/2024	Wen		D10/104.1
D1,027,340	S	*	5/2024	Tang		D10/104.1
D1,039,515	S	*	8/2024	Zhou		D10/104.1
D1,041,098	S	*	9/2024	Wen		D30/199
D1,054,130	S	*	12/2024	Ye		D10/104.1
D1,063,259	S	*	2/2025	Zhou		D30/199
D1,077,379	S	*	5/2025	Liu		D10/104.1
D1,082,170	S	*	7/2025	Zhou		D30/152
2021/0219524	A1	*	7/2021	So		H04R 1/08
2023/0345907	A1	*	11/2023	Smith		A01K 27/001
2024/0065232	A1	*	2/2024	Neal		A01K 27/008
2024/0138377	A1	*	5/2024	Smith		A61B 5/7275

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17