

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12400515
Kind Code	B2
Date of Patent	August 26, 2025
Inventor(s)	Lutnick; Howard W. et al.

Mobile gambling application with location-based tracking and recommendations based on what games are trending

Abstract

Techniques for recommending trending games to a user are described. For example, information regarding a first game played on a mobile phone is determined. The information includes the amount of time the first game is played or the number of times the first game was played on the mobile phone. A recommendation to play a second game having a common characteristic with the first game is received and displayed, based on such information and based on an increase in play of the second game by other people over a period of time. A user is enabled to play the second game based on determining that the mobile phone is in a defined geographical area, such as a geo-fenced region.

Inventors: Lutnick; Howard W. (New York, NY), Alderucci; Dean P. (Westport, CT), Gelman; Geoffrey M. (Brooklyn, NY)

Applicant: INTERACTIVE GAMES LLC (New York, NY)

Family ID: 1000008777636

Assignee: INTERACTIVE GAMES LLC (New York, NY)

Appl. No.: 18/757124

Filed: June 27, 2024

Prior Publication Data

Document Identifier	Publication Date
US 20240378949 A1	Nov. 14, 2024

Related U.S. Application Data

continuation parent-doc US 18243139 20230907 PENDING child-doc US 18757124
continuation parent-doc US 17567215 20220103 US 11798354 20231024 child-doc US 18243139

continuation parent-doc US 16520430 20190724 US 11217063 20220104 child-doc US 17567215
continuation parent-doc US 14594249 20150112 US 10380835 20190813 child-doc US 16520430
continuation parent-doc US 11869368 20071009 US 8932131 20150113 child-doc US 14594249

Publication Classification

Int. Cl.: G07F17/32 (20060101)

U.S. Cl.:

CPC G07F17/3225 (20130101); G07F17/32 (20130101); G07F17/3218 (20130101);
G07F17/3237 (20130101); G07F17/3288 (20130101); G07F17/3239 (20130101)

Field of Classification Search

USPC: None

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
1002259	12/1910	Goedeke	N/A	N/A
6346886	12/2001	De La Huerga	N/A	N/A
6409602	12/2001	Wiltshire et al.	N/A	N/A
6676522	12/2003	Rowe et al.	N/A	N/A
6702672	12/2003	Angell et al.	N/A	N/A
6846238	12/2004	Wells	N/A	N/A
7446772	12/2007	Wong et al.	N/A	N/A
7740533	12/2009	Walker et al.	N/A	N/A
7975026	12/2010	Oh	N/A	N/A
8282490	12/2011	Arezina et al.	N/A	N/A
8932131	12/2014	Lutnick et al.	N/A	N/A
10127763	12/2017	Lutnick et al.	N/A	N/A
10380835	12/2018	Lutnick et al.	N/A	N/A
11217063	12/2021	Lutnick et al.	N/A	N/A
11798354	12/2022	Lutnick et al.	N/A	N/A
2002/0142846	12/2001	Paulsen	N/A	N/A
2002/0147049	12/2001	Carter	N/A	N/A
2002/0151366	12/2001	Walker et al.	N/A	N/A
2003/0109306	12/2002	Karmarkar	N/A	N/A
2003/0199313	12/2002	Gonen et al.	N/A	N/A
2003/0228906	12/2002	Walker et al.	N/A	N/A
2004/0005919	12/2003	Walker et al.	N/A	N/A
2004/0189470	12/2003	Girvin et al.	N/A	N/A
2005/0170890	12/2004	Rowe et al.	N/A	N/A
2005/0187020	12/2004	Amaitis	463/42	G07F 17/32
2005/0209003	12/2004	Adams	N/A	N/A
2005/0242962	12/2004	Lind et al.	N/A	N/A
2006/0019745	12/2005	Benbrahim	N/A	N/A

2006/0052148	12/2005	Blair et al.	N/A	N/A
2006/0068895	12/2005	Nguyen et al.	N/A	N/A
2006/0217195	12/2005	Walker et al.	N/A	N/A
2006/0252551	12/2005	Walker et al.	N/A	N/A
2007/0054738	12/2006	Muir	N/A	N/A
2008/0020845	12/2007	Low et al.	N/A	N/A
2008/0214287	12/2007	Lutnick et al.	N/A	N/A
2009/0093290	12/2008	Lutnick et al.	N/A	N/A
2009/0197684	12/2008	Arezina et al.	N/A	N/A
2013/0190084	12/2012	Lutnick et al.	N/A	N/A
2015/0179019	12/2014	Lutnick et al.	N/A	N/A
2019/0156620	12/2018	Lutnick et al.	N/A	N/A
2023/0419773	12/2022	Lutnick et al.	N/A	N/A

FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
H05228259	12/1992	JP	N/A
2002006973	12/2001	JP	N/A
2002073894	12/2001	JP	N/A
2002168019	12/2001	JP	N/A
2002-215523	12/2001	JP	N/A
2002297726	12/2001	JP	N/A
2003022328	12/2002	JP	N/A
2004137720	12/2003	JP	N/A
2005115786	12/2004	JP	N/A
2005-216261	12/2004	JP	N/A
2005270649	12/2004	JP	N/A
2006099234	12/2005	JP	N/A
2006-181194	12/2005	JP	N/A
2006187638	12/2005	JP	N/A
2007005985	12/2006	JP	N/A
WO-02/084602	12/2001	WO	N/A
WO-2005028056	12/2004	WO	N/A

OTHER PUBLICATIONS

AU Examination Report for AU Application No. 2008223144, mailed on Jul. 2, 2010, 2 pages.
cited by applicant

AU Examination Report for AU Application No. 2012201757, mailed on Dec. 19, 2013, 3 pages.
cited by applicant

Australian First Examination Report, Australian Application No. 2015207878, Jul. 25, 2016, 6
pages. cited by applicant

Australian First Examination Report, Australian Application No. 2017225067, Aug. 23, 2018, 7
pages. cited by applicant

Australian Notice of Acceptance for Application No. 2015207878, Jun. 28, 2017, 3 pages. cited by
applicant

Australian Second Examination Report, Australian Application No. 2015207878, Jun. 2, 2017, 4
pages. cited by applicant

CA Examination Report for CA Application No. 2679860, mailed on Feb. 16, 2015, 4 pages. cited
by applicant

CA Examination Report for CA Application No. 2679860, mailed on Jan. 12, 2017, 4 pages. cited

by applicant
CA Examination Report for CA Application No. 2679860, mailed on Jan. 15, 2016, 4 pages. cited by applicant
CA Examination Report for CA Application No. 2679860, mailed on Nov. 28, 2013, 2 pages. cited by applicant
CA Examination Report for CA Application No. 2679860, mailed on Sep. 10, 2012, 4 pages. cited by applicant
CA Final Action for CA Application No. 2679860 mailed on Mar. 5, 2018, 6 pages. cited by applicant
Final Office Action for U.S. Appl. No. 11/680,866, mailed on Jul. 23, 2013, 20 pages. cited by applicant
Final Office Action for U.S. Appl. No. 11/869,368, mailed on Jul. 2, 2014, 15 pages. cited by applicant
Final Office Action for U.S. Appl. No. 11/869,368, mailed on Jul. 31, 2012, 15 pages. cited by applicant
Final Office Action for U.S. Appl. No. 11/869,368, mailed on Oct. 4, 2013, 18 pages. cited by applicant
Final Office Action for U.S. Appl. No. 13/792,773, mailed on Jul. 18, 2014, 10 pages. cited by applicant
JP Office Action for Application No. 2014-165478, Dec. 15, 2015, 8 pages total with English Translation. cited by applicant
JP Office Action for JP Application No. 2009-551848; dated mailed on Apr. 25, 2013, 9 pages (w/English translation). cited by applicant
JP Office Action for JP Application No. 2009-551848; mailed on Apr. 9, 2013, 09 pages. (w/English translation). cited by applicant
JP Office Action for JP Application No. 2009-551848; mailed on Apr. 15, 2014, 6 pages (w/English translation). cited by applicant
JP Office Action for JP Application No. 2009-551848; mailed on Feb. 21, 2012, 11 pages. (w/English translation). cited by applicant
JP Office Action for JP Application No. 2012-182700; mailed on Apr. 2, 2013, 12 pages (w/English translation). cited by applicant
JP Office Action for JP Application No. 2012-182700; mailed on Apr. 15, 2014, 6 pages (w/English translation). cited by applicant
Non-Final Office Action for U.S. Appl. No. 11/680,866, mailed on Aug. 31, 2010, 16 pages. cited by applicant
Non-Final Office Action for U.S. Appl. No. 11/869,368, mailed on Dec. 1, 2011, 15 pages. cited by applicant
Non-Final Office Action for U.S. Appl. No. 11/869,368, mailed on Mar. 29, 2013, 15 pages. cited by applicant
Non-Final Office Action for U.S. Appl. No. 13/792,773, mailed on Sep. 24, 2013, 11 pages. cited by applicant
PCT Search Report and Written Opinion for International Application No. PCT/US08/55284; dated Sep. 29, 2008; 13 pages. cited by applicant
Requirement for Restriction/Election for U.S. Appl. No. 11/869,368, mailed on May 5, 2011, 09 pages. cited by applicant
Windows CE Website—Table of Contents (2). Chris De Herrera's Windows CE Website. Retrieved: Aug. 28, 2018. cited by applicant
Windows Mobile 5.0 Emulator(2). Chris De Herrera's Windows CE Website. Retrieved: Aug. 28, 2018. cited by applicant

Primary Examiner: Pierce; Damon J

Attorney, Agent or Firm: Sterne, Kessler, Goldstein & Fox P.L.L.C.

Background/Summary

CROSS REFERENCE TO RELATED APPLICATIONS (1) This application is a continuation of Ser. No. 18/243,139 filed Sep. 7, 2023, which is a continuation of U.S. patent application Ser. No. 17/567,215 filed Jan. 3, 2022 (now U.S. Pat. No. 11,798,354 issued Oct. 24, 2023), which is a continuation of U.S. patent application Ser. No. 16/520,430 filed Jul. 24, 2019 (now U.S. Pat. No. 11,217,063 issued Jan. 4, 2022), which is a continuation of U.S. patent application Ser. No. 14/594,249 filed Jan. 12, 2015 (now U.S. Pat. No. 10,380,835 issued Aug. 13, 2019), which is a continuation of U.S. patent application Ser. No. 11/869,368 filed Oct. 9, 2007 (now U.S. Pat. No. 8,932,131 issued Jan. 13, 2015), each of which is incorporated by reference herein in its entirety.

BRIEF DESCRIPTION OF THE FIGURES

- (1) FIG. 1 shows a gaming system according to some embodiments.
- (2) FIG. 2 shows a communications network according to some embodiments.
- (3) FIG. 3 shows a gaming service provider in communication with a gaming communication device according to some embodiments.
- (4) FIG. 4 shows a communications network according to some embodiments.
- (5) FIG. 5 shows a gaming system according to some embodiments.
- (6) FIG. 6 shows a wireless gaming system according to some embodiments.
- (7) FIG. 7 shows a mobile gaming device with promotional content according to some embodiments.
- (8) FIG. 8 is a block diagram of a gaming system in accordance with some embodiments.
- (9) FIG. 9 is a block diagram of a payment system forming a part of the gaming system illustrated in FIG. 8, according to some embodiments.
- (10) FIG. 10 is a schematic diagram of a portable gaming device of the gaming system illustrated in FIG. 8, according to some embodiments.
- (11) FIG. 11(a) is a flow diagram of a method of use of a portable gaming device by a player, according to some embodiments.
- (12) FIG. 11(b) is a flow diagram of a particular method of using the portable gaming device by a player, according to some embodiments.
- (13) FIG. 12 is a flow diagram of a method of use of the portable gaming device by a gaming service operator, according to some embodiments.
- (14) FIG. 13 is a flow diagram of a method of use of the portable gaming device according to some embodiments.
- (15) FIG. 14 is a mobile gaming device as viewed on a computer screen according to some embodiments.

Description

DETAILED DESCRIPTION

- (1) In various embodiments, a player may prepare for using a mobile gaming device. In various

embodiments, a player may practice using a simulation of mobile gaming device. The player may practice using the simulation over a network, such as over the Internet. By practicing use of the mobile gaming device, a player may be less intimidated or frustrated when he tries using a real mobile gaming device for the first time. In various embodiments, a player may customize a simulated version of a mobile gaming device. Customizations made by the player may be subsequently realized on a real mobile gaming device. For example, customize the screen on the simulated mobile gaming device to look one way. Subsequently, the player may receive a real mobile gaming device with the screen already configured, or readily configurable, to look the same way.

(2) The Simulation

(3) In various embodiments, a player may play a simulation of a game on the Web or over some other network. The simulation may include graphics which depict or are otherwise similar to graphics that would be used in a real gaming environment. In various embodiments, the player himself may not be in a legal gaming environment, or in an environment where he can gamble with real money. Thus, while playing a game over the network, the player may be confined to using points, currency, credits, play money, or other tokens with no real value.

(4) In various embodiments, a simulation may include sounds that are the same or similar to sounds used in a game played with real money. In various embodiments, a simulation may depict a mobile gaming device. For example, a player's computer screen may show a depiction of a mobile gaming device. The depiction of the mobile gaming device may show the mobile gaming device to include a screen of its own, with graphics presented on the screen. Thus, the graphics on the screen of the mobile gaming device will appear to the player who is playing over the Internet as a picture within a picture. The mobile gaming device itself would just be a picture, in various embodiments. A picture, image, or depiction of a mobile gaming device may include depictions of input devices, such as buttons. The depiction of the mobile gaming device may include depictions of speakers, microphones, antenna, and any other hardware features of the actual mobile gaming device being depicted. In various embodiments, the player playing or watching the simulation may have the opportunity to manipulate the viewing angle of the mobile gaming device. For example, the player may have the opportunity to manipulate the image of the mobile gaming device so that he is watching from the top, from the side, from the bottom, or from any other angle.

(5) In various embodiments, a player watching or playing a simulation may have the opportunity to interact with simulated buttons. For example, a graphic on his computer screen may represent a button of the mobile gaming device. The player may activate the button by clicking while his mouse cursor is situated over the button. For example, to make a bet, a player may move his mouse cursor over a depiction of a "bet" button and click with his mouse.

(6) In various embodiments, keys on a computer key-board may be co-opted to function like keys on the mobile gaming device. Thus, in playing on a simulated mobile gaming device, a player may press keys on his keyboard to indicate decisions such as whether to hit or stand, how much to bet, which cards to hold, and so on.

(7) In various embodiments, a simulation may utilize real or actual outcomes that have been previously generated, such as at a mobile gaming device. A player may watch a simulation over the Web. The simulation may reenact a game that had occurred at a mobile gaming device, where such game was played with real money at risk. The simulation may be recreated from data received from the real game. For example, data indicative of the type of game played, the outcome generated, and the payout may be transmitted to the player's personal computer, or other player device. Software on the personal computer (e.g., software previously downloaded from the casino Website) may use the received data to create a reenactment of the game which had been previously played with real money at risk. In various embodiments, the casino server may recreate or reenact a game using the data. The casino server may then transmit to the player's personal computer (or other player device) a sequence of images which depict the game. In various embodiments, a mobile gaming device that

conducts a game with real money at risk may transmit images from the game to a casino server. The casino server may then transmit such images to a player's personal computer (or other player device) in order to allow the computer to recreate the game.

(8) In various embodiments, a player who is viewing a simulation over the Internet may also participate in the game being simulated. The player may make bets consisting of play money (i.e., money with no value). A simulation of the game and its resolution may then be shown to the player. The player may then receive more play money if his bet was a winning bet.

(9) In various embodiments, a player may view a video or other depiction of real games that had been played at a mobile gaming device. The video may hide or obscure one or more features e.g., for privacy reasons. For example, a video may depict another player playing a mobile gaming device. However, the face of the other player may be blocked out so that the player watching the video cannot readily identify the other player. The video may include a video captured from security cameras in a casino, and later broadcast to the player's computer, or other player device, over the Internet.

(10) In various embodiments, typical play patterns of a player in a simulation may be analyzed. Play patterns may include how many credits the player bets per game, how much money the player bets per game, which bets the player makes (e.g., which color does the player usually bet on; e.g., in craps, does the player usually bet pass or don't pass), what strategy a player typically uses, how many pay lines a player typically uses, or any other play patterns. A play pattern may include a manner in which a player views a game. The play pattern may include, for example, whether a player views a game in a 2-D or in a 3-D perspective.

(11) A play pattern may be ported to a mobile gaming device. For example, typical decisions made by a player in a simulation may be set as default decisions for a player on a mobile gaming device when playing for real money. For example, the mobile gaming device may be configured so that a player can simply start a game without explicitly specifying a bet size. The actual bet size used may be based on the preferred bet size used by the player.

(12) Customizable Options

(13) In various embodiments, a player may customize one or more of the following aspects of a mobile gaming device: (a) the overall size of the mobile gaming device; (b) the weight of the mobile gaming device; (c) the color of the mobile gaming device; (d) a sound made by the mobile gaming device; (e) a sound made by the mobile gaming device when a game is won; (f) a sound made by the mobile gaming device when a game is lost; (g) a sound made by the mobile gaming device when a player is being paid; (h) a sound made by the mobile gaming device when the mobile gaming device reaches a zone where gaming is not permissible; (i) a size of a button on the mobile gaming device; (j) a screen size on the mobile gaming device; (k) a type of input device used on the mobile gaming device (e.g., the player may determine whether a touch pad is used, whether a thumb wheel is used, whether a button is used, or whether any other device is used); (l) a battery life of the mobile gaming device; (m) the type of screen to be used on the mobile gaming device; (n) a graphic to appear on the housing of the mobile gaming device; (o) a graphic that will appear on the screen of the mobile gaming device; (p) a color of a button or other input device on the mobile gaming device; (q) a power at which the mobile gaming device will be capable of transmitting; (r) the location of a button or other input device; or any other aspect of the mobile gaming device.

(14) Customize the Play of the Game:

(15) In various embodiments, a player may customize one or more features game play. A player may customize: (a) a sound level; (b) a speed of play (e.g., the player may indicate whether play should proceed at 5 games per minute or at 8 games per minute); (c) the betting denomination to be used in a game (e.g., 5-cent bets, e.g., 25 cent bets); (d) the number of pay lines to be used in a game (e.g., the player may indicate that he wishes to use five pay lines in a game); (e) the type of game (e.g., video poker; e.g., slot machine; e.g., blackjack); (f) the look of one or more game

indicia (e.g., the player may choose whether he would prefer a two-color card deck or a four-color card deck); (g) whether or not a mobile gaming device will play automatically for a player; (h) whether a mobile gaming device will allow a player to participate in newly generated games for the player, or whether the mobile gaming device will allow the player to bet on the events or outcomes of other people's games; and any other features of game play.

(16) In various embodiments, a player may indicate one or more friends, relatives, associates, or other people. Such people may constitute a buddy list, for example. The player may customize his mobile gaming device so that he can communicate with other people he has designated, so that he can see the images or avatars of other people, so that he and others can show each other outcomes they have received, so that the player can be aware of the location of others, so that others can be aware of the player's location, so that the player may transfer money to others or receive money from others, or so that the player may in any way interact with others.

(17) Registering and Identifying Himself in the Real Casino

(18) In various embodiments, a player may provide a name, social security number, a handle, a player tracking card number, or any other identifying information. The player may provide such information in conjunction with commencing or engaging in a practice session with a simulated mobile gaming device. For example, a player may visit a Web site of a casino. The player may indicate that he wishes to practice play with a simulated mobile gaming device. The player may then be given the opportunity to play a game on his computer which represents or mimics the way play would occur on a mobile gaming device at a casino. Before playing, while playing, or after finishing play, the player may be asked for identifying information. The player may provide such information to the casino. In some embodiments, the casino may provide a player with a password, handle, or other unique identifier.

(19) When a player later wishes to check out a real mobile gaming device, e.g., upon visiting a casino, the player may submit his name, social security number, or other associated identifier. The identifier submitted by the player may be one chosen by the player, or one provided to him by the casino. Once submitted, the player's identifier may be matched to prior identifiers associated with people who had practiced through the Web. In this fashion, the casino may be able to associate a player who asks to use a real mobile gaming device with a practice session that occurred on the Web. Presumably, in various embodiments, the player who had practiced through the Web is the same person that is now seeking to check out a real mobile gaming device.

(20) When a real mobile gaming device is then provided to the player, the real mobile gaming device may be configured to be familiar or comfortable to the player based on the practice session already played by the player on the Web. For example, the mobile gaming device given to the player may be loaded with similar games to those already played by the player in simulated versions on the Web. As another example, a player may be provided with a mobile gaming device with a similar button arrangement, form factor, or other appearance which matches the appearance of a simulated mobile gaming device which had been shown to the player on the Web.

(21) In various embodiments, a player may provide an identifier in the form of biometric data. The identifier may be provided over the Web, in person when checking out a mobile gaming device, or on both occasions. For example, the player may make a voice recording on his personal computer and send the resulting sound file to the casino server. The sound file may be analyzed for unique voice characteristics of the player. When the player subsequently visits a casino to check out a mobile gaming device, he may also provide a voice sample. The new voice sample may be analyzed and ultimately found to match the old one, thus identifying the visiting player as the same player who submitted his voice over the Web. Other biometric identifiers may be based on fingerprints, retinal scans, images of a player's face (e.g., allowing facial recognition), DNA sequences, or based on any other feature that may be tied to a person.

(22) In various embodiments, a player may first identify himself, or be identified, at a stationary gaming device, such as at a slot machine or video poker machine. For example, the player may

have his player tracking card inserted into a slot machine. The player may further play a game at the slot machine which can also be played on the mobile gaming device. The game played at the slot machine may be for real money or it may be with no money at risk. In various embodiments, the player may later wish to receive a mobile gaming device. The player may once again identify himself (e.g., to a casino attendant responsible for giving out mobile gaming devices). The casino may recognize that the player who is being given the mobile gaming device is the same player as the player who was identified at the slot machine or other stationary device. Therefore, the mobile gaming device may be configured in accordance with any preferences or playing patterns established by the player at the stationary device. For example, if the player typically bets 3 credits per game at the stationary device, the player may be provided with a mobile gaming device whose default bet is 3 credits per game.

(23) Practice Device

(24) In various embodiments, a player may be sent a practice device. The player may provide a mailing address, such as a postal mailing address. A practice device may be shipped to the player's mailing address. The device may have a similar appearance to that of a mobile gaming device. The device may further function in a manner similar to that of a mobile gaming device. For example, the practice device may have a similar color, similar size, and similar button arrangements to that of a real mobile gaming device. Further the practice device may show games which use similar graphics to that of a mobile gaming device. Further the games on the practice device may play out in the same way as do games on a mobile gaming device. Buttons or other input devices may have similar functions on the practice device as do buttons on an actual mobile gaming device. For example, a first button on a practice device may allow a player to place a bet. A similarly looking and similarly situated button on a mobile gaming device may also allow a player to bet.

(25) In various embodiments, a practice device may have one or more distinguishing features that marks the device as a practice device. The device may have text printed on its housing which says, "for amusement only", "not for real money", "for practice only", or the like. Similar text or messages may be displayed on a screen of the practice device during play of a game. In various embodiments, a balance of credits, points, or other currency that is displayed on the practice device may be labeled in a different way from the way in which currency with monetary value would be labeled. For example, a balance may be labeled as "practice dollars". Graphics depicting currency may take on differing appearances depending on whether the currency has monetary value or not.

(26) In various embodiments, a practice device may be an actual mobile gaming device which has been disabled in some way. For example, a casino employee may have extracted a first program chip and inserted a second program chip, the second program chip allowing the use of the device only for practice reasons. In various embodiments, the practice device may constitute a real mobile gaming device. However, the practice device may be unusable for games with real money at risk to the player because the player may be situated in a location in which gaming is not permitted. Thus, location sensors (e.g., GPS sensors) within the device may ensure that the device can only be used for practice.

(27) Winning Real Prizes

(28) In various embodiments, a player may play a simulation with no money at risk. In various embodiments, a player may have the opportunity to win real money, real prizes, or other items of real value. The player may be given such opportunity without risking the loss of any of his own money. In various embodiments, the advertisements or other promotions may be shown on the simulated version of the mobile gaming device. In various embodiments, promotions may appear on another area of the player's computer screen, in which the other area is not the area where the simulated mobile gaming device is located. An advertiser may be willing to sponsor prizes for the player to win in return for the opportunity to present such promotions to the player. Thus, if a player plays a simulation of a game at a mobile gaming device, and views advertisements, the player may win real prizes from the play. For example, of three "Coca-Cola" symbols are lined up,

the player may win a \$100 gift certificate for Coca-Cola. See FIG. 14, for example.

(29) The following are embodiments, not claims:

(30) A. A method comprising: receiving a player identifier from a player device, wherein the player device is a computer operable to communicate via the Internet; receiving an indication of a first bet from the player device; transmitting to the player device first data which encodes a first graphic used in a first game; generating a first outcome of the first game; transmitting to the player device an indication of the first outcome of the first game; determining a first payout for the first game based on the first bet and based on the first outcome; transmitting to the player device an indication of the first payout; receiving the player identifier from a casino device; receiving an indication of a mobile gaming device provided to the player; transmitting to the mobile gaming device third data which encodes a third graphic, wherein the third graphic has an appearance that is based on the appearance of the first graphic; receiving an indication of a second bet from the mobile gaming device; generating a second outcome of a second game, wherein the second game uses the third graphic; transmitting to the mobile gaming device an indication of the second outcome of the second game; determining a second payout based on the second outcome and the second bet; and adjusting a balance associated with the player based on the second bet and based on the second payout.

(31) B. The method of embodiment A in which the first bet has approximately zero monetary value and in which the first payout has approximately zero monetary value.

(32) C. The method of embodiment A further including: transmitting to the player device second data which encodes a second graphic that depicts a particular type of mobile gaming device; and transmitting to the casino device an indication of instructions to provide the player with the mobile gaming device, wherein the mobile gaming devices is of the particular type.

(33) D. The method of embodiment A further including storing fourth data associated with the first game.

(34) E. The method of embodiment D in which fourth data indicates the type of game of the first game.

(35) F. The method of embodiment D in which fourth data indicates the amount of the first bet.

(36) G. The method of embodiment D in which fourth data indicates a decision made in the first game.

(37) H. The method of embodiment D in which fourth data indicates whether or not a decision made in the first game was made by the player.

(38) I. The method of embodiment D in which fourth data indicates whether or not a decision made in the first game was made by the player device.

(39) J. The method of embodiment D in which fourth data indicates whether or not a decision made in the first game was consistent with an optimal strategy.

(40) K. The method of embodiment A further including: receiving an indication of a selection of a particular type of game from the player device, in which the particular type of game is selected from among two or more types of games; and storing, in association with the first game, fourth data indicative of the particular type of game.

(41) L. The method of embodiment A wherein the second bet has non-zero monetary value.

(42) M. The method of embodiment A wherein the second payout has non-zero monetary value.

(43) N. A method comprising: receiving a player identifier from a player device, wherein the player device is a computer operable to communicate via the Internet; receiving an indication of a first bet from the player device; transmitting to the player device first data which encodes a first graphic used in a first game; generating a first outcome of the first game; transmitting to the player device an indication of the first outcome of the first game; determining a first payout for the first game based on the first bet and based on the first outcome; transmitting to the player device an indication of the first payout; receiving the player identifier from a casino device; receiving an indication of a mobile gaming device provided to the player; and transmitting to the mobile gaming device

instructions describing how to access third data, wherein third data encodes a third graphic, wherein the third graphic has an appearance that is based on the appearance of the first graphic.

(44) O. An apparatus operable to perform the steps of claim 1.

(45) View Other People Who are Playing

(46) In various embodiments, two or more people may engage in practice play or simulated play at once. The people may be playing completely different games, the same type of game, or the same game against one another, for example. For example, numerous people may be able to log into the Website of a casino and try out different games. In various embodiments, two or more people may engage in practice play or simulated play over a network. In some embodiments, for example, some people may engage in practice play from home (e.g., using their personal computers and while logged into the Internet) while some people may engage in practice play at a casino. In some embodiments, two or more people may engage in play for real money (e.g., where people can win or lose real money). Such people may play games over a network, such as the Internet, or such as a casino network. In some embodiments, some people may engage in practice play while other people engage in play for real money.

(47) In various embodiments, statistics or other indicators of current game play may be published, posted, or broadcast. For example, a casino may post on its Website a list of games together with an indication of how many people are currently playing each game. For example, the game "Extreme Gold Exploration" may be listed as having 30 people playing, while the game "Diamond Avalanche" may be listed as having 24 people playing. A quantity of people listed may represent a quantity of people currently in the middle of a game, a quantity of people who have played in the last X minutes (e.g., in the last two minutes), people who have software running for playing the game, people who have played more than Y times in the last Z minutes, or the quantity may represent any other reality. In various embodiments, a quantity of people listed next to a game may indicate the quantity of people playing the same kind of game (e.g., the game with the same rules and the same graphics), but not in the actual same game (e.g., the players are not opponents or cooperating in the same game). In some embodiments, a statistic does show a number of people participating in the actual same game. For example, a statistic may show the number of people playing at the same virtual blackjack table (e.g., the quantity of people playing against the same virtual dealer and using the same virtual deck).

(48) In various embodiments, a casino or other entity may publish or post a listing of games, where the list is ordered according to one or more criteria. In various embodiments, games may be listed according to the number of people currently playing the game. In various embodiments, games may be ordered according to the number of times the game has been played in some period of time, such as in the last five minutes, the last hour, the last day, the last week, the last month, etc. In some embodiments, games may be ordered according to the total amounts of time that players have spent playing the game in some period of time, such as the last five minutes, the last hour, the last day, the last week, etc. In some embodiments, games may be ordered according to changes in how much the game has been played. For example, the game listed first may be the game which has seen the greatest percentage increase in play over the last week (e.g., in terms of the number of times the game has been played in a given week). In some embodiments, games may be ordered according to how much virtual or valueless currency has been wagered on them. In some embodiments, games may be ordered according to how much real money has been wagered on them.

(49) In some embodiments, games may be ordered based on outcomes of the games. Games may be ordered based on the number of winning outcomes which have occurred. For example, the type of game for which there was the most winning outcomes in the last five minutes may be listed first. Games may be ordered based on the occurrence of outcomes which pay more than a certain amount. For example, the game for which the most outcomes paying 10 times the original bet were won may be listed first. Games may be ordered based on outcomes which have resulted in a bonus round. For example, the game which has resulted in the most bonus rounds in the last five minutes

may be listed first. In some embodiments, games may be ordered based on which have had the most losing outcomes, e.g., in some period of time.

(50) In various embodiments, two or more lists of games may be posted. The separate lists may represent lists of games which have been segmented or selected based on certain criteria. For example, different lists of games may represent different overarching categories of games. For example, one list of games may represent card games while another list of games may represent reel slot machine games. In some embodiments, one list of games may represent strategy games while another represents games with no decisions to be made by a player.

(51) In some embodiments, separate lists may correspond to different categories of players who are engaged in game play. For example, one list may list the games being played most by women. Another list may list the games being played most by men. Such lists may allow, for example, a man to find a game that he might like based on what other men find popular, and similarly such lists may allow a woman to find a game that she might like based on what other women find popular. In various embodiments, a list of games may represent games played by players falling within a certain age range, living in a certain area (e.g., North Carolina), speaking a particular language, having a certain occupation, having an income within certain range, and/or exhibiting any other characteristic. In some embodiments, different lists of games may represent games played by players with different experience levels. For example, a first list may represent games played by players who have played at least 1000 games at the Website, while a second list may represent games played by players who have played less than 1000 games at the Website.

(52) In various embodiments, a person may find or select a list of games that are being played by a type or category of players of interest to the person. For example, the person may be a retiree and may wish to find games which are popular with other retirees. Therefore, the person may view a list of the games which have been played the most by retirees.

(53) In various embodiments, a person may search for lists of games. The person may input criteria (e.g., type in criteria, e.g., select criteria from a menu) that define a list. For example, the person may input an overarching game category, a demographic characteristic of players playing the games on a list, or any other criteria. The list may then be, e.g., downloaded to the player's computer and displayed for the player. The list may then be otherwise presented to the player. In various embodiments, a player may input custom criteria, such as criteria which define a list which has not yet been created. The casino server may use the criteria provided by the player to create a customized list for the player. For example, the casino may determine all games that are currently played as well as information about the players playing the game. The casino may then access information about the games (e.g., information describing the category of game; e.g., information describing how often the game has been played in the last hour). The casino may then filter all the information based on the player's criteria for the customized list. For example, the casino may discount any games played by players of a demographic other than that desired by the player making the request for the customized list. The casino may then generate the customized list and may post it to its Website, download it to the requesting player's device, or otherwise provide the list.

(54) In various embodiments, a person may view a list or customized list that pertains to other people with the same characteristics as the player. For example, a given person may view a list of the most popular games among people from the same geographic area as the person. In some embodiments, the casino may receive information about the given person and may automatically display lists of games popular with other people who are somehow similar to the given person. The casino may receive information about the given person, for example, by asking the person to register with the casino Website, by having the person sign up for a player tracking card, or by some other means. In various embodiments, the casino may derive or infer information about the player, such as by mapping the internet protocol (IP) address of the player to a particular geographic location.

- (55) In various embodiments, a person may view lists related to players. A person may view a list of player names, aliases, or other identifiers. The names may be ordered based on which player has played the most games, which player has played for the longest period of time, which player has won the most virtual or real currency, or by any other criteria.
- (56) In various embodiments, a casino or other entity may post a list of game categories. The list may be ordered by the number of people playing each category of games, by the number of games in the category played in the last month, or by any other criteria. For example, a list may show table games as the most played, 5-reel slot games as the next most played, 3-reel slot games as the next most played, video poker games as the next most played, and so on.
- (57) In various embodiments, various meta games may be played by players interacting with a casino server or otherwise playing. Meta games may include bets on what will happen in other games, or bets on what will happen in groups of games. For example, a meta game may include a bet that 5 or more “red” outcomes will occur over the next ten roulette games. As another example, a meta game may include a bet that three aces will be dealt to a player playing a game of blackjack.
- (58) In various embodiments, a list may include information about meta games. For example, the list may indicate which are the most played meta games, either currently or during some recent period of time.
- (59) In various embodiments, a Website (or other area where information is posted) may indicate what games are currently being played. An indicated game may be being played by only one person. An indicated game may be being played by two or more people. In various embodiments, a Website may indicate a category of games, such that at least one game in the category is currently being played. For example, a Website may indicate that a card game is currently being played.
- (60) Recommendations
- (61) In various embodiments, a Website or other information source may provide recommendations to a player. The Website may recommend certain games to the player. The Website may recommend games to the player based on personal information about the player (e.g., age, income, occupation, etc.), based on stated preferences of the player, based on games previously played by the player, or based on any other factor.
- (62) In various embodiments, a Website may recommend games to a player based on games that other players with common or similar characteristics have played. For example, if a player is a single male in his fifties, the Website may recommend games that have been popular (e.g., games which have been played more than other games) with other single males in their fifties. If a player is a lawyer, the Website may recommend other games that have been popular with lawyers. In various embodiments, a Website may recommend games that are currently being played by other players with similar characteristics.
- (63) In various embodiments, a Website may recommend a game that somehow relates to characteristics of a player. For example, if a player is a fisherman, the Website may recommend a game that features fish as symbols or graphics.
- (64) In various embodiments, a Website may recommend games based on the stated preference of a player. For example, a player may key in a preference, select a preference, or otherwise indicate a preference when initially visiting the Website. For example, if a player has stated a preference for games with a strategy component, Website may recommend a game with a strategy component, such as blackjack or video poker.
- (65) In various embodiments, a player may state various preferences for a game. A player may state a preference for games with: (a) particular types of graphics; (b) action sequences (e.g., games with many visual effects, such as explosive battle scenes); (c) particular sound effects (e.g., the player may state preferences for games with no sound); (d) games of a certain time duration (e.g., games that take no more than 5 seconds each); (e) games that are based on real casino games; (f) games that are based on real casino games that can be played at a mobile gaming device in a casino; (g) games that are based on real casino games that can be played at a stationary gaming device in a

casino; (h) games with a certain payout table structure (e.g., games with top payouts of over 1000 times the initial wager); (i) games that have been developed by a certain developer (e.g., by WMS); (j) games that are currently widespread in casinos (e.g., games that are playable on more than 1000 slot machines currently in casinos); (k) games that are available in real casinos; (l) games that are coming soon to real casinos; or games with any other characteristics.

(66) In various embodiments, a Website may recommend games to a player based on games that the player has already played. If the player has played a first game, then the Website may recommend a second game that has a characteristic in common with the first game. For example, if the player has played a first five-reel slot machine game, then the Website may recommend a second five-reel slot machine game. A Website may recommend a second game that has a characteristic in common with a first game if there is evidence that the player has enjoyed the first game. For example, if the player has played the first game for a lengthy period of time (e.g., for more than half an hour) or if the player has played the first game many times (e.g., more than twenty times), then the Website may recommend other games that have characteristics in common with the first game. In various embodiments, if it appears that a player does not enjoy a particular game, then the Website may recommend games that do not have many, or any common characteristics with the first game.

(67) In various embodiments, if a player has played a first game, the Website may recommend to the player games that have been played by other players who have also played the first game. In some embodiments, the Website may recommend to the player games that have, apparently, been enjoyed by other players who played the first game. For example, if a first player has played a first game, and a second player has played the first game and has played a second game for more than half an hour, then the Website may recommend the second game to the first player. In some embodiments, the Website may recommend a second game to a first player if the second game has, apparently, been enjoyed by a second player, and the first game has also, apparently, been enjoyed by the second player. For example, if a second player has played a first game for more than half an hour, and if the second player has also played a second game for more than half an hour, then the Website may recommend the second game to a first player who has played the first game. In various embodiments, the Website may recommend a second game to a first player based on a first game played by the first player if the first player has appeared to enjoy the game (e.g., has played for more than five minutes; e.g., has won more than 20 units of virtual currency).

(68) In various embodiments, more complicated or sophisticated algorithms may be used to recommend games to a first player based on his prior play patterns and based on the play patterns of other players. For example, a neural network may be trained to determine, in general, new games that any given player will like based on old games he has liked. The neural network may then be used to make recommendations to a new player based on the new player's play patterns.

(69) Website Can Feature Many Different Games

(70) In various embodiments, a Website may feature games which are previews, practice versions, trial versions, or free versions of games that can actually be played in a casino and/or games that can actually be played for real money. Games featured on a Website may be practice versions of games that can be played at a slot machine, games that can be played at a video poker game, games that can be played at a live table game (e.g., at a craps table), games that can be played on a mobile gaming device, or any other games. In various embodiments, games featured on a Website may include free or practice versions of games that can be played for real money over the Internet or over some other network.

(71) In various embodiments, a Website featuring games may belong to a casino. The casino may be a virtual casino (e.g., a casino with no physical place to gamble) or the casino may have a physical presence where players can play physical games in person.

(72) In various embodiments, a casino may include physical games, such as slot machines and mobile gaming devices. The casino may further include a Website. The casino may post on its

Website lists of actual physical games. The lists may indicate any metric discussed herein, such as which are the most played physical games, which are the games at which people have won the most, what are the top ten most played games by people of a certain demographic. Thus, in various embodiments, a player may log onto a Website, see which are the most played games at a physical casino, and then choose to play free or practice versions of those same games on the Website.

(73) The following is a list of embodiments, not claims:

(74) A. An apparatus comprising a processor operable to: receive, from a first gaming device located within a casino, a first indication that the first gaming device has been played (e.g., an indication that a player has played one or more games at the gaming device; e.g., an indication that money has been bet at the gaming device); receive, from a second gaming device located within the casino, a second indication that the second gaming device has been played; determine a first game that is played at the first gaming device (e.g., the first gaming device may be a gaming device that allows the play of Jacks or Better video poker; e.g., the first gaming device may be a gaming device that allows the play of Crazy Coffin Raiders slot game); determine a second game that is played at the second gaming device; determine, based on the first indication, a first number of times that the first game has been played within the casino during a predetermined period of time (e.g., the first indication may show how many times the first gaming device has been played in the last hour—this information may be combined with other information received from other gaming devices featuring the same game to arrive at a total number of times the game has been played throughout the casino); determine, based on the second indication, a second number of times that the second game has been played within the casino during the predetermined period of time; post to a website a list which includes a name of the first game and a name of the second game, in which the names are ordered within the list based on the first number of times and based on the second number of times (e.g., the list may show the most popular games, such as games played the most number of times throughout a casino in the last hour); receive, from a player device, a selection of the name of the first game from the list (e.g., a player may click on the listed name of the first game); and conduct for the player a version of the first game that does not require a bet of monetary value (e.g., the player may play a free version of the first game on his personal computer or on some other device).

(75) The apparatus may be a casino server for example.

(76) B. The apparatus of embodiment A in which the first game is available for play on multiple different gaming devices within the casino. Thus, for example, gaming devices other than the first gaming device may feature the first game.

(77) C. The apparatus of embodiment A in which to receive a selection of the name of the first game includes to receive, from a personal computer belonging to a player, a selection of the name of the first game from the list.

(78) D. The apparatus of embodiment A in which the predetermined period of time is the most recent 24-hour period. The predetermined time period could also be the most recent hour, the most recent five minutes, or a time period that has ended in the past.

(79) E. An apparatus comprising a computing device operable to: determine a first indicator of play of a first game; determine a second indicator of play of a second game; determine an order of the first game and of the second game based on the first indicator and based on the second indicator; post a list to a website, in which the list includes a first identifier of the first game and a second identifier of the second game and in which the identifiers are shown according to the determined order. Posting a list to a website may include creating an html file or other type of file, saving the file in a server, and allowing the file to be accessed by other computers connected via a network (e.g., via the Internet, to the server).

(80) F. The apparatus of embodiment E in which to determine a first indicator includes to determine a number of times the first game has been played during a particular period of time.

(81) G. The apparatus of embodiment E in which to determine a first indicator includes to

- determine a number of times the first game has been played during a particular period of time.
- (82) H. The apparatus of embodiment E in which to determine a first indicator includes to determine a number of players who have played the first game during a particular period of time.
- (83) I. The apparatus of embodiment E in which to determine a first indicator includes to determine the number of times that a given category of outcome has occurred during a particular period of time.
- (84) J. The apparatus of embodiment I in which to determine a first indicator includes to determine the number of times that an outcome occurs which returns more than a predetermined multiple of the amount bet.
- (85) K. The apparatus of embodiment E in which to determine an order includes to place the first game first in the order if the first indicator is greater than the second indicator.
- (86) L. The apparatus of embodiment E in which the first identifier is the name of the first game and in which the second identifier is the name of the second game.
- (87) M. The apparatus of embodiment E in which to post a list includes to post a list to a Website, in which the list includes the first identifier of the first game, the first indicator, the second identifier of the second game, and the second indicator, and in which the identifiers are shown according to the determined order.
- (88) N. The apparatus of embodiment E in which to determine a first indicator includes to determine a first indicator of play of a first game by players of a particular demographic, and in which to determine a second indicator includes to determine a second indicator of play of a second game by players of the particular demographic. Thus, for example, the apparatus may determine how many times the first game has been played by people with children, and how many times the second game has been played by people with children.
- (89) O. The apparatus of embodiment N in which the computing device is further operable to: receive a request to post a list of games that are ordered based on play of the games by players of the particular demographic.
- (90) P. The apparatus of embodiment E in which the computing device is further operable to post a description of the list, the description describing the list as a list of the most popular games. The description may be a title of the list, a heading of the list, or any other descriptor of the list. A title might read, for example, "Most Popular Games".
- (91) Q. An apparatus comprising a computing device operable to: determine a first game played by a first player; determine a first amount that the first player has played the first game; determine a second player who has played the first game; determine a second amount that the second player has played the first game; determine a second game played by the second player; determine a third amount that the second player has played the second game; and provide to the first player a recommendation to play the second game if the first amount is greater than a first predetermined quantity, if the second amount is greater than a second predetermined quantity, and if the third amount is greater than a third predetermined quantity.
- (92) R. The apparatus of embodiment Q in which to determine a first amount includes to determine a first amount of time that the first player has played the first game.
- (93) S. The apparatus of embodiment Q in which to determine a first amount includes to determine a first number of times that the first player has played the first game.
- (94) T. The apparatus of embodiment Q in which to provide to the first player a recommendation includes to post on a website accessed by the first player a link to the second game if the first amount is greater than a first predetermined quantity, if the second amount is greater than a second predetermined quantity, and if the third amount is greater than a third predetermined quantity. A link to the second game may include an address on a server or an address on a network where the second game can be accessed. The address may be understandable by a Web browser.
- (95) In various embodiments, a distributed gaming system enables participants to engage in gaming activities from remote and/or mobile locations. The possible gaming activities include gambling,

such as that provided by casinos. Gambling activities may include any casino-type gambling activities including, but not limited to, slot machines, video poker, table games (e.g., craps, roulette, blackjack, pai gow poker, Caribbean stud poker, baccarat, etc.), the wheel of fortune game, keno, sports betting, horse racing, dog racing, jai alai, and other gambling activities. The gaming activities can also include wagering on any type of event. Events can include, for example, sporting events, such as horse or auto racing, and athletic competitions such as football, basketball, baseball, golf, etc. Events can also include such things that do not normally involve wagering. Such events may include, without limitation, political elections, entertainment industry awards, and box office performance of movies. Gaming can also include non-wagering games and events. Gaming can also include lotteries or lottery-type activities such as state and interstate lotteries. These can include all forms of number-selection lotteries, “scratch-off” lotteries, and other lottery contests. The gaming system may be implemented over a communications network such as a cellular network or a private wireless and/or wireline network. Examples of the latter include Wi-Fi and WiMAX networks. In some embodiments, the gaming system communications network is entirely independent of the Internet. In some embodiments, the gaming system operation makes minimal use of the Internet, such that only information for which there are no security issues is transmitted via the Internet and/or such that information may be encrypted. In various embodiments, the communications network enables players to participate in gaming from remote locations (e.g., outside of the gaming area of a casino). Also, the system may enable players to be mobile during participation in the gaming activities. In various embodiments, the system has a location verification or determination feature, which is operable to permit or disallow gaming from the remote location depending upon whether or not the location meets one or more criteria. The criterion may be, for example, whether the location is within a pre-defined area in which gaming is permitted by law.

(96) As shown in FIG. 1, for example, gaming system **10** may include at least one user **12**. The system may include additional users such that there is at least a first user **12** and a second user **14**. Multiple users may access a first gaming system **10**, while other multiple users access a second gaming system (not shown) in communication with first gaming system **10**. Users **12** and **14** may access system **10** by way of a gaming communication device **13**. Gaming communication device **13** may comprise any suitable device for transmitting and receiving electronic communications. Examples of such devices include, without limitation, mobile phones, personal data assistants (PDAs), computers, mini-computers, etc. Gaming communication devices **13** transmit and receive gaming information to and from communications network **16**. Gaming information is also transmitted between network **16** and a computer **18**, such as a server, which may reside within the domain of a gaming service provider **20**. The location of computer **18** may be flexible, however, and computer **18** may reside adjacent to or remote from the domain of gaming service provider **20**. Various embodiments may not include a gaming service provider. The computer **18** and/or gaming service provider **20** may reside within, adjacent to, or remote from a gaming provider (not shown in FIG. 1). The gaming service provider may be an actual controller of games, such as a casino. As an example, a gaming service provider may be located on the grounds of a casino and the computer **18** may be physically within the geographic boundaries of the gaming service provider. As discussed, however, other possibilities exist for remote location of the computer **18** and the gaming service provider **20**. Computer **18** may function as a gaming server. Additional computers (not expressly shown) may function as database management computers and redundant servers, for example.

(97) In various embodiments, software resides on both the gaming communication device **13** and the computer **18**. Software resident on gaming communication device **13** may be operable to present information corresponding to gaming activities (including gambling and non-gambling activities discussed herein) to the user. The information may include, without limitation, graphical representations of objects associated with the activities, and presentation of options related to the activities and selectable by the user. The gaming communication device software may also be

operable to receive data from the computer and data input by the user. Software resident on the computer may be able to exchange data with the gaming communication device, access additional computers and data storage devices, and perform all of the functions described herein as well as functions common to known electronic gaming systems.

(98) Gaming information transmitted across network **16** may include any information, in any format, which is necessary or desirable in the operation of the gaming experience in which the user participates. The information may be transmitted in whole, or in combination, in any format including digital or analog, text or voice, and according to any known or future transport technologies, which may include, for example, wireline or wireless technologies. Wireless technologies may include, for example, licensed or license-exempt technologies. Some specific technologies which may be used include, without limitation, Code Division Multiple Access (CDMA), Global System for Mobile Communication (GSM), General Packet Radio Service (GPRS), Wi-Fi (802.11x), WiMAX (802.16x), Public Switched Telephone Network (PSTN), Digital Subscriber Line (DSL), Integrated Services Digital Network (ISDN), or cable modem technologies. These are examples only and one of ordinary skill will understand that other types of communication techniques are also contemplated. Further, it will be understood that additional components may be used in the communication of information between the users and the gaming server. Such additional components may include, without limitation, lines, trunks, antennas, switches, cables, transmitters, receivers, computers, routers, servers, fiber optical transmission equipment, repeaters, amplifiers, etc.

(99) In some embodiments, the communication of gaming information takes place without involvement of the Internet. However, in some embodiments, a portion of the gaming information may be transmitted over the Internet. Also, some or all of the gaming information may be transmitted partially over an Internet communications path. In some embodiments, some information is transmitted entirely or partially over the Internet, but the information is either not gaming information or is gaming information that does not need to be maintained secretly. For instance, data that causes a graphical representation of a table game on the user's gaming communication device might be transmitted at least partially over the Internet, while wagering information transmitted by the user might be transmitted entirely over a non-Internet communications network.

(100) According to some embodiments, as shown in FIG. 2 for example, the communications network comprises a cellular network **22**. Cellular network **22** comprises a plurality of base stations **23**, each of which has a corresponding coverage area **25**. Base station technology is generally known, and the base stations may be of any type found in a typical cellular network. The base stations may have coverage areas that overlap. Further, the coverage areas may be sectorized or non-sectorized. The network also includes mobile stations **24**, which function as the gaming communication devices used by users to access the gaming system and participate in the activities available on the gaming system. Users are connected to the network of base stations via transmission and reception of radio signals. The communications network also includes at least one voice/data switch, which may be connected to the wireless portion of the network via a dedicated, secure landline. The communications network may also include a gaming service provider, which is likewise connected to the voice/data switch via a dedicated, secure landline. The voice/data switch may be connected to the wireless network of base stations via a mobile switching center (MSC), for example and the landline may be provided between the voice/data switch and the MSC.

(101) Users access the gaming system by way of mobile stations which are in communication with, and thus part of, the communications network. The mobile station may be any electronic communication device that is operable in connection with the network as described. For example, in this particular embodiment, the mobile station may comprise a cellular telephone.

(102) In various embodiments, in the case of a cellular network for example, the gaming system is enabled through the use of a private label carrier network. Each base station is programmed by the

cellular carrier to send and receive private secure voice and/or data transmissions to and from mobile station handsets. The handsets may be pre-programmed with both gaming software and the carrier's authentication software. The base stations communicate via private T1 lines to a switch. A gaming service provider leases a private T1 or T3 line, which routes the calls back to gaming servers controlled by the gaming service provider. Encryption can be installed on the telephones if required by a gaming regulation authority, such as a gaming commission.

(103) The cellular network may be a private, closed system. Mobile stations communicate with base stations and base stations are connected to a centralized switch located within a gaming jurisdiction. At the switch, voice calls are transported either locally or via long distance. Specific service provider gaming traffic is transported from the central switch to a gaming server at a host location, which can be a casino or other location.

(104) As subscribers launch their specific gaming application, the handset will only talk to certain base stations with cells or sectors that have been engineered to be wholly within the gaming jurisdiction. For example, if a base station is close enough to pick up or send a signal across state lines, it will not be able to communicate with the device. When a customer uses the device for gaming, the system may prohibit, if desired, the making or receiving voice calls. Moreover, voice can be eliminated entirely if required. Further, the devices may not be allowed to "connect" to the Internet. This ensures a high level of certainty that bets/wagers originate and terminate within the boundaries of the gaming jurisdiction and the "private" wireless system cannot be circumvented or bypassed. Although in some embodiments some data and/or voice traffic may be communicated at least partially over the Internet, the communication path may not include the Internet in other embodiments. Alternatively, in some embodiments, certain non-gaming information may be transported over a path which includes the Internet, while other information relating to the gaming activities of the system is transported on a path that does not include the Internet.

(105) As shown in FIG. 3, a gaming communication device **32** is in communication with a gaming service provider over a network **34**. The gaming service provider preferably has one or more servers, on which are resident various gaming and other applications. As shown in FIG. 3, some example gaming applications include horse racing and other sports, financial exchange, casino and/or virtual casino, entertainment and other events exchange, and news and real time entertainment. Each of these applications may be embodied in one or more software modules. The applications may be combined in any possible combination. Additionally, it should be understood that these applications are not exhaustive and that other applications may exist to provide an environment to the user that is associated with any of the described or potential activities.

(106) In another embodiment, as shown in FIG. 4, for example, the communications network comprises a private wireless network. The private wireless network may include, for example, an 802.11x (Wi-Fi) network technology to cover "Game Spots" or "Entertainment Spots." In FIG. 4, various Wi-Fi networks are indicated as networks **41**. Networks **41** may use other communications protocols to provide a private wireless network including, but not limited to, 802.16x (WiMAX) technology. Further, networks **41** may be interconnected. Also, a gaming system may comprise a combination of networks as depicted in FIG. 4. For example, there is shown a combination of private wireless networks **16**, a cellular network comprising a multi-channel access unit or sectorized base station **42**, and a satellite network comprising one or more satellites **46**.

(107) With respect to the private wireless network, because the technology may cover small areas and provide very high-speed throughput, the private wireless network is particularly well-suited for gaming commission needs of location and identity verification for the gaming service provider products. The gaming spots enabled by networks **41** may include a current casino area **48**, new areas such as swimming pools, lakes or other recreational areas **49**, guest rooms and restaurants such as might be found in casino **48** or hotels **45** and **47**, residential areas **40**, and other remote gaming areas **43**. The configuration of the overall gaming system depicted in FIG. 4 is intended only as an example and may be modified to suit various embodiments.

(108) In some embodiments, the system architecture for the gaming system includes: (1) a wireless LAN (Local Access Network) component, which consists of mostly 802.11x (Wi-Fi) and/or 802.16x WiMAX technologies; robust security and authentication software; gaming software; mobile carrier approved handsets with Windows® or Symbian® operating systems integrated within; and (a) CDMA-technology that is secure for over-the-air data protection; (b) at least two layers of user authentication, (that provided by the mobile carrier and that provided by the gaming service provider); (c) compulsory tunneling (static routing) to gaming servers; (d) end-to-end encryption at the application layer; and (e) state-of-the-art firewall and DMZ technologies; (2) an MWAN (Metropolitan Wireless Access Network), which consists of licensed and license-exempt, point-to-point links, as well as licensed and license-exempt, point-to-multi-point technologies; (3) private MAN (Metropolitan Access Network) T1 and T3 lines to provide connectivity where wireless services cannot reach; and (4) redundant private-line communications from the mobile switch back to the gaming server.

(109) Each of the “Game Spots” or “Entertainment Spots” is preferably connected via the MWAN/MAN back to central and redundant game servers. For accessing the private wireless networks **41**, the gaming communication devices may be Wi-Fi- or WiMAX-enabled PDAs or mini-laptops, and do not have to be managed by a third-party partner.

(110) In various embodiments, the gaming system includes a location verification feature, which is operable to permit or disable gaming from a remote location depending upon whether or not the location meets one or more criteria. A criterion may be, for example, whether the location is within a pre-defined area in which gaming is permitted by law. As another example, a criterion may be whether the location is in a no-gaming zone, such as a school. The location verification technology used in the system may include, without limitation, “network-based” and/or “satellite-based” technology. Network-based technology may include such technologies as multilateration, triangulation and geo-fencing, for example. Satellite-based technologies may include global positioning satellite (GPS) technology, for example.

(111) As previously discussed, the cellular approach preferably includes the use of at least one cellular, mobile, voice and data network. For gaming in certain jurisdictions, such as Nevada for example, the technology may involve triangulation, global positioning satellite (GPS) technology, and/or geo-fencing to avoid the potential for bets or wagers to be made outside Nevada state lines. In some embodiments, the network would not cover all of a particular jurisdiction, such as Nevada. For instance, the network would not cover areas in which cellular coverage for a particular base station straddled the state line or other boundary of the jurisdiction. This is done in order to permit the use of location verification to insure against the chance of bets originating or terminating outside of the state. Triangulation may be used as a method for preventing gaming from unapproved locations. Triangulation may be accomplished, for example, by comparing the signal strength from a single mobile station received at multiple base stations, each having GPS coordinates. This technology may be used to pinpoint the location of a mobile station. The location can then be compared to a map or other resource to determine whether the user of the mobile station is in an unapproved area, such as a school. Alternatively, GPS technology may be used for these purposes.

(112) As shown in FIG. 5, the gaming system includes a plurality of gaming communication devices **54**, **55**, and **56**. Device **54** is located outside the gaming jurisdiction **58**. Devices **55** and **56** are both located inside gaming jurisdiction **58**. However only device **56** is located within geo-fence **57**, which is established by the coverage areas of a plurality of base station **53**. Thus, geo-fencing may be used to enable gaming via device **56** but disable gaming via devices **54** and **55**. Even though some gaming communication devices that are within the gaming jurisdiction **58**, such as device **55**, are not permitted access to the gaming system, the geo-fence **57** ensures that no gaming communication devices outside jurisdiction **58**, such as device **54**, are permitted access.

(113) Geo-fencing may not specify location. Rather, it may ensure that a mobile station is within

certain boundaries. For instance, geo-fencing may be used to ensure that a mobile station beyond state lines does not access the gaming system. Triangulation on the other hand may specify a pinpoint, or near-pinpoint, location. For example, as shown in FIG. 5, device 56 is triangulated between three of the base stations 53 to determine the location of device 56. Triangulation may be used to identify whether a device, such as a mobile station, is located in a specific spot where gambling is unauthorized (such as, for example, a school). Preferably, the location determination technology utilized in conjunction with the present invention meets the Federal Communication Commission's (FCC's) Phase 2 E911 requirements. Geological Institute Survey (GIS) mapping may also be utilized to compare identified coordinates of a gaming communication device with GIS map features or elements to determine whether a device is in an area not authorized for gaming. It should be noted that any type of location verification may be used such as triangulation, geo-fencing, global positioning satellite (GPS) technology, or any other type of location determining technology, which can be used to ensure, or provide an acceptable level of confidence, that the user is within an approved gaming area.

(114) In various embodiments, location verification is accomplished using channel address checking or location verification using some other identifying number or piece of information indicative of which network or portion of a network is being accessed by the gaming communication device. Assuming the usage of an identifying number for this purpose, then according to one method of location checking, as an example, a participant accesses the gaming system via a mobile telephone. The identifying number of the mobile telephone, or of the network component being accessed by the mobile telephone, identifies the caller's connection to the mobile network. The number is indicative of the fact that the caller is in a defined area and is on a certain mobile network. A server application may be resident on the mobile telephone to communicate this information via the network to the gaming service provider. In some embodiments, the identifying number or information is passed from a first network provider to a second network provider. For example, a caller's home network may be that provided by the second provider, but the caller is roaming on a network (and in a jurisdiction) provided by the first provider. The first provider passes the identifying information through to the second provider to enable the second provider to determine whether the caller is in a defined area that does or does not allow the relevant gaming activity. In various embodiments, the gaming service provider either maintains, or has access to, a database that maps the various possible worldwide mobile network identifying numbers to geographic areas. Various embodiments contemplate using any number or proxy that indicates a network, portion of a network, or network component, which is being connected with a mobile telephone. The identifying number may indicate one or more of a base station or group of base stations, a line, a channel, a trunk, a switch, a router, a repeater, etc.

(115) In various embodiments, when the user connects his mobile telephone to the gaming server, the gaming server draws the network identifying information and communicates that information to the gaming service provider. The software resident on the gaming communication device may incorporate functionality that will, upon login or access by the user, determine the user's location (based at least in part on the identifying information) and send a message to the gaming service provider. The identifying number or information used to determine location may be country-specific, state-specific, town-specific, or specific to some other definable boundaries.

(116) In connection with any of the location determination methods, the gaming system may periodically update the location determination information. This may be done, for example, during a gaming session, at pre-defined time intervals to ensure that movement of the gaming communication device to an unauthorized area is detected during play, and not just upon login or initial access.

(117) Thus, depending on the location determination technology being used, the decision whether to permit or prohibit a gaming activity may be made at the gaming communication device, at the gaming server, or at any of the components of the telecommunication network being used to

transmit information between the gaming communication device and the gaming server (such as at a base station, for example).

(118) An aspect of the private wireless network related to preventing gaming in unauthorized areas is the placement of sensors, such as Radio Frequency Identification (RFID) sensors on the gaming communication devices. The sensors trigger alarms if users take the devices outside the approved gaming areas. Further, the devices may be “tethered” to immovable objects. Users might simply log in to such devices using their ID and password.

(119) In various embodiments, a gaming system may include the ability to determine the location of the gaming communication device within a larger property, such as a casino complex. This may allow certain functionalities of the device to be enabled or disabled based upon the location of the device within the property. For example, government regulations may prohibit using the device to gamble from the guest rooms of a casino complex. Therefore, particular embodiments may include the ability to determine the location of the device within the property and then disable the gambling functionality of the device from a guest room, or other area where gambling is prohibited. FIG. 6 illustrates an example of a wireless gaming system in which the location of a gaming communication device **604** may be determined in accordance various embodiments.

(120) As shown in FIG. 6, a wireless gaming system comprises a wireless network that at least partially covers casino complex **600** in which one or more gaming communication devices **604** may be used to participate in a variety of gaming activities. The wireless network may comprise at least three signal detection devices **602**, although various embodiments may include fewer or greater than three signal detection. As shown in FIG. 6, the wireless network comprises four signal detection devices **602**, each located at one corner of casino complex **600**. In various embodiments, these signal detection devices may comprise wireless access points, wireless routers, wireless base stations, satellites, or any other suitable signal detection device. Furthermore, although signal detection devices **602** are illustrated as being located on the boundaries of casino complex **600**, signal detection devices may be located anywhere inside or outside of casino complex **600**, provided the signal detection devices are operable to receive signals originating from a gaming communication device **604** inside casino complex **600**. In various embodiments, signal detection devices **602** may also be used to transmit, as well as receive, signals to gaming communication device **604**.

(121) In various embodiments, casino complex **600** may be divided into one or more zones **608**, which represent different areas of the casino complex, such as the lobby, guest rooms, restaurants, shops, entertainment venues, and pool areas. For example, as shown in FIG. 6, zone **608a** may correspond to the casino lobby, zone **608b** may correspond to guest rooms, zone **608c** may correspond to restaurants, and zone **608d** may correspond to the gaming floor of the casino. Each zone **608** may be further divided into one or more sub-zones **606**, each specifying a particular location within zone **608**. Sub-zones **606** may be arranged in a grid formation, each sub-zone **606** having a uniform size. In some embodiments, each sub-zone may comprise 9 square feet (i.e., 3 feet by 3 feet). In some embodiments, each sub-zone may comprise 100 square feet (i.e., 10 feet by 10 feet). The choice of the size of an area covered by a sub-zone may depend on administrator preferences, technical limitations of the wireless network, and governmental regulations, as well as other considerations.

(122) Particular embodiments may use this mapping of casino complex **600** into a plurality of zones **608** and sub-zones **606** to determine the location of gaming communication device **604** within the complex. These embodiments may utilize the signal received by signal detection devices **602** from gaming communication device **604** to determine the location of the device.

(123) In various embodiments, the location of gaming communication device **604** may be determined based upon the strength of the signal received by each signal detection device **602** from device **604**. In various embodiments, this may be accomplished using a Received Signal Strength Indication (RSSI) value or any other suitable indication of signal strength. Generally, the closer a

sub-zone is to a signal detection device, the stronger the signal the signal detection device will receive from a gaming communication device located in that sub-zone. Therefore, given a plurality of signal strength readings taken from different points in the casino complex (i.e., signal detection devices **602**), these different signal strength readings may be used to determine the location of the device.

(124) With this in mind, each sub-zone **606** of casino complex **600** may be associated with a reference set of signal strengths received by the signal detection devices from a device located in that particular sub-zone. Typically, these values are generated, and periodically recalibrated, by taking a reference reading from a gaming communication device located that sub-zone. After each sub-zone is associated with a reference set of signal strengths, these reference signal strengths may be compared with the signal strengths received by the signal detection devices from a gaming communication device. Since each sub-zone has a unique set of signal strengths, this comparison may be used to identify the particular zone in which the gaming communication device is located.

(125) In various embodiments, the location of gaming communication device **604** may be determined based upon an elapsed time between the transmission of the signal from device **604** and the receipt of the signal by each signal detection device **602**. In various embodiments, this elapsed time may be determined based on a Time Difference of Arrival (TDOA), or any other suitable technology. As before in the case of signal strengths, each sub-zone **606** may be associated with a predetermined, or reference, set of elapsed times from transmission to receipt of a signal from a gaming communication device. This set of elapsed times will be different for each sub-zone of the casino complex, as the time it takes a signal to reach each signal detection device will depend on the proximity of the sub-zone to each base station. By comparing the time from transmission to receipt of a signal received by the signal detection devices from a gaming communication device, the sub-zone in which the device is located may be determined.

(126) Once the location of the gaming communication device has been determined, particular embodiments may then enable and/or disable particular functions of the device based on this determination. For example, as mentioned previously, particular embodiments may disable the gaming communication device's gambling functionality from a user's guest room, while still allowing the user to use other device functions, such as purchasing merchandise or services, or buying tickets to an entertainment event. Once the user leaves his or her guest room, the gambling functionality of the gaming communication device may be enabled. Similarly, particular embodiments may prevent the gaming communication device from being used to make financial transactions from the casino floor. Once the user leaves the casino floor, such functionality may be enabled. Similarly, other functionalities of the gaming communication device may be enabled or disabled based upon the location of the device within the property in accordance with various embodiments.

(127) In various embodiments, the various functionalities of the gaming communication device may be enabled or disabled based upon the zone **608** in which the device is located. In such embodiments, each zone **608** of the casino complex may be associated with a set of allowed activities. For example, the "lobby" zone **608a** of the casino complex may have all activities allowed, while the "guest room" zone **608b** of the property may have all activities allowed except gambling. Based upon the gaming communication device's location, the functionality of the gaming communication device may be limited to the set of allowed activities for the zone in which the device is located. As the gaming communication device travels from zone to zone, the location of the device may be re-determined, and the functionality of the device may be updated to reflect the set of allowed activities for the zone in which the device is now located.

(128) Various embodiments may also use the location determination to send location-specific information to the gaming communication device. For example, a reminder that an entertainment event to which the user has tickets is about to begin may be sent to the user's device if the device (and therefore the user) is located in a different part of the casino complex. In another embodiment,

a user may be alerted that the user's favorite dealer is on the casino floor if the user is located in his or her guest room.

(129) In various embodiments, the location of the gaming communication device may be used to deliver goods and services purchased or ordered by the user of the device. For example, in various embodiments, the user may purchase food and beverages using the device. The location of the device may then be used to deliver the food and beverages to the user, even if the user relocates to another sub-zone after placing his or her order.

(130) The determination of the gaming communication device's location may also be used to provide the user with directions to another part of the casino complex. For example, a user that is located on the casino floor that wishes to go to a specific restaurant within the complex may be given direction based upon his or her location. These directions may then be updated as the user progresses towards his or her desired location. In the event the user gets off-course, the location determination, which may be updated during the user's travel, may be used to alert the user that he/she has gotten off-course and then plot a new course to the desired destination.

(131) It should be understood that the foregoing descriptions encompass but some of the implementation technologies that may be used, according to various embodiments. Other technologies may be used and are contemplated, according to various embodiments. Various embodiments may be performed using any suitable technology, either a technology currently existing or a technology which has yet to be developed.

(132) User Profiles

(133) According to various embodiments, the wireless gaming system can incorporate a user profile element. One or more user profiles may be created, maintained, and modified, for example, on one or more of the servers of the gaming system. Generally, the user profiles include information relating to respective users. The information may be maintained in one or more databases. The information may be accessible to the gaming server and/or to one or more mobile devices. The devices which may access the information may, according to certain embodiments, include gaming devices or gaming management devices. Gaming management devices may include wireless devices used by casino staff to provide gaming services or gaming management services.

(134) Various embodiments include software and/or hardware to enable the provision, modification, and maintenance of one or more user profiles. Thus, one or more user profiles may each comprise a set of data maintained in a data storage device. The data set(s) for each respective user profile may reflect any of a number of parameters or pieces of information, which relate to the particular user(s) corresponding to the profile(s). Although not intended to be exhaustive, such information may include, for example, gaming activity preferences, such as preferred game and/or game configuration, preferred screen configuration, betting preferences, gaming location preferences, dining, and other service preferences, and so forth. The information may also include user identity information, such as name, home address, hotel name and room number, telephone numbers, social security numbers, user codes, and electronic files of fingerprint, voice, photograph, retina scan, or other biometric information. User profile information may also include information relating to the user, but not determined by the user or the user's activities. Such information may include any information associated with, or made part of, a profile. For example, an entity such as a casino may include as part of a profile certain rules governing the distribution of promotions or offers to the user. User profile information can include any codes, account numbers, credit information, approvals, interfaces, applications, or any other information which may be associated with a user. Thus, user profile information may include any information that is particular to a given user. For example, profile information may include the location(s) at which a particular user has played, skill levels, success levels, types of games played, and betting styles, and trends of information relating to the user's activities.

(135) In various embodiments, user profile information may include concierge or other service information that is associated with a user. Concierge services may include restaurant services,

entertainment services, hotel services, money management services, or other appropriate services that may be offered to the user of a gaming device. For example, restaurant services may include, without limitation, services that allow the user to order drinks, order food, make reservations, or perform other restaurant related activities. As another example, entertainment services may include, without limitation, services that allow the user to purchase show tickets, arrange appointments or services, virtually shop, arrange transportation, or perform other entertainment related activities. Hotel services may include, for example, services that allow the user to check in, check out, make spa appointments, check messages, leave messages, review a hotel bill, or perform other guest-related activities. Money management services may include, for example, services that allow the user to transfer funds, pay bills, or perform other money management activities.

(136) The gaming system may be configured to establish a new profile for any user who is using a gaming device for the first time. Alternatively, a new profile may be established for a prior user who has not played for a predetermined time period. The gaming system may set up the profile, monitor user activities, adjust the profile, and adjust information (such as graphics) displayed to the user. The gaming system may be configured to use the profile information to alter the presentation of gaming information to the user. For example, if a prior user has returned to the gaming system, the system may consult the profile for the user and determine that in the prior session of gaming the user lost money on craps but won money on blackjack. Based on this information, the system may adjust the default gaming screen and present a blackjack table for the user. As a further example, the profile information may indicate that the majority of the user's prior blackjack time was spent on \$25 minimum tables. The system may, accordingly, make a further adjustment to the gaming environment and make the blackjack table being presented a \$25 table. In this sense, the gaming system enables personalized wireless gaming based on one or more criteria maintained in a user profile.

(137) The user profiles may be established, maintained, and periodically updated as necessary to enable a gaming provider to provide an enhanced, current, and/or customized gaming experience. Updates may be undertaken based on any suitable trigger, such as the occurrence of an event, the occurrence of a user activity, or the passage of a certain predetermined time period. Any or all of the profile information may be updated.

(138) Alerts

(139) In some embodiments, the gaming system may be configured to initiate one or more alerts to one or more users based on any number of criteria. For instance, an alert may be based on the location of a user. The system may also be configured to keep track of other non-location dependent parameters. The initiation of an alert may depend on a time parameter. Gaming alerts can also be based on this and/or other information maintained in a user profile. Alerts can be prioritized for presentation and the content and display of the alerts may be customized by the user or another entity. As a related concept, the system may be configured to provide directions and/or maps. Another related concept involves enabling a user to view a certain activity or area remotely. The alert may be generated in response to the existence of data within a user profile. Additionally, the content and presentation of the alert may be determined based on information in the user profile. Thus, when the alerts occur and what the alerts indicate may be customized or tailored according to user preferences (or any other information maintained about the user (e.g., in a user profile)).

(140) In some embodiments, an alert may be presented or displayed to the user in a format determined, at least in part, by any of the parameters described or contemplated herein. For example, if the user is located outdoors, the display may be automatically brightened in order to allow the user to more easily view the alert. The alert may be presented in any one or a combination of textual, visual, oral, or other information exchange formats. Alerts presented to users on the screen of a gaming communication device, for example, may be configured in any desirable manner. Preferably, the information is displayed in a way as to most effectively utilize the

screen real estate to convey the alert message. Thus, different alerts of differing types, or having differing priorities, can be displayed differently on the gaming device. For example, a more important alert can be displayed as a popup while secondary alerts scroll at the bottom of the screen. The player can register for alerts and determine his own particular alert configuration preferences.

(141) According to some embodiments, directional information may be provided to one or more users. The directional information may be associated with an alert. The directional information may be based on any of the parameters described herein (e.g., profiles, alerts, locations, changes in play or other activities, etc.). Directions may be given to activities, locations, seats, tables, recreational spots, restaurants, change cages, information booths, casinos, hotels, sports venues, theaters, etc. For example directions may be given to a particular table or gaming area, a casino other than the one where the user is presently located or where another user is located, a restaurant that is specified in a user profile, a sports book area of a casino, a hotel room, etc.

(142) The directions can be presented orally, textually, and/or graphically (e.g., as map with zoom capabilities). An example of how directions would be provided involves a user profile indicating that the user likes to play high-limit blackjack on Saturday nights, but that the user does not have a particular casino preference. If the user enters any casino for which the system is operable, the system provides the user with an alert inviting the player to the high-limit blackjack tables and directional information in the form of a visual route. Another example involves a user leaving a sports book in a casino and the user has indicated that he wants to play craps. The device gives walking directions to the craps tables. Another example involves a user that has a preferred list of dinner restaurants. At a predetermined time (e.g., 8:00 pm), the system presents the user with the list, lets the user make a selection and a reservation. The system then provides the user with verbal directions from the user's current location to the selected restaurant. The system may also be configured to provide ancillary information based, at least in part, on the alert, the profile, or the directional information being provided. For example, the system may notify a user that the user will need a cab, or will need to take the tram, or will need a jacket and tie, or will need an umbrella, etc. depending on where the user is going and the route he is taking.

(143) According to various embodiments, the system enables a user to view a certain activity or area remotely. For example, cameras (or other viewing devices) may be disposed throughout a casino property (or other relevant area). At kiosks, or on the wireless gaming devices, users can "peek" into one or more selected areas to see the activity in the selected area(s). For example, from the pool, a user can tell if the craps tables have changed limits or are filling up with people. From the craps table, a user can see if the restaurant or bar is becoming crowded.

(144) According to various embodiments, the operation of the alerts module and the alerts methods are integrated with various techniques for managing user profile information. An example of this aspect is that the system may be configured to recognize that a user has certain preferred dealers or stickmen when playing certain casino games. When those dealers or stickmen are on duty, and if the user is located in a certain area, or within a certain distance, an alert may be sent inviting the user to participate in the gaming activity at the particular table where the dealer or stickman is on duty.

(145) Thus, when user profile information indicates that a one or more predetermined criteria are met, the system may send an alert to the corresponding user or to another user. For example, the system may "learn" that a player is a fan of certain sports teams. The system monitors information about upcoming events that involve those teams and, at a predetermined time, checks to see if the user has placed a bet on the event(s). If not, the system invites the user to visit a sports book to make a bet. As another example, the system knows a user prefers \$10 minimum tables and alerts the user to the opening of a seat at such a table. As another example, the alerts can be triggered by information which is not directly related to or associated with the particular user (e.g., non-user specific information). For instance, an alert might be triggered by a certain time or the occurrence

of a certain event (e.g., the odds given on a certain sports event changing by a certain predetermined amount).

(146) Service Applications

(147) According to various embodiments, gaming services may be provided as an application add-on to a pre-existing communication or data service. Thus, gaming service applications may be made available to customers of a pre-existing communication or data service. For example, customers of a particular wireless telephone or data service may be offered any one or combination of the various gaming service applications discussed herein as an additional feature that is bundled with the telephone or data service. Although this document may refer to the communication service bundled with offered gaming service applications as including pre-existing communication services, it is recognized that the gaming services applications may be offered and accepted as part of a package with newly-activated communications service plan. In still other embodiments, the gaming service may be established first and the communication service may be added later.

(148) The gaming service applications bundled with, or otherwise offered in conjunction with communication services, may be customized to meet the needs of the customers, service providers, or both. For example, a service provider may elect to make certain gaming service applications available to only a subset of the service providers' customers. Accordingly, not all customers associated with a service provider may be offered gaming services. As another example of customized gaming service applications, a communication service may offer customers a number of gaming service plans which may provide different levels of service. For example, certain services such as advertisement services and/or promotional services may be free to customers of the communications service. Such levels of service may be customer-selected, service provider-selected, or both.

(149) Customers may be billed separately for add-on gaming services, or in conjunction with the invoice the customer already receives for the pre-existing communications service. For instance, in certain embodiments, gaming services may be billed as an add-on in the same way that Caller ID services, call waiting services, and call messaging services result in fees that are in addition to the basic fees associated with communication services.

(150) Peer-to-Peer Wireless Gaming

(151) According to various embodiments, gaming services enable peer-to-peer wireless gaming. Specifically, the system may enable multiple players to participate in the same gaming activity at the same time from dispersed locations. This may be particularly desirable in the case of certain games such as, but without limitation, horse racing, poker, and blackjack. The system may also enable a single player to participate in multiple positions with respect to a particular game. For example, a user may be permitted to play multiple hands of blackjack. Particular aspects include such features as providing assistance to a user in finding a particular activity. For example, a first player may want to play poker at a six-person table. The gaming system may be used to identify such a poker table that has a position available for the first user's participation. Additionally or alternatively, a first player might want to play poker at the same table as a second player, and the system may be configured to assist the first player in finding a game in which the second player is already participating.

(152) Location determination techniques may be incorporated to enable peer-to-peer gaming or related services. For example, a "buddy network" may be established to track members of a selected group. For example, a group of friends might all be in a gambling jurisdiction but be located at various dispersed places within that jurisdiction. The gaming system allows the establishment of a private buddy network of peers for this group of friends. The system enables one or more members of the group to track one or more other members of the group. In various embodiments, the system may also allow messages from and to one or more group members. For example, the system also allows members to invite other members to participate in certain wireless gaming activities. Additionally or alternatively, the system may allow members of the group to bet

on the performance of another member of the group who is participating in a virtual or actual game. (153) Location determination techniques may also be incorporated to establish an “alert system.” The alert system may be used to invite certain types of players to participate in a gaming activity. Criteria may then be used to identify users of gaming devices that meet the criteria. For example, a gaming participant may wish to initiate a gaming activity with other users of gaming devices that qualify as “high rollers” or “high stakes gamers.” As other examples, a celebrity user may wish to initiate a gaming activity with other celebrities, or a senior citizen may wish to initiate a gaming activity with other senior citizens. In each instance, the user may identify criteria that may then be used to identify other gaming participants that meet these criteria for the initiation of a peer-to-peer gaming event.

(154) It should be understood that the foregoing descriptions encompass but some of the implementation technologies that may be used, according to various embodiments. Other technologies may be used and are contemplated, according to various embodiments. Various embodiments may be performed using any suitable technology, either a technology currently existing or a technology which has yet to be developed.

(155) Gaming and Wireless System

(156) Various embodiments include a gaming system including hand-held personal gaming devices. The gaming system is adapted to present one or more games to a user of one of the hand-held gaming devices.

(157) In various embodiments, the gaming system includes a portable gaming device or interface. The portable gaming device has a display for displaying game information to a player, at least one input device for receiving input from the player and is capable of receiving and sending information to a remote device/location. The gaming system also includes a game server for generating game data, transmitting game data to the portable gaming device, and receiving information, such as player input, from the portable gaming device. The gaming system further includes a payment transaction server for validating payment and establishing entitlement of a player to play a game via the portable gaming device as provided by the game server.

(158) In various embodiments, the gaming system includes one or more stationary gaming machines or other devices capable of printing tickets having a value associated therewith. The portable gaming device includes a ticket reader for reading ticket information for use by the payment transaction server in verifying the associated value for permitting the player to play the game.

(159) In one or more embodiments, the portable gaming devices communicate with other devices (such as the game server) via a wireless communication channel. Appropriate relays and transceivers are provided for permitting the wireless communication.

(160) In one or more embodiments, the portable gaming device includes a plurality of interfaces for changing the configuration of the gaming device or interacting with one or more transaction servers. In some embodiments, a login interface is provided for receiving login information regarding a user of the device. In various embodiments, the number of interfaces or other functions or features displayed or permitted to be accessed are configured depending upon the user of the device. In the event a gaming representative identifies himself, interfaces permitting access to a variety of control functions may be provided. In the event a player identifies themselves, such control functions may not be accessible, but instead only consumer-related functions may be accessible such as game play.

(161) In one or more embodiments the gaming system includes one or more transaction servers, such as a food transaction server. Using an interface of the portable gaming device a player or other user may request services from the food transaction server. For example, a player may request food, drink, a restaurant reservation, or other service.

(162) One or more embodiments comprise a method of playing a game via a portable gaming device associated with a gaming network. In some embodiments, a player obtains a portable

gaming device, such as by checking out the device from the hostess station of a restaurant or the front desk of a hotel/casino. The player provides value to the gaming operator, such as a credit card or cash deposit. This value is associated with the server and matched with a ticket number, player tracking number or other identifier.

(163) The game device is configured for player play using the login interface. The act of logging in may be performed by the player or the gaming operator. The player next establishes entitlement to obtain services, such as the playing of a game, by showing the existence of value. In some embodiments, the player scans his ticket using the ticket reader of the device. The scanned information is transmitted to the payment transaction server for verifying entitlement of the player to play a game or obtain other services. In the event the entitlement is verified, then the player is permitted to engage in the play of a game or request service.

(164) In the event a player wishes to play a game, the player indicates such by selecting a particular game using a game play interface. Upon receipt of such an instruction, the game server generates game data and transmits it to the personal gaming device. The transmitted data may comprise sound and video data for use by the personal gaming device in presenting the game. The player is allowed to participate in the game by providing input to the game server through the personal gaming device. The game server determines if the outcome of the game is a winning or losing outcome. If the outcome is a winning outcome, an award may be given. This award may be cash value which is associated with the player's account at the payment transaction server. If the outcome is a losing outcome, then a bet or wager placed by the player may be lost, and that amount deducted from the player's account at the transaction server.

(165) FIG. 8 is a block diagram of a gaming system in accordance with various embodiments.

(166) As illustrated, the gaming system B20 includes a plurality of gaming machines B22a, B22b, B22c, B22d, B22e, B22f, B22g, B22h, B22i, B22j. In some embodiments, these gaming machines B22a, B22b, B22c, B22d, B22e, B22f, B22g, B22h, B22i, B22j are of the stationary type. In general, the gaming machines B22a, B22b, B22c, B22d, B22e, B22f, B22g, B22h, B22i, B22j are arranged to present one or more games to a player. In various embodiments, the games are of the type requiring the placement of a wager or bet and are of the type by which a player receiving a winning outcome is provided an award, such as a monetary award. These devices may comprise, for example, video poker and slot machines. In addition, the gaming system B20 includes one or more hand-held, portable gaming devices (PGDs) B24. The PGD B24 is also arranged to present one or more games to a player, and as described below, may be used as an access point for a variety of other services. The device referred to herein as a “personal gaming device” may be referred to by other terminology, such as a portable gaming interface, personal game unit or the like, but regardless of the name of the device, such may have one or more of the characteristics herein.

(167) In addition, in various embodiments, the PGD B24 is in communication with at least one gaming server B28. As described below, in various embodiments, the one or more games which are presented via the PGD B24 to the player are provided by the gaming server B28.

(168) The gaming machines B22a, B22b, B22c, B22d, B22e, B22f, B22g, B22h, B22i, B22j and each PGD B24 is in communication with a payment system referred to herein as the “EZ-Pay” system. This system includes a server B26 for receiving and transmitting information. In general, the EZ Pay system is utilized to accept payment from a player for the playing of games and obtaining of other goods and services, and for paying a player winnings or awards.

(169) In the embodiments illustrated, the gaming system B20 includes other servers B30, B32 for transmitting and/or receiving other information. In some embodiments, one server B30 comprises a prize transaction server. Another server B32 comprises a food transaction server. In some embodiments, information may be transmitted between the PGD B24 and these servers B30, B32.

(170) The EZ Pay system, according to various embodiments, will now be described in more detail with reference to FIG. 9. The EZ Pay system may constitute an award ticket system which allows award ticket vouchers to be dispensed in lieu of the traditional coin awards or reimbursements

when a player wins a game or wishes to cash out. These tickets may also be used by gaming machines and other devices for providing value, such as for payment of goods or services including as a bet or ante for playing a game.

(171) FIG. 9 illustrates some embodiments of such a system in block diagram form. As illustrated, a first group of gaming machines B22a, B22b, B22c, B22d, and B22e is shown connected to a first clerk validation terminal (CVT) B34 and a second group of gaming machines B22f, B22g, B22h, B22i, and B22j is shown connected to a second CVT B36. All of the gaming machines print ticket vouchers which may be exchanged for cash or accepted as credit or indicia in other gaming machines. When the CVTs B34, B36 are not connected to one another, a ticket voucher printed from one gaming machine may only be used as indicia of credit in another gaming machine which is in a group of gaming machines connected to the same CVT. For example, an award ticket printed from gaming machine B22a might be used as credit of indicia in gaming machines B22b, B22c, B22d, and B22e, which are connected to the common CVT B34, but may not be used in gaming machines B22f, B22g, B22h, B22i, and B22j since they are each connected to the CVT B36.

(172) The CVTs B34, B36 store ticket voucher information corresponding to the outstanding ticket vouchers that are waiting for redemption. This information is used when the tickets are validated and cashed out. The CVTs B34, B36 store the information for the ticket vouchers printed by the gaming machines connected to the CVT. For example, CVT B34 stores ticket voucher information for ticket vouchers printed by gaming machines B22a, B22b, B22c, B22d, and B22e. When a player wishes to cash out a ticket voucher and the CVTs B34, B36 are not connected to one another, the player may redeem a voucher printed from a particular gaming machine at the CVT associated with the gaming machine. To cash out the ticket voucher, the ticket voucher is validated by comparing information obtained from the ticket with information stored with the CVT. After a ticket voucher has been cashed out, the CVT marks the ticket as paid in a database to prevent a ticket voucher with similar information from being cashed multiple times.

(173) Multiple groups of gaming machines connected to the CVTs B34, B36 may be connected together in a cross validation network B38. The cross validation network typically comprises one or more concentrators B40 which accept input from two or more CVTs and enables communications to and from the two or more CVTs using one communication line. The concentrator B40 is connected to a front end controller B42 which may poll the CVTs B34, B36 for ticket voucher information. The front end controller B42 is connected to an EZ pay server B26 which may provide a variety of information services for the award ticket system including accounting B44 and administration B46.

(174) The cross validation network allows ticket vouchers generated by any gaming machine connected to the cross validation network to be accepted by other gaming machines in the cross validation network B38. Additionally, the cross validation network allows a cashier at a cashier station B48, B50, B52 to validate any ticket voucher generated from a gaming machine within the cross validation network B38. To cash out a ticket voucher, a player may present a ticket voucher at one of the cashier stations B48, B50, B52. Information obtained from the ticket voucher is used to validate the ticket by comparing information on the ticket with information stored on one of the CVTs B34, B36 connected to the cross validation network B38. As tickets are validated, this information may be sent to another computer B54 providing audit services.

(175) As described above, the gaming system B20 may also include one or more hand-held PGDs B24. In various embodiments, the PGD B24 is a portable device capable of transmitting and receiving information via a wireless communication link/network.

(176) Referring again to FIG. 8, the gaming system B20 may include a printer B56, wireless communication relays B58 and B60, and wireless transceivers B62, B64, B66 and B68 connected to the remote transaction servers B26, B28, B30 and B32. In various embodiments, a player may obtain the PGD B24, and after being provided with the appropriate authority, may play one or more games and/or obtain other services including food services or accommodation services.

(177) FIG. 10 illustrates the PGD B24 and a block diagram of a game and service system which may be implemented by the gaming system B20 illustrated in FIG. 8. In various embodiments, the game and service system B100 is comprised of at least one PGD B24 and a number of input and output devices. The PGD B24 is generally comprised of a display screen B102 which may display a number of game service interfaces B106. These game service interfaces B106 are generated on the display screen B102 by a microprocessor of some type (not shown) within the PGD B24. Examples of a hand-held PGD B24 which may accommodate the game service interfaces B106 shown in FIG. 10 are manufactured by Symbol Technologies, Incorporated of Holtsville, N. Y. The interface or menu data may be stored in a local memory, or the data may be transmitted to the PGD B24 from a remote location (such as a data server). This reduces the memory requirement of the device.

(178) The game service interfaces B106 may be used to provide a variety of game service transactions and gaming operations services, including the presentation for play by a user of one or more games. The game service interfaces B106, including a login interface B105, an input/output interface B108, a transaction reconciliation interface B110, a ticket validation interface B115, a prize services interface B120, a food services interface B125, an accommodation services interface B130, a gaming operations interface B135, and a game play interface B137 may be accessed via a main menu with a number of sub-menus that allow a game service representative or player to access the different display screens relating to the particular interface.

(179) In one or more embodiments, some or all of the interfaces may be available to a user of the PGD B24. For example, in one or more embodiments, the PGD B24 may have a dual purpose of both being usable by a player to play games and engage in other activities, and also be used by gaming operations personnel for use in providing services to players and performing administrative functions. In various embodiments, certain PGDs B24 may be specially configured for use only by players, and other PGDs B24 may be specially configured for use only by gaming or other personnel. In such event, the interfaces B106 may be custom programmed.

(180) In one or more embodiments, only certain interfaces B106 may be displayed, depending on the status of the user of the PGD B24. In some embodiments, the particular interfaces B106 which are displayed and thus accessible for use are determined by the status of the user as indicated through a login function. In various embodiment, when the PGD B24 is operable (such as when a power button is activated) the default status for the PGD B24 is the display of the login interface B105. Once a user of the PGD B24 has logged in, then the status of the PGD display is changed.

(181) In one or more embodiments, the login interface B105 may allow a game service representative to enter a user identification of some type and verify the user identification with a password. When the display screen B102 is a touch screen, the user may enter the user/operator identification information on a display screen comprising the login interface B105 using an input stylus B103 and/or using one or more input buttons B104. Using a menu on the display screen of the login interface, the user may select other display screens relating to the login and registration process. For example, another display screen obtained via a menu on a display screen in the login interface may allow the PGD B24 to scan a fingerprint of the game service representative for identification purposes or scan the fingerprint of a game player.

(182) In the event a user identifies themselves as a gaming operator or representative, then the PGD B24 may be arranged to display one or more other interfaces such as those listed above and described in detail below. In one or more embodiments, the default status or login may be a “player” mode login.

(183) In various embodiments, the login interface B105 may allow a player to identify themselves to configure the PGD B24 to permit the player to access a plurality of player services, such as playing games and the like. In various embodiments, the login interface B105 includes a request that the user identify themselves as a “player” or “authorized personnel.” In the event “authorized personnel” is selected, then the above-referenced user identification (including password) may be

requested. If “player” is selected, then in various embodiments the player is requested to provide an EZ pay ticket. As described in more detail below, in various embodiments, a player who wishes to play one or more games or obtain other goods or services uses an EZ pay ticket to provide the credit or payment therefor. The ticket may be obtained from a cashier or by play of another gaming device (such as devices B22a, B22b, B22c, B22d, B22e, B22f, B22g, B22h, B22i, B22j in FIG. 8). The ticket may be verified through the EZ pay system described above.

(184) In various embodiments, the PGD B24 includes a ticket reader B145 and a card reader B140. In some embodiments, the ticket reader B145 may be of a variety of types. In some embodiments, the reader comprises a bar-code reading optical scanner. In this arrangement, a user of the PGD B24 may simply pass the bar-coded ticket in front of the bar-code reader. In some embodiments, the card reader B140 comprises a magnetic-stripe card type reader for reading information associated with a magnetic stripe of a card, such as a player tracking card.

(185) After having provided the appropriate authorization, access may be provided to the user of the PGD B24 of one or more of the following interfaces B106.

(186) In one or more embodiments, an authorized user may be provided with access to the input/output interface B108. In a various embodiments, such access is only provided to a game service operator and not a player. In one or more embodiments, the input/output interface B108 permits a user to select from a list of devices stored in memory on the PGD B24, a device from which the PGD may input game service transaction information or output game service transaction information. For example, the PGD B24 may communicate with the ticket reader B145. As another example, the PGD B24 may input information from the card reader B140. Such input may be useful, for example, if a game service operator wishes to verify the authenticity of a player tracking card or the like.

(187) The PGD B24 may output game and service transaction information to a number of devices. For example, to print a receipt, the PGD B24 may output information to a printer B150. In this game service transaction, the PGD B24 may send a print request to the printer B150 and receive a print reply from the printer B150. The printer B150 may be a large device at some fixed location, or a portable device carried by the game service representative. As another example, the output device may be the card reader B140 that is able to store information on a magnetic card or smart card. Other devices which may accept input or output from the PGD B24 are personal digital assistants, microphones, keyboard, storage devices, gaming machines and remote transaction servers.

(188) The PGD B24 may communicate with the various input mechanisms and output mechanisms using both wire and wire-less communication interfaces. For example, the PGD B24 may be connected to the printer B150 by a wire connection of some type. However, the PGD B24 may communicate with a remote transaction server B160 via a wire-less communication interface including a spread spectrum cellular network communication interface. An example of a spread spectrum cellular network communication interface is Spectrum 24 offered by Symbol Technologies of Holtsville, N.Y., which operates between about 2.4 and 2.5 Gigahertz. The information communicated using the wire-less communication interfaces may be encrypted to provide security for certain game service transactions such as validating a ticket for a cash payout. Some devices may accommodate multiple communication interfaces. Such a spread spectrum network is but one possible communication scheme.

(189) Another type of interface that may be stored on the PGD B24 is the award ticket validation interface B115. In some embodiments, this interface is only available to an authorized game service representative, and not a player. Some embodiments of the award ticket interface B115 may accommodate the EZ pay ticket voucher system and validate EZ pay tickets as previously described. However, when other ticket voucher systems are utilized, the award ticket validation interface B115 may be designed to interface with the other ticket voucher systems. Using the award ticket validation interface B115, a game service representative may read information from a ticket

presented to the game service representative by a game player using the ticket reader and then validate and pay out an award indicated on the ticket.

(190) In various embodiments, the award ticket contains game service transaction information which may be verified against information stored on a remote transaction server **B160**. To validate the ticket may require a number of game service transactions. For example, after obtaining game service transaction information from the award ticket, the PGD **B24** may send a ticket validation request to the remote transaction server **B160** using the spread spectrum communication interface and receive a ticket validation reply from the remote server **B160**. In particular, the validation reply, and the validation request may be for an EZ pay ticket. After the award ticket has been validated, the PGD **B24** may send a confirmation of the transaction to the remote server **B160**. Details of the game service transaction information validation process are described with the reference to FIG. **12**. In various embodiments, the award ticket interface may be configured to validate award information from a smart card or some other portable information device or validate award information directly from a gaming machine.

(191) As game and service transactions are completed, game and service transaction information may be stored on a storage device **B155**. The storage device **B155** may be a remote storage device or a portable storage device. The storage device **B155** may be used as a back-up for auditing purposes when the memory on the PGD **B24** fails and may be removable from the PGD **B24**.

(192) A type of game service interface that may be stored on the PGD **B24** is the prize service interface **B120**. As an award on a gaming machine (i.e., machines **B22a**, **B22b**, **B22c**, **B22d**, **B22e**, **B22f**, **B22g**, **B22h**, **B22i**, **B22j** in FIG. **8**) or while playing a game via the PGD **B24**, a game player may receive a ticket (such as issued by other machine) that is redeemable for merchandise including a bicycle, a computer or luggage or receive such an award directly (such as while playing the PGD **B24** itself). Using the prize service interface **B120**, a game service representative or player may validate the prize service ticket and then check on the availability of certain prizes. For example, when the prize service ticket indicates the game player has won a bicycle, the game service representative may check whether the prize is available in a nearby prize distribution center. Alternatively, a player may be permitted to do the same thing. In some embodiments, a player may be awarded a prize of a particular level, there being one or more particular prizes on that level. In such events, the player may use the interface **B120** to determine what prizes are currently available in the prize level just awarded. The PGD **B24** may validate a prize ticket and check on the availability of certain prizes by communicating with a remote prize server. Further, the game service representative may have the prize shipped to a game player's home or send a request to have the prize sent to a prize distribution location. The game service transactions needed to validate the prize ticket including a prize validation request and a prize validation reply, to check on the availability of prizes and to order or ship a prize may be implemented using various display screens located within the prize interface. The different prize screens in the prize service interface **B120** may be accessed using a menu located on each screen of the prize service interface. In some embodiments, the prize service interface **B120** may be configured to validate prize information from a smart card or some other portable information device or validate award information directly from a gaming machine.

(193) A type of game service interface that may be stored on the PGD **B24** is the food service interface **B125**. As an award on a gaming machine or as compensation for a particular amount of game play, a game player may receive a free food or drink. Using the food service interface **B125**, the player may redeem the food or drink award, or a game service representative may validate such an award (for example, the award may be provided to a player of a gaming device **B22a** in the form of a ticket) and check on the availability of the award. For example, when the game player has received an award ticket valid for a free meal, the food service interface may be used to check on the availability of a dinner reservation and make a dinner reservation. As another example, the PGD **B24** may be used to take a drink or food order by the player thereof. Such an order may be

processed via the remote food server B32 (see also FIG. 8). The transactions needed to validate a food ticket or award, to check on the availability of food services, request a food service and receive a reply to the food service request may be implemented using various display screens located within the food service interface B125. These display screens may be accessed using a menu located on each screen of the food service interface. In some embodiments, the food service interface may be configured to validate food service information from a smart card or some other portable information device.

(194) Another type of game service interface that may be stored on the PGD B24 is an accommodation service interface B130. As an award for game play or as compensation for a particular amount of game play, a game player may receive an award in the form of an accommodation service such as a room upgrade, a free night's stay, or other accommodation prize. Using the accommodation service interface B130, the player may check on the availability of certain accommodation prizes. For example, when the game player has received an award for a room upgrade, the accommodation service interface may be used to check on the availability of a room and to make a room reservation. Regardless of whether the player has won an accommodation award, the player may utilize the accommodation service interface B130 to reserve a room (such as an additional night's stay) or an upgrade to a room. In some embodiments, a player of a game may be issued a ticket (such as from a free-standing game device B22a, B22b, B22c, B22d, B22e, B22f, B22g, B22h, B22i, B22j in FIG. 8), and a gaming representative may use the accommodation service interface B130 in order to validate the player's award ticket and check on the availability of the award and institute the award. As another example, the PGD B24 may be used to order a taxi or some other form of transportation for a player at a gaming machine preparing to leave the game playing area. The game playing area may be a casino, a hotel, a restaurant, a bar or a store.

(195) The PGD B24 may validate the accommodation service award and check on the availability of certain accommodation awards by communicating with a remote accommodation server. The transactions needed to validate the accommodation ticket, check on the availability of accommodation services, request an accommodation service and receive a reply to the accommodation service request may be implemented using various display screens located within the accommodation service interface. These display screens may be accessed using a menu located on each screen of the accommodation service interface. In some embodiments, the accommodation service interface may be configured to validate accommodation service information from a smart card or some other portable information device.

(196) A type of game service interface that may be stored on the PGD B24 is a gaming operations service interface B135. Using the gaming service interface B135 on the PGD B24, a game service representative may perform a number of game service transactions relating to gaming operations. For example, when a game player has spilled a drink in the game playing area, a game service representative may send a request to maintenance to have someone clean up the accident and receive a reply from maintenance regarding their request. The maintenance request and maintenance reply may be sent and received via display screens selected via a menu on the screens of the gaming operations service interface. As another example, when a game service representative observes a damaged gaming machine such as a broken light, the game service representative may send a maintenance request for the gaming machine using the PGD B24. In one or more embodiments, a player may be permitted various options through the gaming service interface B135. For example, a player may be permitted to request a gaming service representative or attendant using the interface B135.

(197) A type of game service interface that may be stored on the PGD B24 is a transaction reconciliation interface B110. In various embodiments, the PGD B24 contains a memory storing game service transaction information. The memory may record the type and time when a particular game service transaction is performed. At certain times, the records of the game service

transactions stored within the PGD B24 may be compared with records stored at an alternate location. For example, for an award ticket validation, each time an award ticket is validated and paid out, a confirmation is sent to a remote server B160. Thus, information regarding the award tickets, which were validated and paid out using the PGD B24, should agree with the information regarding transactions by the PGD stored in the remote server B160. The transaction reconciliation process involves using the transaction reconciliation interface B110 to compare this information. In various embodiments, only a gaming service representative (and not a player) is permitted access to the transaction reconciliation interface B110.

(198) A type of game service interface that may be stored on the PGD B24 is a voice interface B138. Using the spread spectrum cellular or other communication network incorporated into the PGD, a player and/or game service representative may use the PGD B24 as a voice communication device. This voice interface B138 may be used to supplement some of the interfaces previously described. For example, when a game player spills a drink the game service representative may send maintenance request and receive a maintenance reply using the voice interface B138 on the PGD B24. As another example, when a game player requests to validate a food service such as free meal, such a request may be made by the player or a game service representative at a restaurant or other location using the voice interface B138 on the PGD B24. In some embodiments, a player may be permitted to contact a player of another PGD B24, such as by inputting a code number assigned to the PGD B24 through which communication is desired. Such would permit, for example, a husband and wife using two different PGDs B24 to communicate with one another. The voice interface B138 may also permit a player to contact the front desk of a hotel/casino, an operator of a switchboard at the gaming location or the like.

(199) A type of game service interface that may be stored on the PGD B24 is a game play interface B137. In various embodiments, a player is permitted to access the game play interface B137 in order to select from one or more games for play. The game play interface B137 may include a menu listing one or more games which the player may play via the PGD B24. In various embodiments, game play is facilitated with the game server B28 (see FIG. 8).

(200) In one or more embodiments, the gaming control code is not resident at the PGD B24, but instead at a secure, remote server. Referring to FIG. 8, game play data is transmitted from the game server B28 to the PGD B24, and from the PGD B24 to the game server B28. Preferably, the PGD B24 is adapted to receive and process data, such as by receiving video data and processing the data to present the information on the display B102. Likewise, the PGD B24 is arranged to accept input and transmit that input or instruction to the game server B28. This arrangement has the benefit that nearly all aspects of the play of a game can be monitored, as it requires the game play data to pass to or from a remote location. This avoids, for example, storage of the gaming software at the PGD B24 where it might be tampered with, copied or the like.

(201) In one or more embodiments, each PGD B24 has a unique identifier which is utilized to identify which PGD B24 data is transmitted from and to which data is to be transmitted to. In some embodiments, the game server B28 may thus be used to present the same or different games to a plurality of players using different PGDs B24, with the game data regarding a particular game being played at a particular PGD B24 being directed to that PGD B24 using its particular identifier.

(202) As will be appreciated by those of skill in the art, the PGD B24 may have a variety of configurations. As stated above, the PGD B24 may be used in the gaming system B20 in which gaming code is not stored directly at the PGD. In such an embodiment, the PGD B24 may have a much more limited amount of data memory. In some embodiments, the PGD B24 includes a processor for executing control code, such as that necessary to operate the display B102, accept input from the stylus B103 or input buttons B104 or the like. In addition, the PGD B24 preferably includes a buffer memory for accepting data transmitted from the game server B28. This data may comprise data for displaying game information, such as video and sound content.

(203) Various aspects of the use of the PGD B24 described above will now be described. In one or

more embodiments, the PGD B24 may be used directly by a player. In various embodiments, a player may use the PGD B24 to play one or more games, and obtain products and services, such as food.

(204) A method of use of the PGD B24, according to some embodiments, is illustrated in FIGS. 11(a) and 11(b). In general, a player must first obtain a PGD B24. For example, a player may check out a PGD B24 from a gaming operator. The player then establishes entitlement to use the PGD B24. In some embodiments, the player must indicate player status at the login interface and obtain a valid ticket in order to activate the PGD B24. Once activated, the player is permitted to engage in a variety of transactions using the interfaces B106, such as playing a game, redeeming prizes and awards, placing food and drink orders, placing reservations, seeking gaming operator support, and seeking a variety of other goods and services as described in more detail below.

(205) One example of a method of use of the PGD B24 by a player will be described with reference to FIG. 11(a). In a first step B400, the player first obtains the PGD B24. In some embodiments, a gaming operator may have certain locations at which a player may obtain the PGD B24, such as the front desk of a hotel/casino, the hostess stand at a restaurant, from a gaming attendant or other location as desired. In some embodiments, a gaming operator may actually permit a player to retain the PGD B24, such as by renting, selling or giving the PGD B24 away to a player.

(206) In a step B402, the PGD B24 is activated. In some embodiments, this step includes turning on the PGD B24 (such as with a power switch) and logging in. In some embodiments, when the PGD B24 is turned on, the login interface B105 is automatically displayed. The login interface B105 may include “player” and “authorized personnel” buttons which may be activated using the stylus B103. The player may indicate “player” status by selecting the player button with the stylus B103.

(207) In some embodiments, the gaming operator may log the player in. For example, when a player obtains the PGD B24 from a hostess at a restaurant, the hostess may log in the player in player mode. In some embodiments, the gaming operator may have certain PGDs B24 which are for use by players and certain others which are for use by gaming personnel. In such event, the PGDs B24 which are configured for player status may automatically be configured for player mode after being turned on.

(208) In a step B404, a player establishes entitlement to use the PGD B24. In some embodiments, this step comprises the player providing a valid ticket which is verifiable using the EZ pay portion of the gaming system B20. In some embodiments, a player may have obtained a ticket through play of a gaming machine, such as gaming machines B22a, B22b, B22c, B22d, B22e, B22f, B22g, B22h, B22i, B22j of the gaming system B20. In some embodiments, a player may be issued a ticket by a game service representative. For example, a player may provide credit at a cashier cage (such as with a credit card or cash) and be issued a ticket. A player may also pay cash or the like to a restaurant hostess and be issued a ticket.

(209) Once the player has a ticket, the ticket may be scanned using the ticket reader B145 of the PGD B24. For example, the player may pass the ticket in front of the ticket reader B145. Once the information is read by the PGD B24, the data may be transmitted to the EZ pay server B26 for validation. Preferably, this validation confirms that the particular ticket is authorized, including the fact that it is outstanding and has value associated therewith.

(210) In one or more embodiments, entitlement may be established in other manners. For example, in some embodiments, entitlement may be established with a player tracking or identification card which may be read using the card reader B140 of the PGD B24.

(211) Establishing entitlement to use the PGD B24 may ensure that the player has funds for paying to obtain services and products available by use of the PGD B24. In one or more embodiments, however, this step may be eliminated. For example, in some embodiments, a player may be permitted to use the PGD B24 and then pay for goods or services in other manners. In some embodiments, a player may, for example, order food and then pay the server for the food using a

room charge or cash at the time the food is delivered. In some embodiments, a player may use a credit card to pay to play games or to pay for food or the like. In such event, a credit card may be read by the card reader **B140** at the time the services or products are to be provided or are ordered by the player.

(212) In a step **B406**, the player is then permitted to select one or more selections from the interfaces **B106**. As stated above, a player may not be permitted access to all of the interfaces **B106**. In any event, a player may select, such as with the stylus **B103**, a service from the group of interfaces **B106**. An example of the engagement of a particular activity using the PGD **B24** will be described below with reference to FIG. **11(b)**.

(213) Once a player no longer desires to engage in any more activities using the PGD **B24**, the use session of the PGD **B24** is ended in a step **B408**, and in one or more embodiments, the PGD **B24** is returned to the gaming operator. In various embodiments, once a player no longer wishes to use the PGD **B24**, the player returns the PGD **B24** to the gaming operator. At that time, the gaming operator may confirm that all transactions using the PGD **B24** are closed or complete and pay the player any winnings. In some embodiments, a player **B24** is issued a new ticket representing the player's credit (including any payments made in order to first use the PGD **B24**, plus any winnings, less any expenditures).

(214) An example of a method of using the PGD **B24** wherein the player has selected the option of game play using the game play interface **B137** will be described in detail with reference to FIG. **11(b)**. In a step **B410** (which step comprises a particular embodiment of step **B406** of FIG. **11(a)**), a player has selected the event or service of "game play" using the game play interface **B137**.

(215) In some embodiments, when a player has selected the game play interface **B137**, a menu may be displayed to the player of the one or more games which the player may be permitted to play. In some embodiments, when the player selects the game play interface **B137**, a signal is transmitted from the PGD **B24** to the remote game server **B28** instructing the game server **B28** that the player wishes to play a game. In response, the game server **B28** may send the latest game menu to the PGD **B24** for display. In this arrangement, the menu of games which is available may be continuously updated at one or more central locations (such as the server **B28**) instead of at each PGD **B24**.

(216) If the system **B20** permits the player to select a game from a menu of games, then the method includes the step of the player selecting a particular game to be played. Once a game is selected, or if only a single game option is provided, then game play begins. In some embodiments, the game server **B28** transmits data to the PGD **B24** for use by the PGD **B24** in presenting the game, such as video and audio content.

(217) In some embodiments, in a step **B412** a player is required to place a bet or ante to participate in a game. In some embodiments, the player may place the bet or ante using the EZ pay system. As stated above, the player preferably establishes entitlement to use the PGD **B24** with an EZ pay ticket or other entitlement, which ticket demonstrates that the player has monies or credits on account which may be used to pay for goods and services. These services include game play services.

(218) In some embodiments, when the player establishes entitlement to use the PGD **B24**, the value of the player's credits or monies are displayed to the player so that the player is visually reminded of these amounts. When a player begins play of a game, the player may input a bet and ante which is no more than the value of the credits or monies which the player has on account. Once a player has placed a bet or ante, that information is transmitted to the EZ pay server **B26** and is deducted from the player's account. A new credit value is then displayed at the PGD **B24** to the player.

(219) In various embodiments, a player may provide credit for a bet or ante in other manners. For example, a player may swipe a credit card through the card reader **B140** in order to provide the necessary credit for the bet or ante.

(220) In a step **B414**, the player is then permitted to engage in the game. In some embodiments,

game play comprises the game server **B28** executing game code and transmitting information to the PGD **B24** for presenting certain aspects of the game to the player. When necessary, the player is permitted to provide input, and the input data is transmitted from the PGD **B24** to the game server **B28**.

(221) As one example of a game, the game may comprise video poker. In this embodiment, the game server **B28** executes code for randomly generating or selecting five cards. Data representing video images of the cards is transmitted to the PGD **B24**, where the images of the five dealt cards are displayed on the display screen **B102**.

(222) The instruction “draw” or “stay” may be displayed to the player. At that time, the player may select one or more of the cards to hold or replace. In the event the player elects to replace any card, that instruction is transmitted to the game server **B28** which then randomly generates or selects replacement cards. The replacement card data is transmitted to the PGD **B24** and images of the replacement cards are displayed.

(223) In the event the hand of five cards (including any replacement cards) is determined by the game server **B28** to comprise a predetermined winning hand, then the player may be paid a winning amount. If not, then the player loses his bet or ante. This step comprises step **B416** of the method, that of determining the outcome of the game.

(224) If the outcome is a winning outcome, then the player may be paid a winning by crediting the player's account through the EZ pay server **B26**. In that event, the player's credits value as displayed is updated to reflect the player's winnings.

(225) A player may then elect to play the game again, play a different game, or select one or more other services offered. In some embodiments, a “return to main menu” button or the like may be displayed to the player at all times, permitting the player to return to a display including the various interfaces **B106**.

(226) In some embodiments, when the player has completed use of the PGD **B24**, the player returns the PGD **B24** to the gaming operator. For example, the player may return the PGD **B24** to a cashier cage or a game service operator. In various embodiments, the game service operator or other party then issues the player a ticket for any credit or value which remains in the player's account. The PGD **B24** may then be deactivated so that it readied for use by another player. In some embodiments, the PGD **B24** may be deactivated by turning its power off. In some embodiments, a “logout” interface or option may be provided which causes the PGD **B24** to return to a default state seeking the login of a player or user.

(227) The PGD **B24** may be used by a game service operator. Several examples of a method of such use are detailed below in conjunction with FIGS. **8** and **9**.

(228) When a game service representative contacts a game player seeking a game service in the game playing area **B70** (see FIG. **8**), the game service representative uses an appropriate game service interface on the display screen of the PGD **B24**, as described with reference to FIG. **10**, to provide the game service requested by the game player. For example, when a game player requests an EZ pay ticket validation, the game service representative brings the EZ pay ticket validation interface onto the display screen of the PGD **B24** using menus available on the display screen **B102**. Then, the game service representative scans the EZ pay ticket using a ticket reader connected to the PGD **B24** to obtain unique ticket information. Next, the PGD **B24** sends an EZ pay ticket validation request using the wire-less communication interface to the EZ pay server **B26**.

(229) In various embodiments, the ticket validation request is composed of one or more information packets compatible with the wire-less communication standard being employed. Using a wireless link **B72**, the one or more information packets containing the ticket validation request are sent to the transceiver **B62** connected to the EZ pay server. The transceiver **B62** is designed to receive and send messages from the one or more PGDs **B24** in the game playing area **B70** in a communication format used by the PGDs. Depending on the location of the PGD **B24** in the game playing area **B70**, the communication path for the information packets to and from the PGD **B24**

may be through one or more wire-less communication relays including B58 and B60. For example, when the PGD B24 is located near gaming machine B22a, the communication path for a message from the PGD B24 to the EZ pay server B26 may be from the PGD B24 to the relay B60, from the relay B60 to the relay B58, from the relay B58 to the transceiver B62 and from the transceiver B62 to the EZ pay server B26. As the location of the PGD B24 changes in the game playing area B70, the communication path between the PGD B24 and the EZ pay server B26 may change.

(230) After receiving an EZ pay ticket validation reply from the EZ pay server B26, the EZ pay ticket may be validated using an appropriate display screen on the PGD B24. After cashing out the ticket, the game service representative may send a confirmation of the transaction to the EZ pay server B26 using the PGD B24. The transaction history for the PGD B24 may be stored on the PGD B24 as well as the EZ pay server B26. Next, a receipt for the transaction may be printed out. The receipt may be generated from a portable printer carried by the game server representative and connected to the PGD B24 in some manner or the receipt may be generated from a printer B56 at a fixed location.

(231) After providing a number of game services comprising a number of game service transactions to different game players in the game playing area B70 using the PGD B24, a game service representative may log-off of the PGD B24 and return it to location for secure storage. For example, at the end of a shift, the game service representative may check the PGD B24 at some of the locations, the device is unassigned to the particular game service representative and then may be assigned to another game service representative. However, before the PGD B24 is assigned to another game service representative, the transaction history stored on the PGD B24 may be reconciled with a separate transaction history stored on a transaction server such as the EZ pay server B26.

(232) The assigning and unassigning of the PGD B24 to a game service representative and the transaction reconciliation are performed for security and auditing purposes. Another security measure which may be used on the PGD B24 is a fixed connection time between the PGD B24 and a transaction server. For example, after the PGD B24 has been assigned to a game service representative and the game service representative has logged on the PGD B24, the PGD B24 may establish a connection with one or more transaction servers including the EZ pay server B26, a server B28, a server B30, or a server B32. The connection between a transaction server and the PGD B24 allows the PGD B24 to send information to the transaction server and receive information from the transaction server. The length of this connection may be fixed such that after a certain amount of time the connection between the PGD B24 and the transaction server is automatically terminated. To reconnect to the transaction server, the login and registration process must be repeated on the PGD B24.

(233) A transaction server may provide one or more game service transactions. However, the PGD B24 may connect with multiple transaction servers to obtain different game service transactions. For example, server B30 may be a prize transaction server allowing prize service transactions and server B415 may be a food transaction server allowing food service transactions. When a game service representative receives a prize service request from a game player, the PGD B24 may be used to contact the prize transaction server B30 using a wire-less communication link between the PGD B24 and a transceiver B64 connected to the prize transaction server B30. Similarly, when a game service representative receives a food service request from a game player, the PGD B24 may be used to contact the food transaction server B32 using a wire-less communication link between the PGD B24 and a transceiver B66 connected to the food transaction server B32.

(234) The different transaction servers including the servers B26, B28, B30, B32 may be on separate networks or linked in some manner. For example, server B32 is connected to network B74, server B26 is connected to network B38, server B30 is connected to network B76, and server B28 is connected to network B78. In this embodiment, a network link B80 exists between network B76 and network B38. Thus, server B26 may communicate with server B30 via the network link

B80. A communication link between different servers may allow the servers to share game service transaction information and allow different communication paths between the PGDs and the transaction servers. Likewise, a network link **B82** exists between network **B78** and network **B38**, permitting the game server to communicate with the EZ pay server **B26**.

(235) FIG. **12** is a flow chart depicting a method for providing a game service using a hand-held device. In step **B500**, a game service representative receives the PGD **B24** and logs in to the device to assign the device. The check out process and assign process are for security and auditing purposes. In a step **B505**, the game service representative contacts a game player in the game playing area requesting a game service of some type. In a step **B510**, the game service representative selects an appropriate interface on the PGD **B24** using menus on the display screen **B102** of the PGD that allow the game service representative to provide a requested game service. In a step **B515**, the game service representative inputs game service transaction information required to perform a game service transaction. For example, to validate an award ticket, the game service representative may read information from the ticket using a ticket reader. As another example, to provide a food service including dinner reservation, the game service representative may enter a game player's name to make the reservation.

(236) In a step **B520**, the transaction information obtained in step **B515** is validated as required. For example, when a player attempts to cash out an award ticket, the information from the award is validated to ensure the ticket is both genuine (e.g. the ticket may be counterfeit) and has not already been validated. The validation process requires a number of transfers of information packets between the PGD **B24** and the transaction server. The details of the validation process for an award ticket validation are described with reference to FIG. **13**. When the transaction information is valid, in a step **B522**, a game service transaction is provided. For example, a room reservation may be made for a player requesting an accommodation service. A confirmation of the game service transaction may be sent to the transaction server for transaction reconciliation in a step **B545**. In one or more embodiments, the method may include the step of generating a receipt regarding the game service transaction.

(237) In a step **B535**, after providing the service, a game player may request another game service. When a game player requests an additional game service, the game service representative returns to step **B510** and selects an appropriate interface for the game service. When a game player does not request an additional service and it is not the end of a shift, in a step **B530**, the game service representative returns to step **B505** and contacts a new game player. In a step **B540**, when a shift has ended, the game service representative logs out of the PGD **B24** and checks the device at a secure location so that the PGD may be assigned to a different game service representative. In step **B545**, before the PGD **B24** is assigned to a different game service representative, a transaction history reconciliation is performed to ensure that the transaction history stored on the PGD is consistent with the transactions previously confirmed with a transaction server during the game service representative's shift. The transaction history on the PGD **B24** may be stored on a removable memory storage device on the PGD. Thus, the memory may be removed from the device for transaction reconciliation and replaced with a new memory. Thus, the device with the new memory may be assigned to a new game service representative while the transaction history from the previous game service representative assigned to the device is reconciled.

(238) FIG. **13** is a flow chart depicting a method for validating information for providing a personal game service. In the embodiment shown in the figure, a ticket is validated in a manner consistent with an EZ pay ticket system. The EZ pay ticket is usually used for award tickets. However, the system may be adapted to provide tickets for other services including food services, prize services or accommodation services. In a step **B600**, a request for game service transaction information read from a ticket is sent via a wire-less communication interface on the PGD **B24** to the appropriate transaction server as described with reference to FIG. **8**. In a step **B605**, the server identifies which clerk validation ticket (CVT) **B34**, **B36** owns the ticket. When a CVT owns a ticket, the CVT has

stored information regarding the status of a particular ticket issued from a gaming machine connected to the CVT **B34**, **B36**. In a step **B610**, the server sends a request to pay the ticket to the CVT identified as the owner of the ticket. Typically, the pay request indicated a service on the ticket has been requested. For a cash ticket, a pay request means a request to cash out the ticket has been made. For a free meal, a pay request means a request to obtain the meal has been made. In a step **B615**, the CVT receives the pay request for the ticket and marks the ticket pending. While the ticket is pending, any attempts to validate a ticket with similar information is blocked by the CVT. (239) In a step **B620**, the CVT **B34**, **B36** sends back a reply with context information to the server. As an example, the context information may be the time and place when the ticket was issued. The information from the CVT to the server may be sent as one or more data packets according to a communication standard shared by the CVT and server. In a step **B625**, after receiving the validation reply from the CVT, the server marks the pay request pending and sends a pay order to the PGD **B24**. While the pay request is pending, the server will not allow another ticket with the same information as the ticket with the pay request pending to be validated.

(240) In a step **B630**, the game service representative may choose to accept or reject the pay order from the server. When the game service representative accepts the pay order from the server, in a step **B640**, the PGD **B24** sends a reply to the transaction server confirming that the transaction has been performed. The transaction server marks the request paid which prevents another ticket with identical information from being validated. In a step **B645**, the server sends a confirmation to the CVT which allows the CVT to mark the request from pending to paid. When the game service representative rejects the pay order from the server, in a step **B650**, the PGD **B24** sends a reply to the server to mark the pay request from pending to unpaid. When the ticket is marked unpaid, it may be validated by another PGD **B24** or other validation device. In a step **B655**, the server sends the reply to the CVT to mark the pay request from pending to unpaid which allows the ticket to be validated.

(241) In one or more embodiments of the invention, a ticket may be used to provide credit/value for establishing entitlement to a service or a good, such as the right to play a game or obtain food. The PGD **B24** may include a card reader **B140**. In such an arrangement, a user of the PGD **B24** may use a credit card or other magnetic stripe type card for providing credit/value. In various embodiments, the PGD **B24** may include one or more other types of devices for obtaining/receiving information, such as a smart card reader. In such arrangements, the PGD **B24** device may read information from the credit card, smart card, or other device. These cards may comprise the well-known credit or debit cards. This information may be used to provide the credit/value. In the example of a credit card, the user's account information may be read from the card and transmitted from the PGD **B24** to the controller **B42**. Credit card/credit validation information may be associated with a credit card server (not shown). This credit card server may be associated with a bank or other entity remote from the casino or place of use of the PGD **B24** and the controller **B42**. A communication link may be provided between the controller **B42** and remote server for sending credit card information there over.

(242) In some embodiments, when a player utilizes a smart card or credit card the amount of associated credit or value may be transmitted to the EZ Pay server **B26**, and then the credited amount may be treated in exactly the same manner as if the credit/value had been provided by a ticket. When a player wishes to cash out, the EZ Pay server **B26** has a record of the original amount credited and the amounts of any awards, losses, or payments, and may then issue the player a ticket representing the user's total credit.

(243) In accordance with the invention, a gaming system is provided which includes one or more portable gaming devices. The portable gaming devices permit a player to play one or more games at a variety of locations, such as a hotel room, restaurant, or other location. These locations may be remote from traditional gaming areas where free-standing, generally stationary gaming machines are located.

(244) In one or more embodiments, a player may use the portable gaming device to not only play games but obtain other products and services. In addition, in one or more embodiments, the portable gaming device may be used by game service representatives to perform a variety of functions and provide a variety of services to a player.

(245) It should be understood that the foregoing descriptions encompass but some of the implementation technologies that may be used, according to various embodiments. Other technologies may be used and are contemplated, according to various embodiments. Various embodiments may be performed using any suitable technology, either a technology currently existing or a technology which has yet to be developed.

(246) Wireless Interactive System

(247) According to various embodiments, a wireless interactive gaming system includes one or more wireless gaming devices, a receiver, and a central processor. The wireless interactive gaming system may also include a terminal which is in communication with the central processor.

(248) In a gaming environment that employs a wireless interactive gaming system, a player receives a wireless gaming device from a game official who represents a gaming establishment or the "house". The wireless gaming device is capable of receiving wager information as commands entered by the player and transmitting the received wager information along with identification information to the receiver by wireless transmission.

(249) The wireless interactive gaming system may support a number of wireless gaming devices within one gaming establishment. The range for the wireless transmission from a wireless gaming device may be up to 100 feet.

(250) According to various embodiments, a player inputs information into a wireless gaming device, e.g., by pressing push buttons or keys on the device. The wireless gaming device may include any number, e.g. from 5 to 20, of buttons in a keypad-type arrangement. Buttons may be marked with the digits 0 through 9 and may also include a "\$" (dollar sign) key and an "enter" key, so that the player may easily input wager information. In various embodiments, the wireless gaming device includes at least eight player selection buttons (e.g., digits) and at least five special function buttons, (e.g., to request the player's balance). In various embodiments, the player can input some or all of the wager information into the wireless gaming device by swiping a smart card, which contains a microprocessor chip or a magnetic stripe with encoded information, through a smart card reader on the wireless gaming device.

(251) In various embodiments, the wireless gaming device may include an identifier. The identifier may be, e.g., a series of alphanumeric characters, a bar code, or a magnetic stripe affixed to the device. In various embodiments, the identifier may be a digital code stored in a secure memory, e.g., an electronically erasable programmable read only memory (EEPROM). The identifier may thus be readable directly by the game official if it is a series of alphanumeric characters, or it may be read automatically by a bar code reader or a magnetic stripe reader. In various embodiments, the identifier may be programmed in EEPROM or read from EEPROM through an RS-232 port, which may be directly connected to encoder and decoder circuitry in a terminal.

(252) A wireless gaming device may store an encryption key. The encryption key may be used to encrypt information that is transmitted to the receiver from the device. Encryption of the information transmitted to the receiver may limit tampering with the wireless gaming device and may prevent unauthorized or counterfeit devices from being used with the system.

(253) In various embodiments, the encryption key may be stored in the EEPROM. The EEPROM may have the advantage of being a memory device which is difficult to access if the appropriate encoding circuitry is not available. Thus, it is contemplated that the encoding circuitry that downloads the encryption key into the device may be securely held by the game official.

(254) Alternately, the encryption key stored in the EEPROM may be updated and changed for each player who receives a wireless gaming device by directly connecting the device to encoding and decoding circuitry in the terminal through a port at the time the wireless gaming device is delivered

to the player. Moreover, other digital information related to the game being played may be downloaded from the terminal to the EEPROM through a direct connection with the wireless gaming device.

(255) In various embodiments, a microprocessor controls the operation of a wireless gaming device. The microprocessor receives digital wager information entered by the player using buttons or keys of the wireless gaming device. The microprocessor stores an identification code associated with the wireless gaming device that is a digital equivalent of the identifier of the wireless gaming device. The microprocessor also executes software applications for encrypting the identification code and the player's wager information for transmission to the receiver. The software contains an algorithm that encrypts a data packet including the identification code and wager information using the encryption key.

(256) In various embodiments, a wireless gaming device has a unique address, i.e. identification code, for communications with the receiver and stores a player identification that is programmed into the device by the central processor. The wireless gaming device may include a wager amount register, which is maintained and updated using the keys on the device. The value stored in the wager amount register may be included in transmissions from the device to the central processor. The value of the wager amount register may default to a predetermined value, e.g. \$1, when the device is initialized, and can be further adjusted by the player. The wireless gaming device may also include an account balance register, which is maintained in the device and is updated by the central processor periodically. The value of the account balance register should default to \$0 when the device is initialized.

(257) The wireless gaming device may include player function keys. The player function keys may be used to accomplish the following functions: 1. Transmit a message to the receiver; 2. Request account balance information; 3. Adjust the state of the device; 4. Affect the data to be sent in the next transmitted message; 5. Increment the wager amount register by a predetermined amount, e.g., \$10, \$5 or \$1; 6. Reset the wager amount register to the default value, e.g., \$1.

(258) The firmware of the wireless gaming device may only allow for one press of buttons or keys every 100 ms. In various embodiments, key presses are not queued; thus, when a key press message is queued to be sent, no other player input is accepted until the queued message has been sent.

(259) The wireless gaming device may include a transmitter. The transmitter may receive encrypted digital information from the microprocessor and convert it to a signal for wireless transmission to the receiver. The transmitter transmits signals wirelessly, e.g., using radio frequency signals or infrared signals. Communications between the receiver and the wireless gaming device may be asynchronous at 2400 bits per second.

(260) The wireless gaming device may include an identifying circuit that drives the transmitter to periodically send an identification signal to the receiver. The use of the identifying circuit permits the receiver and the central processor to be assured that the wireless gaming device is still active, functioning, and present in the gaming establishment. Thus, if the wireless gaming device were removed from the gaming establishment, the receiver and central processor would no longer receive and detect the periodic identification signal sent by the identifying circuit and the transmitter, and the game official may be alerted that the wireless gaming device has been removed from the gaming establishment.

(261) The wireless gaming device may contain a real-time clock that permits the microprocessor to monitor the current time and date. The clock may consist of a timing circuit. The microprocessor can use the time and date information obtained from clock to perform calculations and other functions based on the current time and date.

(262) The wireless gaming device may also include a tag, such as an electronic or magnetic component, which activates an alarm when passed through a sensing apparatus located at the entrance and/or exit of the gaming establishment. Activation of the alarm by passing the wireless

gaming device with the tag through the sensing apparatus notifies the game official of an attempted removal of the wireless gaming device from the gaming establishment.

(263) The wireless gaming device may be powered by a battery source contained within the device. A portable power source such as battery source permits extended cordless operation of the wireless gaming device throughout a gaming environment. The battery source may be part of a removable, rechargeable battery pack that allows the device to be recharged when it is not in use.

(264) In some embodiments, the wireless gaming device displays information such as game information on a device display, such as a liquid crystal display (LCD) with a back-light. The LCD can be used to display the values stored in the wager amount register and in the account balance register. The wireless gaming device may include a display receiver which receives digital information transmitted from the receiver or from the central processor.

(265) The device may also include a bicolor light emitting diode (LED). The bicolor LED is capable of displaying at least two colors, e.g., red and green. The green light may flash each time the wireless gaming device sends a transmission to the receiver, for a period of time to ensure that it is visible to the player. The red light may illuminate when a key is pressed on the wireless gaming device, and remain lit until the transmission is received by the receiver; no additional key entry will be enabled when the red light is lit. The wireless gaming device may also include additional light emitting diodes, for example to indicate when the account balance register is being updated and the balance information is being displayed on the LCD.

(266) The receiver is capable of receiving signals transmitted from the transmitter in the wireless gaming device. The receiver contains a decoder, which converts the received signals, e.g., into digital information. This digital information contains at least the identification code of the wireless gaming device and the player's wager information. The receiver sends the digital information obtained by the decoder to the central processor. Communications between the central processor and the receiver may be by an RS-232 electrical interface data serial communications link, with communications being asynchronous at either 9600 or 19,200 bytes per second, in various embodiments.

(267) The receiver may receive signals from many wireless devices either simultaneously or in rapid succession, e.g., using multiplexing techniques, so that many players can place wagers using their wireless gaming devices during a short time interval. The receiver differentiates signals received from the various devices by the identification codes which are present in the signals received by the receiver.

(268) The central processor receives the identification code of a wireless gaming device and the player's wager information from the receiver. The central processor also decrypts this information using the encryption key. The central processor is capable of receiving data from multiple wireless gaming devices in an apparently simultaneous manner.

(269) In various embodiments, an account for the player is stored in a database of the central processor. The database stores the monetary value of the balance of the account associated with the identifier of the wireless gaming device.

(270) The central processor manages the player's account in the database based on signals received from the player's wireless gaming device as the player places wagers and when prizes are awarded during play of the game. The central processor subtracts money from the player's account balance when the player places a wager. The player's account balance may be automatically increased by the central processor when the player wins a game on which he has placed a wager.

(271) The central processor also stores and is capable of executing software applications containing algorithms to calculate players' account balances, wagers, and winnings. The central processor should be able to execute all of the algorithms which define the actions performed on the players' accounts during the progress of the game, as wagers are entered, as winnings paid out, and when funds are added to the players' accounts.

(272) Algorithms in the software in the central processor may also calculate odds and payouts for

certain games, such as lottery-type games, during play of the game. The odds and payouts at a particular point in time may depend on the characteristics of the game being conducted by the central processor, and may change as the game progresses. These algorithms may be executed by the central processor to provide exact calculations of the odds of specific game events occurring and the associated prizes for a player's correctly predicting the occurrence of one of those events. The algorithms may be executed continuously, so that real-time odds and payout can be calculated as the game progresses.

(273) The central processor may perform various actions on players' accounts, resulting in various impacts on the accounts. For example, if the player wins a game, his account is credited for the payout based on his wager. If the player places a wager using the wireless gaming device, his account is debited by the amount of the wager. If the game official receives additional funds from the player, the balance of the player's account is credited by the amount of the funds. If the game official closes the player's account and disburses funds to him, the balance of the player's account is debited by the amount disbursed.

(274) The central processor may be located in the gaming establishment that houses the receiver. In various embodiments, the central processor may be located remotely from the receiver, communicating with the receiver via electronic digital telephone communication or wireless transmission, such as a serial communication link. Additionally, the central processor may perform a multitude of functions for various receivers in a variety of gaming environments.

(275) In some embodiments, communication among the central processor, the receiver, and the wireless gaming device involves a polling scheme. Polling enables many wireless gaming devices to communicate with a receiver without interference between them. Such a polling scheme may include the transmission of digital signals in the form of strings of hexadecimal characters. Preferably, all communications between the central processor, the receiver and the wireless gaming device are encrypted.

(276) In such a polling scheme, hexadecimal characters may be reserved for specific control protocols. For example, an attention character is a header character used to begin all transmissions from the central processor to the receiver and serves to delineate messages and synchronize the receipt of messages in the receiver. The same function is implied when the attention character follows in response to a message transmission. An acknowledgement character is another header character which provides acknowledgement to the transmitting device that the previous message's data has been received and verified. The acknowledgement character can also function as an attention character to begin a subsequent message. An end of message character is used to indicate the end of a transmission. Also, a complement next byte character allows for use of reserved protocol characters within a normal transmission message by avoiding a false control signal when a message data byte matches one of the control characters. When a message byte that needs to be sent matches one of the protocol control characters, the complement next byte character is sent, followed by the one's complement of the matching message byte.

(277) Verification of received data may be accomplished using a single byte checksum of the message information. This checksum may be the one's complement of the sum of the original message data, not including the header character. If the checksum results in a value equal to one of the protocol control characters, it will be treated in accordance with the function of the complement next byte character.

(278) In the polling scheme described above, there are three different modes of communication over the link between the central processor and the receiver. First, the central processor may send messages intended for the receiver. Second, the central processor may send messages intended for the wireless gaming device. Third, the wireless gaming device may send messages intended for the central processor. In various embodiments, messages sent by the central processor may be in the form of a character string formatted with a header character, followed by the identification code of the intended device, the command or message, an end of message character, and a checksum

character. Messages received by the receiver, or the wireless gaming device may be acknowledged by transmission of an acknowledgement character, but the central processor need not acknowledge messages sent from the wireless gaming devices. Messages sent by the central processor to be received by the wireless gaming device may be broadcast to all of the wireless gaming devices. A device address may be reserved as a broadcast address for all of the wireless gaming devices, and all devices will receive messages sent to this address; in this case, no acknowledgement need be returned from any of the wireless gaming devices.

(279) Each command or message may begin with a command code to signal how the information contained in the message is to be used. Command codes for messages sent by the central processor to the receiver and the wireless gaming device include the following: 1. Send a device address list to the receiver; 2. Send account balance information to the addressed device; 3. Send command to disable the addressed device; 4. Send command to enable the addressed device.

(280) In various embodiments, messages sent between the receiver and the wireless gaming device may be in the form of a character string formatted with a header character, followed by the identification code of the intended device, the current wager amount, the request, command or data, an end of message character, and a checksum character. Command codes for requests, commands and data sent between the receiver and the wireless gaming device include the following: 1. Read user identification; 2. Read device address; 3. Read balance register; 4. Read wager amount register; 5. Provide device status; 6. Write user identification; 7. Write device address; 8. Write balance register; 9. Write wager amount; 10. Perform self test.

(281) These command codes may be used to program the device addresses and user identification information into the wireless gaming devices, as well as to initialize the device to the default state, i.e., the player's account balance of \$0. The account balance register and the user identification may each comprise two characters, the least significant byte and the most significant byte, allowing for the use a greater range of numbers for these values.

(282) Various embodiments include methods by which the central processor communicates with a wireless gaming device. The central processor transmits a string of hexadecimal characters, including, e.g., a header character, followed by the device's identification code, followed by a request, command or data, followed by an end of message character, followed by a checksum character. After the central processor transmits the character string, the wireless gaming device receives the string, recognizes its identification code, and executes any instructions in the string. When the central processor sends an instruction to all wireless gaming devices simultaneously, all currently active devices receive and execute the instruction. The wireless gaming device does not send an acknowledgement message to the central processor, although the receiver may receive a transmission from the wireless gaming device that the instruction was received properly. The central processor also communicates with the receiver in a similar manner, except that the receiver may send an acknowledgement message to the central processor which includes the acknowledgement control protocol character.

(283) Similarly, the wireless gaming device communicates with the receiver and the central processor using, e.g., hexadecimal character strings. The receiver regularly and periodically polls the active wireless gaming device for information requests or wagering requests. If the player has entered a request into the wireless gaming device since the last time the wireless gaming device was polled, then the player's request will be transmitted to the receiver.

(284) Various embodiments include methods by which the wireless gaming device receives and relays player requests to the central processor. First, the player enters a request into the wireless gaming device using buttons or keys. The player then presses a button labeled, e.g., "enter" or "send," instructing the wireless gaming device to send the request the next time the receiver polls the wireless gaming device. When this button has been pressed, the red light of the bicolor LED is illuminated, thereby informing the player that the request is waiting to be sent. The request is converted into a hexadecimal character string, including, e.g., a header character, an identification

code (or, alternatively, a separate identification string reserved for a specific player), the current wager amount, the player's request (e.g., to change the wager amount or to send a balance update), an end of message character, and a checksum character. The next time the receiver polls the device, the transmitter of the device transmits the character string to the receiver. When the wireless gaming device is polled by the receiver, the green light of bicolor LED flashes, informing the player that the request has been transmitted. The receiver receives the request string and transmits the string to the central processor. The central processor then acts on the player's request.

(285) Using the terminal, the game official may process wagering transactions and distribute wireless gaming devices. In various embodiments, the terminal may include a bar code reader and/or a magnetic stripe reader for rapid entry of the identifier of a wireless gaming device prior to delivering the wireless gaming device to the player. Reading devices provide information in the form of digital data to the terminal. The terminal includes a keyboard by which the game official can manually enter data to be sent to the central processor. Using either reading device, the keyboard, or a combination of these, the game official communicates with the central processor to establish a player's account, increase the balance of the account when the player tenders funds to the game official, and decrease the balance of the account when the player seeks to collect the cash value of his account balance.

(286) The player establishes a balance of the account associated with his wireless gaming device, identified by an identifier, when he receives the wireless gaming device from the game official. The player may increase the monetary value of the balance of the account by paying additional funds, in the form of cash or credit, to the game official, who accesses the account stored in the central processor through the terminal to increase the balance of the account.

(287) The wireless gaming device is returned to the game official after the player has played one or more games. The readers may be used to read the identifier for closing out the player's account stored in the database of the central processor. The terminal includes a terminal display which notifies the game official of the balance of the player's account, so that the player may be paid the cash value of the remaining balance of his account.

(288) In some embodiments, an account status display device is located in the gaming establishment to display players' account information. In various embodiments, the display device may be, e.g., a liquid crystal display or a cathode ray tube display. The display device is controlled by the central processor, which sends information to the display device for display to the players.

(289) A player may look at the display device to confirm that wagers transmitted from the wireless gaming device were received by the receiver and sent to the central processor, to determine the monetary balance of the player's account, and to verify that the player's winnings have been credited to his account. The display device displays key information necessary for a player to participate in a game. The information displayed for each player may include the account number, the player's account balance, the player's last wager, and the player's last prize award or win.

(290) The display device is divided into specific areas, e.g., a display area, each area showing the account information for one player. The size of the display area may be determined by the size of the display device and the number of players who possess wireless display devices. It is contemplated that only active accounts will be displayed on the display device. If additional display devices are required to display the information concerning a large number of accounts, the central processor may be configured to drive multiple similar display devices.

(291) The display device may also be used to display the odds and payouts for game wagers. Alternately, a separate display device driven by the central processor may be used to display the odds and payout information. Further, the odds and payouts may be displayed on the device display

21.

(292) Procedures for using the wireless interactive gaming system, according to some embodiments, are now described. In some embodiments, a player tenders money in the form of cash or credit, e.g., \$100, to a game official in the gaming establishment to establish an account.

The game official chooses a wireless gaming device and uses, e.g., the bar code reader on the terminal to enter the identifier of the wireless gaming device into the terminal. The game official also inputs the amount of money tendered, i.e. \$100, into the terminal via keyboard. The game official hands the wireless gaming device to the player and tells the player that his account is, e.g., Account No. 12. Alternately, the player may identify his account number directly from the identifier on the wireless gaming device. The information entered by the game official into the terminal is sent to the central processor, which establishes an account record for the player in the database.

(293) For this example, the central processor may be conducting a racing game in which players choose a winning racing element on which to place a wager for the next racing game to be displayed in the gaming establishment. To place a wager, the player presses buttons on the wireless gaming device.

(294) In some embodiments, the player first presses the button that corresponds to the number assigned to the racing element that he chooses, e.g., "3", and then the wager amount, e.g., "\$" and "5", for a \$5 wager. The player then presses the "enter" key to transmit his wager to the central processor.

(295) In an alternate embodiment, the game may be simplified so that all wagers are placed for a fixed amount, e.g., \$1, by pressing a single button on the wireless gaming device. By pressing the button that corresponds to the number assigned to the chosen racing element, e.g., "3", the player places a \$1 bet on racing element number 3. The player can then place a larger wager on racing element number 3, by pressing the "3" button the number of times corresponding to the number of \$1 bets he desires to make, e.g., by pressing "3" five times to wager \$5 on racing element number 3.

(296) Each time the player enters a wager, the wireless gaming device forms a data packet containing the player's wager information and the identification code of the wireless gaming device. The data packet is encrypted and transmitted by the transmitter via wireless communication.

(297) The decoder in the receiver receives the encrypted data packet transmitted by the transmitter. The encrypted data packet is sent to the central processor, where it is decrypted. The central processor uses the information it has obtained to update the player's account in the database by subtracting the wagered amount from the player's account balance and registers the player's wager on the game.

(298) After the game has been played, the central processor awards prizes to winning players based on the wagers they have made, and the odds associated with the winning outcome of the game. If the player in possession of the wireless gaming device is a winner, the central computer updates the player's account in the database by adding the monetary amount of the prize to the player's account balance. Otherwise, the player's account remains unchanged.

(299) When the player has finished playing games in the gaming establishment, he returns the wireless gaming device to the game official. The game official again inputs the identifier of the wireless gaming device into the terminal, e.g., by using the bar code reader of the terminal. The terminal accesses the player's account information stored in the database of the central processor to obtain the player's remaining account balance. The terminal display displays the player's remaining account balance to the game official, who then tenders the monetary value of that amount to the player. The account is closed, and the transaction is recorded in the central processor.

(300) It should be understood that the foregoing descriptions encompass but some of the implementation technologies that may be used, according to various embodiments. Other technologies may be used and are contemplated, according to various embodiments. Various embodiments may be performed using any suitable technology, either a technology currently existing or a technology which has yet to be developed.

(301) Hand-Held Wireless Game Player

(302) Various embodiments include a hand-held wireless game player for playing a game of chance. The hand-held wireless game player may be generally characterized as including: 1) a wire-less communication interface; 2) a display screen; 3) one or more input mechanisms; and 4) a microprocessor configured i) to present the game of chance on the display screen using operating instructions received via the wireless communication interface from a master gaming controller located on a gaming machine and ii) to send information from input signals generated from the one or more input mechanisms to the master gaming controller via the wire-less communication interface. The wireless game player may be played in a plurality of venue locations physically separate from the location of the gaming machine where the plurality of venue locations are selected from the group consisting of a keno parlor, a bingo parlor, a restaurant, a sports book, a bar, a hotel, a pool area, and a casino floor area. The game of chance played on the wireless game player may be selected from the group consisting of slot games, poker, pachinko, multiple hand poker games, pai-gow poker, blackjack, keno, bingo, roulette, craps, and a card game. Other games are also contemplated, in various embodiments.

(303) In various embodiments, the wireless communication interface may use a wireless communication protocol selected from the group consisting of IEEE 802.11a, IEEE 802.11b, IEEE 802.11x, hyperlan/2, Bluetooth, and HomeRF. The wireless game player may also comprise a wire network interface for connecting the wireless game player to a wire network access point. In addition, the wireless game player may also comprise a peripheral interface for connecting to a peripheral gaming device where the peripheral interface is a serial interface, a parallel interface, a USB interface, a FireWire interface, an IEEE 1394 interface. The peripheral gaming device may be a printer, a card reader, a hard drive and a CD-DVD drive.

(304) In various embodiments, the one or more inputs mechanisms on the wireless game player may be selected from the group consisting of a touch screen, an input switch, an input button, and biometric input device where the biometric input device may be a fingerprint reader. The wireless game player may also include a detachable memory interface designed to receive a detachable memory where the detachable memory unit stores graphical programs for one or more games of chance played on the wireless game player. The wireless game player may also comprise one or more of the following: 1) an audio output interface for receiving a head phone jack, 2) an antenna, 3) a sound projection device, 4) a battery, 5) a power interface for supplying power to the wireless game player from an external power source and for charging the battery from the external power source, 6) a memory unit where the memory unit may store graphical programs for one or more games of chance played on the wireless game player, 7) an electronic key interface designed to receive an electronic key, and 8) a video graphics card for rendering images on the display screen where the video graphics card may be used to render 2-D graphics and 3-D graphics.

(305) It should be understood that the foregoing descriptions encompass but some of the implementation technologies that may be used, according to various embodiments. Other technologies may be used and are contemplated, according to various embodiments. Various embodiments may be performed using any suitable technology, either a technology currently existing or a technology which has yet to be developed.

(306) The following sections I-X provide a guide to interpreting the present application.

I. Determining

(307) The term “determining” and grammatical variants thereof (e.g., to determine a price, determining a value, determine an object which meets a certain criterion) is used in an extremely broad sense. The term “determining” encompasses a wide variety of actions and therefore “determining” can include calculating, computing, processing, deriving, investigating, looking up (e.g., looking up in a table, a database, or another data structure), ascertaining and the like. Also, “determining” can include receiving (e.g., receiving information), accessing (e.g., accessing data in a memory) and the like. Also, “determining” can include resolving, selecting, choosing, establishing, and the like.

(308) The term “determining” does not imply certainty or absolute precision, and therefore “determining” can include estimating, extrapolating, predicting, guessing and the like.

(309) The term “determining” does not imply that mathematical processing must be performed and does not imply that numerical methods must be used and does not imply that an algorithm or process is used.

(310) The term “determining” does not imply that any particular device must be used. For example, a computer need not necessarily perform the determining.

II. Forms of Sentences

(311) Where a limitation of a first claim would cover one of a feature as well as more than one of a feature (e.g., a limitation such as “at least one widget” covers one widget as well as more than one widget), and where in a second claim that depends on the first claim, the second claim uses a definite article “the” to refer to the limitation (e.g., “the widget”), this does not imply that the first claim covers only one of the feature, and this does not imply that the second claim covers only one of the feature (e.g., “the widget” can cover both one widget and more than one widget).

(312) When an ordinal number (such as “first”, “second”, “third” and so on) is used as an adjective before a term, that ordinal number is used (unless expressly specified otherwise) merely to indicate a particular feature, such as to distinguish that particular feature from another feature that is described by the same term or by a similar term. For example, a “first widget” may be so named merely to distinguish it from, e.g., a “second widget”. Thus, the mere usage of the ordinal numbers “first” and “second” before the term “widget” does not indicate any other relationship between the two widgets, and likewise does not indicate any other characteristics of either or both widgets. For example, the mere usage of the ordinal numbers “first” and “second” before the term “widget” (1) does not indicate that either widget comes before or after any other in order or location; (2) does not indicate that either widget occurs or acts before or after any other in time; and (3) does not indicate that either widget ranks above or below any other, as in importance or quality. In addition, the mere usage of ordinal numbers does not define a numerical limit to the features identified with the ordinal numbers. For example, the mere usage of the ordinal numbers “first” and “second” before the term “widget” does not indicate that there must be no more than two widgets.

(313) When a single device, article or other product is described herein, more than one device/article (whether or not they cooperate) may alternatively be used in place of the single device/article that is described. Accordingly, the functionality that is described as being possessed by a device may alternatively be possessed by more than one device/article (whether or not they cooperate).

(314) Similarly, where more than one device, article or other product is described herein (whether or not they cooperate), a single device/article may alternatively be used in place of the more than one device or article that is described. For example, a plurality of computer-based devices may be substituted with a single computer-based device. Accordingly, the various functionality that is described as being possessed by more than one device or article may alternatively be possessed by a single device/article.

(315) The functionality and/or the features of a single device that is described may be alternatively embodied by one or more other devices which are described but are not explicitly described as having such functionality/features. Thus, other embodiments need not include the described device itself, but rather can include the one or more other devices which would, in those other embodiments, have such functionality/features.

III. Terms

(316) The term “product” means any machine, manufacture and/or composition of matter, unless expressly specified otherwise.

(317) The term “process” means any process, algorithm, method or the like, unless expressly specified otherwise.

(318) Each process (whether called a method, algorithm or otherwise) inherently includes one or

more steps, and therefore all references to a “step” or “steps” of a process have an inherent antecedent basis in the mere recitation of the term ‘process’ or a like term. Accordingly, any reference in a claim to a ‘step’ or ‘steps’ of a process has sufficient antecedent basis.

(319) The term “invention” and the like mean “the one or more inventions disclosed in this application”, unless expressly specified otherwise.

(320) The terms “an embodiment”, “embodiment”, “embodiments”, “the embodiment”, “the embodiments”, “one or more embodiments”, “some embodiments”, “certain embodiments”, “one embodiment”, “another embodiment” and the like mean “one or more (but not all) embodiments of the disclosed invention(s)”, unless expressly specified otherwise.

(321) The term “variation” of an invention means an embodiment of the invention, unless expressly specified otherwise.

(322) A reference to “another embodiment” in describing an embodiment does not imply that the referenced embodiment is mutually exclusive with another embodiment (e.g., an embodiment described before the referenced embodiment), unless expressly specified otherwise.

(323) The terms “including”, “comprising” and variations thereof mean “including but not limited to”, unless expressly specified otherwise.

(324) The terms “a”, “an” and “the” mean “one or more”, unless expressly specified otherwise.

(325) The term “plurality” means “two or more”, unless expressly specified otherwise.

(326) The term “herein” means “in the present application, including anything which may be incorporated by reference”, unless expressly specified otherwise.

(327) The phrase “at least one of”, when such phrase modifies a plurality of things (such as an enumerated list of things) means any combination of one or more of those things, unless expressly specified otherwise. For example, the phrase “at least one of a widget, a car and a wheel” means either (i) a widget, (ii) a car, (iii) a wheel, (iv) a widget and a car, (v) a widget and a wheel, (vi) a car and a wheel, or (vii) a widget, a car, and a wheel. The phrase “at least one of”, when such phrase modifies a plurality of things does not mean “one of each of” the plurality of things.

(328) Numerical terms such as “one”, “two”, etc. when used as cardinal numbers to indicate quantity of something (e.g., one widget, two widgets), mean the quantity indicated by that numerical term, but do not mean at least the quantity indicated by that numerical term. For example, the phrase “one widget” does not mean “at least one widget”, and therefore the phrase “one widget” does not cover, e.g., two widgets.

(329) The phrase “based on” does not mean “based only on”, unless expressly specified otherwise. In other words, the phrase “based on” describes both “based only on” and “based at least on”. The phrase “based at least on” is equivalent to the phrase “based at least in part on”.

(330) The term “represent” and like terms are not exclusive, unless expressly specified otherwise. For example, the term “represents” do not mean “represents only”, unless expressly specified otherwise. In other words, the phrase “the data represents a credit card number” describes both “the data represents only a credit card number” and “the data represents a credit card number, and the data also represents something else”.

(331) The term “whereby” is used herein only to precede a clause or other set of words that express only the intended result, objective, or consequence of something that is previously and explicitly recited. Thus, when the term “whereby” is used in a claim, the clause, or other words that the term “whereby” modifies do not establish specific further limitations of the claim or otherwise restricts the meaning or scope of the claim.

(332) The term “e.g.” and like terms mean “for example”, and thus does not limit the term or phrase it explains. For example, in the sentence “the computer sends data (e.g., instructions, a data structure) over the Internet”, the term “e.g.” explains that “instructions” are an example of “data” that the computer may send over the Internet, and also explains that “a data structure” is an example of “data” that the computer may send over the Internet. However, both “instructions” and “a data structure” are merely examples of “data”, and other things besides “instructions” and “a

data structure” can be “data”.

(333) The term “respective” and like terms mean “taken individually”. Thus if two or more things have “respective” characteristics, then each such thing has its own characteristic, and these characteristics can be different from each other but need not be. For example, the phrase “each of two machines has a respective function” means that the first such machine has a function and the second such machine has a function as well. The function of the first machine may or may not be the same as the function of the second machine.

(334) The term “i.e.” and like terms mean “that is”, and thus limits the term or phrase it explains. For example, in the sentence “the computer sends data (i.e., instructions) over the Internet”, the term “i.e.” explains that “instructions” are the “data” that the computer sends over the Internet.

(335) Any given numerical range shall include whole and fractions of numbers within the range. For example, the range “1 to 10” shall be interpreted to specifically include whole numbers between 1 and 10 (e.g., 1, 2, 3, 4, . . . 9) and non-whole numbers (e.g., 1.1, 1.2, . . . 1.9).

(336) Where two or more terms or phrases are synonymous (e.g., because of an explicit statement that the terms or phrases are synonymous), instances of one such term/phrase does not mean instances of another such term/phrase must have a different meaning. For example, where a statement renders the meaning of “including” to be synonymous with “including but not limited to”, the mere usage of the phrase “including but not limited to” does not mean that the term “including” means something other than “including but not limited to”.

IV. Disclosed Examples and Terminology Are Not Limiting

(337) Neither the Title (set forth at the beginning of the first page of the present application) nor the Abstract (set forth at the end of the present application) is to be taken as limiting in any way as the scope of the disclosed invention(s). An Abstract has been included in this application merely because an Abstract of not more than 150 words is required under 37 C.F.R. § 1.72 (b).

(338) The title of the present application and headings of sections provided in the present application are for convenience only and are not to be taken as limiting the disclosure in any way.

(339) Numerous embodiments are described in the present application and are presented for illustrative purposes only. The described embodiments are not, and are not intended to be, limiting in any sense. The presently disclosed invention(s) are widely applicable to numerous embodiments, as is readily apparent from the disclosure. One of ordinary skill in the art will recognize that the disclosed invention(s) may be practiced with various modifications and alterations, such as structural, logical, software, and electrical modifications. Although particular features of the disclosed invention(s) may be described with reference to one or more particular embodiments and/or drawings, it should be understood that such features are not limited to usage in the one or more particular embodiments or drawings with reference to which they are described, unless expressly specified otherwise.

(340) No embodiment of method steps or product elements described in the present application constitutes the invention claimed herein, or is essential to the invention claimed herein, or is coextensive with the invention claimed herein, except where it is either expressly stated to be so in this specification or expressly recited in a claim.

(341) The preambles of the claims that follow recite purposes, benefits, and possible uses of the claimed invention only and do not limit the claimed invention.

(342) The present disclosure is not a literal description of all embodiments of the invention(s). Also, the present disclosure is not a listing of features of the invention(s) which must be present in all embodiments.

(343) Devices that are described as in communication with each other need not be in continuous communication with each other, unless expressly specified otherwise. On the contrary, such devices need only transmit to each other as necessary or desirable and may actually refrain from exchanging data most of the time. For example, a machine in communication with another machine via the Internet may not transmit data to the other machine for long period of time (e.g. weeks at a

time). In addition, devices that are in communication with each other may communicate directly or indirectly through one or more intermediaries.

(344) A description of an embodiment with several components or features does not imply that all or even any of such components/features are required. On the contrary, a variety of optional components are described to illustrate the wide variety of possible embodiments of the present invention(s). Unless otherwise specified explicitly, no component/feature is essential or required.

(345) Although process steps, algorithms or the like may be described or claimed in a particular sequential order, such processes may be configured to work in different orders. In other words, any sequence or order of steps that may be explicitly described or claimed does not necessarily indicate a requirement that the steps be performed in that order. The steps of processes described herein may be performed in any order possible. Further, some steps may be performed simultaneously despite being described or implied as occurring non-simultaneously (e.g., because one step is described after the other step). Moreover, the illustration of a process by its depiction in a drawing does not imply that the illustrated process is exclusive of other variations and modifications thereto, does not imply that the illustrated process or any of its steps are necessary to the invention(s), and does not imply that the illustrated process is preferred.

(346) Although a process may be described as including a plurality of steps, that does not imply that all or any of the steps are preferred, essential or required. Various other embodiments within the scope of the described invention(s) include other processes that omit some or all of the described steps. Unless otherwise specified explicitly, no step is essential or required.

(347) Although a process may be described singly or without reference to other products or methods, in an embodiment the process may interact with other products or methods. For example, such interaction may include linking one business model to another business model. Such interaction may be provided to enhance the flexibility or desirability of the process.

(348) Although a product may be described as including a plurality of components, aspects, qualities, characteristics and/or features, that does not indicate that any or all of the plurality are preferred, essential or required. Various other embodiments within the scope of the described invention(s) include other products that omit some or all of the described plurality.

(349) An enumerated list of items (which may or may not be numbered) does not imply that any or all of the items are mutually exclusive, unless expressly specified otherwise. Likewise, an enumerated list of items (which may or may not be numbered) does not imply that any or all of the items are comprehensive of any category, unless expressly specified otherwise. For example, the enumerated list “a computer, a laptop, a PDA” does not imply that any or all of the three items of that list are mutually exclusive and does not imply that any or all of the three items of that list are comprehensive of any category.

(350) An enumerated list of items (which may or may not be numbered) does not imply that any or all of the items are equivalent to each other or readily substituted for each other.

(351) All embodiments are illustrative, and do not imply that the invention or any embodiments were made or performed, as the case may be.

V. Computing

(352) It will be readily apparent to one of ordinary skill in the art that the various processes described herein may be implemented by, e.g., appropriately programmed general purpose computers, special purpose computers and computing devices. Typically a processor (e.g., one or more microprocessors, one or more microcontrollers, one or more digital signal processors) will receive instructions (e.g., from a memory or like device), and execute those instructions, thereby performing one or more processes defined by those instructions. Instructions may be embodied in, e.g., one or more computer programs, one or more scripts.

(353) A “processor” means one or more microprocessors, central processing units (CPUs), computing devices, microcontrollers, digital signal processors, or like devices or any combination thereof, regardless of the architecture (e.g., chip-level multiprocessing/multi-core, RISC, CISC,

Microprocessor without Interlocked Pipeline Stages, pipelining configuration, simultaneous multithreading).

(354) Thus a description of a process is likewise a description of an apparatus for performing the process. The apparatus that performs the process can include, e.g., a processor and those input devices and output devices that are appropriate to perform the process.

(355) Further, programs that implement such methods (as well as other types of data) may be stored and transmitted using a variety of media (e.g., computer readable media) in a number of manners. In some embodiments, hard-wired circuitry or custom hardware may be used in place of, or in combination with, some or all of the software instructions that can implement the processes of various embodiments. Thus, various combinations of hardware and software may be used instead of software only.

(356) The term “computer-readable medium” refers to any medium, a plurality of the same, or a combination of different media, that participate in providing data (e.g., instructions, data structures) which may be read by a computer, a processor or a like device. Such a medium may take many forms, including but not limited to, non-volatile media, volatile media, and transmission media. Non-volatile media include, for example, optical or magnetic disks and other persistent memory. Volatile media include dynamic random access memory (DRAM), which typically constitutes the main memory. Transmission media include coaxial cables, copper wire and fiber optics, including the wires that comprise a system bus coupled to the processor. Transmission media may include or convey acoustic waves, light waves, and electromagnetic emissions, such as those generated during radio frequency (RF) and infrared (IR) data communications. Common forms of computer-readable media include, for example, a floppy disk, a flexible disk, hard disk, magnetic tape, any other magnetic medium, a CD-ROM, DVD, any other optical medium, punch cards, paper tape, any other physical medium with patterns of holes, a RAM, a PROM, an EPROM, a FLASH-EEPROM, any other memory chip or cartridge, a carrier wave as described hereinafter, or any other medium from which a computer can read.

(357) Various forms of computer readable media may be involved in carrying data (e.g. sequences of instructions) to a processor. For example, data may be (i) delivered from RAM to a processor; (ii) carried over a wireless transmission medium; (iii) formatted and/or transmitted according to numerous formats, standards or protocols, such as Ethernet (or IEEE 802.3), SAP, ATP, Bluetooth™, and TCP/IP, TDMA, CDMA, and 3G; and/or (iv) encrypted to ensure privacy or prevent fraud in any of a variety of ways well known in the art.

(358) Thus a description of a process is likewise a description of a computer-readable medium storing a program for performing the process. The computer-readable medium can store (in any appropriate format) those program elements which are appropriate to perform the method.

(359) Just as the description of various steps in a process does not indicate that all the described steps are required, embodiments of an apparatus include a computer/computing device operable to perform some (but not necessarily all) of the described process.

(360) Likewise, just as the description of various steps in a process does not indicate that all the described steps are required, embodiments of a computer-readable medium storing a program or data structure include a computer-readable medium storing a program that, when executed, can cause a processor to perform some (but not necessarily all) of the described process.

(361) Where databases are described, it will be understood by one of ordinary skill in the art that (i) alternative database structures to those described may be readily employed, and (ii) other memory structures besides databases may be readily employed. Any illustrations or descriptions of any sample databases presented herein are illustrative arrangements for stored representations of information. Any number of other arrangements may be employed besides those suggested by, e.g., tables illustrated in drawings or elsewhere. Similarly, any illustrated entries of the databases represent exemplary information only; one of ordinary skill in the art will understand that the number and content of the entries can be different from those described herein. Further, despite any

depiction of the databases as tables, other formats (including relational databases, object-based models and/or distributed databases) could be used to store and manipulate the data types described herein. Likewise, object methods or behaviors of a database can be used to implement various processes, such as the described herein. In addition, the databases may, in a known manner, be stored locally or remotely from a device which accesses data in such a database.

(362) Various embodiments can be configured to work in a network environment including a computer that is in communication (e.g., via a communications network) with one or more devices. The computer may communicate with the devices directly or indirectly, via any wired or wireless medium (e.g. the Internet, LAN, WAN or Ethernet, Token Ring, a telephone line, a cable line, a radio channel, an optical communications line, commercial on-line service providers, bulletin board systems, a satellite communications link, a combination of any of the above). Each of the devices may themselves comprise computers or other computing devices, such as those based on the Intel® Pentium® or Centrino™ processor, that are adapted to communicate with the computer. Any number and type of devices may be in communication with the computer.

(363) In an embodiment, a server computer or centralized authority may not be necessary or desirable. For example, the present invention may, in an embodiment, be practiced on one or more devices without a central authority. In such an embodiment, any functions described herein as performed by the server computer or data described as stored on the server computer may instead be performed by or stored on one or more such devices.

(364) Where a process is described, in an embodiment the process may operate without any user intervention. In another embodiment, the process includes some human intervention (e.g., a step is performed by or with the assistance of a human).

VI. Continuing Applications

(365) The present disclosure provides, to one of ordinary skill in the art, an enabling description of several embodiments and/or inventions. Some of these embodiments and/or inventions may not be claimed in the present application but may nevertheless be claimed in one or more continuing applications that claim the benefit of priority of the present application.

(366) Applicants intend to file additional applications to pursue patents for subject matter that has been disclosed and enabled but not claimed in the present application.

VII. 35 U.S.C. § 112, Paragraph 6

(367) In a claim, a limitation of the claim which includes the phrase “means for” or the phrase “step for” means that 35 U.S.C. § 112, paragraph 6, applies to that limitation.

(368) In a claim, a limitation of the claim which does not include the phrase “means for” or the phrase “step for” means that 35 U.S.C. § 112, paragraph 6 does not apply to that limitation, regardless of whether that limitation recites a function without recitation of structure, material or acts for performing that function. For example, in a claim, the mere use of the phrase “step of” or the phrase “steps of” in referring to one or more steps of the claim or of another claim does not mean that 35 U.S.C. § 112, paragraph 6, applies to that step(s).

(369) With respect to a means or a step for performing a specified function in accordance with 35 U.S.C. § 112, paragraph 6, the corresponding structure, material, or acts described in the specification, and equivalents thereof, may perform additional functions as well as the specified function.

(370) Computers, processors, computing devices and like products are structures that can perform a wide variety of functions. Such products can be operable to perform a specified function by executing one or more programs, such as a program stored in a memory device of that product or in a memory device which that product accesses. Unless expressly specified otherwise, such a program need not be based on any particular algorithm, such as any particular algorithm that might be disclosed in the present application. It is well known to one of ordinary skill in the art that a specified function may be implemented via different algorithms, and any of a number of different algorithms would be a mere design choice for carrying out the specified function.

(371) Therefore, with respect to a means or a step for performing a specified function in accordance with 35 U.S.C. § 112, paragraph 6, structure corresponding to a specified function includes any product programmed to perform the specified function. Such structure includes programmed products which perform the function, regardless of whether such product is programmed with (i) a disclosed algorithm for performing the function, (ii) an algorithm that is similar to a disclosed algorithm, or (iii) a different algorithm for performing the function.

(372) Where there is recited a means for performing a function that is a method, one structure for performing this method includes a computing device (e.g., a general purpose computer) that is programmed and/or configured with appropriate hardware to perform that function.

(373) Also includes a computing device (e.g., a general purpose computer) that is programmed and/or configured with appropriate hardware to perform that function via other algorithms as would be understood by one of ordinary skill in the art.

VIII. Disclaimer

(374) Numerous references to a particular embodiment does not indicate a disclaimer or disavowal of additional, different embodiments, and similarly references to the description of embodiments which all include a particular feature does not indicate a disclaimer or disavowal of embodiments which do not include that particular feature. A clear disclaimer or disavowal in the present application shall be prefaced by the phrase “does not include” or by the phrase “cannot perform”.

IX. Incorporation By Reference

(375) Any patent, patent application or other document referred to herein is incorporated by reference into this patent application as part of the present disclosure, but only for purposes of written description in accordance with 35 U.S.C. § 112, paragraph 1 and enablement in accordance with 35 U.S.C. § 112, paragraph 1, and should in no way be used to limit, define, or otherwise construe any term of the present application where the present application, without such incorporation by reference, would not have failed to provide an ascertainable meaning, but rather would have allowed an ascertainable meaning for such term to be provided. Thus, the person of ordinary skill in the art need not have been in any way limited by any embodiments provided in the reference.

(376) Any incorporation by reference does not, in and of itself, imply any endorsement of, ratification of, or acquiescence in any statements, opinions, arguments or characterizations contained in any incorporated patent, patent application or other document, unless explicitly specified otherwise in this patent application.

X. Prosecution History

(377) In interpreting the present application (which includes the claims), one of ordinary skill in the art shall refer to the prosecution history of the present application, but not to the prosecution history of any other patent or patent application, regardless of whether there are other patent applications that are considered related to the present application, and regardless of whether there are other patent applications that share a claim of priority with the present application.

INCORPORATION BY REFERENCE

(378) The following are incorporated by reference herein: U.S. Pat. No. 6,676,522; U.S. Pat. No. 6,846,238; U.S. Pat. No. 6,702,672.

Claims

1. A method comprising: identifying a first game played by a user based on at least one of an amount of time that the first game was played by the user or a number of times that the first game was played by the user; determining a second game that has a common characteristic with the first game; based on determining the second game that has the common characteristic with the first game and based on a percentage increase in play of the second game by a plurality of people over a first period of time, providing a recommendation to play the second game to a mobile phone for

display on the mobile phone; obtaining Global Positioning System (GPS) coordinates of the mobile phone; determining that the mobile phone is in a defined geographical area in which gambling is permitted based on the GPS coordinates; and based on determining that the mobile phone is in the defined geographical area, enabling play of the second game on the mobile phone.

2. The method of claim 1, wherein determining the second game comprises: determining that at least one other user played the second game for at least a second period of time or played the second game at least the number of times; and determining the second game based on determining that the at least one other user played the second game for at least the second period of time or played the second game at least the number of times.

3. The method of claim 1, wherein the common characteristic comprises at least one of: a game category of the first game and the second game; or a demographic characteristic of users playing the first game and the second game.

4. The method of claim 3, wherein the demographic characteristic comprises: an age of the users; an occupation of the users; a geographical location of the users; a language spoken by the users; or an income range of the users.

5. The method of claim 1, wherein the defined geographical area is a geo-fenced region.

6. The method of claim 1, wherein determining that the mobile phone is in the defined geographical area further comprises determining that the mobile phone is in the defined geographical area based on a signal strength associated with the mobile phone.

7. The method of claim 1, wherein determining that the mobile phone is in the defined geographical area further comprises determining that the mobile phone is in the defined geographical area based on at least one of a radio frequency (RF) transceiver or a mobile network to which the mobile phone is communicatively coupled.

8. The method of claim 1, wherein the defined geographical area is a U.S. state.

9. A system, comprising: one or more computer servers configured to: identify a first game played by a user based on at least one of an amount of time that the first game was played by the user or a number of times that the first game was played by the user; determine a second game that has a common characteristic with the first game and determine that the second game is currently being played by a threshold number of people; based on a determination of the second game that has the common characteristic with the first game and a determination that the second game is currently being played by the threshold number of people, provide a recommendation to play the second game to a mobile phone for display on the mobile phone; obtain Global Positioning System (GPS) coordinates of the mobile phone; determine that the mobile phone is in a defined geographical area in which gambling is permitted based on the GPS coordinates; and based on a determination that the mobile phone is in the defined geographical area, enable play of the second game on the mobile phone.

10. The system of claim 9, wherein, to determine the second game, the one or more computer servers are configured to: determine that at least one other user played the second game for at least a first period of time or played the second game at least the number of times; and determine the second game based on determining that the at least one other user played the second game for at least the first period of time or played the second game at least the number of times.

11. The system of claim 9, wherein the common characteristic comprises at least one of: a game category of the first game and the second game; or a demographic characteristic of users playing the first game and the second game.

12. The system of claim 11, wherein the demographic characteristic comprises: an age of the users; an occupation of the users; a geographical location of the users; a language spoken by the users; or an income range of the users.

13. The system of claim 9, wherein the defined geographical area is a geo-fenced region.

14. The system of claim 9, wherein, to determine that the mobile phone is in the defined geographical area, the one or more computer servers are configured to determine that the mobile

phone is in the defined geographical area based on a signal strength associated with the mobile phone.

15. The system of claim 9, wherein, to determine that the mobile phone is in the defined geographical area, the one or more computer servers are configured to determine that the mobile phone is in the defined geographical area based on at least one of a radio frequency (RF) transceiver or a mobile network to which the mobile phone is communicatively coupled.

16. The system of claim 9, wherein the defined geographical area is a U.S. state.

17. A method comprising: determining information regarding a first game played via a mobile phone, wherein the information comprises at least one of an amount of time the first game is played via the mobile phone or a number of times the first game was played via the mobile phone; providing the information to one or more computer servers; receiving, from the one or more computer servers, a recommendation to play a second game that has a common characteristic with the first game, wherein the recommendation is based on the information and an increase in play of the second game by a plurality of people over a period of time; displaying, at the mobile phone, the recommendation; and based on a determination that the mobile phone is in a defined geographical area, enabling play of the second game on the mobile phone, wherein the defined geographical area is a geo-fenced region.

18. The method of claim 17, wherein the common characteristic comprises at least one of: a game category of the first game and the second game; or a demographic characteristic of users playing the first game and the second game.

19. The method of claim 18, wherein the demographic characteristic comprises: an age of the users; an occupation of the users; a geographical location of the users; a language spoken by the users; or an income range of the users.

20. The method of claim 17, wherein the determination that the mobile phone is in the defined geographical area is based on Global Positioning System (GPS) coordinates of the mobile phone.

21. The method of claim 17, wherein the determination that the mobile phone is in the defined geographical area is based on a signal strength associated with the mobile phone.

22. The method of claim 17, wherein the determination that the mobile phone is in the defined geographical area is based on at least one of a radio frequency (RF) transceiver or a mobile network to which the mobile phone is communicatively coupled.

23. The method of claim 17, wherein the defined geographical area is a U.S. state.

24. A system, comprising: one or more computer servers; and an application configured for execution on a mobile phone, the application configured to: determine information regarding a first game played via the mobile phone, wherein the information comprises at least one of an amount of time the first game is played via the mobile phone or a number of times the first game was played via the mobile phone; provide the information to the one or more computer servers; receive, from the one or more computer servers, a recommendation to play a second game that has a common characteristic with the first game, wherein the recommendation is based on the information and an increase in play of the second game by a plurality of people over a period of time; display, at the mobile phone, the recommendation; and based on a determination that the mobile phone is in a defined geographical area, enable play of the second game on the mobile phone, wherein the defined geographical area is a geo-fenced region.

25. The system of claim 24, wherein the common characteristic comprises at least one of: a game category of the first game and the second game; or a demographic characteristic of users playing the first game and the second game.

26. The system of claim 25, wherein the demographic characteristic comprises: an age of the users; an occupation of the users; a geographical location of the users; a language spoken by the users; or an income range of the users.

27. The system of claim 24, wherein the determination that the mobile phone is in the defined geographical area is based on Global Positioning System (GPS) coordinates of the mobile phone.

28. The system of claim 24, wherein the determination that the mobile phone is in the defined geographical area is based on a signal strength associated with the mobile phone.
29. The system of claim 24, wherein the determination that the mobile phone is in the defined geographical area is based on at least one of a radio frequency (RF) transceiver or a mobile network to which the mobile phone is communicatively coupled.
30. The system of claim 24, wherein the defined geographical area is a U.S. state.
-