



US012410186B2

(12) **United States Patent**
Lee et al.

(10) **Patent No.:** **US 12,410,186 B2**
(45) **Date of Patent:** **Sep. 9, 2025**

(54) **COMPOUND, ORGANIC OPTOELECTRONIC ELEMENT, AND DISPLAY DEVICE**

(71) Applicant: **LT MATERIALS CO., LTD.**,
Yongin-Si (KR)

(72) Inventors: **Nam-Jin Lee**, Osan-si (KR); **Young-Jin Lee**, Osan-si (KR); **Won-Jang Jeong**,
Hwaseong-si (KR)

(73) Assignee: **LT MATERIALS CO., LTD.**, Yongin
(KR)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 916 days.

(21) Appl. No.: **17/426,754**

(22) PCT Filed: **Jan. 30, 2020**

(86) PCT No.: **PCT/KR2020/001417**
§ 371 (c)(1),
(2) Date: **Jul. 29, 2021**

(87) PCT Pub. No.: **WO2020/159249**
PCT Pub. Date: **Aug. 6, 2020**

(65) **Prior Publication Data**
US 2022/0098217 A1 Mar. 31, 2022

(30) **Foreign Application Priority Data**
Jan. 30, 2019 (KR) 10-2019-0012107

(51) **Int. Cl.**
C07D 519/00 (2006.01)
C07D 498/04 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **C07D 519/00** (2013.01); **C07D 498/04**
(2013.01); **C07D 513/04** (2013.01);
(Continued)

(58) **Field of Classification Search**
CPC .. **C07D 519/00**; **C07D 498/04**; **C07D 513/04**;
C07F 9/28; **H10K 85/622**; **H10K 85/654**;
H10K 85/6574; **H10K 50/18**; **H10K**
50/16
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,356,429 A 10/1982 Tang
8,968,887 B2 3/2015 Ma et al.
(Continued)

FOREIGN PATENT DOCUMENTS

CN 107501336 A 12/2017
CN 108276452 A 7/2018
(Continued)

OTHER PUBLICATIONS


International Search Report (PCT/ISA/210) issued in PCT/KR2020/
001417 mailed on May 12, 2020.
(Continued)


Primary Examiner — Ruiyun Zhang
(74) *Attorney, Agent, or Firm* — Birch, Stewart, Kolasch
& Birch, LLP

(57) **ABSTRACT**

The present application relates to a compound represented
by Chemical Formula 1, an organic optoelectronic diode and
a display device.

(Continued)





[Chemical Formula 1]

In Chemical Formula 1, each substituent has the same definition as in the specification.

5 Claims, 3 Drawing Sheets

(51) Int. Cl.

C07D 513/04 (2006.01)
C07F 9/28 (2006.01)
H10K 85/60 (2023.01)
H10K 50/16 (2023.01)
H10K 50/18 (2023.01)

(52) U.S. Cl.

CPC **C07F 9/28** (2013.01); **H10K 85/622**
 (2023.02); **H10K 85/626** (2023.02); **H10K**
85/654 (2023.02); **H10K 85/6572** (2023.02);
H10K 85/6574 (2023.02); **H10K 50/16**
 (2023.02); **H10K 50/18** (2023.02)

(58) Field of Classification Search

USPC 428/1.1
 See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

2012/0010237	A1	1/2012	Riscoe et al.
2013/0033172	A1	2/2013	Huang et al.
2014/0027741	A1	1/2014	Park et al.
2015/0191478	A1	7/2015	Seo et al.
2016/0347715	A1	12/2016	David et al.
2017/0096422	A1	4/2017	Tsukamoto et al.
2020/0227650	A1	7/2020	Kim et al.


FOREIGN PATENT DOCUMENTS

CN	108299512	A	7/2018
KR	10-2013-0067274	A	6/2013
KR	10-2014-0013962	A	2/2014
TW	201410662	A	3/2014
WO	WO 2012/167237	A2	12/2012
WO	WO 2015/095780	A1	6/2015
WO	WO 2015/146929	A1	10/2015
WO	WO 2019/004584	A1	1/2019


OTHER PUBLICATIONS

Kuwabara et al., "Thermally Stable Multilayered Organic Electroluminescent Devices Using Novel Starburst Molecules, 4,4',4"-Tri(N-carbazolyl)triphenylamine (TCTA) and 4,4',4"-Tris(3-methylphenylphenylamino)triphenylamine (m-MTDATA), as Hole-Transport Materials", Advanced Materials, 1994, vol. 6, No. 9, pp. 677-679.


【FIG. 1】



【FIG. 2】



【FIG. 3】



1

COMPOUND, ORGANIC OPTOELECTRONIC ELEMENT, AND DISPLAY DEVICE

TECHNICAL FIELD

This application claims priority to and the benefits of Korean Patent Application No. 10-2019-0012107, filed with the Korean Intellectual Property Office on Jan. 30, 2019, the entire contents of which are incorporated herein by reference.

The present application relates to a compound, an organic optoelectronic diode and a display device.

BACKGROUND ART

An organic optoelectronic diode is a device capable of interconverting electrical energy and light energy.

An organic optoelectronic diode may be divided into two types depending on the operating principle. One is an optoelectronic diode in which excitons formed by light energy are separated into electrons and holes and electrical energy is generated while the electrons and the holes are each transferred to different electrodes, and the other one is a light emitting diode generating light energy from electrical energy by supplying a voltage or a current to electrodes.

Examples of the organic optoelectronic diode may comprise an organic photoelectric diode, an organic light emitting diode, an organic solar cell, an organic photo conductor drum and the like.

Among these, an organic light emitting diode (OLED) has received much attention recently as demands for flat panel display devices have increased. An organic light emitting diode is a device converting electrical energy to light, and performance of an organic light emitting diode is greatly affected by organic materials disposed between electrodes.

An organic light emitting diode has a structure disposing an organic thin film between two electrodes. When a voltage is applied to an organic light emitting diode having such a structure, electrons and holes injected from the two electrodes bind and pair in the organic thin film, and light emits as these annihilate. The organic thin film may be formed in a single layer or a multilayer as necessary.

A material of the organic thin film may have a light emitting function as necessary. For example, as a material of the organic thin film, compounds capable of forming a light emitting layer themselves alone may be used, or compounds capable of performing a role of a host or a dopant of a host-dopant-based light emitting layer may also be used.

In addition thereto, compounds capable of performing roles of hole injection, hole transfer, electron blocking, hole blocking, electron transfer, electron injection and the like may also be used as a material of the organic thin film.

Development of an organic thin film material has been continuously required for enhancing performance, lifetime or efficiency of an organic light emitting diode.

DISCLOSURE

Technical Problem

One embodiment of the present specification is directed to providing a compound capable of obtaining an organic optoelectronic diode with high efficiency and long lifetime.

Another embodiment of the present specification is directed to providing an organic optoelectronic diode comprising the compound.


2

Still another embodiment of the present specification is directed to providing a display device comprising the organic optoelectronic diode.

Technical Solution

One embodiment of the present disclosure provides a compound represented by the following Chemical Formula 1.

[Chemical Formula 1]



In Chemical Formula 1,

any one of X^4 and X^5 is $-N-$, and the other one is $-C(L^2)_{n3}Ar^3-$,

Ar^3 is hydrogen; deuterium; a cyano group; $-P(=O)RR'$; a substituted or unsubstituted C1 to C60 alkyl group; a substituted or unsubstituted C6 to C60 aryl group; or a substituted or unsubstituted C2 to C60 heteroaryl group,

X^1 to X^3 are each independently $-C(L^4)_{n4}Ar^4-$; $-C(L^5)_{n5}Ar^5-$; $-O-$; or $-S-$, and any one of X^1 to X^3 is $-O-$; or $-S-$,

Ar^4 and Ar^5 are each independently hydrogen; deuterium; a cyano group; $-P(=O)RR'$; a substituted or unsubstituted C1 to C60 alkyl group; a substituted or unsubstituted C6 to C60 aryl group; or a substituted or unsubstituted C2 to C60 heteroaryl group,

Ar^1 and Ar^2 are each independently hydrogen; deuterium; a cyano group; $-P(=O)RR'$; a substituted or unsubstituted C1 to C60 alkyl group; a substituted or unsubstituted C6 to C60 aryl group; or a substituted or unsubstituted C2 to C60 heteroaryl group,

L^1 to L^5 are each independently a single bond; a substituted or unsubstituted C6 to C60 arylene group; or a substituted or unsubstituted C2 to C60 heteroarylene group,


R and R' are each independently hydrogen; a substituted or unsubstituted C1 to C60 alkyl group; a substituted or unsubstituted C6 to C60 aryl group; or a substituted or unsubstituted C2 to C60 heteroaryl group,

$n1$ to $n5$ are each independently one of integers of 0 to 4, and

at least any one of Ar^1 to Ar^5 is a substituent having electron properties; or a substituent having hole properties.

The compound may be represented by the following Chemical Formula 2.

3



[Chemical Formula 2]

In Chemical Formula 2,

X¹ is —O—; or —S—,


Ar¹ to Ar⁵ are each independently hydrogen; deuterium; a cyano group; —P(=O)RR'; a substituted or unsubstituted C1 to C60 alkyl group; a substituted or unsubstituted C6 to C60 aryl group; or a substituted or unsubstituted C2 to C60 heteroaryl group,

L¹ to L⁵ are each independently a single bond; a substituted or unsubstituted C6 to C60 arylene group; or a substituted or unsubstituted C2 to C60 heteroarylene group,

n₁ to n₅ are each independently one of integers of 0 to 4, R and R' are each independently hydrogen; a substituted or unsubstituted C1 to C60 alkyl group; a substituted or unsubstituted C6 to C60 aryl group; or a substituted or unsubstituted C2 to C60 heteroaryl group, and

at least any one of Ar¹ to Ar⁵ is a substituent having electron properties; or a substituent having hole properties.

The compound may be represented by the following Chemical Formula 3.



[Chemical Formula 3]

In Chemical Formula 3,

X¹ is —O—; or —S—,

Ar¹ to Ar⁵ are each independently hydrogen; deuterium; a cyano group; —P(=O)RR'; a substituted or unsubstituted C1 to C60 alkyl group; a substituted or unsubstituted C6 to C60 aryl group; or a substituted or unsubstituted C2 to C60 heteroaryl group,


L¹ to L⁵ are each independently a single bond; a substituted or unsubstituted C6 to C60 arylene group; or a substituted or unsubstituted C2 to C60 heteroarylene group,

n₁ to n₅ are each independently one of integers of 0 to 4, R and R' are each independently hydrogen; a substituted or unsubstituted C1 to C60 alkyl group; a substituted or unsubstituted C6 to C60 aryl group; or a substituted or unsubstituted C2 to C60 heteroaryl group, and

4

at least any one of Ar¹ to Ar⁵ is a substituent having electron properties; or a substituent having hole properties.

The compound may be represented by the following Chemical Formula 4.



[Chemical Formula 4]

In Chemical Formula 4,

X¹ is —O—; or —S—,

Ar¹ to Ar⁵ are each independently hydrogen; deuterium; a cyano group; —P(=O)RR'; a substituted or unsubstituted C1 to C60 alkyl group; a substituted or unsubstituted C6 to C60 aryl group; or a substituted or unsubstituted C2 to C60 heteroaryl group,

L¹ to L⁵ are each independently a single bond; a substituted or unsubstituted C6 to C60 arylene group; or a substituted or unsubstituted C2 to C60 heteroarylene group,

n₁ to n₅ are each independently one of integers of 0 to 4, R and R' are each independently hydrogen; a substituted or unsubstituted C1 to C60 alkyl group; a substituted or unsubstituted C6 to C60 aryl group; or a substituted or unsubstituted C2 to C60 heteroaryl group, and

at least any one of Ar¹ to Ar⁵ is a substituent having electron properties; or a substituent having hole properties.

Another embodiment of the present specification provides an organic optoelectronic diode comprising an anode and a cathode facing each other, and at least one organic layer disposed between the anode and the cathode, wherein the organic layer comprises the compound.

Still another embodiment of the present specification provides a display device comprising the organic optoelectronic diode.

Advantageous Effects

An organic optoelectronic diode with high efficiency and long lifetime can be obtained.

DESCRIPTION OF DRAWINGS

FIG. 1 to FIG. 3 are sectional diagrams each illustrating an organic light emitting diode according to one embodiment of the present specification.

100: Substrate

200: Anode

300: Organic Material Layer

301: Hole Injection Layer

302: Hole Transfer Layer

303: Light Emitting Layer

304: Hole Blocking Layer

305: Electron Transfer Layer

306: Electron Injection Layer

400: Cathode

Hereinafter, embodiments of the present disclosure will be described in detail. However, these are for illustrative purposes only, and the present disclosure is not limited thereto, and is only defined by the category of claims to describe later.

In the present specification, "substituted or unsubstituted" means being substituted with one or more substituents selected from the group consisting of deuterium; a halogen group; —CN; a C1 to C60 linear or branched alkyl group; a C2 to C60 linear or branched alkenyl group; a C2 to C60 linear or branched alkynyl group; a C3 to C60 monocyclic or polycyclic cycloalkyl group; a C2 to C60 monocyclic or polycyclic heterocycloalkyl group; a C6 to C60 monocyclic or polycyclic aryl group; a C2 to C60 monocyclic or polycyclic heteroaryl group; —SiRR'R"; —P(=O)RR'; a C1 to C20 alkylamine group; a C6 to C60 monocyclic or polycyclic arylamine group; a C2 to C60 monocyclic or polycyclic heteroarylamine group, and a substituted or unsubstituted alkoxy group, or being unsubstituted, or being substituted with a substituent bonding two or more of the substituents, or being unsubstituted, or being substituted with a substituent linking two or more substituents selected from among the above-mentioned substituents, or being unsubstituted. In addition, these may further form a ring with adjacent substituents.

For example, the "substituent linking two or more substituents" may comprise a biphenyl group. In other words, a biphenyl group may be an aryl group, or interpreted as a substituent linking two phenyl groups. The additional substituents may be further substituted. R, R' and R" are the same as or different from each other, and each independently hydrogen; deuterium; —CN; a substituted or unsubstituted C1 to C60 linear or branched alkyl group; a substituted or unsubstituted C3 to C60 monocyclic or polycyclic cycloalkyl group; a substituted or unsubstituted C6 to C60 monocyclic or polycyclic aryl group; or a substituted or unsubstituted C2 to C60 monocyclic or polycyclic heteroaryl group.

According to one embodiment of the present application, the "substituted or unsubstituted" means being substituted with one or more substituents selected from the group consisting of deuterium, a halogen group, —CN, —SiRR'R", —P(=O)RR', a C1 to C20 linear or branched alkyl group, a C6 to C60 monocyclic or polycyclic aryl group and a C2 to C60 monocyclic or polycyclic heteroaryl group, or being unsubstituted, and R, R' and R" are the same as or different from each other and each independently hydrogen; deuterium; —CN; a C1 to C60 alkyl group unsubstituted or substituted with deuterium, a halogen group, —CN, a C1 to C20 alkyl group, a C6 to C60 aryl group and a C2 to C60 heteroaryl group; a C3 to C60 cycloalkyl group unsubstituted or substituted with deuterium, halogen, —CN, a C1 to C20 alkyl group, a C6 to C60 aryl group and a C2 to C60 heteroaryl group; a C6 to C60 aryl group unsubstituted or substituted with deuterium, halogen, —CN, a C1 to C20 alkyl group, a C6 to C60 heteroaryl group unsubstituted or substituted with deuterium, halogen, —CN, a C1 to C20 alkyl group, a C6 to C60 aryl group and a C2 to C60 heteroaryl group.

The term "substitution" means a hydrogen atom bonding to a carbon atom of a compound being changed to another substituent, and the position of substitution is not limited as

long as it is a position at which the hydrogen atom is substituted, that is, a position at which a substituent can substitute, and when two or more substituents substitute, the two or more substituents may be the same as or different from each other.

In the present specification, the halogen may comprise fluorine, chlorine, bromine or iodine.

In the present specification, the alkyl group comprises a C1 to C60 linear or branched, and may be further substituted with other substituents. The number of carbon atoms of the alkyl group may be from 1 to 60, specifically from 1 to 40, specifically from 1 to 20 and more specifically from 1 to 10. Specific examples thereof may comprise a methyl group, an ethyl group, a propyl group, an n-propyl group, an isopropyl group, a butyl group, an n-butyl group, an isobutyl group, a tert-butyl group, a sec-butyl group, a 1-methyl-butyl group, a 1-ethylbutyl group, a pentyl group, an n-pentyl group, an isopentyl group, a neopentyl group, a tert-pentyl group, a hexyl group, an n-hexyl group, a 1-methylpentyl group, a 2-methylpentyl group, a 4-methyl-2-pentyl group, a 3,3-dimethylbutyl group, a 2-ethylbutyl group, a heptyl group, an n-heptyl group, a 1-methylhexyl group, a cyclopentylmethyl group, a cyclohexylmethyl group, an octyl group, an n-octyl group, a tert-octyl group, a 1-methylheptyl group, a 2-ethylhexyl group, a 2-propylpentyl group, an n-nonyl group, a 2,2-dimethylheptyl group, a 1-ethyl-propyl group, a 1,1-dimethyl-propyl group, an isohexyl group, a 2-methylpentyl group, a 4-methylhexyl group, a 5-methylhexyl group and the like, but are not limited thereto.

In the present specification, the alkenyl group comprises a C2 to C60 linear or branched, and may be further substituted with other substituents. The number of carbon atoms of the alkenyl group may be from 2 to 60, specifically from 2 to 40, and more specifically from 2 to 20. Specific examples thereof may comprise a vinyl group, a 1-propenyl group, an isopropenyl group, a 1-butenyl group, a 2-butenyl group, a 3-butenyl group, a 1-pentenyl group, a 2-pentenyl group, a 3-pentenyl group, a 3-methyl-1-butenyl group, a 1,3-butadienyl group, an allyl group, a 1-phenylvinyl-1-yl group, a 2-phenylvinyl-1-yl group, a 2,2-diphenylvinyl-1-yl group, a 2-phenyl-2-(naphthyl-1-yl)vinyl-1-yl group, a 2,2-bis(diphenyl-1-yl)vinyl-1-yl group, a stilbenyl group, a styrenyl group and the like, but are not limited thereto.

In the present specification, the alkynyl group comprises a C2 to C60 linear or branched, and may be further substituted with other substituents. The number of carbon atoms of the alkynyl group may be from 2 to 60, specifically from 2 to 40, and more specifically from 2 to 20.

In the present specification, the cycloalkyl group comprises a C3 to C60 monocyclic or polycyclic, and may be further substituted with other substituents. Herein, the polycyclic means a group in which the cycloalkyl group is directly linked to or fused with another cyclic group. Herein, the another cyclic group may be a cycloalkyl group, but may also comprise other types of cyclic groups such as a heterocycloalkyl group, an aryl group and a heteroaryl group. The number of carbon atoms of the cycloalkyl group may be from 3 to 60, specifically from 3 to 40, and more specifically from 5 to 20. Specific examples thereof may comprise a cyclopropyl group, a cyclobutyl group, a cyclopentyl group, a 3-methylcyclopentyl group, a 2,3-dimethylcyclopentyl group, a cyclohexyl group, a 3-methylcyclohexyl group, a 4-methylcyclohexyl group, a 2,3-dimethylcyclohexyl group, a 3,4,5-trimethylcyclohexyl group, a 4-tert-butylcyclohexyl group, a cycloheptyl group, a cyclooctyl group and the like, but are not limited thereto.

In the present specification, the alkoxy group may comprise a C1 to C10 alkoxy group, and more specifically, a methoxy group, an ethoxy group, a propoxy group, a butoxy group, a pentoxy group and the like.

In the present specification, the silyl group may be represented by $-\text{SiRR'R''}$, and R, R' and R'' have the same definitions as above. More specifically, a dimethylsilyl group, a diethylsilyl group, a methylethylsilyl group and the like may be included.


In the present specification, the phosphine oxide group may be represented by $-\text{P(=O)RR'}$, and R and R' have the same definitions as above. More specifically, $-\text{P(=O)}$ dimethyl, $-\text{P(=O)}$ diethyl, $-\text{P(=O)}$ methylethyl and the like may be included.

In the present specification, the fluorenyl group means a substituent comprising various substituents at the number 9 position. Specifically, a concept comprising a fluorenyl group in which the number 9 position is substituted with two hydrogens, two alkyl groups, two aryl groups or two heteroaryl groups may be used. More specifically, a 9-di-H-fluorenyl group, a 9-di-methyl-fluorenyl group, a 9-di-phenyl-fluorenyl group or the like may be used.

In the present specification, the heterocycloalkyl group comprises O, S, Se, N or Si as a heteroatom, comprises a C2 to C60 monocyclic or polycyclic, and may be further substituted with other substituents. Herein, the polycyclic means a group in which the heterocycloalkyl group is directly linked to or fused with another cyclic group. Herein, the another cyclic group may be a heterocycloalkyl group, but may also comprise other types of cyclic groups such as a cycloalkyl group, an aryl group and a heteroaryl group. The number of carbon atoms of the heterocycloalkyl group may be from 2 to 60, specifically from 2 to 40, and more specifically from 3 to 20.

In the present specification, the aryl group comprises a C6 to C60 monocyclic or polycyclic, and may be further substituted with other substituents. Herein, the polycyclic means a group in which the aryl group is directly linked to or fused with another cyclic group. Herein, the another cyclic group may be an aryl group, but may also comprise other types of cyclic groups such as a cycloalkyl group, a heterocycloalkyl group and a heteroaryl group. The aryl group comprises a spiro group. The number of carbon atoms of the aryl group may be from 6 to 60, specifically from 6 to 40, specifically from 6 to 30 and more specifically from 6 to 25. Specific examples of the aryl group may comprise a phenyl group, a biphenyl group, a triphenyl group, a naphthyl group, an anthryl group, a chrysenyl group, a phenanthrenyl group, a perylenyl group, a fluoranthenyl group, a triphenylenyl group, a phenalenyl group, a pyrenyl group, a tetracenyl group, an acenaphthylenyl group, a fluorenyl group, an indenyl group, an acenaphthylenyl group, a benzo-fluorenyl group, a spirobifluorenyl group, a 2,3-dihydro-1H-indenyl group, a fused cyclic group thereof and the like, but are not limited thereto.

In the present specification, the spiro group is a group comprising a spiro structure, and may be from C15 to C60. For example, the Spiro group may comprise a structure in which a 2,3-dihydro-1H-indene group or a cyclohexane group spiro-bonds to a fluorenyl group. Specifically, the Spiro group may comprise any one of the groups of the following structural formulae.



In the present specification, the heteroaryl group comprises S, O, Se, N or Si as a heteroatom, comprises a C2 to C60 monocyclic or polycyclic, and may be further substituted with other substituents. Herein, the polycyclic means a group in which the heteroaryl group is directly linked to or fused with another cyclic group. Herein, the another cyclic group may be a heteroaryl group, but may also comprise other types of cyclic groups such as a cycloalkyl group, a heterocycloalkyl group and an aryl group. The number of carbon atoms of the heteroaryl group may be from 2 to 60, specifically from 2 to 40, specifically from 2 to 30 and more specifically from 3 to 25. Specific examples of the heteroaryl group may comprise a pyridyl group, a pyrrolyl group, a pyrimidyl group, a pyridazinyl group, a furanyl group, a thiophene group, an imidazolyl group, a pyrazolyl group, an oxazolyl group, an isoxazolyl group, a thiazolyl group, an isothiazolyl group, a triazolyl group, a furazanyl group, an oxadiazolyl group, a thiadiazolyl group, a dithiazolyl group, a tetrazolyl group, a pyranlyl group, a thiopyranlyl group, a diazinylyl group, an oxazinyl group, a thiazinyl group, a dioxynyl group, a triazinyl group, a tetrazinyl group, a quinolyl group, an isoquinolyl group, a quinazolinyl group, an isoquinazolinyl group, a quinoxalinyl group, a naphthyridyl group, an acridinyl group, a phenanthridinyl group, an imidazopyridinyl group, diazanaphthalenyl group, a triaza-indene group, an indolyl group, an indolizinylyl group, a benzothiazolyl group, a benzoxazolyl group, a benzimidazolyl group, a benzothiophene group, a benzofuran group, a

dibenzothiophene group, a dibenzofuran group, a carbazolyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a phenazinyl group, a dibenzosilole group, spirobi(dibenzosilole), dihydrophenazinyl group, a phenoxazinyl group, a phenanthridyl group, an imidazopyridinyl group, a thienyl group, an indolo[2,3-a]carbazolyl group, an indolo[2,3-b]carbazolyl group, an indolinyl group, a 10,11-dihydro-dibenzo[b,f]azepine group, 9,10-dihydroacridinyl group, a phenanthrazinyl group, a phenothiazinyl group, a phthalazinyl group, a naphthyridinyl group, a phenanthrolinyl group, a benzo[c][1,2,5]thiadiazolyl group, 5,10-dihydro-dibenzo[b,e][1,4]azasilinyl, a pyrazolo[1,5-c]quinazolinyl group, a pyrido[1,2-b]indazolyl group, a pyrido[1,2-a]imidazo[1,2-e]indolinyl group, a 5,11-dihydroindeno[1,2-b]carbazolyl group and the like, but are not limited thereto.

In the present specification, the amine group may be selected from the group consisting of a monoalkylamine group; a monoarylamine group; a monoheteroarylamine group; —NH₂; a dialkylamine group; a diarylamine group; a diheteroarylamine group; an alkylarylamine group; an alkylheteroarylamine group; and an arylheteroarylamine group, and although not particularly limited thereto, the number of carbon atoms is preferably from 1 to 30. Specific examples of the amine group may comprise a methylamine group, a dimethylamine group, an ethylamine group, a diethylamine group, a phenylamine group, a naphthylamine group, a biphenylamine group, a dibiphenylamine group, an anthracenylamine group, a 9-methyl-anthracenylamine group, a diphenylamine group, a phenylnaphthylamine group, a ditolylamine group, a phenyltolylamine group, a triphenylamine group, a biphenylnaphthylamine group, a phenylbiphenylamine group, a biphenylfluorenylamine group, a phenyltriphenylenylamine group, a biphenyltriphenylenylamine group and the like, but are not limited thereto.

In the present specification, the arylene group means an aryl group having two bonding sites, that is, a divalent group. Descriptions on the aryl group provided above may be applied thereto except for each being a divalent group. In addition, the heteroarylene group means a heteroaryl group having two bonding sites, that is, a divalent group. Descriptions on the heteroaryl group provided above may be applied thereto except for each being a divalent group.

In the present specification, hole properties refer to properties capable of forming holes by donating electrons when applying an electric field, and means properties of, by having conducting properties along the HOMO level, facilitating injection of holes formed in an anode to a light emitting layer, migration of holes formed in a light emitting layer to an anode and migration in the light emitting layer.

Substituents having hole properties comprise a substituted or unsubstituted C6 to C60 aryl group having hole properties, a substituted or unsubstituted C2 to C60 heteroaryl group having hole properties, a substituted or unsubstituted arylamine group, a substituted or unsubstituted heteroarylamine group, or the like.

More specifically, the substituted or unsubstituted C6 to C60 aryl group having hole properties may be a substituted or unsubstituted phenyl group, a substituted or unsubstituted naphthyl group, a substituted or unsubstituted phenanthrenyl group, a substituted or unsubstituted anthracenyl group, a substituted or unsubstituted fluorenyl group, a substituted or unsubstituted triphenylenyl group, a substituted or unsubstituted spiro-fluorenyl group, a substituted or unsubstituted terphenyl group, a substituted or unsubstituted pyrenyl group, a substituted or unsubstituted perylenyl group, or a combination thereof.

More specifically, the substituted or unsubstituted C2 to C60 heteroaryl group having hole properties is a substituted or unsubstituted carbazolyl group, a substituted or unsubstituted dibenzofuranyl group, a substituted or unsubstituted dibenzothiophenyl group, a substituted or unsubstituted indolecarbazolyl group, or the like.

The aryl group or the heteroaryl group, a substituent bonding to the nitrogen of the substituted or unsubstituted arylamine group and the substituted or unsubstituted heteroarylamine group may be, more specifically, a substituted or unsubstituted phenyl group, a substituted or unsubstituted naphthyl group, a substituted or unsubstituted anthracenyl group, a substituted or unsubstituted phenanthryl group, a substituted or unsubstituted naphthacenyl group, a substituted or unsubstituted pyrenyl group, a substituted or unsubstituted biphenylyl group, a substituted or unsubstituted p-terphenyl group, a substituted or unsubstituted m-terphenyl group, a substituted or unsubstituted chrysenyl group, a substituted or unsubstituted triphenylenyl group, a substituted or unsubstituted perylenyl group, a substituted or unsubstituted indenyl group, a substituted or unsubstituted furanyl group, a substituted or unsubstituted thiophenyl group, a substituted or unsubstituted pyrrolyl group, a substituted or unsubstituted pyrazolyl group, a substituted or unsubstituted imidazolyl group, a substituted or unsubstituted triazolyl group, a substituted or unsubstituted oxazolyl group, a substituted or unsubstituted thiazolyl group, a substituted or unsubstituted oxadiazolyl group, a substituted or unsubstituted thiadiazolyl group, a substituted or unsubstituted pyridyl group, a substituted or unsubstituted pyrimidinyl group, a substituted or unsubstituted pyrazinyl group, a substituted or unsubstituted triazinyl group, a substituted or unsubstituted benzofuranyl group, a substituted or unsubstituted benzothiophenyl group, a substituted or unsubstituted benzimidazolyl group, a substituted or unsubstituted indolyl group, a substituted or unsubstituted quinolinyl group, a substituted or unsubstituted isoquinolinyl group, a substituted or unsubstituted quinazolinyl group, a substituted or unsubstituted quinoxalinyl group, a substituted or unsubstituted naphthyridinyl group, a substituted or unsubstituted benzoxazinyl group, a substituted or unsubstituted benzothiazinyl group, a substituted or unsubstituted acridinyl group, a substituted or unsubstituted phenazinyl group, a substituted or unsubstituted phenothiazinyl group, a substituted or unsubstituted phenoxazinyl group, or a combination thereof.

In addition, electron properties refer to properties capable of receiving electrons when applying an electric field, and means properties of, by having conducting properties along the LUMO level, facilitating injection of electrons formed in a cathode to a light emitting layer, migration of electrons formed in a light emitting layer to a cathode and migration in the light emitting layer.


The substituted or unsubstituted C2 to C60 heteroaryl group having electron properties may be a substituted or unsubstituted imidazolyl group, a substituted or unsubstituted tetrazolyl group, a substituted or unsubstituted quinolylene group, a substituted or unsubstituted isoquinolylene group, a substituted or unsubstituted pyridinylene group, a substituted or unsubstituted pyrimidinylene group, a substituted or unsubstituted triazinylene group, a substituted or unsubstituted furanyl group, a substituted or unsubstituted benzofuranyl group, a substituted or unsubstituted isofuranyl group, a substituted or unsubstituted benzoisofuranyl group, a substituted or unsubstituted oxazoline group, a substituted or unsubstituted benzoxazoline group, a substituted or unsubstituted oxadiazoline group, a substi-

11


tuted or unsubstituted benzoxadiazoline group, a substituted or unsubstituted oxatriazolyl group, a substituted or unsubstituted thiophenyl group, a substituted or unsubstituted benzothiophenyl group, a substituted or unsubstituted isothiazoline group, a substituted or unsubstituted benzoisothiazoline group, a substituted or unsubstituted thiazoline group, a substituted or unsubstituted benzothiazoline group, a substituted or unsubstituted pyridazinyl group, a substituted or unsubstituted benzopyridazinyl group, a substituted or unsubstituted pyrazinyl group, a substituted or unsubstituted benzopyrazinyl group, a substituted or unsubstituted phthalazinyl group, a substituted or unsubstituted benzoquinolinyl group, a substituted or unsubstituted quinoxalinyl group, a substituted or unsubstituted quinazolinyl group, a substituted or unsubstituted acridinyl group, a substituted or unsubstituted phenanthrolinyl group, a substituted or unsubstituted phenazinyl group, or a combination thereof.

More specifically, the substituted or unsubstituted C2 to C60 heteroaryl group having electron properties may be any one of the following Chemical Formulae X-1 to X-5.


[Chemical Formula X-1]




[Chemical Formula X-2]



[Chemical Formula X-3]




[Chemical Formula X-4]



12

-continued

[Chemical Formula X-5]



In one embodiment of the present application, Lⁿ may be a direct bond (or a single bond); a substituted or unsubstituted arylene group; or a substituted or unsubstituted heteroarylene group.

In another embodiment, Lⁿ may be a direct bond; a substituted or unsubstituted C6 to C60 arylene group; or a substituted or unsubstituted C2 to C60 heteroarylene group.


In another embodiment, Lⁿ may be a direct bond; a substituted or unsubstituted C6 to C40 arylene group; or a substituted or unsubstituted C2 to C40 heteroarylene group.

In Lⁿ, n means a number for distinguishing substituents.

Hereinafter, a compound according to one embodiment will be described.

The compound according to one embodiment is represented by the following Chemical Formula 1.

[Chemical Formula 1]



In Chemical Formula 1, any one of X⁴ and X⁵ is —N—, and the other one is —C(L³)_{n3}Ar³—,

Ar³ is hydrogen; deuterium; a cyano group; —P(=O)RR'; a substituted or unsubstituted C1 to C60 alkyl group; a substituted or unsubstituted C6 to C60 aryl group; or a substituted or unsubstituted C2 to C60 heteroaryl group,

X¹ to X³ are each independently any one of —C(L⁴)_{n4}Ar⁴; —C(L⁵)_{n5}Ar⁵—; —O—; or —S—, and any one of X¹ to X³ is —O—; or —S—,

Ar⁴ and Ar⁵ are each independently hydrogen; deuterium; a cyano group; —P(=O)RR'; a substituted or unsubstituted C1 to C60 alkyl group; a substituted or unsubstituted C6 to C60 aryl group; or a substituted or unsubstituted C2 to C60 heteroaryl group,

Ar¹ and Ar² are each independently hydrogen; deuterium; a cyano group; —P(=O)RR'; a substituted or unsubstituted C1 to C60 alkyl group; a substituted or unsubstituted C6 to C60 aryl group; or a substituted or unsubstituted C2 to C60 heteroaryl group,

L¹ to L⁵ are each independently a single bond; a substituted or unsubstituted C6 to C60 arylene group; or a substituted or unsubstituted C2 to C60 heteroarylene group,

R and R' are each independently hydrogen; a substituted or unsubstituted C1 to C60 alkyl group; a substituted or

13

unsubstituted C6 to C60 aryl group; or a substituted or unsubstituted C2 to C60 heteroaryl group,

n1 to n5 are each independently one of integers of 0 to 4, at least any one of Ar¹ to Ar⁵ is a substituent having electron properties; or a substituent having hole properties.

The compound represented by Chemical Formula 1 has a structure in which the substituent having electron properties or hole properties bonds to the fused ring that is a core.


The compound corresponding to Chemical Formula 1 of the present application allows the fused ring corresponding to the core structure to have an expanded HOMO/LUMO electron cloud, and, by adjusting the HOMO/LUMO energy level therethrough, hole/electron injection and hole/electron transfer abilities are further enhanced, and as a result, a driving voltage of a device using the same may be lowered.

In addition, by introducing various substituents to the structure of Chemical Formula 1, compounds having unique properties of the introduced substituents may be synthesized. For example, by introducing substituents normally used as hole injection layer materials, hole transfer layer materials, light emitting layer materials, electron transfer layer materials and charge generation layer materials used for manufacturing an organic light emitting diode to the core structure, materials satisfying conditions required for each organic material layer may be synthesized.


In addition, by introducing various substituents to the structure of Chemical Formula 1, the energy band gap may be finely controlled, and meanwhile, properties at interfaces between organic materials are enhanced, and material applications may become diverse.

Meanwhile, the compound has a high glass transition temperature (T_g), and thereby has excellent thermal stability. Such an increase in the thermal stability becomes an important factor in providing driving stability to a device.

More specifically, the compound may be represented by any one of the following Chemical Formulae 2 to 4.



[Chemical Formula 2]




[Chemical Formula 3]

14

-continued

[Chemical Formula 4]



In Chemical Formulae 2 to 4,

X¹ is —O—; or —S—,

Ar¹ to Ar⁵ are each independently hydrogen; deuterium; a cyano group; —P(=O)RR'; a substituted or unsubstituted C1 to C60 alkyl group; a substituted or unsubstituted C6 to C60 aryl group; or a substituted or unsubstituted C2 to C60 heteroaryl group,

L¹ to L⁵ are each independently a single bond; a substituted or unsubstituted C6 to C60 arylene group; or a substituted or unsubstituted C2 to C60 heteroarylene group,

n1 to n5 are each independently one of integers of 0 to 4, R and R' are each independently hydrogen; a substituted or unsubstituted C1 to C60 alkyl group; or a substituted or unsubstituted C6 to C60 aryl group; or a substituted or unsubstituted C2 to C60 heteroaryl group, and

at least any one of Ar¹ to Ar⁵ is a substituent having electron properties; or a substituent having hole properties.

In one embodiment of the present application, L¹ to L⁵ may be each independently a single bond; a substituted or unsubstituted C6 to C60 arylene group; or a substituted or unsubstituted C2 to C60 heteroarylene group.

In another embodiment, L¹ to L⁵ may be each independently a single bond; a substituted or unsubstituted C6 to C40 arylene group; or a substituted or unsubstituted C2 to C40 heteroarylene group.

In another embodiment, L¹ to L⁵ may be each independently a single bond; a C6 to C40 arylene group unsubstituted or substituted with a C2 to C40 heteroaryl group; or a C2 to C40 heteroarylene group unsubstituted or substituted with a C6 to C40 aryl group.

In another embodiment, L¹ to L⁵ may be each independently a single bond; a substituted or unsubstituted phenylene group; a substituted or unsubstituted biphenylene group; a substituted or unsubstituted anthracene group; a substituted or unsubstituted divalent pyrimidine group; a substituted or unsubstituted divalent pyridine group; or a substituted or unsubstituted divalent triazine group.

In another embodiment, L¹ to L⁵ may be each independently a single bond; a phenylene group unsubstituted or substituted with a carbazole group; a biphenylene group; an anthracene group; a divalent pyrimidine group unsubstituted or substituted with a phenyl group; a divalent pyridine group unsubstituted or substituted with a phenyl group; or a divalent triazine group unsubstituted or substituted with a phenyl group.

In one embodiment of the present application, Ar¹ to Ar⁵ may be each independently hydrogen; deuterium; a cyano group; —P(=O)RR'; a substituted or unsubstituted C1 to C60 alkyl group; a substituted or unsubstituted C6 to C60 aryl group; or a substituted or unsubstituted C2 to C60 heteroaryl group.

15

In another embodiment, Ar^1 to Ar^5 may be each independently hydrogen; a cyano group; $-\text{P}(=\text{O})\text{RR}'$; a substituted or unsubstituted C6 to C60 aryl group; or a substituted or unsubstituted C2 to C60 heteroaryl group.

In another embodiment, Ar^1 to Ar^5 may be each independently hydrogen; a cyano group; $-\text{P}(=\text{O})\text{RR}'$; a substituted or unsubstituted C6 to C40 aryl group; or a substituted or unsubstituted C2 to C40 heteroaryl group.

In another embodiment, Ar^1 to Ar^5 may be each independently hydrogen; a cyano group; $-\text{P}(=\text{O})\text{RR}'$; a C6 to C40 aryl group unsubstituted or substituted with one or more substituents selected from the group consisting of a C6 to C40 aryl group and a C2 to C40 heteroaryl group; or a C2 to C40 heteroaryl group unsubstituted or substituted with one or more substituents selected from the group consisting of a C6 to C40 aryl group and a C2 to C40 heteroaryl group.

In another embodiment, Ar^1 to Ar^5 may be each independently hydrogen; a cyano group; $-\text{P}(=\text{O})\text{RR}'$; a substituted or unsubstituted phenyl group; a substituted or unsubstituted naphthyl group; a substituted or unsubstituted triphenylenyl group; a substituted or unsubstituted anthracenyl group; a substituted or unsubstituted terphenyl group; a substituted or unsubstituted pyridine group; a substituted or unsubstituted triazine group; a substituted or unsubstituted pyrimidine group; a substituted or unsubstituted quinazoline group; a substituted or unsubstituted phenanthroline group; a substituted or unsubstituted benzimidazole group; a substituted or unsubstituted benzoxazole group; a substituted or unsubstituted carbazole group; a substituted or unsubstituted dibenzofuran group; or a substituted or unsubstituted dibenzothiophene group.


In another embodiment, Ar^1 to Ar^5 may be each independently hydrogen; a cyano group; $-\text{P}(=\text{O})\text{RR}'$; a phenyl group unsubstituted or substituted with a carbazole group; a naphthyl group; a triphenylenyl group; an anthracenyl group unsubstituted or substituted with a naphthyl group; a terphenyl group; a pyridine group unsubstituted or substituted with a pyridine group; a triazine group unsubstituted or substituted with one or more substituents selected from the group consisting of a phenyl group, a biphenyl group, a triphenylenyl group, a dibenzofuran group and a dibenzothiophene group; a pyrimidine group unsubstituted or substituted with one or more substituents selected from the group consisting of a phenyl group, a biphenyl group, a triphenylenyl group, a dibenzofuran group and a dibenzothiophene group; a quinazoline group unsubstituted or substituted with a phenyl group or a biphenyl group; a phenanthroline group unsubstituted or substituted with a phenyl group; a benzimidazole group unsubstituted or substituted with a phenyl group; a benzoxazole group; a carbazole group; a dibenzofuran group; or a dibenzothiophene group.

In one embodiment of the present application, Ar^1 and Ar^2 may be hydrogen.


In one embodiment of the present application, Chemical Formula 2 may be represented by any one of the following Chemical Formulae 2-1 to 2-3.

16


[Chemical Formula 2-1]



[Chemical Formula 2-2]



[Chemical Formula 2-3]



In Chemical Formulae 2-1 to 2-3,

X^1 , Ar^3 to Ar^5 , L^3 to L^5 , n_3 to n_5 have the same definitions as in Chemical Formula 2,

Ar^6 is a cyano group; $-\text{P}(=\text{O})\text{RR}'$; a substituted or unsubstituted C1 to C60 alkyl group; a substituted or unsubstituted C6 to C60 aryl group; or a substituted or unsubstituted C2 to C60 heteroaryl group,

R and R' are each independently hydrogen; a substituted or unsubstituted C1 to C60 alkyl group; a substituted or unsubstituted C6 to C60 aryl group; or a substituted or unsubstituted C2 to C60 heteroaryl group,

L^6 is a single bond; a substituted or unsubstituted C6 to C60 arylene group; or a substituted or unsubstituted C2 to C60 heteroarylene group,


at least any one of Ar^3 to Ar^6 is a substituent having electron properties; or a substituent having hole properties, and

n_6 is one of integers of 0 to 4.


In one embodiment of the present application, Chemical Formula 3 may be represented by any one of the following Chemical Formulae 3-1 to 3-3.

17


[Chemical Formula 3-1]



[Chemical Formula 3-2]



[Chemical Formula 3-3]



In Chemical Formulae 3-1 to 3-3,

X¹, Ar³ to Ar⁵, L³ to L⁵, n₃ to n₅ have the same definitions as in Chemical Formula 3,

Ar⁶ is a cyano group; —P(=O)RR'; a substituted or unsubstituted C1 to C60 alkyl group; a substituted or unsubstituted C6 to C60 aryl group; or a substituted or unsubstituted C2 to C60 heteroaryl group,

R and R' are each independently hydrogen; a substituted or unsubstituted C1 to C60 alkyl group; a substituted or unsubstituted C6 to C60 aryl group; or a substituted or unsubstituted C2 to C60 heteroaryl group,


L⁶ is a single bond; a substituted or unsubstituted C6 to C60 arylene group; or a substituted or unsubstituted C2 to C60 heteroarylene group,

at least any one of Ar³ to Ar⁶ is a substituent having electron properties; or a substituent having hole properties, and

n₆ is one of integers of 0 to 4.

In one embodiment of the present application, Chemical Formula 4 may be represented by any one of the following Chemical Formulae 4-1 to 4-3.


[Chemical Formula 4-1]




18

-continued

[Chemical Formula 4-2]



[Chemical Formula 4-3]



In Chemical Formulae 4-1 to 4-3,

X¹, Ar³ to Ar⁵, L³ to L⁵, n₃ to n₅ have the same definitions as in Chemical Formula 4,

Ar⁶ is a cyano group; —P(=O)RR'; a substituted or unsubstituted C1 to C60 alkyl group; a substituted or unsubstituted C6 to C60 aryl group; or a substituted or unsubstituted C2 to C60 heteroaryl group,

R and R' are each independently hydrogen; a substituted or unsubstituted C1 to C60 alkyl group; a substituted or unsubstituted C6 to C60 aryl group; or a substituted or unsubstituted C2 to C60 heteroaryl group,

L⁶ is a single bond; a substituted or unsubstituted C6 to C60 arylene group; or a substituted or unsubstituted C2 to C60 heteroarylene group,

at least any one of Ar³ to Ar⁶ is a substituent having electron properties; or a substituent having hole properties, and


n₆ is one of integers of 0 to 4.

In the examples described above, the descriptions on the substituent having electron properties overlap with the descriptions on the substituent provided above, and are not repeated.

In the examples described above, the descriptions on the substituent having hole properties also overlap with the descriptions provided above.


More specifically, the substituent having hole properties may be any one of the following Chemical Formulae 5-1 to 5-4.

[Chemical Formula 5-1]




19


-continued



[Chemical Formula 5-2]



[Chemical Formula 5-3]



[Chemical Formula 5-4]

In Chemical Formula 5-1 to Chemical Formula 5-4, X is —O— or —S—, and R^b to R^e are hydrogen, deuterium, a cyano group or a substituted or unsubstituted C1 to C60 alkyl group.

In Chemical Formulae 5-1 to 5-4, * means a bonding position.

Chemical Formulae 5-1 to 5-4 may be selected considering hole and electron properties of the whole compound.

In one embodiment of the present application, the substituent having electron properties; or the substituent having hole properties may be —P(=O)RR'; a substituted or unsubstituted triphenylenyl group; a substituted or unsubstituted anthracenyl group; a substituted or unsubstituted terphenyl group; a substituted or unsubstituted pyridine group; a substituted or unsubstituted triazine group; a substituted or unsubstituted pyrimidine group; a substituted or unsubstituted quinazoline group; a substituted or unsubstituted phenanthroline group; a substituted or unsubstituted benzimidazole group; a substituted or unsubstituted benzoxazole group; a substituted or unsubstituted carbazole group; a substituted or unsubstituted dibenzofuran group; or a substituted or unsubstituted dibenzothiophene group.

In another embodiment, the substituent having electron properties; or the substituent having hole properties may be —P(=O)RR'; a triphenylenyl group; an anthracenyl group unsubstituted or substituted with a naphthyl group; a terphenyl group; a pyridine group unsubstituted or substituted with a pyridine group; a triazine group unsubstituted or substituted with one or more substituents selected from the group consisting of a phenyl group, a biphenyl group, a triphenylenyl group, a dibenzofuran group and a dibenzothiophene group; a pyrimidine group unsubstituted or substituted with one or more substituents selected from the group consisting of a phenyl group, a biphenyl group, a triphenylenyl group, a dibenzofuran group and a dibenzothiophene group; a quinazoline group unsubstituted or substituted with a phenyl group or a biphenyl group; a phenanthroline group unsubstituted or substituted with a phenyl group; a benzimidazole group unsubstituted or sub-

20

stituted with a phenyl group; a benzoxazole group; a carbazole group; a dibenzofuran group; or a dibenzothiophene group.

In one embodiment of the present application, R and R' may be each independently hydrogen; a substituted or unsubstituted C1 to C60 alkyl group; a substituted or unsubstituted C6 to C60 aryl group; or a substituted or unsubstituted C2 to C60 heteroaryl group.

In another embodiment, R and R' may be each independently a substituted or unsubstituted C6 to C60 aryl group.

In another embodiment, R and R' may be each independently a substituted or unsubstituted C6 to C40 aryl group.

In another embodiment, R and R' may be each independently a C6 to C40 monocyclic or polycyclic aryl group.


In another embodiment, R and R' may be each independently a C6 to C20 monocyclic or polycyclic aryl group.

In another embodiment, R and R' may be each independently a C6 to C20 polycyclic aryl group.

In another embodiment, R and R' may be a phenyl group.

The substituted or unsubstituted C6 to C60 aryl group bonding to the core of the compound represented by Chemical Formula 1 may be any one of substituents of the following Group II.

[Group II]





21

In Group II, * means a bonding position.



When the aryl group is a biphenyl or a substituted or unsubstituted fluorenyl group, the monoamine having aromatic group and fluorenyl group-type substituents continuous through two or more direct bonds has high hole mobility, and a low driving value is obtained even when used in a hole transfer layer.

The compound of the one example described above may be represented by any one of compounds of the following Group I.

[Group I]


**22**

-continued






23

-continued




**24**

-continued






25

-continued




**26**

-continued






27

-continued

**28**


-continued



29

-continued

21




5

10

15

20

22



25


30

35

40

23

45



50

55


60

65


30

-continued


24



25




26



31

-continued

27




5

10

15

20




28

30

35

40



29

50

55


60

65


32

-continued


30



31




32



33

-continued

**34**

-continued

33

5

10

15

20

25

30

35

40

34

45


50

55



60

65

35





36



35

-continued

**36**

-continued

37

5

10

15

20

25

30

35

40

38

45


50

55


60

65


39



40






41






37

-continued

**38**




-continued



39

-continued

48

**40**

-continued


51

5

10

15

20



52

25


49

30

35

40

45



53


50

50

55

60


65



41

-continued


54



20

25

55



40


45

56

55

60

65

**42**


-continued

57

5

10

15



20

25

55

58

30

35

40

45


50

56


55

60

65






59





43

-continued


**44**

-continued



45

-continued

**46**

-continued

65

5

10

15

20

25

30

35

40

66

45




50

55

60




65

67






47

-continued




**48**

-continued






49

-continued


**50**

-continued



51

-continued



81

5

10

15

20

25

82

30

35

40

45


83

50


55

60


65

**52**


-continued



84




85



86

53

-continued



87

5


10

15

20

25

88



30

35

40

45


89

50


55

60

65


**54**

-continued




90

91



-continued



5

10

15

20

25

30

35

40

93

45


50

55

60



65

-continued




94

95



-continued



5

10

15

20

25

30

35

40

97

45


50

55

60



65

-continued




98

99




59

-continued




**60**

-continued









61

-continued

**62**


-continued





65

-continued



118


5

10

15

20

119 25




30

35

40

45

120



50


55

60


65

66

-continued




121



122

67

-continued

**68**

-continued

123

125

5

10

15

20

25

30

35

40

124

126



45

50

55



60

65



69

-continued

**70**

-continued

127

5

10

15

20

25

30

35

40

128

45

50

55




60

65

129




130

131






71

-continued

**72**




-continued



73


-continued

138

**74**


-continued

141



25

139




45

143

50

140




65

75

-continued


144



20

25


145



45

50

146



65

76

-continued

147

5

10

15

20

25

30

35

40



45

50

55


60

65






148

149





77

-continued


**78**

-continued



79

-continued

**80**

-continued

155

5

10

15

20

25

30

35

40

156

45




50

55

60




65

157



81

-continued

**82**

-continued

159

5

10

15

20

160 25

30

35

40

45

161


50

55


60

65


162



163






164






85

-continued

**86**


-continued



87

-continued

177




5

10

15


20

178




35

181

**88**

-continued

179




180

25

30


35

181




182

89


-continued
183

90




184


185




186



91


-continued
187

92




188


189



190




93




-continued

191


94



192




193




194


95

-continued
195


96




196




197



198




199




200

97


-continued
201

98


202



203



204




99

100


-continued

205





206

207




208


209



101


-continued
210

102




211


212




213




103

-continued
214


104



215





216



217



106

219




220


221



107


-continued
222

108




223

224



225





109

110



-continued
226

227





228

229




230


231




111

-continued
232


112



233




234




235

113




-continued
236

114




237


238





239




116

c1ccc(cc1)-c2cc3c(cc2)nc4ccccc4n3-c5ccc(cc5)-c6sc7c(c6)c8ccccc8n7-c9cccnc9

243




117



-continued


244

118




245


246




247



248



249






119

120


-continued
250

251




252

253




121




-continued
254


122





255




256




257

123-continued
258**124**

259




260




261


125

-continued
262


126



263




264




265

127




-continued
266


128



267




268



269


129



-continued


270

130




271


272




273



131


-continued
274

132




275


276




277



278



279






133

134

-continued


280

281




282

283




135




-continued
284


136



285




286




287

137


-continued
288

138




289


290



291




139




-continued

292


140



293




294




295


141

-continued
296


142



297




298




299

143


-continued
300

144






301

302




303




145-continued
304**146**

305




306




307


147

-continued
308


148



309




310




311


149




150

-continued
312

313




314




315

151


-continued
316

152


317





318




319




153**154**-continued
320

321


322




323




155

-continued
324


156



325




326




327


157




158

-continued
328

329




330




331

159


-continued
332

160




333


334




335



336



337





161

162



-continued
338

339





340

341




342


343



163


-continued
344

164




345


346




347




348



349




165




-continued

350


166



351




352




353

167


-continued
354

168




355


356



357




169




170


-continued
358



359



360

171

361

5

10


15

20

25

172

-continued



364

362

30

35

40



363 45

50


55

60

65




365



175

-continued

**176**

-continued

371

373

5

10

15

20

25

30

35

40

372

374



45

50

55




60

65




177

-continued

**178**

-continued



375

5

10

15

20

25

376

30

35

40

45

377

50

55

60


65

378

379

179

-continued



380

5

10

15

20

25

381

30

35

40


45

382 50


55

60

65


**180**

-continued




383

384



181

-continued



385

5

10

15

20

25


386

30

35

40

45




387

50


55

60


65

**182**


-continued



388






389





390

183

-continued




**184**

-continued





185

-continued




**186**

-continued






187

-continued




**188**

-continued



189

-continued

**190**

-continued

407

410

5

10

15

20

408

25

411

30

35

40

409




45

50

55



60

65






191

-continued






192

-continued





193


-continued

**194**

-continued



-continued



5

10

15

20

25

30

35

40

424

45


50

55

60

65

-continued



425

30

35

40

424

45


50

55

60


65

426



197

-continued



427

5

10

15

20

25

30

35

40

428


45

50


55

60


65

**198**

-continued






429



430

199

-continued

**200**

-continued


431

5

10

15

20




434

25
432

30

35

40



435

45


433

50

55


60

65



436

-continued



5

10

15

20

25

30

35

40

438 45

50


55

60

65

-continued

439



438 45

440

50


55

60

65

203


-continued



441

204

-continued



443

5

10

15

20

25

30

35

40

442


45

50


55

60

65




444



205

-continued

445




5

10

15

20

446



25


30

35

40

45

447



50

55


60

65


206

-continued


448



449






450





207

-continued




**208**

-continued



209

-continued

**210**

-continued

456

5

10

15

20

457 25

30

35

40

458

45



50

55

60




65

459






211

-continued


**212**

-continued



213

-continued

**214**

-continued

467

469

5

10

15

20

25

30

35

40

468

470



45

50

55




60

65





215


-continued

**216**


-continued




-continued



25
477




478



-continued

479



10


15

20

25



30



35


40

45

478

50

55







60





65

219

-continued





**220**

-continued







221

-continued


**222**

-continued










223

-continued


**224**

-continued










225

-continued


**226**

-continued



227

-continued





514

5

10

15

515



516


35

40


45

517

50

**228**

-continued



518

5

10

15


515

20

25

30

519



520


35

40

45

517

50




521

55





60

65



229

-continued

**230**

522

5

10

15

20

523

25

30

35

524

40

45

50


525

55


60

65


526



527




528



231


-continued

529


**232**

-continued


532




530 25




533



531 50




534



233

-continued



535

5

10

15

20

25

536

30


35

40


45

537

50


**234**

-continued




538

539



540




541

55


60

65



235

-continued



542

5

10

15

20

25

543

30

35

40

45

544

50


55

60

65

236

-continued




545

546

547

237

-continued



548

5


10

15

20

25

549




30

35

40

45

550




55

60

65


238

-continued




551

552




553



239

-continued

554




5

10

15

20




555

30

35

40

45



556

55


60

65

240

-continued

557




5

10

15

20




558

25

555

30


35



559

40

45



560

50

556

55


60

65


241

-continued


561




562



563




564


**242**

-continued


565




566



567




568




243


-continued




570




571




572

**244**


-continued




574



575




576



245

-continued

577




5

10

15

20


578



25

30

579




35

40

45

580

50



55


60

65


246

-continued


581




582




583



584




585



247

-continued

586



5

10


15

20

248

-continued

589



25


587

30

35

40


45



50

591


588



55


60

65



249

-continued



592

5

10

15

20

25

250

-continued

Chemical structure 250 is a complex molecule featuring a central benzothienopyridine core. It is substituted with a 1-phenyl-1H-indol-3-yl group, a 1,3-bis(phenyl)-5-phenyl-1H-1,2,4-triazole group, and a 1-phenyl-1H-indol-3-yl group.

595

25

593

30

35

40

45

50

594

Chemical structure 249 (continued) is a complex molecule featuring a central benzothienopyridine core. It is substituted with a 1-phenyl-1H-indol-3-yl group, a 1,3-bis(phenyl)-5-phenyl-1H-1,2,4-triazole group, and a 1-phenyl-1H-indol-3-yl group.

55

60

65

596


Chemical structure 250 (continued) is a complex molecule featuring a central benzothienopyridine core. It is substituted with a 1-phenyl-1H-indol-3-yl group, a 1,3-bis(phenyl)-5-phenyl-1H-1,2,4-triazole group, and a 1-phenyl-1H-indol-3-yl group.

597

Chemical structure 250 (continued) is a complex molecule featuring a central benzothienopyridine core. It is substituted with a 1-phenyl-1H-indol-3-yl group, a 1,3-bis(phenyl)-5-phenyl-1H-1,2,4-triazole group, and a 1-phenyl-1H-indol-3-yl group.

251

-continued




**252**

-continued





253

-continued




**254**

-continued



255

-continued

**256**

-continued

609

612

5

10

15

20

610 25

30

35

40





45

611 50

55




60

65






257

-continued



**258**

-continued



259

-continued

**260**

-continued

622

624

5

10

15

20

25

625

30

35

40

623

45




50

626

55

60


65



261

-continued

627




5

10

15

20

628




25

30

35

629

40




45

50

630

55




60

65


262

-continued

631




632



263

-continued



633

5

10

15

20

25

30

35

40

634


45

50


55

60

65


**264**

-continued




635

636



265

-continued



637

266

-continued

5

10

15

20

25

30

35

40

638

45


50

55



60

65

639






640






267

-continued


**268**

-continued



269


-continued



647

270


-continued



650

25

651




648

30

35


40

45



50

652




649

55

60


65



271

-continued

653




5

10

15

20

654 25



30

35

40

45

50

55


60

65


272

-continued


656




657



658




659



273

-continued



660

5

10

15

20


661

25

30

35

40



45


662

50


55

60

65


**274**

-continued






663

664





275

-continued


**276**

-continued



277

-continued



670

5

10

15

20

25

30

35

40


671 45

50


55

60

65


**278**

-continued



672

673



671 45


50

55

60


65

674



279

-continued

**280**

-continued

675

677

5

10

15

20

25

30

35

40

676

45



50

55

60

65


678



281

-continued

679



5

10

15

20

25

30

35

40

680


45

50

55


60

65


**282**

-continued

681




682



283

-continued

683



5

10

15

20


25

30

35

40

684



45

50

55


60

65


284

-continued

685






686



285

-continued

**286**

-continued

687

690

5

10

15

20

25

688

30

35

40

45



689

50

55


60

65



287

-continued

**288**

-continued

692

694

5

10

15

20

25

30

35

40




693 45

50

55


60

65



289

-continued



696

5

10

15

20

25

30

35

40

697


45

50


55

60

65

**290**

-continued



698


45

50

55

60

65




699

291

-continued

700



5

10

15

20

25


30

35

40

701

45



50

55


60

65


292

-continued


702



703






704





293

-continued


**294**

-continued



295

-continued



710

5

10

15

20


711

25

30

35

40



45


712

50


55

60

65


**296**

-continued






713

714






297

-continued



**298**

-continued





299

-continued


**300**

-continued



301

-continued



302

-continued

725

727

5

10

15

20

25

30

35

40

45


726

50



55

60

65





728



303

-continued

**304**

-continued

729

5

10

15

20

25

30

35

40

730


45

50


55

60


65



731






732





733

305

-continued


**306**

-continued



307

-continued



749

5

10

15

20

25

30

35

40

750


45

50


55

60

65

**308**

-continued



751

5

10

15

20

25

752

30

35

40

753


45

50

55



60

65






309

-continued




**310**

-continued




311

-continued

**312**


-continued

759




762


760



763




764




765

761





313

-continued

**314**

-continued





20

25

30



35



40

45


50



55





60

65





315

-continued




**316**

-continued





317

-continued

**318**

-continued



780

5

10

15

20

25

781

30

35

40

45

782

50

55

60




65

783

784

319

-continued

**320**

-continued

785

5

10

15

20

25

30

786

35

40

45

50


787

55


60

65


788




789



790




791



321

-continued

**322**

-continued

792

5

10

15

20

25

30

35

40

793

45


50

55



60

65

794






795





323

-continued




**324**

-continued



325

-continued

**326**

-continued

801

5

10

15

20

25

802

30

35

40

45

50


803

55


60

65


804



805




806



327

-continued

**328**

-continued

807

809

5

10

15

20

25

30

35

40

808

810



45

50

55


60

65



329

-continued



811

330

-continued

5

10

15

20


25

30

35

40

813



812

45



50

55

60



65

814



331

-continued

**332**

-continued

815

5

10

15

20

25

30

35

40

45


816

50

55

60


65



817




818

819




333

-continued

**334**


-continued

820




823

821



824

822




825

335

-continued


826



5

10

15



827


25

30

35

828

50



55


60

65

336

-continued

829



830

20

25

30

35

40


45

50


55

60

65




831










832

337

-continued




**338**

-continued




339

-continued

**340**

-continued



841

5

10

15

20

842 25

30

35

40

843 45

50

55


60

65

844





845

846






341

-continued


**342**

-continued



343

-continued



854

5

10

15

20

855 25

30

35

40


856 45

50


55

60

65


**344**

-continued






857

858






345

-continued


**346**

-continued








347

-continued


**348**

-continued








349

-continued



**350**

-continued



351

-continued

**352**

-continued

877

879

5

10

15

20

25

30

35

40

878


45

50


55

60


65



880




881



353

-continued

882




5

10

15

883 20




25

30

35

40

884 45



50

55


60

65


354

-continued


885



886





887





355

-continued


**356**

-continued



357

-continued



892

5

10

15

20

25

30

35

40

893


45

50


55

60

65


**358**

-continued





894

895



359

-continued

**360**

-continued

896

898

5

10

15

20

25

30

35

40

897



45

50

55




60

65



361

-continued

**362**

-continued

900

903

5

10

15

20

25

901

30

35

40

45

902

50




55

60

65



904

905



363

-continued

**364**

-continued

906

5

10

15

20

25

30

35

40

907

45



50

55

60


65

908




365


-continued

**366**

-continued



-continued



5

10

15

20

25

30

35

40

917

45


50

55

60



65

-continued




918

919



369

-continued



920

5

10

15

20

25

921

30

35

40

45

922

50


55

60

65

370



-continued



923


924

925




371


-continued




927




928

**372**


-continued



930




931








373

-continued


**374**

-continued



375

-continued



938

5

10


15

20

25

376

-continued



940


30

35

40

939

45




941

50

55

60


65



942

377

-continued



943


5

10

15

20

944 25



30

35

40

45


945

50


55

60


65

**378**

-continued




946



947

-continued



5

10

15

20

25

30

35

40

949

45


50

55

60



65

-continued




950

951



381

-continued



952

5

10

15

20

25

30

35

40

953


45

50


55

60

65


**382**

-continued




954

955



383

-continued

**384**

-continued

956

958

5

10

15

20

25

30

35

40

957

959



45

50

55




60

65



385

-continued

**386**

-continued

960

963

5

10

15

20

25

961

30

35

40

45

962

50




55

60

65



964

965



387

-continued

**388**

-continued

966

5

10

15

20

25

30

35

40

967

45



50

55

60


65

968




389

-continued

**390**

-continued



65 The compound or the composition described above may be for an organic optoelectronic diode, and the compound for an organic optoelectronic diode or the composition for an

organic optoelectronic diode may be formed using a dry film-forming method such as chemical vapor deposition.

Hereinafter, an organic optoelectronic diode using the compound for an organic optoelectronic diode or the composition for an organic optoelectronic diode described above will be described.

The organic optoelectronic diode is not particularly limited as long as it is a device capable of interconverting electrical energy and light energy, and examples thereof may comprise an organic photoelectric diode, an organic light emitting diode, an organic solar cell, an organic photoconductor drum and the like.

Another embodiment of the present application provides an organic light emitting diode comprising a first electrode; a second electrode provided opposite to the first electrode; and one or more organic material layers provided between the first electrode and the second electrode, wherein one or more layers of the organic material layers comprise the heterocyclic compound represented by Chemical Formula 1.

In one embodiment of the present application, the first electrode may be an anode, and the second electrode may be a cathode.

In another embodiment, the first electrode may be a cathode, and the second electrode may be an anode.

Specific details on the heterocyclic compound represented by Chemical Formula 1 are the same as the descriptions provided above.

In one embodiment of the present application, the organic light emitting diode may be a blue organic light emitting diode, and the heterocyclic compound according to Chemical Formula 1 may be used as a material of the blue organic light emitting diode.

In one embodiment of the present application, the organic light emitting diode may be a green organic light emitting diode, and the heterocyclic compound according to Chemical Formula 1 may be used as a material of the green organic light emitting diode.

In one embodiment of the present application, the organic light emitting diode may be a red organic light emitting diode, and the heterocyclic compound according to Chemical Formula 1 may be used as a material of the red organic light emitting diode.

The organic light emitting diode of the present disclosure may be manufactured using common organic light emitting diode manufacturing methods and materials except that one or more organic material layers are formed using the heterocyclic compound described above.

The heterocyclic compound may be formed into an organic material layer using a solution coating method as well as a vacuum deposition method when manufacturing the organic light emitting diode. Herein, the solution coating method means spin coating, dip coating, inkjet printing, screen printing, a spray method, roll coating and the like, but is not limited thereto.

Herein, another example of the organic light emitting diode, one example of the organic optoelectronic diode, will be described with reference to accompanying drawings.

FIGS. 1 to 3 illustrate a lamination order of electrodes and organic material layers of an organic light emitting diode according to one embodiment of the present application. However, the scope of the present application is not limited to these diagrams, and structures of organic optoelectronic diodes known in the art may also be used in the present application.

FIG. 1 illustrates an organic light emitting diode in which an anode (200), an organic material layer (300) and a cathode (400) are consecutively laminated on a substrate

(100). However, the structure is not limited to such a structure, and as illustrated in FIG. 2, an organic light emitting diode in which a cathode, an organic material layer and an anode are consecutively laminated on a substrate may also be obtained.

FIG. 3 illustrates a case of the organic material layer being a multilayer. The organic light emitting diode according to FIG. 3 comprises a hole injection layer (301), a hole transfer layer (302), a light emitting layer (303), a hole blocking layer (304), an electron transfer layer (305) and an electron injection layer (306). However, the scope of the present application is not limited to such a lamination structure, and as necessary, layers other than the light emitting layer may not be included, and other necessary functional layers may be further included.

In the organic light emitting diode, the compound represented by Chemical Formula 1 may be used as a material of an electron transfer layer, a hole transfer layer, a light emitting layer, or the like.

As the anode material, materials having relatively large work function may be used, and transparent conductive oxides, metals, conductive polymers or the like may be used. Specific examples of the anode material comprise metals such as vanadium, chromium, copper, zinc and gold, or alloys thereof; metal oxides such as zinc oxide, indium oxide, indium tin oxide (ITO) and indium zinc oxide (IZO); combinations of metals and oxides such as ZnO:Al or SnO₂:Sb; conductive polymers such as poly(3-methylthiophene), poly[3,4-(ethylene-1,2-dioxy)thiophene] (PEDT), polypyrrole and polyaniline, and the like, but are not limited thereto.

As the cathode material, materials having relatively small work function may be used, and metals, metal oxides, conductive polymers or the like may be used. Specific examples of the cathode material comprise metals such as magnesium, calcium, sodium, potassium, titanium, indium, yttrium, lithium, gadolinium, aluminum, silver, tin and lead, or alloys thereof; multilayer structure materials such as LiF/Al or LiO₂/Al, and the like, but are not limited thereto.

As the hole injection material, known hole injection materials may be used, and for example, phthalocyanine compounds such as copper phthalocyanine disclosed in U.S. Pat. No. 4,356,429, or starburst-type amine derivatives such as tris(4-carbazoyl-9-ylphenyl)amine (TCTA), 4,4',4"-tri[phenyl(m-tolyl)amino]triphenylamine (m-MTDATA) or 1,3,5-tris[4-(3-methylphenylphenylamino)phenyl]benzene (m-MTDAPB) described in the literature [Advanced Material, 6, p. 677 (1994)], polyaniline/dodecylbenzene sulfonic acid, poly(3,4-ethylenedioxythiophene)/poly(4-styrene-sulfonate), polyaniline/camphor sulfonic acid or polyaniline/poly(4-styrene-sulfonate) that are conductive polymers having solubility, and the like, may be used.

As the hole transfer material, pyrazoline derivatives, arylamine-based derivatives, stilbene derivatives, triphenyl-diamine derivatives and the like may be used, and low molecular or high molecular materials may also be used.

As the electron transfer material, metal complexes of oxadiazole derivatives, anthraquinodimethane and derivatives thereof, benzoquinone and derivatives thereof, naphthoquinone and derivatives thereof, anthraquinone and derivatives thereof, tetracyanoanthraquinodimethane and derivatives thereof, fluorenone derivatives, diphenyldicyanoethylene and derivatives thereof, diphenylquinone derivatives, 8-hydroxyquinoline and derivatives thereof, and the like, may be used, and high molecular materials may also be used as well as low molecular materials.

393

As examples of the electron injection material, LiF is typically used in the art, however, the present application is not limited thereto.

As the light emitting material, red, green or blue light emitting materials may be used, and as necessary, two or more light emitting materials may be mixed and used. Herein, two or more light emitting materials may be used by being deposited as individual sources of supply or by being premixed and deposited as one source of supply. In addition, fluorescent materials may also be used as the light emitting material, however, phosphorescent materials may also be used. As the light emitting material, materials emitting light by bonding electrons and holes injected from an anode and a cathode, respectively, may be used alone, however, materials having a host material and a dopant material involving in light emission together may also be used.

When mixing light emitting material hosts, same series hosts may be mixed, or different series hosts may be mixed. For example, any two or more types of materials among N-type host materials or P-type host materials may be selected, and used as a host material of a light emitting layer.


The organic light emitting diode according to one embodiment of the present application may be a top-emission type, a bottom-emission type or a dual-emission type depending on the materials used.

Hereinafter, the embodiments described above will be described in more detail through examples. However, the following examples are for illustrative purposes only and do not limit the scope of a right.

Starting materials and reaction materials used in examples and synthesis examples are, unless particularly mentioned otherwise, purchased from Sigma-Aldrich, TCI, Tokyo chemical industry or P&H tech, or synthesized using known methods.


Preparation of Compound for Organic Optoelectronic Diode

[Preparation Example 1] Preparation of Intermediate A1



394

-continued



1) Preparation of Intermediate A1-2

After dissolving 2,3-dibromothiophene (40 g, 165.33 mmol) and phenylboronic acid (48.38 g, 396.79 mmol) in toluene (500 ml), EtOH (100 ml) and H₂O (100 ml), Pd(PPh₃)₄ (3.82 g, 3.31 mmol) and K₂CO₃ (137.1 g, 991.98 mmol) were introduced thereto, and the result was stirred for 5 hours under reflux. After the reaction was completed, the result was extracted with MC and distilled water, and after drying the organic layer with MgSO₄, the solvent was removed using a rotary evaporator, and then the result was purified by column chromatography using dichloromethane and hexane as a developing solvent to obtain Intermediate A1-2 (35 g, 90%).

2) Preparation of Intermediate A1-1

After dissolving Intermediate A1-2 (40 g, 169.25 mmol) in DMF (400 ml), NBS (33.14 g, 186.18 mmol) was introduced thereto, and the result was stirred for 4 hours at room temperature. After the reaction was completed, the result was extracted with MC and distilled water, and after drying the organic layer with MgSO₄, the solvent was removed using a rotary evaporator, and then the result was purified by column chromatography using dichloromethane and hexane as a developing solvent to obtain Intermediate A1-1 (50 g, 93%).

3) Preparation of Intermediate A1

After dissolving Intermediate A1-1 (50 g, 158.61 mmol) and bis(pinacolato)diboron (60.42 g, 237.92 mmol) in 1,4-dioxane (500 ml), Pd(dppf)Cl₂ (2.32 g, 3.17 mmol) and KOAc (46.7 g, 475.84 mmol) were introduced thereto, and the result was stirred for 8 hours under reflux. After the reaction was completed, the result was extracted with MC and water, and after drying the organic layer with MgSO₄, the result was silica gel filtered, and precipitated with MC/MeOH. The precipitates were filtered to obtain Intermediate A1 (51 g, 89%).

Intermediate A was synthesized in the same manner as in Preparation Example 1 using S1 of the following Table 1 instead of 2,3-dibromothiophene, and using Intermediate S2 instead of phenylboronic acid.

TABLE 1























S1	S2	Intermediate A	Yield
			79%
			82%
			88%
			78%
			78%
			85%

TABLE 1-continued

S1	S2	Intermediate A	Yield
			87%

[Preparation Example 2] Preparation of Intermediate B1



1) Preparation of Intermediate B1-2

After dissolving 2,3-diphenylthiophene (30 g, 126.94 mmol) in chloroform (300 ml), the result was cooled to 0°

C., bromine (42.6 g, 266.58 mmol) was slowly introduced thereto, and the result was stirred for 3 hours. After the reaction was completed, the result was extracted with MC and distilled water, and after drying the organic layer with MgSO_4 , the solvent was removed using a rotary evaporator, and then the result was purified by column chromatography using dichloromethane and hexane as a developing solvent to obtain Intermediate B1-2 (43 g, 86%).

2) Preparation of Intermediate B1-1



After dissolving Intermediate B1-2 (43 g, 109.1 mmol) in anhydrous diethyl ether (400 ml), the result was cooled to -78°C ., n-BuLi (45.8 ml, 114.56 mmol) was slowly introduced thereto, and the result was stirred for 1 hour. After the reaction was completed, the result was extracted with EA and a dilute aqueous NH_4Cl solution, and after drying the organic layer with MgSO_4 , the solvent was removed using a rotary evaporator, and then the result was purified by column chromatography using dichloromethane and hexane as a developing solvent to obtain Intermediate B1-1 (27 g, 78%).

3) Preparation of Intermediate B1

After dissolving Intermediate B1-1 (27 g, 85.65 mmol) and bis(pinacolato)diboron (32.63 g, 128.48 mmol) in 1,4-dioxane (300 ml), Pd(dppf)Cl_2 (2.51 g, 3.43 mmol) and KOAc (25.22 g, 256.96 mmol) were introduced thereto, and the result was stirred for 5 hours under reflux. After the reaction was completed, the result was extracted with MC and water, and after drying the organic layer with MgSO_4 , the result was silica gel filtered, and precipitated with MC/MeOH. The precipitates were filtered to obtain Intermediate B1 (26 g, 83%).











Intermediate B was synthesized in the same manner as in Preparation Example 2 using S3 of the following Table 2 instead of 2,3-diphenylthiophene.

TABLE 2

S3	Intermediate B	Yield
		76%











399

TABLE 2-continued

S3	Intermediate B	Yield
		72%
		84%
		78%
		81%
		80%


400

TABLE 2-continued

S3	Intermediate B	Yield
		77%
[Preparation Example 3] Preparation of Compound 1		
		
		
		
		

401

-continued



1) Preparation of Compound 1-4

After dissolving 5-bromo-2,3-diphenylthiophene (50 g, 158.61 mmol) and 2-(4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)aniline (38.23 g, 174.48 mmol) in dioxane (500 ml) and H₂O (100 ml), Pd(PPh₃)₄ (9.16 g, 7.93 mmol) and NaHCO₃ (39.98 g, 475.84 mmol) were introduced thereto, and the result was stirred for 14 hours under reflux. After the reaction was completed, the reaction solution was dissolved by introducing MC thereto, and then extracted with distilled water. After drying the organic layer with MgSO₄, the solvent was removed using a rotary evaporator, and then the result was purified by column chromatography using dichloromethane and hexane as a developing solvent to obtain Compound 1-4 (41 g, 79%).

2) Preparation of Compound 1-3

After dissolving Compound 1-4 (41 g, 125.21 mmol) in MC (500 ml), TEA (38.01 g, 375.64 mmol) was introduced thereto. The temperature was lowered from room temperature to 0° C., 4-bromobenzoyl chloride (30.23 g, 137.74 mmol) dissolved in MC was slowly added dropwise thereto.

402

After the reaction was completed, the result was extracted with MC and distilled water, and after drying the organic layer with MgSO₄, the solvent was removed using a rotary evaporator, and then the result was purified by column chromatography using dichloromethane and hexane as a developing solvent to obtain Compound 1-3 (55 g, 86%).

3) Preparation of Compound 1-2

After dissolving Compound 1-3 (55 g, 107.75 mmol) in nitrobenzene (500 ml), POCl₃ (18.17 g, 118.53 mmol) was slowly added dropwise thereto, and the result was stirred for 4 hours at 150° C. After the reaction was completed, the result was neutralized with an aqueous NaHCO₃ solution and then extracted with MC and distilled water. After drying the organic layer with MgSO₄, the solvent was removed using a rotary evaporator, and then the result was purified by column chromatography using dichloromethane and hexane as a developing solvent to obtain Compound 1-2 (48 g, 90%).

4) Preparation of Compound 1-1













After dissolving Compound 1-2 (48 g, 97.48 mmol) and bis(pinacolato)diboron (37.13 g, 146.21 mmol) in 1,4-dioxane (500 ml), Pd(dppf)Cl₂ (2.85 g, 3.9 mmol) and KOAc (28.7 g, 292.43 mmol) were introduced thereto, and the result was stirred for 5 hours under reflux. After the reaction was completed, the result was extracted with MC and water, and after drying the organic layer with MgSO₄, the result was silica gel filtered, and precipitated with MC/MeOH. The precipitates were filtered to obtain Compound 1-1 (46 g, 87%).

5) Preparation of Compound 1

After dissolving Compound 1-1 (10 g, 18.54 mmol) and 4-(4-bromophenyl)-2,6-diphenylpyrimidine (7.54 g, 19.46 mmol) in toluene (100 ml), EtOH (20 ml) and H₂O (20 ml), Pd(PPh₃)₄ (1.07 g, 0.93 mmol) and K₃PO₄ (11.80 g, 55.61 mmol) were introduced thereto, and the result was stirred for 5 hours under reflux. After the reaction was completed, the result was cooled to room temperature, and produced solids were filtered and then washed with EA and MeOH. After that, the solids were all dissolved in an excess amount of dichloromethane, and filtered with silica gel to obtain Compound 1 (10 g, 75%).

Target compounds were synthesized in the same manner as in Preparation Example 3 using Intermediate C of the following Table 3 instead of 5-bromo-2,3-diphenylthiophene, using Intermediate D instead of 2-(4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)aniline, using Intermediate E instead of 4-bromobenzoyl chloride, and using Intermediate F instead of 4-(4-bromophenyl)-2,6-diphenylpyrimidine.

TABLE 3



Compound	Intermediate C	Intermediate D
6		
9		
10		
11		
12		
26		

405



406

TABLE 3-continued



29





31





36





56



63



82





407



408

TABLE 3-continued



104





108





117





126



131



134





409



410

TABLE 3-continued



149





181





185





222



234



241





411



412

TABLE 3-continued



242





248





261





277



287













291



413

414

TABLE 3-continued



294		
301		
328		
Compound	Intermediate E	Intermediate F
6		
9		

415



416

TABLE 3-continued



10





11





12



26



29





417



418

TABLE 3-continued



31





36





56



63



82





419



420

TABLE 3-continued



104





108





117



126



131





421



422

TABLE 3-continued



134





149





181



185



222





423



424

TABLE 3-continued



234





241





242



248



261





425



426

TABLE 3-continued



277





287





291



294



301



427

428

TABLE 3-continued






328		
Compound	Target Compound	Yield
6		74%
9		72%

TABLE 3-continued

10

81%



11

77%





TABLE 3-continued


12

72%



26

67%



29

64%





TABLE 3-continued


31

69%



36

75%



56

77%





TABLE 3-continued


63

70%



82

68%



104

82%





TABLE 3-continued


108

77%



117

62%



126

66%





TABLE 3-continued


131

72%




134

66%



149

70%




441

442

TABLE 3-continued

181

59%



185

62%





TABLE 3-continued

222

64%



234

64%





TABLE 3-continued


241

71%



242

73%



248

77%





TABLE 3-continued


261

75%



277

65%



287

72%





TABLE 3-continued


291

78%



294

69%



301

67%






TABLE 3-continued

328

69%



[Preparation Example 4] Preparation of Compound 376



20

-continued

25

30

35

40


45

50

55

60

65



376

453

Preparation of Compound 376-5

After dissolving 2,5-dibromothiophene (82.82 g, 342.33 mmol) and 2-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl) aniline (50 g, 228.22 mmol) in 1,4-dioxane (500 ml) and H₂O (100 ml), Pd(PPh₃)₄ (7.91 g, 6.85 mmol) and NaHCO₃ (57.52 g, 684.65 mmol) were introduced thereto, and the result was stirred for 8 hours under reflux. After the reaction was completed, the reaction solution was dissolved by introducing MC thereto, and then extracted with distilled water. After drying the organic layer with MgSO₄, the solvent was removed using a rotary evaporator, and then the result was purified by column chromatography using dichloromethane and hexane as a developing solvent to obtain Compound 376-5 (40 g, 69%).

Preparation of Compound 376-4

After dissolving Compound 376-5 (40 g, 157.39 mmol) in MC (400 ml), TEA (47.78 g, 472.16 mmol) was introduced thereto. The temperature was lowered from room temperature to 0° C., and then benzoyl chloride (24.34 g, 173.13 mmol) dissolved in MC was slowly added dropwise thereto. After the reaction was completed, the result was extracted with MC and distilled water, and after drying the organic layer with MgSO₄, the solvent was removed using a rotary evaporator, and then the result was purified by column chromatography using dichloromethane and hexane as a developing solvent to obtain Compound 376-4 (45 g, 80%).

Preparation of Compound 376-3

After dissolving Compound 376-4 (45 g, 125.61 mmol) in nitrobenzene (450 ml), POCl₃ (21.19 g, 138.17 mmol) was slowly added dropwise thereto, and the result was stirred for 4 hours at 150° C. After the reaction was completed, the result was neutralized with an aqueous NaHCO₃ solution and then extracted with MC and distilled water. After drying the organic layer with MgSO₄, the solvent was removed using a rotary evaporator, and then the result was purified by column chromatography using dichloromethane and hexane as a developing solvent to obtain Compound 376-3 (32 g, 75%).

Preparation of Compound 376-2

After dissolving Compound 376-3 (32 g, 94.05 mmol) and phenylboronic acid (12.04 g, 98.75 mmol) in toluene

454

(300 ml), ethanol (60 ml) and H₂O (60 ml), Pd(PPh₃)₄ (5.43 g, 4.7 mmol) and K₂CO₃ (39 g, 282.15 mmol) were introduced thereto, and the result was stirred for 8 hours under reflux. After the reaction was completed, the reaction solution was dissolved by introducing MC thereto, and then extracted with distilled water. After drying the organic layer with MgSO₄, the solvent was removed using a rotary evaporator, and then the result was purified by column chromatography using dichloromethane and hexane as a developing solvent to obtain Compound 376-2 (27 g, 85%).

Preparation of Compound 376-1




After dissolving Compound 376-2 (27 g, 80.01 mmol) in chloroform (300 ml), the temperature was lowered to 0° C., and bromine (14.07 g, 88.02 mmol) diluted in chloroform was slowly added dropwise thereto. After the reaction was completed, the result was extracted with MC and distilled water. After drying the organic layer with MgSO₄, the solvent was removed using a rotary evaporator, and then the result was purified by column chromatography using dichloromethane and hexane as a developing solvent to obtain Compound 376-1 (29 g, 87%).

Preparation of Compound 376

After dissolving Compound 376-1 (8 g, 19.22 mmol) and 2,4-diphenyl-6-(4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)phenyl)-1,3,5-triazine (8.78 g, 20.18 mmol) in toluene (100 ml), ethanol (20 ml) and H₂O (20 ml), Pd(PPh₃)₄ (1.11 g, 0.96 mmol) and K₂CO₃ (7.97 g, 57.76 mmol) were introduced thereto, and the result was stirred for 5 hours under reflux. After the reaction was completed, the result was cooled to room temperature, and produced solids were filtered and then washed with EA and MeOH. After that, the solids were all dissolved in an excess amount of dichloromethane, and filtered with silica gel to obtain Compound 376 (9.3 g, 75%).

Target compounds were synthesized in the same manner as in Preparation Example 4 using Intermediate G of the following Table 4 instead of 2,5-dibromothiophene, using Intermediate H instead of phenylboronic acid, and using Intermediate I instead of 2,4-diphenyl-6-(4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)phenyl)-1,3,5-triazine.

TABLE 4




Compound	Intermediate G	Intermediate H	Intermediate I
380			

455




456

TABLE 4-continued




382






390



406



419






457




458

TABLE 4-continued




421






429



437



463






459




460

TABLE 4-continued




481



487



495





461


462

TABLE 4-continued




516






HO-B-OH



526



541



552












TABLE 4-continued




561



571



592






465




466

TABLE 4-continued




605






628



632



646






467




468

TABLE 4-continued




665



706



725



792












TABLE 4-continued

816			
856			




Compound	Target Compound	Yield
380		74%
382		72%


TABLE 4-continued

390




81%

406



77%


419



72%


TABLE 4-continued

421



67%

429




64%

TABLE 4-continued


437

69%



463

75%



481

77%






TABLE 4-continued

487




70%

495




68%

516



82%


526



77%


TABLE 4-continued

541




62%

552




66%

561



72%


571




66%

TABLE 4-continued

66%



59%



62%






TABLE 4-continued

632




64%

646



64%


665



72%


TABLE 4-continued

706




66%

725





70%

792



59%

TABLE 4-continued

816	62%
	
856	68%
	

Compounds were prepared in the same manner as in the preparation examples described above, and the synthesis identification results are shown in the following Table 5 and Table 6.

TABLE 5

NO	1H NMR (CDCl ₃ , 300 Mz)
1	8.69 (2H, d), 8.36-8.29 (4H, m), 8.23 (1H, s), 8.14 (1H, d), 7.95-7.74 (10H, m), 7.58-7.33 (15H, m)
6	8.69 (2H, d), 8.39-8.30 (4H, m), 8.25 (2H, d), 8.14 (1H, d), 7.86-7.74 (6H, m), 7.59-7.32 (15H, m), 7.34-7.25 (3H, m)
9	8.69 (2H, d), 8.55 (2H, dd), 8.36-8.29 (4H, m), 8.23-8.19 (4H, m), 7.86-7.33 (25H, m), 7.20-7.11 (4H, m)
10	8.69 (2H, d), 8.55 (1H, dd), 8.39-8.32 (2H, m), 8.25-8.14 (5H, m), 7.87-7.10 (28H, m)
11	8.69 (4H, s), 8.38-8.32 (4H, m), 8.14 (1H, dd), 7.86-7.75 (5H, m), 7.58-7.39 (15H, m)

TABLE 5-continued

NO	1H NMR (CDCl ₃ , 300 Mz)
12	8.69 (2H, d), 8.55 (2H, dd), 8.20-8.13 (5H, m), 7.87-7.74 (6H, m), 7.60-7.33 (14H, m), 7.21-7.10 (8H, m)
26	8.72 (1H, dd), 8.38-8.32 (6H, m), 8.14 (1H, dd), 7.87-7.75 (6H, m), 7.59-7.33 (15H, m)
29	9.18-9.14 (4H, m), 8.55 (2H, dd), 8.35-8.31 (2H, m), 8.14 (1H, dd), 7.86-7.71 (7H, m), 7.61-7.23 (12H, m)
31	8.69 (1H, dd), 8.35-8.29 (4H, m), 8.23 (s, 1H), 8.15-8.06 (3H, m), 7.95-7.83 (7H, m), 7.75 (1H, ddd), 7.60-7.41 (15H, m)
36	8.69 (2H, d), 8.36 (4H, dd), 8.25 (2H, d), 8.15-8.06 (3H, m), 7.87-8.84 (3H, m), 7.75 (1H, ddd), 7.61-7.40 (15H, m)
56	8.72 (1H, dd), 8.38-8.31 (6H, m), 8.15-8.06 (3H, m), 7.88-7.84 (2H, m)
63	8.42-8.28 (7H, m), 8.24-8.18 (3H, m), 7.94 (1H, s), 7.86-7.74 (9H, m), 7.65 (2H, dd), 7.51-7.32 (15H, m)
82	8.39-8.35 (5H, m), 8.24-8.18 (3H, m), 8.11 (1H, s), 7.94 (1H, dd), 7.85-7.80 (2H, m), 7.72-7.33 (20H, m)

TABLE 5-continued

NO	1H NMR (CDCl ₃ , 300 Mz)
104	9.20-9.12 (4H, m), 8.55 (2H, dd), 8.35 (1H, d), 8.19 (2H, dd), 8.10-8.06 (4H, m), 7.75-7.40 (13H, m), 7.23 (2H, ddd)
108	8.36-8.18 (10H, m), 8.12-8.06 (3H, m), 7.86-7.84 (4H, m), 7.75 (2H, dd), 7.67-7.39 (18H, m)
117	8.55 (2H, dd), 8.25-8.05 (10H, m), 7.66-7.39 (17H, m), 7.22-7.09 (8H, m)
126	8.77-8.62 (6H, m), 8.39-8.33 (4H, m), 8.25 (2H, d), 8.14 (1H, dd), 7.91-7.83 (7H, m), 7.75 (1H, ddd), 7.60-7.48 (7H, m), 7.25 (2H, d)
131	9.25-9.21 (2H, m), 8.72-8.60 (6H, m), 8.38-8.30 (6H, m), 8.14 (1H, dd), 7.88-7.85 (2H, m), 7.75 (1H, ddd), 7.60-7.37 (7H, m)
134	9.26-9.12 (6H, m), 8.72-8.55 (6H, m), 8.34-8.30 (2H, m), 8.14 (1H, dd), 7.88-7.72 (6H, m), 7.58 (1H, ddd), 7.48-7.39 (2H, m), 7.23 (2H, ddd)
149	9.26-9.12 (6H, m), 8.72-8.53 (4H, m), 8.29-8.35 (4H, m), 8.14 (1H, dd), 7.86 (1H, dd), 7.76-7.69 (4H, m), 7.62-7.57 (2H, m), 7.49-7.39 (2H, m), 7.23 (1H, ddd)
181	8.85 (1H, dd), 8.43-8.28 (6H, m), 8.08-7.93 (6H, m), 7.87-7.73 (5H, m), 7.63-7.31 (16H, m)
185	8.75 (2H, d), 8.64 (2H, d), 8.43-8.33 (5H, m), 8.21-8.11 (3H, m), 7.96-7.72 (10H, m), 7.67-7.48 (7H, m)
222	9.26-9.22 (2H, m), 8.72-8.68 (2H, m), 8.55 (2H, dd), 8.41 (1H, d), 8.35-8.31 (2H, m), 8.21-8.15 (6H, m), 7.94 (1H, dd), 7.75 (1H, dd), 7.67-7.58 (3H, m), 7.54-7.38 (7H, m), 7.22-7.09 (8H, m)
234	9.26-9.22 (2H, m), 8.72-8.68 (2H, m), 8.55 (1H, dd), 8.37-8.17 (13H, m), 7.87-7.78 (3H, m), 7.68-7.38 (13H, m), 7.22-7.08 (4H, m)
241	8.69 (2H, d), 8.37-8.28 (4H, m), 8.23 (1H, s), 8.14 (1H, dd), 7.97-7.72 (10H, m), 7.60-7.31 (15H, m)
242	8.69 (2H, d), 8.39-8.31 (4H, m), 8.25 (2H, d), 8.14 (1H, dd), 7.87-7.72 (6H, m), 7.59-7.31 (15H, m), 7.35-7.23 (3H, m)
248	9.27 (1H, s), 8.79 (1H, dd), 8.69 (2H, d), 8.39-8.28 (4H, m), 8.14 (1H, dd), 7.89-7.30 (18H, m)
261	8.76 (1H, d), 8.39-8.21 (6H, m), 8.06 (1H, d), 7.88-7.80 (3H, m), 7.58-7.30 (17H, m)
277	9.20-9.12 (4H, m), 8.69 (2H, d), 8.55 (2H, dd), 8.16-8.05 (3H, m), 7.88-7.71 (6H, m), 7.62-7.39 (9H, m), 7.23 (2H, ddd)
287	8.39-8.33 (4H, m), 8.27-8.21 (5H, m), 8.11-8.05 (3H, m), 7.62-7.39 (18H, m), 7.25 (2H, d)
291	8.76 (1H, s), 8.39-8.21 (7H, m), 8.09-8.04 (3H, m), 7.86 (1H, dd), 7.62-36 (17H, m)
294	8.43-8.20 (8H, m), 8.09-8.05 (2H, m), 7.96-7.92 (3H, m), 7.85 (2H, d), 7.75 (1H, dd), 7.62-7.38 (17H, m)
301	8.77-8.61 (6H, m), 8.37-8.28 (4H, m), 8.23 (1H, s), 8.14 (1H, dd), 7.96-7.83 (11H, m), 7.75 (1H, ddd), 7.60-7.47 (7H, m)
328	8.76 (1H, d), 8.60-8.56 (2H, m), 8.39-8.21 (7H, m), 8.07-7.98 (2H, m), 7.88-7.83 (3H, m), 7.58-7.30 (12H, m)
376	8.30-8.28 (6H, m), 8.06 (1H, d), 7.98 (1H, d), 7.85-7.78 (5H, m), 7.60-7.41 (13H, m), 7.25 (2H, d)
380	8.30-8.24 (7H, m), 8.06 (1H, d), 7.98 (1H, d), 7.79-7.78 (3H, m), 7.70 (2H, s), 7.60-7.41 (18H, m)
382	8.30-8.23 (5H, m), 8.06 (1H, d), 7.98 (1H, d), 7.79-7.75 (7H, m), 7.60-7.41 (15H, m)
390	8.30-8.28 (6H, m), 8.16 (1H, d), 8.06 (1H, d), 7.98 (1H, d), 7.84-7.78 (5H, m), 7.60-7.41 (11H, m), 7.25 (2H, d)

TABLE 5-continued

NO	1H NMR (CDCl ₃ , 300 Mz)
406	8.30-8.24 (7H, m), 8.00-7.78 (9H, m), 7.60-7.41 (12H, m), 7.25 (2H, d)
419	8.30-8.24 (3H, m), 8.06-7.74 (11H, m), 7.60-7.39 (8H, m), 7.25 (2H, d)
421	8.30-8.28 (6H, m), 8.06 (1H, d), 7.98 (1H, d), 7.85-7.78 (3H, m), 7.66-7.41 (23H, m), 7.25 (2H, d)
429	8.30-8.23 (7H, m), 8.06 (1H, d), 7.98 (1H, d), 7.85-7.78 (5H, m), 7.60-7.41 (23H, m), 7.25 (4H, d)
437	9.15 (1H, s), 8.93 (2H, d), 8.30-7.98 (13H, m), 7.88-7.78 (5H, m), 7.70 (1H, s), 7.60-7.41 (12H, m)
463	8.45-8.41 (2H, m), 8.30 (2H, d), 8.06 (1H, d), 7.98 (2H, m), 7.83-7.77 (10H, m), 7.60-7.45 (13H, m)
481	8.30-8.28 (6H, m), 8.06 (1H, d), 7.98 (1H, d), 7.85-7.78 (5H, m), 7.60-7.41 (15H, m)
487	8.30-8.23 (5H, m), 8.06 (1H, d), 7.98 (1H, d), 7.79-7.75 (6H, m), 7.60-7.41 (16H, m)
495	8.30-8.28 (6H, m), 8.16 (1H, d), 8.06 (1H, d), 7.98 (1H, d), 7.85-7.78 (5H, m), 7.60-7.41 (13H, m)
516	8.55 (1H, d), 8.42 (1H, d), 8.30-8.23 (7H, m), 8.08-7.98 (4H, m), 7.85-7.78 (5H, m), 7.61-7.41 (13H, m)
526	8.30-8.28 (6H, m), 8.06 (1H, d), 7.98 (1H, d), 7.85-7.78 (5H, m), 7.66-7.41 (23H, m)
541	9.15 (1H, s), 8.93 (2H, d), 8.30-8.28 (6H, m), 8.18-7.98 (6H, m), 7.88-7.78 (9H, m), 7.60-7.41 (10H, m)
552	9.15 (1H, s), 8.93 (2H, d), 8.56 (1H, d), 8.30 (2H, d), 8.18-7.98 (6H, m), 7.88-7.78 (9H, m), 7.59-7.45 (10H, m), 7.22 (2H, m)
561	8.45-8.41 (2H, m), 8.30-8.23 (8H, m), 8.06 (1H, d), 7.98 (1H, d), 7.85-7.78 (5H, m), 7.60-7.41 (13H, m)
571	8.30-8.28 (6H, m), 8.06 (1H, d), 7.98 (1H, d), 7.89-7.78 (8H, m), 7.60-7.32 (14H, m)
592	8.55 (1H, d), 8.30-8.23 (5H, m), 8.12-8.06 (3H, m), 7.98-7.94 (2H, m), 7.79-7.70 (6H, m), 7.60-7.25 (19H, m)
605	8.30-8.24 (7H, m), 8.06 (1H, d), 7.98 (1H, d), 7.78-7.70 (5H, d), 7.60-7.41 (22H, m)
628	8.30 (2H, d), 8.06-7.92 (5H, m), 7.83-7.78 (10H, m), 7.60-7.45 (13H, m)
632	9.15 (1H, s), 8.93 (2H, d), 8.30-7.98 (13H, m), 7.88-7.70 (7H, m), 7.57-7.41 (11H, m)
646	8.30-8.28 (6H, m), 8.06 (1H, d), 7.98 (1H, d), 7.89-7.78 (8H, m), 7.66-7.34 (14H, m)
665	8.30-8.24 (7H, m), 8.06 (1H, d), 7.98 (1H, d), 7.79-7.78 (3H, m), 7.70 (2H, s), 7.60-7.41 (18H, m)
706	8.30-8.28 (6H, m), 8.10-8.06 (3H, m), 7.98 (1H, d), 7.85-7.78 (3H, m), 7.60-7.41 (13H, m), 7.25 (2H, d)
725	8.30-8.24 (7H, m), 8.06 (1H, d), 7.98 (1H, d), 7.78 (1H, t), 7.70-7.41 (30H, m)
792	8.30-8.24 (7H, m), 8.10-8.06 (3H, m), 7.98 (1H, d), 7.78 (1H, t), 7.70 (1H, s), 7.60-7.41 (15H, m)
816	9.30 (2H, d), 9.15 (3H, s), 8.93 (2H, d), 8.53 (2H, d), 8.30 (2H, d), 8.12-7.98 (6H, m), 7.88-7.47 (13H, m), 7.25 (2H, d), 7.14 (2H, t)
856	8.30-8.28 (4H, m), 8.06 (1H, d), 7.98 (1H, d), 7.85-7.78 (7H, m), 7.60-7.41 (15H, m), 7.25 (4H, d)

TABLE 6

Compound FD-MS		Compound FD-MS	
1	m/z = 719.91 (C51H33N3S = 719.24)	6	m/z = 720.89 (C50H32N4S = 720.23)
9	m/z = 885.10 (C63H40N4S = 884.30)	10	m/z = 886.09 (C62H39N5S = 885.29)
11	m/z = 667.83 (C47H29N3S = 667.21)	12	m/z = 820.03 (C59H37N3S = 819.27)
26	m/z = 667.83 (C47H29N3S = 667.21)	29	m/z = 644.80 (C44H28N4S = 644.20)
31	m/z = 703.85 (C51H33N3O = 703.26)	36	m/z = 704.83 (C50H32N4O = 704.26)
56	m/z = 651.77 (C47H29N3O = 651.23)	63	m/z = 796.00 (C57H37N3S = 795.27)
82	m/z = 720.89 (C50H32N4S = 720.23)	104	m/z = 628.74 (C44H28N4O = 628.23)
108	m/z = 779.94 (C57H37N3O = 779.29)	117	m/z = 803.97 (C59H37N3O = 803.29)
126	m/z = 722.87 (C48H30N6S = 722.23)	131	m/z = 669.81 (C45H27N5S = 669.20)
134	m/z = 646.77 (C42H26N6S = 646.19)	149	m/z = 646.77 (C42H26N6S = 646.19)
181	m/z = 769.97 (C55H35N3S = 769.26)	185	m/z = 695.84 (C47H29N5S = 695.21)
222	m/z = 805.94 (C57H35N5O = 805.28)	234	m/z = 871.02 (C61H38N6O = 870.31)
241	m/z = 719.91 (C51H33N3S = 719.24)	242	m/z = 720.89 (C50H32N4S = 720.23)
248	m/z = 639.82 (C47H29N5S = 639.20)	261	m/z = 667.83 (C47H29N3S = 667.21)
277	m/z = 628.74 (C44H28N4O = 628.23)	287	m/z = 704.83 (C60H32N4O = 704.26)

TABLE 6-continued

Compound FD-MS		Compound FD-MS	
291	m/z = 651.77 (C47H29N3O = 651.23)	294	m/z = 703.85 (C51H33N3O = 703.26)
301	m/z = 721.88 (C49H31N5S = 721.23)	328	m/z = 653.75 (C45H27N5O = 653.22)
376	m/z = 644.78 (C44H28N4S = 644.20)	380	m/z = 720.88 (C50H32N4S = 720.23)
382	m/z = 643.80 (C45H29N3S = 643.21)	390	m/z = 617.76 (C43H27N3S = 617.19)
406	m/z = 694.84 (C48H30N4S = 694.22)	419	m/z = 580.70 (C40H24N2OS = 580.16)
421	m/z = 796.98 (C56H36N4S = 796.27)	429	m/z = 872.08 (C63H41N3S = 871.30)
437	m/z = 794.96 (C56H34N4S = 794.25)	463	m/z = 719.85 (C47H30NOPS2 = 719.15)
481	m/z = 644.78 (C44H28N4S = 644.20)	487	m/z = 643.80 (C45H29N3S = 643.21)
495	m/z = 617.76 (C43H27N3S = 617.19)	516	m/z = 693.86 (C49H31N3S = 693.22)
526	m/z = 796.98 (C56H36N4S = 796.27)	541	m/z = 794.96 (C56H34N4S = 794.25)
552	m/z = 755.92 (C54H33N3S = 755.24)	561	m/z = 749.94 (C51H31N3S2 = 749.20)
571	m/z = 734.86 (C50H30N4OS = 734.21)	592	m/z = 808.99 (C57H36N4S = 808.27)
605	m/z = 796.98 (C56H36N4S = 796.27)	628	m/z = 663.76 (C45H30NOPS = 663.18)
632	m/z = 794.96 (C56H34N4S = 794.25)	646	m/z = 734.86 (C50H30N4OS = 734.21)
665	m/z = 720.88 (C50H32N4S = 720.23)	706	m/z = 628.72 (C44H28N4O = 628.23)
725	m/z = 857.01 (C62H40N4O = 856.32)	792	m/z = 628.72 (C44H28N4O = 628.23)
816	m/z = 778.90 (C56H34N4O = 778.27)	856	m/z = 720.88 (C50H32N4S = 720.23)


<Experimental Example 1> Manufacture of Organic Light Emitting Diode

Comparative Examples 1-1 to 1-3 and Examples 1 to 53

1) Manufacture of Organic Light Emitting Diode


A transparent ITO electrode thin film obtained from glass for an OLED (manufactured by Samsung-Corning Co., Ltd.) was ultrasonic cleaned using trichloroethylene, acetone, ethanol and distilled water consecutively for 5 minutes each, stored in isopropanol, and used.

Next, an ITO substrate was installed in a substrate folder of a vacuum deposition apparatus, and the following 4,4', 4"-tris(N,N-(2-naphthyl)-phenylamino)triphenylamine (2-TNATA) was introduced to a cell in the vacuum deposition apparatus.




Subsequently, the chamber was evacuated until the degree of vacuum therein reached 10^{-6} torr, and then 2-TNATA was evaporated by applying a current to the cell to deposit a hole injection layer having a thickness of 600 Å on the ITO substrate.

To another cell in the vacuum deposition apparatus, the following N,N'-bis(α-naphthyl)-N,N'-diphenyl-4,4'-diamine (NPB) was introduced, and evaporated by applying a current to the cell to deposit a hole transfer layer having a thickness of 300 Å on the hole injection layer.




After forming the hole injection layer and the hole transfer layer as above, a blue light emitting material having a structure as below was deposited thereon as a light emitting layer. Specifically, in one side cell in the vacuum deposition apparatus, H1, a blue light emitting host material, was vacuum deposited to a thickness of 200 Å, and D1, a blue light emitting dopant material, was vacuum deposited thereon by 5% with respect to the host material.




493


-continued



Subsequently, as an electron transfer layer, a compound shown in Table 6 was deposited to a thickness of 300 Å.

**494**

-continued



TBQB

As an electron injection layer, lithium fluoride (LiF) was deposited to a thickness of 10 Å, and an Al cathode was deposited to a thickness of 1,000 Å, and as a result, an OLED was manufactured.


Meanwhile, all the organic compounds required to manufacture the OLED were vacuum sublimation purified under 10^{-6} torr to 10^{-8} torr by each material to be used in the OLED manufacture.

2) Driving Voltage and Light Emission Efficiency of Organic Light Emitting Diode

For the organic light emitting diodes manufactured as above, electroluminescent (EL) properties were measured using M7000 manufactured by McScience Inc., and with the measurement results, 195 was measured when standard luminance was 700 cd/m² using a lifetime measurement system (M6000) manufactured by McScience Inc. Results of measuring driving voltage, light emission efficiency, external quantum efficiency and color coordinate (CIE) of the blue organic light emitting diode are as shown in Table 7.

TABLE 7

45		Compound	Driving Voltage (V)	Light Emission Efficiency (cd/A)	CIE (x, y)	Lifetime (T95)
50	Comparative Example 1-1	E1	5.56	5.91	(0.134, 0.100)	28
	Comparative Example 1-2	BBQB	5.50	6.10	(0.134, 0.101)	30
	Comparative Example 1-3	TBQB	5.51	6.15	(0.134, 0.102)	29
55	Example 1	1	5.11	6.95	(0.134, 0.101)	32
	Example 2	6	4.96	6.84	(0.134, 0.102)	47
	Example 3	9	5.14	6.79	(0.134, 0.101)	33
	Example 4	10	4.99	6.88	(0.134, 0.103)	49
	Example 5	29	5.45	6.12	(0.134, 0.102)	34
	Example 6	31	5.03	7.09	(0.134, 0.101)	30
60	Example 7	36	4.72	7.12	(0.134, 0.102)	52
	Example 8	63	5.32	6.33	(0.134, 0.101)	29
	Example 9	82	5.40	6.13	(0.134, 0.101)	31
	Example 10	104	5.30	6.72	(0.134, 0.100)	33
	Example 11	108	5.37	6.35	(0.134, 0.101)	32
	Example 12	126	5.38	6.41	(0.134, 0.100)	30
	Example 13	134	5.27	6.42	(0.134, 0.100)	31
65	Example 14	149	5.48	6.21	(0.134, 0.100)	32
	Example 15	181	4.72	7.39	(0.134, 0.100)	49



BBQB

495

TABLE 7-continued

Com- pound	Driving Voltage (V)	Light Emission Efficiency (cd/A)	CIE (x, y)	Lifetime (T95)
Example 16	185	5.45	6.68	(0.134, 0.100)
Example 17	234	5.22	6.28	(0.134, 0.102)
Example 18	241	5.12	6.20	(0.134, 0.101)
Example 19	242	5.09	6.97	(0.134, 0.102)
Example 20	277	5.42	6.88	(0.134, 0.100)
Example 21	287	5.21	5.45	(0.134, 0.103)
Example 22	294	5.38	6.66	(0.134, 0.100)
Example 23	301	5.40	6.36	(0.134, 0.102)
Example 24	376	4.72	7.11	(0.134, 0.102)
Example 25	380	5.19	6.13	(0.134, 0.100)
Example 26	382	5.22	6.21	(0.134, 0.102)
Example 27	390	5.21	6.21	(0.134, 0.101)
Example 28	406	5.31	6.13	(0.134, 0.102)
Example 29	419	5.21	6.19	(0.134, 0.100)
Example 30	421	4.67	6.49	(0.134, 0.102)
Example 31	429	5.11	6.03	(0.134, 0.101)
Example 32	437	5.09	6.32	(0.134, 0.102)
Example 33	463	5.77	5.73	(0.134, 0.102)
Example 34	481	4.62	6.44	(0.134, 0.101)
Example 35	487	4.55	7.30	(0.134, 0.102)
Example 36	495	5.22	6.11	(0.134, 0.101)
Example 37	516	5.65	5.69	(0.134, 0.103)
Example 38	526	5.12	5.99	(0.134, 0.102)
Example 39	541	4.83	6.87	(0.134, 0.102)
Example 40	552	5.20	6.17	(0.134, 0.101)
Example 41	561	5.32	6.16	(0.134, 0.102)
Example 42	571	5.15	5.89	(0.134, 0.101)
Example 43	592	5.26	6.08	(0.134, 0.102)
Example 44	605	5.21	6.10	(0.134, 0.101)
Example 45	628	5.74	5.79	(0.134, 0.102)
Example 46	632	5.23	6.12	(0.134, 0.101)
Example 47	646	5.32	6.23	(0.134, 0.102)
Example 48	665	5.12	6.53	(0.134, 0.101)
Example 49	706	5.18	6.05	(0.134, 0.102)
Example 50	725	5.11	5.96	(0.134, 0.101)
Example 51	792	5.27	5.99	(0.134, 0.103)
Example 52	816	5.23	6.03	(0.134, 0.101)
Example 53	856	4.81	7.13	(0.134, 0.102)

As seen from the results of Table 7, the organic light emitting diode using the electron transfer layer material of the blue organic light emitting diode of the present disclosure had lower driving voltage and significantly improved light emission efficiency and lifetime compared to Comparative Example 1. Particularly, it was identified that Compounds 6, 10, 36, 181, 242, 376, 421, 481, 541 and 856 were superior in all aspects of driving, efficiency and lifetime.

Such a result is considered to be due to the fact that, when using the disclosed compound having proper length and strength, and flatness as an electron transfer layer, a compound in an excited state is made by receiving electrons under a specific condition, and particularly when a hetero-skeleton site of the compound is formed in an excited state, excited energy moves to a stable state before the excited hetero-skeleton site goes through other reactions, and a relatively stabilized compound is capable of efficiently transferring electrons without the compound being decomposed or destroyed. For reference, those that are stable when excited are considered to be aryl or acene-based compounds or polycyclic hetero-compounds. Accordingly, it is considered that excellent results in all aspects of driving, efficiency and lifetime were obtained by the compound of the present disclosure enhancing enhanced electron-transfer properties or improved stability.

496


<Experimental Example 2> Manufacture of Organic Light Emitting Diode

Comparative Example 2

1) Manufacture of Organic Light Emitting Diode

A transparent ITO electrode thin film obtained from glass for an OLED (manufactured by Samsung-Corning Co., Ltd.) was ultrasonic cleaned using trichloroethylene, acetone, ethanol and distilled water consecutively for 5 minutes each, stored in isopropanol, and used.


Next, an ITO substrate was installed in a substrate folder of a vacuum deposition apparatus, and the following 4,4', 4"-tris(N,N-(2-naphthyl)-phenylamino)triphenylamine (2-TNATA) was deposited to a cell in the vacuum deposition apparatus.



2-TNATA

Subsequently, the chamber was evacuated until the degree of vacuum therein reached 10^{-6} torr, and then 2-TNATA was evaporated by applying a current to the cell to deposit a hole injection layer having a thickness of 600 Å on the ITO substrate.


To another cell in the vacuum deposition apparatus, the following N,N'-bis(α-naphthyl)-N,N'-diphenyl-4,4'-diamine (NPB) was introduced, and evaporated by applying a current to the cell to deposit a hole transfer layer having a thickness of 300 Å on the hole injection layer.




NPB

497

After forming the hole injection layer and the hole transfer layer as above, a blue light emitting material having a structure as below was deposited thereon as a light emitting layer. Specifically, in one side cell in the vacuum deposition apparatus, H1, a blue light emitting host material, was vacuum deposited to a thickness of 200 Å, and D1, a blue light emitting dopant material, was vacuum deposited thereon by 5% with respect to the host material.



Then, as an electron transfer layer, a compound having the following structural formula E1 was deposited to a thickness of 300 Å.



As an electron injection layer, lithium fluoride (LiF) was deposited to a thickness of 10 Å, and an Al cathode was deposited to a thickness of 1,000 Å, and as a result, an OLED was manufactured.

Meanwhile, all the organic compounds required to manufacture the OLED were vacuum sublimation purified under 10^{-6} torr to 10^{-8} torr by each material to be used in the OLED manufacture.

498

Examples 54 to 63

Organic electroluminescent diodes were manufactured in the same manner as in Comparative Example 2 except that E1 was formed to a thickness of 250 Å as the electron transfer layer, and on the electron transfer layer, a hole blocking layer having a thickness of 50 Å was formed using a compound presented in Table 8.

Results of measuring driving voltage, light emission efficiency, color coordinate (CIE) and lifetime of the blue organic light emitting diode manufactured according to the present disclosure are as shown in Table 8.

TABLE 8

	Com- pound	Driving Voltage (V)	Light Emission Efficiency (cd/A)	CIE (x, y)	Lifetime (T95)
Comparative Example 2	—	5.50	5.57	(0.134, 0.100)	31
Example 54	12	4.87	6.17	(0.134, 0.101)	51
Example 55	117	4.73	6.59	(0.134, 0.102)	56
Example 56	222	5.11	6.65	(0.134, 0.101)	55
Example 57	248	4.87	6.54	(0.134, 0.103)	61
Example 58	406	4.82	6.44	(0.134, 0.103)	54
Example 59	421	4.95	6.59	(0.134, 0.103)	56
Example 60	437	5.11	6.45	(0.134, 0.103)	57
Example 61	463	4.85	6.31	(0.134, 0.103)	55
Example 62	541	4.92	6.67	(0.134, 0.103)	58
Example 63	571	4.87	6.55	(0.134, 0.103)	49

As seen from the results of Table 8, the organic electroluminescent diode using the hole blocking layer material of the blue organic electroluminescent diode of the present disclosure had lower driving voltage and significantly improved light emission efficiency and lifetime compared to Comparative Example 2.

<Experimental Example 3> Manufacture of Organic Light Emitting Diode


Comparative Example 3

1) Manufacture of Organic Light Emitting Diode

A transparent ITO electrode thin film obtained from glass for an OLED (manufactured by Samsung-Corning Co., Ltd.) was ultrasonic cleaned using trichloroethylene, acetone, ethanol and distilled water consecutively for 5 minutes each, stored in isopropanol, and used.

Next, an ITO substrate was installed in a substrate folder of a vacuum deposition apparatus, and the following 4,4', 4''-tris(N,N-(2-naphthyl)-phenylamino)triphenylamine (2-TNATA) was introduced to a cell in the vacuum deposition apparatus.


499



2-TNATA

Subsequently, the chamber was evacuated until the degree of vacuum therein reached 10^{-6} torr, and then 2-TNATA was evaporated by applying a current to the cell to deposit a hole injection layer having a thickness of 600 Å on the ITO substrate.

To another cell in the vacuum deposition apparatus, the following N,N'-bis(α -naphthyl)-N,N'-diphenyl-4,4'-diamine (NPB) was introduced, and evaporated by applying a current to the cell to deposit a hole transfer layer having a thickness of 300 Å on the hole injection layer.





NPB

The hole injection layer and the hole transfer layer were formed as above.

As a light emitting layer, H2, a host, and Ir(ppy)₃, a green phosphorescent dopant, by 7% doping were deposited to 400 Å thereon.

500

H2

Ir(ppy)₃

After that, BCP was deposited to 60 Å as a hole blocking layer, and Alq₃ was deposited to 200 Å thereon as an electron transfer layer. Lastly, an electron injection layer was formed on the electron transfer layer by depositing lithium fluoride (LiF) to a thickness of 10 Å, and then a cathode was formed on the electron injection layer by depositing an aluminum (Al) cathode to a thickness of 1,200 Å, and as a result, an organic electroluminescent diode was manufactured.

Meanwhile, all the organic compounds required to manufacture the OLED were vacuum sublimation purified under 10^{-6} torr to 10^{-8} torr for each material to be used in the OLED manufacture.

Examples 64 to 69

Organic electroluminescent diodes were manufactured in the same manner as in Comparative Example 3 except that, when forming the host, a compound presented in Table 9 was used instead of H2.

Results of measuring driving voltage, light emission efficiency, color coordinate (CIE) and lifetime of the green organic light emitting diode manufactured according to the present disclosure are as shown in Table 9.

501

TABLE 9

Com- pound	Driving Voltage (V)	Light		CIE (x, y)	Lifetime (T95)
		Emission Efficiency (cd/A)			
Comparative Example 3	H2	5.24	35.83	(0.266, 0.711)	63
Example 64	421	5.11	41.23	(0.266, 0.712)	92
Example 65	437	4.96	43.88	(0.265, 0.711)	79
Example 66	571	4.74	46.02	(0.265, 0.712)	89
Example 67	592	5.12	38.82	(0.266, 0.713)	92
Example 68	632	4.89	39.44	(0.266, 0.711)	93
Example 69	646	4.72	41.36	(0.267, 0.711)	77

<Experimental Example 4> Manufacture of Organic Light Emitting Diode

Comparative Example 4 and Examples 70 to 79

1) Manufacture of Organic Light Emitting Diode


A transparent ITO electrode thin film obtained from glass for an OLED (manufactured by Samsung-Corning Co., Ltd.) was ultrasonic cleaned using trichloroethylene, acetone, ethanol and distilled water consecutively for 5 minutes each, stored in isopropanol, and used.

On the transparent ITO electrode (anode), an organic material was formed in a 2-stack emitting diode (WOLED) structure. As for the first stack, TAPC was thermal vacuum deposited to a thickness of 300 Å first to form a hole transfer layer. After forming the hole transfer layer, a light emitting layer was thermal vacuum deposited thereon as follows. The light emitting layer was deposited to 300 Å by doping Flrpic to TCz1, a host, by 8% as a blue phosphorescent dopant. After forming an electron transfer layer to 400 Å using TmPyPB, a charge generation layer was formed to 100 Å by doping Cs₂CO₃ to a compound described in the following Table 10 by 20%.


As for the second stack, MoO₃ was thermal vacuum deposited to a thickness of 50 Å first to form a hole injection layer. A hole transfer layer, a common layer, was formed by doping MoO₃ to TAPC by 20% to 100 Å and then depositing TAPC to 300 Å. A light emitting layer was deposited thereon to 300 Å by doping Ir(ppy)₃, a green phosphorescent dopant, to TCz1, a host, by 8%, and an electron transfer layer was formed to 600 Å using TmPyPB. Lastly, an electron injection layer was formed on the electron transfer layer by depositing lithium fluoride (LiF) to a thickness of 10 Å, and then a cathode was formed on the electron injection layer by depositing an aluminum (Al) cathode to a thickness of 1,200 Å, and as a result, an organic light emitting diode was manufactured.

Meanwhile, all the organic compounds required to manufacture the OLED were vacuum sublimation purified under 10⁻⁶ torr to 10⁻⁸ torr by each material to be used in the OLED manufacture.


502



TAPC






TCz1



Flrpic

503

-continued



Results of measuring driving voltage, light emission efficiency, color coordinate (CIE) and lifetime of the white organic light emitting diodes manufactured according to the present disclosure are as shown in Table 10.

TABLE 10

	Com- pound	Driving Voltage (V)	Light Emission Efficiency (cd/A)	CIE (x, y)	Lifetime (T95)
Comparative Example 4	BPhen	7.54	54.23	(0.213, 0.430)	25
Example 70	11	6.84	60.44	(0.212, 0.421)	35
Example 71	26	6.44	66.32	(0.211, 0.433)	40
Example 72	29	6.92	59.68	(0.214, 0.439)	31
Example 73	56	6.27	67.99	(0.212, 0.424)	53
Example 74	104	6.82	59.18	(0.214, 0.437)	34
Example 75	131	6.73	62.44	(0.212, 0.426)	37
Example 76	134	6.82	57.18	(0.214, 0.437)	34
Example 77	261	6.29	68.49	(0.213, 0.424)	51
Example 78	291	6.37	67.41	(0.213, 0.423)	46
Example 79	328	6.41	66.31	(0.212, 0.421)	45

As seen from the results of Table 10, the organic electroluminescent diode using the charge generation layer

504


material of the 2-stack white organic electroluminescent diode of the present disclosure had lower driving voltage and improved light emission efficiency compared to Comparative Example 3. Such a result is considered to be due to the fact that the compound of the present disclosure used as an N-type charge generation layer formed with the disclosed skeleton having proper length and strength, and flatness and a proper hetero-compound capable of binding to metals forms a gap state in the N-type charge generation layer by doping an alkali metal or an alkaline earth metal, and electrons produced from a P-type charge generation layer are readily injected into an electron transfer layer through the gap state produced in the N-type charge generation layer. Accordingly, the P-type charge generation layer may favorably inject and transfer electrons to the N-type charge generation layer, and as a result, driving voltage was lowered, and efficiency and lifetime were improved in the organic light emitting diode.

Hereinbefore, preferred examples of the present disclosure have been described in detail, however, the scope of a right of the present disclosure is not limited thereto, and various modifications and improvements made by those skilled in the art using the basic concept of the present disclosure defined in the attached claims also fall within the scope of a right of the present disclosure.


The invention claimed is:

1. A compound represented by one of the following Chemical Formulae 2 to 4:


[Chemical Formula 2]



[Chemical Formula 3]



[Chemical Formula 4]



wherein, in Chemical Formulae 2 to 4,

505


X^1 is $-\text{O}-$; or $-\text{S}-$;
 Ar^1 to Ar^5 are each independently hydrogen; deuterium; a cyano group; $-\text{P}(=\text{O})\text{RR}'$; a substituted or unsubstituted C1 to C60 alkyl group; a substituted or unsubstituted C6 to C60 aryl group; or a substituted or unsubstituted C2 to C60 heteroaryl group;
 in chemical formulae 2 to 4, L^1 to L^3 are each independently a single bond; a substituted or unsubstituted C6 to C60 arylene group; or a substituted or unsubstituted C2 to C60 heteroarylene group;
 in chemical formulae 2 to 4, L^4 and L^5 are each independently a substituted or unsubstituted C6 to C60 arylene group; or a substituted or unsubstituted C2 to C60 heteroarylene group;
 R and R' are each independently hydrogen; a substituted or unsubstituted C1 to C60 alkyl group; a substituted or unsubstituted C6 to C60 aryl group; or a substituted or unsubstituted C2 to C60 heteroaryl group;
 n_1 to n_5 are each independently one of integers of 1 to 4; and
 at least one of Ar^1 to Ar^5 is a substituent having electron properties; or a substituent having hole properties, wherein the substituent having hole properties is a substituted or unsubstituted C6 to C60 aryl group having hole properties, a substituted or unsubstituted C2 to C60 heteroaryl group having hole properties, a substituted or unsubstituted arylamine group, or a substituted or unsubstituted heteroarylamine group, wherein the substituent having electron properties is a substituted or unsubstituted C2 to C60 heteroaryl group having electron properties; and
 the substituted or unsubstituted C2 to C60 heteroaryl group having electron properties is a substituted or unsubstituted imidazolyl group, a substituted or unsubstituted tetrazolyl group, a substituted or unsubstituted quinolinylene group, a substituted or unsubstituted isoquinolinylene group, a substituted or unsubstituted pyridinylene group, a substituted or unsubstituted pyrimidinylene group, a substituted or unsubstituted triazinylene group, a substituted or unsubstituted furanyl group, a substituted or unsubstituted benzofuranyl group, a substituted or unsubstituted isofuranyl group, a substituted or unsubstituted benzoisofuranyl group, a substituted or unsubstituted oxazoline group, a substituted or unsubstituted benzoxazoline group, a substituted or unsubstituted oxadiazoline group, a substituted or unsubstituted benzoxadiazoline group, a substituted or unsubstituted oxatriazolyl group, a substituted or unsubstituted thiophenyl group, a substituted or unsubstituted benzothiophenyl group, a substituted or unsubstituted isothiazoline group, a substituted or unsubstituted benzoisothiazoline group, a substituted or unsubstituted thiazoline group, a substituted or unsubstituted benzothiazoline group, a substituted or unsubstituted pyridazinyl group, a substituted or unsubstituted benzopyridazinyl group, a substituted or unsubstituted pyrazinyl group, a substituted or unsubstituted benzopyrazinyl group, a substituted or unsubstituted phthalazinyl group, a substituted or unsubstituted benzoquinolinyl group, a substituted or unsubstituted quinoxalinyl group, a substituted or unsubstituted quinoxalinyl group, a substituted or unsubstituted acridinyl group, a substituted or unsubstituted phenanthrolinyl group, a substituted or unsubstituted phenazinyl group, or a combination thereof, wherein "substituted or unsubstituted" means being substituted with one or more substituents selected from the

506


group consisting of deuterium, $-\text{CN}$, $-\text{P}(=\text{O})\text{RR}'$, a C1 to C20 linear or branched alkyl group, a C6 to C60 monocyclic or polycyclic aryl group and a C2 to C60 monocyclic or polycyclic heteroaryl group, or being unsubstituted.

2. The compound of claim 1, wherein the compound represented by one of Chemical Formulae 2 to 4 is one of compounds of the following Group I:

[Group I]





1



2

507

-continued

**508**

-continued

3

5

5

10

15

20

25

30

35

40



4 45

50

55



60

65



509

-continued

**510**

-continued

7

9

5

10

15

20

25

30

35

40

8

10



45

50

55




60

65






511

-continued


**512**

-continued



513

-continued

**514**

-continued

17

19

5

10

15

20

25

30

35

40

18

45




21

50

55



60

65



515


-continued

**516**


-continued

22

24



25



23

45


50

26

55

60




65



517

-continued

27

**518**

-continued

30

5

10

15

20

25

28

30

35

40

45


29

50


55

60


65



31




32



519

-continued

**520**

-continued

33

35

5

10

15

20

25

30

35

40

34 45



36

50

55



60

65



521

-continued

**522**

-continued

37

5

10

15

20

25

30

35

40

38

45



50

55

60

65




39






40

523

-continued


**524**

-continued



525

-continued



47

5

10


15

20

25

526

-continued



49

30


35

40


48

45

50



51




50

55


60

65



527


-continued



52

528

-continued



54

5

10

15

20

25

55

30

35

40

53



45

50


55

60

65




56



529

-continued



57

5

10

15

20

25

58

30

35

40

45

59

50


55

60


65

530

-continued



60



45



59

50

55

60


65






61

531

-continued


**532**

-continued



533

-continued



66

5

10

15

20

25

30

35

40

67


45

50


55

60


65

**534**

-continued






68





69

535

-continued

**536**

-continued



70

5

10

15

20

25

71

30

35

40

72 45

50

55

60




65

73




74

537

-continued


**538**

-continued



539

-continued



81

5

10

15

20

25

82

30

35

40

45


83

50


55

60


65

**540**


-continued



84




85







86

541

-continued


**542**

-continued



543

-continued



92

5

10

15

20

25

30

35

40

93


45

50


55

60


65

**544**

-continued




94



95

545

-continued



96

5

10

15

20

25

30

35

40

97


45

50


55

60


65

**546**

-continued






98





99

547

-continued

**548**

-continued



100

5

10

15

20

25

101

30

35

40

102 45

50

55

60




65

103

104

549

-continued

**550**

-continued

105

108

5

10

15

20

25

106

30

35

40

45

50

107




55

60

65


109

110








551

-continued


**552**

-continued







553

-continued



**554**

-continued



555

-continued

**556**

-continued

122

5

10

15

20

25

30

35

40

123

45


50

55


60

65

124





125



557

-continued

**558**

-continued

126

5

10

15

20

25

30

35

40

127



45

50

55

60

65






128




129

559

-continued


**560**

-continued



561

-continued



136

5

10

15

20

137

25

30

35

40

138



45

50


55

60


65

**562**


-continued



139




140



141

563


-continued



142


564

-continued




144

25



145

143




50

55

60

65




146

565

-continued

147




5

10

15


20

148



40

149




65


566

-continued


150



151




152



567

-continued

**568**

-continued

153

5

10

15

20

25

30

35

40

154

45


50

55



60

65

155





156



569

-continued

**570**

-continued

157

5

10

15

20

25

30

35

40

158

45



50

55

60

65




159






160

571

-continued


**572**

-continued



573

-continued



167

5

10


15

20

25

574

-continued



169


30

35

40

168

45




170

50


55

60

65




171



575


-continued



172


576

-continued




174

25



175

173




50

55

60

65


176



577

-continued

177



5

10

15

20

25

178

30

35

40

45



179

50

55


60

65


**578**

-continued

180




181



579

-continued



182

5

10

15

20

25

30

35

40

183


45

50


55

60

65


**580**

-continued




184

185



581

-continued



186

5

10

15

20

25

30

35

187 40

45

50


55

60

65



582

-continued





188

189



583

-continued

**584**

-continued

190

5

10

15

20

25

30

35

40

45


191

50

55


60

65




192

193






194



585

-continued

**586**

-continued

195

198

5

10

15

20

25

196

30

35

40

45

50

197




55

60

65

199


200



587

-continued

201



5


10

15

20

25

202



30


35

40

45

203

50



55


60

65


588

-continued


204



205




206







589

-continued


**590**

-continued



591


-continued



212

592

-continued



214

5

10

15

20


25

30

35

40

213




45

50

55

60


65



215

593

-continued



216

5

10

15

20

25

30

35

217 40


45

50


55

60


65

**594**

-continued





218



219

595

-continued

**596**

-continued

220

5

10

15

20

25

30

35

40

45


221

50


55

60

65




222






223

224



597

-continued

**598**

-continued

225

228

5

10

15

20

25

226

30

35

40

45




50

227

55


60

65



599

-continued



231


5

10

15

20

25




232

30

35

40

45



233

50


55

60


65

600


-continued



234




235






236

601

-continued

**602**


-continued



603


-continued

242

**604**

-continued

244




30

35

40

243




45

50

55

60


65




245

605

-continued



**606**

-continued



607

-continued

**608**

-continued

252

5

10

15

20

25

30

35

40

253

45

50

55




60

65

254



255

256



609

-continued

**610**

-continued

257

5

10

15

20

25

30

35

40

258

45


50

55


60

65


259



260






261





611

-continued



**612**

-continued



613

-continued

**614**

-continued

267

5

10

15

20

25

30

35

40

268

50

55




60

65

269

270


271



615


-continued

272

**616**

-continued

274




30

35

40

273




45

50

55

60




65



275

617

-continued

**618**

-continued

276

5

10

15

20

277

25

30

35

40

45



278

55


60

65

279





280



281

619

-continued

**620**

-continued

282

5

10

15

20

25

30

35

40

283

45

50

55




60

65

284




285

286





623

-continued



**624**

-continued




625

-continued


**626**

-continued

297




299



300


298






301

627

-continued




**628**

-continued



629

-continued

**630**

-continued

306

5

10

15

20

25

307

30

35

40

45


308 50

55


60

65

309




310



631

-continued



311

5

10

15

20

25

312

30

35

40


45

313 50


55

60


65

**632**

-continued



314




315

633

-continued

316



5

10

15

20

25

30

35

40

317


45

50

55


60

65


**634**

-continued

318




319




635

-continued




**636**

-continued



637

-continued

**638**

-continued

326

5

10

15

20

25

327

30

35

40

45


328 50

55


60

65


329



330




331









639

-continued



**640**

-continued







641

-continued


**642**

-continued



643

-continued

**644**

-continued

346

5

10

15

20

25

30

35

40

347

45


50

55



60

65

348




349



645

-continued



350

5

10

15

20

25

30

35

40

351

45

50


55

60

65



646

-continued




352

353



647

-continued

**648**

-continued

354

356

5

10

15

20

25

30

35

40

355

45



50

55


60

65

357



-continued



5

10

15

20


25

30

35

40

359



45


50

55

60


65

-continued






360

361





651

-continued


**652**

-continued



653


-continued



367


654

-continued



370

368




30

35

40

369 45




50

55

60


65

371



655

-continued



372

656

-continued

5

10

15

20

25

30

35

40

373


45

50


55

60


65



374






375






657

-continued




**658**

-continued






659

-continued




**660**

-continued



661

-continued

**662**

-continued


388

5

10

15

20




391

389 25

30

35

40



392


45

390 50

55

60



65



393

663

-continued

**664**

-continued

394

5

10

15

20

25

30

35

40


395 45

50


55

60


65




396



397



398



399

5

10

15

20


25

30

35

40

400 45




50

55


60

65


-continued



401






402




403

667

-continued

**668**

-continued



404

407

5

10

15

20

405

25

30

35

40

45

406

408

50




55

60



65

669

-continued




**670**

-continued






671

-continued




**672**

-continued





673

-continued


**674**

-continued



675

-continued

**676**

-continued

425

5

10

15

20

25

30

35

40

45

426


50

55



60

65


427




428



-continued




430




65

-continued


431



432






433




679

-continued

**680**

-continued



434

437

5

10

15

20

435

25

30

35

40

436

45


50

55


60

65

438



-continued



5

10

15

20

25

30

35

40

45

440

50


55

60

65

-continued

441



30

35

40

442



45

50

55

60


65



683

-continued

443



5

10

15

20

25

30

35

40

444


45

50

55


60

65


**684**

-continued


445



446






447



685

-continued

**686**

-continued

448


451

5

10

15

20



449


452

25

30

35

40



450

453


45

50

55


60

65



687

-continued



454

5

10

15

20

25

30

35

40

455


45

50


55

60

65

**688**



-continued



456


457

458



689


-continued



459

690

-continued



461

5

10

15

20


25

30

35


40

462



460

45




50

55

60




65

463





691

-continued


**692**

-continued



693

-continued



469

5

10

15

20

25

30

35

40

470


45

50


55

60

65

**694**



-continued



471


472

473



695

-continued



474

5

10

15

20

25


30

35

40

475

45



50


55

60

65

696

-continued



476

5

10

15

20


25

30

35

40

477



45


50

55

60




65

478



697

-continued

**698**

-continued

479

5

10

15

20

25

480

30

35

40

45

50


481

55


60

65


482




483



484




485




699

-continued


486




487 20



488




489 55


**700**

-continued


490




491 25



492 40







493 60







701

-continued


**702**

-continued










703

-continued


**704**

-continued



705


-continued




510

706


-continued




514




511




515




512



516




513



517

707

-continued




518

5

10

15

519




20

25

30

520




35

40

45

50

521




55

60


65

708


-continued




522



523




524



525

709




526

710


-continued

529




20

530




527




45

531




528



65

711


-continued




532

712


-continued




535




533



536




534








537

713

-continued


**714**

-continued



715

-continued



544


5

10

15

20

545 25



30


35

40

45

546

50




55

60

65


716

-continued




547

548




549



717

-continued




5

10

15

20

551



30


35

40

45

552

50




55

60

65


718

-continued




553


554



555




556



719


-continued



557

720

-continued




561

5

10

15


558 20



25

30


559 35



40

45


560 50



55


60

65




562

563







564







721

-continued


**722**

-continued



723

-continued

574

20

25

30

575

35

40

45

50

576

55

60

65

724

-continued

577

10

15

578

25

30

579

40

45

50

580


55

60


65

725


-continued




581




582



583




584




585

726


-continued



586




587



588

727

-continued



5


10

15

20

728


-continued



5

590

25




35

40

45

50




55


60

65

593




594



729

-continued



595


5

10

15

20

25




596

30

35

40

45



597

50


55

60


65

730


-continued



598






599





600

731

-continued




**732**

-continued



733

-continued



606

5

10

15

20

607

25

30

35

40

608

45

50


55

60

65

734

-continued




609

610

735


-continued




611

736


-continued




614




612



615




613



616

737

-continued

**738**

-continued

617

5

10

15

20

25

30

35

40

618

45




50

55

60

65




619





620

739

-continued





**740**

-continued






741

-continued


**742**

-continued



743

-continued



633

5

10

15

20

25

30

35

40

634


45

50


55

60


65

**744**

-continued




635



636

745

-continued

**746**

-continued

637

639

5

10

15

20

25

30

35

40

638

640



45

50

55




60

65



747

-continued

**748**

-continued

5

10

15

20

25

642

30

35

40

45

643


50

55


60

65


644



645




646



749


-continued



647

750


-continued



650

25

651




648

30

35

40

45




50

649


55

60

65




652



751

-continued

653



5

10

15

20

654

25

30

35


655

50

55


60

65


**752**

-continued


656




657



658




659



753

-continued



660

5

10

15

20

661

25

30

35

40

45



662

50


55

60


65

**754**

-continued






663





664

755

-continued


**756**

-continued



757

-continued



670

5

10

15

20

25

30

35

40


671 45

50


55

60

65


**758**

-continued




672

673




674



759

-continued

**760**

-continued

675

677

5

10

15

20

25

30

35

40

676

45



50

55

60


65

678



761

-continued



679

5

10

15

20

25

30

35

680 40

45

50


55

60

65

762

-continued




681




682

763

-continued




**764**

-continued



765

-continued

**766**

-continued

687

690

5

10

15

20

688 25

30

35

40

45



689

50

55


60

65



767

-continued

**768**

-continued

692

694

5

10

15

20

25

30

35

693 40

45



50

55

60


65

695



769

-continued



696

5

10

15

20

25

30

35

40

697


45

50


55

60


65

**770**

-continued






698






699




771

-continued

**772**

-continued



773**774**

-continued

706

5

10

15

20

25

707

30

35

40

45

708


50

55


60

65


709



710






711






775

-continued




**776**

-continued



777

-continued

**778**

-continued

718

5

10

15

20

719 25

30

35

40

45

720

50



55

60

65



721

722



779

-continued

**780**

-continued

723

5

10

15

20

25

30

35

40

724

45



50

55

60

65


725



726

781

-continued



727

5

10

15

20

25

30

35

40

728


45

50


55

60


65

**782**

-continued






729






730

783

-continued


**784**

-continued



785

-continued



747

5

10

15

20

25

30

35

40

748


45

50

55



60

65

**786**




-continued

749





787

-continued




**788**

-continued



789

-continued

**790**

-continued

756

5

10

15

20

25

757

30

35

40

45

758

50

55




60

65

759


760

761



791

-continued



762


5

10

15

20

763




25

30

764

35




40

45

765

50




55

60


65

792


-continued




766



767




768



769

793

-continued



5


10

15


20

794

-continued




775




25

30

35




776



40

45


50



55

60


65



777

795

-continued

**796**

-continued

778

780


5

10

15

20

25



781

30

35

40

779

45



782

50

55


60

65



797

-continued

**798**

-continued

783

5

10

15

20

25

30

35

40

784

45


50

55


60

65


785



786




787



799

-continued



788

5

10



15

789

20

25


790 30



35

40

791 45



50


55

60


65

800

-continued





792






793

801

-continued



**802**

-continued






803

-continued

**804**

-continued



799

5

10

15

20

25

30

35

40

800

45

50

55

60

65




801

802



803

805

-continued


**806**

-continued



807

-continued



809

5

10

15

20


25

30


35

40

810

**808**

-continued



811

5

10

15

20

25

30

35

40

810


45

50

55

60


65



812

809

-continued

**810**

-continued

813

815

5

10

15

20

25

30

35

40

814




45

50

55




60

65



811

-continued

**812**

-continued

817

820

5

10

15

20

818 25

30

35

40

45

819

50




55

60

65

821


822



813

-continued

823



5

10


15

20

814

-continued

826



824 25

30

35


40

45

825

50


828



55


60

65



815

-continued



829

5

10

15

20

830

25

30


35

40

45

50

831




55

60


65

816


-continued




832



833




834



835

817



836

5


10

15

818

-continued

840



837

20

25

30


35

838

40

45

50





839

55


60

65





841

842



819

-continued

**820**

-continued

843

5

10

15

20

25

30

35

844 40

45


50

55


60

65


845




846



847







848






821

-continued



**822**

-continued



823

-continued

**824**

-continued

856

5

10

15

20

25

30

35

40

857

45



50

55

60




65

858



825

-continued

**826**

-continued

860

5

10

15

20

25

861

30

35

40

45

862


50

55


60

65


863



864




865








827

-continued


**828**

-continued



829

-continued



872

5


10

15

20

830

-continued



875

25


873

30

35

40

45





50

874

55


60

65




876

877



831

-continued

**832**

-continued

878

880


5

10

15

20

25




881

30

35

40

879 45





882

50

55

60


65



833

-continued

883



5

10

15

20

25

30

35

40

884


45

50

55


60

65


**834**

-continued

885




886



835

-continued

**836**

-continued

887

5

10

15

20

25

30

35

40

888

45


50

55



60

65

889





890



837

-continued

**838**

-continued

891

893

5

10

15

20

25

30

35

40

892

45



50

55

60


65

894



839

-continued

**840**

-continued

895

5

10

15

20

25

30

35

40

896

45


50

55



60

65

897





898



841

-continued

**842**

-continued

899

5

10

15

20

25

30

35

40

900




45

50

55

60

65



901


902

903

843

-continued

904



5

10

15

20

25


30

35

40

45

905



50

55


60

65


844

-continued

906




907



845

-continued



908

5

10

15

20

25

30

35

40

909

45

50


55

60


65

846

-continued



910



909

45


50

55

60

65

911



847

-continued



5

10

15

20

25

913



35

40

45

914

50

55

60

65

848

-continued




915

916



849

-continued



917

5

10

15

20

25

30

35

40

918


45

50


55

60

65


**850**

-continued




919

920




921



851

-continued



922


5

10

15

20

923



25


30

35

40

924

45



50


55

60


65

852


-continued



925




926



927

853

-continued



928

5

10

15

20

25

929

30

35

40

45


50

930


55

60


65

**854**


-continued



931




932







933

855

-continued




**856**

-continued






857

-continued




**858**

-continued






859

-continued


**860**

-continued



861

-continued

**862**

-continued

950

952

5

10

15

20

25

30

35

40

951 45



953

50

55


60

65



863

-continued



954

5

10

15

20

25

30

35

40

955


45

50


55

60


65

**864**

-continued




956



957

-continued



5

10

15

20

25

30

35

40

959

45


50

55

60


65

-continued




960

961




962



867

-continued

963



5


10

15

20

964

25




30

35

40

965

45



50

55


60

65


868

-continued

966




967



869

-continued

968



5

10

15

20


25

30

35

40

969



45

50

55


60

65


870

-continued

970





971



871



-continued

972

**872**

-continued

974



3. An organic optoelectronic diode comprising:
an anode and a cathode facing each other; and
at least one organic layer disposed between the anode and
the cathode,
wherein the organic layer comprises the compound of
claim 1.

4. The organic optoelectronic diode of claim 3, wherein
the organic layer comprises an electron transfer layer, a
charge generation layer, a hole blocking layer or a combi-
nation thereof, and the electron transfer layer, the charge
generation layer or the hole blocking layer comprises the
compound.

5. A display device comprising the organic optoelectronic
diode of claim 3.

* * * * *