



US0D1093434S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,093,434 S**
Cusiné Barber (45) **Date of Patent:** **** Sep. 16, 2025**

(54) **AGRICULTURAL MACHINE PARTS**

(71) Applicant: **ARCUSIN, S. A.**, Vila-Sana (ES)

(72) Inventor: **Manuel Cusiné Barber**, Vila-Sana (ES)

(73) Assignee: **ARCUSIN, S. A.**, Vila-Sana (ES)

(**) Term: **15 Years**

(21) Appl. No.: **29/983,949**

(22) Filed: **Jan. 13, 2025**

Related U.S. Application Data

(62) Division of application No. 35/519,779, filed on Sep. 25, 2023 (U.S. filing date under 35 U.S.C. 384), and having an international filing date of Sep. 25, 2023, now Pat. No. Des. 1,074,758.

(51) **LOC (15) Cl.** **15-03**

(52) **U.S. Cl.**
USPC **D15/10**; D15/27; D15/28

(58) **Field of Classification Search**

USPC D15/10–33, 27
CPC .. A01D 87/12; A01D 2085/007; A01D 27/12;
A01D 85/002; A01D 85/005; A01D
89/00; A01D 89/002; A01D 89/001;
A01D 89/006; B65B 27/12; A01F 15/00;
A01F 15/046; A01F 15/16; A01F 15/044;
A01F 15/085; A01F 15/10; A01F
15/0875; A01F 15/02; A01F 15/101;
A01F 15/0841; A01F 15/14; A01F
15/145; A01F 15/08; A01F 15/042

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,894,484 A 7/1975 Anstey
3,913,473 A 10/1975 Meiers

4,023,690 A 5/1977 Goode
D268,678 S 4/1983 Swenson
4,401,022 A 8/1983 Vissers
D298,329 S 11/1988 Todd
5,231,828 A 8/1993 Swearingen
D412,507 S 8/1999 Underhill
D450,062 S 11/2001 Spiers
7,275,904 B2 * 10/2007 Kuhns A01D 85/005
414/24.5
7,322,173 B2 1/2008 Desnoyers
7,478,591 B2 * 1/2009 Kendrick A01F 15/12
242/129
D600,253 S 9/2009 Jacobs
7,975,607 B2 * 7/2011 Hoover B30B 9/3025
100/191
D647,541 S 10/2011 Simmons

(Continued)

Primary Examiner — Mark A Goodwin

(74) *Attorney, Agent, or Firm* — ICE MILLER LLP;
Safet Metjahic


(57) **CLAIM**

The ornamental design for agricultural machine parts as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the agricultural machine parts showing the new design with the rear chamber closed; FIG. 2 is a side view thereof; FIG. 3 is another side view thereof; FIG. 4 is a front view thereof; FIG. 5 is a rear view thereof; FIG. 6 is a rear perspective view thereof; FIG. 7 is another rear perspective view thereof with the rear chamber opened; FIG. 8 is a top view thereof with the rear chamber closed; and, FIG. 9 is another rear perspective view thereof.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

8,122,822	B1 *	2/2012	Horst		A01D 85/002
					100/188 R
D702,263	S	4/2014	Jacobsthal		
D829,243	S	9/2018	Li		
D836,679	S	12/2018	Zabe		
D843,420	S	3/2019	Zabe		
D847,867	S	5/2019	Zabe		
D860,265	S	9/2019	Zabe		
D879,157	S	3/2020	Zabe		
D890,222	S	7/2020	Lefort		
D920,387	S	5/2021	Bentley		
11,317,567	B2	5/2022	Olander		
11,576,307	B2	2/2023	Olander		
2007/0033905	A1	2/2007	Desnoyers		
2015/0379785	A1	12/2015	Brown, Jr.		
2017/0181378	A1	6/2017	Brown, Jr.		
2020/0214222	A1	7/2020	Olander		
2024/0023489	A1	1/2024	Quast		
2024/0057525	A1	2/2024	Hall		
2024/0315170	A1	9/2024	Leenknecht		
2024/0321085	A1	9/2024	Garrett		

* cited by examiner




Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9