



US0D1092263S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,092,263 S**
Chen et al. (45) **Date of Patent:** **** Sep. 9, 2025**

(54) **TEMPERATURE CLAMP**

(56) **References Cited**

(71) Applicant: **Jiangsu Jingchuang Electronics Co., Ltd**, Xuzhou (CN)

U.S. PATENT DOCUMENTS

(72) Inventors: **Hao Chen**, Jiangsu (CN); **Yan Cheng**, Jiangsu (CN); **Weilong Li**, Jiangsu (CN); **Caiyun Fu**, Jiangsu (CN)

3,984,798 A * 10/1976 Bussen G01R 1/22
29/745
4,316,142 A * 2/1982 Kuramoto G01R 1/02
336/176
D410,896 S * 6/1999 Yotsutani D13/147
7,185,547 B2 * 3/2007 Baumoel G01F 1/662
73/861.27
D678,790 S * 3/2013 Worones D10/79
D739,280 S * 9/2015 Petrucelli D10/52
10,775,409 B2 * 9/2020 Worones G01R 15/12
11,754,655 B2 * 9/2023 Braginsky G01R 1/22
324/130

(**) Term: **15 Years**

(21) Appl. No.: **35/523,829**

(22) Filed: **Nov. 28, 2024**

(80) **Hague Agreement Data**

Int. Filing Date: **Nov. 28, 2024**

Int. Reg. No.: **DM/242632**

Int. Reg. Date: **Nov. 28, 2024**

Int. Reg. Pub. Date: **Jan. 31, 2025**

(30) **Foreign Application Priority Data**

Aug. 2, 2024 (CN) 202430488309.4

(51) **LOC (15) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/78; D10/52; D10/57; D10/79**

(58) **Field of Classification Search**

USPC D10/52, 57, 73, 78, 79
CPC ... G01R 1/22; G01R 1/24; G01R 1/26; G01R 1/28; G01R 1/30; G01R 1/36; G01R 1/38; G01R 1/40; G01R 1/42; G01R 1/44; G01R 15/00; G01R 15/04; G01R 19/0069; G01R 19/0076; G01R 19/165; G01R 29/0864; G01R 31/083; G01R 31/085; G01R 31/58

See application file for complete search history.

* cited by examiner

Primary Examiner — Antoine Duval Davis

(57) **CLAIM**

The ornamental design for temperature clamp as shown and described.

DESCRIPTION

1. Temperature clamp

1.1 : Front

1.2 : Back

1.3 : Left

1.4 : Right


1.5 : Top


1.6 : Bottom

1.7 : Perspective


Fig.1.1 is a front view of a temperature clamp embodying our new design; Fig.1.2 is a back view thereof; Fig.1.3 is a left view thereof; Fig.1.4 is a right view thereof; Fig.1.5 is a top view thereof; Fig.1.6 is a bottom view thereof; Fig.1.7 is a perspective view thereof; the design is used to measure the temperature of the clamped object and the key point of the design lies in the shape.

1 Claim, 7 Drawing Sheets






1.1




1.2


1.3




1.4



1.5



1.6



1.7

