



US0D1092574S

(12) **United States Design Patent** (10) **Patent No.: US D1,092,574 S**
Garner (45) **Date of Patent: ** Sep. 9, 2025**

(54) **REFRIGERATOR FOR WINE**

(56) **References Cited**

(71) Applicant: **CHILLER CONCEPT**, Suresnes (FR)

U.S. PATENT DOCUMENTS

(72) Inventor: **Pierre Garner**, Paris (FR)

D478,601 S * 8/2003 Becke F25D 25/02

D594,483 S * 6/2009 Cefalu D15/89

(**) Term: **15 Years**

(Continued)

(21) Appl. No.: **35/521,667**

Primary Examiner — Khawaja Anwar

(22) Filed: **Apr. 3, 2024**

(57) **CLAIM**

The ornamental design for a refrigerator for wine as shown and described.

(80) **Hague Agreement Data**

Int. Filing Date: **Apr. 3, 2024**

Int. Reg. No.: **DM/238399**

Int. Reg. Date: **Apr. 3, 2024**

Int. Reg. Pub. Date: **Jul. 19, 2024**

DESCRIPTION

(51) **LOC (15) Cl.** **15-07**

(52) **U.S. Cl.**

USPC **D15/81**

(58) **Field of Classification Search**

USPC D15/79–91

CPC F25D 23/028; F25D 29/00; F25D 17/065;

F25D 23/02; F25D 11/02; F25D 23/126;

F25D 25/025; F25D 23/04; F25D 29/005;

F25D 25/02; F25D 2201/14; F25D 23/12;

F25D 17/045; F25D 2400/04; F25D

2400/06; F25D 2323/021; F25D 2700/12;

F25D 2700/02; F25D 23/062; F25D

11/00; F25D 2400/361; F25D 21/14;

F25D 2323/024; F25D 27/00; F25D

17/042; F25D 2331/803; F25D 23/067;

F25D 2317/061; F25D 23/025; F25D

3/08; F25D 11/022; F25D 2500/02; F25D

17/062; F25D 2400/36; F25D 21/04;

F25D 23/065; F25D 2400/40; F25D

23/066; F25D 2317/067; F25D 23/087;

F25D 3/04; F25D 23/00; F25D 2323/023;

F25D 23/006; F25D 23/085; F25D

23/003; F25D 31/007; F25D 21/08; F25D

23/069; F25D 23/021; F25D

(Continued)

1. Refrigerator for wine

Representation 1.1 is a perspective view that shows the refrigerator incorporated into a lager structure, with the front of the structure closed.

Representation 1.2 is a another perspective view from a different angle that shows the refrigerator incorporated into a lager structure, with the front of the structure closed.

Representation 1.3 is a perspective view from the same angle as FIG. 1.1 that shows the refrigerator incorporated into a lager structure, with part of the front of the structure open to show the front of the refrigerator.

Representation 1.4 is a another perspective view from a different angle that shows the refrigerator incorporated into a lager structure, with part of the front of the structure open to show the front of the refrigerator.


Representation 1.5 is a perspective view from the same angle as Representation 1.1 that shows the refrigerator alone entirely in solid lines.

FIG. 1.6 a perspective view from the same angle as Representation 1.2 that shows the refrigerator alone entirely in solid lines

The broken lines appearing in Representations 1.1-1.4 depict environmental structure and form no part of the claimed design.

The design represents a rectangular machine, with two cavities, two buttons on the upper part and a cover for

(Continued)



closing the machine; the lower part is equipped with a grille revealing the interior of the machine.

1 Claim, 6 Drawing Sheets

(58) Field of Classification Search

CPC .. 25/024; F25D 19/006; F25D 2400/02; F25D 27/005; F25D 17/06; F25D 25/04; F25D 2500/06; F25D 2400/18; F25D 2700/122; F25D 2700/06; F25D 23/063; F25D 2317/0682; F25D 23/10; F25D 23/06; F25D 2323/122; F25D 17/067; F25D 17/02; F25D 3/06; F25D 2331/805; F25D 2325/021; F25D 2700/04; F25D 2317/062; F25D 23/064; F25D 2323/121; F25D 19/00; F25D 2400/10; F25D 23/061; F25D 11/003; F25D 29/008; F25D 2325/022; F25D 25/00; F25D 2700/14; F25D 23/082; F25D 31/005; F25D 2317/0665; F25D 2331/809; F25D 17/04; F25D 31/002; F25D 2700/121; F25D 2331/804; F25D 25/005; F25D 17/08; F25D 2400/30; F25D 2400/28; F25D 25/021; F25D 2317/0681; F25D 29/003; F25D 2325/023; F25D 2317/0666; F25D 2317/063; F25D 2317/0683; F25D 11/025; F25D 2400/16; F25D 2600/02; F25D 25/027; F25D 21/006; F25D 21/002; F25D 2700/08; F25D 16/00; F25D 2201/10; F25D 11/006; F25D 2700/16; F25D 19/02; F25D 21/02; F25D 2317/0672; F25D 2317/0653; F25D 2201/126; F25D 2303/081; F25D 2700/123; F25D 29/006; F25D 21/008; F25D 2700/10; F25D 2323/02; F25D 2201/12; F25D 2400/12; F25D 17/047; F25D 2600/06; F25D 11/027; F25D 2317/0661; F25D 2400/38; F25D 31/006; F25D 15/00; F25D 2400/08; F25D 2321/146; F25D 2317/04131; F25D 23/068; F25D 2303/0831; F25D 2303/0843; F25D 2317/0651; F25D 2327/001; F25D 2317/0664; F25D 25/022; F25D 2317/0417; F25D 2317/043; F25D 2317/0655; F25D 2321/1441; F25D 2600/04; F25D 21/06; F25D 3/02; F25D

31/00; F25D 2303/082; F25D 7/00; F25D 23/026; F25D 25/028; F25D 2700/00; F25D 21/12; F25D 2317/0671; F25D 2303/08222; F25D 3/00; F25D 11/04; F25D 2317/041; F25D 2317/0415; F25D 3/10; F25D 2303/0845; F25D 2331/806; F25D 2331/808; F25D 2303/0822; F25D 2323/0011; F25D 2500/04; F25D 2317/0413; F25D 2303/085; F25D 3/12; F25D 3/125; F25D 2400/22; F25D 2331/81; F25D 2323/00264; F25D 23/08; F25D 2331/801; F25D 2303/0841; F25D 2317/0654; F25D 13/00; F25D 3/045; F25D 2323/022; F25D 29/001; F25D 21/004; F25D 2400/32; F25D 2600/00; F25D 19/04; F25D 19/003; F25D 23/023; F25D 3/11; F25D 31/003; F25D 17/005; F25D 2303/0844; F25D 2201/122; F25D 2317/0411; F25D 2323/00261; F25D 2331/807; F25D 3/122; F25D 2321/1412; F25D 2323/0021; F25D 3/107; F25D 13/02; F25D 2323/00274; F25D 2400/14; F25D 5/02; F25D 1/00; F25D 1/02; F25D 2201/1262; F25D 23/123; F25D 2323/00271; F25D 13/04; F25D 2300/00; F25D 2321/1442; F25D 2201/124; F25D 2317/0416; F25D 2321/1411; F25D 2303/08221; F25D 2321/143; F25D 2331/812; F25D 2331/802; F25D 13/06; F25D 2400/20; F25D 3/105; F25D 2400/26; F25D 13/067; F25D 3/005; F25D 2321/1413; F25D 2323/00272; F25D 21/125; F25D 2321/142; F25D 3/14; F25D 2201/30; F25D 17/00; F25D 2317/068; F25D 2201/1282; F25D 2303/0842; F25D 2317/04111; F25D 2303/0832; F25D 2323/061; F25D 5/00

See application file for complete search history.


(56)

References Cited


U.S. PATENT DOCUMENTS

D604,340	S	*	11/2009	Kim		D15/81
D994,262	S	*	8/2023	Yang		D15/79
D994,437	S	*	8/2023	Park		D15/79
D1,051,956	S	*	11/2024	Bruder		D15/81

* cited by examiner



1.1



1.2

