



US012404856B2

(12) **United States Patent**
Rodriguez et al.

(10) **Patent No.:** **US 12,404,856 B2**
(45) **Date of Patent:** ***Sep. 2, 2025**

(54) **COVER FOR FLUID SYSTEMS AND RELATED METHODS**

(71) Applicant: **BJ Energy Solutions, LLC**, Houston, TX (US)

(72) Inventors: **Guillermo Rodriguez**, Houston, TX (US); **Heber Martinez**, Houston, TX (US); **Ricardo Rodriguez-Ramon**, Houston, TX (US); **Tony Yeung**, Houston, TX (US)

(73) Assignee: **BJ Energy Solutions, LLC**, The Woodlands, TX (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.
This patent is subject to a terminal disclaimer.

(21) Appl. No.: **18/307,138**

(22) Filed: **Apr. 26, 2023**

(65) **Prior Publication Data**

US 2023/0258174 A1 Aug. 17, 2023

Related U.S. Application Data

(63) Continuation of application No. 17/383,517, filed on Jul. 23, 2021, now Pat. No. 11,635,074, which is a (Continued)

(51) **Int. Cl.**
F04B 53/16 (2006.01)
E21B 43/26 (2006.01)
F16J 15/02 (2006.01)

(52) **U.S. Cl.**
CPC **F04B 53/16** (2013.01); **E21B 43/26** (2013.01); **F16J 15/021** (2013.01)

(58) **Field of Classification Search**
CPC . F04B 53/16; F04B 47/02; E21B 43/26; F16J 15/00; F16J 15/02; F16J 15/021; F16L 55/11; F16L 55/1108

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,716,049 A 6/1929 Greve
1,726,633 A 9/1929 Smith
(Continued)

FOREIGN PATENT DOCUMENTS

AU 9609498 7/1999
AU 737970 9/2001
(Continued)

OTHER PUBLICATIONS

de Gevigney et al., "Analysis of no-load dependent power losses in a planetary gear train by using thermal network method", International Gear Conference 2014: Aug. 26-28, 2014, Lyon, pp. 615-624.
(Continued)


Primary Examiner — Philip E Stimpert

(74) *Attorney, Agent, or Firm* — Norton Rose Fulbright US LLP

(57) **ABSTRACT**

Embodiments of a high-pressure, high power, reciprocating positive displacement fluid pumping system and methods are included. The system may include a high-pressure, high power, reciprocating positive displacement pump including a pump plunger, a fluid end block assembly, and a fluid cover. The fluid end block assembly may include a fluid end block body, a suction port, a discharge port, a pump bore positioned in and extending through the fluid end block body, and a fluid chamber positioned in the fluid end block body and in fluid communication with each of the suction port, the discharge port, and the pump bore. The fluid chamber has an open end portion, and the pump plunger may be positioned to move in the pump bore to pressurize one or more fluids in the fluid chamber. The fluid cover includes a monolithic body having a first portion and a second portion, the first portion being received in the open end portion and sealably engaged with the fluid end block body, the second

(Continued)



portion being mechanically connected to the fluid end block body.

20 Claims, 12 Drawing Sheets

Related U.S. Application Data

continuation of application No. 15/929,652, filed on May 14, 2020, now Pat. No. 11,708,829.

- (60) Provisional application No. 62/704,476, filed on May 12, 2020, provisional application No. 62/704,462, filed on May 12, 2020.

(58) Field of Classification Search

USPC 220/315, 327
See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

2,178,662 A 11/1939 Lars
2,427,638 A 9/1947 Vilter
2,498,229 A 2/1950 Adler
2,535,703 A 12/1950 Smith et al.
2,572,711 A 10/1951 Fischer
2,820,341 A 1/1958 Amann
2,868,004 A 1/1959 Runde
2,940,377 A 6/1960 Darnell et al.
2,947,141 A 8/1960 Russ
2,956,738 A 10/1960 Rosenschold
3,068,796 A 12/1962 Pfluger et al.
3,191,517 A 6/1965 Solzman
3,257,031 A 6/1966 Dietz
3,274,768 A 9/1966 Klein
3,378,074 A 4/1968 Kiel
3,382,671 A 5/1968 Ehni, III
3,401,873 A 9/1968 Privon
3,463,612 A 8/1969 Whitsel
3,496,880 A 2/1970 Wolff
3,550,696 A 12/1970 Kenneday
3,560,053 A 2/1971 Ortloff
3,586,459 A 6/1971 Zerlauth
3,632,222 A 1/1972 Cronstedt
3,656,582 A 4/1972 Alcock
3,667,868 A 6/1972 Brunner
3,692,434 A 9/1972 Schnear
3,739,872 A 6/1973 McNair
3,757,581 A 9/1973 Mankin
3,759,063 A 9/1973 Bendall
3,765,173 A 10/1973 Harris
3,771,916 A 11/1973 Flanigan et al.
3,773,438 A 11/1973 Hall et al.
3,781,135 A 12/1973 Nickell
3,786,835 A 1/1974 Finger
3,791,682 A 2/1974 Mitchell
3,796,045 A 3/1974 Foster
3,814,549 A 6/1974 Cronstedt
3,820,922 A 6/1974 Buse et al.
3,847,511 A 11/1974 Cole
3,866,108 A 2/1975 Yannone
3,875,380 A 4/1975 Rankin
3,963,372 A 6/1976 McLain et al.
4,010,613 A 3/1977 McInerney
4,019,477 A 4/1977 Overton
4,031,407 A 6/1977 Reed
4,050,862 A 9/1977 Buse
4,059,045 A 11/1977 McClain
4,086,976 A 5/1978 Holm et al.
4,117,342 A 9/1978 Melley, Jr.
4,173,121 A 11/1979 Yu
4,204,808 A 5/1980 Reese et al.
4,209,079 A 6/1980 Marchal et al.
4,209,979 A 7/1980 Woodhouse et al.

4,222,229 A 9/1980 Uram
4,239,396 A 12/1980 Arribau et al.
4,269,569 A 5/1981 Hoover
4,311,395 A 1/1982 Douthitt et al.
4,330,237 A 5/1982 Battah
4,341,508 A 7/1982 Rambin, Jr.
4,357,027 A 11/1982 Zeitlow
4,383,478 A 5/1983 Jones
4,402,504 A 9/1983 Christian
4,430,047 A 2/1984 Ilg
4,442,665 A 4/1984 Fick
4,457,325 A 7/1984 Green
4,470,771 A 9/1984 Hall et al.
4,483,684 A 11/1984 Black
4,505,650 A 3/1985 Hannett et al.
4,574,880 A 3/1986 Handke
4,584,654 A 4/1986 Crane
4,620,330 A 11/1986 Izzi, Sr.
4,672,813 A 6/1987 David
4,754,607 A 7/1988 Mackay
4,782,244 A 11/1988 Wakimoto
4,796,777 A 1/1989 Keller
4,869,209 A 9/1989 Young
4,913,625 A 4/1990 Gerlowski
4,983,259 A 1/1991 Duncan
4,990,058 A 2/1991 Eslinger
5,032,065 A 7/1991 Yamamuro
5,135,361 A 8/1992 Dion
5,167,493 A 12/1992 Kobari
5,245,970 A 9/1993 Waszkiewicz et al.
5,291,842 A * 3/1994 Sallstrom F16J 15/062
111/127
5,326,231 A 7/1994 Pandeya
5,362,219 A 11/1994 Paul et al.
5,511,956 A 4/1996 Hasegawa
5,537,813 A 7/1996 Davis et al.
5,553,514 A 9/1996 Walkowc
5,560,195 A 10/1996 Anderson et al.
5,586,444 A 12/1996 Fung
5,622,245 A 4/1997 Reik
5,626,103 A 5/1997 Haws et al.
5,634,777 A 6/1997 Albertin
5,651,400 A 7/1997 Corts et al.
5,678,460 A 10/1997 Nalkowc
5,717,172 A 2/1998 Griffin, Jr. et al.
5,720,598 A 2/1998 de Chizzelle
5,761,084 A 6/1998 Edwards
5,811,676 A 9/1998 Spalding et al.
5,839,888 A 11/1998 Harrison
5,846,062 A 12/1998 Yanagisawa et al.
5,875,744 A 3/1999 Vallejos
5,983,962 A 11/1999 Gerardot
5,992,944 A 11/1999 Hara
6,041,856 A 3/2000 Thrasher et al.
6,050,080 A 4/2000 Horner
6,067,962 A 5/2000 Bartley et al.
6,071,188 A 6/2000 O'Neill et al.
6,074,170 A 6/2000 Bert et al.
6,123,751 A 9/2000 Nelson et al.
6,129,335 A 10/2000 Yokogi
6,145,318 A 11/2000 Kaplan et al.
6,230,481 B1 5/2001 Jahr
6,279,309 B1 8/2001 Lawlor, II et al.
6,321,860 B1 11/2001 Reddoch
6,334,746 B1 1/2002 Nguyen et al.
6,401,472 B2 6/2002 Pollrich
6,530,224 B1 3/2003 Conchieri
6,543,395 B2 4/2003 Green
6,655,922 B1 12/2003 Flek
6,669,453 B1 12/2003 Breeden
6,765,304 B2 7/2004 Baten et al.
6,786,051 B2 9/2004 Kristich et al.
6,832,900 B2 12/2004 Leu
6,851,514 B2 2/2005 Han et al.
6,859,740 B2 2/2005 Stephenson et al.
6,901,735 B2 6/2005 Lohn
6,962,057 B2 11/2005 Kurokawa et al.
7,007,966 B2 3/2006 Campion
7,047,747 B2 5/2006 Tanaka

(56)

References Cited

U.S. PATENT DOCUMENTS

7,065,953 B1	6/2006	Kopko	9,121,257 B2	9/2015	Coli et al.
7,143,016 B1	11/2006	Discenzo et al.	9,140,110 B2	9/2015	Coli et al.
7,222,015 B2	5/2007	Davis et al.	9,175,810 B2	11/2015	Hains
7,281,519 B2	10/2007	Schroeder	9,187,982 B2	11/2015	Dehring et al.
7,388,303 B2	6/2008	Seiver	9,206,667 B2	12/2015	Khvoshchev et al.
7,404,294 B2	7/2008	Sundin	9,212,643 B2	12/2015	Deliyski
7,442,239 B2	10/2008	Armstrong et al.	9,222,346 B1	12/2015	Walls
7,524,173 B2	4/2009	Cummins	9,324,049 B2	4/2016	Thomeer et al.
7,545,130 B2	6/2009	Latham	9,341,055 B2	5/2016	Weightman et al.
7,552,903 B2	6/2009	Dunn et al.	9,346,662 B2	5/2016	Van Vliet et al.
7,563,076 B2	7/2009	Brunet et al.	9,366,114 B2	6/2016	Coli et al.
7,563,413 B2	7/2009	Naets et al.	9,376,786 B2	6/2016	Numasawa
7,574,325 B2	8/2009	Dykstra	9,394,829 B2	7/2016	Cabeen et al.
7,581,379 B2	9/2009	Yoshida et al.	9,395,049 B2	7/2016	Vicknair et al.
7,594,424 B2	9/2009	Fazekas	9,401,670 B2	7/2016	Minato et al.
7,614,239 B2	11/2009	Herzog et al.	9,410,410 B2	8/2016	Broussard et al.
7,627,416 B2	12/2009	Batenburg et al.	9,410,546 B2	8/2016	Jaeger et al.
7,677,316 B2	3/2010	Butler et al.	9,429,078 B1	8/2016	Crowe et al.
7,721,521 B2	5/2010	Kunkle et al.	9,435,333 B2	9/2016	McCoy et al.
7,730,711 B2	6/2010	Kunkle et al.	9,488,169 B2	11/2016	Cochran et al.
7,779,961 B2	8/2010	Matte	9,493,997 B2	11/2016	Liu et al.
7,789,452 B2	9/2010	Dempsey et al.	9,512,783 B2	12/2016	Veilleux et al.
7,836,949 B2	11/2010	Dykstra	9,534,473 B2	1/2017	Morris et al.
7,841,394 B2	11/2010	McNeel et al.	9,546,652 B2	1/2017	Yin
7,845,413 B2	12/2010	Shampine et al.	9,550,501 B2	1/2017	Ledbetter
7,861,679 B2	1/2011	Lemke et al.	9,556,721 B2	1/2017	Jang et al.
7,886,702 B2	2/2011	Jerrell et al.	9,562,420 B2	2/2017	Morris et al.
7,900,724 B2	3/2011	Promersberger et al.	9,570,945 B2	2/2017	Fischer
7,921,914 B2	4/2011	Bruins et al.	9,579,980 B2	2/2017	Cryer et al.
7,938,151 B2	5/2011	Höckner	9,587,649 B2	3/2017	Oehring
7,955,056 B2	6/2011	Pettersson	9,593,710 B2	3/2017	Laimboeck et al.
7,980,357 B2	7/2011	Edwards	9,611,728 B2	4/2017	Oehring
8,056,635 B2	11/2011	Shampine et al.	9,617,808 B2	4/2017	Liu et al.
8,083,504 B2	12/2011	Williams et al.	9,638,101 B1	5/2017	Crowe et al.
8,099,942 B2	1/2012	Alexander	9,638,194 B2	5/2017	Wiegman et al.
8,186,334 B2	5/2012	Ooyama	9,650,871 B2	5/2017	Oehring et al.
8,196,555 B2	6/2012	Ikeda et al.	9,656,762 B2	5/2017	Kamath et al.
8,202,354 B2	6/2012	Iijima	9,689,316 B1	6/2017	Crom
8,316,936 B2	11/2012	Roddy et al.	9,695,808 B2	7/2017	Giessbach et al.
8,336,631 B2	12/2012	Shampine et al.	9,739,130 B2	8/2017	Young
8,388,317 B2	3/2013	Sung	9,764,266 B1	9/2017	Carter
8,414,673 B2	4/2013	Raje et al.	9,777,748 B2	10/2017	Lu et al.
8,469,826 B2	6/2013	Brosowske	9,803,467 B2	10/2017	Tang et al.
8,500,215 B2	8/2013	Gastauer	9,803,793 B2	10/2017	Davi et al.
8,506,267 B2	8/2013	Gambier et al.	9,809,308 B2	11/2017	Aguilar et al.
8,575,873 B2	11/2013	Peterson et al.	9,829,002 B2	11/2017	Crom
8,616,005 B1	12/2013	Cousino, Sr. et al.	9,840,897 B2	12/2017	Larson
8,621,873 B2	1/2014	Robertson et al.	9,840,901 B2	12/2017	Oering et al.
8,641,399 B2	2/2014	Mucibabic	9,845,730 B2	12/2017	Betti et al.
8,656,990 B2	2/2014	Kajaria et al.	9,850,422 B2	12/2017	Lestz et al.
8,672,606 B2	3/2014	Glynn et al.	9,856,131 B1	1/2018	Moffitt
8,707,853 B1	4/2014	Dille et al.	9,863,279 B2	1/2018	Laing et al.
8,708,667 B2	4/2014	Collingborn	9,869,305 B1	1/2018	Crowe et al.
8,714,253 B2	5/2014	Sherwood et al.	9,871,406 B1	1/2018	Churnock et al.
8,757,918 B2	6/2014	Ramnarain et al.	9,879,609 B1	1/2018	Crowe et al.
8,763,583 B2	7/2014	Hofbauer et al.	RE46,725 E	2/2018	Case et al.
8,765,304 B2	7/2014	Isozaki et al.	9,893,500 B2	2/2018	Oehring et al.
8,770,329 B2	7/2014	Spitler	9,893,660 B2	2/2018	Peterson et al.
8,784,081 B1	7/2014	Blume	9,897,003 B2	2/2018	Motakef et al.
8,789,601 B2	7/2014	Broussard et al.	9,920,615 B2	3/2018	Zhang et al.
8,794,307 B2	8/2014	Coquilleau et al.	9,945,365 B2	4/2018	Hernandez et al.
8,801,394 B2	8/2014	Anderson	9,964,052 B2	5/2018	Millican et al.
8,851,186 B2	10/2014	Shampine et al.	9,970,278 B2	5/2018	Broussard et al.
8,851,441 B2	10/2014	Acuna et al.	9,981,840 B2	5/2018	Shock
8,894,356 B2	11/2014	Lafontaine et al.	9,995,102 B2	6/2018	Dillie et al.
8,905,056 B2	12/2014	Kendrick	9,995,218 B2	6/2018	Oehring et al.
8,951,019 B2	2/2015	Hains et al.	10,008,880 B2	6/2018	Vicknair et al.
8,973,560 B2	3/2015	Krug	10,008,912 B2	6/2018	Davey et al.
8,997,904 B2	4/2015	Cryer et al.	10,018,096 B2	7/2018	Wallimann et al.
9,011,111 B2	4/2015	Lesko	10,020,711 B2	7/2018	Oehring et al.
9,016,383 B2	4/2015	Shampine et al.	10,024,123 B2	7/2018	Steffenhagen et al.
9,032,620 B2	5/2015	Frassinelli et al.	10,029,289 B2	7/2018	Wendorski et al.
9,057,247 B2	6/2015	Kumar et al.	10,030,579 B2	7/2018	Austin et al.
9,097,249 B2	8/2015	Petersen	10,036,238 B2	7/2018	Oehring
9,103,193 B2	8/2015	Coli et al.	10,040,541 B2	8/2018	Wilson et al.
			10,060,293 B2	8/2018	Del Bono
			10,060,349 B2	8/2018	Alvarez et al.
			10,077,933 B2	9/2018	Nelson et al.
			10,082,137 B2	9/2018	Graham et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

10,094,366 B2	10/2018	Marica	10,954,855 B1	3/2021	Ji et al.
10,100,827 B2	10/2018	Devan et al.	10,961,614 B1	3/2021	Yeung et al.
10,107,084 B2	10/2018	Coli et al.	10,961,908 B1	3/2021	Yeung et al.
10,107,085 B2	10/2018	Coli et al.	10,961,912 B1	3/2021	Yeung et al.
10,114,061 B2	10/2018	Frampton et al.	10,961,914 B1	3/2021	Yeung et al.
10,119,381 B2	11/2018	Oehring et al.	10,961,993 B1	3/2021	Ji et al.
10,125,750 B2	11/2018	Pfaff	10,961,995 B2	3/2021	Mayorca
10,134,257 B2	11/2018	Zhang et al.	10,968,837 B1	4/2021	Yeung et al.
10,138,098 B2	11/2018	Sorensen et al.	10,982,523 B1	4/2021	Hill et al.
10,151,244 B2	12/2018	Giancotti et al.	10,989,019 B2	4/2021	Cai et al.
10,161,423 B2	12/2018	Rampen	10,989,180 B2	4/2021	Yeung et al.
10,174,599 B2	1/2019	Shampine et al.	10,995,564 B2	5/2021	Miller et al.
10,184,397 B2	1/2019	Austin et al.	11,002,189 B2	5/2021	Yeung et al.
10,196,258 B2	2/2019	Kalala et al.	11,008,950 B2	5/2021	Ethier et al.
10,221,856 B2	3/2019	Hernandez et al.	11,015,423 B1	5/2021	Yeung et al.
10,227,854 B2	3/2019	Glass	11,015,536 B2	5/2021	Yeung et al.
10,227,855 B2	3/2019	Coli et al.	11,015,594 B2	5/2021	Yeung et al.
10,246,984 B2	4/2019	Payne et al.	11,022,526 B1	6/2021	Yeung et al.
10,247,182 B2	4/2019	Zhang et al.	11,028,677 B1	6/2021	Yeung et al.
10,254,732 B2	4/2019	Oehring et al.	11,035,213 B2	6/2021	Dusterhoft et al.
10,267,439 B2	4/2019	Pryce et al.	11,035,214 B2	6/2021	Cui et al.
10,280,724 B2	5/2019	Hinderliter	11,047,379 B1	6/2021	Li et al.
10,287,943 B1	5/2019	Schiltz	11,053,853 B2	7/2021	Li et al.
10,288,519 B2	5/2019	De La Cruz	11,060,455 B1	7/2021	Yeung et al.
10,303,190 B2	5/2019	Shock	11,066,915 B1	7/2021	Yeung et al.
10,305,350 B2	5/2019	Johnson et al.	11,068,455 B2	7/2021	Shabi et al.
10,316,832 B2	6/2019	Byrne	11,085,281 B1	8/2021	Yeung et al.
10,317,875 B2	6/2019	Pandurangan	11,085,282 B2	8/2021	Mazrooe et al.
10,337,402 B2	7/2019	Austin et al.	11,092,152 B2	8/2021	Yeung et al.
10,358,035 B2	7/2019	Cryer	11,098,651 B1	8/2021	Yeung et al.
10,371,012 B2	8/2019	Davis et al.	11,105,250 B1	8/2021	Zhang et al.
10,374,485 B2	8/2019	Morris et al.	11,105,266 B2	8/2021	Zhou et al.
10,378,326 B2	8/2019	Morris et al.	11,109,508 B1	8/2021	Yeung et al.
10,393,108 B2	8/2019	Chong et al.	11,111,768 B1	9/2021	Yeung et al.
10,407,990 B2	9/2019	Oehring et al.	11,125,066 B1	9/2021	Yeung et al.
10,408,031 B2	9/2019	Oehring et al.	11,125,156 B2	9/2021	Zhang et al.
10,415,348 B2	9/2019	Zhang et al.	11,129,295 B1	9/2021	Yeung et al.
10,415,557 B1	9/2019	Crowe et al.	11,143,000 B2	10/2021	Li et al.
10,415,562 B2	9/2019	Kajita et al.	11,143,005 B2	10/2021	Dusterhoft et al.
RE47,695 E	11/2019	Case et al.	11,143,006 B1	10/2021	Zhang et al.
10,465,689 B2	11/2019	Crom	11,149,533 B1	10/2021	Yeung et al.
10,478,753 B1	11/2019	Elms et al.	11,149,726 B1	10/2021	Yeung et al.
10,526,882 B2	1/2020	Oehring et al.	11,156,159 B1	10/2021	Yeung et al.
10,563,649 B2	2/2020	Zhang et al.	11,168,681 B2	11/2021	Boguski
10,577,910 B2	3/2020	Stephenson	11,174,716 B1	11/2021	Yeung et al.
10,584,645 B2	3/2020	Nakagawa et al.	11,193,360 B1	12/2021	Yeung et al.
10,590,867 B2	3/2020	Thomassin et al.	11,193,361 B1	12/2021	Yeung et al.
10,598,258 B2	3/2020	Oehring et al.	11,205,880 B1	12/2021	Yeung et al.
10,610,842 B2	4/2020	Chong	11,205,881 B2	12/2021	Yeung et al.
10,662,749 B1	5/2020	Hill et al.	11,208,879 B1	12/2021	Yeung et al.
10,711,787 B1	7/2020	Darley	11,208,953 B1	12/2021	Yeung et al.
10,738,580 B1	8/2020	Fischer et al.	11,220,895 B1	1/2022	Yeung et al.
10,753,153 B1	8/2020	Fischer et al.	11,236,739 B2	2/2022	Yeung et al.
10,753,165 B1	8/2020	Fischer et al.	11,242,737 B2	2/2022	Zhang et al.
10,760,556 B1	9/2020	Crom et al.	11,243,509 B2	2/2022	Cai et al.
10,794,165 B2	10/2020	Fischer et al.	11,251,650 B1	2/2022	Liu et al.
10,794,166 B2	10/2020	Reckels et al.	11,261,717 B2	3/2022	Yeung et al.
10,801,311 B1	10/2020	Cui et al.	11,268,346 B2	3/2022	Yeung et al.
10,815,764 B1	10/2020	Yeung et al.	11,280,266 B2	3/2022	Yeung et al.
10,815,978 B2	10/2020	Glass	11,306,835 B1	4/2022	Dille et al.
10,830,032 B1	11/2020	Zhang et al.	RE49,083 E	5/2022	Case et al.
10,830,225 B2	11/2020	Repaci	11,339,638 B1	5/2022	Yeung et al.
10,859,203 B1	12/2020	Cui et al.	11,346,200 B2	5/2022	Cai et al.
10,864,487 B1	12/2020	Han et al.	11,373,058 B2	6/2022	Jaaskelainen et al.
10,865,624 B1	12/2020	Cui et al.	RE49,140 E	7/2022	Case et al.
10,865,631 B1	12/2020	Zhang et al.	11,377,943 B2	7/2022	Kriebel et al.
10,870,093 B1	12/2020	Zhong et al.	RE49,155 E	8/2022	Case et al.
10,871,045 B2	12/2020	Fischer et al.	RE49,156 E	8/2022	Case et al.
10,892,596 B2	1/2021	Enya et al.	11,401,927 B2	8/2022	Li et al.
10,895,202 B1	1/2021	Yeung et al.	11,428,165 B2	8/2022	Yeung et al.
10,900,475 B2	1/2021	Weightman et al.	11,441,483 B2	9/2022	Li et al.
10,907,459 B1	2/2021	Yeung et al.	11,448,122 B2	9/2022	Feng et al.
10,927,774 B2	2/2021	Cai et al.	11,466,680 B2	10/2022	Yeung et al.
10,927,802 B2	2/2021	Oehring	11,480,040 B2	10/2022	Han et al.
10,954,770 B1	3/2021	Yeung et al.	11,492,887 B2	11/2022	Cui et al.
			11,499,405 B2	11/2022	Zhang et al.
			11,506,039 B2	11/2022	Zhang et al.
			11,512,570 B2	11/2022	Yeung
			11,519,395 B2	12/2022	Zhang et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

11,519,405 B2	12/2022	Deng et al.	2010/0071899 A1	3/2010	Coquilleau et al.
11,530,602 B2	12/2022	Yeung et al.	2010/0218508 A1	9/2010	Brown et al.
11,549,349 B2	1/2023	Wang et al.	2010/0300683 A1	12/2010	Looper et al.
11,555,390 B2	1/2023	Cui et al.	2010/0310384 A1	12/2010	Stephenson et al.
11,555,756 B2	1/2023	Yeung et al.	2011/0041681 A1	2/2011	Duerr
11,557,887 B2	1/2023	Ji et al.	2011/0052423 A1	3/2011	Gambier et al.
11,560,779 B2	1/2023	Mao et al.	2011/0054704 A1	3/2011	Karpman et al.
11,560,845 B2	1/2023	Yeung et al.	2011/0085924 A1	4/2011	Shampine et al.
11,572,775 B2	2/2023	Mao et al.	2011/0146244 A1	6/2011	Farman et al.
11,575,249 B2	2/2023	Ji et al.	2011/0146246 A1	6/2011	Farman et al.
11,592,020 B2	2/2023	Chang et al.	2011/0173991 A1	7/2011	Dean
11,596,047 B2	2/2023	Liu et al.	2011/0197988 A1	8/2011	Van Vliet et al.
11,598,263 B2	3/2023	Yeung et al.	2011/0241888 A1	10/2011	Lu et al.
11,603,797 B2	3/2023	Zhang et al.	2011/0265443 A1	11/2011	Ansari
11,607,982 B2	3/2023	Tian et al.	2011/0272158 A1	11/2011	Neal
11,608,726 B2	3/2023	Zhang et al.	2012/0023973 A1	2/2012	Mayorca
11,624,326 B2	4/2023	Yeung et al.	2012/0048242 A1	3/2012	Sumilla et al.
11,629,583 B2	4/2023	Yeung et al.	2012/0085541 A1	4/2012	Love et al.
11,629,589 B2	4/2023	Lin et al.	2012/0137699 A1	6/2012	Montagne et al.
11,649,766 B1	5/2023	Yeung et al.	2012/0179444 A1	7/2012	Ganguly et al.
11,662,384 B2	5/2023	Liu et al.	2012/0192542 A1	8/2012	Chillar et al.
11,668,173 B2	6/2023	Zhang et al.	2012/0199001 A1	8/2012	Chillar et al.
11,668,289 B2	6/2023	Chang et al.	2012/0204627 A1	8/2012	Anderl et al.
11,677,238 B2	6/2023	Liu et al.	2012/0255734 A1	10/2012	Coli et al.
2002/0126922 A1	9/2002	Cheng et al.	2012/0310509 A1	12/2012	Pardo et al.
2002/0197176 A1	12/2002	Kondo	2012/0324903 A1	12/2012	Dewis et al.
2003/0031568 A1	2/2003	Stiefel	2013/0068307 A1	3/2013	Hains et al.
2003/0061819 A1	4/2003	Kuroki et al.	2013/0087045 A1	4/2013	Sullivan et al.
2003/0161212 A1	8/2003	Neal et al.	2013/0087945 A1	4/2013	Kusters et al.
2004/0016245 A1	1/2004	Pierson	2013/0134702 A1	5/2013	Boraas et al.
2004/0074238 A1	4/2004	Wantanabe et al.	2013/0189915 A1	7/2013	Hazard
2004/0076526 A1	4/2004	Fukano et al.	2013/0205798 A1	8/2013	Kwok et al.
2004/0187950 A1	9/2004	Cohen et al.	2013/0233165 A1	9/2013	Matzner et al.
2004/0219040 A1	11/2004	Kugelev et al.	2013/0255953 A1	10/2013	Tudor
2005/0051322 A1	3/2005	Speer	2013/0259707 A1	10/2013	Yin
2005/0056081 A1	3/2005	Gocho	2013/0284455 A1	10/2013	Kajaria et al.
2005/0139286 A1	6/2005	Poulter	2013/0300341 A1	11/2013	Gillette
2005/0196298 A1	9/2005	Manning	2013/0306322 A1	11/2013	Sanborn
2005/0226754 A1	10/2005	Orr et al.	2014/0000668 A1	1/2014	Lessard
2005/0274134 A1	12/2005	Ryu et al.	2014/0010671 A1	1/2014	Cryer et al.
2006/0061091 A1	3/2006	Osterloh	2014/0013768 A1	1/2014	Laing et al.
2006/0062914 A1	3/2006	Garg et al.	2014/0032082 A1	1/2014	Gehrke et al.
2006/0196251 A1	9/2006	Richey	2014/0044517 A1	2/2014	Saha et al.
2006/0211356 A1	9/2006	Grassman	2014/0048253 A1	2/2014	Andreychuk
2006/0228225 A1	10/2006	Rogers	2014/0090729 A1	4/2014	Coulter et al.
2006/0260331 A1	11/2006	Andreychuk	2014/0090742 A1	4/2014	Coskrey et al.
2006/0272333 A1	12/2006	Sundin	2014/0094105 A1	4/2014	Lundh et al.
2007/0029090 A1	2/2007	Andreychuk et al.	2014/0095114 A1	4/2014	Thomeer et al.
2007/0041848 A1	2/2007	Wood et al.	2014/0095554 A1	4/2014	Thomeer et al.
2007/0066406 A1	3/2007	Keller et al.	2014/0123621 A1	5/2014	Driessens et al.
2007/0098580 A1	5/2007	Petersen	2014/0130422 A1	5/2014	Laing et al.
2007/0107981 A1	5/2007	Sicotte	2014/0138079 A1	5/2014	Broussard et al.
2007/0125544 A1	6/2007	Robinson et al.	2014/0144641 A1	5/2014	Chandler
2007/0169543 A1	7/2007	Fazekas	2014/0147291 A1	5/2014	Burnette
2007/0181212 A1	8/2007	Fell	2014/0158345 A1	6/2014	Jang et al.
2007/0277982 A1	12/2007	Shampine et al.	2014/0174097 A1	6/2014	Hammer et al.
2007/0295569 A1	12/2007	Manzoor et al.	2014/0196459 A1	7/2014	Futa et al.
2008/0006089 A1	1/2008	Adnan et al.	2014/0216736 A1	8/2014	Leugemors et al.
2008/0098891 A1	5/2008	Feher	2014/0219824 A1	8/2014	Burnette
2008/0161974 A1	7/2008	Alston	2014/0250845 A1	9/2014	Jackson et al.
2008/0212275 A1	9/2008	Waryck et al.	2014/0251623 A1	9/2014	Lestz et al.
2008/0229757 A1	9/2008	Alexander et al.	2014/0277772 A1	9/2014	Lopez et al.
2008/0264625 A1	10/2008	Ochoa	2014/0290266 A1	10/2014	Veilleux, Jr. et al.
2008/0264649 A1	10/2008	Crawford	2014/0318638 A1	10/2014	Harwood et al.
2008/0298982 A1	12/2008	Pabst	2014/0322050 A1	10/2014	Marette et al.
2009/0064685 A1	3/2009	Busekros et al.	2015/0027730 A1	1/2015	Hall et al.
2009/0068031 A1	3/2009	Gambier et al.	2015/0078924 A1	3/2015	Zhang et al.
2009/0092510 A1	4/2009	Williams et al.	2015/0101344 A1	4/2015	Jarrier et al.
2009/0124191 A1	5/2009	Van Becelaere et al.	2015/0114652 A1	4/2015	Lestz et al.
2009/0178412 A1	7/2009	Spytek	2015/0129210 A1	5/2015	Chong et al.
2009/0212630 A1	8/2009	Flegel et al.	2015/0135659 A1	5/2015	Jarrier et al.
2009/0249794 A1	10/2009	Wilkes et al.	2015/0159553 A1	6/2015	Kippel et al.
2009/0252616 A1	10/2009	Brunet et al.	2015/0192117 A1	7/2015	Bridges
2009/0308602 A1	12/2009	Bruins et al.	2015/0204148 A1	7/2015	Liu et al.
2010/0019626 A1	1/2010	Stout et al.	2015/0204322 A1	7/2015	Iund et al.
			2015/0211512 A1	7/2015	Wiegman et al.
			2015/0214816 A1	7/2015	Raad
			2015/0217672 A1	8/2015	Shampine et al.
			2015/0226140 A1	8/2015	Zhang et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2015/0252661	A1	9/2015	Glass	2017/0370480	A1	12/2017	Witkowski et al.
2015/0275891	A1	10/2015	Chong et al.	2018/0034280	A1	2/2018	Pedersen
2015/0337730	A1	11/2015	Kupiszewski et al.	2018/0038216	A1	2/2018	Zhang et al.
2015/0340864	A1	11/2015	Compton	2018/0038328	A1	2/2018	Louven et al.
2015/0345385	A1	12/2015	Santini	2018/0041093	A1	2/2018	Miranda
2015/0369351	A1	12/2015	Hermann et al.	2018/0045202	A1	2/2018	Crom
2016/0032703	A1	2/2016	Broussard et al.	2018/0058171	A1	3/2018	Roesner et al.
2016/0032836	A1	2/2016	Hawkinson et al.	2018/0087499	A1	3/2018	Zhang et al.
2016/0076447	A1	3/2016	Merlo et al.	2018/0087996	A1	3/2018	De La Cruz
2016/0102581	A1	4/2016	Del Bono	2018/0156210	A1	6/2018	Oehring et al.
2016/0105022	A1	4/2016	Oehring et al.	2018/0172294	A1	6/2018	Owen
2016/0108713	A1	4/2016	Dunaeva et al.	2018/0183219	A1	6/2018	Oehring et al.
2016/0123185	A1	5/2016	Le Pache et al.	2018/0186442	A1	7/2018	Maier
2016/0168979	A1	6/2016	Zhang et al.	2018/0187662	A1	7/2018	Hill et al.
2016/0177675	A1	6/2016	Morris et al.	2018/0209415	A1	7/2018	Zhang et al.
2016/0177945	A1	6/2016	Byrne et al.	2018/0223640	A1	8/2018	Keihany et al.
2016/0186671	A1	6/2016	Austin et al.	2018/0224044	A1	8/2018	Penney
2016/0195082	A1	7/2016	Wiegman et al.	2018/0229998	A1	8/2018	Shock
2016/0215774	A1	7/2016	Oklejas et al.	2018/0258746	A1	9/2018	Broussard et al.
2016/0230525	A1	8/2016	Lestz et al.	2018/0266412	A1	9/2018	Stokkevag et al.
2016/0244314	A1	8/2016	Van Vliet et al.	2018/0278124	A1	9/2018	Oehring et al.
2016/0248230	A1	8/2016	Tawy et al.	2018/0283102	A1	10/2018	Cook
2016/0253634	A1	9/2016	Thomeer et al.	2018/0283618	A1	10/2018	Cook
2016/0258267	A1	9/2016	Payne et al.	2018/0284817	A1	10/2018	Cook et al.
2016/0273328	A1	9/2016	Oehring	2018/0290877	A1	10/2018	Shock
2016/0273346	A1	9/2016	Tang et al.	2018/0291781	A1	10/2018	Pedrin
2016/0290114	A1	10/2016	Oehring et al.	2018/0298731	A1	10/2018	Bishop
2016/0319650	A1	11/2016	Oehring et al.	2018/0298735	A1	10/2018	Conrad
2016/0326845	A1	11/2016	Dijkpesse et al.	2018/0307255	A1	10/2018	Bishop
2016/0348479	A1	12/2016	Oehring et al.	2018/0313456	A1	11/2018	Bayyouk et al.
2016/0369609	A1	12/2016	Morris et al.	2018/0328157	A1	11/2018	Bishop
2017/0009905	A1	1/2017	Arnold	2018/0334893	A1	11/2018	Oehring
2017/0016433	A1	1/2017	Chong et al.	2018/0363435	A1	12/2018	Coli et al.
2017/0030177	A1	2/2017	Oehring et al.	2018/0363436	A1	12/2018	Coli et al.
2017/0038137	A1	2/2017	Turney	2018/0363437	A1	12/2018	Coli et al.
2017/0045055	A1	2/2017	Hoefel et al.	2018/0363438	A1	12/2018	Coli et al.
2017/0052087	A1	2/2017	Faqihi et al.	2019/0003272	A1	1/2019	Morris et al.
2017/0074074	A1	3/2017	Joseph et al.	2019/0003329	A1	1/2019	Morris et al.
2017/0074076	A1	3/2017	Joseph et al.	2019/0010793	A1	1/2019	Hinderliter
2017/0074089	A1	3/2017	Agarwal et al.	2019/0011051	A1	1/2019	Yeung
2017/0082110	A1	3/2017	Lammers	2019/0048993	A1	2/2019	Akiyama et al.
2017/0089189	A1	3/2017	Norris et al.	2019/0063263	A1	2/2019	Davis et al.
2017/0114613	A1	4/2017	Lecerf et al.	2019/0063341	A1	2/2019	Davis
2017/0114625	A1	4/2017	Norris et al.	2019/0067991	A1	2/2019	Davis et al.
2017/0122310	A1	5/2017	Ladron de Guevara	2019/0071992	A1	3/2019	Feng
2017/0131174	A1	5/2017	Enev et al.	2019/0072005	A1	3/2019	Fisher et al.
2017/0145918	A1	5/2017	Oehring et al.	2019/0078471	A1	3/2019	Braglia et al.
2017/0191350	A1	7/2017	Johns et al.	2019/0088845	A1	3/2019	Sugi et al.
2017/0218727	A1	8/2017	Oehring et al.	2019/0091619	A1	3/2019	Huang
2017/0226839	A1	8/2017	Broussard et al.	2019/0106316	A1	4/2019	Van Vliet et al.
2017/0226842	A1	8/2017	Omont et al.	2019/0106970	A1	4/2019	Oehring
2017/0226998	A1	8/2017	Zhang et al.	2019/0112908	A1	4/2019	Coli et al.
2017/0227002	A1	8/2017	Mikulski et al.	2019/0112910	A1	4/2019	Oehring et al.
2017/0233103	A1	8/2017	Teicholz et al.	2019/0119096	A1	4/2019	Haile et al.
2017/0234165	A1	8/2017	Kersey et al.	2019/0120024	A1	4/2019	Oehring et al.
2017/0234308	A1	8/2017	Buckley	2019/0120031	A1	4/2019	Gilje
2017/0241336	A1	8/2017	Jones et al.	2019/0120134	A1	4/2019	Goleczka et al.
2017/0241671	A1	8/2017	Ahmad	2019/0128247	A1	5/2019	Douglas, III
2017/0248034	A1	8/2017	Dzieciol et al.	2019/0128288	A1	5/2019	Konada et al.
2017/0248208	A1	8/2017	Tamura	2019/0131607	A1	5/2019	Gillette
2017/0248308	A1	8/2017	Makarychev-Mikhailov et al.	2019/0136677	A1	5/2019	Shampine et al.
2017/0275149	A1	9/2017	Schmidt	2019/0153843	A1	5/2019	Headrick
2017/0288400	A1	10/2017	Williams	2019/0153938	A1	5/2019	Hammoud
2017/0292409	A1	10/2017	Aguilar et al.	2019/0154020	A1	5/2019	Glass
2017/0302135	A1	10/2017	Cory	2019/0155318	A1	5/2019	Meunier
2017/0305736	A1	10/2017	Haile et al.	2019/0178234	A1	6/2019	Beisel
2017/0306847	A1	10/2017	Suciu et al.	2019/0178235	A1	6/2019	Coskrey et al.
2017/0306936	A1	10/2017	Dole	2019/0185312	A1	6/2019	Bush et al.
2017/0322086	A1	11/2017	Luharuka	2019/0203572	A1	7/2019	Morris et al.
2017/0333086	A1	11/2017	Jackson	2019/0204021	A1	7/2019	Morris et al.
2017/0334448	A1	11/2017	Schwunk	2019/0211661	A1	7/2019	Reckles et al.
2017/0335842	A1	11/2017	Robinson et al.	2019/0211814	A1	7/2019	Weightman et al.
2017/0350471	A1	12/2017	Steidl et al.	2019/0217258	A1	7/2019	Bishop
2017/0356470	A1	12/2017	Jaffrey	2019/0226317	A1	7/2019	Payne et al.
2017/0370199	A1	12/2017	Witkowski et al.	2019/0245348	A1	8/2019	Hinderliter et al.
				2019/0249652	A1	8/2019	Stephenson et al.
				2019/0249754	A1	8/2019	Oehring et al.
				2019/0257297	A1	8/2019	Botting et al.
				2019/0264667	A1	8/2019	Byrne

(56)

References Cited

U.S. PATENT DOCUMENTS

2019/0277279	A1	9/2019	Byrne et al.	2020/0393088	A1	12/2020	Sizemore et al.
2019/0277295	A1	9/2019	Clyburn et al.	2020/0398238	A1	12/2020	Zhong et al.
2019/0309585	A1	10/2019	Miller et al.	2020/0400000	A1	12/2020	Ghasripoor et al.
2019/0316447	A1	10/2019	Oehring et al.	2020/0400005	A1	12/2020	Han et al.
2019/0316456	A1	10/2019	Beisel et al.	2020/0407625	A1	12/2020	Stephenson
2019/0323337	A1	10/2019	Glass et al.	2020/0408071	A1	12/2020	Li et al.
2019/0330923	A1	10/2019	Gable et al.	2020/0408144	A1	12/2020	Feng et al.
2019/0331117	A1	10/2019	Gable et al.	2020/0408147	A1	12/2020	Zhang et al.
2019/0337392	A1	11/2019	Joshi et al.	2020/0408149	A1	12/2020	Li et al.
2019/0338762	A1	11/2019	Curry et al.	2021/0025324	A1	1/2021	Morris et al.
2019/0345920	A1	11/2019	Surjaatmadja et al.	2021/0025383	A1	1/2021	Bodishbaugh et al.
2019/0353103	A1	11/2019	Roberge	2021/0032961	A1	2/2021	Hinderliter et al.
2019/0356199	A1	11/2019	Morris et al.	2021/0054727	A1	2/2021	Floyd
2019/0376449	A1	12/2019	Carrell	2021/0071503	A1	3/2021	Ogg et al.
2019/0383123	A1	12/2019	Hinderliter	2021/0071574	A1	3/2021	Feng et al.
2020/0003205	A1	1/2020	Stokkevåg et al.	2021/0071579	A1	3/2021	Li et al.
2020/0011165	A1	1/2020	George et al.	2021/0071654	A1	3/2021	Brunson
2020/0040878	A1	2/2020	Morris	2021/0071752	A1	3/2021	Cui et al.
2020/0049136	A1	2/2020	Stephenson	2021/0079758	A1	3/2021	Yeung et al.
2020/0049153	A1	2/2020	Headrick et al.	2021/0079851	A1	3/2021	Yeung et al.
2020/0071998	A1	3/2020	Oehring et al.	2021/0086851	A1	3/2021	Zhang et al.
2020/0072201	A1	3/2020	Marica	2021/0087883	A1	3/2021	Zhang et al.
2020/0088202	A1	3/2020	Sigmar et al.	2021/0087916	A1	3/2021	Zhang et al.
2020/0095854	A1	3/2020	Hinderliter	2021/0087925	A1	3/2021	Heidari et al.
2020/0109610	A1	4/2020	Husoy et al.	2021/0087943	A1	3/2021	Cui et al.
2020/0109616	A1	4/2020	Oehring et al.	2021/0088042	A1	3/2021	Zhang et al.
2020/0132058	A1	4/2020	Mollatt	2021/0123425	A1	4/2021	Cui et al.
2020/0141219	A1	5/2020	Oehring et al.	2021/0123434	A1	4/2021	Cui et al.
2020/0141326	A1	5/2020	Redford et al.	2021/0123435	A1	4/2021	Cui et al.
2020/0141907	A1	5/2020	Meck et al.	2021/0131409	A1	5/2021	Cui et al.
2020/0166026	A1	5/2020	Marica	2021/0140416	A1	5/2021	Buckley
2020/0182240	A1*	6/2020	Nowell F16J 15/184	2021/0148208	A1	5/2021	Thomas et al.
2020/0206704	A1	7/2020	Chong	2021/0156240	A1	5/2021	Cicci et al.
2020/0208733	A1	7/2020	Kim	2021/0156241	A1	5/2021	Cook
2020/0223648	A1	7/2020	Herman et al.	2021/0172282	A1	6/2021	Wang et al.
2020/0224645	A1	7/2020	Buckley	2021/0180517	A1	6/2021	Zhou et al.
2020/0232454	A1	7/2020	Chretien et al.	2021/0190045	A1	6/2021	Zhang et al.
2020/0256333	A1	8/2020	Surjaatmadja	2021/0199110	A1	7/2021	Albert et al.
2020/0263498	A1	8/2020	Fischer et al.	2021/0222690	A1	7/2021	Beisel
2020/0263525	A1	8/2020	Reid	2021/0239112	A1	8/2021	Buckley
2020/0263526	A1	8/2020	Fischer et al.	2021/0246774	A1	8/2021	Cui et al.
2020/0263527	A1	8/2020	Fischer et al.	2021/0270261	A1	9/2021	Zhang et al.
2020/0263528	A1	8/2020	Fischer et al.	2021/0270264	A1	9/2021	Byrne
2020/0267888	A1	8/2020	Putz	2021/0285311	A1	9/2021	Ji et al.
2020/0291731	A1	9/2020	Haiderer et al.	2021/0285432	A1	9/2021	Ji et al.
2020/0295574	A1	9/2020	Batsch-Smith	2021/0301807	A1	9/2021	Cui et al.
2020/0300050	A1	9/2020	Oehring et al.	2021/0306720	A1	9/2021	Sandoval et al.
2020/0309027	A1	10/2020	Ryttonen	2021/0308638	A1	10/2021	Zhong et al.
2020/0309113	A1	10/2020	Hunter et al.	2021/0324718	A1	10/2021	Anders
2020/0325752	A1	10/2020	Clark et al.	2021/0348475	A1	11/2021	Yeung et al.
2020/0325760	A1	10/2020	Markham	2021/0348476	A1	11/2021	Yeung et al.
2020/0325761	A1	10/2020	Williams	2021/0348477	A1	11/2021	Yeung et al.
2020/0325791	A1	10/2020	Himmelmann	2021/0355927	A1	11/2021	Jian et al.
2020/0325893	A1	10/2020	Kraige et al.	2021/0372394	A1	12/2021	Bagulayan et al.
2020/0332784	A1	10/2020	Zhang et al.	2021/0372395	A1	12/2021	Li et al.
2020/0332788	A1	10/2020	Cui et al.	2021/0376413	A1	12/2021	Asfha
2020/0340313	A1	10/2020	Fischer et al.	2021/0388760	A1	12/2021	Feng et al.
2020/0340322	A1	10/2020	Sizemore et al.	2022/0082007	A1	3/2022	Zhang et al.
2020/0340340	A1	10/2020	Oehring et al.	2022/0090476	A1	3/2022	Zhang et al.
2020/0340344	A1	10/2020	Reckels et al.	2022/0090477	A1	3/2022	Zhang et al.
2020/0340404	A1	10/2020	Stockstill	2022/0090478	A1	3/2022	Zhang et al.
2020/0347725	A1	11/2020	Morris et al.	2022/0112892	A1	4/2022	Cui et al.
2020/0354928	A1	11/2020	Wehler et al.	2022/0120262	A1	4/2022	Ji et al.
2020/0355055	A1	11/2020	Dusterhoft et al.	2022/0145740	A1	5/2022	Yuan et al.
2020/0362760	A1	11/2020	Morenko et al.	2022/0154775	A1	5/2022	Liu et al.
2020/0362764	A1	11/2020	Saintignat et al.	2022/0155373	A1	5/2022	Liu et al.
2020/0370394	A1	11/2020	Cai et al.	2022/0162931	A1	5/2022	Zhong et al.
2020/0370408	A1	11/2020	Cai et al.	2022/0162991	A1	5/2022	Zhang et al.
2020/0370429	A1	11/2020	Cai et al.	2022/0181859	A1	6/2022	Ji et al.
2020/0371490	A1	11/2020	Cai et al.	2022/0186724	A1	6/2022	Chang et al.
2020/0386169	A1	12/2020	Hinderliter et al.	2022/0213777	A1	7/2022	Cui et al.
2020/0386222	A1	12/2020	Pham et al.	2022/0220836	A1	7/2022	Zhang et al.
2020/0388140	A1	12/2020	Gomez et al.	2022/0224087	A1	7/2022	Ji et al.
2020/0392826	A1	12/2020	Cui et al.	2022/0228468	A1	7/2022	Cui et al.
2020/0392827	A1	12/2020	George et al.	2022/0228469	A1	7/2022	Zhang et al.
				2022/0235639	A1	7/2022	Zhang et al.
				2022/0235640	A1	7/2022	Mao et al.
				2022/0235641	A1	7/2022	Zhang et al.
				2022/0235642	A1	7/2022	Zhang et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2022/0235802 A1 7/2022 Jiang et al.
 2022/0242297 A1 8/2022 Tian et al.
 2022/0243613 A1 8/2022 Ji et al.
 2022/0243724 A1 8/2022 Li et al.
 2022/0250000 A1 8/2022 Zhang et al.
 2022/0255319 A1 8/2022 Liu et al.
 2022/0258659 A1 8/2022 Cui et al.
 2022/0259947 A1 8/2022 Li et al.
 2022/0259964 A1 8/2022 Zhang et al.
 2022/0268201 A1 8/2022 Feng et al.
 2022/0282606 A1 9/2022 Zhong et al.
 2022/0282726 A1 9/2022 Zhang et al.
 2022/0290549 A1 9/2022 Zhang et al.
 2022/0294194 A1 9/2022 Cao et al.
 2022/0298906 A1 9/2022 Zhong et al.
 2022/0307359 A1 9/2022 Liu et al.
 2022/0307424 A1 9/2022 Wang et al.
 2022/0314248 A1 10/2022 Ge et al.
 2022/0315347 A1 10/2022 Liu et al.
 2022/0316306 A1 10/2022 Liu et al.
 2022/0316362 A1 10/2022 Zhang et al.
 2022/0316461 A1 10/2022 Wang et al.
 2022/0325608 A1 10/2022 Zhang et al.
 2022/0330411 A1 10/2022 Liu et al.
 2022/0333471 A1 10/2022 Zhong et al.
 2022/0339646 A1 10/2022 Yu et al.
 2022/0341358 A1 10/2022 Ji et al.
 2022/0341362 A1 10/2022 Feng et al.
 2022/0341415 A1 10/2022 Deng et al.
 2022/0345007 A1 10/2022 Liu et al.
 2022/0349345 A1 11/2022 Zhang et al.
 2022/0353980 A1 11/2022 Liu et al.
 2022/0361309 A1 11/2022 Liu et al.
 2022/0364452 A1 11/2022 Wang et al.
 2022/0364453 A1 11/2022 Chang et al.
 2022/0372865 A1 11/2022 Lin et al.
 2022/0376280 A1 11/2022 Shao et al.
 2022/0381126 A1 12/2022 Cui et al.
 2022/0389799 A1 12/2022 Mao
 2022/0389803 A1 12/2022 Zhang et al.
 2022/0389804 A1 12/2022 Cui et al.
 2022/0389865 A1 12/2022 Feng et al.
 2022/0389867 A1 12/2022 Li et al.
 2022/0412196 A1 12/2022 Cui et al.
 2022/0412199 A1 12/2022 Mao et al.
 2022/0412200 A1 12/2022 Zhang et al.
 2022/0412258 A1 12/2022 Li et al.
 2022/0412379 A1 12/2022 Wang et al.
 2023/0001524 A1 1/2023 Jiang et al.
 2023/0003238 A1 1/2023 Du et al.
 2023/0015132 A1 1/2023 Feng et al.
 2023/0015529 A1 1/2023 Zhang et al.
 2023/0015581 A1 1/2023 Ji et al.
 2023/0017968 A1 1/2023 Deng et al.
 2023/0029574 A1 2/2023 Zhang et al.
 2023/0029671 A1 2/2023 Han et al.
 2023/0036118 A1 2/2023 Xing et al.
 2023/0040970 A1 2/2023 Liu et al.
 2023/0042379 A1 2/2023 Zhang et al.
 2023/0047033 A1 2/2023 Fu et al.
 2023/0048551 A1 2/2023 Feng et al.
 2023/0049462 A1 2/2023 Zhang et al.
 2023/0064964 A1 3/2023 Wang et al.
 2023/0074794 A1 3/2023 Liu et al.
 2023/0085124 A1 3/2023 Zhong et al.
 2023/0092506 A1 3/2023 Zhong et al.
 2023/0092705 A1 3/2023 Liu et al.
 2023/0106683 A1 4/2023 Zhang et al.
 2023/0107300 A1 4/2023 Huang et al.
 2023/0107791 A1 4/2023 Zhang et al.
 2023/0109018 A1 4/2023 Du et al.
 2023/0116458 A1 4/2023 Liu et al.
 2023/0117362 A1 4/2023 Zhang et al.
 2023/0119725 A1 4/2023 Wang et al.
 2023/0119876 A1 4/2023 Mao et al.

2023/0119896 A1 4/2023 Zhang et al.
 2023/0120810 A1 4/2023 Fu et al.
 2023/0121251 A1 4/2023 Cui et al.
 2023/0124444 A1 4/2023 Chang et al.
 2023/0138582 A1 5/2023 Li et al.
 2023/0144116 A1 5/2023 Li et al.
 2023/0145963 A1 5/2023 Zhang et al.
 2023/0151722 A1 5/2023 Cui et al.
 2023/0151723 A1 5/2023 Ji et al.
 2023/0152793 A1 5/2023 Wang et al.
 2023/0160289 A1 5/2023 Cui et al.
 2023/0160510 A1 5/2023 Bao et al.
 2023/0163580 A1 5/2023 Ji et al.
 2023/0167776 A1 6/2023 Cui et al.

FOREIGN PATENT DOCUMENTS

CA 2043184 8/1994
 CA 2829762 9/2012
 CA 2737321 9/2013
 CA 2876687 A1 5/2014
 CA 2693567 9/2014
 CA 105545207 A 5/2016
 CA 2964597 10/2017
 CA 2876687 C 4/2019
 CA 3138533 11/2020
 CA 2919175 3/2021
 CN 2622404 6/2004
 CN 2779054 5/2006
 CN 2890325 4/2007
 CN 200964929 Y 10/2007
 CN 101323151 A 12/2008
 CN 201190660 Y 2/2009
 CN 201190892 Y 2/2009
 CN 201190893 Y 2/2009
 CN 101414171 A 4/2009
 CN 201215073 Y 4/2009
 CN 201236650 Y 5/2009
 CN 201275542 Y 7/2009
 CN 201275801 Y 7/2009
 CN 201333385 Y 10/2009
 CN 201443300 U 4/2010
 CN 201496415 U 6/2010
 CN 201501365 U 6/2010
 CN 201507271 U 6/2010
 CN 101323151 B 7/2010
 CN 201560210 U 8/2010
 CN 201581862 U 9/2010
 CN 201610728 U 10/2010
 CN 201610751 U 10/2010
 CN 201618530 U 11/2010
 CN 201661255 U 12/2010
 CN 101949382 1/2011
 CN 201756927 U 3/2011
 CN 101414171 B 5/2011
 CN 102128011 A 7/2011
 CN 102140898 A 8/2011
 CN 102155172 A 8/2011
 CN 102182904 9/2011
 CN 202000930 U 10/2011
 CN 202055781 U 11/2011
 CN 202082265 U 12/2011
 CN 202100216 U 1/2012
 CN 202100217 U 1/2012
 CN 202100815 U 1/2012
 CN 202124340 U 1/2012
 CN 202140051 U 2/2012
 CN 202140080 U 2/2012
 CN 202144789 U 2/2012
 CN 202144943 U 2/2012
 CN 202149354 U 2/2012
 CN 102383748 A 3/2012
 CN 202156297 U 3/2012
 CN 202158355 U 3/2012
 CN 202163504 U 3/2012
 CN 202165236 U 3/2012
 CN 202180866 U 4/2012
 CN 202181875 U 4/2012
 CN 202187744 U 4/2012

(56)	References Cited			CN	203531883	U	4/2014
	FOREIGN PATENT DOCUMENTS			CN	203556164	U	4/2014
				CN	203558809	U	4/2014
				CN	203559861	U	4/2014
CN	202191854	U	4/2012	CN	203559893	U	4/2014
CN	202250008	U	5/2012	CN	203560189	U	4/2014
CN	101885307	7/2012		CN	102704870	B	5/2014
CN	102562020	A	7/2012	CN	203611843	U	5/2014
CN	202326156	U	7/2012	CN	203612531	U	5/2014
CN	202370773	U	8/2012	CN	203612843	U	5/2014
CN	202417397	U	9/2012	CN	203614062	U	5/2014
CN	202417461	U	9/2012	CN	203614388	U	5/2014
CN	102729335	A	10/2012	CN	203621045	U	6/2014
CN	202463955	U	10/2012	CN	203621046	U	6/2014
CN	202463957	U	10/2012	CN	203621051	U	6/2014
CN	202467739	U	10/2012	CN	203640993	U	6/2014
CN	202467801	U	10/2012	CN	203655221	U	6/2014
CN	202531016	U	11/2012	CN	103899280	A	7/2014
CN	202544794	U	11/2012	CN	103923670	A	7/2014
CN	102825039	A	12/2012	CN	203685052	U	7/2014
CN	202578592	U	12/2012	CN	203716936	U	7/2014
CN	202579164	U	12/2012	CN	103990410	A	8/2014
CN	202594808	U	12/2012	CN	103993869	A	8/2014
CN	202594928	U	12/2012	CN	203754009	U	8/2014
CN	202596615	U	12/2012	CN	203754025	U	8/2014
CN	202596616	U	12/2012	CN	203754341	U	8/2014
CN	102849880	A	1/2013	CN	203756614	U	8/2014
CN	102889191	A	1/2013	CN	203770264	U	8/2014
CN	202641535	U	1/2013	CN	203784519	U	8/2014
CN	202645475	U	1/2013	CN	203784520	U	8/2014
CN	202666716	U	1/2013	CN	104057864	A	9/2014
CN	202669645	U	1/2013	CN	203819819	U	9/2014
CN	202669944	U	1/2013	CN	203823431	U	9/2014
CN	202671336	U	1/2013	CN	203835337	U	9/2014
CN	202673269	U	1/2013	CN	104074500	A	10/2014
CN	202751982	U	2/2013	CN	203876633	U	10/2014
CN	102963629	A	3/2013	CN	203876636	U	10/2014
CN	202767964	U	3/2013	CN	203877364	U	10/2014
CN	202789791	U	3/2013	CN	203877365	U	10/2014
CN	202789792	U	3/2013	CN	203877375	U	10/2014
CN	202810717	U	3/2013	CN	203877424	U	10/2014
CN	202827276	U	3/2013	CN	203879476	U	10/2014
CN	202833093	U	3/2013	CN	203879479	U	10/2014
CN	202833370	U	3/2013	CN	203890292	U	10/2014
CN	102140898	B	4/2013	CN	203899476	U	10/2014
CN	202895467	U	4/2013	CN	203906206	U	10/2014
CN	202926404	U	5/2013	CN	104150728	A	11/2014
CN	202935216	U	5/2013	CN	104176522	A	12/2014
CN	202935798	U	5/2013	CN	104196464	A	12/2014
CN	202935816	U	5/2013	CN	104234651	A	12/2014
CN	202970631	U	6/2013	CN	203971841	U	12/2014
CN	103223315	A	7/2013	CN	203975450	U	12/2014
CN	203050598	U	7/2013	CN	204020788	U	12/2014
CN	103233714	A	8/2013	CN	204021980	U	12/2014
CN	103233715	A	8/2013	CN	204024625	U	12/2014
CN	103245523	A	8/2013	CN	204051401	U	12/2014
CN	103247220	A	8/2013	CN	204060661	U	12/2014
CN	103253839	A	8/2013	CN	104260672	A	1/2015
CN	103277290	A	9/2013	CN	104314512	A	1/2015
CN	103321782	A	9/2013	CN	204077478	U	1/2015
CN	203170270	U	9/2013	CN	204077526	U	1/2015
CN	203172509	U	9/2013	CN	204078307	U	1/2015
CN	203175778	U	9/2013	CN	204083051	U	1/2015
CN	203175787	U	9/2013	CN	204113168	U	1/2015
CN	102849880	B	10/2013	CN	104340682	A	2/2015
CN	203241231	U	10/2013	CN	104358536	A	2/2015
CN	203244941	U	10/2013	CN	104369687	A	2/2015
CN	203244942	U	10/2013	CN	104402178	A	3/2015
CN	203303798	U	11/2013	CN	104402185	A	3/2015
CN	102155172	B	12/2013	CN	104402186	A	3/2015
CN	102729335	B	12/2013	CN	204209819	U	3/2015
CN	103420532	A	12/2013	CN	204224560	U	3/2015
CN	203321792	U	12/2013	CN	204225813	U	3/2015
CN	203412658	1/2014		CN	204225839	U	3/2015
CN	203420697	U	2/2014	CN	104533392	A	4/2015
CN	203480755	U	3/2014	CN	104563938	A	4/2015
CN	103711437	A	4/2014	CN	104563994	A	4/2015
CN	203531815	U	4/2014	CN	104563995	A	4/2015
CN	203531871	U	4/2014	CN	104563998	A	4/2015

(56)	References Cited			CN	205805471	12/2016
	FOREIGN PATENT DOCUMENTS			CN	106321045 A	1/2017
				CN	205858306	1/2017
				CN	106438310 A	2/2017
CN	104564033 A	4/2015		CN	205937833	2/2017
CN	204257122 U	4/2015		CN	104563994 B	3/2017
CN	204283610 U	4/2015		CN	206129196	4/2017
CN	204283782 U	4/2015		CN	104369687 B	5/2017
CN	204297682 U	4/2015		CN	106715165	5/2017
CN	204299810 U	4/2015		CN	106761561 A	5/2017
CN	103223315 B	5/2015		CN	105240064 B	6/2017
CN	104594857 A	5/2015		CN	206237147	6/2017
CN	104595493 A	5/2015		CN	206287832	6/2017
CN	104612647 A	5/2015		CN	206346711	7/2017
CN	104612928 A	5/2015		CN	104563995 B	9/2017
CN	104632126 A	5/2015		CN	107120822	9/2017
CN	204325094 U	5/2015		CN	107143298 A	9/2017
CN	204325098 U	5/2015		CN	107159046 A	9/2017
CN	204326983 U	5/2015		CN	107188018 A	9/2017
CN	204326985 U	5/2015		CN	206496016	9/2017
CN	204344040 U	5/2015		CN	104564033 B	10/2017
CN	204344095 U	5/2015		CN	107234358 A	10/2017
CN	104727797 A	6/2015		CN	107261975 A	10/2017
CN	204402414 U	6/2015		CN	206581929	10/2017
CN	204402423 U	6/2015		CN	104820372 B	12/2017
CN	204402450 U	6/2015		CN	105092401 B	12/2017
CN	103247220 B	7/2015		CN	107476769 A	12/2017
CN	104803568 A	7/2015		CN	107520526 A	12/2017
CN	204436360 U	7/2015		CN	206754664	12/2017
CN	204457524 U	7/2015		CN	107605427 A	1/2018
CN	204472485 U	7/2015		CN	106438310 B	2/2018
CN	204473625 U	7/2015		CN	107654196 A	2/2018
CN	204477303 U	7/2015		CN	107656499 A	2/2018
CN	204493095 U	7/2015		CN	107728657 A	2/2018
CN	204493309 U	7/2015		CN	206985503	2/2018
CN	103253839 B	8/2015		CN	207017968	2/2018
CN	104820372 A	8/2015		CN	107859053 A	3/2018
CN	104832093 A	8/2015		CN	207057867	3/2018
CN	104863523 A	8/2015		CN	207085817	3/2018
CN	204552723 U	8/2015		CN	105545207 B	4/2018
CN	204553866 U	8/2015		CN	107883091 A	4/2018
CN	204571831 U	8/2015		CN	107902427 A	4/2018
CN	204703814 U	10/2015		CN	107939290 A	4/2018
CN	204703833 U	10/2015		CN	107956708	4/2018
CN	204703834 U	10/2015		CN	207169595	4/2018
CN	105092401 A	11/2015		CN	207194873	4/2018
CN	103233715 B	12/2015		CN	207245674	4/2018
CN	103790927	12/2015		CN	108034466 A	5/2018
CN	105207097	12/2015		CN	108036071 A	5/2018
CN	204831952 U	12/2015		CN	108087050 A	5/2018
CN	204899777 U	12/2015		CN	207380566	5/2018
CN	102602323	1/2016		CN	108103483 A	6/2018
CN	105240064 A	1/2016		CN	108179046 A	6/2018
CN	204944834	1/2016		CN	108254276 A	7/2018
CN	205042127 U	2/2016		CN	108311535 A	7/2018
CN	205172478 U	4/2016		CN	207583576	7/2018
CN	103993869 B	5/2016		CN	207634064	7/2018
CN	105536299 A	5/2016		CN	207648054	7/2018
CN	205260249	5/2016		CN	207650621	7/2018
CN	103233714 B	6/2016		CN	108371894 A	8/2018
CN	104340682 B	6/2016		CN	207777153	8/2018
CN	205297518 U	6/2016		CN	108547601 A	9/2018
CN	205298447 U	6/2016		CN	108547766 A	9/2018
CN	205391821 U	7/2016		CN	108555826 A	9/2018
CN	205400701 U	7/2016		CN	108561098 A	9/2018
CN	103277290 B	8/2016		CN	108561750 A	9/2018
CN	104260672 B	8/2016		CN	108590617 A	9/2018
CN	205477370 U	8/2016		CN	207813495	9/2018
CN	205479153 U	8/2016		CN	207814698	9/2018
CN	205503058 U	8/2016		CN	207862275	9/2018
CN	205503068 U	8/2016		CN	108687954 A	10/2018
CN	205503089 U	8/2016		CN	207935270	10/2018
CN	105958098 A	9/2016		CN	207961582	10/2018
CN	205599180	9/2016		CN	207964530	10/2018
CN	205599180 U	9/2016		CN	108789848 A	11/2018
CN	106121577 A	11/2016		CN	108799473	11/2018
CN	205709587	11/2016		CN	108868675 A	11/2018
CN	104612928 B	12/2016		CN	208086829	11/2018
CN	106246120 A	12/2016		CN	208089263	11/2018

(56)	References Cited		CN	110485984	A	11/2019
	FOREIGN PATENT DOCUMENTS		CN	110486249	A	11/2019
			CN	110500255	A	11/2019
			CN	110510771	A	11/2019
CN	208169068	11/2018	CN	110513097	A	11/2019
CN	108979569	A 12/2018	CN	209650738		11/2019
CN	109027662	A 12/2018	CN	209653968		11/2019
CN	109058092	A 12/2018	CN	209654004		11/2019
CN	208179454	12/2018	CN	209654022		11/2019
CN	208179502	12/2018	CN	209654128		11/2019
CN	208253147	12/2018	CN	209656622		11/2019
CN	208260574	12/2018	CN	107849130	B	12/2019
CN	109114418	A 1/2019	CN	108087050	B	12/2019
CN	109141990	A 1/2019	CN	110566173	A	12/2019
CN	208313120	1/2019	CN	110608030	A	12/2019
CN	208330319	1/2019	CN	110617187	A	12/2019
CN	208342730	1/2019	CN	110617188	A	12/2019
CN	208430982	1/2019	CN	110617318	A	12/2019
CN	208430986	1/2019	CN	209740823		12/2019
CN	109404274	A 3/2019	CN	209780827		12/2019
CN	109429610	A 3/2019	CN	209798631		12/2019
CN	109491318	A 3/2019	CN	209799942		12/2019
CN	109515177	A 3/2019	CN	209800178		12/2019
CN	109526523	A 3/2019	CN	209855723		12/2019
CN	109534737	A 3/2019	CN	209855742		12/2019
CN	208564504	3/2019	CN	209875063		12/2019
CN	208564516	3/2019	CN	110656919	A	1/2020
CN	208564525	3/2019	CN	107520526	B	2/2020
CN	208564918	3/2019	CN	110787667	A	2/2020
CN	208576026	3/2019	CN	110821464	A	2/2020
CN	208576042	3/2019	CN	110833665	A	2/2020
CN	208650818	3/2019	CN	110848028	A	2/2020
CN	208669244	3/2019	CN	210049880		2/2020
CN	109555484	A 4/2019	CN	210049882		2/2020
CN	109682881	A 4/2019	CN	210097596		2/2020
CN	208730959	4/2019	CN	210105817		2/2020
CN	208735264	4/2019	CN	210105818		2/2020
CN	208746733	4/2019	CN	210105993		2/2020
CN	208749529	4/2019	CN	110873093	A	3/2020
CN	208750405	4/2019	CN	210139911		3/2020
CN	208764658	4/2019	CN	110947681	A	4/2020
CN	109736740	A 5/2019	CN	111058810	A	4/2020
CN	109751007	A 5/2019	CN	111075391	A	4/2020
CN	208868428	5/2019	CN	210289931		4/2020
CN	208870761	5/2019	CN	210289932		4/2020
CN	109869294	A 6/2019	CN	210289933		4/2020
CN	109882144	A 6/2019	CN	210303516		4/2020
CN	109882372	A 6/2019	CN	211412945		4/2020
CN	209012047	6/2019	CN	111089003	A	5/2020
CN	209100025	7/2019	CN	111151186	A	5/2020
CN	110080707	A 8/2019	CN	111167769	A	5/2020
CN	110118127	A 8/2019	CN	111169833	A	5/2020
CN	110124574	A 8/2019	CN	111173476	A	5/2020
CN	110145277	A 8/2019	CN	111185460	A	5/2020
CN	110145399	A 8/2019	CN	111185461	A	5/2020
CN	110152552	A 8/2019	CN	111188763	A	5/2020
CN	110155193	A 8/2019	CN	111206901	A	5/2020
CN	110159225	A 8/2019	CN	111206992	A	5/2020
CN	110159432	8/2019	CN	111206994	A	5/2020
CN	110159432	A 8/2019	CN	210449044		5/2020
CN	110159433	A 8/2019	CN	210460875		5/2020
CN	110208100	A 9/2019	CN	210522432		5/2020
CN	110252191	A 9/2019	CN	210598943		5/2020
CN	110284854	A 9/2019	CN	210598945		5/2020
CN	110284972	A 9/2019	CN	210598946		5/2020
CN	209387358	9/2019	CN	210599194		5/2020
CN	110374745	A 10/2019	CN	210599303		5/2020
CN	209534736	10/2019	CN	210600110		5/2020
CN	110425105	A 11/2019	CN	111219326	A	6/2020
CN	110439779	A 11/2019	CN	111350595	A	6/2020
CN	110454285	A 11/2019	CN	210660319		6/2020
CN	110454352	A 11/2019	CN	210714569		6/2020
CN	110467298	A 11/2019	CN	210769168		6/2020
CN	110469312	A 11/2019	CN	210769169		6/2020
CN	110469314	A 11/2019	CN	210769170		6/2020
CN	110469405	A 11/2019	CN	210770133		6/2020
CN	110469654	A 11/2019	CN	210825844		6/2020
CN	110485982	A 11/2019	CN	210888904		6/2020
CN	110485983	A 11/2019	CN	210888905		6/2020

(56)

References Cited

FOREIGN PATENT DOCUMENTS

CN	210889242	6/2020
CN	111397474 A	7/2020
CN	111412064 A	7/2020
CN	111441923 A	7/2020
CN	111441925 A	7/2020
CN	111503517 A	8/2020
CN	111515898 A	8/2020
CN	111594059 A	8/2020
CN	111594062 A	8/2020
CN	111594144 A	8/2020
CN	211201919	8/2020
CN	211201920	8/2020
CN	211202218	8/2020
CN	111608965 A	9/2020
CN	111664087 A	9/2020
CN	111677476 A	9/2020
CN	111677647 A	9/2020
CN	111692064 A	9/2020
CN	111692065 A	9/2020
CN	211384571	9/2020
CN	211397553	9/2020
CN	211397677	9/2020
CN	211500955	9/2020
CN	211524765	9/2020
DE	4004854	8/1991
DE	4241614	6/1994
DE	102009022859	12/2010
DE	102012018825	3/2014
DE	102013111655	12/2014
DE	102015103872	10/2015
DE	102013114335	12/2020
EP	0835983	4/1998
EP	1378683	1/2004
EP	2143916	1/2010
EP	2613023	7/2013
EP	3095989	11/2016
EP	3211766	8/2017
EP	3049642	4/2018
EP	3354866	8/2018
EP	3075946	5/2019
FR	2795774	6/1999
GB	474072	10/1937
GB	1438172	6/1976
JP	857135212	2/1984
KR	20020026398	4/2002
RU	13562	4/2000
WO	1993020328	10/1993
WO	2006025886	3/2006
WO	2009023042	2/2009
WO	20110133821	10/2011
WO	2012139380	10/2012
WO	2013158822	10/2013
WO PCT/CN	2012/074945	11/2013
WO	2013185399	12/2013
WO	2015158020	10/2015
WO	2016014476	1/2016
WO	2016033983	3/2016
WO	2016078181	5/2016
WO	2016101374	6/2016
WO	2016112590	7/2016
WO	2016/186790	11/2016
WO	2017123656 A	7/2017
WO	2017146279	8/2017
WO	2017213848	12/2017
WO	2018031029	2/2018
WO	2018038710	3/2018
WO	2018044293	3/2018
WO	2018044307	3/2018
WO	2018071738	4/2018
WO	2018101909	6/2018
WO	2018101912	6/2018
WO	2018106210	6/2018
WO	2018106225	6/2018
WO	2018106252	6/2018
WO	2018/132106	7/2018

WO	2018156131	8/2018
WO	2018075034	10/2018
WO	2018187346	10/2018
WO	2018031031	2/2019
WO	2019045691	3/2019
WO	2019046680	3/2019
WO	2019060922	3/2019
WO	2019117862	6/2019
WO	2019126742	6/2019
WO	2019147601	8/2019
WO	2019169366	9/2019
WO	2019195651	10/2019
WO	2019200510	10/2019
WO	2019210417	11/2019
WO	2020018068	1/2020
WO	2020046866	3/2020
WO	2020072076	4/2020
WO	2020076569	4/2020
WO	2020097060	5/2020
WO	2020104088	5/2020
WO	2020131085	6/2020
WO	2020211083	10/2020
WO	2020211086	10/2020
WO	2021/038604	3/2021
WO	2021041783	3/2021

OTHER PUBLICATIONS

Special-Purpose Couplings for Petroleum, Chemical, and Gas Industry Services, API Standard 671 (4th Edition) (2010).

The Application of Flexible Couplings for Turbomachinery, Jon R. Mancuso et al., Proceedings of the Eighteenth turbomachinery Symposium (1989).

Pump Control With Variable Frequency Drives, Kevin Tory, Pumps & Systems: Advances in Motors and Drives, Reprint from Jun. 2008.

Fracture Design and Stimulation, Mike Eberhard, P.E., Well Construction & Operations Technical Workshop In support of the EPA Hydraulic Fracturing Study, Mar. 10-11, 2011.

General Purpose vs. Special Purpose Couplings, Jon Mancuso, Proceedings of the Twenty-Third Turbomachinery symposium (1994). Overview of Industry Guidance/Best Practices on Hydraulic Fracturing (HF), American Petroleum Institute, © 2012.

API Member Companies, American Petroleum Institute, WaybackMachine Capture, <https://web.archive.org/web/20130424080625/http://api.org/globalitems/globalheaderpages/membership/api-member-companies>, accessed Jan. 4, 2021.

API's Global Industry Services, American Petroleum Institute, © Aug. 2020.

About API, American Petroleum Institute, <https://www.api.org/about>, accessed Dec. 30, 2021.

About API, American Petroleum Institute, WaybackMachine Capture, <https://web.archive.org/web/20110422104346/http://api.org/aboutapi/>, captured Apr. 22, 2011.

Publications, American Petroleum Institute, WaybackMachine Capture, <https://web.archive.org/web/20110427043936/http://www.api.org/80/Publications/>, captured Apr. 27, 2011.

Procedures for Standards Development, American Petroleum Institute, Third Edition (2006).

WorldCat Library Collections Database Records for API Standard 671 and API Standard 674, https://www.worldcat.org/title/positive-displacement-pumps-reciprocating/oclc/858692269&referer=brief_results, accessed Dec. 30, 2021; and https://www.worldcat.org/title/special-purpose-couplings-for-petroleum-chemical-and-gas-industry-services/oclc/871254217&referer=brief_results, accessed Dec. 22, 2021.

2011 Publications and Services, American Petroleum Institute (2011). Standards, American Petroleum Institute, WaybackMachine Capture, <https://web.archive.org/web/20110207195046/http://www.api.org/Standards/>, captured Feb. 7, 2011; and <https://web.archive.org/web/20110204112554/http://global.ihs.com/?RID=API1>, captured Feb. 4, 2011.

IHS Markit Standards Store, https://global.ihs.com/doc_detail.cfm?document_name=API%20STD%20674&item_s_key=00010672#doc

(56)

References Cited**OTHER PUBLICATIONS**

- detail-history-anchor, accessed Dec. 30, 2021; and https://global.ihs.com/doc_detail.cfm?input_doc_number=671&input_doc_title=&document_name=API%20STD%20671&item_s_key=00010669&item_key_date=890331&origin=DSSC, accessed Dec. 30, 2021.
- Dziubak, Tadeusz, "Experimental Studies of Dust Suction Irregularity from Multi-Cyclone Dust Collector of Two-Stage Air Filter", *Energies* 2021, 14, 3577, 28 pages.
- Europump and Hydraulic Institute, *Variable Speed Pumping: A Guide to Successful Applications*, Elsevier Ltd, 2004.
- Capstone Turbine Corporation, Capstone Receives Three Megawatt Order from Large Independent Oil & Gas Company in Eagle Ford Shale Play, Dec. 7, 2010.
- Wikipedia, Westinghouse Combustion Turbine Systems Division, https://en.wikipedia.org/wiki/Westinghouse_Combustion_Turbine_Systems_Division, circa 1960.
- Wikipedia, Union Pacific GTELs, https://en.wikipedia.org/wiki/Union_Pacific_GTELs, circa 1950.
- HCI JET FRAC, Screenshots from YouTube, Dec. 11, 2010. <https://www.youtube.com/watch?v=6HjXkdbFaFQ>.
- AFD Petroleum Ltd., Automated Hot Zone, Frac Refueling System, Dec. 2018.
- Eygun, Christiane, et al., URTEC: 2687987, Mitigating Shale Gas Developments Carbon Footprint: Evaluating and Implementing Solutions in Argentina, Copyright 2017, Unconventional Resources Technology Conference.
- Walzel, Brian, Hart Energy, Oil, Gas Industry Discovers Innovative Solutions to Environmental Concerns, Dec. 10, 2018.
- Frac Shack, Bi-Fuel FracFueller brochure, 2011.
- Pettigrew, Dana, et al., High Pressure Multi-Stage Centrifugal Pump for 10,000 psi Frac Pump—HPHPS Frac Pump, Copyright 2013, Society of Petroleum Engineers, SPE 166191.
- Elle Seybold, et al., Evolution of Dual Fuel Pressure Pumping for Fracturing: Methods, Economics, Field Trial Results and Improvements in Availability of Fuel, Copyright 2013, Society of Petroleum Engineers, SPE 166443.
- Wallace, E.M., Associated Shale Gas: From Flares to Rig Power, Copyright 2015, Society of Petroleum Engineers, SPE-173491-MS.
- Williams, C.W. (Gulf Oil Corp. Odessa Texas), The Use of Gas-turbine Engines in an Automated High-Pressure Water-Injection Stations; American Petroleum Institute; API-63-144 (Jan. 1, 1963).
- Neal, J.C. (Gulf Oil Corp. Odessa Texas), Gas Turbine Driven Centrifugal Pumps for High Pressure Water Injection; American Institute of Mining, Metallurgical and Petroleum Engineers, Inc.; SPE-1888 (1967).
- Porter, John A. (Solar Division International Harvester Co.), Modern Industrial Gas Turbines for the Oil Field; American Petroleum Institute; Drilling and Production Practice; API-67-243 (Jan. 1, 1967).
- Cooper et al., Jet Frac Porta-Skid—A New Concept in Oil Field Service Pump Equipments[sic]; Halliburton Services; SPE-2706 (1969).
- Ibragimov, É.S., Use of gas-turbine engines in oil field pumping units; *Chem Petrol Eng*; (1994) 30: 530. <https://doi.org/10.1007/BF01154919>. (Translated from *Khimicheskaya i Neftyanoe Mashinostroyeniye*, No. 11, pp. 24-26, Nov. 1994.)
- Kas'yanov et al., Application of gas-turbine engines in pumping units complexes of hydraulic fracturing of oil and gas reservoirs; *Exposition Oil & Gas*; (Oct. 2012) (published in Russian).
- American Petroleum Institute. API 674: Positive Displacement Pumps—Reciprocating. 3rd ed. Washington, DC: API Publishing Services, 2010.
- American Petroleum Institute. API 616: Gas Turbines for the Petroleum, Chemical, and Gas Industry Services. 5th ed. Washington, DC: API Publishing Services, 2011.
- Karassik, Igor, Joseph Messina, Paul Cooper, and Charles Heald. *Pump Handbook*. 4th ed. New York: McGraw-Hill Education, 2008.
- Weir SPM. Weir SPM General Catalog: Well Service Pumps, Flow Control Products, Manifold Trailers, Safety Products, Post Sale Services. Ft. Worth, TX: Weir Oil & Gas. May 28, 2016. <https://www.pumpfundamentals.com/pumpdatabase2/weir-spm-general.pdf>.
- The Weir Group, Inc. Weir SPM Pump Product Catalog. Ft. Worth, TX: S.P.M. Flow Control, Inc. Oct. 30, 2017. https://manage.global.weir/assets/files/product%20brochures/SPM_2P140706_Pump_Product_Catalogue_View.pdf.
- Shandong Saigao Group Corporation. Q4 (5W115) Quintuplex Plunger Pump. Jinan City, Shandong Province, China: Saigao. Oct. 20, 2014. <https://www.saigaogroup.com/product/q400-5w115-quintuplex-plunger-pump.html>.
- Marine Turbine. Turbine Powered Frac Units. Franklin, Louisiana: Marine Turbine Technologies, 2020.
- Rotating Right. Quintuplex Power Pump Model Q700. Edmonton, Alberta, Canada: Weatherford International Ltd. <https://www.rotatingright.com/pdf/weatherford/RR%2026-Weatherford%20Model%20Q700.pdf>, 2021.
- CanDyne Pump Services, Inc. Weatherford Q700 Pump. Calgary, Alberta, Canada: CanDyne Pump Services. Aug. 15, 2015. <http://candyne.com/wp-content/uploads/2014/10/181905-94921.q700-quintuplex-pump.pdf>.
- Arop, Julius Bankong. Geomechanical review of hydraulic fracturing technology. Thesis (M. Eng.). Cambridge, MA: Massachusetts Institute of Technology, Dept. of Civil and Environmental Engineering. Oct. 29, 2013. <https://dspace.mit.edu/handle/1721.1/82176>.
- AFGlobal Corporation, Durastim Hydraulic Fracturing Pump, A Revolutionary Design for Continuous Duty Hydraulic Fracturing, 2018.
- SPM® Qem 5000 E-Frac Pump Specification Sheet, Weir Group (2019) ("Weir 5000").
- Green Field Energy Services Natural Gas Driven Turbine Frac Pumps HHP Summit Presentation, Yumpu (Sep. 2012), <https://www.yumpu.com/en/document/read/49685291/turbine-frac-pump-assembly-hhp> ("Green Field").
- Dowell B908 "Turbo-Jet" Operator's Manual.
- Jereh Debut's Super-power Turbine Fracturing Pump, Leading the Industrial Revolution, Jereh Oilfield Services Group (Mar. 19, 2014), <https://www.prnewswire.com/news-releases/jereh-debuts-super-power-turbine-fracturing-pump-leading-the-industrial-revolution-250992111.html>.
- Jereh Apollo 4500 Turbine Frac Pumper Finishes Successful Field Operation in China, Jereh Group (Feb. 13, 2015), as available on Apr. 20, 2015, <https://web.archive.org/web/20150420220625/https://www.prnewswire.com/news-releases/jereh-apollo-4500-turbine-frac-pumper-finishes-successful-field-operation-in-china-300035829.html>.
- 35% Economy Increase, Dual-fuel System Highlighting Jereh Apollo Frac Pumper, Jereh Group (Apr. 13, 2015), <https://www.jereh.com/en/news/press-release/news-detail-7345.htm>.
- Hydraulic Fracturing: Gas turbine proves successful in shale gas field operations, Vericor (2017), <https://www.vericor.com/wp-content/uploads/2020/02/7.-Fracing-4500hp-Pump-China-En.pdf> ("Vericor Case Study").
- Jereh Apollo Turbine Fracturing Pumper Featured on China Central Television, Jereh Group (Mar. 9, 2018), <https://www.jereh.com/en/news/press-release/news-detail-7267.htm>.
- Jereh Unveiled New Electric Fracturing Solution at OTC 2019, Jereh Group (May 7, 2019), as available on May 28, 2019, <https://web.archive.org/web/20190528183906/https://www.prnewswire.com/news-releases/jereh-unveiled-new-electric-fracturing-solution-at-otc-2019-300845028.html>.
- Jereh Group, Jereh Fracturing Unit, Fracturing Spread, YouTube (Mar. 30, 2015), <https://www.youtube.com/watch?v=PIKDbU5dE0o>.
- Transcript of Jereh Group, Jereh Fracturing Unit, Fracturing Spread, YouTube (Mar. 30, 2015).
- Jereh Group, Jereh Fracturing Equipment. YouTube (Jun. 8, 2015), <https://www.youtube.com/watch?v=m0vMiq84P4Q>.
- Transcript of Jereh Group, Jereh Fracturing Equipment, YouTube (Jun. 8, 2015), <https://www.youtube.com/watch?v=m0vMiq84P4Q>.
- Ferdinand P. Beer et al., *Mechanics of Materials* (6th ed. 2012).
- Weir Oil & Gas Introduces Industry's First Continuous Duty 5000-Horsepower Pump, Weir Group (Jul. 25, 2019), <https://www.>

(56)

References Cited

OTHER PUBLICATIONS

- global. weir/newsroom/news-articles/weir-oil-and-gas-introduces-industrys-first-continuous-duty-5000-horsepower-pump/.
- 2012 High Horsepower Summit Agenda, Natural Gas for High Horsepower Applications (Sep. 5, 2012).
- Review of HHP Summit 2012, Gladstein, Neandross & Associates <https://www.gladstein.org/gna-conferences/high-horsepower-summit-2012/>.
- Green Field Energy Services Deploys Third New Hydraulic Fracturing System, Green Field Energy Services, Inc. (Jul. 11, 2012), <https://www.prnewswire.com/news-releases/green-field-energy-services-deploys-third-new-hydraulic-fracturing-spread-162113425>.
- Karen Boman, Turbine Technology Powers Green Field Multi-Fuel Frack Pump, Rigzone (Mar. 7, 2015), as available on Mar. 14, 2015, https://web.archive.org/web/20150314203227/https://www.rigzone.com/news/oil-gas/a/124883/Turbine_Technology_Powers_Green_Field_MultiFuel_Frack_Pump.
- "Turbine Frac Units," WMD Squared (2012), <https://wmdsquared.com/work/gfes-turbine-frac-units/>.
- Leslie Turj, Green Field asset sale called 'largest disposition industry has seen,' The INDsider Media (Mar. 19, 2014), <http://theind.com/article-16497-green-field-asset-sale-called-%E2%80%98largest-disposition-industry-has-seen%60.html>.
- "Honghua developing new-generation shale-drilling rig, plans testing of frac pump"; Katherine Scott; Drilling Contractor May 23, 2013; accessed at <https://www.drillingcontractor.org/honghua-developing-new-generation-shale-drilling-rig-blans-testing-of-frac-pump-23278>.
- Rigmaster Machinery Ltd., Model: 2000 RMP-6-PLEX, brochure, downloaded at https://www.rigmastermachinery.com/_files/ugd/431e62_eaec77c9fe54af8b13d08396072da67.pdf.
- Final written decision of PGR2021-00102 dated Feb. 6, 2023.
- Final written decision of PGR2021-00103 dated Feb. 6, 2023.
- ResearchGate, Answer by Byron Woolridge, found at https://www.researchgate.net/post/How_can_we_improve_the_efficiency_of_the_gas_turbine_cycles, Jan. 1, 2013.
- Filipović, Ivan, Preliminary Selection of Basic Parameters of Different Torsional Vibration Dampers Intended for use in Medium-Speed Diesel Engines, Transactions of Fama XXXVI-3 (2012).
- Marine Turbine Technologies, 1 MW Power Generation Package, <http://marineturbine.com/power-generation>, 2017.
- Business Week: Fiber-optic cables help fracking, cablinginstall.com. Jul. 12, 2013. <https://www.cablinginstall.com/cable/article/16474208/businessweek-fiber-optic-cables-help-fracking>.
- Fracking companies switch to electric motors to power pumps, iadd-intl.org. Jun. 27, 2019. <https://www.iadd-intl.org/articles/fracking-companies-switch-to-electric-motors-to-power-pumps/>.
- The Leader in Frac Fueling, suncoastresources.com. Jun. 29, 2015. <https://web.archive.org/web/20150629220609/https://www.suncoastresources.com/oilfield/fueling-services/>.
- Mobile Fuel Delivery, atlasoil.com. Mar. 6, 2019. <https://www.atlasoil.com/nationwide-fueling/onsite-and-mobile-fueling>.
- Frac Tank Hose (FRAC), 4starhose.com. Accessed: Nov. 10, 2019. http://www.4starhose.com/product/frac_tank_hose_frac.aspx.
- PLOS ONE, Dynamic Behavior of Reciprocating Plunger Pump Discharge Valve Based on Fluid Structure Interaction and Experimental Analysis. Oct. 21, 2015.
- FMC Technologies, Operation and Maintenance Manual, L06 Through L16 Triplex Pumps Doc No. OMM50000903 Rev: E p. 1 of 66. Aug. 27, 2009.
- Gardner Denver Hydraulic Fracturing Pumps GD 3000 <https://www.gardnerdenver.com/en-us/pumps/triplex-fracking-pump-gd-3000>.
- Lekontsev, Yu M., et al. "Two-side sealer operation." Journal of Mining Science 49.5 (2013): 757-762.
- Tom Hausfeld, GE Power & Water, and Eldon Schelske, Evolution Well Services, TM2500+ Power for Hydraulic Fracturing.
- FTS International's Dual Fuel Hydraulic Fracturing Equipment Increases Operational Efficiencies, Provides Cost Benefits, Jan. 3, 2018.
- CNG Delivery, Fracturing with natural gas, dual-fuel drilling with CNG, Aug. 22, 2019.
- PbNG, Natural Gas Fuel for Drilling and Hydraulic Fracturing, Diesel Displacement / Dual Fuel & Bi-Fuel, May 2014.
- Integrated Flow, Skid-mounted Modular Process Systems, Jul. 15, 2017, <https://ifsolutions.com/why-modular/>.
- Cameron, A Schlumberger Company, Frac Manifold Systems, 2016.
- ZSi-Foster, Energy | Solar | Fracking | Oil and Gas, Aug. 2020, <https://www.zsi-foster.com/energy-solar-fracking-oil-and-gas.html>.
- JBG Enterprises, Inc., WS-Series Blowout Prevention Safety Coupling—Quick Release Couplings, Sep. 11, 2015, <http://www.jgbhose.com/products/WS-Series-Blowout-Prevention-Safety-Coupling.asp>.
- Halliburton, Vessel-based Modular Solution (VMS), 2015.
- Chun, M. K., H. K. Song, and R. Lallemand. "Heavy duty gas turbines in petrochemical plants: Samsung's Daesan plant (Korea) beats fuel flexibility records with over 95% hydrogen in process gas." Proceedings of PowerGen Asia Conference, Singapore. 1999.
- Wolf, Jürgen J., and Marko A. Perkavec. "Safety Aspects and Environmental Considerations for a 10 MW Cogeneration Heavy Duty Gas Turbine Burning Coke Oven Gas with 60% Hydrogen Content." ASME 1992 International Gas Turbine and Aeroengine Congress and Exposition. American Society of Mechanical Engineers Digital Collection, 1992.
- Ginter, Timothy, and Thomas Bouvay. "Uprate options for the MS7001 heavy duty gas turbine." GE paper GER-3808C, Ge Energy 12 (2006).
- Chaichan, Miqdam Tariq. "The impact of equivalence ratio on performance and emissions of a hydrogen-diesel dual fuel engine with cooled exhaust gas recirculation." International Journal of Scientific & Engineering Research 6.6 (2015): 938-941.
- Ecob, David J., et al. "Design and Development of a Landfill Gas Combustion System for the Typhoon Gas Turbine." ASME 1996 International Gas Turbine and Aeroengine Congress and Exhibition. American Society of Mechanical Engineers Digital Collection, 1996.
- I-VI Marlow Industries, Thermoelectric Technologies in Oil, Gas, and Mining Industries, blog.marlow.com (Jul. 24, 2019).
- B.M. Mahlalela, et al., Electric Power Generation Potential Based on Waste Heat and Geothermal Resources in South Africa, pangea.stanford.edu (Feb. 11, 2019).
- Department of Energy, United States of America, The Water-Energy Nexus: Challenges and Opportunities pureenergypolicy.org (Jun. 2014).
- Ankit Tiwari, Design of a Cooling System for a Hydraulic Fracturing Equipment, The Pennsylvania State University, The Graduate School, College of Engineering, 2015.
- Jp Yadav et al., Power Enhancement of Gas Turbine Plant by Intake Air Fog Cooling, Jun. 2015.
- Mee Industries: Inlet Air Fogging Systems for Oil, Gas and Petrochemical Processing, Verdict Media Limited Copyright 2020.
- M. Ahmadzadehtalatapeh et al. Performance enhancement of gas turbine units by retrofitting with inlet air cooling technologies (IACTs): an hour-by-hour simulation study, Journal of the Brazilian Society of Mechanical Sciences and Engineering, Mar. 2020.
- Advances in Popular Torque-Link Solution Offer OEMs Greater Benefit, Jun. 21, 2018.
- Emmanuel Akita et al., Mewbourne College of Earth & Energy, Society of Petroleum Engineers; Drilling Systems Automation Technical Section (DSATS); 2019.
- PowerShelter Kit II, nooutage.com, Sep. 6, 2019.
- Empengineering.com, HEMP Resistant Electrical Generators / Hardened Structures HEMP/GMD Shielded Generators, Virginia, Nov. 3, 2012.
- Blago Minovski, Coupled Simulations of Cooling and Engine Systems for Unsteady Analysis of the Benefits of Thermal Engine Encapsulation, Department of Applied Mechanics, Chalmers University of Technology Göteborg, Sweden 2015.
- J. Porteiro et al., Feasibility of a new domestic CHP trigeneration with heat pump: II. Availability analysis. Design and development, Applied Thermal Engineering 24 (2004) 1421-1429.
- ISM, What is Cracking Pressure, 2019.
- Swagelok, The right valve for controlling flow direction? Check, 2016.

(56)

References Cited

OTHER PUBLICATIONS

Technology.org, Check valves how do they work and what are the main type, 2018.

* cited by examiner





FIG. 1A






FIG. 2B




FIG. 2A




FIG. 3B






FIG. 3A








FIG. 6B




FIG. 6A







FIG. 6C









FIG. 9



1

COVER FOR FLUID SYSTEMS AND RELATED METHODS

PRIORITY CLAIM

This is a continuation of U.S. Non-Provisional application Ser. No. 17/383,517, filed Jul. 23, 2021, titled "COVER FOR FLUID SYSTEMS AND RELATED METHODS," now U.S. Pat. No. 11,635,074, issued Apr. 25, 2023, which is a continuation of U.S. Non-Provisional application Ser. No. 15/929,652, filed May 14, 2020, titled "COVER FOR FLUID SYSTEMS AND RELATED METHODS," which claims priority to and the benefit of, U.S. Provisional Application No. 62/704,462, filed May 12, 2020, titled "COVER FOR FLUID SYSTEMS AND RELATED METHODS," and U.S. Provisional Application No. 62/704,476, filed May 12, 2020, titled "COVER FOR FLUID SYSTEMS AND RELATED METHODS," the disclosures of which are incorporated herein by reference in their entireties.

BACKGROUND

The present disclosure generally relates to pressurized fluid systems, fluid end covers, and methods, for example, high pressure single acting reciprocating pumping systems and methods such as those that include hydraulic fracturing single acting reciprocating pumps. Specifically, the present disclosure relates to a fluid cover for a fluid end block assembly of hydraulic fracturing pumping systems.

Hydraulic fracturing often is used to produce oil and gas in an economic manner from low permeability reservoir rocks, such as shale. Hydraulic fracturing restores or enhances productivity of a well by creating a conductive flow path of hydrocarbons between the reservoir rock and a wellbore. During hydraulic fracturing, a fluid initially is pumped under high pressure to fracture rock in a reservoir formation and open a flow channel. Thereafter, a proppant-carrying fluid, e.g., a fluid that comprises proppant in the form of granular solid and/or semi-solid components, e.g., sand, ceramics, is pumped to continue opening and widening the flow channel while suspending proppant inside it. The proppant thus keeps the flow path opened for the hydrocarbons to flow.

Hydraulic fracturing treatments may be performed using single acting reciprocating fracturing pumps to deliver fluids at a high pressure, specifically, above the fracture pressure of the rock in a reservoir formation. These fracturing pumps are of a type referred to as reciprocating plunger pumps. Such pumps may have multiple pumps, for example, 3 or 5 plungers to form "triplex" and "quintuplex" pumps, respectively. In such pumps, one or more plungers moves linearly back and forth in a cylindrical bore, traveling in and out of a pump fluid chamber. The fluid chamber is in communication with a suction or intake port and discharge port. Each port may include additional fluid handling components, for example, springs and valves (such as a one-way valve).

In this regard, fluid enters the chamber through the suction port as the plunger withdraws from the chamber. It is then pumped out of the chamber through the discharge port as the plunger enters the chamber.

The plungers are part of what is generally referred to as the fluid end of the pumping system, a major component of which is a pump housing or fluid end block assembly. Accordingly, the fluid end block assembly may include passages or bores, e.g., cylindrical bores, in which the

2

plungers travel, and within which valves, suction and discharge ports, fluid covers and other closures, etc., may be positioned.

The cyclic movement of the plungers may forcibly pressurize fluids inside the fluid end block assembly of the pumping system. The rugged environments, high pressure of the fluid, and high power operations of the pumps causes fluid ends to become damaged, broken, and unusable, may decrease the usable life of the fluid ends, and may cause operational downtime or increased costs associated with pumping system operations at a well site.

SUMMARY

In view of the foregoing, there is an ongoing need for enhanced pumping system components and methods more suitable for use in the fluid end block assembly of a pumping system when being used in the associated rugged environments, as well as for high pressure and high power operations.

According to one embodiment of the disclosure, a high-pressure, high power, reciprocating positive displacement fluid pumping system may include a high-pressure, high power, reciprocating positive displacement pump having a pump plunger, a fluid end block assembly, and a fluid cover. The fluid end block assembly, for example, may include a fluid end block body, a suction port, a discharge port, a pump bore positioned in and extending through the fluid end block body, and a fluid chamber positioned in the fluid end block body and in fluid communication with each of the suction port, the discharge port, and the pump bore. The fluid chamber has an open end portion, and the pump plunger is positioned to move in the pump bore to pressurize one or more fluids in the fluid chamber. An embodiment of the fluid cover, for example, may have a monolithic body including a first portion and a second portion. The first portion may be received in the open end portion and sealably be engaged with the fluid end block body. The second portion may be connected mechanically to the fluid end block body. The fluid cover may include a shoulder that is positioned between the first portion and the second portion. The shoulder may be engaged with the fluid block end body to seal the open end portion. In some embodiments, the shoulder may interact with the open end portion to align the fluid cover with the open end portion.

According to another embodiment of the disclosure, a fluid end block assembly for a high-pressure, high power, reciprocating positive displacement fluid pumping system may include a fluid end block body, a pump bore positioned in and extending through the fluid end block body, a plurality of ports including a suction port and a discharge port which collectively provide access to and from the pump bore, and a fluid chamber positioned in the fluid end block body. The fluid chamber may be positioned in fluid communication with each of the suction port, the discharge port, and the pump bore. The fluid chamber, for example, has an open end portion, and the pump bore may be positioned to receive a movable pump plunger to pressurize one or more fluids when located in the fluid chamber. A fluid cover may be connected to the fluid end block body, and the fluid cover may include a monolithic body having a first portion and a second portion. The first portion may be received in the open end portion and may be configured to align the fluid cover with the open end portion. The second portion may be connected mechanically to the fluid end block body.

According to yet another embodiment of the disclosure, a fluid cover for being sealably engaged with a fluid end block

3

assembly of a high-pressure, high power, reciprocating positive displacement fluid pumping system may include a monolithic body with a first portion and a second portion. The first portion, for example, may be received in an open end portion of a fluid chamber of the fluid end block assembly and sealably may be engaged with the fluid end block assembly. The first portion may be configured to engage the open end portion of the fluid chamber to align the fluid cover with the open end portion. The second portion may be connected mechanically to the fluid end block assembly.

An embodiment of the disclosure also provides a method of operating a high-pressure, high power, reciprocating positive displacement fluid pumping system that includes obtaining a fluid end block assembly that has a fluid end block body, suction port, a discharge port, a pump bore positioned in and extending through the fluid end block body, and a fluid chamber positioned in the fluid end block body and in fluid communication with each of the suction port, the discharge port, and the pump bore. The fluid chamber may have an open end portion. The method further may include obtaining a high-pressure, high power, reciprocating positive displacement pump that has a pump plunger and fluidly connecting the pump to the fluid end block assembly. The method may include aligning a fluid cover with the fluid end block by inserting a first portion of the fluid cover into the open end portion. The first portion may engage the open end portion to align the fluid cover with the fluid end block. The fluid cover may include a monolithic body including the first portion and a second portion. The method further includes sealably connecting the fluid cover to the fluid end block by mechanically connecting the second portion to the fluid end block body. The method further may include operating the pump. The operating of the pump includes moving the pump plunger in the pump bore to pressurize one or more fluids in the fluid chamber.

An embodiment of the disclosure also provides a method of assembly a fluid pumping system that includes inserting a first portion of a fluid cover into an open end portion of a fluid end block assembly and mechanically connecting a second portion of the fluid cover to the open end portion. The first portion may engage the fluid end block assembly to align the fluid cover with the open end portion. The fluid cover may comprise a monolithic body having the first and second portion. Mechanically connecting the second portion of the fluid cover may include the first portion sealing the open end portion of the fluid end block.

Those skilled in the art will appreciate the benefits of various additional embodiments reading the following detailed description of the embodiments with reference to the below-listed drawing figures. It is within the scope of the present disclosure that the above-discussed aspects be provided both individually and in various combinations.

BRIEF DESCRIPTION OF THE DRAWINGS

According to common practice, the various features of the drawings discussed below are not necessarily drawn to scale. Dimensions of various features and elements in the drawings may be expanded or reduced to more clearly illustrate the embodiments of the disclosure.

FIG. 1A is a schematic diagram of showing a layout of a fluid pumping system according to an embodiment of the disclosure.

4

FIG. 1B is an enlarged, sectional view of a fluid end block assembly of the fluid pumping system of FIG. 1A according to an embodiment of the disclosure.

FIG. 2A is a perspective view of a fluid cover component of a conventional fluid cover assembly according to an embodiment of the disclosure.

FIG. 2B is a side view of the fluid cover component of FIG. 2A according to an embodiment of the disclosure.

FIG. 3A is a perspective view of a retainer component of a conventional fluid cover assembly according to an embodiment of the disclosure.

FIG. 3B is a side view of the retainer component of FIG. 3A according to an embodiment of the disclosure.

FIG. 4 is an enlarged, sectional view of an operation of the fluid end block assembly of FIG. 1B according to an embodiment of the disclosure.

FIG. 5 is another enlarged, sectional view of the fluid end block assembly of FIG. 1B according to an embodiment of the disclosure.

FIG. 6A is a perspective view of an integrated fluid cover according to a first exemplary embodiment of the disclosure.

FIG. 6B is a side view of the integrated fluid cover of FIG. 6A according to an embodiment of the disclosure.

FIG. 6C is a top view of the integrated fluid cover of FIG. 6A according to an embodiment of the disclosure.

FIG. 7A is a side view of an integrated fluid cover according to a second exemplary embodiment of the disclosure.

FIG. 7B is another side view of the integrated fluid cover of FIG. 7A, with a seal member shown in cross-section according to an embodiment of the disclosure.

FIG. 8 is a sectional view of the integrated fluid cover of FIG. 7A sealably coupled with a fluid end block assembly of a fluid pumping system according to an embodiment of the disclosure.

FIG. 9 is a side view of an integrated fluid cover according to a third exemplary embodiment of the disclosure.

FIG. 10 is a sectional view of the integrated fluid cover of FIG. 9 sealably coupled with a fluid end block assembly of a fluid pumping system according to an embodiment of the disclosure.

Corresponding parts are designated by corresponding reference numbers throughout the drawings.

DETAILED DESCRIPTION

The embodiments of the present disclosure are directed to pressurized fluid systems, for example, high pressure single acting reciprocating pumping systems such as those that include hydraulic fracturing single acting reciprocating pumps. In particular, the embodiments of the present disclosure are directed to fluid covers for use with such pressurized fluid systems.

FIG. 1A illustrates a schematic view of a high-pressure, high power, reciprocating positive displacement fluid pumping system **100** according to an embodiment of the disclosure. The diagram of the system **100** shows a typical pad layout for a fracturing pump system, and the system **100** includes a plurality of fracturing or frac pumps or pumping units **FP1**, **FP2**, **FP3**, **FP4**, **FP5**, **FP6**, **FP7**, **FP8** with the pumping units all operatively connected to a manifold **M** that is operatively connected to a wellhead **W**. By way of an example, in order to achieve a maximum rated horsepower of 24,000 HP for the pumping system **100**, a quantity of eight (8) 3000 horsepower (HP) pumping units may be used. It will be understood that the fluid pumping system **100** may include associated service equipment such as hoses, con-

5

nections, and assemblies, among other devices and tools. Each of the pumping units FP1, FP2, FP3, FP4, FP5, FP6, FP7, FP8 may include a fluid end block assembly 101.

FIG. 1B illustrates a portion of a fluid end block assembly 101 of the embodiment of the fluid pumping system 100 as shown in a sectional view. In one embodiment, the fluid end block assembly 101 may be in fluid communication with and/or may form a portion of the manifold M. In this regard, one or more of the frac pumps or pumping units FP1, FP2, FP3, FP4, FP5, FP6, FP7, FP8 may be fluidly coupled to the fluid end block assembly 101.

The fluid end block assembly 101, as shown, includes a fluid end block body 121 having intersecting horizontal and vertical bore passages that are each in fluid communication with a fluid end chamber 105 in the fluid end block body 121. The vertical bore passage includes an intake port or suction port 102. The fluid may enter the fluid end block body 121 from an intake source, for example, a fluid supply manifold. The vertical bore passage also includes an outlet port or discharge port 103 through which fluid may exit the fluid end block body 121 or flow to another portion of the fluid end block assembly 101. One or both of the suction port 102 and the discharge port 103 thus collectively provide access to and from the fluid end chamber 105 and may include fluid handling elements or components such as seats, valves, springs, and so forth, as will be understood by those skilled in the art.

The discharge port 103, as shown, includes a discharge bore 104, e.g., an opening or fluid channel, through which pressurized fluid may exit the fluid end block assembly 101 to downstream components of the fluid pumping system coupled to the fluid end block assembly 101. A discharge cover assembly or discharge cap assembly 116 may be coupled to a portion of the discharge port 103, as described further herein.

As shown, a piston/plunger 107 (broadly, “pump member”) is positioned in a pump bore 108 along the horizontal bore of the fluid end block assembly 101. The plunger 107 is movable in the pump bore 108, for example, via reciprocating actuation of one or more of the pumping units FP1, FP2, FP3, FP4, FP5, FP6, FP7, FP8, with a forward stroke in the direction of the fluid chamber 105 and that terminates proximate the fluid chamber 105, and a rearward stroke in a direction away from the fluid chamber 105 and opposite the direction of the forward stroke. One or more of the pumping units FP1, FP2, FP3, FP4, FP5, FP6, FP7, FP8 may actuate the plunger 107 to move/reciprocate in the pump bore 108, for example, via a controller or control system, as will be understood by those skilled in the art, that may be in electronic communication with one or more of the pumping units, and which may be operated under manual and/or processor control.

As shown, the forward stroke of the plunger 107 terminates opposite an open end portion 106 of the fluid chamber 105. In one embodiment, the open end portion 106 of the fluid chamber 105 is positioned in a portion of the fluid end block body 121 that includes an oblique or chamfered surface 123 that extends toward an interior threaded portion 127 of the fluid end block body 121 along interior peripheries of the open end portion 106 of the fluid chamber 105 (see FIG. 5).

A fluid cover assembly 109 (broadly, “suction cap assembly” or “suction cover assembly” or “intake cap assembly” or “intake cover assembly”) may be sealingly engaged with and coupled to the fluid end block body 121, as described further herein.

6

An embodiment of the fluid cover assembly 109 may include a fluid cover component 110 having a generally cylindrical body with a flanged head 111 including a tool engagement feature 113 for being engaged by a tool to place, position, help secure to, and/or remove the fluid cover component 110 from the end portion 106 of the fluid chamber 105 (see FIGS. 2A-2B and 3A-3B). In this regard, the fluid cover component 110 may be at least partially received within the end portion 106 of the fluid chamber 105 opposite the reciprocating path of the plunger 107. A sealing member 114, e.g., a rubber or other polymeric annular seal, may be positioned on the cylindrical body of the fluid cover component 110.

The fluid cover component 110 may be at least partially received in the end portion 106 of the fluid chamber 105, and the fluid cover assembly 109 may be mechanically connected to the fluid end block assembly 101 via the mechanical connection of a retainer component 112 to the fluid end block body 121.

The retainer component 112, as shown in FIGS. 3A and 3B, may be a retainer nut or other fastener having a generally cylindrical body with an outer surface that defines a threaded portion 126 that is configured to threadably engage the corresponding interior threaded portion 127 of the fluid end block body 121. In this regard, the retainer component 112 may be threadably advanced into the end portion 106 of the fluid chamber 105 to abut the flanged head portion 111 of the fluid cover component 110, for example, such that an end of the retainer component 112 contacts the head portion of the fluid cover component 112 at an interface, e.g., a discontinuity between the material of the fluid cover component 110 and the material of the retainer component 112. As shown, the retainer component 112 may also define a tool engagement feature 117 for being engaged by a tool to place, position, and/or remove the retainer component 112 from the end portion 106 of the fluid chamber 105.

It will be understood that the discharge cap/cover assembly 116 of the discharge port 103 may have a configuration that is generally similar to the configuration of the fluid cover assembly 109 positioned at the open end portion 106 of the fluid chamber 105 near the suction port 102. The discharge cap/cover assembly 116 of the discharge port 103 may have a different configuration without departing from the disclosure.

Referring to FIG. 4, fluid may be delivered via the suction port 102, for example, from a pump suction manifold and valve assembly, into the fluid chamber 105. The fluid in the fluid chamber 105 may be compressed by the plunger 107 upon a compression or delivery stroke, e.g., toward the fluid chamber 105.

In the embodiment illustrated in FIG. 4, the full extension length of the plunger 107 may extend at least partially toward the fluid chamber 105 to compress fluids disposed therein. In this regard, as the plunger 107 commences its delivery or compression stroke, the fluid positioned inside of the fluid end chamber 105 is compressed by the plunger 107 and such compression forces are translated into the surrounding walls of the fluid chamber 105. As the end portion 106 of the fluid chamber 105 is closed by the fluid cover assembly 109 sealingly engaged with the fluid end block body 121, the pressurized fluid in the fluid end chamber 105 flows into the discharge port 103, and out the discharge bore 104.

Following/preceding the above-described compression or delivery stroke of the plunger 107, in an intake or suction stroke, the plunger 107 translates along the pump bore 108 of the fluid end block assembly 101 away from the fluid

chamber **105** to create a suction, e.g., negative pressure or vacuum, in the fluid chamber **105** that draws additional fluid into the fluid chamber **105** in preparation for a subsequent compression or delivery stroke.

Referring to FIGS. 6A-6C, an integrated fluid cover according to a first exemplary embodiment of the disclosure is generally designated **221**, and may be used in a fluid pumping system that may be otherwise similar to the fluid pumping system **100** described above.

In the illustrated embodiment, the integrated fluid cover **221** includes a monolithic body **223**, e.g., a body monolithically formed of a single continuous piece or block of material that has a unitary configuration so as to be free from any seams or discontinuities that extend from an outer surface of the body **223** to an interior portion of the body **223**. It will be understood that the body **223** of the integrated fluid cover **221** may include metallic, polymeric, and/or composite materials.

The body **223** of the integrated fluid cover **221** defines a fluid cover portion **225** (broadly, "first portion") and a retainer portion **227** (broadly, "second portion"). Each of the fluid cover portion **225** and the retainer portion **227** has a generally cylindrical configuration, with the fluid cover portion **225** having a first diameter **D1** that is smaller than a second diameter **D2** of the fluid cover portion **225**.

The fluid cover portion **225** has a generally cylindrical configuration with a free end or distal end **226** facing the fluid chamber **105**. The fluid cover portion **225** extends from the distal end **226** to a flange portion **228** of the retainer portion **227**. In this regard, the fluid cover portion **225** of the integrated fluid cover **221** may be at least partially received within the end portion **106** of the fluid chamber **105** of the fluid end block assembly **101**.

As shown, the flange portion **228** of the retainer portion **227** extends radially outwardly from the fluid cover portion **225**. The retainer portion **227** also includes a threaded portion **229** extending away from the flange portion **228** and that is configured to engage the interior threaded portion **127** of the fluid end block body **121** to mechanically connect to the fluid end block body **121** as described above. In one embodiment, the flange portion **228** of the retainer portion **227** may extend radially outwardly from the threaded portion **229** so as to form a protrusion or protuberance along the outer surface of the retainer portion **227**.

As shown, the seal member **114** (broadly, "first seal member") may be positioned on the fluid cover portion **225** of the integrated fluid cover **221** between the distal end **226** and the flange portion **228** of the retainer portion **227**. In this regard, when the fluid cover portion **225** of the integrated fluid cover **221** is at least partially received in the end portion **106** of the fluid chamber **105**, the seal member **114** may be positioned to sealingly engage interior surfaces of the fluid end block body **121**. The seal member **114** may align or center the fluid cover portion **225** within the end portion **106** of the fluid chamber **105**.

As also shown, the body **223** of the integrated fluid cover **221** defines a tool engagement feature **231** at a free end or proximal end surface **232** of the retainer portion **227**. The tool engagement feature **231** may be, for example and without limitation, a polygonal (e.g., hexagonal) recess having a configuration complementary to that of an insertion or removal or securing tool, such as an Allen wrench or other driver when positioned to secure the integrated fluid cover **221**. Optionally, the tool engagement feature may have a different configuration, for example and without limitation, a protrusion, without departing from the disclosure.

In this regard, rotation of the integrated fluid cover **221** via engagement of a tool with the tool engagement feature **231** may cause rotation of both the fluid cover portion **225** and the retainer portion **227** of the integrated fluid cover **221** due to the monolithic construction of the body **223** of the integrated fluid cover **221**. Such a configuration may obviate and reduce the number of tools required for insertion, removal, and other maintenance of a fluid cover in which, for example, a retainer portion and a fluid cover portion are separate components.

Furthermore, the aforementioned monolithic construction of the body **223** of the integrated fluid cover **221** may provide a higher mass single body as compared to the bodies of a fluid cover portion and a retainer portion provided as separate components of a fluid cover assembly. In this regard, the integrated fluid cover **221** provides enhanced material integrity, durability, and fatigue resistance in high pressure fluid environments.

For example, in a conventional fluid cover assembly that includes a separately coupled fluid cover portion and retainer portion, cyclic high fluid pressures produced in a fluid pump system may result in a water hammer effect in which impacts the fluid cover portion and which is translated towards the retainer portion. These fluid pulsations may be influenced by factors such as pump operating pressure, pump crankshaft rotation speed, suction and discharge valve efficiency, and effective fluid end chamber fill volume per plunger stroke. The fluid pulses/forces thus produce a constant vibration and wear on components of the fluid block assembly **101**, and may cause relative movement of the fluid cover portion and the retainer portion, which may result, for example, in wearing down or away of threaded portions or other coupling features that may create a clearance gap (see FIG. 5) between the fluid cover portion and the separate retainer portion, backing out or disengagement of the retainer portion from an end portion of a fluid end block, the loss of seal integrity between the fluid cover portion and the end portion of the fluid end block that may lead to leakage of fluids from the fluid end block, etc.

Accordingly, the disclosed integrated fluid cover **221** is resistant to wear and failure produced in the cyclic high pressure fluid environments in a fluid end block assembly **101** so as to reduce damage (e.g., wash, wear, cracking, etc.), reduce maintenance cycles and downtimes, minimize consumable components for the fluid end block assembly **101**, ensure the maintenance of proper sealing contact with surfaces of the fluid end block assembly **101**, and reduce leakage from the fluid end block assembly **101**.

In addition, because the tool engagement feature **231** may be engaged to both position and seat the fluid cover portion **225** in the end portion **106** of the fluid end block assembly **101** as well as engage/couple the retainer portion **227** with the fluid end block body **121**, the number of tools employed for installation/maintenance of components of the fluid end block assembly **101** may be reduced, as well as obviating the need to align a separate fluid cover portion and a retainer portion.

Further, constructing or manufacturing the fluid cover portion **225** and the retainer portion **227** into a single monolithic body of the fluid cover **221** may increase resistance to backing out and/or rotation of the fluid cover **221** during the rugged environment associated with operation of a fluid end. For example, with a separate fluid cover portion and retainer portion (see FIGS. 2A-3B), the fluid cover portion is subject to translation forces towards and away from the retainer portion as a result of what is known as the water hammer effect as will be understood by those skilled

in the art, and the retainer portion is subject to rotational forces as a result of the retainer portion engaging the flange thereof. In contrast, the monolithic body of the fluid cover **221** increases a mass resisting the water hammer effect. In addition, as the retainer portion **227** and the fluid cover portion **225** are monolithically formed together, the water hammer effect may be reduced by eliminating movement between the retainer portion **227** and the fluid cover portion **225**. Additionally, the frictional engagement between the monolithic fluid cover **221** may be increased to further resist the water hammer effect. For example, the seal member **114** frictionally engages the inner surface of the fluid end block body **121** which may increase resistance to rotation of the fluid cover portion **225** relative to the fluid end block body **121** when compared to a non-monolithically formed fluid cover. This engagement further may increase a service life of the fluid cover **221** and/or the fluid end block body **121** by reducing the number of component parts and by reducing the risk of failure of this particular component part due to its construction as illustrated and described in the associated embodiments.

Referring to FIGS. 7A and 7B, an integrated fluid cover according to a second exemplary embodiment of the disclosure is generally designated **321**, and may be sealably coupled to the fluid end block assembly **101** of a fluid pumping system **300** that may be otherwise similar to the fluid pumping systems described above, e.g., system **100**. The integrated fluid cover **321** may have one or more features that are substantially similar to those described above with regard to the integrated fluid cover **221**, and like or similar features are designated with like or similar reference numerals.

The integrated fluid cover **321** has a body **323** that is substantially similar to the body **223** of the integrated fluid cover **221**, except that the body **321** defines a machined or molded annular recess or groove **322** along the fluid cover portion **225** adjacent the flange portion **228** of the retainer portion **227** and for at least partially receiving a seal member **324** (broadly, “second seal member”) therein. The seal member **324** may be a flexible and/or resilient member, such as a polymeric (e.g., rubber) ring, for example and without limitation, an O-ring.

In this regard, the annular groove **322** may provide for an arrangement of the seal member **324** about the fluid cover portion **225** of the integrated fluid cover **321** that has a low or minimized profile, e.g., such that a minimal portion of the seal member **324** extends above the annular groove **322**. Accordingly, the annular groove **322** and seal member **324** cooperate to provide an arrangement of the seal member **324** that enhances a fluid-resistant seal against the fluid end block body **121**, but does not interfere with proper placement or receipt of the fluid cover portion **225** in the end portion **106** of the fluid chamber **105**.

Furthermore, and with additional reference to FIG. 8, when the fluid cover portion **225** of the integrated fluid cover **321** is at least partially received with the end portion **106** of the fluid chamber **105**, the seal member **324** may be compressed to a reduced profile, which may also have the effect of enhancing the sealing engagement of the seal member **324** against the fluid end block body **121**. As shown in FIG. 8, the flange portion **228** of the integrated fluid cover **321** is positioned to seat against an internal surface **128** of end portion **106** of the fluid chamber **105**. Specifically, the seal member **324** may be configured to engage the chamfered surface **123** of the fluid end block body **121** such that the seal member **324** fills space or at least some of the interstitial

space between the retainer portion **225** and the fluid end block body **121** as will be understood by those skilled in the art.

Referring now to FIG. 9, an integrated fluid cover according to a third exemplary embodiment of the disclosure is generally designated **421**, which may be sealably coupled to the fluid end block assembly **101** of a fluid pumping system **400** that may be otherwise similar to the fluid pumping systems described above, e.g., systems **100**, **300**. The integrated fluid cover **421** may have one or more features that are substantially similar to those described above with regard to the integrated fluid covers **221**, **321** and like or similar features are designated with like or similar reference numerals.

The integrated fluid cover **421** has a body **423** that is substantially similar to the body **223** of the integrated fluid cover **221**, except that the body **421** includes a neck portion or shoulder **422** extending from a surface of the fluid cover portion **225** to the flange portion **228** of the retainer portion **227**. In this regard, the shoulder **422** of the integrated fluid cover **421** has a tapered configuration that provides an oblique annular surface positioned between the fluid cover portion **225** and the retainer portion **227** to substantially surround the fluid cover **421**. The oblique annular surface of the shoulder **422** increases in diameter as the shoulder **422** extends towards the flange portion **228** of the retainer portion **227**.

Accordingly, and with additional reference to FIG. 10, when the fluid cover portion **225** of the integrated fluid cover **421** is at least partially received with the end portion **106** of the fluid chamber **105**, the shoulder **422** may sealably engage the chamfered surface **123** in a frictional and/or wedged arrangement so as to provide an enhanced seal of the integrated fluid cover **421** against the fluid end block body **121** that may resist fluid leakage from the fluid chamber **105**. In one embodiment, both the fluid end block body **101** and at least the shoulder **422** of the integrated fluid cover **421** may be comprised of metal such that the interface of the shoulder **422** with the outer edge of the end portion **106** of the fluid chamber is a metal-to-metal interface that provides an enhanced seal. In some embodiments, the shoulder **422** may interact with the chamfered surface **123** to align or center the integrated fluid cover **421** with the end portion **106** of the fluid chamber **105**.

This is a continuation of U.S. Non-Provisional application Ser. No. 17/383,517, filed Jul. 23, 2021, titled “COVER FOR FLUID SYSTEMS AND RELATED METHODS,” now U.S. Pat. No. 11,635,074, issued Apr. 25, 2023, which is a continuation of U.S. Non-Provisional application Ser. No. 15/929,652, filed May 14, 2020, titled “COVER FOR FLUID SYSTEMS AND RELATED METHODS,” which claims priority to and the benefit of, U.S. Provisional Application No. 62/704,462, filed May 12, 2020, titled “COVER FOR FLUID SYSTEMS AND RELATED METHODS,” and U.S. Provisional Application No. 62/704,476, filed May 12, 2020, titled “COVER FOR FLUID SYSTEMS AND RELATED METHODS,” the disclosures of which are incorporated herein by reference in their entireties.

The foregoing description of the disclosure illustrates and describes various exemplary embodiments. Various additions, modifications, changes, etc., could be made to the exemplary embodiments without departing from the spirit and scope of the disclosure. It is intended that all matter contained in the above description or shown in the accompanying drawings shall be interpreted as illustrative and not in a limiting sense. Additionally, the disclosure shows and describes only selected embodiments of the disclosure, but

11

the disclosure is capable of use in various other combinations, modifications, and environments and is capable of changes or modifications within the scope of the inventive concept as expressed herein, commensurate with the above teachings, and/or within the skill or knowledge of the relevant art. Furthermore, certain features and characteristics of each embodiment may be selectively interchanged and applied to other illustrated and non-illustrated embodiments of the disclosure.

What is claimed is:

1. A method comprising:
 inserting a first portion of a fluid cover into an open end portion of a fluid end block assembly of a fluid pumping system, the fluid cover having a monolithic body including the first portion and a second portion such that the first portion extends from the second portion to an end of the monolithic body, the first portion including an annular groove disposed adjacent to the second portion;
 sealingly engaging at least one first seal member positioned on the first portion with an inner wall of the open end portion such that the first portion is spaced away from the inner wall by the at least one first seal member;
 sealingly engaging at least one second seal member, which is seated at least partially in the annular groove, with an interior surface of the open end portion; and mechanically connecting the second portion of the fluid cover to the open end portion of the fluid end block assembly.

2. The method of claim 1, wherein the mechanically connecting the second portion comprises threadably engaging the second portion with the open end portion.

3. The method of claim 2, further comprising engaging a shoulder positioned within the open end portion with a flange defined on the second portion of the fluid cover.

4. The method of claim 3, wherein the second seal member is sealingly engaged against an interior chamfered surface of the open end portion that is positioned between the shoulder and the inner wall.

5. The method of claim 3, further comprising engaging an interior chamfered surface of the open end portion with a tapered shoulder of the fluid cover that is positioned adjacent the flange.

6. The method of claim 5, wherein the tapered shoulder has an increasing diameter as the tapered shoulder extends toward the flange along the fluid cover.

7. The method of claim 5, wherein the engaging the interior chamfered surface with the tapered shoulder comprises engaging the tapered shoulder with the interior chamfered surface in a wedged arrangement.

8. The method of claim 5, wherein the engaging the interior chamfered surface with the tapered shoulder comprises forming a metal-to-metal interface therebetween.

9. The method of claim 1, wherein the at least one first seal member and the at least one second seal member are each a polymeric O-ring.

10. A method comprising:
 obtaining a fluid end block assembly of a fluid pumping system, the fluid end block assembly including:
 a fluid chamber having an open end portion, the open end portion having an inner wall, and
 a fluid cover inserted into the open end portion, the fluid cover including a monolithic body having a first portion and a second portion, the first portion including an annular groove disposed adjacent to the second portion;

12

sealingly engaging the inner wall with at least one first seal member that is positioned annularly about the first portion such that the first portion is spaced away from the inner wall by the at least one first seal member, thereby to align the fluid cover within the open end portion;

sealingly engaging at least one second seal member, which is seated at least partially in the annular groove, with the inner wall;

mechanically connecting the second portion to the open end portion;

operating the fluid pumping system to pressurize one or more fluids in the fluid chamber; and

preventing leakage of the one or more fluids from the fluid chamber through the open end portion with the at least one first seal member and the at least one second seal member during the operating.

11. The method of claim 10, wherein the mechanically connecting comprises threadably engaging the second portion with the open end portion.

12. The method of claim 11, further comprising engaging a shoulder positioned within the open end portion with a flange defined on the second portion of the fluid cover.

13. The method of claim 12, wherein the second seal member is sealingly engaged against an interior chamfered surface of the open end portion that is positioned between the shoulder and the inner wall.

14. The method of claim 12, further comprising engaging an interior chamfered surface of the open end portion with a tapered shoulder of the fluid cover that is positioned adjacent the flange.

15. The method of claim 14, wherein the tapered shoulder has an increasing diameter as the tapered shoulder extends toward the flange along the fluid cover.

16. The method of claim 14, wherein the engaging the interior chamfered surface with the tapered shoulder comprises engaging the tapered shoulder with the interior chamfered surface in a wedged arrangement to thereby further seal the open end portion.

17. The method of claim 10, wherein the at least one first seal member and the at least one second seal member are each a polymeric O-ring.

18. A method comprising:

inserting a first portion of a fluid cover into an open end portion of a fluid end block assembly of a fluid pumping system, the fluid cover having a monolithic body including the first portion and a second portion such that the first portion extends from the second portion to an end of the monolithic body, the first portion including an annular groove;

sealingly engaging at least one first seal member positioned on the first portion with an inner wall of the open end portion such that the first portion is spaced away from the inner wall by the at least one first seal member;

threadably engaging the second portion of the fluid cover with the open end portion of the fluid end block assembly;

engaging a shoulder positioned within the open end portion with a flange defined on the second portion of the fluid cover; and

sealingly engaging a second seal member that is at least partially seated in the annular groove of the first portion with an interior chamfered surface of the open end portion that is positioned between the shoulder and the inner wall.

13

19. The method of claim **18**, wherein the inner wall is a cylindrical inner wall, wherein the first portion has an outer cylindrical surface, and wherein the at least one first seal member is positioned annularly about the outer cylindrical surface.

5

20. The method of claim **18**, wherein the at least one first seal member and the at least one second seal member are each a polymeric O-ring.

* * * * *

14