

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent Application Publication

20250284743

Kind Code

A1

Publication Date

September 11, 2025

Inventor(s)

Kumar; Vijay et al.

METHOD AND APPARATUS FOR CURATION OF CONTENT

Abstract

Systems and methods for curation of content, such as e-learning content or online instructional materials, according to particular criteria such as the amount of pictorial representations contained therein, the amount of verbal expression contained therein, and whether the content contains a summary. Other criteria may also be employed. Users may select any one or more of these and other criteria. Content is then sorted according to the selected criteria and presented as an ordered list of content that users can select for viewing.

Inventors: Kumar; Vijay (Bangalore, IN), Pichaimurthy; Rajendran (Bangalore, IN), Srinivasan; Madhusudhan (Bangalore, IN), Singh; Gyanveer (Bangalore, IN)

Applicant: Adeia Guides Inc. (San Jose, CA)

Family ID: 1000008626604

Appl. No.: 19/091126

Filed: March 26, 2025

Related U.S. Application Data

parent US continuation 18428133 20240131 parent-grant-document US 12287831 child US 19091126

parent US continuation 16520199 20190723 parent-grant-document US 11921792 child US 18428133

Publication Classification

Int. Cl.: G06F16/903 (20190101); G06F16/9032 (20190101); G06F16/9038 (20190101)

U.S. Cl.:

Background/Summary

CROSS-REFERENCE TO RELATED APPLICATIONS [0001] This application is a continuation of U.S. patent application Ser. No. 18/428,133, filed Jan. 31, 2024, which is a continuation of U.S. patent application Ser. No. 16/520,199, filed Jul. 23, 2019, now U.S. Pat. No. 11,921,792, each of which is hereby incorporated by reference herein in their entireties.

BACKGROUND

[0002] Embodiments of the disclosure relate generally to electronic content display systems. More specifically, embodiments of the disclosure relate to systems for curation and display of electronic content.

SUMMARY

[0003] The wide availability and selection of digital content, combined with the large number of electronic devices available for its playback, allows users great flexibility in where and how they may consume content. This often presents users with the problem of having access to so much content that it can be difficult to review all of it to determine which they may most want to consume. Systems and methods for curation and sorting of electronic content have thus been developed. These systems attempt to help users find content of interest, by sorting content according to estimates of what users may wish to see.

[0004] Content curation systems have significant limitations though. Many electronic curation systems sort content according to criteria that do not adequately reflect individual needs and preferences. For example, many electronic curation systems sort and present content according to reviews from other users, who may have completely different standards for judging content and who may be seeking content for completely different purposes. Rating-based curation thus often winds up presenting content that is a poor match for individual users, inadequately tailored to their particular needs and wants. Other common criteria likewise fail to capture the specific needs of many individuals, and thus lead to poor results.

[0005] Accordingly, to overcome the problems and limitations of inadequate and inaccurate electronic content curation, systems and methods are described herein for a computer-based process that curates content, such as e-learning content, according to the particular ways people often desire to process content. More specifically, systems and methods of embodiments of the disclosure allow users to select content according to ways in which people learn. For instance, some individuals are graphic learners who learn best from content that presents concepts in pictorial or graphical form. Accordingly, content may be presented according to the number of pictorial representations contained within. Conversely, some individuals learn better from verbal instruction or explanation rather than pictorial content. Content may thus be ordered and presented according to the amount of verbal expression contained therein. Additionally, some individuals may wish to view content they have already viewed or learned, to refresh their memory. Such individuals often seek a quick summary of content. Content may thus be ordered and presented according to whether it contains a shorter summary of its material.

[0006] Content may also be ordered according to other criteria besides, or in addition to, those above. These other criteria include the number of positive reviews as well as a lack of negative reviews. When used along with one or more of the above criteria, numbers of positive/negative reviews may help to indicate quality content of interest to a user.

[0007] These other criteria also include relevance to a job market. Content that is relevant to a job market may be of greater interest to people seeking employment in that profession. Sorting or

curating by relevance to job market may thus produce more relevant results for individuals seeking employment in, or learning about, that job market.

[0008] These other criteria also include conciseness, or brevity of content, as some people learn better in short bursts of time and are not willing to sit through long content. Sorting or curating by brevity of content, or content length, may thus produce more relevant results for time-constrained individuals or those for whom longer content is simply not conducive to e-learning or content consumption.

[0009] Criteria can also include chapter scores, for content that is broken up into multiple chapters. Especially in e-learning content and textbook-based content, division into separate chapters may occur. Content consumers may wish to view individual chapters that are relevant to their interests. Accordingly, sorting by chapter scores or rankings allows users to access content more specific to their needs. That is, content can be sorted with more granularity, allowing users to find and access only those chapters that are of interest rather than being required to peruse, for example, an entire lecture or book to find only that portion that relates to a particular topic.

Description

BRIEF DESCRIPTION OF THE FIGURES

[0010] The above and other objects and advantages of the disclosure will be apparent upon consideration of the following detailed description, taken in conjunction with the accompanying drawings, in which like reference characters refer to like parts throughout, and in which:

[0011] FIG. 1 illustrates an exemplary content curation process performed in accordance with embodiments of the disclosure;

[0012] FIG. 2 is a block diagram of an illustrative user equipment device in accordance with embodiments of the disclosure;

[0013] FIG. 3 is a block diagram of an illustrative user equipment device in accordance with some embodiments of the disclosure;

[0014] FIG. 4 is a block diagram of an illustrative content curation system in accordance with some embodiments of the disclosure;

[0015] FIGS. 5A and 5B are a flowchart illustrating process steps for content curation according to embodiments of the disclosure;

[0016] FIG. 6 is a table illustrating content scored for ordering according to criteria of embodiments of the disclosure; and

[0017] FIGS. 7A-7D are tables illustrating content curated according to embodiments of the disclosure.

DETAILED DESCRIPTION

[0018] In one embodiment, the disclosure relates to systems and methods for curation of content, such as e-learning content or online instructional materials, whether audio, video, or some combination of audio and video content, according to particular criteria such as the amount of pictorial representations contained therein, the amount of verbal expression contained therein, and whether the content contains a summary. Other criteria may also be employed. Users may select any one or more of these and other criteria. Content is sorted according to the selected criteria and presented as an ordered list of content that users can select for viewing.

[0019] FIG. 1 illustrates an exemplary content curation process performed in accordance with embodiments of the disclosure. Here, a content consumption device 10 displays a user interface from which user 30 can choose subject matter and content characteristics that he or she is interested in. As an example, user 30 can select “Basic Economics” as a subject of interest, as well as “Verbal Content” and “Past Reviews” as criteria of importance to him or her, as shown. Content is then retrieved and sorted according to the selected criteria, and user 30 is presented with an ordered list

20 of content tailored to his or her selected interests. As shown, the list **20** presents basic economics courses ordered according to a combination of the selected priorities of user **30**. In particular, as can be seen from FIG. **1**, content in list **20** is ordered in descending order of a combination of its verbal content scores and past review scores. Interfaces allowing selection of subject matter and curation criteria, as well as methods for sorting content as shown, are described in further detail below.

[0020] FIG. **2** shows generalized embodiments of illustrative user equipment device **200** that may be used in content curation and display according to embodiments of the disclosure. For example, user equipment device **200** may be a smartphone device or a remote control. In another example, user equipment system **201** may be a user television equipment system. User television equipment system **201** may include a set-top box **216**. Set-top box **216** may be communicatively connected to speaker **214** and display **212**. In some embodiments, display **212** may be a television display or a computer display. In some embodiments, set top box **216** may be communicatively connected to user interface input **210**. In some embodiments, user interface input **210** may be a remote-control device. Set-top box **216** may include one or more circuit boards. In some embodiments, the circuit boards may include processing circuitry, control circuitry, and storage (e.g., RAM, ROM, hard disk, removable disk, etc.). In some embodiments, circuit boards may include an input/output path. More specific implementations of user equipment devices are discussed below in connection with FIGS. **3** and **4**.

[0021] Each one of user equipment device **200** and user equipment system **201** may receive content and data via input/output (hereinafter “I/O”) path **202**. I/O path **202** may provide content (e.g., broadcast programming, on-demand programming, Internet content, content available over a local area network (LAN) or wide area network (WAN), and/or other content) and data to control circuitry **204**, which includes processing circuitry **206** and storage **208**. Control circuitry **204** may be used to send and receive commands, requests, and other suitable data using I/O path **202**. I/O path **202** may connect control circuitry **204** (and specifically processing circuitry **206**) to one or more communications paths (described below). I/O functions may be provided by one or more of these communications paths but are shown as a single path in FIG. **2** to avoid overcomplicating the drawing.

[0022] Control circuitry **204** may be based on any suitable processing circuitry such as processing circuitry **206**. As referred to herein, processing circuitry should be understood to mean circuitry based on one or more microprocessors, microcontrollers, digital signal processors, programmable logic devices, field-programmable gate arrays (FPGAs), application-specific integrated circuits (ASICs), etc., and may include a multi-core processor (e.g., dual-core, quad-core, hexa-core, or any suitable number of cores) or supercomputer. In some embodiments, processing circuitry may be distributed across multiple separate processors or processing units, for example, multiple of the same type of processing units (e.g., two Intel Core i7 processors) or multiple different processors (e.g., an Intel Core i5 processor and an Intel Core i7 processor). In some embodiments, control circuitry **204** executes instructions for an application program stored in memory (e.g., storage **208**). Specifically, control circuitry **204** may be instructed by the application to perform the functions discussed above and below. For example, the application may provide instructions to control circuitry **204** to generate a content curation interface. In some implementations, any action performed by control circuitry **204** may be based on instructions received from the interface.

[0023] Memory may be an electronic storage device provided as storage **208** that is part of control circuitry **204**. As referred to herein, the phrase “electronic storage device” or “storage device” should be understood to mean any device for storing electronic data, computer software, or firmware, such as random-access memory, read-only memory, hard drives, optical drives, digital video disc (DVD) recorders, compact disc (CD) recorders, BLU-RAY disc (BD) recorders, BLU-RAY 2D disc recorders, digital video recorders (DVR, sometimes called a personal video recorder, or PVR), solid state devices, quantum storage devices, gaming consoles, gaming media, or any

other suitable fixed or removable storage devices, and/or any combination of the same. Storage **208** may be used to store various types of content described herein as well as media guidance data described above. Nonvolatile memory may also be used (e.g., to launch a boot-up routine and other instructions). Cloud-based storage, described in relation to FIG. **4**, may be used to supplement storage **208** or instead of storage **208**.

[0024] A user may send instructions to control circuitry **204** using user input interface **210**. User input interface **210** may be any suitable user interface, such as a remote control, mouse, trackball, keypad, keyboard, touchscreen, touchpad, stylus input, joystick, voice recognition interface, or other user input interfaces. Display **212** may be provided as a stand-alone device or integrated with other elements of each one of user equipment device **200** and user equipment system **201**. For example, display **212** may be a touchscreen or touch-sensitive display. In such circumstances, user input interface **210** may be integrated with or combined with display **212**. Display **212** may be one or more of a monitor, a television, a liquid crystal display (LCD) for a mobile device, amorphous silicon display, low temperature poly silicon display, electronic ink display, electrophoretic display, active matrix display, electro-wetting display, electrofluidic display, cathode ray tube display, light-emitting diode display, electroluminescent display, plasma display panel, high-performance addressing display, thin-film transistor display, organic light-emitting diode display, surface-conduction electron-emitter display (SED), laser television, carbon nanotubes, quantum dot display, interferometric modulator display, or any other suitable equipment for displaying visual images.

[0025] The content curation application may be implemented using any suitable architecture. For example, it may be a stand-alone application wholly implemented on each one of user equipment device **200** and user equipment system **201**. In such an approach, instructions of the application are stored locally (e.g., in storage **208**), and data for use by the application is downloaded on a periodic basis (e.g., from an out-of-band feed, from an Internet resource, or using another suitable approach). Control circuitry **204** may retrieve instructions of the application from storage **208** and process the instructions to generate any of the displays discussed herein. Based on the processed instructions, control circuitry **204** may determine what action to perform when input is received from input interface **210**. For example, movement of a cursor on a display up/down may be indicated by the processed instructions when input interface **210** indicates that an up/down button was selected.

[0026] FIG. **3** illustrates user equipment device **200** in block diagram form. In the representation of FIG. **3**, device **300**, input/output **302**, user input interface **310**, display **312**, speakers **314**, control circuitry **304**, processing circuitry **306**, and storage **308** may correspond to embodiments of user equipment device **200**, input/output path of circuit boards of set-top box **216**, user interface input **210**, display **212**, speaker **214**, circuit boards of set-top box **216**, circuit boards of set-top box **216**, and storage on circuit boards of set-top box **216**, respectively. As shown in FIG. **3**, processing circuitry **306** executes commands retrieved from storage **308**, input/output path **302**, and/or user input interface **310**, and transmits results to display **312**, **314**, and/or output path **302**. Such commands may include commands for sorting or curating content, displaying the sorted list **20** on display **312**, and selecting, retrieving and/or playing sorted content from list **20** on display **312** and speaker **314**. Commands may also include commands for transmitting curation instructions to other computing devices such as content curator **426** described below, retrieving a sorted list **20** from content curator **426**, requesting and retrieving selected content from content curator **426** or content source **416** described below, and playing back retrieved content.

[0027] Each one of user equipment device **200** and user equipment system **201** of FIG. **2** can be implemented in system **400** of FIG. **4** as means for consuming content **402**, system controller **404**, wireless user communications device **406**, or any other type of user equipment suitable for accessing content, such as a non-portable gaming machine. For simplicity, these devices may be referred to herein collectively as user equipment or user equipment devices and may be substantially similar to user equipment devices described above. User equipment devices, on which

a content curation application may be implemented, may function as a stand-alone device or may be part of a network of devices. Various network configurations of devices may be implemented and are discussed in more detail below.

[0028] A user equipment device utilizing at least some of the system features described above in connection with FIG. 2 may not be classified solely as means for consuming content **402**, system controller **404**, or a wireless user communications device **406**. For example, means for consuming content **402** may, like some system controller **404**, be Internet-enabled allowing for access to Internet content, while system controller **404** may, like some television equipment **402**, include a tuner allowing for access to television programming. The content curation application may have the same layout on various different types of user equipment or may be tailored to the display capabilities of the user equipment. For example, on system controller **404**, the guidance application may be provided as a website accessed by a web browser. In another example, the guidance application may be scaled down for wireless user communications devices **406**.

[0029] In system **400**, there is typically more than one of each type of user equipment device but only one of each is shown in FIG. 4 to avoid overcomplicating the drawing. In addition, each user may utilize more than one type of user equipment device and also more than one of each type of user equipment device.

[0030] The user equipment devices may be coupled to communications network **414**. Namely, means for consuming content **402** and wireless user communications device **406** are coupled to communications network **414** via communications paths **408** and **412**, respectively.

Communications network **414** may be one or more networks including the Internet, a mobile phone network, mobile voice or data network (e.g., a 4G or LTE network), cable network, public switched telephone network, or other types of communications network or combinations of communications networks. Paths **408** and **412** may separately or together include one or more communications paths, such as a satellite path, a fiber-optic path, a cable path, a path that supports Internet communications (e.g., IPTV), free-space connections (e.g., for broadcast or other wireless signals), or any other suitable wired or wireless communications path or combination of such paths. Path **412** is drawn with dotted lines to indicate that in the exemplary embodiment shown in FIG. 4 it is a wireless path and path **408** is drawn as a solid line to it is a wired path (although these paths may be wireless paths, if desired). Communications with the user equipment devices may be provided by one or more of these communications paths but are shown as a single path in FIG. 4 to avoid overcomplicating the drawing.

[0031] Although communications paths are not drawn between user equipment devices, these devices may communicate directly with each other via communication paths, such as those described above in connection with paths **408** and **412**, as well as other short-range point-to-point communication paths, such as USB cables, IEEE 1394 cables, wireless paths (e.g., Bluetooth, infrared, IEEE 402-11x, etc.), or other short-range communication via wired or wireless paths. BLUETOOTH is a certification mark owned by Bluetooth SIG, INC. The user equipment devices may also communicate with each other directly through an indirect path via communications network **414**.

[0032] System **400** includes content source **416** coupled to communications network **414** via communication path **420**. Path **420** may include any of the communication paths described above in connection with paths **408**, **410**, and **412**. Communications with the content source **416** may be exchanged over one or more communications paths but are shown as a single path in FIG. 4 to avoid overcomplicating the drawing. In addition, there may be more than one of each of content source **416**, but only one is shown in FIG. 4 to avoid overcomplicating the drawing. (The different types of each of these sources are discussed below.) If desired, content source **416** may be integrated as one source device. Although communications between source **416** and user equipment devices **402**, **404**, and **406** are shown as occurring through communications network **414**, in some embodiments, source **416** may communicate directly with user equipment devices **402**, **404**, and

406 via communication paths (not shown) such as those described above in connection with paths **408** and **412**.

[0033] Content curator **426** is coupled to communications network **414** via communication path **424** and coupled to content source **416** via communication path **440**. Paths **424** and **440** may include any of the communication paths described above in connection with paths **408** and **412**. Content curator **426** may obtain or receive media content from content source **416** via communication path **440**.

[0034] Content source **416** may include one or more types of content distribution equipment including a television distribution facility, cable system headend, satellite distribution facility, programming sources (e.g., stored content, television broadcasters, such as NBC, ABC, HBO, etc.), intermediate distribution facilities and/or servers, Internet providers, on-demand media servers, and other content providers. NBC is a trademark owned by the National Broadcasting Company, Inc., ABC is a trademark owned by the American Broadcasting Company, Inc., and HBO is a trademark owned by the Home Box Office, Inc. Content source **416** may be the originator of content (e.g., a television broadcaster, a webcast provider, etc.) or may not be the originator of content (e.g., an on-demand content provider, an Internet provider of content of broadcast programs for downloading, etc.). Content source **416** may include cable sources, satellite providers, on-demand providers, Internet providers, over-the-top content providers, or other providers of content. Content source **416** may also include a remote media server used to store different types of content (including video content selected by a user), in a location remote from any of the user equipment devices.

[0035] Content and/or data delivered to user equipment devices **402**, **404**, and **406** may be over-the-top (OTT) content. OTT content delivery allows Internet-enabled user devices, including any user equipment device described above, to receive content that is transferred over the Internet, including any content described above, in addition to content received over cable or satellite connections. OTT content is delivered via an Internet connection provided by an Internet service provider (ISP), but a third party distributes the content. The ISP may not be responsible for the viewing abilities, copyrights, or redistribution of the content, and may only transfer IP packets provided by the OTT content provider. Examples of OTT content providers include YouTube, Netflix, and Hulu, which provide audio and video via IP packets. YouTube is a trademark owned by Google Inc., Netflix is a trademark owned by Netflix Inc., and Hulu is a trademark owned by Hulu, LLC. OTT content providers may additionally or alternatively provide curation data described above. In addition to content and/or data, providers of OTT content can distribute curation applications (e.g., web-based applications or cloud-based applications), or the content can be displayed by curation applications stored on the user equipment device.

[0036] Curation system **400** is intended to illustrate a number of approaches, or network configurations, by which user equipment devices and sources of content and curation may communicate with each other for the purpose of accessing content and providing curation services. The embodiments described herein may be applied in any one or a subset of these approaches, or in a system employing other approaches for delivering content and providing media guidance.

[0037] Cloud resources may be accessed by a user equipment device using, for example, a web browser, a media guidance application, a desktop application, a mobile application, and/or any combination of access applications of the same. The user equipment device may be a cloud client that relies on cloud computing for application delivery, or the user equipment device may have some functionality without access to cloud resources. For example, some applications running on the user equipment device may be cloud applications, i.e., applications delivered as a service over the Internet, while other applications may be stored and run on the user equipment device. In some embodiments, a user device may receive content from multiple cloud resources simultaneously. For example, a user device can stream audio from one cloud resource while downloading content from a second cloud resource. Or a user device can download content from multiple cloud resources for more efficient downloading. In some embodiments, user equipment devices can use cloud

resources for processing operations such as the processing operations performed by processing circuitry described in relation to FIG. 2.

[0038] FIGS. 5A and 5B are a flowchart illustrating process steps for content curation according to embodiments of the disclosure. Initially, user equipment device **200** receives a subject matter preference through an above-described curation interface presented on its display **212**. It then presents a request for content preferences. The user equipment device **200** receives content preferences input by user **30** (Step **500**), where these preferences include at least one of a preference for 1) content having a high number or relative amount of pictorial representations (e.g., graphs, diagrams, flowcharts, illustrations, depictions, and any other visual representations of concepts or ideas), 2) content having a high number or relative amount of verbal expressions (e.g., verbal explanations of concepts or ideas), 3) content containing a summary of the specified subject matter, 4) content having positive review scores, 5) content lacking or having few negative review scores, 6) content relevant to a specified job market, 7) concise content, 8) content having high corresponding chapter scores, and 9) highest chapter scores. A user **30** may select any one or more of these preferences. When selecting preference 6), users **30** may also be allowed to enter or select the specific job market they are interested in.

[0039] The user equipment device **200** then retrieves a set of representations of content from content curator **426** (Step **510**). Representations can be any indicator of the corresponding content, such as the content title, a pointer to the content as stored in content source **416**, or the like, and are simply any description of corresponding content available to user **30**. The user equipment device **200** also retrieves, for each content representation, corresponding scores for at least every criterion selected in Step **500**. Scores are numerical values for each category 1) through 9) above, and can be scores according to any scale, e.g., 1-100. In particular, for each content having a retrieved content representation, there may also be retrieved one score for each of the following: 1) quantity of pictorial representations in associated content, 2) quantity of verbal expressions in associated content, 3) indication of presence of summary of associated content (e.g., summary present, or summary not present; numerical score indicating quality of summary, with 0=no summary present, etc.), 4) indication of number of positive reviews received for associated content, 5) indication of presence or number of negative reviews received for associated content, 6) indicator of degree of match between content and predetermined job market, 7) indicator of conciseness of associated content, and 8) chapter score or indication of chapter ratings. The retrieved scores are used in ordering or curating content.

[0040] In response to receiving the content preferences, user equipment device **200** then sorts its content representations according to the corresponding received scores, thus generating a sorted list of content representations (Step **520**). Ordering can be performed in any manner, and embodiments of the disclosure encompass any form of ordering and curation. As one example, content of a given subject can be ordered according to highest combined score of each category, i.e., highest sum or product of scores of the selected criteria, with ties arranged in alphabetical order of content title. As another example, users **30** may be allowed to select a hierarchy of criteria, with content ordered according to score order of the most important criterion, then in score order of the next most important criterion, etc. As a further example, content can be arranged in score order of the first criterion selected, then in score order of the second criterion selected, etc. Once the content representations are ordered, the ordered or sorted list is generated for display on display **212** (Step **530**).

[0041] In the process of FIGS. 5A-5B as described above, user equipment device **200** performs sorting of content. However, it is noted that embodiments of the disclosure contemplate sorting on any other device. For example, sorting may instead be performed by a cloud-based service or remote device such as content curator **426**. In this case, user equipment device **200** transmits its received preferences or content selection criteria to content curator **426** through communications network **414**. The content curator **426** has stored in its memory, or retrieves from content source

416, representations of content stored in content source **416** as well as corresponding scores for each of the above criteria. The content curator **426** then orders the content representations according to their associated scores and the selected criteria of Step **500**. Content, or content representations, may be ordered in any manner, as above. Once the content curator **426** orders content, it may transmit the ordered list of content (e.g., content representations, their order, and scores) to user equipment device **200**, which displays the ordered list for the user **30**.

[0042] FIGS. **6** and **7A-7D** are tables illustrating exemplary curation processes in accordance with embodiments of the disclosure. FIG. **6** is a table illustrating content and its associated criteria and scores according to embodiments of the disclosure. In particular, different content is listed in each horizontal line, with its corresponding scores for each criterion. This content, its associated representations, and scores can be stored in a database or other memory, such as content source **416**. However, it is noted that content, representations, and scores can be stored in any location and in any manner, such as in content curator **426** or locally on user equipment device **200**.

[0043] FIG. **7A** illustrates sorting according to chapter score and highest chapter score, such as when user **30** has selected criteria 8) and 9) above. Chapter scores are assigned a numerical value such as 1-32, and highest chapter scores are chapters on a particular subject which have received a highest score of all chapters on that subject. Content is thus sorted by chapter score, and then by for example magnitude of highest chapter score, in order of chapter number.

[0044] FIG. **7B** illustrates sorting according to number of pictorial representations, such as when user **30** has selected criterion 1) above for a particular subject. Content is thus sorted by pictorial representation score, in this case 1-10, and then for example alphabetically by content title. Accordingly, device **200** would first display an alphabetically ordered list of content for the specified subject, that received the maximum pictorial representation score.

[0045] FIG. **7C** illustrates sorting according to chapter score, highest chapter score, and summary of content. Sorting is thus performed as with the example of FIG. **7A**, but with the added criterion of a content summary selected. In this example, user **30** selected Statistics as his or her subject matter, then selected the chapter score, highest chapter score, and content summary preferences. The entry with maximum chapter score, highest chapter score, and a summary is thus ranked first, while subsequent entries have maximum chapter scores and highest chapter scores as well but lack a summary.

[0046] FIG. **7D** illustrates sorting according to verbosity. User **30** selects quantity of verbal expressions as his or her criterion, and content is thus sorted accordingly. Here, results are presented as a list of content of a particular selected subject, ordered in descending order of verbosity score and then for example alphabetically. The top of the list, as shown in FIG. **7D**, is thus an alphabetical list of content titles having maximum verbosity scores.

[0047] The foregoing description, for purposes of explanation, used specific nomenclature to provide a thorough understanding of the disclosure. However, it will be apparent to one skilled in the art that the specific details are not required to practice the methods and systems of the disclosure. Thus, the foregoing descriptions of specific embodiments of the present invention are presented for purposes of illustration and description. They are not intended to be exhaustive or to limit the invention to the precise forms disclosed. Many modifications and variations are possible in view of the above teachings. For example, any type of content may be selected and sorted according to any one or more of the criteria disclosed. Sorting may be performed according to the selected criteria, in any manner. The embodiments were chosen and described in order to best explain the principles of the invention and its practical applications, to thereby enable others skilled in the art to best utilize the methods and systems of the disclosure and various embodiments with various modifications as are suited to the particular use contemplated. Additionally, different features of the various embodiments, disclosed or otherwise, can be mixed and matched or otherwise combined so as to create further embodiments contemplated by the disclosure.

Claims

1. (canceled)
2. A computer implemented method, comprising: receiving a request to access content; identifying, in a profile associated with the request, a preference for concise content; identifying a plurality of long form videos and a plurality of short form videos; based at least in part on the preference in the profile, ranking the plurality of short form videos higher than the plurality of long form videos in relation to the profile; determining a display ordering based at least in part on the ranking; and generating for display identifiers for the plurality of short form videos and identifiers for the plurality of long form videos based at least in part on the display ordering.
3. The method of claim 2, wherein the preference for concise content is based at least in part on content length.
4. The method of claim 2, wherein the request is received from a device, and wherein the display ordering causes the identifiers for the plurality of short form videos to be arranged at a top portion of a user interface of the device.
5. The method of claim 2, wherein the request is received from a device, and wherein the display ordering causes the identifiers for the plurality of short form videos to be arranged above the identifiers for the plurality of long form videos on a user interface of the device.
6. The method of claim 2, wherein the request is received from a device, and wherein the display ordering causes the identifiers for the plurality of short form videos to appear before the identifiers for the plurality of long form videos on a user interface of the device.
7. The method of claim 2, wherein the request is received from a device, and wherein the display ordering causes the identifiers for the plurality of short form videos and for the identifiers for the plurality of long form videos to each be arranged alphabetically on a user interface of the device.
8. The method of claim 2, further comprising: determining a relevant portion for at least one video from the plurality of short form videos; and wherein generating for display the plurality of short form videos and the plurality of long form videos further comprises providing for display an indication of the relevant portion for the at least one video for display.
9. The method of claim 2, further comprising: identifying, in the profile associated with the request, one or more additional preferences comprising a preference for summaries, a preference for positive reviews, or a preference for a type of job market, wherein determining the display ordering is further based on the one or more additional preferences.
10. The method of claim 9, further comprising: identifying a respective importance criterion for each respective additional preference of the one or more additional preferences, wherein the generating for display is further based on the respective importance criterion.
11. The method of claim 2, further comprising identifying the identifiers for the plurality of long form videos and the identifiers for the plurality of short form videos is based at least in part on one or more user selected interests in the profile associated with the request.
12. A system comprising: memory; and control circuitry configured to: receive a request to access content; identify, in a profile associated with the request, a preference for concise content; identify a plurality of long form videos and a plurality of short form videos; based at least in part on the preference in the profile, rank the plurality of short form videos higher than the plurality of long form videos in relation to the profile; determine a display ordering based at least in part on the ranking; and generate for display identifiers for the plurality of short form videos and identifiers for the plurality of long form videos based at least in part on the display ordering.
13. The system of claim 12, wherein the preference for concise content is based at least in part on content length.
14. The system of claim 12, wherein the request is received from a device, and wherein the display ordering causes the identifiers for the plurality of short form videos to be arranged at a top portion

of a user interface of the device.

15. The system of claim 12, wherein the request is received from a device, and wherein the display ordering causes the identifiers for the plurality of short form videos to be arranged above the identifiers for the plurality of long form videos on a user interface of the device.

16. The system of claim 12, wherein the request is received from a device, and wherein the display ordering causes the identifiers for the plurality of short form videos to appear before the identifiers for the plurality of long form videos on a user interface of the device.

17. The system of claim 12, wherein the request is received from a device, and wherein the display ordering causes the identifiers for the plurality of short form videos and for the identifiers for the plurality of long form videos to each be arranged alphabetically on a user interface of the device.

18. The system of claim 12, wherein the control circuitry is further configured to: determine a relevant portion for at least one video from the plurality of short form videos; and generate for display the plurality of short form videos and the plurality of long form videos further by providing for display an indication of the relevant portion for the at least one video for display.

19. The system of claim 12, wherein the control circuitry is further configured to: identify, in the profile associated with the request, one or more additional preferences comprising a preference for summaries, a preference for positive reviews, or a preference for a type of job market, wherein determining the display ordering is further based on the one or more additional preferences.

20. The system of claim 19, wherein the control circuitry is further configured to: identify a respective importance criterion for each respective additional preference of the one or more additional preferences, wherein the generating for display is further based on the respective importance criterion.

21. The system of claim 12, wherein the control circuitry is further configured to identify the plurality of long form videos and the plurality of short form videos based at least in part on one or more user selected interests in the profile associated with the request.
