

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent Application Publication

20250278805

Kind Code

A1

Publication Date

September 04, 2025

Inventor(s)

SAITO; Takuya

INFORMATION PROCESSING APPARATUS, INFORMATION PROCESSING SYSTEM AND STORAGE MEDIUM

Abstract

An information processing apparatus includes a processor that causes a first terminal apparatus to display at least one first category article of a first category in response to an educational instructor or administrator selecting a first learning function as an analysis target through the terminal apparatus or display at least one second category article of a second category to be selectable in response to the educational instructor or administrator selecting a second learning function as the analysis target through the terminal apparatus, derives a utilization state of a learning function by a learner, the learning function being the first learning function or the second learning function selected as the analysis target, based on a category article selected from the at least one first category article or the at least one second category article correlated with the selected learning function, and causes the terminal apparatus to display the utilization state.

Inventors: SAITO; Takuya (Tokyo, JP)

Applicant: CASIO COMPUTER CO., LTD. (Tokyo, JP)

Family ID: 92042711

Assignee: CASIO COMPUTER CO., LTD. (Tokyo, JP)

Appl. No.: 18/782425

Filed: July 24, 2024

Foreign Application Priority Data

JP 2024-029746

Feb. 29, 2024

Publication Classification

Int. Cl.: G06Q50/20 (20120101); G09B5/00 (20060101)

Background/Summary

REFERENCE TO RELATED APPLICATIONS

[0001] This application is based upon and claims the benefit of priority from the prior Japanese Patent Application No. 2024-029746, filed on Feb. 29, 2024, the entire contents of which are incorporated herein by reference.

TECHNICAL FIELD

[0002] The present disclosure relates to an information processing apparatus, an information processing system and a storage medium.

DESCRIPTION OF RELATED ART

[0003] There is a learning management system that analyzes operation log information on lecture takers and aggregates and displays information such as materials and pages where markers have been put and the number of persons who have put the markers (e.g., JP 2018-146845 A).

SUMMARY OF THE INVENTION

[0004] According to an aspect of the present disclosure, there is provided an information processing apparatus including a processor, [0005] wherein the information processing apparatus is configured to be communicatively connected to a first terminal apparatus configured to be used by an educational instructor or administrator and a plurality of second terminal apparatuses configured to be used by a plurality of learners, [0006] wherein the plurality of second terminal apparatuses is each provided with a plurality of mutually different learning functions including a first learning function and a second learning function that are used by the plurality of learners, [0007] wherein the plurality of learners is grouped as a first group belonging to a first category correlated with the first learning function and also grouped as a second group belonging to a second category correlated with the second learning function, and [0008] wherein the processor causes the first terminal apparatus to display at least one first category article of the first category to be selectable in response to the educational instructor or administrator selecting the first learning function as an analysis target through the first terminal apparatus or display at least one second category article of the second category to be selectable in response to the educational instructor or administrator selecting the second learning function as the analysis target through the first terminal apparatus, derives a utilization state of a learning function by a learner of the plurality of learners, the learning function being the first learning function or the second learning function selected as the analysis target, based on a category article selected from the at least one first category article or the at least one second category article correlated with the learning function selected as the analysis target, and causes the first terminal apparatus to display the derived utilization state.

Description

BRIEF DESCRIPTION OF DRAWINGS

[0009] The accompanying drawings are not intended as a definition of the limits of the invention but illustrate embodiments of the invention, and together with the general description given above and the detailed description of the embodiments given below, serve to explain the principles of the invention, wherein:

[0010] FIG. 1 schematically shows configuration of an information processing system according to an embodiment(s);

[0011] FIG. 2 shows a configuration example of databases stored in a server apparatus;
[0012] FIG. 3 shows an example of a screen for a student to select an electronic dictionary to use;
[0013] FIG. 4 shows an example of a screen for the student to select a notebook to use;
[0014] FIG. 5 shows an example of a screen that is displayed when a notebook to be used is selected;
[0015] FIG. 6 is a flowchart of an analysis process that is performed by a controller of the server apparatus;
[0016] FIG. 7 shows an example of a screen for selecting an item to be analyzed, the screen being displayed when a teacher or an administrator logs in;
[0017] FIG. 8A shows an example of a screen for analysis that is displayed when an electronic label function is selected as the item to be analyzed and class is selected as a unit of analysis;
[0018] FIG. 8B shows an example of the screen for analysis that is displayed when the electronic label function is selected as the item to be analyzed and lesson is selected as the unit of analysis;
[0019] FIG. 8C shows an example of the screen for analysis that is displayed when the electronic label function is selected as the item to be analyzed and school is selected as the unit of analysis;
[0020] FIG. 9A shows an example of a screen for analysis that is displayed when an electronic dictionary function is selected as the item to be analyzed and class is selected as the unit of analysis;
[0021] FIG. 9B shows an example of the screen for analysis that is displayed when the electronic dictionary function is selected as the item to be analyzed and lesson is selected as the unit of analysis;
[0022] FIG. 10A shows an example of a screen for analysis that is displayed when a notebook function is selected as the item to be analyzed and class is selected as the unit of analysis;
[0023] FIG. 10B shows an example of the screen for analysis that is displayed when the notebook function is selected as the item to be analyzed and lesson is selected as the unit of analysis;
[0024] FIG. 10C shows an example of the screen for analysis that is displayed when the notebook function is selected as the item to be analyzed and school is selected as the unit of analysis;
[0025] FIG. 11 shows an example of a screen for analysis that is displayed when the number of accesses is selected as the item to be analyzed;
[0026] FIG. 12 shows an example of a graph that is displayed when the electronic label function is selected as the item to be analyzed and class is selected as the unit of analysis;
[0027] FIG. 13 shows an example of a graph that is displayed when the electronic label function is selected as the item to be analyzed and school is selected as the unit of analysis;
[0028] FIG. 14 shows an example of a graph that is displayed when the electronic dictionary function is selected as the item to be analyzed and class is selected as the unit of analysis;
[0029] FIG. 15 shows an example of a graph that is displayed when the notebook function is selected as the item to be analyzed and class is selected as the unit of analysis;
[0030] FIG. 16 shows an example of a graph that is displayed when the notebook function is selected as the item to be analyzed and lesson is selected as the unit of analysis; and
[0031] FIG. 17 shows an example of a graph that is displayed when the number of accesses is selected as the item to be analyzed.

DETAILED DESCRIPTION

[0032] Hereinafter an information processing system according to an embodiment(s) of the present disclosure will be described in detail with reference to the drawings. The information processing system is used by school administrators, school teachers who are educational instructors, and students who are learners. In this application, the “school” includes all educational institutions, which include not only regular elementary schools, junior high schools, high schools, colleges and universities, but also vocational schools, tutoring schools, preparatory schools and so forth.

[0033] As shown in FIG. 1, an information processing system 1 includes a server apparatus 10 as an information processing apparatus, a first terminal apparatus 20A and a plurality of second

terminal apparatuses **20B**. The server apparatus **10**, the first terminal apparatus **20A** and the second terminal apparatuses **20B** are communicatively connected via a network **30**. The network **30** is a communication network, such as the Internet, a wireless local area network (LAN), a wired LAN, a mobile communication network, a short-range wireless communication network, or a combination of some or all of these. The information processing system **1** may include a plurality of first terminal apparatuses **20A**.

[0034] The server apparatus **10** is a web server that provides learning support services to the first terminal apparatus **20A** and the second terminal apparatuses **20B** through the web. As shown in FIG. **1**, the server apparatus **10** includes a controller **11**, a storage **12** and a communicator **13**. These components are connected to one another via a system bus **19**.

[0035] The controller **11** includes a central processing unit (CPU) and a random access memory (RAM). The CPU of the controller **11** is a processor (computer) that reads and executes programs stored in the storage **12** and performs various types of arithmetic processing, thereby controlling operation of each component of the server apparatus **10**. The controller **11** may have a plurality of processors, for example, a plurality of CPUs, and a plurality of processes that is performed by the controller **11** of this embodiment may be performed by the plurality of processors. In this case, the processors may be involved in the same processes or independently perform different processes in parallel.

[0036] The storage **12** is a non-transitory storage medium readable by the CPU of the controller **11**. The storage **12** stores programs and various data. The storage **12** includes a nonvolatile memory, such as a hard disk drive (HDD) or a solid state drive (SSD). As shown in FIG. **2**, the storage **12** stores a school database **121**, a class database **122**, a lesson database **123**, a user database **124**, a notebook database **125**, a label database **126**, a dictionary database **127**, an operation log database **128** and an access log database **129**.

[0037] The school database **121** stores information on schools that use the learning support services provided by the information processing system **1**. The school database **121** has a table where for each school that uses the learning support services, pieces of information such as a school ID and a school name are correlated and stored. The “school ID” is identification information that uniquely identifies a school that uses the learning support services. The “school name” is the name of the school.

[0038] The class database **122** stores information on classes of each school that uses the learning support services. The class database **122** has a table where for each class of each school that uses the learning support services, pieces of information such as a class ID, a class name and a school ID are correlated and stored. The “class ID” is identification information that uniquely identifies a class of a school that uses the learning support services. The “class name” is the name of the class. Examples of the class name include “7th Grade, Class 1”. The “school ID” is the ID of a school to which the class belongs.

[0039] The lesson database **123** stores information on lessons belonging to each school that uses the learning support services. The lesson database **123** has a table where for each lesson given at each school that uses the learning support services, pieces of information such as a lesson ID, a lesson name, a subject, a teacher-in-charge ID and a school ID are correlated and stored. The “lesson ID” is identification information that uniquely identifies a lesson at each school that uses the learning support services. The “lesson name” is the name of the lesson. Examples of the lesson name include a name made up of a class and a subject in combination, such as “7th Grade, Class 1, Math”, and a name of an elective, such as “Elective Chemistry”. The “subject” is the name of a subject taught in the lesson. The “teacher-in-charge ID” is the user ID of a teacher who is in charge of the lesson. The “school ID” is the school ID of a school to which the lesson belongs.

[0040] The user database **124** stores information on users who use the learning support services. The user database **124** has a table where for each user who uses the learning support services, pieces of information such as a user ID, a password, a user category, a user name, a school ID, a

class ID and a lesson ID are correlated and stored. The “user ID” is identification information that uniquely identifies a user who uses the learning support services. The “user category” indicates whether the user is an administrator, a teacher or a student. The “school ID” is the school ID of a school to which the user belongs. The “class ID” is the class ID of a class to which the user belongs if the user is a teacher or a student. The “lesson ID” is the lesson ID of a lesson to which the user belongs. The lesson to which the user belongs is a lesson that the user is in charge of if the user is a teacher, or a lesson that the user takes if the user is a student. As to the class, if the user is a teacher or a student, one class is set, namely, one class is set for each user who is a teacher or a student. As to the lesson, if the user is a teacher or a student, a plurality of lessons is set, namely, a plurality of lessons is set for each user who is a teacher or a student. As to the school, one school is set for each user. The class falls under a first category and a second category, namely, corresponds to a first category article and a second category article, in the present disclosure. The lesson falls under the first category and the second category, namely, corresponds to a first category article and a second category article, in the present disclosure. The school falls under the first category, namely, corresponds to a first category article, in the present disclosure. In other words, users are grouped as a first group belonging to the first category including at least one first category article correlated with a first learning function described below and also grouped as a second group belonging to the second category including at least one second category article correlated with a second learning function described below. The number of persons in each unit of analysis is basically “Class≤Lesson<School”. In some cases, it could be “Class>Lesson”.

[0041] The notebook database **125** stores information on notebooks that are electronic notes created in the learning support services. The notebook database **125** has a table where for each notebook created in the learning support services, pieces of information such as a notebook ID, a notebook name, a user ID, a lesson ID, a notebook's thumbnail image and a creation date-and-time are correlated and stored. The “notebook ID” is identification information that uniquely identifies a notebook created. The “user ID” is the user ID of a user who has created the notebook. The “lesson ID” is the lesson ID of a lesson at which the notebook has been created.

[0042] The label database **126** stores information on electronic labels (e.g., electronic sticky notes) created in the learning support services. The label database **126** has a table where for each electronic label created in the learning support services, pieces of information such as a label ID, a user ID, a notebook ID, a label type, label contents, a label's thumbnail image and a creation date-and-time are correlated and stored. The “label ID” is identification information that uniquely identifies a label created. The “notebook ID” is the notebook ID of a notebook on which the label has been created. The “label type” is information indicating the type of the label. Examples of the label type include a text label, a link label, a file label, a dictionary label and a math label.

[0043] The dictionary database **127** stores information on electronic dictionaries available to users in the learning support services. The dictionary database **127** has a table where for each electronic dictionary available to users in the learning support services, pieces of information such as a dictionary ID, a dictionary name, a dictionary type, a storage location and a dictionary's thumbnail image are correlated and stored. The “dictionary ID” is identification information that uniquely identifies an electronic dictionary available in the learning support services. The “dictionary name” is the name of the electronic dictionary. The “dictionary type” is information indicating the type of the dictionary. Examples of the dictionary type include an English-to-Japanese dictionary and a Japanese dictionary. The “storage location” is information indicating where data of the electronic dictionary is stored. The “dictionary's thumbnail image” is image data of a thumbnail image of, for example, the front cover of the dictionary.

[0044] The operation log database **128** stores information on logs of operations made by users in the learning support services. The operation log database **128** has a table where for each operation, pieces of information such as a user ID, an operation ID, an operation date-and-time, a dictionary ID and a lesson ID are correlated and stored. The “user ID” is the user ID of a user who has made

an operation. The “operation ID” is identification information that identifies the operation made by the user. The “operation date-and-time” is the date and time at which the operation was made. The “dictionary ID” is identification information that identifies an operated dictionary if the made operation relates to a dictionary. The “lesson ID” is identification information that identifies an operation-made lesson if the made operation relates to a notebook.

[0045] The access log database **129** stores logs of accesses to screens of the website that provides the learning support services. The access log database **129** has a table where for each access to each screen of the website, pieces of information such as a user ID, a screen ID and an access date-and-time are correlated and stored. The “user ID” is the user ID of a user who has accessed a screen. The “screen ID” is identification information that identifies the accessed screen. The “access date-and-time” is the date and time of the access.

[0046] The storage **12** also stores, for each learning function provided by the server apparatus **10**, at least one of class, lesson and school as a unit(s) of analysis, in which the utilization state of a learning function is analyzed. The first learning function described below is correlated with, as units of analysis, class, lesson and school of the first category. The second learning function described below is correlated with, as units of analysis, class and lesson of the second category. The first learning function may be correlated with a unit(s) of analysis different from those of the first category. The second learning function may be correlated with a unit(s) of analysis different from those of the second category. The communicator **13** performs a communication action in accordance with a predetermined communication standard. By this communication action, the communicator **13** transmits and receives data to and from the first terminal apparatus **20A** and the second terminal apparatuses **20B** via the network **30**.

[0047] The first terminal apparatus **20A** is used by a teacher or an administrator. The first terminal apparatus **20A** may be a personal computer, a portable terminal apparatus, such as a tablet, or a mobile communication apparatus, such as a smartphone. The first terminal apparatus **20A** includes a controller **21A**, a storage **22A**, an operation unit **23A**, a display **24A**, a communicator **25A** and an imager **27A**. These components are connected to one another via a system bus **29A**.

[0048] The controller **21A** includes a CPU and a RAM. The CPU of the controller **21A** is a processor that reads and executes programs stored in the storage **22A** and performs various types of arithmetic processing, thereby controlling operation of each component of the first terminal apparatus **20A**. The controller **21A** may have a plurality of processors, for example, a plurality of CPUs, and a plurality of processes that is performed by the controller **21A** of this embodiment may be performed by the plurality of processors. In this case, the processors may be involved in the same processes or independently perform different processes in parallel.

[0049] The storage **22A** is a non-transitory storage medium readable by the CPU of the controller **21A**. The storage **22A** stores programs and various data. The storage **22A** includes a nonvolatile memory, such as an HDD or an SSD. The programs stored in the storage **22A** include a web browser. The operation unit **23A** includes at least one of, for example, a keyboard, a touchscreen and a mouse. The operation unit **23A** receives operations made by the user and outputs input signals corresponding to the operations to the controller **21A**.

[0050] The display **24A** includes a liquid crystal display (LCD) or an electroluminescence (EL) display. The display **24A** performs various types of display in accordance with display information instructed to display by the controller **21A**. The communicator **25A** performs a communication action in accordance with a predetermined communication standard. By this communication action, the communicator **25A** transmits and receives data to and from the server apparatus **10** via the network **30**.

[0051] The imager **27A** is a digital camera including an optical system and an imaging device, such as a charge coupled device (CCD) or a complementary metal oxide semiconductor (CMOS). The imager **27A** images an imaging subject, thereby generating image data of a still image or a moving image, and outputs the image data to the controller **21A**.

[0052] The second terminal apparatuses **20B** are used by students. Like the first terminal apparatus **20A**, the second terminal apparatuses **20B** each may be a personal computer, a portable terminal apparatus, such as or a tablet, or a mobile communication apparatus, such as a smartphone. Each of the second terminal apparatuses **20B** includes a controller **21B**, a storage **22B**, an operation unit **23B**, a display **24B**, a communicator **25B** and an imager **27B**. These components are connected to one another via a system bus **29B**.

[0053] The controller **21B** includes a CPU and a RAM. The CPU of the controller **21B** is a processor that reads and executes programs stored in the storage **22B** and performs various types of arithmetic processing, thereby controlling operation of each component of the second terminal apparatus **20B**. The controller **21B** may have a plurality of processors, for example, a plurality of CPUs, and a plurality of processes that is performed by the controller **21B** of this embodiment may be performed by the plurality of processors. In this case, the processors may be involved in the same processes or independently perform different processes in parallel. The storage **22B**, the operation unit **23B**, the display **24B**, the communicator **25B** and the imager **27B** are the same as the storage **22A**, the operation unit **23A**, the display **24A**, the communicator **25A** and the imager **27A**, respectively, and therefore their descriptions will be omitted.

[0054] Next, operation of the information processing system **1** will be described. First, processes that are performed by the controller **11** of the server apparatus **10** when each student logs into the website of the learning support services through his/her second terminal apparatus **20B** will be described.

[0055] When a student logs into the website of the learning support services through his/her second terminal apparatus **20B**, the controller **11** of the server apparatus **10** provides learning support services for students to the second terminal apparatus **20B** in cooperation with a program stored in the storage **12**. The learning support services for students provide a plurality of mutually different learning functions to the second terminal apparatus **20B**. Examples of the learning functions provided by the learning support services for students include an electronic dictionary function, a notebook function and an electronic label function. The notebook function and the electronic label function fall under the first learning function in the present disclosure. The electronic dictionary function falls under the second learning function in the present disclosure. The controller **11** provides these mutually different learning functions by performing the following processes.

[0056] When a student logs into the website of the learning support services through his/her second terminal apparatus **20B**, the controller **11** of the server apparatus **10** generates screen information for displaying, with the browser, a screen **241** for the student to select a learning function to use. Then, the controller **11** causes the communicator **13** to transmit the generated screen information to the second terminal apparatus **20B**. Thus, the controller **11** causes the display **24B** of the second terminal apparatus **20B** to display the screen **241**.

[0057] As shown in FIG. 3, the screen **241** has an area **2411** and an area **2412**. In the area **2411**, a selection section for the user to select a learning function to use is displayed. In the selection section, a dictionary/content selection section **241a** and a notebook selection section **241b** are displayed. The dictionary/content selection section **241a** is for the user to select the electronic dictionary function as the learning function to use. The notebook selection section **241b** is for the user to select the notebook function as the learning function to use. In the notebook selection section **241b**, a selection section for the user to select a lesson (subject) at which the user uses notebooks is displayed. In the area **2412**, a user interface (UI) to use the learning function selected in the area **2411** is displayed. In this embodiment, the electronic dictionary function is selected by default, and a list of electronic dictionaries for the user to select an electronic dictionary to use is displayed in the area **2412**.

[0058] For example, when the login is completed, the controller **11** reads thumbnail images of respective electronic dictionaries stored in the dictionary database **127**, generates screen information for displaying, in the area **2412**, the screen **241** with the list of the thumbnail images of

the electronic dictionaries displayed, and causes the communicator **13** to transmit the generated screen information to the second terminal apparatus **20B**.

[0059] In the second terminal apparatus **20B**, when the communicator **25B** receives the screen information on the screen **241** from the server apparatus **10**, the controller **21B** causes the display **24B** to display the screen **241** in cooperation with the browser. When a thumbnail image of an electronic dictionary is selected on the displayed screen **241** by the operation unit **23B** being operated, the controller **21B** causes the communicator **25B** to transmit operation information indicating that an operation to select an electronic dictionary has been made to the server apparatus **10**. This operation information includes information such as a user ID, an operation ID, a dictionary ID and an operation date-and-time. The user ID is the user ID of the currently logged-in user. The operation ID is the operation ID representing an operation to select an electronic dictionary. The dictionary ID is the dictionary ID of the selected electronic dictionary.

[0060] In the server apparatus **10**, when the communicator **13** receives, from the second terminal apparatus **20B**, the operation information indicating that an operation to select an electronic dictionary has been made, the controller **11** causes the display **24B** of the second terminal apparatus **20B** to display the contents of the selected electronic dictionary. For example, the controller **11** reads data of the selected electronic dictionary from the dictionary database **127**, generates screen information for displaying the contents of the selected electronic dictionary, and causes the communicator **13** to transmit the generated screen information to the second terminal apparatus **20B**.

[0061] In the second terminal apparatus **20B**, when the communicator **25B** receives, from the server apparatus **10**, the screen information on the contents of the selected electronic dictionary, the controller **21B** causes the display **24B** to display the contents of the selected electronic dictionary in cooperation with the browser. When an operation, such as an operation to search for a word, is made on the displayed contents, the controller **21B** causes the communicator **25B** to transmit, to the server apparatus **10**, operation information indicating the made operation. This operation information includes information such as a user ID, an operation ID, a dictionary ID and an operation date-and-time. The user ID is the user ID of the currently logged-in user. The operation ID is the operation ID representing the made operation. The dictionary ID is the dictionary ID of the electronic dictionary in use.

[0062] In the server apparatus **10**, when the communicator **13** receives, from the second terminal apparatus **20B**, the operation information indicating the operation made on the contents of the electronic dictionary, the controller **11** causes the display **24B** of the second terminal apparatus **20B** to display a screen corresponding to the made operation. For example, if the operation is an operation to issue an instruction to search for a word, the controller **11** searches (the electronic dictionary in use in) the dictionary database **127** for the search-instructed word, and generates screen information for displaying a screen showing the search result. Then, the controller **11** causes the communicator **13** to transmit the generated screen information to the second terminal apparatus **20B**. Further, when the communicator **13** receives, from the second terminal apparatus **20B**, the operation information indicating the operation made on the contents of the electronic dictionary, the controller **11** adds a record to the operation log database **128** to store an operation log based on the received operation information. For example, if the operation is an operation to search for a word, the controller **11** stores, as the operation log, the user ID of the logged-in student, the operation ID representing search in an electronic dictionary, the search date-and-time, and the dictionary ID of the electronic dictionary used for the search, in the operation log database **128**. The display **24B** of the second terminal apparatus **20B** displays the screen **241**, which is for using the electronic dictionary function, by the same procedure as the above when the dictionary/content selection section **241a** is pressed by the operation unit **23B** being operated, too.

[0063] Meanwhile, on the screen **241**, when an operation to select a notebook of a lesson is made in the notebook selection section **241b** by the operation unit **23B** being operated, the controller **21B**

causes the communicator **25B** to transmit operation information indicating that an operation to select the notebook function has been made to the server apparatus **10**. This operation information includes information such as a user ID, an operation ID, a lesson ID and an operation date-and-time. The user ID is the user ID of the currently logged-in user. The operation ID is the operation ID representing an operation to select the notebook function. The lesson ID is the lesson ID of the selected lesson.

[0064] In the server apparatus **10**, when the communicator **13** receives, from the second terminal apparatus **20B**, the operation information indicating that an operation to select the notebook function has been made, the controller **11** generates screen information for displaying a screen **242** with the browser, and causes the communicator **13** to transmit the generated screen information to the second terminal apparatus **20B**. Thus, the controller **11** causes the display **24B** of the second terminal apparatus **20B** to display the screen **242**. The screen **242** is for the user to use the notebook function and the electronic label function. In this embodiment, the notebook function includes a function to create notebooks and functions offered on notebooks. The electronic label function is a function to create electronic labels. Electronic labels are created on notebooks, and therefore the notebook function includes the electronic label function.

[0065] As shown in FIG. **4**, the screen **242** has an area **2421** and an area **2422**. The area **2421** is the same as the area **2411**, and a dictionary/content selection section **242a** and a notebook selection section **242b** are displayed therein. In the area **2422**, a list of notebooks **242c** of a selected lesson and an operation button **242d** for creating new notebooks are displayed.

[0066] For example, the controller **11** searches the notebook database **125** with the user ID and the lesson ID included in the operation information transmitted from the second terminal apparatus **20B**. Next, the controller **11** obtains thumbnail images of notebooks from records obtained by the search. Then, as shown in FIG. **4**, the controller **11** generates screen information on the screen **242** with the obtained thumbnail images displayed in the list of notebooks **242c**, and causes the communicator **13** to transmit the generated screen information to the second terminal apparatus **20B**.

[0067] In the second terminal apparatus **20B**, when the communicator **25B** receives, from the server apparatus **10**, the screen information for displaying the screen **242**, the controller **21B** causes the display **24B** to display the screen **242** in cooperation with the browser. If the operation button **242d** on the screen **242** is pressed by the operation unit **23B** being operated, the controller **21B** causes the display **24B** to display a pop-up screen for creating a new notebook. If, on the pop-up screen, a notebook name is input and an operation button for issuing an instruction to create a notebook is pressed by the operation unit **23B** being operated, the controller **21B** causes the communicator **25B** to transmit operation information indicating that an operation to create a notebook has been made to the server apparatus **10**. This operation information includes information such as a user ID, an operation ID, an operation date-and-time, a lesson ID and a notebook name. The user ID is the user ID of the currently logged-in user. The operation ID is the operation ID representing an operation to create a notebook. The lesson ID is the lesson ID of the selected lesson. The notebook name is the input notebook name.

[0068] In the server apparatus **10**, when the communicator **13** receives, from the second terminal apparatus **20B**, the operation information indicating that an operation to create a notebook has been made, the controller **11** issues a new notebook ID. The controller **11** also creates a thumbnail image with the input notebook name and so forth displayed. Next, the controller **11** adds a record to the notebook database **125** to store the notebook name, the user ID, the lesson ID, the notebook's thumbnail image, the creation date-and-time and so forth based on the issued notebook ID and the received operation information. Then, the controller **11** generates screen information on the screen **242** with the thumbnail image of the new notebook added to the list of notebooks **242c**, and causes the communicator **13** to transmit the generated screen information to the second terminal apparatus **20B**. The controller **11** also adds a record to the operation log database **128** to store the user ID, the

operation ID, the operation date-and-time and the lesson ID included in the operation information. [0069] In the second terminal apparatus **20B**, when the communicator **25B** receives, from the server apparatus **10**, the screen information for displaying the screen **242** with the thumbnail image of the new notebook added, the controller **21B** causes the display **24B** to display the screen **242** in cooperation with the browser.

[0070] In the second terminal apparatus **20B**, if, on the screen **242**, an operation to select a notebook from the list of notebooks **242c** is made by the operation unit **23B** being operated, the controller **21B** causes the communicator **25B** to transmit operation information indicating that an operation to select a notebook has been made to the server apparatus **10**. This operation information includes a user ID, an operation ID, an operation date-and-time, a lesson ID and a notebook ID. The user ID is the user ID of the currently logged-in user. The operation ID is the operation ID representing an operation to select a notebook. The lesson ID is the lesson ID of the selected lesson. The notebook ID is the notebook ID of the selected notebook.

[0071] In the server apparatus **10**, when the communicator **13** receives, from the second terminal apparatus **20B**, the operation information indicating that an operation to select a notebook has been made, the controller **11** generates screen information on a screen **243** showing the contents of the selected notebook. Then, **11** causes the communicator **13** to transmit the generated screen information to the second terminal apparatus **20B**. In the second terminal apparatus **20B**, when the communicator **25B** receives, from the server apparatus **10**, the screen information for displaying the screen **243** of the selected notebook, the controller **21B** causes the display **24B** to display the screen **243** in cooperation with the browser.

[0072] As shown in FIG. 5, on the screen **243**, a text label button **243a**, a camera label button **243b**, a link label button **243c**, a file label button **243d**, a dictionary label button **243e**, a math label button **243f** and so forth are arranged. In addition, the screen **243** is provided with a label area **243g**. The label area **243g** is an area in which an electronic label(s) created on this notebook is displayed. On notebooks, contents that the user has learned and information that the user has obtained for learning are recorded as electronic labels. If there is an already created electronic label, a thumbnail image of the electronic label is displayed in the label area **243g**.

[0073] The text label button **243a** is an operation button for issuing an instruction to create a text label. The text label is an electronic label that records (stores) and displays (shows) text-input information. The camera label button **243b** is an operation button for issuing an instruction to create a camera label. The camera label is an electronic label that records and displays an image generated by the imager **27B** or the like. The link label button **243c** is an operation button for issuing an instruction to create a link label. The link label is an electronic label that records and displays a linked uniform resource locator (URL) on the web. The file label button **243d** is an operation button for issuing an instruction to create a file label. The file label is an electronic label that records and displays an image file, a portable document format (PDF) file or the like. The dictionary label button **243e** is an operation button for issuing an instruction to create a dictionary label. The dictionary label is an electronic label that records and displays information retrieved from an electronic dictionary. The math label button **243f** is an operation button for issuing an instruction to create a math label. The math label is an electronic label that records and displays an input mathematical formula, graph or the like.

[0074] On the screen **243**, a save (“Save”) icon **243h**, a submission (“Submit”) icon **243i** and a transmission/reception (“Send/Receive”) icon **243j** are also arranged. The save icon **243h** is an icon for issuing an instruction to save an electronic label dragged onto the save icon **243h** in a predetermined save location. The submission icon **243i** is an icon for issuing an instruction to submit an electronic label dragged onto the submission icon **243i** to a specified submission destination. The transmission/reception icon **243j** is an icon for issuing an instruction to transmit an electronic label dragged onto the transmission/reception icon **243j** to a specified transmission destination.

[0075] In the second terminal apparatus **20B**, if one of the label buttons from the text label button **243a** through the math label button **243f** on the screen **243** is operated by the operation unit **23B** being operated, the controller **21B** causes the display **24B** to display a UI for creating an electronic label corresponding to the type of the operated label button. The controller **21b** creates an electronic label in response to an operation on the displayed UI, and causes the display **24B** to display the created electronic label in the label area **243g**. The controller **21B** then causes the communicator **25B** to transmit operation information indicating that an operation to create an electronic label has been made and electronic label information that is the contents of information on the created electronic label to the server apparatus **10**. This operation information to be transmitted includes a user ID, an operation ID, an operation date-and-time, a lesson ID and a notebook ID. The user ID is the user ID of the currently logged-in user. The operation ID is the operation ID representing an operation to create an electronic label. This operation ID is an ID that identifies the type of electronic label created. The lesson ID is the lesson ID of the selected lesson. The notebook ID is the notebook ID of the notebook on which the electronic label has been created.

[0076] In the server apparatus **10**, when the communicator **13** receives, from the second terminal apparatus **20B**, the operation information indicating that an operation to create an electronic label has been made and the electronic label information, the controller **11** issues a new label ID and creates a thumbnail image of the created electronic label. Next, the controller **11** adds a record to the label database **126** to store the user ID, the notebook ID, the label type, the contents of the electronic label, the thumbnail image of the electronic label and so forth based on the issued label ID and the received operation information. The controller **11** also adds a record to the operation log database **128** to store, as the operation log, the user ID, the operation ID, the operation date-and-time and so forth based on the received operation information. This information to be stored corresponds to electronic label creation log information.

[0077] In the second terminal apparatus **20B**, if one of the save icon **243h**, the submission icon **243i** and the transmission/reception icon **243j** on the screen **243** is operated by the operation unit **23B** being operated, thereby issuing an instruction to save, submit or transmit/receive an electronic label, the controller **21B** causes the communicator **25B** to transmit operation information indicating that an operation to issue an instruction to save, submit or transmit/receive an electronic label has been made to the server apparatus **10**. This operation information to be transmitted includes a user ID, an operation ID, an operation date-and-time, a label ID, a destination and/or the like. The user ID is the user ID of the currently logged-in user. The operation ID is the operation ID representing an operation to issue an instruction to save, submit or transmit/receive an electronic label. The label ID is the label ID of an electronic label to be saved, submitted or transmitted/received. The destination is information about where to save, submit, or transmit/receive the electronic label.

[0078] In the server apparatus **10**, when the communicator **13** receives, from the second terminal apparatus **20B**, the operation information indicating that an operation to issue an instruction to save, submit or transmit/receive an electronic label has been made, the controller **11** adds a record to the operation log database **128** to store, as the operation log, the user ID, the operation ID and the operation date-and-time. In addition, the controller **11** reads electronic label information having the received label ID from the label database **126** and saves (stores) or transmits/submits the read electronic label information to the specified destination. Thus, when a student logs into the website of the learning support services through his/her second terminal apparatus **20B**, the controller **11** of the server apparatus **10** provides the electronic dictionary function, the notebook function and the electronic label function in accordance with operations made by the student.

[0079] Every time a screen in the website that provides the learning support services is accessed from the first terminal apparatus **20A** or any of the second terminal apparatuses **20B**, the controller **11** adds a record to the access log database **129** to store an user ID, a screen ID and an access date-and-time. The user ID is the user ID of the user who has accessed the screen. The screen ID is identification information that identifies the accessed screen. The access date-and-time is the date

and time of the access.

[0080] Hereinafter a process that is performed when an administrator or a teacher logs into the learning support services through the first terminal apparatus **20A** will be described. When the administrator or a teacher logs in through the first terminal apparatus **20A** and makes a predetermined operation to issue an instruction to analyze a learning function, the controller **11** of the server apparatus **10** performs an analysis process shown in FIG. **6**. More specifically, the controller **11** performs the analysis process in cooperation with a program stored in the storage **12**. Hereinafter the analysis process will be described with reference to FIG. **6**.

[0081] In the analysis process, first, the controller **11** causes the display **24A** of the first terminal apparatus **20A** to display a screen **341** for selecting an item to be analyzed (analysis target) (Step **S1**). For example, the controller **11** generates screen information for displaying the screen **341** with the browser and causes the communicator **13** to transmit the generated screen information to the first terminal apparatus **20A**. Thus, the controller **11** causes the display **24A** of the first terminal apparatus **20A** to display the screen **341**.

[0082] As shown in FIG. **7**, on the screen **341**, an electronic label selection button **341a**, an electronic dictionary selection button **341b**, a notebook selection button **341c** and a number-of-accesses selection **341d** are arranged. The electronic label selection button **341a** is a button for selecting the electronic label function as the item to be analyzed. The electronic dictionary selection button **341b** is a button for selecting the electronic dictionary function as the item to be analyzed. The notebook selection button **341c** is a button for selecting the notebook function as the item to be analyzed. The number-of-accesses selection button **341d** is a button for selecting the number of accesses as the item to be analyzed.

[0083] The controller **11** waits until the communicator **13** receives, from the first terminal apparatus **20A**, operation information indicating that an operation to select an item to be analyzed has been made (Step **S2**). In the first terminal apparatus **20A**, when the communicator **25A** receives the screen information for displaying the screen **341** from the server apparatus **10**, the controller **21A** causes the display **24A** to display the screen **341** in cooperation with the browser, and when one of the selection buttons **341a** through **341d** is selected on the displayed screen **341** by the operation unit **23A** being operated, the controller **21A** causes the communicator **25A** to transmit the operation information indicating that an operation to select an item to be analyzed has been made to the server apparatus **10**. This operation information includes information indicating the selected item.

[0084] When the communicator **13** receives, from the first terminal apparatus **20A**, the operation information indicating that an operation to select an item to be analyzed has been made (Step **S2**; YES), the controller **11** causes the display **24A** of the first terminal apparatus **20A** to display one of screens for analysis **342** to **345** shown in FIG. **8A** to FIG. **11** in accordance with the selected item (Step **S3**). More specifically, on the basis of the information on units of analysis (category or category articles) correlated with each learning function stored in the storage **12**, the controller **11** determines a category as units of analysis for the selected item. On the basis of the determined category, the controller **11** generates screen information for displaying one of the screens **342** to **345** with the browser, and causes the communicator **13** to transmit the generated screen information to the first terminal apparatus **20A**. Thus, the controller **11** causes the display **24A** of the first terminal apparatus **20A** to display one of the screens **342** to **345** shown in FIG. **8A** to FIG. **11** in accordance with the selected item.

[0085] The screen **342** is a screen that is displayed when the electronic label function, namely, the first learning function, is selected as the item to be analyzed, as shown in FIG. **8A** to FIG. **8C**. The screen **342** is a screen for analyzing the utilization state of the electronic label function. As described above, the first learning function is correlated with, as units of analysis, class, lesson and school of the first category. Hence, on the screen **342**, a set of radio buttons **342a** for selecting class, lesson or school as the unit of analysis is displayed. On the screen **342**, if class is selected by

the operation unit **23A** being operated, a pull-down list **342b** for selecting the name of a class to be analyzed is displayed, as shown in FIG. **8A**. On the screen **342**, if lesson is selected by the operation unit **23A** being operated, a pull-down list **342c** for selecting a teacher to be analyzed is displayed, as shown in FIG. **8B**. On the screen **342**, if school is selected by the operation unit **23A** being operated, a selection section **342d** for selecting a period to be analyzed is displayed, as shown in FIG. **8C**.

[0086] The screen **343** is a screen that is displayed when the electronic dictionary function, namely, the second learning function, is selected as the item to be analyzed, as shown in FIG. **9A** and FIG. **9B**. The screen **343** is a screen for analyzing the utilization state of the electronic dictionary function. As described above, the second learning function is correlated with, as units of analysis, class and lesson of the second category. Hence, on the screen **343**, a set of radio buttons **343a** for selecting class or lesson as the unit of analysis is displayed. On the screen **343**, a radio button for selecting school is not displayed. The electronic dictionary function uses different dictionaries for different grades. It is therefore meaningless to analyze the utilization state of each electronic dictionary in the entire school. On the screen **343**, if class is selected by the operation unit **23A** being operated, a pull-down list **343b** for selecting the name of a class to be analyzed is displayed, as shown in FIG. **9A**. On the screen **343**, if lesson is selected by the operation unit **23A** being operated, a pull-down list **343c** for selecting a teacher to be analyzed is displayed, as shown in FIG. **9B**.

[0087] The screen **344** is a screen that is displayed when the notebook function, namely, the first learning function, is selected as the item to be analyzed, as shown in FIG. **10A** to FIG. **10C**. The screen **344** is a screen for analyzing the utilization state of the notebook function. On the screen **344**, a set of radio buttons **344a** for selecting class, lesson or school as the unit of analysis is displayed. On the screen **344**, if class is selected by the operation unit **23A** being operated, a pull-down list **344b** for selecting the name of a class to be analyzed is displayed, as shown in FIG. **10A**. On the screen **344**, if lesson is selected by the operation unit **23A** being operated, a pull-down list **344c** for selecting a teacher to be analyzed is displayed, as shown in FIG. **10B**. On the screen **344**, if school is selected by the operation unit **23A** being selected, a selection section **344d** for selecting a period to be analyzed is displayed, as shown in FIG. **10C**.

[0088] The screen **345** is a screen that is displayed when the number of accesses is selected as the item to be analyzed, as shown in FIG. **11**. On the screen **345**, a selection section **345a** for selecting a period to be analyzed is displayed. On the screen **345**, no radio buttons or the like for selecting the unit of analysis are displayed. This is because analysis of the number of accesses is a function for an administrator to easily grasp the utilization state of the learning support services in the entire school.

[0089] Thus, the controller **11** performs control to change radio buttons for selecting the unit of analysis in accordance with the selected item, the utilization state of which is to be analyzed, to display a screen for analysis. Further, the controller **11** performs control to display the screen for analysis where items in the pull-down list change in accordance with the unit of analysis selected with a radio button. Thus, only items appropriate as options of analysis conditions of the utilization state of the selected item to be analyzed are displayed. This prevents the user from selecting an inappropriate condition by mistake and allows to appropriately analyze the utilization state of the selected learning function or the like. As a result, the user can easily grasp the utilization state of the selected learning function. In other words, by performing the interaction process with the user, the server apparatus **10** can reliably support the user in carrying out a technical task, namely, in selecting an analysis condition appropriate for each learning function that the server apparatus **10** provides.

[0090] The controller **11** waits until the communicator **13** receives, from the first terminal apparatus **20A**, operation information indicating that an operation to select an analysis condition has been made (Step **S4**). More specifically, in the first terminal apparatus **20A**, when the

communicator **25A** receives the screen information on one of the screens **342** to **345** from the server apparatus **10**, the controller **21A** causes the display **24A** to display the received screen in cooperation with the browser, and when an operation to select an analysis condition is made on the displayed screen by the operation unit **23A** being operated, the controller **21A** causes the communicator **25A** to transmit the operation information indicating that an operation to select an analysis condition has been made to the server apparatus **10**. This operation information includes information indicating the selected analysis condition including the unit of analysis.

[0091] When the communicator **13** receives, from the first terminal apparatus **20A**, the operation information indicating that an operation to select an analysis condition has been made (Step **S4**; YES), the controller **11** analyzes the utilization state of the item to be analyzed on the basis of the selected analysis condition (Step **S5**). Then, the controller **11** causes the display **24A** of the first terminal apparatus **20A** to display an analysis result screen (Step **S6**). In other words, the controller **11** generates screen information for displaying the analysis result with the browser and causes the communicator **13** to transmit the generated screen information to the first terminal apparatus **20A**.

[0092] For example, if “Label” (electronic label function), “Class”, “7th Grade, Class 1” and “Number of Labels Created” are selected as the item to be analyzed, the unit of analysis, the name of a class to be analyzed and the display contents, respectively, the controller **11** derives, for each student belonging to the class selected to be analyzed, the number of created electronic labels by label type. For example, first, the controller **11** extracts students belonging to the selected class from the user database **124**. Next, the controller **11** derives, for each extracted student, the number of created electronic labels by label type on the basis of the data stored in the operation log database **128**. Then, the controller **11** graphs the number of electronic labels created by each extracted student, showing different label types in different manners, and generates screen information for displaying the graph on the screen **342**. In the first terminal apparatus **20A**, when the communicator **25A** receives, from the server apparatus **10**, the screen information on the screen **342** with the graph displayed, the controller **21A** causes the display **24A** to display the received screen **342** in cooperation with the browser. As shown in FIG. **12**, on the screen **342**, the graph is displayed in which the horizontal axis shows students belonging to 7th Grade, Class 3 and the vertical axis shows the number of electronic labels created. The graph shows different label types in different manners, for example, in different colors (color-coded according to label type). The teacher or the administrator can grasp what type of electronic label each student belonging to the selected class has created and used for learning. In other words, by performing the interaction process with the user, the server apparatus **10** can reliably support the user in carrying out a technical task, namely, in analyzing the utilization state of the electronic label function, which is provided by the server apparatus **10**, class by class.

[0093] For example, (electronic label if “Label” function), “Lesson”, “Teacher A” and “Number of Labels Created” are selected as the item to be analyzed, the unit of analysis, a teacher to be analyzed and the display contents, respectively, the controller **11** derives, for each student belonging to each lesson that the teacher A selected to be analyzed is in charge of, the number of created electronic labels by label type. For example, first, the controller **11** extracts, for each lesson that the selected teacher A is in charge of, students belonging to the lesson from the user database **124**. Next, the controller **11** derives, for each lesson that the selected teacher A is in charge of, the number of electronic labels created by each extracted student by label type on the basis of the data stored in the operation log database **128**. Then, the controller **11** graphs, for each lesson that the selected teacher A is in charge of, the number of electronic labels created by each extracted student, showing different label types in different manners, and generates screen information for displaying the graphs on the screen **342**. In the first terminal apparatus **20A**, when the communicator **25A** receives, from the server apparatus **10**, the screen information on the screen **342** with the graphs displayed, the controller **21A** causes the display **24A** to display the received screen **342** in cooperation with the browser. On the screen **342**, the graph for each lesson is displayed in which

the horizontal axis shows students belonging to the lesson and the vertical axis shows the number of electronic labels created. The graph shows different label types in different manners, for example, in different colors. The teacher or the administrator can grasp what type of electronic label each student who takes a lesson that the teacher is in charge of has created and used for learning. In other words, by performing the interaction process with the user, the server apparatus **10** can reliably support the user in carrying out a technical task, namely, in analyzing the utilization state of the electronic label function, which is provided by the server apparatus **10**, lesson by lesson.

[0094] For example, if “Label” (electronic label function), “School” and “Number of Labels Created” are selected as the item to be analyzed, the unit of analysis and the display contents, respectively, the controller **11** derives change in the total number of electronic labels created in a school to which the logged-in user belongs (school correlated with the user in the user database **124**) over a specified period of time. For example, first, the controller **11** extracts students belonging to the school from the user database **124**. Next, the controller **11** calculates, at intervals of a predetermined period, the total number (cumulative sum) of electronic labels created by the extracted students from the start of the specified period on the basis of the data stored in the operation log database **128**. Then, the controller **11** graphs the calculated cumulative sums to be arranged in chronological order, and generates screen information for displaying the graph on the screen **342**. In the first terminal apparatus **20A**, when the communicator **25A** receives, from the server apparatus **10**, the screen information on the screen **342** with the graph displayed, the controller **21A** causes the display **24A** to display the received screen **342** in cooperation with the browser. As shown in FIG. **13**, on the screen **342**, the graph is displayed in which the horizontal axis shows the period and the vertical axis shows the (total) number of electronic labels created in the entire school. The administrator can grasp change in the creation state of electronic labels in the entire school over a specified period of time. In other words, by performing the interaction process with the user, the server apparatus **10** can reliably support the user in carrying out a technical task, namely, in analyzing the utilization state of the electronic label function, which is provided by the server apparatus **10**, as the entire school.

[0095] For example, if “Dictionary/Content” (electronic dictionary function), “Class”, “7th Grade, Class 1” and “Number of Searches in Dictionaries/Contents” are selected as the item to be analyzed, the unit of analysis, the name of a class to be analyzed and the display contents, respectively, the controller **11** derives, for each student belonging to the class selected to be analyzed, the number of searches in each electronic dictionary. For example, first, the controller **11** extracts students belonging to the selected class from the user database **124**. Next, the controller **11** derives, for each extracted student, the number of searches in each electronic dictionary on the basis of the data stored in the operation log database **128**. Then, the controller **11** graphs the number of searches in electronic dictionaries conducted by each extracted student, showing different electronic dictionaries in different manners, and generates screen information for displaying the graph on the screen **343**. In the first terminal apparatus **20A**, when the communicator **25A** receives, from the server apparatus **10**, the screen information on the screen **343** with the graph displayed, the controller **21A** causes the display **24A** to display the received screen **343** in cooperation with the browser. As shown in FIG. **14**, on the screen **343**, the graph is displayed in which the horizontal axis shows students belonging to 7th Grade, Class 1 and the vertical axis shows the number of searches in electronic dictionaries. The graph shows different electronic dictionaries in different manners, for example, in different colors (color-coded according to dictionary). The teacher or the administrator can grasp what dictionary each student belonging to the selected class has been interested in and used for homework or self-study. In other words, by performing the interaction process with the user, the server apparatus **10** can reliably support the user in carrying out a technical task, namely, in analyzing the utilization state of the electronic dictionary function, which is provided by the server apparatus **10**, class by class.

[0096] For example, if “Dictionary/Content” (electronic dictionary function), “Lesson”, “Teacher A” and “Number of Searches in Dictionaries/Contents” are selected as the item to be analyzed, the unit of analysis, a teacher to be analyzed and the display contents, respectively, the controller **11** derives, for each student belonging to each lesson that the teacher A selected to be analyzed is in charge of, the number of searches in each electronic dictionary. For example, first, the controller **11** derives, for each lesson that the selected teacher A is in charge of, students belonging to the lesson from the user database **124**. Next, the controller **11** derives, for each lesson that the selected teacher A is in charge of, the number of searches in each electronic dictionary conducted by each extracted student on the basis of the data stored in the operation log database **128**. Then, the controller **11** graphs, for each lesson that the selected teacher A is in charge of, the number of searches in electronic dictionaries conducted by each extracted student, showing different electronic dictionaries in different manners, and generates screen information for displaying the graphs on the screen **343**. In the first terminal apparatus **20A**, when the communicator **25A** receives, from the server apparatus **10**, the screen information on the screen **343** with the graphs displayed, the controller **21A** causes the display **24A** to display the received screen **343** in cooperation with the browser. On the screen **343**, the graph for each lesson is displayed in which the horizontal axis shows students belonging to the lesson and the vertical axis shows the number of searches in electronic dictionaries. The graph shows different electronic dictionaries in different manners, for example, in different colors. By viewing the graph(s), the teacher can check whether each student has used a dictionary as expected in light of the contents of the lesson. Also, the teacher or the administrator can grasp what dictionary each student who takes the lesson has been interested in and used for homework or self-study. In other words, by performing the interaction process with the user, the server apparatus **10** can reliably support the user in carrying out a technical task, namely, in analyzing the utilization state of the electronic dictionary function, which is provided by the server apparatus **10**, lesson by lesson.

[0097] For example, if “Notebook” (notebook function), “Class”, “7th Grade, Class 1” and “Operations on Notebooks” are selected as the item to be analyzed, the unit of analysis, the name of a class to be analyzed and the display contents, respectively, and also “By Subject” is selected as an option, the controller **11** derives, for each student belonging to the class selected to be analyzed, the number of operations on notebooks by subject and by operation type. For example, first, the controller **11** extracts students belonging to the selected class from the user database **124**. Next, the controller **11** derives, for each extracted student, the number of operations by operation type made on notebooks by subject on the basis of the data stored in the operation log database **128**. Then, the controller **11** graphs, for each extracted student, the number of operations by operation type made on notebooks by subject, and generates screen information for displaying the graphs on the screen **344**. In the first terminal apparatus **20A**, when the communicator **25A** receives, from the server apparatus **10**, the screen information on the screen **344** with the graphs displayed, the controller **21A** causes the display **24A** to display the received screen **344** in cooperation with the browser. As shown in FIG. **15**, on the screen **344**, the graph for each student is displayed in which the vertical axis shows subjects and the horizontal axis shows the number of operations on notebooks. The graph shows different operation types in different manners, for example, in different colors (color-coded according to operation type). By viewing the graphs shown in FIG. **15**, the teacher or the administrator can grasp what type of operation each student has actively made on notebooks at each/what subject. In other words, by performing the interaction process with the user, the server apparatus **10** can reliably support the user in carrying out a technical task, namely, in analyzing the utilization state of the notebook function, which is provided by the server apparatus **10**, student by student and subject by subject.

[0098] For example, if “Notebook” (notebook function), “Lesson”, “Taro Kashio”, “All Assigned Lessons” and “Number of Notebooks Created” are selected as the item to be analyzed, the unit of analysis, a teacher to be analyzed, the name of a lesson to be analyzed and the display contents,

respectively, the controller **11** derives, for each lesson that Mr. Taro Kashio selected to be analyzed is in charge of, the number of operations to create a notebook (number of notebooks created) made by each student belonging to the lesson. For example, first, the controller **11** extracts, for each lesson that Mr. Taro Kashio is in charge of, students belonging to the lesson from the user database **124**. Next, the controller **11** derives, for each lesson that Mr. Taro Kashio is in charge of, the number of notebooks created by each extracted student on the basis of the data stored in the operation log database **128**. Then, the controller **11** graphs, for each lesson that Mr. Taro Kashio is in charge of, the number of notebooks created by each student belonging to the lesson, and generates screen information for displaying the graphs on the screen **344**. In the first terminal apparatus **20A**, when the communicator **25A** receives, from the server apparatus **10**, the screen information on the screen **344** with the graphs displayed, the controller **21A** causes the display **24A** to display the received screen **344** in cooperation with the browser. As shown in FIG. **16**, on the screen **344**, the graph for each lesson that the selected teacher is in charge of is displayed in which the horizontal axis shows students belonging to the lesson and the vertical axis shows the number of notebooks created. By checking the graphs as shown in FIG. **16**, the administrator can check teachers who have utilized the learning support services in his/her lessons and who have not. Further, the teacher can compare his/her lessons in the number of notebooks created and make good use of the result to improve his/her lessons. In other words, by performing the interaction process with the user, the server apparatus **10** can reliably support the user in carrying out a technical task, namely, in analyzing users who have utilized the learning functions provided by the server apparatus **10** and who have not.

[0099] The screen **344** that is displayed when “Notebook” (notebook function) and “School” are selected as the item to be analyzed and the unit of analysis, respectively, is similar to the screen **342** shown in FIG. **13**, provided that “Number of Notebooks Created” is analyzed instead of “Number of Labels Created”. Hence, the description of the screen **344** in this case will be omitted. The administrator can grasp change in the creation state of notebooks in the entire school over a specified period of time.

[0100] For example, if “Number of Accesses” and “2023/04/01-2023/10/31” are selected as the item to be analyzed and a period, the controller **11** derives, as the number of accesses in the period, the number of pageviews (PVs) at intervals of a predetermined period (e.g., every half month). For example, the controller **11** aggregates the number of PVs at intervals of a predetermined period in the selected period on the basis of the data stored in the access log database **129**. Then, the controller **11** graphs the number of PVs at intervals of the predetermined period in the selected period, and generates screen information for displaying the graph on the screen **345**. In the first terminal apparatus **20A**, when the communicator **25A** receives, from the server apparatus **10**, the screen information on the screen **345** with the graph displayed, the controller **21A** causes the display **24A** to display the received screen **345** in cooperation with the browser. As shown in FIG. **17**, on the screen **345**, the graph is displayed in which the horizontal axis shows the period and the vertical axis shows the number of PVs. The administrator can grasp change in the access state to the learning support services over a specified period of time. In other words, by performing the interaction process with the user, the server apparatus **10** can reliably support the user in carrying out a technical task, namely, in analyzing the access state to the learning functions provided by the server apparatus **10**. The number of accesses is not limited to the number of PVs but may be another as far as it indicates the number of accesses to the plurality of learning functions in a school to which the user belongs. For example, the number of sessions may be used instead of the number of PVs. The graphs displayed on the screens **342** to **345** show the derivation results (analysis results) of the utilization state of the item selected to be analyzed.

[0101] The server apparatus **10** may store, in the storage **12** or the like, academic performance information on each student who uses the learning support services with his/her user ID correlated, for example. Then, if class or lesson is selected as the unit of analysis, in which the utilization state

of a learning function is analyzed, the controller **11** may cause the display **24A** of the first terminal apparatus **20A** to display, for each student belonging to the selected class or lesson, the utilization state of the electronic label function, the notebook function or the electronic dictionary function and his/her academic performance information next to one another. For example, if, on the screen **342**, **343** or **344**, a graph/bar/column for each student is displayed, the graph/bar/column for each student and his/her academic performance information may be displayed next to one another. Thus, the teacher or the administrator can compare students who have used the electronic label function or the notebook function frequently with students who have used it infrequently in academic performance, thereby grasping correlation between utilization of the electronic label function or the notebook function and academic performance. Similarly, the teacher or the administrator can compare students whose number of searches in electronic dictionaries is large with students whose number of searches in electronic dictionaries is small in academic performance, thereby easily grasping correlation between the number of searches in electronic dictionaries and academic performance. Further, the controller **11** may notify students whose number of electronic labels or notebooks created (or number of operations) is equal to or less than a predetermined threshold value and also whose academic performance is equal to or less than a predetermined threshold value to use electronic labels. For example, the controller **11** may cause the display **24B** to display a message notifying such students to use the electronic label function or the notebook function when they each log in. This can automatically encourage the students who do not use the learning functions often to use these.

[0102] As described above, the controller **11** of the server apparatus **10** causes the first terminal apparatus **20A** to display at least one first category article of the first category to be selectable in response to an educational instructor or administrator selecting the first learning function as the analysis target through the first terminal apparatus **20A**. The controller **11** causes the first terminal apparatus **20A** to display at least one second category article of the second category to be selectable in response to the educational instructor or administrator selecting the second learning function as the analysis target through the first terminal apparatus **20A**. The controller **11** derives the utilization state of a learning function by a learner, the learning function being selected as the analysis target, based on a category article selected from the at least one first category article or the at least one second category article correlated with the learning function selected as the analysis target, and causes the first terminal apparatus **20A** to display the derived utilization state. Thus, only items appropriate as options of analysis conditions of the utilization state of the learning function selected as the analysis target are displayed by the first terminal apparatus **20A**. This prevents the user (educational instructor or administrator) from selecting an inappropriate condition by mistake and allows to appropriately analyze the utilization state of the selected learning function or the like. As a result, the user can easily grasp the utilization state of the selected learning function.

[0103] Further, the controller **11** causes the first terminal apparatus **20A** to display the number of accesses to the plurality of learning functions in a school to which the educational instructor or administrator belongs, in response to the educational instructor or administrator selecting the number of accesses as the analysis target through the first terminal apparatus **20A**. Thus, the educational instructor or administrator can easily grasp the number of accesses to the plurality of learning functions in a school to which the educational instructor or administrator belongs.

[0104] Those described in the above embodiment are not limitations but merely some preferable examples of the information processing apparatus, the information processing system and the programs of the present disclosure. For example, the pieces of information stored in the databases described in the above embodiment are not limitations but merely some preferable examples.

[0105] Further, for example, in the above embodiment, as the computer-readable storage medium storing the programs for performing the processes, the HDD or the nonvolatile semiconductor memory is used, but the computer-readable storage medium is not limited thereto. The computer-

readable storage medium may be a portable storage medium, such as a CD-ROM. Further, as a medium that provides data of the programs via a communication line, a carrier wave is applicable.

Claims

1. An information processing apparatus comprising a processor, wherein the information processing apparatus is configured to be communicatively connected to a first terminal apparatus configured to be used by an educational instructor or administrator and a plurality of second terminal apparatuses configured to be used by a plurality of learners, wherein the plurality of second terminal apparatuses is each provided with a plurality of mutually different learning functions including a first learning function and a second learning function that are used by the plurality of learners, wherein the plurality of learners is grouped as a first group belonging to a first category correlated with the first learning function and also grouped as a second group belonging to a second category correlated with the second learning function, and wherein the processor causes the first terminal apparatus to display at least one first category article of the first category to be selectable in response to the educational instructor or administrator selecting the first learning function as an analysis target through the first terminal apparatus or display at least one second category article of the second category to be selectable in response to the educational instructor or administrator selecting the second learning function as the analysis target through the first terminal apparatus, derives a utilization state of a learning function by a learner of the plurality of learners, the learning function being the first learning function or the second learning function selected as the analysis target, based on a category article selected from the at least one first category article or the at least one second category article correlated with the learning function selected as the analysis target, and causes the first terminal apparatus to display the derived utilization state.
2. The information processing apparatus according to claim 1, wherein the at least one first category article includes class, lesson and school, and wherein the at least one second category article includes the class and the lesson.
3. The information processing apparatus according to claim 2, wherein in response to the selected category article being the class, the processor causes the first terminal apparatus to display a plurality of classes in a school to which the educational instructor or administrator belongs such that a class to be analyzed is selectable therefrom, derives the utilization state of the learning function by the learner who belongs to the class selected from the plurality of classes, the learning function being selected as the analysis target, and causes the first terminal apparatus to display the derived utilization state.
4. The information processing apparatus according to claim 2, wherein as to the class of the first category and the second category, one class is set for each of the plurality of learners, wherein as to the lesson of the first category and the second category, a plurality of lessons is set for each of the plurality of learners, and wherein as to the school of the first category, one school is set for each of the plurality of learners.
5. The information processing apparatus according to claim 1, wherein the first learning function includes an electronic label function and a notebook function.
6. The information processing apparatus according to claim 1, wherein the second learning function includes an electronic dictionary function.
7. The information processing apparatus according to claim 1, wherein in response to the educational instructor or administrator selecting a number of accesses as the analysis target through the first terminal apparatus, the processor causes the first terminal apparatus to display the number of accesses to the plurality of mutually different learning functions in a school to which the educational instructor or administrator belongs.
8. The information processing apparatus according to claim 1, wherein the processor causes the first terminal apparatus to display the utilization state of the learning function by the learner, the

learning function being selected as the analysis target, and academic performance information on the learner next to one another.

9. An information processing system comprising: the information processing apparatus according to claim 1; the first terminal apparatus configured to be communicatively connected to the information processing apparatus; and the plurality of second terminal apparatuses configured to be communicatively connected to the information processing apparatus.

10. A non-transitory computer-readable storage medium storing a program that causes, of an information processing apparatus configured to be communicatively connected to a first terminal apparatus configured to be used by an educational instructor or administrator and a plurality of second terminal apparatuses configured to be used by a plurality of learners, the plurality of second terminal. apparatuses being each provided with a plurality of mutually different learning functions including a first learning function and a second learning function that are used by the plurality of learners that is grouped as a first group belonging to a first category correlated with the first learning function and also grouped as a second group belonging to a second category correlated with the second learning function, a computer to cause the first terminal apparatus to display at least one first category article of the first category to be selectable in response to the educational instructor or administrator selecting the first learning function as an analysis target through the first terminal apparatus or display at least one second category article of the second category to be selectable in response to the educational instructor or administrator selecting the second learning function as the analysis target through the first terminal apparatus, derive a utilization state of a learning function by a learner of the plurality of learners, the learning function being the first learning function or the second learning function selected as the analysis target, based on a category article selected from the at least one first category article or the at least one second category article correlated with the learning function selected as the analysis target, and cause the first terminal apparatus to display the derived utilization state.
