



US0D1091102S

(12) **United States Design Patent**
Smith et al.

(10) **Patent No.:** **US D1,091,102 S**

(45) **Date of Patent:** **** *Sep. 2, 2025**

(54) **ARM SUPPORT FOR HOLDING BABY**

(71) Applicants: **Mary B. Smith**, Eastwood, KY (US);
Suzanne Duncan, Eddyville, KY (US)

(72) Inventors: **Mary B. Smith**, Eastwood, KY (US);
Suzanne Duncan, Eddyville, KY (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**

(21) Appl. No.: **29/659,487**

(22) Filed: **Aug. 9, 2018**

(51) **LOC (15) Cl.** **03-99**

(52) **U.S. Cl.**
USPC **D3/213**

(58) **Field of Classification Search**
USPC D3/214–217, 231, 232; D6/239, 329,
D6/595–601, 604, 505
CPC A41D 13/08; A47G 9/10; A47G 9/1045;
A61G 7/075; A61G 13/1235
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D259,220	S *	5/1981	Small	2/170
4,393,520	A *	7/1983	Koch	A41D 13/08
				2/16
D280,040	S *	8/1985	Ostermaier	D24/126
D309,068	S	7/1990	Jordan et al.	
5,551,108	A	9/1996	Butler, III	
5,551,109	A	9/1996	Tingley et al.	
6,189,169	B1	2/2001	Marcotte	
D476,517	S *	7/2003	Davis	D6/601
D553,348	S *	10/2007	Bangert	D3/213
D579,256	S *	10/2008	Alfieri	D6/601
D612,186	S *	3/2010	Anderson	D6/601
D624,344	S	9/2010	Kashey	
D637,434	S *	5/2011	Lovinger	D6/601
D655,496	S *	3/2012	Lamey	D3/215

D656,234	S *	3/2012	Keeney	D24/190
D696,529	S	12/2013	Crawford	
8,690,809	B2 *	4/2014	Salas	A61G 13/124
				602/21
D706,430	S *	6/2014	Strebeigh	D24/190
D745,263	S *	12/2015	Tagle	D3/213
D790,255	S *	6/2017	Mi	D6/601
D808,639	S *	1/2018	Gillam	D3/213
D887,173	S *	6/2020	Brazalovich	D6/601
10,716,418	B2 *	7/2020	Jaramillo	A47G 9/1045

(Continued)

Primary Examiner — Mark A Goodwin

Assistant Examiner — Benjamin M Weeks

(57) **CLAIM**

The ornamental design for an arm support for holding baby as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the bottom side of our new design for an arm support for holding baby.

FIG. 2 is a top view of our new design for an arm support for holding baby.

FIG. 3 is a bottom view of our new design for an arm support for holding baby.

FIG. 4 is a front view of our new design for an arm support for holding baby.

FIG. 5 is a back view of our new design for an arm support for holding baby.


FIG. 6 is a first side view of our new design for an arm support for holding baby.

FIG. 7 is an opposite side view of our new design for an arm support for holding baby; and,

FIG. 8 is a perspective view of our new design for an arm support for holding baby showing the arm of a user in broken lines.

The broken line showing of an arm is included for the purpose of illustrating environmental use only and forms no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2002/0133881 A1 9/2002 Vrbas et al.
2012/0260430 A1 10/2012 Hernandez

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8