



US0D1091293S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,091,293 S**
Lopez (45) **Date of Patent:** **** *Sep. 2, 2025**

(54) **COILED TETHER**

(71) Applicant: **Alberto Lopez**, Chula Vista, CA (US)

(72) Inventor: **Alberto Lopez**, Chula Vista, CA (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**

(21) Appl. No.: **29/822,009**

(22) Filed: **Jan. 5, 2022**

(51) **LOC (15) Cl.** **09-06**

(52) **U.S. Cl.**
USPC **D8/356**

(58) **Field of Classification Search**

USPC D8/323–325, 327–329, 354–357, 360.1,
D8/363, 378, 376, 374, 382–384, 388,
D8/394–395, 397, 399, 61–62, 70–72
CPC F16G 11/12; F16G 11/14; F16G 11/046;
F16G 11/10; F16G 9/00; F16G 11/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D368,758	S *	4/1996	May		D21/803
D371,525	S *	7/1996	Ryan		D11/231
D372,756	S *	8/1996	May		D30/153
D385,257	S *	10/1997	Pingel		D13/158
D412,706	S *	8/1999	Virost		D30/153
D955,104	S *	6/2022	Drury, Jr.		D3/218
D966,202	S *	10/2022	Willson		D13/154
D968,934	S *	11/2022	Anzai		D8/356
2016/0213998	A1 *	7/2016	Pittard		E05B 71/00
2021/0085064	A1 *	3/2021	Khalsa		H04M 1/04
2023/0200522	A1 *	6/2023	Khalsa		A45F 5/00

224/197

OTHER PUBLICATIONS

Fastway Zip, Amazon, Mar. 25, 2011, www.amazon.com/Fastway-Foot-Breakaway-Cable-80-01-2160/dp/B004TR4IGW (Year: 2011).
Dpei Xuan, Amazon, Nov. 1, 2020, www.amazon.com/dp/B08JHRLHF8 (Year: 2020).
Ergodyne Squids, Mar. 10, 2022, www.amazon.com/Lix-Rix-Stretchy-Detachable-Pinpointer/dp/B09V7P3NSP (Year: 2022).
Lix&Rix Stretchy Elastic Coiled Tether, Nov. 1, 2022, www.amazon.com/Ergodyne-3151-Detachable-Self-Adhesive-Included/dp/B0BNM2BGZL (Year: 2022).
* cited by examiner

Primary Examiner — Karen S Acker

Assistant Examiner — Elizabeth S Ko

(74) *Attorney, Agent, or Firm* — The Rapacke Law Group PA; Andrew S. Rapacke

(57) **CLAIM**

The ornamental design for a coiled tether, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a coiled tether, showing the new design;

FIG. 2 is a front elevational view of the coiled tether thereof;

FIG. 3 is a rear elevational view of the coiled tether thereof;


FIG. 4 is a left side elevational view of the coiled tether thereof;

FIG. 5 is a right side elevational view of the coiled tether thereof;

FIG. 6 is a top plan view of the coiled tether thereof; and,

FIG. 7 is a bottom plan view of the coiled tether thereof.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7