



US0D1091489S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,091,489 S**
Taniguchi (45) **Date of Patent:** **** Sep. 2, 2025**

(54) **BOAT OF SUBSTRATE PROCESSING APPARATUS**

(71) Applicant: **KOKUSAI ELECTRIC CORPORATION**, Tokyo (JP)

(72) Inventor: **Daiki Taniguchi**, Toyama (JP)

(73) Assignee: **KOKUSAI ELECTRIC CORPORATION**, Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/811,337**

(22) Filed: **Oct. 13, 2021**

(30) **Foreign Application Priority Data**

Apr. 14, 2021 (JP) 2021-007894 D

(51) **LOC (15) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/182**

(58) **Field of Classification Search**
USPC D13/182, 184, 199; D15/138, 144.1,
D15/199; D24/232

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,169,453 A * 12/1992 Takagi H01L 21/67306
118/500
5,169,684 A * 12/1992 Takagi H01L 21/68735
118/728

(Continued)

FOREIGN PATENT DOCUMENTS

JP 1119432 S 8/2001
JP 1124837 S 10/2001

Primary Examiner — Justin M Jonaitis

Assistant Examiner — Bria'l Simmons-Holloway

(74) *Attorney, Agent, or Firm* — FITCH, EVEN, TABIN & FLANNERY, LLP

(57) **CLAIM**

The ornamental design for a boat of substrate processing apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a boat of substrate processing apparatus showing our new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a left side elevational view thereof; FIG. 5 is a right side elevational view thereof; FIG. 6 is a top plan view thereof; FIG. 7 is a bottom plan view thereof; and FIG. 8 is an enlarged portion view of area FIG. 8 in FIG. 2 thereof;

FIG. 9 is a front, top and right side perspective view of the claimed portion indicated by the solid line in FIG. 8 thereof; FIG. 10 is a front, bottom and right side perspective view of the claimed portion indicated by the solid line in FIG. 8 thereof;

FIG. 11 is a front elevational view of the claimed portion indicated by the solid line in FIG. 8 thereof;

FIG. 12 is a rear elevational view of the claimed portion indicated by the solid line in FIG. 8 thereof;

FIG. 13 is a left side elevational view of the claimed portion indicated by the solid line in FIG. 8 thereof;

FIG. 14 is a right side elevational view of the claimed portion indicated by the solid line in FIG. 8 thereof;

FIG. 15 is a top plan view of the claimed portion indicated by the solid line in FIG. 8 thereof; and,

FIG. 16 is a bottom plan elevational view of the claimed portion indicated by the solid line in FIG. 8.

The dot-dashed lines define the bounds of the claimed design and form no part thereof. The dash-dash broken lines are included for the purpose of illustrating portions of the article that form no part of the claimed design. The dot-dot-dash broken lines in the FIGS. 2 and 8 depict the boundaries of the enlargements and form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(58) **Field of Classification Search**

CPC . H01L 21/324; H01L 21/67109; H01L 21/31;
H01L 21/67306; H01L 21/67309; H01L
21/67303; H01L 21/0228; H01L 21/02274
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D404,372	S *	1/1999	Ishii		D13/182
D839,219	S *	1/2019	Yoshida		D13/182
D846,514	S *	4/2019	Yoshida		D13/182
D939,459	S *	12/2021	Shimada		D13/182
D981,971	S *	3/2023	Taniguchi		D13/182
2007/0006803	A1 *	1/2007	Cadwell		H01L 21/67309 117/200
2017/0025293	A1 *	1/2017	Jung		H01L 21/67309
2022/0139738	A1 *	5/2022	Bang		H01L 21/324 219/444.1
2023/0116953	A1 *	4/2023	Hirano		H01L 21/67303 118/728
2024/0162067	A1 *	5/2024	Taniguchi		H01L 21/31

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16