



US00PP36920P2

(12) **United States Plant Patent**
Tomomatsu

(10) **Patent No.:** **US PP36,920 P2**

(45) **Date of Patent:** **Sep. 2, 2025**

(54) **CATHARANTHUS PLANT NAMED ‘Suncath 842’**

(50) Latin Name: *Catharanthus roseus*
Varietal Denomination: **Suncath 842**

(71) Applicant: **Koichi Tomomatsu**, Shiga (JP)

(72) Inventor: **Koichi Tomomatsu**, Shiga (JP)

(73) Assignee: **SUNTORY FLOWERS LIMITED**,
Tokyo (JP)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **18/896,794**

(22) Filed: **Sep. 25, 2024**

(51) **Int. Cl.**
A01H 5/02 (2018.01)
A01H 6/80 (2018.01)

(52) **U.S. Cl.**
USPC **Plt./263.1**

(58) **Field of Classification Search**

USPC Plt./263.1
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

PP28,153 P3 * 7/2017 Yamada A01H 6/084
Plt./263.1

* cited by examiner

Primary Examiner — Karen M Redden

(74) Attorney, Agent, or Firm — C. Anne Whealy

(57) **ABSTRACT**

A new and distinct cultivar of *Catharanthus* plant named ‘Suncath 842, characterized by its upright to outwardly spreading and uniformly mounding plant habit; vigorous growth habit; freely basal and lateral branching habit; freely flowering habit; long flowering period; double-type flowers with purple-colored petals and petaloids; and good garden performance.

2 Drawing Sheets

1

Botanical designation: *Catharanthus roseus*.
Cultivar denomination: ‘SUNCATH 842’.

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct *Catharanthus* plant, botanically known as *Catharanthus roseus*, commonly referred to periwinkle and hereinafter referred to by the cultivar name ‘Suncath 842’.

The new *Catharanthus* plant is a product of a planned breeding program conducted by the Inventor in Higashiomi, Shiga, Japan. The objective of the breeding program is to develop new upright and freely branching *Catharanthus* plants with numerous attractive flowers.

The new *Catharanthus* plant originated from an open-pollination in Higashiomi, Shiga, Japan in October, 2018 of a proprietary selection of *Catharanthus roseus* identified as code designation V18-35-8, not patented, as the female, or seed, parent with an unknown proprietary selection of *Catharanthus roseus* as the male, or pollen, parent. The new *Catharanthus* plant was discovered and selected by the Inventor as a single flowering plant from within the progeny of the stated open-pollination in a controlled greenhouse environment in Higashiomi, Shiga, Japan in March, 2019.

Asexual reproduction of the new *Catharanthus* plant by vegetative tip cuttings in a controlled greenhouse environment in Higashiomi, Shiga, Japan since December, 2019, has shown that the unique features of this new *Catharanthus* plant are stable and reproduced true to type in successive generations.

SUMMARY OF THE INVENTION

Plants of the new *Catharanthus* have not been observed under all possible combinations of environmental conditions

2

and cultural practices. The phenotype may vary somewhat with variations in environmental conditions such as temperature and light intensity without, however, any variance in genotype.

The following traits have been repeatedly observed and are determined to be the unique characteristics of ‘Suncath 842’. These characteristics in combination distinguish ‘Suncath 842’ as a new and distinct *Catharanthus* plant:

1. Upright to outwardly spreading and uniformly mounding plant habit.
2. Vigorous growth habit.
3. Freely basal and lateral branching habit.
4. Freely flowering habit.
5. Long flowering period.
6. Double-type flowers with purple-colored petals and petaloids.
7. Good garden performance.

Plants of the new *Catharanthus* can be compared to plants of the female parent selection. Plants of the new *Catharanthus* differ primarily from plants of the female parent selection in flower type as plants of the new *Catharanthus* have double-type flowers whereas plants of the female parent selection have single-type flowers. In addition, flower petals and petaloids of plants of the new *Catharanthus* are purple in color whereas flower petals of plants of the female parent selection are pink in color.

Plants of the new *Catharanthus* can be compared to plants of the *Catharanthus roseus* ‘Suncath 2335’, disclosed in U.S. Plant Pat. No. 28,153. In side-by-side comparisons, plants of the new *Catharanthus* differ from plants of ‘Suncath 2335’ in the following characteristics:

1. Plants of the new *Catharanthus* are taller and broader than plants of ‘Suncath 2335’.

2. Plants of the new *Catharanthus* are more freely branching than plants of 'Suncatha 2335'.
3. Plants of the new *Catharanthus* have flatter leaves than plants of 'Suncatha 2335'.
4. Plants of the new *Catharanthus* are more freely flowering than plants of 'Suncatha 2335'.
5. Plants of the new *Catharanthus* have smaller flowers than plants of 'Suncatha 2335'.
6. Plants of the new *Catharanthus* and 'Suncatha 2335' differ in flower color as plants of the new *Catharanthus* have purple-colored petals and petaloids whereas plants of 'Suncatha 2335' have bright reddish purple-colored petals and petaloids.

BRIEF DESCRIPTION OF THE PHOTOGRAPHS 15

The accompanying colored photographs illustrate the overall appearance of the new *Catharanthus* plant showing the colors as true as it is reasonably possible to obtain in colored reproductions of this type. Colors in the photographs may differ slightly from the color values cited in the detailed botanical description which accurately describe the colors of the new *Catharanthus* plant.

The photograph on the first sheet (FIG. 1) is a side perspective view of a typical flowering plant of 'Suncath 842' grown in a container.

The photograph on the second sheet (FIG. 2) is a close-up view of a typical flowering plant of 'Suncath 842'.

DETAILED BOTANICAL DESCRIPTION 30

The aforementioned photographs and following observations, measurements and values describe plants grown during the summer in 24-cm containers in an outdoor nursery in Higashiomi, Shiga, Japan and under cultural practices typical of commercial production. During the production of the plants, day temperatures averaged 25° C. and night temperatures averaged 15° C. Plants were four months old when the photographs and the description were taken. In the following description, color references are made to The Royal Horticultural Society Colour Chart, 2015 Edition, except where general terms of ordinary dictionary significance are used.

Botanical classification: *Catharanthus roseus* 'Suncath 842'.

Parentage:

Female, or seed, parent.—Proprietary selection of *Catharanthus roseus* identified as code designation V18-35-8, not patented.

Male, or pollen, parent.—Unknown proprietary selection of *Catharanthus roseus*, not patented.

Propagation:

Type.—By vegetative tip cuttings.

Time to initiate roots, summer.—About two weeks at temperatures about 30° C.

Time to initiate roots, winter.—About three weeks at temperatures about 25° C.

Time to produce a rooted young plant, summer.—About five weeks at temperatures about 30° C.

Time to produce a rooted young plant, winter.—About six weeks at temperatures about 25° C.

Root description.—Fibrous; typically white in color, actual color of the roots is dependent on substrate composition, water quality, fertilizer type and formulation, substrate temperature and physiological age of roots.

Rooting habit.—Freely branching; medium density.

Plant description:

Plant and growth habit.—Upright to outwardly spreading and uniformly mounding plant habit; freely basal and lateral branching habit, about four basal branches each with about six secondary branches developing per plant; pinching is typically not required; vigorous growth habit.

Plant height.—About 34 cm.

Plant diameter.—About 54 cm.

Lateral branch description:

Length.—About 21.4 cm.

Diameter.—About 2.7 mm.

Internode length.—About 1.8 cm.

Strength.—Strong.

Aspect.—Mostly upright to outwardly spreading.

Texture.—Rough, sparsely pubescent.

Color.—Close to 144D.

Leaf description:

Arrangement.—Opposite, simple.

Length.—About 4.4 cm.

Width.—About 2.4 cm.

Shape.—Elliptic.

Apex.—Broadly acute.

Base.—Obtuse.

Margin.—Entire, undulate.

Texture, upper and lower surfaces.—Rough, glabrous.

Venation pattern.—Pinnate; reticulate.

Color.—Developing leaves, upper surface: Close to 137B. Developing leaves, lower surface: Close to 138B. Fully expanded leaves, upper surface: Close to 137B; venation, close to 138B. Fully expanded leaves, lower surface: Close to 144A; venation, close to 138D.

Petioles.—Length: About 5.6 mm. Diameter: About 1.5 mm. Texture, upper and lower surfaces: Rough, sparsely pubescent. Color, upper and lower surfaces: Close to 138B.

Flower description:

Flower arrangement and habit.—Double-type star-shaped salverform flowers arising from upper leaf axils; freely flowering habit with about three flowers per lateral branch and about 112 flowers per plant during the flowering season; flowers face mostly upright to outwardly.

Fragrance.—None detected.

Flowering habit.—Plants begin flowering about two to three weeks after planting; long flowering period, in the garden, plants flower continuously from the early summer to late autumn in Japan.

Flower longevity.—Individual flowers last about two to three days on the plant; flowers not persistent.

Flower buds.—Length: About 3.4 cm. Diameter: About 4.4 mm. Shape: Ovoid to cylindrical. Color: Distally, close to N75A, and proximally, close to 145D.

Flower diameter.—About 3.8 cm.

Flower length (depth).—About 3.8 cm.

Tube length.—About 2.2 cm.

Tube diameter, proximally.—About 1.3 mm.

Tube diameter, distally.—About 2.6 mm.

Corolla.—Arrangement: Five petals in a single whorl and five petaloids in an inner whorl (also referred to as a paracorolla); petals and petaloids fused at the base into a tube. Petal length from throat: About 2 cm. Petal width: About 1.4 cm. Petal eye zone

diameter: About 3.9 mm. Petal shape: Broadly obovate to transversely elliptic. Petal apex: Cuspidate. Petal base: Fused to corolla tube. Petal margin: Entire to incised; not undulate to slightly undulate. Petal texture, upper and lower surfaces: Smooth, glabrous. Throat texture: Smooth, glabrous. Tube texture: Smooth, glabrous. Color: Petal, when opening, upper surface: Close to 77B. Petal, when opening, lower surface: Close to 77C and 76D. Petal, fully opened, upper surface: Close to 77B; distally, color fading to almost white with development; eye zone, close to 155B. Petal, fully opened, lower surface: Close to 77D and 76D. Throat: Distally, close to 138B, and proximally, close to 144D. Tube: Distally, close to 138B, and proximally, close to 138C. Petaloid length from throat: About 2 cm. Petaloid width: About 3.3 mm. Petaloid shape: Linear. Petaloid apex: Acute. Petaloid base: Fused. Petaloid margin: Entire; undulate. Petaloid texture, upper and lower surfaces: Smooth, glabrous. Color: Petaloid, when opening and fully opened, upper surface: Close to 77B. Petaloid, when opening and fully opened, lower surface: Close to 76D.

Calyx.—Arrangement: Star-shaped tubular calyx with five sepals fused towards the base and curled outwardly. Sepal length: About 2.8 mm. Sepal width: About 1.1 mm. Sepal shape: Lanceolate. Sepal apex: Acuminate. Sepal margin: Entire. Sepal texture,

upper and lower surfaces: Smooth, sparsely pubescent. Color, upper and lower surfaces: Close to 138B.

Peduncles.—Length: About 2.3 mm. Diameter: About 1.2 mm. Angle: Upright to outwardly. Strength: Strong. Texture: Smooth, sparsely pubescent. Color: Close to 144C.

Reproductive organs.—Stamens: Quantity per flower: Five; filaments fused to the corolla tube. Anther size: About 1.2 mm by 2 mm. Anther shape: Narrowly elliptic. Anther color: Close to 8D. Pollen amount: Sparse. Pollen color: Close to 8D. Pistils: Quantity per flower: One. Pistil length: About 2.3 cm. Style color: Close to 144D. Stigma shape: Globose. Stigma color: Close to 144D. Ovary color: Close to 144C. Seeds and fruits: To date, seed and fruit development have not been observed on plants of the new *Catharanthus*.

Garden performance: Plants of the new *Catharanthus* have been observed to have good garden performance and to tolerate wind, rain and temperatures ranging from about 5° C. to about 35° C. to 40° C.

Pathogen & pest resistance: To date, plants of the new *Catharanthus* have not been observed to be resistant to pathogens and pests common to *Catharanthus* plants. It is claimed:

1. A new and distinct *Catharanthus* plant named 'Suncath 842' as herein illustrated and described.

* * * * *



FIG. 1



FIG. 2