



US 20250283054A1


(19) **United States**(12) **Patent Application Publication**
SUAREZ et al.(10) **Pub. No.: US 2025/0283054 A1**(43) **Pub. Date: Sep. 11, 2025**(54) **ADENOVIRUS-BASED NUCLEIC ACIDS AND METHODS THEREOF****Related U.S. Application Data**

(60) Provisional application No. 63/354,304, filed on Jun. 22, 2022.

(71) Applicant: **ASKBIO INC.**, Research Triangle Park, NC (US)**Publication Classification**(72) Inventors: **Lester SUAREZ**, Research Triangle Park, NC (US); **Jacob SMITH**, Research Triangle Park, NC (US); **Mayur JAIN**, Research Triangle Park, NC (US); **Tim BRANTLEY**, Research Triangle Park, NC (US); **Juan Manuel IGLESIAS**, Midlothian (GB); **Ross FRASER**, Midlothian (GB); **Sinclair COOPER**, Midlothian (GB)(51) **Int. Cl.**
C12N 7/00 (2006.01)
C07K 14/005 (2006.01)
C12N 15/86 (2006.01)(73) Assignee: **ASKBIO INC.**, Research Triangle Park, NC (US)(52) **U.S. Cl.**
CPC **C12N 7/00** (2013.01); **C07K 14/005** (2013.01); **C12N 15/86** (2013.01); **C12N 2710/10321** (2013.01); **C12N 2710/10322** (2013.01); **C12N 2710/10343** (2013.01); **C12N 2750/14143** (2013.01); **C12N 2750/14151** (2013.01); **C12N 2800/22** (2013.01)(21) Appl. No.: **18/864,134**(57) **ABSTRACT**(22) PCT Filed: **Jun. 22, 2023**(86) PCT No.: **PCT/US2023/068876**

Methods for producing high titer recombinant adeno-associated virus (rAAV) using modified adenovirus-based helper nucleic acids are disclosed.

§ 371 (c)(1),

(2) Date: **Nov. 8, 2024****Specification includes a Sequence Listing.**□ **Mean (ELISA vp/mL)**■ **Mean (ITR vg/mL)**




FIG. 2

[illegible]

FIG. 2 (cont.)

[illegible]

XX680

CCCCGTAACATCCTGCATTACTACCGTCATCTCTACAGCCCCATACTGCACCGGCGGCAGC

XX85

CCCCGTAACATCCTGCATTACTACCGTCATCTCTACAGCCCCATACTGCACCGGCGGCAGC

XX680

GGCAGC-----AACAGCAGCGGCCACACAGAAGCAAGGCGACCGGATAGCAAGACTCT

XX85

GGCAGCGGAGCAACACAGCAGCGGCCACACAGAAGCAAGGCGACCGGATAGCAAGACTCT

FIG. 3




FIG. 3 (cont.)




FIG. 3 (cont.)




FIG. 4




FIG. 4 (cont.)





FIG. 5






FIG. 7




FIG. 7 (cont.)

Experimental Design:	
Scale:	125 mL Shake Flasks
Transfection Density	4e6 cells/mL
Media	Dynamis
DNA Type	Plasmid
Cocktail Incubation	7 minutes
Total DNA qty	0.5 μ g /1e6 cells
AAV Serotype	AAV8
Transgene	TAAV GFP (pI104)
Reaction Replicates	X2




FIG. 8




FIG. 9




FIG. 9 (cont.)




FIG. 9 (cont.)

FIG. 10




FIG. 10 (cont.)




FIG. 11





FIG. 11 (cont.)






FIG. 12

Experimental Design:	
Scale:	125 mL Shake Flasks
Transfection Density	4e6 cells/mL
Media	Dynamis
DNA Type	Plasmid
Cocktail Incubation	7 minutes
Total DNA qty	0.5 μg/1e6 cells
AAV Serotype	AAV8
Transgene	pM3_XSeq100
Reaction Replicants	X2

ADENOVIRUS-BASED NUCLEIC ACIDS AND METHODS THEREOF

CROSS REFERENCE TO RELATED APPLICATIONS

[0001] The application claims benefit under 35 U.S.C. § 119(e) to U.S. Provisional Application No. 63/354,304 filed Jun. 22, 2022, the contents of which is incorporated herein by reference in its entirety.

SEQUENCE LISTING

[0002] The instant application contains a Sequence Listing that has been submitted in XML format via Patent Center and is hereby incorporated by reference in its entirety. Said XML copy, created on Jun. 22, 2023, is named "046192-191450WOPT_SL.xml" and is 215,688 bytes in size.

TECHNICAL FIELD

[0003] The technology described herein relates to the field of adenovirus-based nucleic acids.

BACKGROUND

[0004] Production of recombinant adeno-associated vectors (rAAV) involves consideration of both efficiency and safety. The production of rAAVs usually requires the expression of and/or infection by both the desired vector as well as additional components necessary for robust production. In some cases, this may require the incorporation and expression of up to three large plasmids into one single cell. Successfully delivering three plasmids to one cell is a relatively inefficient process. For larger-scale manufacturing efforts, transient delivery of plasmid requires excess quantities of DNA, adding to the overall cost of production and purification.

[0005] In addition to delivery of the plasmids, the efficiency of the plasmids can also be considered. Helper viruses, such as adenovirus, a herpesvirus, or vaccinia, as well as adenovirus helper nucleic acids (Ad helpers) contain components, that assist in the production of rAAV. Ad helpers can contain proteins used for rAAV production. Efficient production of these proteins allows for the production of higher titers of rAAV.

[0006] Ad helpers have been regarded as safer alternatives to helper adenovirus infections because they only produce proteins for producing rAAV and not the infectious virus. Minimizing exposure to infectious virus is a consideration in the production of rAAV. Since this is a safer alternative, optimizing the delivery of Ad helpers can contribute to producing high titers of rAAV.

SUMMARY

[0007] One aspect provided herein describes a human adenovirus 5 (hAd)-based nucleic acid comprising: (a) an E4 region with E4-ORF6/7, (b) a virus associated (VA) RNA region, and (c) an E2A region with L4-22K and L4-33K, and not comprising one or more of: (d) at least one packaging protein, (e) at least one structural protein, (f) a Major Late Promoter (MLP), (g) an E1 region, and/or (h) an E3 region.

[0008] One aspect provided herein describes a human adenovirus 5 (hAd)-based nucleic acid comprising: (a) an E4 region with E4-ORF6/7, (b) a virus associated (VA) RNA region, and (c) an E2A region with L4-22K, L4-33K, and

L4-100K, and not comprising one or more of: (d) at least one packaging protein, (e) at least one structural protein, (f) a Major Late Promoter (MLP), (g) an E1 region, and/or (h) an E3 region.

[0009] In one embodiment of any of the aspects described herein, the nucleic acid comprises in a 5' to 3' direction, E4 region comprising E4-ORF 6/7, VA RNA region, E2A region.

[0010] In one embodiment of any of the aspects described herein, the nucleic acid does not comprise an adenoviral inverted terminal repeat e.g. left ITR, or, right ITR or, any segment thereof.

[0011] In one embodiment of any of the aspects described herein, the nucleic acid comprises GGCAGC at positions 4279-4284 (SEQ ID NO: 1).

[0012] In one embodiment of any of the aspects described herein, the E2A region comprises an E2 early promoter (SEQ ID NO: 2), an E2 late promoter (SEQ ID NO: 3), an E2A protein (SEQ ID NO: 4), a L4-22K (SEQ ID NO: 5), a L4-33K (SEQ ID NO: 6), and/or an intermediate phase L4 promoter (L4P) (SEQ ID NO: 7) and optionally a L4-100K (SEQ ID NO: 8).

[0013] In one embodiment of any of the aspects described herein, the E2A protein is operatively linked to the E2 early promoter and/or the E2 late promoter.

[0014] In one embodiment of any of the aspects described herein, the L4-22K, the L4-33K, and optionally the L4-100K, are operatively linked to the L4P.

[0015] In one embodiment of any of the aspects described herein, the hAd5 based nucleic acid of the invention does not comprise adenoviral inverted terminal repeat (ITR).

[0016] In one embodiment of any of the aspects described herein, the E2A region is flanked by two type II restriction endonuclease recognition sites.

[0017] In one embodiment of any of the aspects described herein, the two type II restriction endonuclease recognition sites are selected from the group consisting of PacI, SpeI, AscI, PmeI, and NotI and/or their corresponding isoschizomers.

[0018] In one embodiment of any of the aspects described herein, the recognition site allows the manipulation of the nucleic acid as modules.

[0019] In one embodiment of any of the aspects described herein, the E2A region is flanked by a PacI restriction endonuclease recognition site and a NotI restriction endonuclease recognition site.

[0020] In one embodiment of any of the aspects described herein, the E2A region is flanked by two SpeI restriction endonuclease recognition sites.

[0021] In one embodiment of any of the aspects described herein, the nucleic acid does not comprise a mutation that prevents expression of L4-22K (SEQ ID NO: 5) and/or L4-33K (SEQ ID NO: 6).

[0022] In one embodiment of any of the aspects described herein, the E2A region comprises an E2 early promoter (SEQ ID NO: 2), an E2 late promoter (SEQ ID NO: 3), an E2A protein (SEQ ID NO: 4), a L4-22K (SEQ ID NO: 5), a L4-33K (SEQ ID NO: 6), and/or an intermediate phase L4 promoter (L4P) (SEQ ID NO: 7).

[0023] In one embodiment of any of the aspects described herein, the E2A region comprises in the 5'-3' direction: an E2 early promoter, a L4-33K, a L4-22K, a L4P, an E2 late promoter, a L4-100K, and an E2A.

[0024] In one embodiment of any of the aspects described herein, the E2A region comprises in the 5'-3' direction: an E2 early promoter, a L4-33K, a L4-22K, a L4P, an E2 late promoter, and an E2A.

[0025] In one embodiment of any of the aspects described herein, the E2A section comprises: an E2 early promoter, an E2 late promoter and an E2A.

[0026] In one embodiment of any of the aspects described herein, the L4 section comprises: a L4-33K, a L4-22K, and a L4P.

[0027] In one embodiment of any of the aspects described herein, the L4 elements are in the reverse complement compared to the E2A region, E4 region, and VA RNA region.

[0028] In one embodiment of any of the aspects described herein, the E2A is codon optimized relative to its wild-type sequence.

[0029] In one embodiment of any of the aspects described herein, the E4 region comprises an E4 promoter (SEQ ID NO: 9), E4-ORF1 (SEQ ID NO: 10), an E4-ORF2 (SEQ ID NO: 11), an E4-ORF3 (SEQ ID NO: 12), an E4-ORF4 (SEQ ID NO: 13), an E4-ORF6 (SEQ ID NO: 14), and/or an E4-ORF6/7 (SEQ ID NO: 15).

[0030] In one embodiment of any of the aspects described herein, the E4-ORF1, the E4-ORF2, the E4-ORF3, the E4-ORF4, the E4-ORF6, and/or the E4-ORF6/7 are operatively linked to the E4 promoter.

[0031] In one embodiment of any of the aspects described herein, the E4 region comprises an E4 promoter (SEQ ID NO: 9), E4-ORF2 (SEQ ID NO: 11), an E4-ORF3 (SEQ ID NO: 12), an E4-ORF4 (SEQ ID NO: 13), an E4-ORF6 (SEQ ID NO: 14), and/or an E4-ORF6/7 (SEQ ID NO: 15).

[0032] In one embodiment of any of the aspects described herein, the E4-ORF2, the E4-ORF3, the E4-ORF4, the E4-ORF6, and/or the E4-ORF6/7 are operatively linked to the E4 promoter.

[0033] In one embodiment of any of the aspects described herein, the nucleic acid does not comprise E4-ORF1 (SEQ ID NO: 10).

[0034] In one embodiment of any of the aspects described herein, amino acid residue position 9 of E4-ORF1 as set forth in SEQ ID NO: 10 was mutated to a stop codon or wherein the nucleic acid comprises a variant of SEQ ID NO:10 wherein the amino acid residue position 9 of SEQ ID NO: 10 is substituted with a stop codon.

[0035] In one embodiment of any of the aspects described herein, the E4 region is between two type II restriction endonucleases recognition sites.

[0036] In one embodiment of any of the aspects described herein, the E4 region is flanked by an AscI restriction endonuclease recognition site and a PmcI restriction endonuclease recognition site.

[0037] In one embodiment of any of the aspects described herein, the two type II restriction endonuclease recognition sites are selected from the group consisting of PacI, SpeI, AscI, PmeI, and NotI and/or their corresponding isoschizomers.

[0038] In one embodiment of any of the aspects described herein, at least one of the two type II restriction endonuclease sites allows the manipulation of the nucleic acid as modules.

[0039] In one embodiment of any of the aspects described herein, the E4 region comprises in the 5'-3' direction: an E4 promoter (SEQ ID NO: 9), an E4-ORF1 (SEQ ID NO: 10), an E4-ORF2 (SEQ ID NO: 11), an E4-ORF3 (SEQ ID NO:

12), an E4-ORF4 (SEQ ID NO: 13), an E4-ORF6 (SEQ ID NO: 14), and/or an E4-ORF6/7 (SEQ ID NO: 15).

[0040] In one embodiment of any of the aspects described herein, the E4 region comprises in the 5'-3' direction: an E4 promoter (SEQ ID NO: 9), an E4-ORF2 (SEQ ID NO: 11), an E4-ORF3 (SEQ ID NO: 12), an E4-ORF4 (SEQ ID NO: 13), an E4-ORF6 (SEQ ID NO: 14), and/or an E4-ORF6/7 (SEQ ID NO: 15).

[0041] In one embodiment of any of the aspects described herein, the E4 region comprises an E4-ORF6/7 (SEQ ID NO: 15).

[0042] In one embodiment of any of the aspects described herein, the VA RNA region comprises a VA RNA I (SEQ ID NO: 16) and/or a VA RNA II (SEQ ID NO: 17).

[0043] In one embodiment of any of the aspects described herein, a VA RNA I and/or a VA RNA II are directly placed between splicing sites.

[0044] In one embodiment of any of the aspects described herein, the splicing sites are donor or acceptor splicing sites.

[0045] In one embodiment of any of the aspects described herein, the VA RNA region is flanked by two type II restriction endonucleases recognition sites.

[0046] In one embodiment of any of the aspects described herein, the VA RNA region is between a PmeI restriction endonuclease recognition site and a PacI restriction endonuclease recognition site.

[0047] In one embodiment of any of the aspects described herein, the two type II restriction endonuclease recognition sites are selected from the group consisting of PacI, SpeI, AscI, PmeI, and NotI and/or their corresponding isoschizomers.

[0048] In one embodiment of any of the aspects described herein, the restriction site allows the manipulation of the nucleic acid as modules.

[0049] In one embodiment of any of the aspects described herein, the VA RNA region comprises, in the 5'-3' direction, a restriction endonuclease recognition site, a splicing site, a VA RNA I, a VA RNA IL, a splicing site, and a restriction endonuclease recognition site.

[0050] In one embodiment of any of the aspects described herein, the splicing sites are donor or acceptor splicing sites.

[0051] In one embodiment of any of the aspects described herein, a VA RNA I and/or a VA RNA II are operatively linked to a Pol II promoter.

[0052] In one embodiment of any of the aspects described herein, a VA RNA I and/or a VA RNA II are located within the E4 region.

[0053] In one embodiment of any of the aspects described herein, a VA RNA I and/or a VA RNA II are located within the E2A region.

[0054] In one embodiment of any of the aspects described herein, a VA RNA I and/or a VA RNA II are operatively linked to the E2 Early and/or Late Promoter.

[0055] In one embodiment of any of the aspects described herein, a VA RNA I and/or a VA RNA II are operatively linked to the L4P promoter.

[0056] In one embodiment of any of the aspects described herein, the nucleic acid further comprises a backbone region.

[0057] In one embodiment of any of the aspects described herein, the backbone region comprises a pLDB backbone.

[0058] In one embodiment of any of the aspects described herein, the hAd5 nucleic acid does not comprise at least one structural protein, wherein at least one structural protein comprises a fiber protein (SEQ ID NO: 18, SEQ ID NO: 32),

a hexon protein (SEQ ID NO: 19, SEQ ID NO: 33), and/or a penton protein (SEQ ID NO: 20, SEQ ID NO: 34).

[0059] In one embodiment of any of the aspects described herein, the hAd5 nucleic acid does not comprise at least one packaging protein, wherein at least one packaging protein comprises a 23K endoprotease (SEQ ID NO: 21, SEQ ID NO: 35), a peripentonal hexon-associated protein (SEQ ID NO: 22, SEQ ID NO: 36), and/or a packaging protein 3 (SEQ ID NO: 23, SEQ ID NO: 37).

[0060] In one embodiment of any of the aspects described herein, the hAd5 nucleic acid does not comprise a E1 region, wherein the E1 region comprises an E1A protein (SEQ ID NOs: 24-28, 38-42) and/or an E1B protein (SEQ ID NOs: 29-30, 43-44).

[0061] In one embodiment of any of the aspects described herein, the hAd5 nucleic acid does not comprise a E3 region, wherein the E3 region comprises at least one of SEQ ID NOs: 68-81.

[0062] In one embodiment of any of the aspects described herein, the nucleic acid comprises SEQ ID NO: 1 (e.g., xx85 plasmid DNA) and/or SEQ ID NO: 31 (e.g., xx85 c1DNA).

[0063] In one embodiment of any of the aspects described herein, the nucleic acid comprises in the 5'-3' direction: the E4 region, the VA RNA region, the E2A region, and/or the backbone region.

[0064] In one embodiment of any of the aspects described herein, the nucleic acid comprises in the 5'-3' direction: the E4 region, the VA RNA region, and/or the E2A region.

[0065] In one embodiment of any of the aspects described herein, the E2A region of the Ad5 based nucleic acid of invention comprises nucleic acid encoding the single-stranded DNA binding protein [DBP] (SEQ ID NO: 4)), and lacks the essential adenoviral structural (eg. Fiber, hexon, penton, core proteins, etc) and replication (eg. DNA polymerase) genes.

[0066] In one embodiment of any of the aspects described herein, the nucleic acid does not exceed 18,932 nucleotides.

[0067] In one embodiment of any of the aspects described herein, the nucleic acid does not exceed 12,130 nucleotides.

[0068] In one embodiment of any of the aspects described herein, the nucleic acid does not exceed 10,609 nucleotides.

[0069] In one embodiment of any of the aspects described herein, the nucleic acid does not exceed 8,659 nucleotides.

[0070] In one embodiment of any of the aspects described herein, the nucleic acid comprises a plasmid.

[0071] In one embodiment of any of the aspects described herein, the nucleic acid is plasmid DNA.

[0072] In one embodiment of any of the aspects described herein, the plasmid DNA can be linear or circular.

[0073] In one embodiment of any of the aspects described herein, the nucleic acid comprises close ended linear duplexed DNA (c1DNA).

[0074] In one embodiment of any of the aspects described herein, the nucleic acid is close ended linear duplexed DNA (c1DNA) or neDNA.

[0075] In one embodiment of any of the aspects discussed herein, the c1DNA or, neDNA further comprises protelomerase binding site (TelRL). An example of c1DNA or, neDNA is dbDNA or, dbDNA precursor plasmid comprising protelomerase binding site.

[0076] Another aspect provided herein describes an adenovirus comprising the nucleic acid of any one of the embodiments.

[0077] Another aspect provided herein describes a recombinant adenovirus-associated virus (rAAV) in combination with the adenovirus of an embodiment.

[0078] Another aspect provided herein describes a human adenovirus 5 (hAd)-based nucleic acid comprising L4-22K.

[0079] Another aspect provided herein describes a human adenovirus 5 (hAd)-based nucleic acid comprising L4-33K.

[0080] Another aspect provided herein describes a human adenovirus 5 (hAd)-based nucleic acid comprising L4-22K, L4-33K, and L4P.

[0081] Another aspect provided herein describes a cell comprising the nucleic acid, the adenovirus, or the recombinant adenovirus-associated virus (rAAV), of any one of the embodiments described herein.

[0082] In one embodiment of any of the aspects described herein is the nucleic acid of any of the embodiments for use in production of a recombinant adeno associated virus (rAAV) in a method comprising transfection of cells with i) the nucleic acid of any of the embodiments, ii) rAAV genome and iii) AAV capsid and non-structural replication genes, allowing cells sufficient time to produce rAAV particles, and producing clarified lysate comprising rAAV capsid particles.

[0083] In one embodiment of any of the aspects described herein, the rAAV capsid particles in the clarified lysate comprises at least about 25% to at least about 30% full capsid particles.

[0084] In one embodiment of any of the aspects described herein, the rAAV capsid particles in the clarified lysate comprises at least about 25% to at least about 30% full capsid particles, wherein the rAAV is manufactured using the hAd5 based nucleic acid of invention (SEQ ID NO: 1 or SEQ ID NO: 31).

[0085] In one embodiment of any of the aspects described herein, the rAAV in the clarified lysate comprises at least about 1.5 fold higher full capsid particle when compared with the rAAV in the clarified lysate that is produced with nucleic acid as set forth in SEQ ID NO: 66, SEQ ID NO: 67, or SEQ ID NO: 92.

[0086] In one embodiment of any of the aspects described herein, the rAAV in the clarified lysate comprises at least about 1.5 fold higher full capsid particle that is manufactured with hAd5 based nucleic acid of invention (SEQ ID NO: 1 or SEQ ID NO: 31) when compared with the rAAV in the clarified lysate that is produced with nucleic acid as set forth in SEQ ID NO: 66, SEQ ID NO: 67, or SEQ ID NO: 92.

[0087] Another aspect provided herein describes a method of producing a recombinant adeno associated virus (rAAV) comprising transfecting cells with: i) the nucleic acid of any of the embodiments described herein, ii) an rAAV genome and iii) AAV capsid and non-structural replication genes, and allowing the cells sufficient time to produce rAAV particles.

[0088] In one embodiment of any of the aspects described herein, the method further comprises producing clarified lysate out of a bioreactor.

[0089] In one embodiment of any of the aspects described herein, the clarified lysate comprises rAAV with at least about 30% full capsid particles.

[0090] In one embodiment of any of the aspects described herein, the clarified lysate comprises rAAV with at least about 1.5-fold higher quantity or percentage of full capsid particles, when compared with the rAAV in the clarified

lysate that is produced with nucleic acid as set forth in SEQ ID NO: 66, SEQ ID NO: 67, or SEQ ID NO: 92.

[0091] In one embodiment of any of the aspects described herein, the rAAV genome comprises a transgene.

[0092] In one embodiment of any of the aspects described herein, the rAAV genome and/or AAV capsid and non-structural replication genes are in the form of a plasmid and/or cDNA sequence.

[0093] In one embodiment of any of the aspects described herein, the cells are suspension cells.

[0094] In one embodiment of any of the aspects described herein, the cells are mammalian cells.

[0095] In one embodiment of any of the aspects described herein, the cells are HEK293.

[0096] In one embodiment of any of the aspects described herein, the method further comprising expanding the cells to produce sufficient cell mass to seed the bioreactor.

[0097] In one embodiment of any of the aspects described herein, the method further comprising a bioreactor is of at least a 25 L scale.

[0098] In one embodiment of any of the aspects described herein, wherein the bioreactor is a stirring production bioreactor.

[0099] In one embodiment of any of the aspects described herein, the cells are expanded to produce sufficient cell mass.

[0100] In one embodiment of any of the aspects described herein, the method further comprising a stirring production bioreactor of at least a 250 L scale.

[0101] In one embodiment of any of the aspects described herein, the transfecting step comprises using polyethyleneimine.

[0102] In one embodiment of any of the aspects described herein, the harvesting step comprises harvesting the suspension cells.

[0103] In one embodiment of any of the aspects described herein, the suspension cells are harvested at least 72 hours after the transfecting step.

[0104] In one embodiment of any of the aspects described herein, the harvesting comprises lysing the suspension cells and purifying the rAAV virions.

[0105] In one embodiment of any of the aspects described herein, the lysing step comprises chemical lysis.

[0106] In one embodiment of any of the aspects described herein, the purifying step comprises a purification method selected from the group consisting of affinity capture chromatography, iodixanol density gradient centrifugation, and quaternary amine chromatography resin.

[0107] Another aspect provided herein describes a method of producing a recombinant adenovirus-associated virus (rAAV) comprising: transfecting cells with: i) SEQ ID NO. 1 or SEQ ID NO. 31, ii) an rAAV genome and iii) AAV capsid (cap) and non-structural replication (rep) genes, and allowing the cells sufficient time to produce rAAV particles.

[0108] In one embodiment in any of the aspects described herein, the cells are cultured for a time sufficient and under conditions in which at least the polypeptide encoded by SEQ ID NO: 5 or the polypeptide encoded by SEQ ID NO: 6 are expressed.

[0109] In one embodiment in any of the aspects described herein, the cells are cultured for a time sufficient and under conditions in which at least one polypeptide encoded by SEQ ID NO: 1 or SEQ ID NO: 31 is expressed.

[0110] Another aspect provided herein describes a method of producing viral particles, comprising: a) providing the

cells of claim 67; b) the cells for a time sufficient and under conditions in which at least the polypeptide encoded by SEQ ID NO: 5 or the polypeptide encoded by SEQ ID NO: 6 is expressed, or at least one polypeptide encoded by SEQ ID NO: 1 or SEQ ID NO: 31 is expressed; c) culturing the cells under conditions in which viral particles are produced; and d) optionally isolating the viral particles.

[0111] In one embodiment in any of the aspects described herein, the hAd5 based nucleic acid further comprises a sequence with at least 85% sequence identity to SEQ ID NO: 93 and/or a sequence with at least 85% sequence identity to SEQ ID NO: 94.

[0112] In one embodiment in any of the aspects described herein, SEQ ID NO: 93 is upstream of the 5' end of the nucleic acid sequence encoding the E4 region.

[0113] In one embodiment in any of the aspects described herein, SEQ ID NO: 94 is downstream of the 3' end of the nucleic acid sequence encoding the E2A region.

[0114] In one embodiment in any of the aspects described herein, SEQ ID NO: 94 is upstream of the 5' end of the nucleic acid sequence encoding the E4 region.

[0115] In one embodiment in any of the aspects described herein, SEQ ID NO: 93 is downstream of the 3' end of the nucleic acid sequence encoding the E2A region.

[0116] In one embodiment in any of the aspects described herein, SEQ ID NO: 94 is upstream of the 5' end of the nucleic acid sequence encoding the E4 region, and SEQ ID NO: 93 is not located at the 3' end of the nucleic acid sequence encoding the E2A region.

[0117] In one embodiment in any of the aspects described herein, the hAd5 based nucleic acid is cDNA.

[0118] In one embodiment in any of the aspects described herein, the cDNA further comprises a protelomerase binding site.

[0119] In one embodiment in any of the aspects described herein, SEQ ID NO: 93 is located between the protelomerase binding site (TelRL) and the 5' end of the E4 region, and SEQ ID NO: 94 is located between the protelomerase binding site (TelRL) and the 3' end of the E2A region.

[0120] In one embodiment in any of the aspects described herein, SEQ ID NO: 94 is located between the protelomerase binding site (TelRL) and the 5' end of the E4 region, and SEQ ID NO: 93 is located between protelomerase binding site (TelRL) and the 3' end of the E2A region.

[0121] In one embodiment in any of the aspects described herein, SEQ ID NO: 94 is located between the protelomerase binding site and the upstream of the 5' end of the of the E4 region, and SEQ ID NO: 93 is not located between the protelomerase binding site and the 3' end of the E2A region.

[0122] Another aspect described herein is a helper nucleic acid comprising a E2A region, a E4 region, and a VA RNA region, and not comprising one or more of at least one packaging protein, at least one structural protein, a Major Late Promoter (MLP), an E1 region, and/or an E3 region.

[0123] In one embodiment in any of the aspects described herein, the nucleic acid comprises the sequence SEQ ID NO: 95.

[0124] Another aspect described herein is a helper nucleic acid comprising a E2A region, a E4 region, and a VA RNA region, and not comprising one or more of at least one packaging protein, at least one structural protein, a Major Late Promoter (MLP), an E1 region, and/or an E3 region.

[0125] In one embodiment in any of the aspects described herein, the nucleic acid comprises the sequence SEQ ID NO: 96.

BRIEF DESCRIPTION OF THE DRAWINGS

[0126] FIG. 1 is a schematic plasmid map of SEQ ID NO: 1.

[0127] FIG. 2 shows the nucleotide sequence (SEQ ID NO: 1) of the plasmid of FIG. 1.

[0128] FIG. 3 depicts the intact nucleotide sequence of L4-22K (SEQ ID NO: 5) and L4-33K (SEQ ID NO: 6) as compared to a similar plasmid, xx6-80.

[0129] FIG. 4 is a schematic map of cDNA of SEQ ID NO: 31.

[0130] FIG. 5 shows the result of rAAV in clarified lysate out of a bioreactor as characterized by different analytical methods e.g., enzyme-linked immunosorbent assay (ELISA) (vp/ml: viral particles per milliliter), quantitative polymerase chain reaction of the inverted terminal repeat (ITR-qPCR) (vg/ml: viral genomes per milliliter), and size exclusion chromatography (SEC) absorbance at 260 nm and 280 nm (A260/280), where helper nucleic acid as described herein in cDNA format and xx-680 in the cDNA format were used in the same copy numbers. The “% full” (i.e., “% full viral particles”) of the clarified lysate is also shown.

[0131] FIG. 6 examines the differences between rAAV production (ELISA (vp/ml) and ITR-qPCR (vg/ml)), % full (in the affinity purified elution pool) rAAV particles, and size exclusion chromatography (SEC) absorbance ratio of 260 nm and 280 nm (A260/280) when using XX85 and XX680 keeping either the total DNA (neDNA precursor plasmid, µg/e6 cells used in for that condition) quantity (mass) identical or keeping the total number of plasmid copies transfected per cell the same.

[0132] FIG. 7 examines the differences between rAAV production (ELISA (vp/ml) and ITR-qPCR (vg/ml)), and size exclusion chromatography (SEC) absorbance ratio of 260 nm and 280 nm (A260/280) when using XX85 and XX680 in 3 different serotypes (AAV2, AAV8, AAV9) while using the same transgene (hGAA). % full (in the affinity purified elution pool) of rAAV8 was also shown in this figure.

[0133] FIG. 8 examine the differences between rAAV production (ELISA (vp/ml) and ITR-qPCR (vg/ml)), and size exclusion chromatography (SEC) absorbance ratio of 260 nm and 280 nm (A260/280) when using XX85 and XX680 and using a different transgene (GFP) than the previous 2 experiments. Total DNA per cell is reduced for this experiment because previous experiments have shown that 0.5 µg/1e6 cells is optimal for this transgene.

[0134] FIG. 9 depicts a schematic of certain embodiments for hAd5 based nucleic acid of the invention further comprising SEQ ID NO: 93 or SEQ ID NO 94. The arrows note locations for inclusion of SEQ ID NO: 93 or SEQ ID NO: 94 at the 5' (left arrow) position and/or at the 3' position (right arrow.)

[0135] FIG. 10 is a schematic plasmid map of SEQ ID NO: 95.

[0136] FIG. 11 is a schematic plasmid map of SEQ ID NO: 96.

[0137] FIG. 12 examine the differences between rAAV production (ELISA (vp/ml) and ITR-qPCR (vg/ml)), and

size exclusion chromatography (SEC) absorbance ratio of 260 nm and 280 nm (A260/280) when using XX85, pLS212, and pLS412.

[0138] The above-described figures illustrate aspects of the technology in at least one of its exemplary embodiments, which are further defined in detail in the following description.

DETAILED DESCRIPTION

[0139] The various aspects described herein are based in part on the discovery that the adenovirus helper (ad helper) nucleic acids described herein can use a minimal number of protein regions in order to produce rAAV. One aspect provided herein describes a human adenovirus 5 (hAd)-based nucleic acid comprising: (a) an E4 region with E4-ORF6/7, (b) a virus associated (VA) RNA region, and (c) an E2A region with L4-22K and L4-33K. In some embodiments, the human adenovirus 5 (hAd)-based nucleic acid does not comprise one or more of: (d) at least one packaging protein, (e) at least one structural protein (e.g., hexon), (f) a Major Late Promoter (MLP), (g) an E1 region, and/or (h) an E3 region.

[0140] In some embodiments, the E2A region in the ad helper produces the L4-100K protein. The L4-100K protein is involved in hexon assembly and transport of the hexon structure to the nucleus as well as other proteins that interact with hexon in the final formation of the capsid. In some embodiments, the E2A region comprises nucleic acid encoding single stranded DNA binding protein (DBP) (SEQ ID NO: 4). The terms E2A and DBP can be used interchangeably.

[0141] In some embodiments, the E2A region produces adenovirus L4-22K and adenovirus L4-33K. L4-22K is a multifunctional protein involved in packaging of the viral genome into an empty capsid as well as the temporal switch from the early to late phase of infection by regulating both early and late gene expression. L4-33K functions as an alternative splicing factor involved in genome packaging. In some embodiments, the human adenovirus 5 (hAd)-based nucleic acid comprises and/or expresses L4-100K, L4-22K, and/or L4-33K. In some embodiments, the human adenovirus 5 (hAd)-based nucleic acid comprises L4-100K. In some embodiments, the human adenovirus 5 (hAd)-based nucleic acid comprises L4-22K. In some embodiments, the human adenovirus 5 (hAd)-based nucleic acid comprises L4-33K. In some embodiments, the human adenovirus 5 (hAd)-based nucleic acid comprises L4-100K and L4-22K. In some embodiments, the human adenovirus 5 (hAd)-based nucleic acid comprises L4-100K and/or L4-33K. In some embodiments, the human adenovirus 5 (hAd)-based nucleic acid comprises L4-22K and/or L4-33K. In some embodiments, the human adenovirus 5 (hAd)-based nucleic acid comprises L4-100K, L4-22K, and L4-33K. In some embodiments, the nucleic acid comprises GGCAGC at positions 4279-4284 (SEQ ID NO: 1).

[0142] In some embodiments, the E2A region can be codon optimized. In some embodiments, the E2A region can comprise one of SEQ ID NOs: 2-8 or a sequence that is at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% identical to the sequence of one of SEQ ID NOs: 2-8 that maintains the same function.

[0143] In some embodiments, the E2A region can encode for a polypeptide selected from SEQ ID NOs: 82-85 or a sequence that is at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% identical to the sequence of one of SEQ ID NOs: 82-85 that maintains the same function.

[0144] In some embodiments, the E4 region can be codon optimized. In some embodiments, the E4 region can comprise one of SEQ ID NOs: 9-15 or a sequence that is at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% identical to the sequence of one of SEQ ID NOs: 9-15 that maintains the same function.

[0145] In some embodiments, the E4 region can encode for a polypeptide selected from SEQ ID NOs: 86-91 or a sequence that is at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% identical to the sequence of one of SEQ ID NOs: 86-91 that maintains the same function.

[0146] In some embodiments, the human adenovirus 5 (hAd)-based nucleic acid does not comprise at least one structural protein. Structural proteins can include a fiber protein, a hexon protein, or a penton protein. The fiber protein, the hexon protein and the penton protein are the principal components of adenovirus capsids. These capsids coat the produced rAAV. In some embodiments, the human adenovirus 5 (hAd)-based nucleic acid does not comprise a fiber protein, a hexon protein and/or a penton protein. In some embodiments, the human adenovirus 5 (hAd)-based nucleic acid does not comprise a fiber protein. In some embodiments, the human adenovirus 5 (hAd)-based nucleic acid does not comprise a hexon protein. In some embodiments, the human adenovirus 5 (hAd)-based nucleic acid does not comprise a penton protein. In some embodiments, the human adenovirus 5 (hAd)-based nucleic acid does not comprise a fiber protein and a hexon protein. In some embodiments, the human adenovirus 5 (hAd)-based nucleic acid does not comprise a fiber protein and a penton protein. In some embodiments, the human adenovirus 5 (hAd)-based nucleic acid does not comprise a hexon protein and a penton protein. In some embodiments, the human adenovirus 5 (hAd)-based nucleic acid does not comprise a fiber protein, a hexon protein and a penton protein.

[0147] In some embodiments, a nucleic acid encoding a structural protein (e.g., fiber protein, hexon protein, or penton protein) can comprise one of SEQ ID NOs: 32-34 or a sequence that is at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% identical to the sequence of one of SEQ ID NOs: 32-34 that maintains the same function.

[0148] In some embodiments, the structural protein (e.g., fiber protein, hexon protein, or penton protein) can comprise one of SEQ ID NOs: 18-20 or a sequence that is at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at

least 99% identical to the sequence of one of SEQ ID NOs: 18-20 that maintains the same function.

[0149] In some embodiments, the human adenovirus 5 (hAd)-based nucleic acid does not comprise at least one packaging protein. Packaging proteins can include a 23K endoprotease, a peripentonal hexon-associated protein, and a packaging protein 3. 23K endoprotease has a role in increasing the host-adenovirus membrane interaction as well as cleaving the capsid protein upon entry. 23K endoprotease is involved in cellular entry by the produced rAAV. The peripentonal hexon-associated protein assists in stabilizing the capsid upon formation. Packaging protein 3 is involved in viral genome packaging and is removed from the virion once the capsid is formed. In some embodiments, the human adenovirus 5 (hAd)-based nucleic acid does not comprise a 23K endoprotease, a peripentonal hexon-associated protein, and/or a packaging protein 3. In some embodiments, the human adenovirus 5 (hAd)-based nucleic acid does not comprise a 23K endoprotease. In some embodiments, the human adenovirus 5 (hAd)-based nucleic acid does not comprise a peripentonal hexon-associated protein. In some embodiments, the human adenovirus 5 (hAd)-based nucleic acid does not comprise a packaging protein 3. In some embodiments, the human adenovirus 5 (hAd)-based nucleic acid does not comprise a 23K endoproteases and a peripentonal hexon-associated protein. In some embodiments, the human adenovirus 5 (hAd)-based nucleic acid does not comprise a 23K endoproteases and a packaging protein 3. In some embodiments, the human adenovirus 5 (hAd)-based nucleic acid does not comprise a peripentonal hexon-associated protein and a packaging protein 3. In some embodiments, the human adenovirus 5 (hAd)-based nucleic acid does not comprise a 23K endoprotease, a peripentonal hexon-associated protein, and a packaging protein 3.

[0150] In some embodiments, a nucleic acid encoding a packaging protein (e.g., 23K endoproteases, a peripentonal hexon-associated protein, and/or a packaging protein 3) can comprise one of SEQ ID NOs: 35-37 or a sequence that is at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% identical to the sequence of one of SEQ ID NOs: 35-37 that maintains the same function.

[0151] In some embodiments, the packaging protein (e.g., 23K endoproteases, a peripentonal hexon-associated protein, and/or a packaging protein 3) can comprise one of SEQ ID NOs: 21-23 or a sequence that is at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% identical to the sequence of one of SEQ ID NOs: 21-23 that maintains the same function.

[0152] In a further embodiment, the hAd5 based nucleic acid of the invention does not comprise adenoviral inverted terminal repeat (ITR), e.g. left ITR, or, right ITR or, any segment thereof.

[0153] In one embodiment, the hAd5 based nucleic acid of the invention has 5' to 3' orientation different from than that in wild type Ad5, e.g. in the invention, from a 5' to 3' direction, E4 region is located upstream of the E2A region.

[0154] In some embodiments, the Ad helper described herein effectively expresses L4-22K and L4-33K and does not any structural proteins and packaging proteins, but it is still able to produce high titers of rAAV. This smaller size of

nucleic acid allows for a safer approach to the production of rAAV as well as effective incorporation into cells.

[0155] The E4 region contributes to the expression of early and late genes in virion packaging. Early genes support viral replication inside host cells; late genes support host cell lysis, viral assembly, and virion release. In some embodiments, the E4 region comprises E4-ORF6/7. In some embodiments, the E4 region lacks E4-ORF1. In some embodiments, the E4 region comprises E4-ORF6/7 and lacks E4-ORF1. In some embodiments, the E4 region enhances early gene expression. In some embodiments, the E4 region enhances late-gene expression. In some embodiments, the E4 promoter is replaced by a different promoter (e.g., a cancer-specific promoter). In some embodiments, the E4 region can be codon-optimized.

[0156] The viral associated (VA) RNA region is a type of non-coding RNA found in adenoviruses. It has a role in regulating translation for both early and late-stage genes. In some embodiments, there is at least one copy of VA RNA. In some embodiments, there is at least two copies of VA RNA. In some embodiments, the VA RNA region is transcriptionally regulated by the E4 promoter. In some embodiments, the VA RNA region is transcriptionally regulated by the E2 early promoter. In some embodiments, the VA RNA region is transcriptionally regulated by the E2 late promoter. In some embodiments, the VA RNA region is transcriptionally regulated by the L4P. In some embodiments, the VA RNA region may be inserted anywhere in the helper genome through the use of restriction enzyme recognition sites. In some embodiments, the VA RNA region in SEQ ID NO: 1 or SEQ ID NO: 31 can be the same as the VA RNA region in SEQ ID NO: 16 or SEQ ID NO: 17.

[0157] In some embodiments, VA RNAI and/or VA RNAII can comprise one of SEQ ID NOs: 16-17 or a sequence that is at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% identical to the sequence of one of SEQ ID NOs: 16-17 that maintains the same function.

[0158] In some embodiments, the E1 region is not expressed in the nucleic acid of the invention as described herein. The E1 region can be expressed in the host cell line or on a separate nucleic acid transfected into the host cell. The E1 region can comprise the following genes: E1A 13S (SEQ ID NOs: 24, 38); E1A 12S (SEQ ID NOs: 25, 39); E1A 11S (SEQ ID NOs: 26, 40); E1A 10S (SEQ ID NOs: 27, 41); E1A 9S (SEQ ID NOs: 28, 42); E1B 19K (SEQ ID NOs: 29, 43); and/or E1B 55K (SEQ ID NOs: 30, 44).

[0159] In some embodiments, E1 region comprise one of SEQ ID NOs: 38-44 or a nucleic acid sequence that is at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% identical to the sequence of one of SEQ ID NOs: 38-44.

[0160] In some embodiments, E1 region encodes for a polypeptide selected from SEQ ID NOs: 24-30 or an amino acid sequence that is at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% identical to the sequence of one of SEQ ID NOs: 24-30.

[0161] In some embodiments, the E3 region is not expressed in the nucleic acid as described herein. E3 region

contains genes encoding proteins that modulate the immune response following wild-type adenovirus infection and comprises SEQ ID NOs: at least one of 68-81. The E3 functions are only activated when the E1 region is functional. The E3 region can comprise the following genes: 12.K (SEQ ID NOs: 68, 75); CR1-alpha (SEQ ID NOs: 69, 76); gp19K (SEQ ID NOs: 70, 77); CR1-beta (SEQ ID NOs: 71, 78); RID-alpha (SEQ ID NOs: 72, 79); RID-beta (SEQ ID NOs: 73, 80); and/or 14.7K (SEQ ID NOs: 74, 81).

[0162] In some embodiments, E3 region comprise one of SEQ ID NOs: 68-74 or a nucleic acid sequence that is at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% identical to the sequence of one of SEQ ID NOs: 68-74.

[0163] In some embodiments, E3 region comprise one of SEQ ID NOs: 75-81 or an amino acid sequence that is at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% identical to the sequence of one of SEQ ID NOs: 75-81.

[0164] In some embodiments, the hAd5 based helper nucleic acid as described herein is used to manufacture an AAV serotype selected from AAV1, AAV2, AAV3, AAV4, AAV5, AAV6, AAV7, AAV8, AAV9, AAV10, AAV 11, AAV12, AAV13, and/or any chimeras thereof. In some embodiments, the helper nucleic acid as described herein is used to manufacture recombinant AAV that comprises at least one of, the viral structural proteins VP1, VP2, or VP3 from the AAV serotypes listed in Table 1.

Table 1: AAV Serotypes and Exemplary Published Corresponding Capsid Sequence

TABLE 1	
Serotype and where capsid sequence is published	Serotype and where capsid sequence is published
AAV3.3b (See SEQ ID NO: 72 in US20030138772)	AAV3-3 (See SEQ ID NO: 200 US20150315612)
AAV3-3 (See SEQ ID NO: 217 US20150315612)	AAV3a ((See SEQ ID NO: 5 in US6156303)
AAV3a (See SEQ ID NO: 9 in US6156303)	AAV3b (See SEQ ID NO: 6 in US6156303)
AAV3b (See SEQ ID NO: 10 in US6156303)	AAV3b (See SEQ ID NO: 1 in US6156303)
AAV4 (See SEQ ID NO: 17 US20140348794)	AAV4 ((See SEQ ID NO: 5 in US20140348794)
AAV4 (See SEQ ID NO: 3 in US20140348794)	AAV4 (See SEQ ID NO: 14 in US20140348794)
AAV4 (See SEQ ID NO: 15 in US20140348794)	AAV4 (See SEQ ID NO: 19 in US20140348794)
AAV4 (See SEQ ID NO: 12 in US20140348794)	AAV4 (See SEQ ID NO: 13 in US20140348794)
AAV4 (See SEQ ID NO: 7 in US20140348794)	AAV4 (See SEQ ID NO: 8 in US20140348794)
AAV4 (See SEQ ID NO: 9 in US20140348794)	AAV4 (See SEQ ID NO: 2 in US20140348794)
AAV4 (See SEQ ID NO: 10 in US20140348794)	AAV4 (See SEQ ID NO: 11 in US20140348794)
AAV4 (See SEQ ID NO: 18 in US20140348794)	AAV4 (See SEQ ID NO: 63 in US20030138772) and US20160017295 SEQ
AAV4 (See SEQ ID NO: 4 in US20140348794)	AAV4 (See SEQ ID NO: 16 in US20140348794)
AAV4 (See SEQ ID NO: 20 in US20140348794)	AAV4 (See SEQ ID NO: 6 in US20140348794)

TABLE 1-continued

Serotype and where capsid sequence is published	Serotype and where capsid sequence is published
AAV4 (See SEQ ID NO: 1 in US20140348794)	AAV42.2 (See SEQ ID NO: 9 in US20030138772)
AAV42.2 (See SEQ ID NO: 102 in US20030138772)	AAV42.3b (See SEQ ID NO: 36 in US20030138772)
AAV42.3B (See SEQ ID NO: 107 in US20030138772)	AAV42.4 (See SEQ ID NO: 33 in US20030138772)
AAV42.4 (See SEQ ID NO: 88 in US20030138772)	AAV42.8 (See SEQ ID NO: 27 in US20030138772)
AAV42.8 (See SEQ ID NO: 85 in US20030138772)	AAV43.1 (See SEQ ID NO: 39 in US20030138772)
AAV43.1 (See SEQ ID NO: 92 in US20030138772)	AAV43.12 (See SEQ ID NO: 41 in US20030138772)
AAV43.12 (See SEQ ID NO: 93 in US20030138772)	AAV8 (See SEQ ID NO: 15 in US20150159173)
AAV8 (See SEQ ID NO: 7 in US20150376240)	AAV8 (See SEQ ID NO: 4 in US20030138772; US20150315612 SEQ ID NO: 95 in US20030138772), US20140359799 SEQ ID NO: 8 in US20160017295, or SEQ ID NO: 7 in US7198951, or SEQ ID NO: 223 in US20150315612)
ID NO: 182	
AAV8 (See SEQ ID NO: 31 in US20150159173)	AAV8 (See SEQ ID NO: 214 in US20150315612)
AAV8 (See SEQ ID NO: 8 in US20150376240)	AAV-8b (See SEQ ID NO: 3 in US20150376240)
AAV-8b (See SEQ ID NO: 5 in US20150376240)	AAV-8h (See SEQ ID NO: 4 in US20150376240)
AAV-8h (See SEQ ID NO: 6 in US20150376240)	AAV9 (See SEQ ID NO: 1 in US7198951)
AAV9 (See SEQ ID NO: 5 in US20030138772)	AAV9 (See SEQ ID NO: 100 in US20030138772), US7198951 SEQ ID NO: 2
AAV9 (See SEQ ID NO: 9 in US20160017295)	AAV9 (See SEQ ID NO: 3 in US7198951)
AAV9 (AAVhu.14) (See SEQ ID NO: 3 in US20150315612)	AAV9 (AAVhu.14) (See SEQ ID NO: 123 in US20150315612)
AAVA3.1 (See SEQ ID NO: 120 in US20030138772)	AAVA3.3 (See SEQ ID NO: 57 in US20030138772)
AAVA3.3 (See SEQ ID NO: 66 in US20030138772)	AAVA3.4 (See SEQ ID NO: 54 in US20030138772)
AAVA3.4 (See SEQ ID NO: 68 in US20030138772)	AAVA3.5 (See SEQ ID NO: 55 in US20030138772)
AAVA3.5 (See SEQ ID NO: 69 in US20030138772)	AAVA3.7 (See SEQ ID NO: 56 in US20030138772)
AAVA3.7 (See SEQ ID NO: 67 in US20030138772)	AAV29. (See SEQ ID NO: 11 in (AAVbb.1) 161 US20030138772)
AAVC2 (See SEQ ID NO: 61 in US20030138772)	AAVCh.5 (See SEQ ID NO: 46 in US20150159173); US20150315612 SEQ ID NO: 15 in US20030138772)
AAV24.1 (See SEQ ID NO: 101 in US20030138772)	AAVcy.3 (AAV24.1) (See SEQ ID NO: 16 in US20030138772)
AAV27.3 (See SEQ ID NO: 104 in US20030138772)	AAVcy.4 (AAV27.3) (See SEQ ID NO: 17 in US20030138772)
AAVcy.5 (See SEQ ID NO: 227 in US20150315612)	AAV7.2 (See SEQ ID NO: 103 in US20030138772)
AAVcy.5 (AAV7.2) (See SEQ ID NO: 18 in US20030138772)	AAV16.3 (See SEQ ID NO: 105 in US20030138772)
AAVcy.6 (AAV16.3) (See SEQ ID NO: 10 in US20030138772)	AAVcy.5 (See SEQ ID NO: 8 in US20150159173)
AAVcy.5 (See SEQ ID NO: 24 in US20150159173)	AAVCy.5R1 (See SEQ ID NO: in US20150159173

TABLE 1-continued

Serotype and where capsid sequence is published	Serotype and where capsid sequence is published
AAVCy.5R2 (See SEQ ID NO: in US20150159173)	AAVCy.5R3 (See SEQ ID NO: in US20150159173)
AAVCy.5R4 (See SEQ ID NO: in US20150159173)	AAVDJ (See SEQ ID NO: 3 in US20140359799) and SEQ ID NO: 2 in US7588772)
AAVDJ-8 (See SEQ ID NO: in US7588772; Grimm et al 2008)	AAVDJ (See SEQ ID NO: 2 in US20140359799; and SEQ ID NO: 1 in US7588772)
AAVH2 (See SEQ ID NO: 26 in US20030138772)	AAVDJ-8 (See SEQ ID NO: in US7588772; Grimm et al 2008)
AAVhE1.1 (See SEQ ID NO: 44 in US9233131)	AAVF5 (See SEQ ID NO: 110 in US20030138772)
AAVhEr1.16 (See SEQ ID NO: 48 in US9233131)	AAVH6 (See SEQ ID NO: 25 in US20030138772)
AAVhEr1.23 (AA VhEr2.29) (See SEQ ID NO: 53 in US9233131)	AAVhEr1.14 (See SEQ ID NO: 46 in US9233131)
AAVhEr1.36 (See SEQ ID NO: 52 in US9233131)	AAVhEr1.18 (See SEQ ID NO: 49 in US9233131)
AAVhEr1.7 (See SEQ ID NO: 51 in US9233131)	AAVhEr1.35 (See SEQ ID NO: 50 in US9233131)
AAVhEr2.16 (See SEQ ID NO: 55 in US9233131)	AAVhEr1.5 (See SEQ ID NO: 45 in US9233131)
AAVhEr2.31 (See SEQ ID NO: 58 in US9233131)	AAVhEr1.8 (See SEQ ID NO: 47 in US9233131)
AAVhEr2.4 (See SEQ ID NO: 54 in US9233131)	AAVhEr2.30 (See SEQ ID NO: 56 in US9233131)
AAVhu.1 (See SEQ ID NO: 46 in US20150315612)	AAVhEr2.36 (See SEQ ID NO: 57 in US9233131)
AAVhu.1O (AAV16.8) (See SEQ ID NO: 56 in US20150315612)	AAVhEr3.1 (See SEQ ID NO: 59 in US9233131)
AAVhu.11 (AAV16.12) (See SEQ ID NO: 57 in US20150315612)	AAVhu.1 (See SEQ ID NO: 144 in US20150315612)
AAVhu.12 (See SEQ ID NO: 59 in US20150315612)	AAVhu.1O (AAV16.8) (See SEQ ID NO: 156 in US20150315612)
AAVhu.13 (See SEQ ID NO: 16 in US2015015917 and ID NO: 71 in US20150315612)	AAVhu.11 (AAV16.12) (See SEQ ID NO: 153 in US20150315612)
AAVhu.13 (See SEQ ID NO: 32 in US20150159173 and ID NO: 129 US20150315612)	AAVhu.12 (See SEQ ID NO: 154 in US20150315612)
AAVhu.136.1 (See SEQ ID NO: 165 in US20150315612)	AAVhu.140.1 (See SEQ ID NO: 166 in US20150315612)
AAVhu.140.2 (See SEQ ID NO: 167 in US20150315612)	AAVhu.145.6 (See SEQ ID NO: 178 in US20150315612)
AAVhu.15 (See SEQ ID NO: 147 in US20150315612)	AAVhu.15 (AAV33.4) (See SEQ ID NO: 50 in US20150315612)
AAVhu.156.1 (See SEQ ID NO: 179 in US20150315612)	AAVhu.16 (See SEQ ID NO: 148 in US20150315612)
AAVhu.16 (AAV33.8) (See SEQ ID NO: 51 in US20150315612)	AAVhu.17 (See SEQ ID NO: 83 in US20150315612)
AAVhu.17 (AAV33.12) (See SEQ ID NO: 4 in US20150315612)	AAVhu.172.1 (See SEQ ID NO: 171 in US20150315612)
AAVhu.172.2 (See SEQ ID NO: 172 in US20150315612)	AAVhu.173.4 (See SEQ ID NO: 173 in US20150315612)
AAVhu.173.8 (See SEQ ID NO: 175 in US20150315612)	AAVhu.18 (See SEQ ID NO: 52 in US20150315612)
AAVhu.18 (See SEQ ID NO: 149 in US20150315612)	AAVhu.19 (See SEQ ID NO: 62 in US20150315612)
AAVhu.19 (See SEQ ID NO: 133 in US20150315612)	AAVhu.2 (See SEQ ID NO: 48 in US20150315612)

TABLE 1-continued

Serotype and where capsid sequence is published	Serotype and where capsid sequence is published
AAVhu.2 (See SEQ ID NO: 143 in US20150315612)	AAVhu.20 (See SEQ ID NO: 63 in US20150315612)
AAVhu.20 (See SEQ ID NO: 134 in US20150315612)	AAVhu.21 (See SEQ ID NO: 65 in US20150315612)
AAVhu.21 (See SEQ ID NO: 135 in US20150315612)	AAVhu.22 (See SEQ ID NO: 67 in US20150315612)
AAVhu.22 239 (See SEQ ID NO: 138 in US20150315612)	AAVhu.23 (See SEQ ID NO: 60 in US20150315612)
AAVhu.23.2 (See SEQ ID NO: 137 in US20150315612)	AAVhu.24 (See SEQ ID NO: 66 in US20150315612)
AAVhu.24 (See SEQ ID NO: 136 in US20150315612)	AAVhu.25 (See SEQ ID NO: 49 in US20150315612)
AAVhu.25 (See SEQ ID NO: 146 in US20150315612)	AAVhu.26 (See SEQ ID NO: 17 in US20150159173 and SEQ ID NO: 61 in US20150315612)
	AAVhu.26 (See SEQ ID NO: 33 in US20150159173), US20150315612 SEQ
	AAVhu.27 (See SEQ ID NO: 64 in US20150315612)
AAVhu.27 (See SEQ ID NO: 140 in US20150315612)	AAVhu.28 (See SEQ ID NO: 68 in US20150315612)
AAVhu.28 (See SEQ ID NO: 130 in US20150315612)	AAVhu.29 (See SEQ ID NO: 69 in US20150315612)
AAVhu.29 (See SEQ ID NO: 42 in US20150159173 and SEQ ID NO: 132 in US20150315612)	
AAVhu.29 (See SEQ ID NO: 225 in US20150315612)	AAVhu.29R (See SEQ ID NO: in US20150159173)
AAVhu.3 (See SEQ ID NO: 44 in US20150315612)	AAVhu.3 (See SEQ ID NO: 145 in US20150315612)
AAVhu.30 (See SEQ ID NO: 70 in US20150315612)	AAVhu.30 (See SEQ ID NO: 131 in US20150315612)
AAVhu.31 (See SEQ ID NO: 1 in US20150315612)	AAVhu.31 (See SEQ ID NO: 121 in US20150315612)
AAVhu.32 (See SEQ ID NO: 2 in US20150315612)	AAVhu.32 (See SEQ ID NO: 122 in US20150315612)
AAVhu.33 (See SEQ ID NO: 75 in US20150315612)	AAVhu.33 (See SEQ ID NO: 124 in US20150315612)
AAVhu.34 (See SEQ ID NO: 72 in US20150315612)	AAVhu.34 (See SEQ ID NO: 125 in US20150315612)
AAVhu.35 (See SEQ ID NO: 73 in US20150315612)	AAVhu.35 (See SEQ ID NO: 164 in US20150315612)
AAVhu.36 (See SEQ ID NO: 74 in US20150315612)	AAVhu.36 (See SEQ ID NO: 126 in US20150315612)
AAVhu.37 (See SEQ ID NO: 34 in US20150159173 and SEQ ID NO: 88 in US20150315612)	
AAVhu.37 (AAV106.1) (See SEQ ID NO: 10 in US20150315612 and SEQ ID NO: 18 in US20150159173)	
AAVhu.38 (See SEQ ID NO: 161 in US20150315612)	AAVhu.39 (See SEQ ID NO: 102 in US20150315612)
AAVhu.39 (AAV1G-9) (See SEQ ID NO: 24 in US20150315612)	AAVhu.4 (See SEQ ID NO: 47 in US20150315612)
AAVhu.4 (See SEQ ID NO: 141 in US20150315612)	AAVhu.40 (See SEQ ID NO: 87 in US20150315612)
AAVhu.40 (AAV114.3) (See SEQ ID NO: 11 in US20150315612)	AAVhu.41 (See SEQ ID NO: 91 in US20150315612)
AAVhu.41 (AAV127.2) (See SEQ ID NO: 6 in US20150315612)	AAVhu.42 (See SEQ ID NO: 85 in US20150315612)
AAVhu.42 (AAV127.5) (See SEQ ID NO: 8 in US20150315612)	AAVhu.43 (See SEQ ID NO: 160 in US20150315612)

TABLE 1-continued

Serotype and where capsid sequence is published	Serotype and where capsid sequence is published
AAVhu.43 (See SEQ ID NO: 236 in US20150315612)	AAVhu.43 (AAV128.1) (See SEQ ID NO: 80 in US20150315612)
AAVhu.44 (See SEQ ID NO: 45 in US20150159173 and SEQ ID NO: 158 in US20150315612)	
AAVhu.44 (AAV128.3) (See SEQ ID NO: 81 in US20150315612)	AAVhu.44R1 (See SEQ ID NO: in US20150159173)
AAVhu.44R2 (See SEQ ID NO: in US20150159173)	AAVhu.44R3 (See SEQ ID NO: in US20150159173)
AAVhu.45 (See SEQ ID NO: 76 in US20150315612)	AAVhu.45 (See SEQ ID NO: 127 in US20150315612)
AAVhu.46 (See SEQ ID NO: 82 in US20150315612)	AAVhu.46 (See SEQ ID NO: 159 in US20150315612)
AAVhu.46 (See SEQ ID NO: 224 in US20150315612)	AAVhu.47 (See SEQ ID NO: 77 in US20150315612)
AAVhu.47 (See SEQ ID NO: 128 in US20150315612)	AAVhu.48 (See SEQ ID NO: 38 in US20150159173)
AAVhu.48 (See SEQ ID NO: 157 in US20150315612)	AAVhu.48 (AAV130.4) (See SEQ ID NO: 78 in US20150315612)
AAVhu.48R1 (See SEQ ID NO: in US20150159173)	AAVhu.48R2 (See SEQ ID NO: in US20150159173)
AAVhu.48R3 (See SEQ ID NO: in US20150159173)	AAVhu.49 (See SEQ ID NO: 209 in US20150315612)
AAVhu.49 (See SEQ ID NO: 189 in US20150315612)	AAVhu.5 (See SEQ ID NO: 45 in US20150315612)
AAVhu.5 (See SEQ ID NO: 142 in US20150315612)	AAVhu.51 (See SEQ ID NO: 208 in US20150315612)
AAVhu.51 (See SEQ ID NO: 190 in US20150315612)	AAVhu.52 (See SEQ ID NO: 210 in US20150315612)
AAVhu.52 (See SEQ ID NO: 191 in US20150315612)	AAVhu.53 (See SEQ ID NO: 19 in US20150159173)
AAVhu.53 (See SEQ ID NO: 35 in US20150159173)	AAVhu.53 (AAV145.1) (See SEQ ID NO: 176 in US20150315612)
AAVhu.54 (See SEQ ID NO: 188 in US20150315612)	AAVhu.54 (AAV145.5) (See SEQ ID NO: 177 in US20150315612)
AAVhu.55 (See SEQ ID NO: 187 in US20150315612)	AAVhu.56 (See SEQ ID NO: 205 in US20150315612)
AAVhu.56 (AAV145.6) (See SEQ ID NO: 168 in US20150315612)	AAVhu.56 (AAV145.6) (See SEQ ID NO: 192 in US20150315612)
AAVhu.57 (See SEQ ID NO: 206 in US20150315612)	AAVhu.57 (See SEQ ID NO: 169 in US20150315612)
AAVhu.57 (See SEQ ID NO: 193 in US20150315612)	AAVhu.58 (See SEQ ID NO: 207 in US20150315612)
AAVhu.58 (See SEQ ID NO: 194 in US20150315612)	AAVhu.6 (AAV3.1) (See SEQ ID NO: 5 in US20150315612)
AAVhu.6 (AAV3.1) (See SEQ ID NO: 84 in US20150315612)	AAVhu.60 (See SEQ ID NO: 184 in US20150315612)
AAVhu.60 (AAV161.10) (See SEQ ID NO: 170 in US20150315612)	AAVhu.61 (See SEQ ID NO: 185 in US20150315612)
AAVhu.61 (AAV161.6) (See SEQ ID NO: 174 in US20150315612)	AAVhu.63 (See SEQ ID NO: 204 in US20150315612)
AAVhu.63 (See SEQ ID NO: 195 in US20150315612)	AAVhu.64 (See SEQ ID NO: 212 in US20150315612)
AAVhu.64 (See SEQ ID NO: 196 in US20150315612)	AAVhu.66 (See SEQ ID NO: 197 in US20150315612)
AAVhu.67 (See SEQ ID NO: 215 in US20150315612)	AAVhu.67 (See SEQ ID NO: 198 in US20150315612)
AAVhu.7 (See SEQ ID NO: 226 in US20150315612)	AAVhu.7 (See SEQ ID NO: 150 in US20150315612)
AAVhu.7 (AAV7.3) (See SEQ ID NO: 55 in US20150315612)	AAVhu.71 (See SEQ ID NO: 79 in US20150315612)

TABLE 1-continued

Serotype and where capsid sequence is published	Serotype and where capsid sequence is published
AAVhu.8 (See SEQ ID NO: 53 in US20150315612)	AAVhu.8 (See SEQ ID NO: 12 in US20150315612)
AAVhu.8 (See SEQ ID NO: 151 in US20150315612)	AAVhu.9 (AAV3.1) (See SEQ ID NO: 58 in US20150315612)
AAVhu.9 (AAV3.1) (See SEQ ID NO: 155 in US20150315612)	AAV-LK01 (See SEQ ID NO: 2 in US20150376607)
AAV-LK01 (See SEQ ID NO: 29 in US20150376607)	AAV-LK02 (See SEQ ID NO: 3 in US20150376607)
AAV-LK02 (See SEQ ID NO: 30 in US20150376607)	AAV-LK03 (See SEQ ID NO: 4 in US20150376607)
AAV-LK03 (See SEQ ID NO: 12 in WO2015121501 and SEQ ID NO: 31 in US20150376607)	
AAV-LK04 (See SEQ ID NO: 5 in US20150376607)	AAV-LK04 (See SEQ ID NO: 32 in US20150376607)
AAV-LK05 (See SEQ ID NO: 6 in US20150376607)	AAV-LK05 (See SEQ ID NO: 33 in US20150376607)
AAV-LK06 (See SEQ ID NO: 7 in US20150376607)	AAV-LK06 (See SEQ ID NO: 34 in US20150376607)
AAV-LK07 (See SEQ ID NO: 8 in US20150376607)	AAV-LK07 (See SEQ ID NO: 35 in US20150376607)
AAV-LK08 (See SEQ ID NO: 9 in US20150376607)	AAV-LK08 (See SEQ ID NO: 36 in US20150376607)
AAV-LK09 (See SEQ ID NO: 10 in US20150376607)	AAV-LK09 (See SEQ ID NO: 37 in US20150376607)
AAV-LK10 (See SEQ ID NO: 11 in US20150376607)	AAV-LK10 (See SEQ ID NO: 38 in US20150376607)
AAV-LK11 (See SEQ ID NO: 12 in US20150376607)	AAV-LK11 (See SEQ ID NO: 39 in US20150376607)
AAV-LK12 (See SEQ ID NO: 13 in US20150376607)	AAV-LK12 (See SEQ ID NO: 40 in US20150376607)
AAV-LK13 (See SEQ ID NO: 14 in US20150376607)	AAV-LK13 (See SEQ ID NO: 41 in US20150376607)
AAV-LK14 (See SEQ ID NO: 15 in US20150376607)	AAV-LK14 (See SEQ ID NO: 42 in US20150376607)
AAV-LK15 (See SEQ ID NO: 16 in US20150376607)	AAV-LK15 (See SEQ ID NO: 43 in US20150376607)
AAV-LK16 (See SEQ ID NO: 17 in US20150376607)	AAV-LK16 (See SEQ ID NO: 44 in US20150376607)
AAV-LK17 (See SEQ ID NO: 18 in US20150376607)	AAV-LK17 (See SEQ ID NO: 45 in US20150376607)
AAV-LK18 (See SEQ ID NO: 19 in US20150376607)	AAV-LK18 (See SEQ ID NO: 46 in US20150376607)
AAV-LK19 (See SEQ ID NO: 20 in US20150376607)	AAV-LK19 (See SEQ ID NO: 47 in US20150376607)
AAV-PAEC (See SEQ ID NO: 1 in US20150376607)	AAV-PAEC (See SEQ ID NO: 48 in US20150376607)
AAV-PAEC11 (See SEQ ID NO: 26 in US20150376607)	AAV-PAEC11 (See SEQ ID NO: 54 in US20150376607)
AAV-PAEC 12 (See SEQ ID NO: 27 in US20150376607)	AAV-PAEC 12 (See SEQ ID NO: 51 in US20150376607)
AAV-PAEC 13 (See SEQ ID NO: 28 in US20150376607)	AAV-PAEC 13 (See SEQ ID NO: 49 in US20150376607)
AAV-PAEC2 (See SEQ ID NO: 21 in US20150376607)	AAV-PAEC2 (See SEQ ID NO: 56 in US20150376607)
AAV-PAEC4 (See SEQ ID NO: 22 in US20150376607)	AAV-PAEC4 (See SEQ ID NO: 55 in US20150376607)
AAV-PAEC6 (See SEQ ID NO: 23 in US20150376607)	AAV-PAEC6 (See SEQ ID NO: 52 in US20150376607)
AAV-PAEC7 (See SEQ ID NO: 24 in US20150376607)	AAV-PAEC7 (See SEQ ID NO: 53 in US20150376607)
AAV-PAEC8 (See SEQ ID NO: 25 in US20150376607)	AAV-PAEC8 (See SEQ ID NO: 50 in US20150376607)
AAVpi.1 (See SEQ ID NO: 28 in US20150315612)	AAVpi.1 (See SEQ ID NO: 93 in US20150315612; AAVpi.2 408, see SEQ ID NO: 30 in US20150315612)
	AAVpi.3 (See SEQ ID NO: 29 in US20150315612)
AAVpi.2 (See SEQ ID NO: 95 in US20150315612)	

TABLE 1-continued

Serotype and where capsid sequence is published	Serotype and where capsid sequence is published
AAVpi.3 (See SEQ ID NO: 94 in US20150315612)	AAVrh.10 (See SEQ ID NO: 9 in US20150159173)
AAVrh.10 (See SEQ ID NO: 25 in US20150159173)	AAV44.2 (See SEQ ID NO: 59 in US20030138772)
AAVrh.10 (AAV44.2) (See SEQ ID NO: 81 in US20030138772)	AAV42.1B (See SEQ ID NO: 90 in US20030138772)
AAVrh.12 (AAV42.1b) (See SEQ ID NO: 30 in US20030138772)	AAVrh.13 (See SEQ ID NO: 10 in US20150159173)
AAVrh.13 (See SEQ ID NO: 26 in US20150159173)	AAVrh.13 (See SEQ ID NO: 228 in US20150315612)
AAVrh.13R (See SEQ ID NO: in US20150159173)	AAV42.3A (See SEQ ID NO: 87 in US20030138772)
AAVrh.14 (AAV42.3a) (See SEQ ID NO: 32 in US20030138772)	AAV42.5A (See SEQ ID NO: 89 in US20030138772)
AAVrh.17 (AAV42.5a) (See SEQ ID NO: 34 in US20030138772)	AAV42.5B (See SEQ ID NO: 91 in US20030138772)
AAVrh.18 (AAV42.5b) (See SEQ ID NO: 29 in US20030138772)	AAV42.6B (See SEQ ID NO: 112 in US20030138772)
AAVrh.19 (AAV42.6b) (See SEQ ID NO: 38 in US20030138772)	AAVrh.2 (See SEQ ID NO: 39 in US20150159173)
AAVrh.2 (See SEQ ID NO: 231 in US20150315612)	AAVrh.20 (See SEQ ID NO: 1 in US20150159173)
AAV42.10 (See SEQ ID NO: 106 in US20030138772)	AAVrh.21 (AAV42.10) (See SEQ ID NO: 35 in US20030138772)
	AAVrh.22 (AAV42.11) (See SEQ ID NO: 37 in US20030138772)
AAV42.11 (See SEQ ID NO: 108 in US20030138772)	AAVrh.23 (AAV42.12) (See SEQ ID NO: 58 in US20030138772)
	AAVrh.24 (AAV42.13) (See SEQ ID NO: 31 in US20030138772)
AAV42.12 (See SEQ ID NO: 113 in US20030138772)	AAVrh.25 (AAV42.15) (See SEQ ID NO: 28 in US20030138772)
AAV42.13 (See SEQ ID NO: 86 in US20030138772)	AAVrh.31 (AAV223.1) (See SEQ ID NO: 48 in US20030138772)
AAV42.15 (See SEQ ID NO: 84 in US20030138772)	AAVrh.32 (AAVC1) (See SEQ ID NO: 19 in 446 US20030138772)
AAVrh.2R (See SEQ ID NO: in US20150159173)	AAVrh.51 (AAV2-5) (See SEQ ID NO: 104 in US20150315612)
AAVC1 (See SEQ ID NO: 60 in US20030138772)	AAVrh.52 (AAV3-9) (See SEQ ID NO: 96 in US20150315612)
AAVrh.32/33 (See SEQ ID NO: 2 in US20150159173)	AAVrh.53 (AAV3-11) (See SEQ ID NO: 17 in US20150315612)
	AAVrh.54 (See SEQ ID NO: 40 in US20150315612)
AAVrh.52 (AAV3-9) (See SEQ ID NO: 18 in US20150315612)	
AAVrh.53 (See SEQ ID NO: in US20150315612)	
AAVrh.53 (AAV3-11) (See SEQ ID NO: 186 in US20150315612)	
AAVrh.54 (See SEQ ID NO: 49 in US20150159173 and SEQ ID NO: 116 in US20150315612)	
AAVrh.55 (See SEQ ID NO: 37 in US20150315612)	AAVrh.55 (AAV4-19) (See SEQ ID NO: 117 in US20150315612)
	AAVrh.56 (See SEQ ID NO: 152 in US20150315612)
AAVrh.56 (See SEQ ID NO: 54 in US20150315612)	AAVrh.57 (See SEQ ID NO: 105 in US20150315612)
AAVrh.57 (See SEQ ID NO: in 497 US20150315612)	
SEQ ID NO: 26	

TABLE 1-continued

Serotype and where capsid sequence is published	Serotype and where capsid sequence is published
AAVrh.58 (See SEQ ID NO: 27 in US20150315612)	AAVrh.58 (See SEQ ID NO: 48 in US20150159173 and SEQ ID NO: 106 in US20150315612)
AAVrh.59 (See SEQ ID NO: 42 in US20150315612)	AAVrh.59 (See SEQ ID NO: 110 in US20150315612)
AAVrh.60 (See SEQ ID NO: 31 in US20150315612)	AAVrh.60 (See SEQ ID NO: 120 in US20150315612)
AAVrh.61 (See SEQ ID NO: 107 in US20150315612)	AAVrh.61 (AAV2-3) (See SEQ ID NO: 21 in US20150315612)
AAVrh.62 (AAV2-15) (See SEQ ID NO: 33 in US20150315612)	AAVrh.62 (AAV2-15) (See SEQ ID NO: 114 in US20150315612)
AAVrh.64 (See SEQ ID NO: 15 in US20150315612)	AAVrh.64 (See SEQ ID NO: 43 in US20150159173 and SEQ ID NO: 99 in US20150315612)
AAVrh.64R1 (See SEQ ID NO: in US20150159173)	AAVrh.64R2 (See SEQ ID NO: in US20150159173)
AAVrh.65 (See SEQ ID NO: 35 in US20150315612)	AAVrh.65 (See SEQ ID NO: 112 in US20150315612)
AAVrh.67 (See SEQ ID NO: 36 in US20150315612)	AAVrh.67 (See SEQ ID NO: 230 in US20150315612)
AAVrh.67 (See SEQ ID NO: 47 in US20150159173 and SEQ ID NO: 47 in US20150315612)	AAVrh.68 (See SEQ ID NO: 100 in US20150315612)
AAVrh.68 (See SEQ ID NO: 16 in US20150315612)	AAVrh.69 (See SEQ ID NO: 119 in US20150315612)
AAVrh.69 (See SEQ ID NO: 39 in US20150315612)	AAVrh.70 (See SEQ ID NO: 20 in US20150315612)
AAVrh.70 (See SEQ ID NO: 20 in US20150315612)	AAVrh.71 (See SEQ ID NO: 162 in US20150315612)
AAVrh.71 (See SEQ ID NO: 162 in US20150315612)	AAVrh.72 (See SEQ ID NO: 9 in US20150315612)
AAVrh.73 (See SEQ ID NO: 5 in US20150159173)	AAVrh.74 (See SEQ ID NO: 6 in US20150159173)
AAVrh.8 (See SEQ ID NO: 41 in US20150159173)	AAVrh.8 (See SEQ ID NO: 235 in US20150315612)
AAVrh.8R (See SEQ ID NO: 9 in US20150159173, WO2015168666)	AAVrh.8R A586R mutant (See SEQ ID NO: 10 in WO2015168666)
AAVrh.8R R533A mutant (See SEQ ID NO: 11 in WO2015168666)	BAAV (bovine AAV) (See SEQ ID NO: 8 in US9193769)
BAAV (bovine AAV) (See SEQ ID NO: 10 in US9193769)	BAAV (bovine AAV) (See SEQ ID NO: 4 in US9193769)
BAAV (bovine AAV) (See SEQ ID NO: 2 in US9193769)	BAAV (bovine AAV) (See SEQ ID NO: 6 in US9193769)
BAAV (bovine AAV) (See SEQ ID NO: 1 in US9193769)	BAAV (bovine AAV) (See SEQ ID NO: 5 in US9193769)
BAAV (bovine AAV) (See SEQ ID NO: 3 in US9193769)	BAAV (bovine AAV) (See SEQ ID NO: 11 in US9193769)
BAAV (bovine AAV) (See SEQ ID NO: 5 in US7427396)	BAAV (bovine AAV) (See SEQ ID NO: 6 in US7427396)
BAAV (bovine AAV) (See SEQ ID NO: 7 in US9193769)	BAAV (bovine AAV) (See SEQ ID NO: 9 in US9193769)
BNP61 AAV (See SEQ ID NO: 1 in US20150238550)	BNP61 AAV (See SEQ ID NO: 2 in US20150238550)
BNP62 AAV (See SEQ ID NO: 3 in US20150238550)	BNP63 AAV (See SEQ ID NO: 4 in US20150238550)
caprine AAV (See SEQ ID NO: 3 in US7427396)	caprine AAV (See SEQ ID NO: 4 in US7427396)

TABLE 1-continued

Serotype and where capsid sequence is published	Serotype and where capsid sequence is published
true type AAV (ttAAV) (See SEQ ID NO: 2 in WO2015121501)	AAAV (Avian AAV) (See SEQ ID NO: 12 in US9238800)
AAAV (Avian AAV) (See SEQ ID NO: 2 in US9238800)	AAAV (Avian AAV) (See SEQ ID NO: 6 in US9238800)
AAAV (Avian AAV) (See SEQ ID NO: 4 in US9238800)	AAAV (Avian AAV) (See SEQ ID NO: 8 in US9238800)
AAAV (Avian AAV) (See SEQ ID NO: 14 in US9238800)	AAAV (Avian AAV) (See SEQ ID NO: 10 in US9238800)
AAAV (Avian AAV) (See SEQ ID NO: 15 in US9238800)	AAAV (Avian AAV) (See SEQ ID NO: 5 in US9238800)
AAAV (Avian AAV) (See SEQ ID NO: 9 in US9238800)	AAAV (Avian AAV) (See SEQ ID NO: 3 in US9238800)
AAAV (Avian AAV) (See SEQ ID NO: 7 in US9238800)	AAAV (Avian AAV) (See SEQ ID NO: 11 in US9238800)
AAAV (Avian AAV) (See SEQ ID NO: in US9238800)	AAAV (Avian AAV) (See SEQ ID NO: 1 in US9238800)
AAV Shuffle 100-1 (See SEQ ID NO: 23 in US20160017295)	AAV Shuffle 100-1 (See SEQ ID NO: 11 in US20160017295)
AAV Shuffle 100-2 (See SEQ ID NO: 37 in US20160017295)	AAV Shuffle 100-2 (See SEQ ID NO: 29 in US20160017295)
AAV Shuffle 100-3 (See SEQ ID NO: 24 in US20160017295)	AAV Shuffle 100-3 (See SEQ ID NO: 12 in US20160017295)
AAV Shuffle 100-7 (See SEQ ID NO: 25 in US20160017295)	AAV Shuffle 100-7 (See SEQ ID NO: 13 in US20160017295)
AAV Shuffle 10-2 (See SEQ ID NO: 34 in US20160017295)	AAV Shuffle 10-2 (See SEQ ID NO: 26 in US20160017295)
AAV Shuffle 10-6 (See SEQ ID NO: 35 in US20160017295)	AAV Shuffle 10-6 (See SEQ ID NO: 27 in US20160017295)
AAV Shuffle 10-8 (See SEQ ID NO: 36 in US20160017295)	AAV Shuffle 10-8 (See SEQ ID NO: 28 in US20160017295)
AAV SM 100-10 (See SEQ ID NO: 41 in US20160017295)	AAV SM 100-10 (See SEQ ID NO: 33 in US20160017295)
AAV SM 100-3 (See SEQ ID NO: 40 in US20160017295)	AAV SM 100-3 (See SEQ ID NO: 32 in US20160017295)
AAV SM 10-1 (See SEQ ID NO: 38 in US20160017295)	AAV SM 10-1 (See SEQ ID NO: 30 in US20160017295)
AAV SM 10-2 (See SEQ ID NO: 10 in US20160017295)	AAV SM 10-2 (See SEQ ID NO: 22 in US20160017295)
AAV SM 10-8 (See SEQ ID NO: 39 in US20160017295)	AAV SM 10-8 (See SEQ ID NO: 31 in US20160017295)
AAV CBr-7.1 (See SEQ ID NO: 4 in WO2016065001)	AAV CBr-7.1 (See SEQ ID NO: 54 in WO2016065001)
AAV CBr-7.10 (See SEQ ID NO: 11 in WO2016065001)	AAV CBr-7.10 (See SEQ ID NO: 61 in WO2016065001)
AAV CBr-7.2 (See SEQ ID NO: 5 in WO2016065001)	AAV CBr-7.2 (See SEQ ID NO: 55 in WO2016065001)
AAV CBr-7.3 (See SEQ ID NO: 6 in WO2016065001)	AAV CBr-7.3 (See SEQ ID NO: 56 in WO2016065001)
AAV CBr-7.4 (See SEQ ID NO: 7 in WO2016065001)	AAV CBr-7.4 (See SEQ ID NO: 57 in WO2016065001)
AAV CBr-7.5 (See SEQ ID NO: 8 in WO2016065001)	AAV CBr-7.5 (See SEQ ID NO: 35 in WO2016065001)

TABLE 1-continued

Serotype and where capsid sequence is published	Serotype and where capsid sequence is published
AAV CHt-6.6 (See SEQ ID NO: 85 in WO2016065001)	AAV CHt-6.7 (See SEQ ID NO: 36 in WO2016065001)
AAV CHt-6.7 (See SEQ ID NO: 86 in WO2016065001)	AAV CHt-6.8 (See SEQ ID NO: 37 in WO2016065001)
AAV CHt-6.8 (See SEQ ID NO: 87 in WO2016065001)	AAV CHt-P1 (See SEQ ID NO: 29 in WO2016065001)
AAV CHt-P1 (See SEQ ID NO: 79 in WO2016065001)	AAV CHt-P2 (See SEQ ID NO: 1 in WO2016065001)
AAV CHt-P2 (See SEQ ID NO: 51 in WO2016065001)	AAV CHt-P5 (See SEQ ID NO: 2 in WO2016065001)
AAV CHt-P5 (See SEQ ID NO: 52 in WO2016065001)	AAV CHt-P6 (See SEQ ID NO: 30 in WO2016065001)
AAV CHt-P6 (See SEQ ID NO: 80 in WO2016065001)	AAV CHt-P8 (See SEQ ID NO: 31 in WO2016065001)
AAV CHt-P8 (See SEQ ID NO: 81 in WO2016065001)	AAV CHt-P9 (See SEQ ID NO: 3 in WO2016065001)
AAV CHt-P9 (See SEQ ID NO: 53 in WO2016065001)	AAV CKd-1 (See SEQ ID NO: 57 in US8734809)
AAV CKd-1 (See SEQ ID NO: 131 in US8734809)	AAV CKd-10 (See SEQ ID NO: 58 in US8734809)
AAV CKd-10 (See SEQ ID NO: 132 in US8734809)	AAV CKd-2 (See SEQ ID NO: 59 in US8734809)
AAV CKd-2 (See SEQ ID NO: 133 in US8734809)	AAV CKd-3 (See SEQ ID NO: 60 in US8734809)
AAV CKd-3 (See SEQ ID NO: 134 in US8734809)	AAV CKd-4 (See SEQ ID NO: 61 in US8734809)
AAV CKd-4 (See SEQ ID NO: 135 in US8734809)	AAV CKd-6 (See SEQ ID NO: 62 in US8734809)
AAV CKd-6 (See SEQ ID NO: 136 in US8734809)	AAV CKd-7 (See SEQ ID NO: 63 in US8734809)
AAV CKd-7 (See SEQ ID NO: 137 in US8734809)	AAV CKd-8 (See SEQ ID NO: 64 in US8734809)
AAV CKd-8 (See SEQ ID NO: 138 in US8734809)	AAV CKd-B 1 (See SEQ ID NO: 73 in US8734809)
AAV CKd-B 1 (See SEQ ID NO: 147 in US8734809)	AAV CKd-B2 (See SEQ ID NO: 74 in US8734809)
AAV CKd-B2 (See SEQ ID NO: 148 in US8734809)	AAV CKd-B3 (See SEQ ID NO: 75 in US8734809)
AAV CKd-B3 (See SEQ ID NO: in US8734809)	AAV CKd-B3 (See SEQ ID NO: 149 in US8734809)
AAV CLv-1 (See SEQ ID NO: 65 in US8734809)	AAV CLv-1 (See SEQ ID NO: 139 in US8734809)
AAV CLv-1-1 (See SEQ ID NO: 171 in US8734809)	AAV Civ 1-10 (See SEQ ID NO: 178 in US8734809)
AAV CLv-1-2 (See SEQ ID NO: 172 in US8734809)	AAV CLv-12 (See SEQ ID NO: 66 in US8734809)
AAV CLv-12 (See SEQ ID NO: 140 in US8734809)	AAV CLv-1-3 (See SEQ ID NO: 173 in US8734809)
AAV CLv-13 (See SEQ ID NO: 67 in US8734809)	AAV CLv-13 (See SEQ ID NO: 141 in US8734809)
AAV CLv-14 (See SEQ ID NO: 174 in US8734809)	AAV Civ 1-7 (See SEQ ID NO: 175 in US8734809)
AAV Civ 1-8 (See SEQ ID NO: 176 in US8734809)	AAV Civ 1-9 (See SEQ ID NO: 177 in US8734809)
AAV CLv-2 (See SEQ ID NO: 68 in US8734809)	AAV CLv-2 (See SEQ ID NO: 142 in US8734809)
AAV CLv-3 (See SEQ ID NO: 69 in US8734809)	AAV CLv-3 (See SEQ ID NO: 143 in US8734809)
AAV CLv-4 (See SEQ ID NO: 70 in US8734809)	AAV CLv-4 (See SEQ ID NO: 144 in US8734809)
AAV CLv-6 (See SEQ ID NO: 71 in US8734809)	AAV CLv-6 (See SEQ ID NO: 145 in US8734809)
AAV CLv-8 (See SEQ ID NO: 72 in US8734809)	AAV CLv-8 (See SEQ ID NO: 146 in US8734809)
AAV CLv-D1 (See SEQ ID NO: 22 in US8734809)	AAV CLv-D1 (See SEQ ID NO: 96 in US8734809)
AAV CLv-D2 (See SEQ ID NO: 23 in US8734809)	AAV CLv-D2 (See SEQ ID NO: 97 in US8734809)
AAV CLv-D3 (See SEQ ID NO: 24 in US8734809)	AAV CLv-D3 (See SEQ ID NO: 98 in US8734809)
AAV CLv-D4 (See SEQ ID NO: 25 in US8734809)	AAV CLv-D4 (See SEQ ID NO: 99 in US8734809)
AAV CLv-D5 (See SEQ ID NO: 26 in US8734809)	AAV CLv-D5 (See SEQ ID NO: 100 in US8734809)

TABLE 1-continued

Serotype and where capsid sequence is published	Serotype and where capsid sequence is published
AAV CLv-D6 (See SEQ ID NO: 27 in US8734809)	AAV CLv-D6 (See SEQ ID NO: 101 in US8734809)
AAV CLv-D7 (See SEQ ID NO: 28 in US8734809)	AAV CLv-D7 (See SEQ ID NO: 102 in US8734809)
AAV CLv-D8 (See SEQ ID NO: 29 in US8734809)	AAV CLv-D8 (See SEQ ID NO: 103 in US8734809); AAV CLv-K1 762, see SEQ ID NO: 18 in WO2016065001)
AAV CLv-K1 (See SEQ ID NO: 68 in WO2016065001)	AAV CLv-K3 (See SEQ ID NO: 19 in WO2016065001)
AAV CLv-K3 (See SEQ ID NO: 69 in WO2016065001)	AAV CLv-K6 (See SEQ ID NO: 20 in WO2016065001)
AAV CLv-K6 (See SEQ ID NO: 70 in WO2016065001)	AAV CLv-L4 (See SEQ ID NO: 15 in WO2016065001)
AAV CLv-L4 (See SEQ ID NO: 65 in WO2016065001)	AAV CLv-L5 (See SEQ ID NO: 16 in WO2016065001)
AAV CLv-L5 (See SEQ ID NO: 66 in WO2016065001)	AAV CLv-L6 (See SEQ ID NO: 17 in WO2016065001)
AAV CLv-L6 (See SEQ ID NO: 67 in WO2016065001)	AAV CLv-M1 (See SEQ ID NO: 21 in WO2016065001)
AAV CLv-M1 (See SEQ ID NO: 71 in WO2016065001)	AAV CLv-M11 (See SEQ ID NO: 22 in WO2016065001)
AAV CLv-M1 1 (See SEQ ID NO: 72 in WO2016065001)	AAV CLv-M2 (See SEQ ID NO: 23 in WO2016065001)
AAV CLv-M2 (See SEQ ID NO: 73 in WO2016065001)	AAV CLv-M5 (See SEQ ID NO: 24 in WO2016065001)
AAV CLv-M5 (See SEQ ID NO: 74 in WO2016065001)	AAV CLv-M6 (See SEQ ID NO: 25 in WO2016065001)
AAV CLv-M6 (See SEQ ID NO: 75 in WO2016065001)	AAV CLv-M7 (See SEQ ID NO: 26 in WO2016065001)
AAV CLv-M7 (See SEQ ID NO: 76 in WO2016065001)	AAV CLv-M8 (See SEQ ID NO: 27 in WO2016065001)
AAV CLv-M8 (See SEQ ID NO: 77 in WO2016065001)	AAV CLv-M9 (See SEQ ID NO: 28 in WO2016065001)
AAV CLv-M9 (See SEQ ID NO: 78 in WO2016065001)	AAV CLv-R1 (See SEQ ID NO: 30 in US8734809)
AAV CLv-R1 (See SEQ ID NO: 104 in US8734809)	AAV CLv-R2 (See SEQ ID NO: 31 in US8734809)
AAV CLv-R2 (See SEQ ID NO: 105 in US8734809)	AAV CLv-R3 (See SEQ ID NO: 32 in US8734809)
AAV CLv-R3 (See SEQ ID NO: 106 in US8734809)	AAV CLv-R4 (See SEQ ID NO: 33 in US8734809)
AAV CLv-R4 (See SEQ ID NO: 107 in US8734809)	AAV CLv-R5 (See SEQ ID NO: 34 in US8734809)
AAV CLv-R5 (See SEQ ID NO: 108 in US8734809)	AAV CLv-R6 (See SEQ ID NO: 35 in US8734809)
AAV CLv-R6 (See SEQ ID NO: 109 in US8734809); AAV CLv-R7 802 (see SEQ ID NO: 36 in US8734809)	AAV CLv-R7 (See SEQ ID NO: 110 in US8734809)
AAV CLv-R8 (See SEQ ID NO: 37 in US8734809)	AAV CLv-R8 (See SEQ ID NO: 111 in US8734809)
AAV CLv-R9 (See SEQ ID NO: 38 in US8734809)	AAV CLv-R9 (See SEQ ID NO: 112 in US8734809)
AAV CSp-1 (See SEQ ID NO: 45 in US8734809)	AAV CSp-1 (See SEQ ID NO: 119 in US8734809)
AAV CSp-10 (See SEQ ID NO: 46 in US8734809)	AAV CSp-10 (See SEQ ID NO: 120 in US8734809)
AAV CSp-11 (See SEQ ID NO: 47 in US8734809)	AAV CSp-11 (See SEQ ID NO: 121 in US8734809)
AAV CSp-2 (See SEQ ID NO: 48 in US8734809)	AAV CSp-2 (See SEQ ID NO: 122 in US8734809)
AAV CSp-3 (See SEQ ID NO: 49 in US8734809)	AAV CSp-3 (See SEQ ID NO: 123 in US8734809)
AAV CSp-4 (See SEQ ID NO: 50 in US8734809)	AAV CSp-4 (See SEQ ID NO: 124 in US8734809)
AAV CSp-6 (See SEQ ID NO: 51 in US8734809)	AAV CSp-6 (See SEQ ID NO: 125 in US8734809)
AAV CSp-7 (See SEQ ID NO: 52 in US8734809)	AAV CSp-7 (See SEQ ID NO: 126 in US8734809)
AAV CSp-8 (See SEQ ID NO: 53 in US8734809)	AAV CSp-8 (See SEQ ID NO: 127 in US8734809)

TABLE 1-continued

Serotype and where capsid sequence is published	Serotype and where capsid sequence is published
AAV CSp-8.10 (See SEQ ID NO: 38 in WO2016065001)	AAV CSp-8.10 (See SEQ ID NO: 88 in WO2016065001)
AAV CSp-8.2 (See SEQ ID NO: 39 in WO2016065001)	AAV CSp-8.2 (See SEQ ID NO: 89 in WO2016065001)
AAV CSp-8.4 (See SEQ ID NO: 40 in WO2016065001)	AAV CSp-8.4 (See SEQ ID NO: 90 in WO2016065001)
AAV CSp-8.5 (See SEQ ID NO: 41 in WO2016065001)	AAV CSp-8.5 (See SEQ ID NO: 91 in WO2016065001)
AAV CSp-8.6 (See SEQ ID NO: 42 in WO2016065001)	AAV CSp-8.6 (See SEQ ID NO: 92 in WO2016065001)
AAV CSp-8.7 (See SEQ ID NO: 43 in WO2016065001)	AAV CSp-8.7 (See SEQ ID NO: 93 in WO2016065001)
AAV CSp-8.8 (See SEQ ID NO: 44 in WO2016065001)	AAV CSp-8.8 (See SEQ ID NO: 94 in WO2016065001)
AAV CSp-8.9 (See SEQ ID NO: 45 in WO2016065001)	AAV CSp-8.9 (See SEQ ID NO: 95 in WO2016065001)
AAV CSp-9 842 (See SEQ ID NO: 54 in US8734809)	AAV CSp-9 (See SEQ ID NO: 128 in US8734809)
AAV.lhu.48R3 (See SEQ ID NO: 183 in US8734809)	AAV.VR-355 (See SEQ ID NO: 181 in US8734809)
AAV3B (See SEQ ID NO: 48 in WO2016065001)	AAV3B (See SEQ ID NO: 98 in WO2016065001)
AAV4 (See SEQ ID NO: 49 in WO2016065001)	AAV4 (See SEQ ID NO: 99 in WO2016065001)
AAV5 (See SEQ ID NO: 50 in WO2016065001)	AAV5 (See SEQ ID NO: 100 in WO2016065001)
AAVF1/HSC1 (See SEQ ID NO: 20 in WO2016049230)	AAVF1/HSC1 (See SEQ ID NO: 2 in WO2016049230)
AAVF11/HSC11 (See SEQ ID NO: 26 in WO2016049230)	AAVF11/HSC11 (See SEQ ID NO: 4 in WO2016049230)
AAVF12/HSC12 (See SEQ ID NO: 30 in WO2016049230)	AAVF12/HSC12 (See SEQ ID NO: 12 in WO2016049230)
AAVF13/HSC13 (See SEQ ID NO: 31 in WO2016049230)	AAVF13/HSC13 (See SEQ ID NO: 14 in WO2016049230)
AAVF14/HSC14 (See SEQ ID NO: 32 in WO2016049230)	AAVF14/HSC14 (See SEQ ID NO: 15 in WO2016049230)
AAVF15/HSC15 (See SEQ ID NO: 33 in WO2016049230)	AAVF15/HSC15 (See SEQ ID NO: 16 in WO2016049230)
AAVF16/HSC16 (See SEQ ID NO: 34 in WO2016049230)	AAVF16/HSC16 (See SEQ ID NO: 17 in WO2016049230)
AAVF17/HSC17 (See SEQ ID NO: 35 in WO2016049230)	AAVF17/HSC17 (See SEQ ID NO: 13 in WO2016049230)
AAVF2/HSC2 (See SEQ ID NO: 21 in WO2016049230)	AAVF2/HSC2 (See SEQ ID NO: 3 in WO2016049230)
AAVF3/HSC3 (See SEQ ID NO: 22 in WO2016049230)	AAVF3/HSC3 (See SEQ ID NO: 5 in WO2016049230)
AAVF4/HSC4 (See SEQ ID NO: 23 in WO2016049230)	AAVF4/HSC4 (See SEQ ID NO: 6 in WO2016049230)
AAVF5/HSC5 (See SEQ ID NO: 25 in WO2016049230)	AAVF5/HSC5 (See SEQ ID NO: 11 in WO2016049230)
AAVF6/HSC6 (See SEQ ID NO: 24 in WO2016049230)	AAVF6/HSC6 (See SEQ ID NO: 7 in WO2016049230)
AAVF7/HSC7 (See SEQ ID NO: 27 in WO2016049230)	AAVF7/HSC7 (See SEQ ID NO: 8 in WO2016049230)
AAVF8/HSC8 (See SEQ ID NO: 28 in WO2016049230)	AAVF8/HSC8 (See SEQ ID NO: 9 in WO2016049230)
AAVF9/HSC9 (See SEQ ID NO: 10 in WO2016049230)	AAVF9/HSC9 882 (see SEQ ID NO: 29 in WO2016049230)

[0165] In some embodiments, the helper nucleic acid as described herein is used to manufacture haploid, rational haploid, or rational polyploid AAV, e.g., as described in U.S. Pat. No. 10,550,405, International Patent applications PCT/US2018/022725, PCT/US2018/044632, all of which are incorporated herein by reference in their entirety. In some embodiments, the helper nucleic acid (which is used to

manufacture AAV and or recombinant AAV) is plasmid DNA or close ended linear duplexed DNA (cIDNA). An alternative term of cIDNA is no end DNA (neDNA). In some exemplary aspects, the cIDNA or neDNA described herein is doggybone DNA (dbDNA). In some embodiments, the helper nucleic acid is derived from the adenovirus serotype Ad5 or related to Ad5. In some embodiments, the helper nucleic acid as described herein is used to manufacture recombinant AAV that comprises one or both of the ITRs that is 145 nucleotides long, or less than 145 nucleotides long. In some embodiments, the helper nucleic acid as described herein is used to manufacture recombinant AAV that comprises one or both of the ITRs that is 140 nucleotides long, 135 nucleotides long, 130 nucleotides long, 125 nucleotides long or less than 125 nucleotides long.

[0166] In some embodiments, the hAd5 based helper nucleic acid as described herein produces recombinant AAV (rAAV) by a method comprising: transfecting cells with i) Ad helper nucleic acid of invention, ii) rAAV genome (e.g., AAV ITR to ITR encompassing transgene) and iii) AAV capsid and non-structural replication genes (e.g., nucleic acid encoding AAV helper Rep-Cap), allowing cells sufficient time to produce rAAV particles, and producing clarified lysate comprising rAAV capsid particles, wherein the rAAV capsid particles in the clarified lysate comprises at least about 15% full capsid particles. In certain embodiments, the rAAV in the clarified lysate comprises at least about 15% full capsid particles, at least about 18% full capsid particles, at least about 20% full capsid particles, at least about 22% full capsid particles, at least about 25% full capsid particles, at least about 30% full capsid particles, at least about 35% full capsid particles, or a higher percentage of full capsid particles.

[0167] In certain aspects of the invention, rAAV is manufactured using two nucleic acids instead of three nucleic acids. In some embodiments of the invention, one single nucleic acid encodes AAV helper Rep-Cap gene, and hAd5 based helper nucleic acid of the invention. In this instance, rAAV is manufactured using i) one single nucleic acid encoding Ad helper function (encoded by hAd5 based nucleic acid of the invention) and AAV helper Rep-Cap gene, and ii) rAAV genome (e.g., AAV ITR to ITR encompassing transgene).

[0168] In certain aspects of the embodiment, the copy number of the nucleic acid as described herein, that is used to produce rAAV, is at least about 2000 copies per cell to at least about 20,000 copies per cell. In some embodiments, the copy number of the Ad5 based helper nucleic acid as described herein is at least about 1000 copies per cell, at least about 1500 copies per cell, at least about 2000 copies per cell, at least about 2500 copies per cell, at least about 3000 copies per cell, at least about 3500 copies per cell, at least about 4000 copies per cell, at least about 4500 copies per cell, at least about 5000 copies per cell, at least about 5500 copies per cell, at least about 6000 copies per cell, at least about 6500 copies per cell, at least about 7000 copies per cell, at least about 7500 copies per cell, at least about 8000 copies per cell, at least about 8500 copies per cell, at least about 9000 copies per cell, at least about 9500 copies per cell, at least about 10000 copies per cell, at least about 12000 copies per cell, at least about 14000 copies per cell, at least about 16000 copies per cell, at least about 18000 copies per cell, at least about 20000 copies per cell or higher.

[0169] In some embodiments, the copy number of the Ad5 based nucleic acid as described herein is at least about 5000 copies per cell to at least about 12000 copies per cell. In some embodiments, the Ad5 based nucleic acid as described herein is used to produce rAAV particles comprising at least about 20% to at least about 35% full capsid particles. In an exemplary method of producing recombinant AAV, the method comprises A) first transfecting cells with (i) the helper nucleic acid as described herein, (ii) a recombinant AAV genome comprising an AAV endogenous genome flanked by left inverted terminal repeat (L-ITR) or a recombinant AAV genome comprising nucleic acid encoding any transgene flanked by left and right ITRs, and (iii) AAV capsid and non-structural replication (AAVRep-Cap) nucleic acid; B) producing clarified lysate out of a bioreactor, wherein the clarified lysate comprises rAAV particles, C) enriching (or purifying) the rAAV in the clarified lysate (e.g., by chromatography purification methods).

[0170] In some embodiments, the enriching step increases the percentage of full viral particles (e.g., by removing at least some of the partially full or empty viral particles). Without wishing to be bound by theory, the enriched solution comprising full viral particles (e.g., as measured by % full AAV particles, % full rAAV particles) may still comprise partially full viral particles and/or empty viral particles; however, the percentage of partially full viral particles and/or empty viral particles is substantially decreased compared to a clarified lysate that is not enriched.

[0171] In some embodiments, the hAd5 based helper nucleic acid of the invention as described herein produces purified recombinant AAV (rAAV) particles by a method comprising: A) transfecting cells with i) Ad helper nucleic acid as described herein, ii) rAAV genome (e.g., AAV ITR to ITR encompassing transgene) and iii) AAV capsid and non-structural replication genes, (e.g., nucleic acid encoding AAV helper Rep-Cap gene) B) allowing cells sufficient time to produce rAAV particles, C) producing clarified lysate, and D) purifying (or enriching) the clarified lysate (e.g., using chromatography purification methods), thereby producing enriched or purified rAAV particles. In some embodiments, the purified or enriched rAAV particles comprise at least about 65% full capsid particles. In certain embodiments, the purified or enriched rAAV particles comprise at least about 70% full capsid particles, at least about 75% full capsid particles, at least about 80% full capsid particles, at least about 85% full capsid particles, at least about 90% full capsid particles, at least about 95% full capsid particles, at least about 98% full capsid particles, at least about 99% full capsid particles or at least about 99.5% full capsid particles or higher. In certain embodiments, the purified or enriched rAAV particles comprise 100% full capsid particles. In certain embodiments, the purified or enriched rAAV particles comprise less than about 10% empty capsid particles, less than about 8% empty capsid particles, less than about 6% empty capsid particles, less than about 5% empty capsid particles, less than about 5% empty capsid particles, less than about 3% empty capsid particles, less than about 2% empty capsid particles, less than about 1% empty capsid particles, less than about 0.8% empty capsid particles, less than about 0.6% empty capsid particles, less than about 0.5% empty capsid particles, less than about 0.4% empty capsid particles, less than about 0.3% empty capsid particles, less than about 0.2% empty capsid particles, less than about 0.1% empty capsid particles, less than about 0.08%

empty capsid particles, less than about 0.06% empty capsid particles, less than about 0.05% empty capsid particles, less than about 0.03% empty capsid particles, less than about 0.02% empty capsid particles, or less than about 0.01% empty capsid particles, or fewer % empty capsid particles. In some embodiments, the purified or enriched rAAV is substantially devoid of empty capsid particle.

[0172] As described herein, the hAd5 based nucleic acid is XX85 and can be described as SEQ ID NO: 1 and/or SEQ ID NO: 31.

[0173] In some embodiments, the hAd5 based nucleic acid of the invention as described herein produces recombinant adeno associated virus (rAAV) in the clarified lysate, which comprises at least about 1.5 fold higher quantity or percentage of full capsids when compared with the rAAV in clarified lysate that is produced with xx-680 nucleic acid (e.g., as set forth in SEQ ID NO: 66, SEQ ID NO: 67, or SEQ ID NO: 92). In certain embodiments, the nucleic acid as described herein produces recombinant adeno associated virus (rAAV) particles in the clarified lysate that comprises at least about 1.1 fold higher full capsid particles, at least about 1.2 fold higher, at least about 1.3 fold higher, at least about 1.4 fold higher, at least about 1.5 fold higher, at least about 1.6 fold higher, at least about 1.7 fold higher, at least about 1.8 fold higher, at least about 2 fold higher, at least about 2.2 fold higher, at least about 2.5 fold higher, at least about 2.8 fold higher, at least about 3 fold higher full capsid particles or a greater fold higher full capsid particles when compared with the rAAV in the clarified lysate that is produced with xx-680 nucleic acid (e.g., as set forth in SEQ ID NO: 66, SEQ ID NO: 67, or SEQ ID NO: 92). The Ad helper nucleic acid as described herein thereby produces rAAV with higher % full capsid than that the rAAV produced with xx680 nucleic acid, thus indicating higher packaging efficiency with the helper nucleic acid as described herein than that of xx680 nucleic acid. In certain embodiments, the Ad5 based helper nucleic acid as described herein produces recombinant adeno associated virus (rAAV) in the clarified lysate that has at least about 1.1 fold higher packaging efficiency, at least about 1.2 fold higher, at least about 1.3 fold higher, at least about 1.4 fold higher, at least about 1.5 fold higher, at least about 1.6 fold higher, at least about 1.7 fold higher, at least about 1.8 fold higher, at least about 2 fold higher, at least about 2.2 fold higher, at least about 2.5 fold higher, at least about 2.8 fold higher, at least about 3 fold higher packaging efficiency or a greater fold higher packaging efficiency, when compared with the rAAV in the clarified lysate that is produced with xx-680 nucleic acid (e.g., as set forth in SEQ ID NO: 66, SEQ ID NO: 67, or SEQ ID NO: 92). In some embodiments, the hAd5 based helper nucleic acid as described herein produces the purified or enriched rAAV, wherein the purified or enriched rAAV comprises at least about 1.1 fold higher full capsid particles, at least about 1.2 fold higher, at least about 1.3 fold higher, at least about 1.4 fold higher, at least about 1.5 fold higher, at least about 1.6 fold higher, at least about 1.7 fold higher, at least about 1.8 fold higher, at least about 2 fold higher, at least about 2.2 fold higher, at least about 2.5 fold higher, at least about 2.8 fold higher, at least about 3 fold higher full capsid particles or greater fold higher full capsids when compared with the purified or enriched rAAV that is produced with xx-680 nucleic acid (e.g., as set forth in SEQ ID NO: 66, SEQ ID NO: 67, or SEQ ID NO: 92).

[0174] In one embodiment, the hAd5 based helper nucleic acid as described herein is used to generate recombinant AAV (rAAV) using a AAV Rep-Cap plasmid. In some embodiments, the AAV Rep-Cap plasmid utilizes a recombinant or modified P5 promoter. One example of a modified or recombinant p5 promoter is one in which a spacer sequence is inserted between the p5 TATA and the YY1 box, e.g., as described in International PCT publication no. WO2021242664A1.

[0175] In some embodiments, the hAd5 based helper construct or helper nucleic acid (e.g., helper plasmid and/or helper cDNA) of the invention can be utilized with different viruses that require additional helper components to promote growth and expression including, but not limited to, adenoviruses, lentiviruses, and baculoviruses.

[0176] In some embodiments, the helper construct or helper nucleic acid (e.g., helper plasmid and/or helper cDNA) of the invention can be at most 5001, at most 5101, at most 5201, at most 5301, at most 5401, at most 5501, at most 5601, at most 5701, at most 5801, at most 5901, at most 6001, at most 6101, at most 6201, at most 6301, at most 6401, at most 6501, at most 6601, at most 6701, at most 6801, at most 6901, at most 7001, at most 7101, at most 7201, at most 7301, at most 7401, at most 7501, at most 7601, at most 7701, at most 7801, at most 7901, at most 8001, at most 8101, at most 8201, at most 8301, at most 8401, at most 8501, at most 8601, at most 8701, at most 8801, at most 8901, at most 9001, at most 9101, at most 9201, at most 9301, at most 9401, at most 9501, at most 9601, at most 9701, at most 9801, at most 9901, at most 10001, at most 10101, at most 10201, at most 10301, at most 10401, at most 10501, at most 10601, at most 10701, at most 10801, at most 10901, at most 11001, at most 11101, at most 11201, at most 11301, at most 11401, at most 11501, at most 11601, at most 11701, at most 11801, at most 11901, at most 12001, at most 12101, at most 12201, at most 12301, at most 12401, at most 12501, at most 12601, at most 12701, at most 12801, at most 12901, at most 13001, at most 13101, at most 13201, at most 13301, at most 13401, at most 13501, at most 13601, at most 13701, at most 13801, at most 13901, at most 14001, at most 14101, at most 14201, at most 14301, at most 14401, at most 14501, at most 14601, at most 14701, at most 14801, at most 14901, at most 15001, at most 15101, at most 15201, at most 15301, at most 15401, at most 15501, at most 15601, at most 15701, at most 15801, at most 15901, at most 16001, at most 16101, at most 16201, at most 16301, at most 16401, at most 16501, at most 16601, at most 16701, at most 16801, at most 16901, at most 17001, at most 17101, at most 17201, at most 17301, at most 17401, at most 17501, at most 17601, at most 17701, at most 17801, at most 17901, at most 18001, at most 18101, at most 18201, at most 18301, at most 18401, at most 18501, at most 18601, at most 18701, at most 18801, at most 18901, or at most 18932 nucleotides long.

[0177] Unless specifically defined otherwise, the technical terms, as used herein, have their normal meaning as understood in the art. The following terms are specifically defined with examples for the sake of clarity. As used herein, the singular forms “a”, “an” and “the” are intended to include the plural forms as well, unless the context clearly indicates otherwise. Furthermore, to the extent that the terms “including”, “includes”, “having”, “has”, “with”, or variants thereof are used in either the detailed description and/or the claims, such terms are intended to be inclusive in a manner similar

to the term “comprising.” It must be noted that as used herein and in the appended claims, the singular forms “a,” “an,” and “the” include the plural reference unless the context clearly dictates otherwise. Thus, for example, a reference to a “protein” is a reference to one or more proteins, and includes equivalents thereof known to those skilled in the art and so forth.

[0178] As used herein, the terms “comprising,” “comprise” or “comprised,” and variations thereof, in reference to defined or described elements of an item, composition, apparatus, method, process, system, etc. are meant to be inclusive or open ended, permitting additional elements, thereby indicating that the defined or described item, composition, apparatus, method, process, system, etc. includes those specified elements—or, as appropriate, equivalents thereof—and that other elements can be included and still fall within the scope/definition of the defined item, composition, apparatus, method, process, system, etc.

[0179] The term “cDNA” or “closed ended linear duplexed DNA” as used herein, refers to closed-linear nucleic acid constructs that eliminates the need for bacterial cells and thus, eliminates bacterial sequences (e.g., an antibiotic resistance gene) that are needed for large scale growth in bacteria. An alternative term of cDNA is no-end DNA (neDNA).

[0180] Closed ended linear duplexed DNA molecules or neDNA molecules typically comprise covalently closed ends also described as hairpin loops, where base-pairing between complementary DNA strands is not present. The hairpin loops join the ends of complementary DNA strands. Structures of this type typically form at the telomeric ends of chromosomes in order to protect against loss or damage of chromosomal DNA by sequestering the terminal nucleotides in a closed structure. In examples of closed linear DNA molecules described herein, hairpin loops flank complementary base-paired DNA strands, forming a closed linear (cl) DNA shaped structure. Non limiting examples of closed linear duplexed DNA (cDNA) or no end DNA (neDNA) molecules include doggybone DNA (dbDNA) and/or dumbbell shaped DNA. cDNA may further comprise at least one protelomerase binding site.

[0181] In some embodiments, one or more nucleic acids may be present on close ended linear duplex nucleic acids. Such nucleic acids can be generated by a variety of known methods, including in vitro cell-free synthesis and in vivo methods.

[0182] In certain embodiments, one or more nucleic acid sequence is an amplified linear open ended DNA, with blunt ends or with overhangs, and a synthesized hairpin molecule is ligated to one or both ends to form the closed ended linear duplex DNA comprising one or more of the nucleic acids as described herein. Unligated hairpins are purified away using means well known to those of skill in the art. The DNA may be amplified by PCR and ligated to double stranded form.

[0183] One method of generating the covalently closed ended linear duplex nucleic acid/s is by incorporation of protelomerase binding sites in a precursor molecule such that the protelomerase binding sites flank the nucleic acid of interest. The nucleic acid of interest can be exposed to protelomerase to thereby cleave and ligate the DNA at the site. Non-limiting examples of cell free in vitro synthesis are e.g., described in U.S. Pat. Nos. 9,109,250; 6,451,563; Nucleic Acids Res. 2015 Oct. 15; 43(18): e120; U.S. Pat. No. 9,499,847; Ser. No. 15/508,766; PCT/GB2017/052413;

and Antisense & nucleic acid drug development 11:149-153 (2001); herein incorporated by reference in their entirety. The DNA from cell free in vitro synthesis is devoid of any prokaryotic DNA modifications.

[0184] A recombinant AAV vector genome can be designed having at least one of wild type ITR, synthetic ITR, or DD ITR, or a combination thereof, flanked by an imperfect palindromic structure containing protelomerase sites such as telRL. The template is used to produce closed linear double stranded nucleic acid vector when cleaved by a telomerase to form covalently closed ends. In one embodiment, the vector comprises two DD ITRs, an expression cassette, and flanked on each side of the DD ITRs is a telomerase target site, which can be cleaved by the telomerase to form covalently closes the ends. Closed linear DNA comprises half of protelomerase binding site.

[0185] In addition, a prokaryotic system can be used. In lysogenic bacteria, the bacteriophage N15 exists as a linear extrachromosomal DNA with covalently closed ends (see Rybchin V N, Svarchevsky A N (1999) The plasmid prophage N15: a linear DNA with covalently closed ends. Mol Microbiol 33:895-903). This DNA arises by a cleaving-joining reaction, which is exerted by a single enzyme, a protelomerase, for example, TelN (prokaryotic telomerase) [Deneke J, Ziegelin G, Lurz R, Lanka E (2000) The protelomerase of temperate *Escherichia coli* phage N15 has cleaving-joining activity. Proc Natl Acad Sci USA 97:7721-7726]. A protelomerase such as TelN recognizes a target sequence in double-stranded DNA. The target site is an imperfect palindromic structure termed telRL, which is formed by the two halves telR and telL, corresponding to the covalently closed ends of the linear prophage. The enzyme cleaves both DNA strands and joins the resulting ends to form covalently closed hairpin structures. The resulting DNA molecule has two hairpin loops. TelN is able to linearize a recombinant plasmid harboring the telRL site [Deneke J, et al., (2000). Proc Natl Acad Sci USA 97:7721-7726]. Therefore, one can employ this enzyme on a plasmid DNA for expression in higher organisms.

[0186] In certain embodiments, an in vivo cell system is used to produce close ended linear duplex nucleic acids. The method comprises using a cell that expresses a protelomerase, such as TelN, or other protelomerase, wherein the protelomerase gene is under the control of a regulatable promoter. For example, an inducible promoter such as a small molecule regulated promoter or a temperature sensitive promoter, e.g., a heat shock promoter. After sufficient production of the nucleic acid of interest, or combination thereof, one can allow the protelomerase to be expressed which will excise the nucleic acid of interest from the template.

[0187] In certain embodiments, the in vivo cell system is used to produce a non-viral DNA vector construct for delivery of a predetermined nucleic acid sequence into a target cell for sustained expression. The non-viral DNA vector comprises, two DD-ITRs each comprising: an inverted terminal repeat having an A, A', B, B', C, C' and D region; a D' region; and wherein the D and D' region are complementary palindromic sequences of about 5-20 nt in length, are positioned adjacent the A and A' region; the predetermined nucleic acid sequence (e.g., a heterologous gene for expression); wherein the two DD-ITRs flank the nucleic acid in the context of covalently closed non-viral

DNA and wherein the closed linear vector comprises a $\frac{1}{2}$ protelomerase binding site on each end.

[0188] The TelN/telRL system described herein can be used to produce the closed linear DNA fragments either by linearizing a parental plasmid containing one telRL site or by excising the DNA fragment, or non-viral vector fragment, comprising a promoter, the gene of interest, a polyadenylation signal from the parental plasmid with two flanking ITRs, further having two telRL sites flanking the respective segment. In one embodiment, there is at least one double "D" ITR. The resulting linear covalently closed DNA molecules are functional in vivo.

[0189] The system comprises recombinant host cells. Suitable host cells for use in the present production system include microbial cells, for example, bacterial cells such as *E. coli* cells, and yeast cells such as *S. cerevisiae*. Mammalian host cells may also be used including Chinese hamster ovary (CHO) cell for example of K1 lineage (ATCC CCL 61) including the Pro5 variant (ATCC CRL 1281); the fibroblast-like cells derived from SV40-transformed African Green monkey kidney of the CV-1 lineage (ATCC CCL 70), of the COS-1 lineage (ATCC CRL 1650) and of the COS-7 lineage (ATCC CRL 1651; murine L-cells, murine 3T3 cells (ATCC CRL 1658), murine C127 cells, human embryonic kidney cells of the 293 lineage (ATCC CRL 1573), human carcinoma cells including those of the HeLa lineage (ATCC CCL 2), and neuroblastoma cells of the lines IMR-32 (ATCC CCL 127), SK-N-MC (ATCC HTB 10) and SK-N-SH (ATCC HTB 11).

[0190] The host cell is designed to encode at least one recombinase. The host cell may also be designed to encode two or multiple recombinases. The term "recombinase" refers to an enzyme that catalyzes DNA exchange at a specific target site, for example, a palindromic sequence, by excision/insertion, inversion, translocation and exchange. Examples of suitable recombinases for use in the present system include, but are not limited to, TelN, Tel, Tel (gp26 K02 phage) Cre, Flp, phiC31, Int and other lambdoid phage integrases, e.g., phi 80, HK022 and HP1 recombinases. The target sequences for each of these recombinases are, respectively:

the telRL site: (SEQ ID NO: 45)
tattcagcacacaattgcccattatcacgcgcgtataatggactattgtgt
gctgata;
the pal site: (SEQ ID NO: 46)
ACCTATTTTCAGCATACTACGCGCGTAGTATGCTGAAATAGGT;
the ϕ K02 telRL site: (SEQ ID NO: 47)
CCATTATACGCGGTATAATGG;
the loxP site: (SEQ ID NO: 48)
TAACCTCGTATAGCATACATTATACGAAGTTAT;
the FRT site: (SEQ ID NO: 49)
GAAGTTCCTATTCTCTAGAAAGTATAGGAAGTTC

-continued

the phiC31 attP site:

(SEQ ID NO: 50)

CCCAGGTCAGAAGCGGTTTTTCGGGAGTAGTGCCCAACTGGGGTAACTT
TTGAGTTCTCTCAGTT GGGGGCGTAGGGTCGCCGACAYGACACAAGGG
GTT;
and

the λ attP site:

(SEQ ID NO: 51)

TGATAGTGACCTGTTCTGTCGAACACATTGATGAGCAATGCTTTTTTAT
AATGCCAACTTTGTACAA AAAAGCTGAACGAGAAACGTAAATGATAT
AAA.

[0191] Expression of the recombinase is under the control of any regulated or inducible promoter, i.e. a promoter which is activated under a particular physical or chemical condition or stimulus. Examples of suitable promoters include thermally-regulated promoters such as the λ pL promoter, the IPTG regulated lac promoter, the glucose regulated ara promoter, the T7 polymerase regulated promoter, cold-shock inducible cspA promoter, pH inducible promoters, or combinations thereof, such as tac (T7 and lac) dual regulated promoter.

[0192] Alternate methods of generating covalently closed ended linear duplexed DNA that lack bacterial sequences are known in the art e.g., by formation of mini-circle DNA from plasmids (e.g., as described in U.S. Pat. Nos. 8,828,726, and 7,897,380, the contents of each of which are incorporated by reference in their entirety). For example, one method of cell-free synthesis combines the use of two enzymes—Phi29 DNA polymerase and a protelomerase, and generates high fidelity, covalently closed, linear DNA constructs. The constructs contain no antibiotic resistance markers, and therefore eliminate the packaging of these sequences. The process can amplify AAV genome DNA in a 2-week process at commercial scale and maintain the ITR sequences required for virus production.

[0193] Phi29 DNA polymerase is used to amplify double-stranded DNA by rolling circle amplification, and a protelomerase to generate covalently closed ended linear duplexed DNA, which coupled with a streamlined purification process, results in a pure DNA product containing just the sequence of interest. Phi29 DNA polymerase has high fidelity (1×10^6 - 1×10^7) and high processivity (approximately 70 kbp). These features make this polymerase particularly suitable for the large-scale production of GMP DNA. Protelomerases (also known as telomere resolvases) catalyze the formation of covalently closed hairpin ends on linear DNA and have been identified in some phages, bacterial plasmids and bacterial chromosomes. A pair of protelomerases recognizes inverted palindromic DNA recognition sequences and catalyzes strand breakage, strand exchange and DNA ligation to generate closed linear hairpin ends. The formation of these closed ended structures makes the DNA resistant to exonuclease activity, allowing for simple purification and can improve stability and duration of expression.

[0194] In one embodiment, the DNA construct comprises a protelomerase binding site and the covalently closed ends are formed by protelomerase enzyme activity (e.g., in vitro). Protelomerase binding sites and corresponding protelomerases for use in the invention are provided in U.S. Pat. No. 9,499,847, the contents of which are incorporated herein by reference in their entirety. A protelomerase target sequence as used in the invention preferably comprises a double

stranded palindromic (perfect inverted repeat) sequence of at least 14 base pairs in length. Preferred perfect inverted repeat sequences include the sequences of SEQ ID NOs: 52 to 57 and variants thereof. SEQ ID NO: 52 (NCATNN-TANNCGNNTANNATGN) is a 22 base consensus sequence for a mesophilic bacteriophage perfect inverted repeat. Base pairs of the perfect inverted repeat are conserved at certain positions between different bacteriophages, while flexibility in sequence is possible at other positions. Thus, SEQ ID NO: 52 is a minimum consensus sequence for a perfect inverted repeat sequence for use with a bacteriophage protelomerase in the process of the present invention. **[0195]** Within the consensus defined by SEQ ID NO: 52, SEQ ID NO: 53 (CCATTATACGCGCGTATAATGG) is a perfect inverted repeat sequence for use with *E. coli* phage N15, and *Klebsiella* phage Phi K02 protelomerases. Also within the consensus defined by (SEQ ID NO: 52) and/or (SEQ ID NOs: 54 to 57): SEQ ID NO: 54 (GCATAC-TACGCGCGTAGTATGC), SEQ ID NO: 55 (CCATAC-TATACGTATAGTATGG), SEQ ID NO: 56 (GCATAC-TATACGTATAGTATGC), are particularly preferred perfect inverted repeat sequences for use respectively with protelomerases from *Yersinia* phage PY54, *Halomonas* phage phi-HAP-1, and *Vibrio* phage VP882. SEQ ID NO: 57 (AT-TATATATATAAT) is a particularly preferred perfect inverted repeat sequence for use with a *Borrelia burgdorferi* protelomerase. This perfect inverted repeat sequence is from a linear covalently closed plasmid, lpB31.16 comprised in *Borrelia burgdorferi*. This 14 base sequence is shorter than the 22 bp consensus perfect inverted repeat for bacteriophages (SEQ ID NO: 52), indicating that bacterial protelomerases may differ in specific target sequence requirements to bacteriophage protelomerases. However, all protelomerase target sequences share the common structural motif of a perfect inverted repeat.

[0196] The perfect inverted repeat sequence may be greater than 22 bp in length depending on the requirements of the specific protelomerase used in the process as described herein. Thus, in some embodiments, the perfect inverted repeat may be at least 30, at least 40, at least 60, at least 80 or at least 100 base pairs in length. Examples of such perfect inverted repeat sequences include SEQ ID NOs: 58 to 60 and variants thereof. SEQ ID NO: 58 (GGCATAC-TATACGTATAGTATGCC); SEQ ID NO: 59 (ACCTAT-TTCAGCATACTACGCGCGTAGTATGCT-GAAATAGGT); SEQ ID NO: 60 (CCTATATTGGGC-CACCTATGTATGCACAGTTCGCCCATACACTATACGTATAGTATGGGCGAACTGTGCATACATAGGTGGCCCAATATAGG). SEQ ID NOs: 58 to 60 and variants thereof are particularly preferred for use respectively with protelomerases from *Vibrio* phage VP882, *Yersinia* phage PY54 and *Halomonas* phage phi HAP-1.

[0197] The perfect inverted repeat may be flanked by additional inverted repeat sequences.

[0198] The flanking inverted repeats may be perfect or imperfect repeats i.e. may be completely symmetrical or partially symmetrical. The flanking inverted repeats may be contiguous with or non-contiguous with the central palindrome. The protelomerase target sequence may comprise an imperfect inverted repeat sequence which comprises a perfect inverted repeat sequence of at least 14 base pairs in length. An example is SEQ ID NO: 65. The imperfect inverted repeat sequence may comprise a perfect inverted repeat sequence of at least 22 base pairs in length. An example is SEQ ID NO: 61.

[0199] In certain embodiments, the protelomerase target sequences comprise the sequences of SEQ ID NOs: 61 to 65 or variants thereof. SEQ ID NO: 61: (TATCAGCACACAATTGCCATTATACG-CGCGTATAATGGACTATTG TGTGCTGATA); SEQ ID NO: 62 (ATGCGCGCATCCAT-TATACGCGCTATAATGGCGATAATACA); SEQ ID NO: 63 (TAGTCACCTATTTTCAGCATAC-TACGCGCGTAGTATGCTGAAATAGG TTACTG); SEQ ID NO: 64: (GGGATCCCCGTCCATACATACATGTATC-CATGTGGCATACTATACG TATAGTATGCCGATGTTCATATGGTATCATTCGGGATCCCGTT); SEQ ID NO: 65 (TACTAAATAAATATTATATATAATTTTATTAGTA).

[0200] The sequences of SEQ ID NOs: 61 to 65 comprise perfect inverted repeat sequences as described above, and additionally comprise flanking sequences from the relevant organisms. A protelomerase target sequence comprising the sequence of SEQ ID NO: 61 or a variant thereof is preferred for use in combination with *E. coli* N15 TelN protelomerase and variants thereof. A protelomerase target sequence comprising the sequence of SEQ ID NO: 62 or a variant thereof is preferred for use in combination with *Klebsiella* phage Phi K02 protelomerase and variants thereof. A protelomerase target sequence comprising the sequence of SEQ ID NO: 63 or a variant thereof is preferred for use in combination with *Yersinia* phage PY54 protelomerase and variants thereof. A protelomerase target sequence comprising the sequence of SEQ ID NO: 64 or a variant thereof is preferred for use in combination with *Vibrio* phage VP882 protelomerase and variants thereof. A protelomerase target sequence comprising the sequence of SEQ ID NO: 65 or a variant thereof is preferred for use in combination with a *Borrelia burgdorferi* protelomerase.

[0201] Variants of any of the palindrome or protelomerase target sequences described above include homologues or mutants thereof. Mutants include truncations, substitutions or deletions with respect to the native sequence. A variant sequence is any sequence whose presence in the DNA template allows for its conversion into a closed ended linear duplexed DNA by the enzymatic activity of protelomerase. This can readily be determined by use of an appropriate assay for the formation of closed linear DNA. Any suitable assay described in the art may be used. An example of a suitable assay is described in Deneke et al., PNAS (2000) 97, 7721-7726. In certain embodiments, the variant allows for protelomerase binding and activity that is comparable to that observed with the native sequence. Examples of preferred variants of palindrome sequences described herein include truncated palindrome sequences that preserve the perfect repeat structure, and remain capable of allowing for formation of closed linear DNA. However, variant protelomerase target sequences may be modified such that they no longer preserve a perfect palindrome, provided that they are able to act as substrates for protelomerase activity.

[0202] It should be understood that the skilled person would readily be able to identify suitable protelomerase target sequences for use in the invention on the basis of the structural principles outlined above. Candidate protelomerase target sequences can be screened for their ability to promote formation of closed linear DNA using the assays described above.

[0203] The covalently closed vectors described herein may be generated in vitro or in vivo. The vectors are covalently closed linear double stranded vectors capable of

expressing transgene in a target cell. One example of an in vitro process for the production of a closed linear expression cassette DNA, e.g., containing the ITRs described herein, comprises a) contacting a DNA template comprising at least one expression cassette flanked on either side by a protelomerase target sequence with at least one DNA polymerase in the presence of one or more primers under conditions promoting amplification of said template; and b) contacting amplified DNA produced in a) with at least one, protelomerase under conditions promoting formation of a closed linear expression cassette DNA. The closed linear expression cassette DNA product may comprise, consist or consist essentially of a eukaryotic promoter operably linked to a coding sequence of interest, and optionally a eukaryotic transcription termination sequence. The closed linear expression cassette DNA product may additionally lack one or more bacterial or vector sequences, typically selected from the group consisting of: (i) bacterial origins of replication; (ii) bacterial selection markers (typically antibiotic resistance genes) and (iii) unmethylated CpG motifs.

[0204] As outlined above, any DNA template comprising at least one protelomerase target sequence may be amplified according to the process as described herein. Thus, although production of therapeutic DNA molecules, e.g., for DNA vaccines or other therapeutic proteins and nucleic acid is preferred, the process as described herein may be used to produce any type of closed linear DNA. The DNA template may be a double stranded (ds) or a single stranded (ss) DNA. A double stranded DNA template may be an open circular double stranded DNA, a closed circular double stranded DNA, an open linear double stranded DNA or a closed linear double stranded DNA. Preferably, the template is a closed circular double stranded DNA. Closed circular dsDNA templates are particularly preferred for use with RCA (rolling circle amplification) DNA polymerases. A circular dsDNA template may be in the form of a plasmid or other vector typically used to house a gene for bacterial propagation. Thus, the process as described herein may be used to amplify any commercially available plasmid or other vector, such as a commercially available DNA medicine, and then convert the amplified vector DNA into closed linear DNA.

[0205] An open circular dsDNA may be used as a template where the DNA polymerase is a strand displacement polymerase which can initiate amplification from at a nicked DNA strand. In this embodiment, the template may be previously incubated with one or more enzymes which nick a DNA strand in the template at one or more sites. A closed linear dsDNA may also be used as a template. The closed linear dsDNA template (starting material) may be identical to the closed linear DNA product. Where a closed linear DNA is used as a template, it may be incubated under denaturing conditions to form a single stranded circular DNA before or during conditions promoting amplification of the template DNA. In one embodiment, the close ended linear duplex DNA is produced in eukaryotic cells for example insect cells as described in PCT publications WO 2019032102 and WO 2019169233. In one embodiment, the DNA is not produced in eukaryotic cells and DNA lacks eukaryotic sequences. In one embodiment, the close ended linear duplex DNA vectors are produced as described in PCT publication WO 2019143885.

[0206] As outlined above, the DNA template typically comprises an expression cassette as described above, i.e., comprising, consisting or consisting essentially of a eukary-

otic promoter operably linked to a sequence encoding a protein of interest, and optionally a eukaryotic transcription termination sequence. Optionally the expression cassette may be a minimal expression cassette as defined above, i.e. lacking one or more bacterial or vector sequences, typically selected from the group consisting of: (i) bacterial origins of replication; (ii) bacterial selection markers (typically antibiotic resistance genes) and (iii) unmethylated CpG motifs.

[0207] The term “non-adherent cell line” or “suspension cell line”, as used herein, refers to a cell line that is able to survive in a suspension culture without being attached to a surface (e.g., tissue culture plastic carrier or micro-carrier). The adaptation to a non-adherent cell line is a prolonged process requiring passaging with diminishing amounts of serum, thereby selecting an irreversibly modified cell population. The cell line can be grown to a higher density than adherent conditions would allow and is, thus, more suited for culturing in an industrial scale, e.g., in a bioreactor setting or in an agitated culture.

[0208] As used in this specification and the appended claims, the term “or” is generally employed in its sense including “and/or” unless the content clearly dictates otherwise.

[0209] As used herein, the terms “recombinant AAV (rAAV) vector” or “gene delivery vector” refer to a virus particle that functions as a nucleic acid delivery vehicle, and which comprises the vector genome (e.g., viral DNA [vDNA]) packaged within an AAV capsid. Alternatively, in some contexts, the term “vector” may be used to refer to the vector genome/vDNA alone.

[0210] A “rAAV vector genome” or “rAAV genome” is an AAV genome (i.e., vDNA) that comprises one or more heterologous nucleotide sequences. rAAV vectors generally require only the 145 base terminal repeat(s) (TR(s)) in cis to generate virus. All other viral sequences are dispensable and may be supplied in trans (Muzyczka, (1992) *Curr. Topics Microbiol. Immunol.* 158:97). Typically, the rAAV vector genome will only retain the minimal TR sequence(s) so as to maximize the size of the transgene that can be efficiently packaged by the vector. The structural and non-structural protein coding sequences may be provided in trans (e.g., from a vector, such as a plasmid, or by stably integrating the sequences into a packaging cell). The rAAV vector genome comprises at least one TR sequence (e.g., AAV TR sequence, synthetic, or other parvovirus TR sequence), optionally two TRs (e.g., two AAV TRs), which typically will be at the 5' and 3' ends of the heterologous nucleotide sequence(s), but need not be contiguous thereto. The TRs can be the same or different from each other.

[0211] The rAAV can further comprise and express a transgene. A “transgene” is used herein to refer to a polynucleotide or a nucleic acid that is intended or has been introduced into a cell or organism. Transgenes include any nucleic acid, such as a gene that encodes a polypeptide or protein. Suitable transgenes, for example, for use in gene therapy are well known to those of skill in the art. For example, the vectors described herein can deliver transgenes and uses that include, but are not limited to, those described in U.S. Pat. Nos. 6,547,099; 6,506,559; and 4,766,072; Published U.S. Application No. 20020006664; 20030153519; 20030139363; and published PCT applications of WO 01/68836 and WO 03/010180, and e.g., miR-

NAs and other transgenes of WO2017/152149; each of which are hereby incorporated herein by reference in their entirety.

[0212] The term “variant,” when used in the context of a polynucleotide sequence, may encompass a polynucleotide sequence related to a wild type gene. This definition may also include, for example, “allelic,” “splice,” “species,” or “polymorphic” variants. A splice variant may have significant identity to a reference molecule, but will generally have a greater or lesser number of polynucleotides due to alternate splicing of exons during mRNA processing. The corresponding polypeptide may possess additional functional domains or an absence of domains. Species variants are polynucleotide sequences that vary from one species to another. Of particular utility in the technology are variants of wild type gene products. Variants may result from at least one mutation in the nucleic acid sequence and may result in altered mRNAs or in polypeptides whose structure or function may or may not be altered. Any given natural or recombinant gene may have none, one, or many allelic forms. Common mutational changes that give rise to variants are generally ascribed to natural deletions, additions, or substitutions of nucleotides. Each of these types of changes may occur alone, or in combination with the others, one or more times in a given sequence.

[0213] The term “nucleic acid” as used herein typically refers to an oligomer or polymer (preferably a linear polymer) of any length composed essentially of nucleotides. A nucleotide unit commonly includes a heterocyclic base, a sugar group, and at least one, e.g., one, two, or three, phosphate groups, including modified or substituted phosphate groups. Heterocyclic bases may include inter alia purine and pyrimidine bases such as adenine (A), guanine (G), cytosine (C), thymine (T) and uracil (U) which are widespread in naturally-occurring nucleic acids, other naturally-occurring bases (e.g., xanthine, inosine, hypoxanthine) as well as chemically or biochemically modified (e.g., methylated), non-natural or derivatised bases. Sugar groups may include inter alia pentose (pentofuranose) groups such as preferably ribose and/or 2-deoxyribose common in naturally-occurring nucleic acids, or arabinose, 2-deoxyarabinose, threose or hexose sugar groups, as well as modified or substituted sugar groups. Nucleic acids as intended herein may include naturally occurring nucleotides, modified nucleotides or mixtures thereof. A modified nucleotide may include a modified heterocyclic base, a modified sugar moiety, a modified phosphate group or a combination thereof. Modifications of phosphate groups or sugars may be introduced to improve stability, resistance to enzymatic degradation, or some other useful property. The term “nucleic acid” further preferably encompasses DNA, RNA and DNA RNA hybrid molecules, specifically including hnRNA, pre-mRNA, mRNA, cDNA, genomic DNA, amplification products, oligonucleotides, and synthetic (e.g., chemically synthesised) DNA, RNA or DNA RNA hybrids. In some embodiments, the nucleic acid is viral DNA or viral RNA. A nucleic acid can be naturally occurring, e.g., present in or isolated from nature; or can be non-naturally occurring, e.g., recombinant, i.e., produced by recombinant DNA technology, and/or partly or entirely, chemically or biochemically synthesised. A “nucleic acid” can be double-stranded, partly double stranded, or single-stranded. Where single-

stranded, the nucleic acid can be the sense strand or the antisense strand. In addition, nucleic acid can be circular or linear.

[0214] A variant amino acid or DNA sequence can be at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or more, identical to a native or reference sequence. The degree of homology (percent identity) between a native and a mutant sequence can be determined, for example, by comparing the two sequences using freely available computer programs commonly employed for this purpose on the world wide web (e.g., BLASTp or BLASTn with default settings).

[0215] The terms “identity” and “identical” and the like refer to the sequence similarity between two polymeric molecules, e.g., between two nucleic acid molecules, such as between two DNA molecules. Sequence alignments and determination of sequence identity can be done, e.g., using the Basic Local Alignment Search Tool (BLAST) originally described by Altschul et al. 1990 (J Mol Biol 215: 403-10), such as the “Blast 2 sequences” algorithm described by Tatusova and Madden 1999 (FEMS Microbiol Lett 174: 247-250).

[0216] Methods for aligning sequences for comparison are well-known in the art. Various programs and alignment algorithms are described in, for example: Smith and Waterman (1981) Adv. Appl. Math. 2:482; Needleman and Wunsch (1970) J. Mol. Biol. 48:443; Pearson and Lipman (1988) Proc. Natl. Acad. Sci. U.S.A. 85:2444; Higgins and Sharp (1988) Gene 73:237-44; Higgins and Sharp (1989) CABIOS 5:151-3; Corpet et al. (1988) Nucleic Acids Res. 16:10881-90; Huang et al. (1992) Comp. Appl. Biosci. 8:155-65; Pearson et al. (1994) Methods Mol. Biol. 24:307-31; Tatiana et al. (1999) FEMS Microbiol. Lett. 174:247-50. A detailed consideration of sequence alignment methods and homology calculations can be found in, e.g., Altschul et al. (1990) J. Mol. Biol. 215:403-10.

[0217] The National Center for Biotechnology Information (NCBI) Basic Local Alignment Search Tool (BLAST™; Altschul et al. (1990)) is available from several sources, including the National Center for Biotechnology Information (Bethesda, MD), and on the internet, for use in connection with several sequence analysis programs. A description of how to determine sequence identity using this program is available on the internet under the “help” section for BLAST™. For comparisons of nucleic acid sequences, the “Blast 2 sequences” function of the BLAST™ (Blastn) program may be employed using the default parameters. Nucleic acid sequences with even greater similarity to the reference sequences will show increasing percentage identity when assessed by this method. Typically, the percentage sequence identity is calculated over the entire length of the sequence.

[0218] For example, a global optimal alignment is suitably found by the Needleman-Wunsch algorithm with the following scoring parameters: Match score: +2, Mismatch score: -3; Gap penalties: gap open 5, gap extension 2. The percentage identity of the resulting optimal global alignment is suitably calculated by the ratio of the number of aligned bases to the total length of the alignment, where the alignment length includes both matches and mismatches, multiplied by 100.

[0219] The adenovirus-based nucleic acids described herein can be synthetic. “Synthetic” in the present applica-

tion means a nucleic acid molecule that does not occur in nature. Synthetic nucleic acid expression constructs of the present invention are produced artificially, typically by recombinant technologies. Such synthetic nucleic acids may contain naturally occurring sequences (e.g., promoter, enhancer, intron, and other such regulatory sequences), but these are present in a non-naturally occurring context. For example, a synthetic gene (or portion of a gene) typically contains one or more nucleic acid sequences that are not contiguous in nature (chimeric sequences), and/or may encompass substitutions, insertions, and deletions and combinations thereof. The term “synthetic promoter” as used herein relates to a promoter that does not occur in nature.

[0220] In some embodiments of any of the aspects, the adenovirus-based nucleic acids described herein are exogenous. In some embodiments of any of the aspects, the adenovirus-based nucleic acids described herein are ectopic. In some embodiments of any of the aspects, the adenovirus-based nucleic acids described herein are not endogenous.

[0221] The term “exogenous” refers to a substance present in a cell other than its native source. The term “exogenous” when used herein can refer to a nucleic acid (e.g., a nucleic acid encoding a polypeptide) or a polypeptide that has been introduced by a process involving the hand of man into a biological system such as a cell or organism in which it is not normally found and one wishes to introduce the nucleic acid or polypeptide into such a cell or organism. Alternatively, “exogenous” can refer to a nucleic acid or a polypeptide that has been introduced by a process involving the hand of man into a biological system such as a cell or organism in which it is found in relatively low amounts and one wishes to increase the amount of the nucleic acid or polypeptide in the cell or organism, e.g., to create ectopic expression or levels. In contrast, the term “endogenous” refers to a substance that is native to the biological system or cell. As used herein, “ectopic” refers to a substance that is found in an unusual location and/or amount. An ectopic substance can be one that is normally found in a given cell, but at a much lower amount and/or at a different time. Ectopic also includes a substance, such as a polypeptide or nucleic acid that is not naturally found or expressed in a given cell in its natural environment.

[0222] “Complementary” or “complementarity”, as used herein, refers to the Watson-Crick base-pairing of two nucleic acid sequences. For example, for the sequence 5'-AGT-3' binds to the complementary sequence 3'-TCA-5'. Complementarity between two nucleic acid sequences may be “partial”, in which only some of the bases bind to their complement, or it may be complete as when every base in the sequence binds to its complementary base. The degree of complementarity between nucleic acid strands has significant effects on the efficiency and strength of hybridisation between nucleic acid strands.

[0223] As used herein, the term “amino acid” encompasses any naturally occurring amino acid, modified forms thereof, and synthetic amino acids.

[0224] A “vector” refers to a compound used as a vehicle to carry foreign genetic material into another cell, where it can be replicated and/or expressed. A cloning vector containing foreign nucleic acid is termed a recombinant vector. Examples of nucleic acid vectors are plasmids, viral vectors, cosmids, and artificial chromosomes. Recombinant vectors typically contain an origin of replication, a multicloning site, and a selectable marker. The nucleic acid sequence typically

consists of an insert (recombinant nucleic acid or transgene) and a larger sequence that serves as the “backbone” of the vector. The purpose of a vector which transfers genetic information to another cell is typically to isolate, multiply, or express the insert in the target cell. Expression vectors (expression constructs) are for the expression of the exogenous gene in the target cell, and generally have a promoter sequence that drives expression of the exogenous gene/ORF. Insertion of a vector into the target cell is referred to transformation or transfection for bacterial and eukaryotic cells, although insertion of a viral vector is often called transduction. The term “vector” may also be used in general to describe items to that serve to carry foreign genetic material into another cell, such as, but not limited to, a transformed cell or a nanoparticle.

[0225] As used herein, “transfection” refers to the insertion of a nucleic acid into a target cell. In some embodiments, the target cell is a mammalian cell. In some embodiments, the target cell is a suspension HEK293 cell. There are two different types of transfection: stable transfection and transient transfection. Stable transfection incorporates exogenous nucleic acids into the transfected cell’s genome whereas in transient transfection, the exogenous nucleic acids are present only for a limited time in the cell and do not integrate with the transfected cell’s genome. In some embodiments, the transfection method used is transient transfection. In some embodiments, the transfection method used is stable transfection. Transfection can be performed with a variety of methods including, but not limited to, calcium phosphate, electroporation, and/or cationic lipid-mediated methods (e.g., LIPOFECTAMINE, polyethylenimine (PEI)). In some embodiments, the transfection method uses polyethylenimine. Transfection can require an optimal cell density based on the cell type, application, and/or transfection technology.

[0226] As used herein, “sufficient cell mass” refers to an optimal cell density for transfection. In some embodiments, suspension HEK293 cells are expanded to produce sufficient cell mass to seed a bioreactor from at least a 25 L scale. In order to achieve maximum production of the rAAV virion of interest, cells can require at least 10 hours, at least 11 hours, at least 12 hours, at least 13 hours, at least 14 hours, at least 15 hours, at least 16 hours, at least 17 hours, at least 18 hours, at least 19 hours, at least 20 hours, at least 21 hours, at least 22 hours, at least 23 hours, at least 24 hours, at least 25 hours, at least 26 hours, at least 27 hours, at least 28 hours, at least 29 hours, at least 30 hours, at least 31 hours, at least 32 hours, at least 33 hours, at least 34 hours, at least 35 hours, at least 36 hours, at least 37 hours, at least 38 hours, at least 39 hours, at least 40 hours, at least 41 hours, at least 42 hours, at least 43 hours, at least 44 hours, at least 45 hours, at least 46 hours, at least 47 hours, at least 48 hours, at least 49 hours, at least 50 hours, at least 51 hours, at least 52 hours, at least 53 hours, at least 54 hours, at least 55 hours, at least 56 hours, at least 57 hours, at least 58 hours, at least 59 hours, at least 60 hours, at least 61 hours, at least 62 hours, at least 63 hours, at least 64 hours, at least 65 hours, at least 66 hours, at least 67 hours, at least 68 hours, at least 69 hours, at least 70 hours, at least 71 hours, at least 72 hours, at least 73 hours, at least 74 hours, at least 75 hours, at least 76 hours, at least 77 hours, at least 78 hours, at least 79 hours, at least 80 hours, at least 81 hours, at least 82 hours, at least 83 hours, at least 84 hours, at least 85 hours, at least 86 hours, at least 87 hours, at least 88

hours, at least 89 hours, at least 90 hours, at least 91 hours, at least 92 hours, at least 93 hours, at least 94 hours, at least 95 hours, at least 96 hours, at least 97 hours, at least 98 hours, at least 99 hours, at least 100 hours or more post-transfection before harvesting virions from the transfected cells.

[0227] Transfection of multiple nucleic acids into the same cells can occur simultaneously or it can occur within 5 minutes, within 10 minutes, within 15 minutes, within 20 minutes, within 25 minutes, within 30 minutes, within 35 minutes, within 40 minutes, within 45 minutes, within 50 minutes, within 60 minutes, within 65 minutes, within 70 minutes, within 75 minutes, within 80 minutes, within 85 minutes, within 90 minutes, within 95 minutes, within 100 minutes, within 110 minutes, within 120 minutes, within 130 minutes, within 140 minutes, within 150 minutes, within 160 minutes, within 170 minutes, within 180 minutes, within 190 minutes, within 200 minutes, within 210 minutes, within 220 minutes, within 230 minutes, within 240 minutes, within 250 minutes, within 260 minutes, within 270 minutes, within 280 minutes, within 290 minutes, within 300 minutes, within 310 minutes, within 320 minutes, within 330 minutes, within 340 minutes, within 350 minutes, within 360 minutes or more between transfection of the first nucleic acid and transfection of subsequent nucleic acids.

[0228] “Delivery vectors” are used to deliver their nucleic acid cargo into a cell, typically to express the nucleic acid in the cell. In one embodiment, delivery vectors of the present invention include, without limitation viral vectors. A variety of viral vectors are known in the art (e.g., those derived from herpesvirus, Epstein-Barr virus, retrovirus, baculovirus, adenovirus, or parvovirus such as adeno-associated virus). Non-viral delivery vectors are also known in the art and their use is also encompassed by the instant invention. In one embodiment, the viral vector is a recombinant adeno-associated virus (AAV). Such viral vectors comprise an AAV capsid and can package an AAV or rAAV genome or any other nucleic acid including viral nucleic acids. Alternatively, in some contexts, the term “vector,” “virus vector,” “delivery vector” (and similar terms) may be used to refer to the vector genome (e.g., vDNA) in the absence of the virion and/or to a viral capsid that acts as a transporter to deliver molecules tethered to the capsid or packaged within the capsid.

[0229] The virus vectors described herein can further be duplexed as parvovirus particles as described in international patent publication WO 01/92551 (the disclosure of which is incorporated herein by reference in its entirety). Thus, in some embodiments, double stranded (duplex) genomes can be packaged.

[0230] As used herein, the terms “virus vector,” “viral vector,” “vector” or “gene delivery vector” refer to a virus (e.g., AAV) particle that functions as a nucleic acid delivery vehicle, and which comprises the vector genome (e.g., viral DNA [vDNA]) packaged within a virion.

[0231] Further, the viral capsid or genomic elements can contain other modifications, including insertions, deletions and/or substitutions.

[0232] A “chimeric” capsid protein as used herein means an AAV capsid protein that has been modified by substitutions in one or more (e.g., 2, 3, 4, 5, 6, 7, 8, 9, 10, etc.) amino acid residues in the amino acid sequence of the capsid protein relative to wild type, as well as insertions and/or

deletions of one or more (e.g., 2, 3, 4, 5, 6, 7, 8, 9, 10, etc.) amino acid residues in the amino acid sequence relative to wild type. In some embodiments, complete or partial domains, functional regions, epitopes, etc., from one AAV serotype can replace the corresponding wild type domain, functional region, epitope, etc. of a different AAV serotype, in any combination, to produce a chimeric capsid protein of this invention. Production of a chimeric capsid protein can be carried out according to protocols well known in the art and a significant number of chimeric capsid proteins are described in the literature as well as herein that can be included in the capsid of this invention.

[0233] As used herein, the term “haploid AAV” or, “poly-ploid AAV” or “rational polyploid AAV” shall mean that AAV having at least one of three structural proteins VP1, VP2, and VP3 from a different AAV serotype than at least one other or, the other two structural proteins, e.g., as described in International Application PCT/US2018/022725, PCT/US2018/044632, U.S. Pat. No. 10,550,405, all of which are incorporated herein by reference in their entireties. The Ad5 based nucleic acid of the invention (e.g., XX85 or, XX85 hybrid as described herein) is used to produce haploid AAV, or, polyploid AAV or, rational polyploid AAV as described in the references above.

[0234] The term “hybrid” AAV vector or parvovirus refers to a rAAV vector where the viral TRs or ITRs and viral capsid are from different parvoviruses or adenoviruses. Hybrid vectors are described in international patent publication WO 00/28004 and Chao et al., (2000) Molecular Therapy 2:619. For example, a hybrid AAV vector typically comprises the adenovirus 5' and 3' cis ITR sequences sufficient for adenovirus replication and packaging (i.e., the adenovirus terminal repeats and PAC sequence). Examples of hybrid AAV vectors include SEQ ID NO: 95 and SEQ ID NO: 96. SEQ ID NO: 95 contains an E2A region from human adenovirus 12 (hAd12) and the other genes are from hAd5. SEQ ID NO: 96 contains a E4 region from hAd12 and the other genes are from hAd5.

[0235] The term “polyploid AAV” refers to a AAV vector which is composed of capsids from two or more AAV serotypes, e.g., and can take advantages from individual serotypes for higher transduction but not in certain embodiments eliminate the tropism from the parents.

[0236] As used herein, the term “helper construct”, “Ad helper”, “helper virus”, “helper plasmid”, or “helper DNA” refers to a nucleic acid sequence of the invention used when producing copies of a helper virus-dependent viral vector, such as a recombinant adeno-associated virus, which does not have the ability to replicate on its own. The helper construct is used to co-infect cells alongside the viral vector and provides the necessary proteins for replication of the genome of the viral vector. The term encompasses intact viral particles, empty capsids, viral DNA and the like. Helper viruses commonly used to produce rAAV particles include adenovirus, herpes simplex virus, cytomegalovirus, Epstein-Barr virus, and vaccinia virus.

[0237] As used herein, the phrase “promoter” refers to a region of DNA that generally is located upstream of a nucleic acid sequence to be transcribed that is needed for transcription to occur, i.e. which initiates transcription. Promoters permit the proper activation or repression of transcription of a coding sequence under their control. A promoter typically contains specific sequences that are recognized and bound by plurality of TFs. TFs bind to the

promoter sequences and result in the recruitment of RNA polymerase, an enzyme that synthesizes RNA from the coding region of the gene. A great many promoters are known in the art.

[0238] As used herein, “isoschizomers” are pairs of restriction enzymes that recognize the same restriction sequence. Isoschizomers do not necessarily cut at precisely the same place. Isoschizomers may require different environmental conditions in order to operate effectively.

[0239] As used herein, “harvesting” refers to subjecting the transfected cells (e.g., suspension cells) to lysis and purification to collect the AAV virions. Lysis can refer to mechanical lysis (e.g., the use of a sonicator, a homogenizer, bead mills, and/or mortar and pestle and the like to shear cells) or chemical lysis. In some embodiments, suspension cells undergo chemical lysis to release the viral vector. Methods of chemical lysis of suspension cells include, but are not limited to, osmotic lysis (i.e., cell lysis buffers that disrupt the cell membrane). Chemical lysis utilizes detergents and/or solutions to solubilize proteins and break the cell membrane as well as disrupt lipid-lipid, protein-protein, and lipid-protein interactions. One skilled in the art is familiar with the different types of cell lysis buffers that can disrupt different types of cells. Examples of cell lysis buffers include, but are not limited to, NP-40 cell lysis buffer, RIPA Lysis buffer, IP lysis buffer, and M-PER Mammalian Protein Extraction Reagent.

[0240] As used herein, “bioreactor” refers to an apparatus in which a biological reaction or process is carried out. A bioreactor is designed to provide optimal conditions for organisms with limited production of impurities. A bioreactor can contain an agitator, a baffle, a sparger, and/or a jacket. Organisms growing in bioreactors may be submerged in liquid medium or may be attached to the surface of a solid medium. In some embodiments, suspension cells are submerged in liquid medium in a bioreactor. The bioreactor apparatus can be a sub-industrial scale or at an industrial scale. In some embodiments, a bioreactor uses at least a 25 L scale, a 30 L scale, a 35 L scale, a 40 L scale, a 45 L scale, a 50 L scale or more. One who is skilled in the art is familiar with designing and operating this type of machinery.

[0241] As used herein, “stirring production bioreactor” refers to a bioreactor comprising a cylindrical vessel and a motor-driven central shaft that supports one or more agitators. The stirring production bioreactor can be used to culture biological agents such as cells, enzymes, or antibodies. Stirring production bioreactors have the ability to mix fluids and mimic growth conditions (such as heat, nutrients, etc.). In some embodiments, stirring production bioreactor is performed at a high scale. In some embodiments, the stirring production bioreactor uses at least a 250 L scale, a 300 L scale, a 350 L scale, a 400 L scale, a 450 L scale, a 500 L scale or more. One who is skilled in the art is familiar with operating this type of machinery.

[0242] As used herein the terms “isolate,” “collect,” “concentrate,” “enrich,” “purify” and “extract” are used interchangeably and refer to a process whereby a target component (e.g., AAV virions) is removed from a source, such as a fluid (e.g., culture medium or any cellular debris or non-intended peptides, virions, and/or proteins, such as partially full viral particles or empty viral particles). In some embodiments, purification occurs after the lysis of transfected suspension cells. In some embodiments of any of the aspects, methods of isolation, collection, concentration,

purification, and/or extraction comprise a reduction in the amount of at least one heterogeneous element (e.g., proteins, nucleic acids, partially full or empty viral particles; i.e., a contaminant). In some embodiments of any of the aspects, methods of isolation, collection, concentration, purification, and/or extraction reduce by 1%, 2%, 3%, 4%, 5%, 10%, 15%, 20%, 25%, 30%, 35%, 40%, 45%, 50%, 55%, 60%, 65%, 70%, 75%, 80%, 85%, 90% or 95%, or more, the amount of heterogeneous elements, for example biological macromolecules such as proteins, DNA or partially full or empty viral particles, that may be present in a sample comprising a virion of interest. The presence of heterogeneous proteins can be assayed by any appropriate method including High-Performance Liquid Chromatography (HPLC), gel electrophoresis and staining and/or ELISA assay. The presence of DNA and other nucleic acids can be assayed by any appropriate method including gel electrophoresis and staining and/or assays employing polymerase chain reaction.

[0243] Methods of purification include, but are not limited to, affinity capture chromatography, iodixanol density gradient centrifugation, and/or quaternary amine chromatography resin. One who is skilled in the art is familiar with these purification methods.

[0244] An affinity capture chromatography resin is a resin that captures a target based on its binding affinity of a ligand. Ligands can include, but not be limited to substrate analogues, antibodies, lectin, nucleic acids, hormones, avidin, calmodulin, glutathione, proteins A and G, and/or metal ions. The ligand can be one type or a combination of different types of ligands. The ligand can be conjugated to the resin. In some embodiments, the ligand has a strong affinity to the rAAV virions.

[0245] An iodixanol density gradient centrifugation is a method of separation using a density gradient medium such as iodixanol and centrifugal force to separate and purify biological matter based on their buoyant density. Iodixanol is an iodine-containing non-ionic radiocontrast agent and is commercially available as OPTIPREP (Cat. No. D1556, SIGMA ALDRICH, St. Louis, MO). Iodixanol allows for faster speeds during centrifugation but still results in less damage to the biological material and higher recovery rates. Iodixanol density gradient centrifugation is commonly used in the art to separate rAAV virions from contaminants (see e.g., AAV Purification by Iodixanol Gradient Ultracentrifugation, 2018, Addgene Protocols, which is available on the world wide web at addgene.org/protocols/aav-purification-iodixanol-gradient-ultracentrifugation/). In some embodiments, an iodixanol density gradient centrifugation separates and purifies rAAV virions.

[0246] A quaternary amine chromatography resin is a type of ion exchange chromatography where a resin comprising quaternary ammonium chloride moieties is able to separate biological matter using quaternary ammonium compounds. Synthesizing quaternary amine chromatography resins are known in the art (see e.g., Atia, A., (2006), Journal of Hazardous Materials, 137 (2), 1049-1055) and are commercially available (see e.g., ANX Sepharose 4 Fast Flow, Cat. No. 17128760, Cytiva Life Sciences, Westborough, MA; Capto Q ion exchange chromatography resin, Cat. No. 17531603, Cytiva Life Sciences, Westborough, MA).

[0247] Size-exclusion chromatography (SEC) is a chromatographic method in which molecules in solution are separated by their size and molecular weight by using fine

porous beads, in which the pore size of the beads is used to estimate the dimensions of macromolecules. SEC can also be known as molecular sieve chromatography, gel-filtration chromatography, or gel permeation chromatography, depending on the type of sample that passes through the column. One who is skilled in the art is familiar with this type of purification method. In some embodiments, rAAV final vectors and in-process samples are separated from potential aggregates and impurities.

[0248] Enzyme-linked immunosorbent assay, also called ELISA, enzyme immunoassay or EIA, is a biochemical technique used to detect the presence of an antibody or an antigen in a sample.

[0249] There are other different forms of ELISA, which are well known to those skilled in the art. The standard techniques known in the art for ELISA are described in "Methods in Immunodiagnosis", 2nd Edition, Rose and Bigazzi, eds. John Wiley & Sons, 1980; and Oellerich, M. 1984, J. Clin. Chem. Clin. Biochem. 22:895-904. These references are hereby incorporated by reference in their entirety.

[0250] In certain embodiments, the nucleic acids or gene expression products thereof as described herein can be quantified by determining the level of messenger RNA (mRNA) expression of the genes described herein (e.g., AAV genes; e.g., AAV ITR). Such molecules can be isolated, derived, or amplified from a biological sample, such as from cell culture (e.g., HEK293 cells). Nucleic acid quantification can be performed using polymerase chain reaction (PCR), such as quantitative PCR (qPCR).

[0251] In general, the PCR procedure describes a method of gene amplification which is comprised of (i) sequence-specific hybridization of primers to specific genes or sequences within a nucleic acid sample or library, (ii) subsequent amplification involving multiple rounds of annealing, elongation, and denaturation using a thermostable DNA polymerase, and (iii) screening the PCR products for a band of the correct size. The primers used are oligonucleotides of sufficient length and appropriate sequence to provide initiation of polymerization, i.e., each primer is specifically designed to be complementary to a strand of the genomic locus to be amplified. In an alternative embodiment, the mRNA level of gene expression products described herein can be determined by reverse-transcription (RT) PCR and by quantitative RT-PCR (QRT-PCR) or real-time PCR methods. Methods of RT-PCR and QRT-PCR are well known in the art.

[0252] Hydrolysis probe assays include a sequence-specific fluorescently labeled oligonucleotide probe in addition to a sequence-specific PCR primer. Hydrolysis assays exploit the 5' to 3' exonuclease activity of certain thermostable polymerases such as Taq or Tth. The hydrolysis probe can be labeled with a fluorescent reporter at the 5' end and a quencher at the 3' end. When the hydrolysis probe is intact, the fluorescence of the reporter is quenched due to its proximity to the quencher. The amplification reaction includes a combined annealing and extension step during which the probe hybridizes to the target, and the dsDNA specific 5' to 3' exonuclease activity of Taq or Tth cleaves off the reporter. The reporter is now separated from the quencher, resulting in a fluorescence signal that is proportional to the amount of amplified product in the sample. The advantage of using hydrolysis is its high specificity and the ability to perform multiplex reactions. Exemplary examples

of hydrolysis assays include TaqMan or 5' nuclease assays. One who is skilled in the art is familiar with this method.

[0253] In some aspects provided herein, a population of recombinant adeno-associated virus (rAAV) is produced using the Ad5 based helper nucleic acid of the invention as described herein, wherein, the population of purified recombinant adeno-associated virus (rAAV) optionally lacks prokaryotic sequence, and wherein the purified virus has a particle to infectivity ratio (vg/TCID₅₀) less than about 2×10^4 vg/TCID₅₀. In some embodiments, the purified virus is obtained by a method comprising transfecting a suspension mammalian cell line wherein cells are transfected in suspension. In some embodiments of the aspects provided herein, the purified rAAV produced using the Ad5 based helper nucleic acid as described herein (e.g., plasmid DNA or, cDNA) has a particle to infectivity ratio of less than about 1.5×10^4 vg/TCID₅₀, less than about 1×10^4 vg/TCID₅₀, less than about 9×10^3 vg/TCID₅₀, less than about 8×10^3 vg/TCID₅₀, less than about 6×10^3 vg/TCID₅₀, less than about 5×10^3 vg/TCID₅₀, less than about 4×10^3 vg/TCID₅₀, less than about 3×10^3 vg/TCID₅₀, less than about 2×10^3 vg/TCID₅₀, less than about 9×10^2 vg/TCID₅₀, less than about 8×10^2 vg/TCID₅₀, less than about 7×10^2 vg/TCID₅₀, less than about 6×10^2 vg/TCID₅₀, less than about 5×10^2 vg/TCID₅₀, less than about 4×10^2 vg/TCID₅₀, less than about 3×10^2 vg/TCID₅₀, less than about 2×10^2 vg/TCID₅₀, or, less than about 1×10^2 vg/TCID₅₀, or, less than about 0.5×10^2 vg/TCID₅₀, less than about 0.1×10^2 or, even less. In some embodiments, the particle to infectivity ratio of recombinant viral particles (e.g. rAAV) can range from about 10^2 to about 10^5 vg/TCID₅₀ or, from about 10^2 to about 5×10^4 vg/TCID₅₀ or, from about 10^2 to about 10^4 vg/TCID₅₀. In certain embodiments, the particle to infectivity ratio is from 10^2 to about 10^3 vg/TCID₅₀. In yet another embodiment, the particle to infectivity ratio is less than 10^2 vg/TCID₅₀. It is noted that “vector genome” can interchangeably be used as “viral genome”.

[0254] In some of the aspects provided herein, a population of recombinant adeno-associated virus (rAAV) is produced using the Ad5 based helper nucleic acid as described herein, wherein, the population of purified recombinant adeno-associated virus (rAAV) optionally lacks prokaryotic sequence, and wherein the purified virus has a particle to infectivity ratio (vg/TCID₅₀) less than at least about 1.2 fold compared to a population of rAAV produced with nucleic acid as set forth in SEQ ID NO: 66, SEQ ID NO: 67, or SEQ ID NO: 92. In some embodiments of the aspects provided herein, the purified rAAV produced using the Ad5 based helper nucleic acid as described herein (e.g., plasmid DNA or, cDNA) has a particle to infectivity ratio of less than at least about 1.3 fold, less than at least about 1.4 fold, less than at least about 1.5 fold, less than at least about 1.6 fold, less than at least about 1.7 fold, less than at least about 1.8 fold, less than at least about 2 fold, less than at least about 2.2 fold, less than at least about 2.4 fold, less than at least about 2.5 fold, less than at least about 2.6 fold, less than at least about 2.8 fold, less than at least about 3 fold, less than at least about 3.2 fold, less than at least about 3.4 fold, less than at least about 3.6 fold, less than at least about 3.8 fold, less than at least about 4 fold, less than at least about 4.2 fold, less than at least about 4.4 fold, less than at least about 4.6 fold, less than at least about 4.8 fold, less than at least about 5 fold, less than at least about 5.5 fold, less than at least about 6 fold or, even less, compared to a population of rAAV

produced with nucleic acid as set forth in SEQ ID NO: 66, SEQ ID NO: 67, or SEQ ID NO: 92.

[0255] In some aspects provided herein, a population of recombinant adeno-associated virus (rAAV) is produced using the Ad5 based helper nucleic acid as described herein, wherein, the population of purified recombinant adeno-associated virus (rAAV) optionally lacks prokaryotic sequence, wherein the purified virus has a particle to infectivity ratio less than about 2×10^4 vg/TCID₅₀, and wherein the population of purified rAAV comprises less than about 10% empty viral capsids. In some aspects provided herein, a population of recombinant adeno-associated virus (rAAV) is produced using the Ad5 based helper nucleic acid as described herein, wherein, the population of purified recombinant adeno-associated virus (rAAV) optionally lacks prokaryotic sequence, wherein the purified virus has a particle to infectivity ratio (vg/TCID₅₀) less than at least about 1.2 fold, compared to a population of rAAV produced with nucleic acid as set forth in SEQ ID NO: 66, SEQ ID NO: 67, or SEQ ID NO: 92, and wherein the population of purified rAAV using the helper nucleic acid as described herein, comprises less than about 10% empty viral capsids. Several of the aspects described herein provide a population of purified recombinant adeno-associated virus (rAAV), wherein, the population of purified rAAV comprises less than about 50% empty viral capsids, for example, the population of purified rAAV comprises about 45% or lower, about 40% or lower, about 35% or lower, about 30% or lower, about 25% or lower, about 20% or lower, about 15% or lower, or 10% or lower empty viral capsids. In some embodiments, the purified virus is obtained by a method comprising transfecting a suspension mammalian cell line wherein cells are transfected in suspension. In some embodiments, the population of purified rAAV comprises less than about 9.5%, less than about 9%, less than about 8.5%, less than about 8%, less than about 7.5%, less than about 7%, less than about 6.5%, less than about 6%, less than about 5.5%, less than about 5%, less than about 4.5%, less than about 4%, less than about 3.5%, less than about 3%, less than about 2.5%, less than about 2%, less than about 1.5%, less than about 1%, less than about 0.75%, less than about 0.5%, less than about 0.25%, less than about 0.2%, less than about 0.15%, less than about 0.1%, less than about 0.05%, less than about 0.03%, less than about 0.02%, or, less than about 0.01% empty viral capsids. In some embodiments of the aspects provided herein, the population of purified rAAV is substantially devoid of empty capsid.

[0256] In some embodiments of any one of the aspects described herein, a population of recombinant adeno-associated virus (rAAV) is produced using the Ad5 based helper nucleic acid as described herein, wherein, the population of purified recombinant adeno-associated virus (rAAV) optionally lacks prokaryotic sequence, and wherein, the population of purified recombinant adeno-associated virus (rAAV) has infectious particle titer of about 1×10^5 TCID₅₀/ml (Median Tissue Culture Infectious Dose) to about 1×10^{11} TCID₅₀/ml. In certain embodiments, the infectious particle titer is at least about 3×10^9 TCID₅₀/ml. In several embodiments, the infectious particle titer is at least about 2×10^5 TCID₅₀/ml, at least about 5×10^5 TCID₅₀/ml, at least about 7.5×10^5 TCID₅₀/ml, at least about 8×10^5 TCID₅₀/ml, at least about 8.5×10^5 TCID₅₀/ml, at least about 9×10^5 TCID₅₀/ml, at least about 9.5×10^5 TCID₅₀/ml, at least about 1×10^6 TCID₅₀/ml, at least about 2×10^6 TCID₅₀/ml, at least about

5×10⁶ TCID50/ml, at least about 7.5×10⁶ TCID50/ml, at least about 8×10⁶ TCID50/ml, at least about 8.5×10⁶ TCID50/ml, at least about 9×10⁶ TCID50/ml, at least about 9.5×10⁶ TCID50/ml, at least about 1×10⁷ TCID50/ml, at least about 2×10⁷ TCID50/ml, at least about 5×10⁷ TCID50/ml, at least about 7.5×10⁷ TCID50/ml, at least about 8×10⁷ TCID50/ml, at least about 9×10⁷ TCID50/ml, at least about 1×10⁸ TCID50/ml, at least about 2.5×10⁸ TCID50/ml, at least about 5×10⁸ TCID50/ml, at least about 7.5×10⁸ TCID50/ml, at least about 8×10⁸ TCID50/ml, at least about 8.5×10⁸ TCID50/ml, at least about 9×10⁸ TCID50/ml, at least about 9.5×10⁸ TCID50/ml, at least about 0.5×10⁹ TCID50/ml, at least about 1×10⁹ TCID50/ml, at least about 1.5×10⁹ TCID50/ml, at least about 2×10⁹ TCID50/ml, at least about 2.5×10⁹ TCID50/ml, at least about 3×10⁹ TCID50/ml, at least about 3.5×10⁹ TCID50/ml, at least about 4×10⁹ TCID50/ml, at least about 4.5×10⁹ TCID50/ml, at least about 5×10⁹ TCID50/ml, at least about 5.5×10⁹ TCID50/ml, at least about 6×10⁹ TCID50/ml, at least about 6.5×10⁹ TCID50/ml, at least about 7×10⁹ TCID50/ml, at least about 7.5×10⁹ TCID50/ml, at least about 8×10⁹ TCID50/ml, at least about 8.5×10⁹ TCID50/ml, at least about 9×10⁹ TCID50/ml, at least about 9.5×10⁹ TCID50/ml, at least about 1×10¹⁰ TCID50/ml, at least about 2×10¹⁰ TCID50/ml, at least about 5×10¹⁰ TCID50/ml, at least about 7.5×10¹⁰ TCID50/ml, at least about 8×10¹⁰ TCID50/ml, at least about 8.5×10¹⁰ TCID50/ml, at least about 9×10¹⁰ TCID50/ml, at least about 9.5×10¹⁰ TCID50/ml, or, at least about 10¹¹ TCID50/ml. In some embodiments, the infectious titer TCID50/ml is preferably normalized to vg/ml.

[0257] In some of the aspects provided herein, a population of recombinant adeno-associated virus (rAAV) is produced using the Ad5 based helper nucleic acid as described herein, wherein, the population of purified recombinant adeno-associated virus (rAAV) optionally lacks prokaryotic sequence, and wherein the purified virus has an infectious titer (TCID50/ml) at least about 1.2 fold higher than a population of rAAV produced with nucleic acid as set forth in SEQ ID NO: 66, SEQ ID NO: 67, or SEQ ID NO: 92. In some embodiments of the aspects provided herein, the purified rAAV produced using the Ad5 based helper nucleic acid as described herein (e.g., plasmid DNA or cDNA) has an infectious titer (TCID50/ml) of at least about 1.3 fold, at least about 1.4 fold, at least about 1.5 fold, at least about 1.6 fold, at least about 1.7 fold, at least about 1.8 fold, at least about 2 fold, at least about 2.2 fold, at least about 2.4 fold, at least about 2.5 fold, at least about 2.6 fold, at least about 2.8 fold, at least about 3 fold, at least about 3.2 fold, at least about 3.4 fold, at least about 3.6 fold, at least about 3.8 fold, at least about 4 fold, at least about 4.2 fold, at least about 4.4 fold, at least about 4.6 fold, at least about 4.8 fold, at least about 5 fold, at least about 5.5 fold, at least about 6 fold higher or, even higher than a population of rAAV produced with nucleic acid as set forth in SEQ ID NO: 66, SEQ ID NO: 67, or SEQ ID NO: 92.

[0258] TCID50 assay: The infectious titer (TCID50) method is used to evaluate the in vitro AAV infectivity of drug product in HeLa RC32 cells. In this assay, HeLa RC32 cells are transduced with adenovirus type 5 helper virus and serial dilutions of drug product. After three days of infection the cells are treated with proteinase K to digest protein and the replicated AAV vector DNA is quantitated with qPCR technology. This method utilizes a DNA primer and fluorescent dye-based detection system. The absolute quantity of

the ITR target sequence from the vector DNA is interpolated from a standard curve prepared with a plasmid. Containing ITR is prepared as a test sample and is used as an assay control. Results are expressed as infectious units per milliliter (IU/mL). It is noted that for comparing TCID50/ml among different preparations, TCID50/ml is preferably normalized to vg/ml.

[0259] For the purposes of this specification and appended claims, unless otherwise indicated, all numbers expressing amounts, sizes, dimensions, proportions, shapes, formulations, parameters, percentages, parameters, quantities, characteristics, and other numerical values used in the specification and claims, are to be understood as being modified in all instances by the term “about” even though the term “about” may not expressly appear with the value, amount or range. Accordingly, unless indicated to the contrary, the numerical parameters set forth in the following specification and attached claims are not and need not be exact, but may be approximate and/or larger or smaller as desired, reflecting tolerances, conversion factors, rounding off, measurement error and the like, and other factors known to those of skill in the art depending on the desired properties sought to be obtained by the presently disclosed subject matter. For example, the term “about,” when referring to a value can be meant to encompass variations of, in some embodiments, ±100% in some embodiments ±50%, in some embodiments ±20%, in some embodiments ±10%, in some embodiments ±5%, in some embodiments ±1%, in some embodiments ±0.5%, and in some embodiments ±0.1% from the specified amount, as such variations are appropriate to perform the disclosed methods or employ the disclosed compositions.

[0260] Further, the term “about” when used in connection with one or more numbers or numerical ranges, should be understood to refer to all such numbers, including all numbers in a range and modifies that range by extending the boundaries above and below the numerical values set forth. The recitation of numerical ranges by endpoints includes all numbers, e.g., whole integers, including fractions thereof, subsumed within that range (for example, the recitation of 1 to 5 includes 1, 2, 3, 4, and 5, as well as fractions thereof, e.g., 1.5, 2.25, 3.75, 4.1, and the like) and any range within that range.

[0261] Ranges: throughout this disclosure, various aspects as described herein can be presented in a range format. It should be understood that the description in range format is merely for convenience and brevity and should not be construed as an inflexible limitation on the scope. Accordingly, the description of a range should be considered to have specifically disclosed all the possible subranges as well as individual numerical values within that range. For example, description of a range such as from 1 to 6 should be considered to have specifically disclosed subranges such as from 1 to 3, from 1 to 4, from 1 to 5, from 2 to 4, from 2 to 6, from 3 to 6 etc., as well as individual numbers within that range, for example, 1, 2, 2.1, 2.2, 2.7, 3, 4, 5, 5.5, 5.75, 5.8, 5.85, 5.9, 5.95, 5.99, and 6. This applies regardless of the breadth of the range.

[0262] In some embodiments, the vector is a DNA or RNA virus. Non-limiting examples of a viral vector of this invention include an AAV vector, an adenovirus vector, a lentivirus vector, a retrovirus vector, a herpesvirus vector, an alphavirus vector, a poxvirus vector, a baculovirus vector, and a chimeric virus vector.

[0263] Any viral vector that is known in the art can be used in the present invention. Examples of such viral vectors include, but are not limited to vectors derived from: Adenoviridae; Birnaviridae; Bunyaviridae; Caliciviridae; Capillivirus group; Carlavirus group; Carmovirus virus group; Group Caulimovirus; Closterovirus Group; *Commelina* yellow mottle virus group; Comovirus virus group; Coronaviridae; PM2 phage group; Corbicoviridae; Group Cryptic virus; group Cryptovirus; Cucumovirus virus group; Cysioviridae; Group Carnation ringspot; Dianthovirus virus group; Group Broad bean wilt; Fabavirus virus group; Filoviridae; Flaviviridae; Furovirus group; Group Gemini-virus; Group Giardiavirus; Hepadnaviridae; Herpesviridae; Hordeivirus virus group; Illarivirus virus group; Inoviridae; Iridoviridae; Leviviridae; Lipothrixviridae; Luteovirus group; Marafivirus virus group; Maize chlorotic dwarf virus group; icroviridae; Myoviridae; Necrovirus group; Nepovirus virus group; Nodaviridae; Orthomyxoviridae; Papovaviridae; Paramyxoviridae; Parsnip yellow fleck virus group; Partitiviridae; Parvoviridae; Peaenation mosaic virus group; Phycodnaviridae; Picornaviridae; Plasmaviridae; Prodo-viridae; Polydnaviridae; Potexvirus group; Potyvirus; Poxviridae; Reoviridae; Retroviridae; Rhabdoviridae; Group Rhizidiovirus; Siphoviridae; Sobemovirus group; SSV 1-Type Phages; Tectiviridae; Tenuivirus; Tetraviridae; Group Tobamovirus; Group Tobravirus; Togaviridae; Group Tom-busvirus; Group Torovirus; Totiviridae; Group Tymovirus; and Plant virus satellites.

[0264] Viral vectors produced may comprise the genome, in part or entirety, of any naturally occurring and/or recombinant viral vector nucleotide sequence (e.g., AAV, adeno-virus, lentivirus, etc.) or variant. Viral vector variants may have genomic sequences of significant homology at the nucleic acid and amino acid levels, produce viral vector which are generally physical and functional equivalents, replicate by similar mechanisms, and assemble by similar mechanisms.

[0265] Protocols for producing recombinant viral vectors and for using viral vectors for nucleic acid delivery can be found, e.g., in Current Protocols in Molecular Biology, Ausubel, F. M. et al. (eds.) Greene Publishing Associates, (1989) and other standard laboratory manuals (e.g., Vectors for Gene Therapy. In: Current Protocols in Human Genetics. John Wiley and Sons, Inc.: 1997). Further, production of AAV vectors is further described, e.g., in U.S. Pat. No. 9,441,206, the contents of which is incorporated herein by reference in its entirety.

[0266] Viral vectors produced in a viral expression system can be released (i.e. set free from the cell that produced the vector) using any standard technique. For example, viral vectors can be released via mechanical methods, for

example microfluidization, centrifugation, or sonication, or chemical methods, for example lysis buffers and detergents.

[0267] Released viral vectors are then recovered (i.e., collected) and purified to obtain a pure population using standard methods in the art. For example, viral vectors can be recovered from a buffer they were released into via purification methods, including a clarification step using depth filtration or Tangential Flow Filtration (TFF). As described herein in the examples, viral vectors can be released from the cell via sonication and recovered via purification of clarified lysate using column chromatogra-phy.

[0268] Variant viral vector sequences can be used to produce viral vectors in the viral expression system described herein. For example, one or more sequences having at least about 70%, at least about 75%, at least about 80%, at least about 85%, at least about 90%, at least about 95%, at least about 99%, or more nucleotide and/or amino acid sequence identity (e.g., a sequence having about 75-99% nucleotide sequence identity) to a given vector (for example, AAV, adeno virus, lentivirus, etc.).

[0269] It is to be understood that a viral expression system can further be modified to include any necessary elements required to complement a given viral vector during its production using methods described herein. For example, in certain embodiment, the AAV or rAAV nucleic acid is flanked by terminal repeat sequences. In one embodiment, for the production of rAAV vectors, the AAV expression system can further comprise at least one of a recombinant AAV nucleic acid, a nucleic acid expressing Rep, a nucleic acid expressing Cap, and/or an adenovirus helper nucleic acid. In another embodiment, for the production of rAAV vectors, the AAV expression system can further comprise at least one of a recombinant AAV nucleic acid, a nucleic acid expressing both Rep and Cap, and/or an adenovirus helper nucleic acid as described herein. Complementary elements for a given viral vector are well known the art and a skilled practitioner would be capable of modifying the viral expres-sion system described herein accordingly.

[0270] In one embodiment, the viral expression system can be a host cell, such as a mammalian cell (e.g., HEK293) or an insect cell. Cell lines for propagating viral vectors are known in the art, and include, but are not limited to, the exemplary cell lines presented in Table 2. In one embodi-ment, the cell line for viral propagation is selected from Table 2. In one embodiment, the cell line for viral propa-gation is derived from a cell line selected from Table 2. In one embodiment, the Ad5 based helper nucleic acid of the invention is transfected to any cell line listed on Table 2 to produce exemplary viruses listed on the Table 2.

TABLE 2		
Cell lines for propagating viral vectors.		
CELL LINE	ORIGIN	EXEMPLARY VIRUSES PROPAGATED
HEK293	human embryonic kidney cells	Adenovirus, Adeno-associated virus (AAV), lentivirus, retrovirus, influenza-like
CHO A549	Chinese hamster ovary human lung carcinoma	lentivirus, retrovirus Adenovirus, HSV, influenza, measles, mumps, parainfluenza, poliovirus, respiratory syncytial virus (RSV), rotavirus, Varicella zoster virus (VZV), metapneumovirus (MPV)

TABLE 2-continued

Cell lines for propagating viral vectors.		
CELL LINE	ORIGIN	EXEMPLARY VIRUSES PROPAGATED
BHK 21 (clone 13)	Syrian hamster kidney	Human adenovirus D, reovirus 3, vesicular stomatitis virus (Indiana strain), Dengue, influenza, rabies, foot and mouth, rubella
CV-1	African green monkey kidney fibroblast	RSV, measles, HSV, VZV
HeLa	human cervix adenocarcinoma	Poliovirus type 1, adenovirus type 3, CMV, echovirus, HSV, poliovirus, rhinovirus, vesicular stomatitis (Indiana Strain) virus, VZV
LLCMK2	Rhesus monkey kidney	Poliovirus type 1, enterovirus, rhinovirus, poxvirus groups
McCoy	Mouse fibroblast	HSV
MDCK	Madin-Darby canine kidney	Influenza A, influenza B, some types of adenovirus, reoviruses
MRC-5	human fetal lung	CMV, HSV, adenovirus, influenza, mumps, echovirus, poliovirus, rhinovirus, RSV, VZV
NCI-H292	Human lung, mucoepidermoid carcinoma	Vaccinia virus, HSV, adenovirus, measles virus, reoviruses, BK polyomavirus, RSV, some strains of influenza A, most enteroviruses, and rhinoviruses
Vero	African green monkey kidney	Coxsackie B, HSV, measles, mumps, poliovirus type 3, rotavirus, rubella
Vero76	African green monkey kidney	Coxsackie B, HSV, West Nile virus
Wi 38	Human fetal lung	Adenovirus, CMV, echovirus, HSV, mumps, influenza, rhinovirus, RSV, VZV
A549	human lung carcinoma	Adenovirus, HSV, influenza, measles, mumps, parainfluenza, poliovirus, respiratory syncytial virus (RSV), rotavirus, Varicella zoster virus (VZV), metapneumovirus (MPV)
Sf9	Insect cells	Baculovirus, AAV
HepG2	Human hepatocellular carcinoma	lentivirus
MCF-7	Human invasive breast ductal carcinoma	Rubella virus
MEF	Mouse embryonic fibroblast	mouse cytomegalovirus
NS0	nonsecreting murine myeloma	lentivirus
HUVEC	Human umbilical vein endothelial cells	Human cytomegalovirus, zika virus, Kaposi's sarcoma-associated herpesvirus (KSHV)
Jurkat	human T lymphocyte	retrovirus
Cos-7	CV-1 African green monkey fibroblast	SV-40 monkey virus, Simian immunodeficiency virus
3T3	Swiss albino mouse embryo tissue	Retrovirus, murine stem cell virus
HL60	Human leukemia	HIV, Epstein-Barr virus, lentivirus, poliovirus
ML-1	Human acute myeloblastic leukemia	Lentivirus, poliovirus
KG-1	Human bone marrow aspirate	Retrovirus, poliovirus, HIV, dengue virus (DENV)
U-937	Human histiocytic lymphoma	Poliovirus, HIV
THP-1	Human acute monocytic leukemia	Poliovirus, HIV
K-562	Human immortalized myelogenous leukemia	poliovirus
Molt-4	Human T-cell acute lymphoblastic leukemia	Poliovirus, feline immunodeficiency virus
TF-1	Human Erythroleukemia	HIV
Sf9	Clonal isolate of <i>Spodoptera frugiperda</i> Sf21 cells	Baculovirus expression vectors
Sf21	<i>Spodoptera frugiperda</i> ovarian cell line	Baculovirus expression vectors
Hi-5	<i>Trichoplusia ni</i> . ovarian cell line	Baculovirus expression vectors

[0271] To enhance virus titers, helper construct functions (e.g., adenovirus or herpesvirus) that promote a productive AAV infection can be provided to the cell. Helper construct sequences necessary for AAV replication are described herein and known in the art. Typically, these sequences will be provided by a helper adenovirus or herpesvirus vector. Alternatively, the adenovirus or herpesvirus sequences can be provided by another non-viral or viral vector, e.g., as a non-infectious adenovirus miniplasmid that carries all of the helper genes that promote efficient AAV production as described by Ferrari et al., *Nature Med.* 3:1295 (1997), and U.S. Pat. Nos. 6,040,183 and 6,093,570, which is incorporated herein by reference.

[0272] Further, the helper plasmid functions may be provided by a packaging cell with the helper sequences embedded in the chromosome or maintained as a stable extrachromosomal element. Generally, the helper plasmid sequences cannot be packaged into AAV virions, e.g., are not flanked by TRs.

[0273] Those skilled in the art will appreciate that it may be advantageous to provide the AAV cap and rep sequences and the helper plasmid sequences (e.g., adenovirus sequences) on a single helper construct. In one embodiment, expression of at least one gene product encoded by the single helper construct is controlled by an inducible promoter. This helper construct may be a non-viral or viral construct. As one non-limiting illustration, the helper construct can be a hybrid adenovirus or hybrid herpesvirus comprising the AAV rep and/or cap genes.

[0274] The recombinant AAV vectors and helper constructs described herein may be produced by any method known in the art. Without limitation, one example of such a method to produce adeno-associate virus (AAV) particles comprises (a) transduction with the helper construct(s), growth in a stable mammalian cell line (e.g., HEK293), and (c) optionally isolating the AAV particles.

[0275] In one embodiment, the cells are cultured in suspension. In another embodiment, the cells are cultured in animal component-free conditions. The animal component-free medium can be any animal component-free medium (e.g., serum-free medium) compatible with a given cell line, for example, HEK293 cells. Examples include, without limitation, SFM4Transfx-293 (HYCLONE), Ex-Cell 293 (JRH BIOSCIENCES), LC-SFM (INVITROGEN), and Pro293-S(LONZA) Pro-10 cells (as described in US Patent Application 9,441,206, which is incorporated by reference in its entirety).

[0276] Conditions sufficient for the replication and packaging of the AAV particles can be, e.g., the presence of AAV sequences sufficient for replication of an AAV template and encapsidation into AAV capsids (e.g., AAV rep sequences and AAV cap sequences) and helper sequences from adenovirus and/or herpesvirus.

[0277] The rAAV template and rAAV rep and/or cap sequences and helper sequences are provided under conditions such that virus vector comprising the rAAV template packaged within the rAAV capsid is produced in the cell. The method can further comprise the step of collecting the virus vector from the culture. In one embodiment, the virus vector can be collected by lysing the cells, e.g., after removing the cells from the culture medium, e.g., by pelleting the cells. In another embodiment, the virus vector can be collected from the medium in which the cells are cultured, e.g., to isolate vectors that are secreted from the cells.

Some or all of the medium can be removed from the culture one time or more than one time, e.g., at regular intervals during the culturing step for collection of rAAV (such as every 12, 18, 24, or 36 hours, or longer extended time that is compatible with cell viability and vector production), e.g., beginning about 48 hours post-transfection. After removal of the medium, fresh medium, with or without additional nutrient supplements, can be added to the culture. In one embodiment, the cells can be cultured in a perfusion system such that medium constantly flows over the cells and is collected for isolation of secreted rAAV. Collection of rAAV from the medium can continue for as long as the transfected cells remain viable, e.g., 48, 72, 96, or 120 hours or longer post-transfection. In certain embodiments, the collection of secreted rAAV is carried out with serotypes of AAV (such as AAV8 and AAV9), which do not bind or only loosely bind to the producer cells. In other embodiments, the collection of secreted rAAV is carried out with heparin binding serotypes of AAV (e.g., AAV2) that have been modified so as to not bind to the cells in which they are produced. Examples of suitable modifications, as well as rAAV collection techniques, are disclosed in U.S. Publication No. 2009/0275107, which is incorporated by reference herein in its entirety.

[0278] The AAV template can be provided to the cell using any method known in the art. For example, the template can be supplied by a non-viral (e.g., plasmid or cDNA) or viral vector. In particular embodiments, the AAV template is supplied by a herpesvirus or adenovirus vector (e.g., inserted into the E1A or E3 regions of a deleted adenovirus). As another illustration, Palombo et al., *J. Virol.* 72:5025 (1998), describes a baculovirus vector carrying a reporter gene flanked by the AAV TRs. EBV vectors may also be employed to deliver the template, as described above with respect to the rep/cap genes.

[0279] In another representative embodiment, the AAV template is provided by a replicating rAAV virus. In still other embodiments, an AAV provirus comprising the AAV template is stably integrated into the chromosome of the cell.

[0280] In various embodiments, the method of producing the AAV viral vector as described herein is scalable, so it can be carried out in any desired volume of culture medium, e.g., from 10 ml (e.g., in shaker flasks) to 10 L, 50 L, 100 L, or more (e.g., in bioreactors such as wave bioreactor systems and stirred tanks). In one embodiment, the rAAV is produced using closed ended linear duplexed nucleic acid. In other embodiments, the rAAV is produced using other forms of nucleic acid e.g., plasmid DNA or close ended linear duplex DNA e.g., dumbbell shaped DNA.

[0281] The method is suitable for production of all serotypes and chimeras of AAV, e.g., AAV1, AAV2, AAV3, AAV4, AAV5, AAV6, AAV7, AAV8, AAV9, AAV10, AAV11, AAV12, AAV13, and any chimeras thereof, and/or, any rAAV where, at least one of VP1 VP2, VP3 viral structural proteins is from the capsid proteins of AAV serotypes listed in Table 1.

[0282] In certain embodiments, the method provides at least about 1×10^4 vector genome-containing particles per cell prior to purification, e.g., at least about 2×10^4 , 3×10^4 , 4×10^4 , 5×10^4 , 6×10^4 , 7×10^4 , 8×10^4 , 9×10^4 , or 1×10^5 or more vector genome-containing particles per cell prior to purification. In other embodiments, the method provides at least about 1×10^{12} purified vector genome-containing particles per liter of cell culture, e.g., at least about 5×10^{12} ,

1×10^{13} , 5×10^{13} , or 1×10^{14} or more purified vector genome-containing particles per liter of cell culture.

[0283] A further aspect described herein relates to a cell comprising the synthetic nucleic acid as described herein and/or vector comprising the synthetic nucleic acid as described herein (e.g., an isolated cell, a transformed cell, a recombinant cell, etc.). Thus, various embodiments are directed to recombinant host cells containing a vector (e.g., expression cassette) comprising the synthetic nucleic acid described herein. Such a cell can be isolated and/or present in an animal, e.g., a transgenic animal. Transformation of cells is described further below.

[0284] In some embodiments, the pharmaceutical composition comprises recombinant AAV vector and helper plasmid in a buffer (e.g., excipient) of about pH 7.0 to about pH 8.0. In some embodiments, the pH of the buffer is from about 7.0 to about 7.5. In preferred embodiment, the pH of the buffer is less than 7.5. In several embodiments, the buffer is phosphate buffer saline (PBS). In certain embodiments, the buffer or excipient comprises ions selected from the group consisting of sodium, potassium, phosphate, chloride, calcium, magnesium, sulfate, citrate and any combination thereof. The pharmaceutical composition further comprises polyol, sugar or similar. In some embodiment, the pharmaceutical composition comprises glycerol or propylene glycol, or polyethylene glycol, or sorbitol, or mannitol. In several embodiments, the sorbitol concentration ranges from about 1% (w/v) to about 10% (w/v). In some embodiments, the sorbitol concentration ranges from about 2% (w/v) to about 8% (w/v). In preferred embodiments, the sorbitol concentration ranges from about 3% (w/v) to about 6% (w/v). In certain embodiments, the sorbitol concentration is 1% (w/v), 2% (w/v), 3% (w/v), 4% (w/v), 5% (w/v), 6% (w/v), 7% (w/v), 8% (w/v), 9% (w/v), or 10% (w/v). The pharmaceutical composition further comprises a non-ionic surfactant. In some embodiments, the non-ionic surfactant is selected from the group consisting of polyoxyethylene-polyoxypropylene block copolymers, alkylglucosides, alkyl phenol ethoxylates, polysorbates, polyoxyethylene alkyl phenyl ethers, and any combinations thereof. In some embodiments, the non-ionic surfactant is poloxamer 188 or Ecosurf SA-15. In certain embodiments, poloxamer 188, or Ecosurf SA-15 concentration is 0.0005% (w/v), 0.0008% (w/v), 0.0009% (w/v), 0.001% (w/v), 0.002% (w/v), 0.0025% (w/v), 0.003% (w/v), 0.0035% (w/v), 0.004% (w/v), 0.0045% (w/v), 0.005% (w/v), 0.006% (w/v), 0.007% (w/v), 0.008% (w/v), 0.009% (w/v), or 0.01% (w/v).

[0285] In the rAAV purification process, after transfecting the host cells e.g., mammalian cell in suspension e.g., Pro 10 or HEK 293 cells in suspension, with nucleic acids e.g., Ad helper nucleic acid of invention along with AAV Rep-Cap nucleic acid and rAAV genome, sufficient time is allowed so rAAV is produced by the cells. The cells are then harvested post-transfection, chemically lysed to release viral vector. Cellular debris is then clarified by filtration and the intact rAAV particles are recovered in filtrate that is referred to “clarified lysate” or “clarified cell lysate”, herein.

[0286] An “intact viral particle” refers to a viral particle comprising the complete structural components (e.g., a complete capsid). In regard to AAV, a complete capsid refers to capsid assembly of VP1, VP2, and/or VP3. Intact viral particles can be purified from cellular lysate using purification methods such as filtration (e.g., by depth filtration and/or membrane filtration). An intact viral particle does not

refer to secreted proteins, degraded virions, and extracellular vesicles (EVs) containing viral proteins. An intact viral particle does not necessarily comprise a genome; intact viral particles can comprise filled particles, partially filled particles, and/or empty particles.

[0287] A “filled particle” or “full particle” (also interchangeably referred to as “full AAV particle,” “full AAV capsid particle,” or “full rAAV capsid particle”) refers to a viral particle that comprises an intact viral particle (e.g., complete capsid) comprising a genome (e.g., the viral genome or the recombinant genome, which can comprise a heterologous polynucleotide such as a transgene, i.e., a polynucleotide other than a wild-type virus genome). A “filled” or “full” particle can also be interchangeably referred to as a “packaged particle,” “packaged virus,” “packaged AAV,” or “recombinantly expressed AAV”. It is noted that the terms “particle” and “capsid” can be used interchangeably and/or redundantly herein.

[0288] An “empty particle,” which is also interchangeably referred to as “empty AAV particle,” refers to a viral particle that comprises at least one viral protein but lacks all of the genome, e.g., virus genome or recombinant genome. Empty particles do not include, e.g., an intact viral particle comprising a heterologous polynucleotide.

[0289] A “partially full particle,” which is also interchangeably referred to as “partially full AAV particle” or “partially filled AAV particle,” refers to a viral particle that comprises at least one viral protein but lacks at least part of the genome, e.g., virus genome or recombinant genome. As used herein, “partially full particle” also include particles containing DNA from the host cell or pDNA used in transfection.

[0290] The percentage of full AAV particles (“% AAV full” or “% full”) in the clarified lysate produced using the nucleic acids as described herein can be expressed as the number of “full” AAV particles over the total number of AAV particles (including “full,” partially full,” and “empty” AAV particles).

[0291] Aspects described herein relate to the use of a synthetic nucleic acid comprising SEQ ID NO. 1, and the vectors and compositions comprising the synthetic nucleic acid, to increase the amount of functional E2A, E4, VA RNAI, VA RNAII and/or backbone region (SEQ ID NO. 1) in a cell or in cells and tissues of a subject in need thereof. In one aspect, synthetic nucleic acid encoding E2A, E4, VA RNAI, VA RNAII and backbone region (SEQ ID NO. 1), the vectors and compositions comprising the synthetic nucleic acid can be delivered to a cell under conditions appropriate for expression of the E2A, E4, VA RNAI, VA RNAII and backbone region (SEQ ID NO. 1), to thereby increase the amount of E2A, E4, VA RNAI, VA RNAII and backbone region (SEQ ID NO. 1) in the cell. In one embodiment the cell is in vitro.

[0292] Some embodiments of the compositions and methods of the technology disclosed herein can be defined in the following numbered paragraph:

[0293] Paragraph 1: A human adenovirus 5 (hAd)-based nucleic acid comprising: a) an E4 region with E4-ORF6/7, b) a virus associated (VA) RNA region, c) an E2A region with L4-22K and L4-33K, and not comprising one or more of: d) at least one packaging protein, e) at least one structural protein, f) a Major Late Promoter (MLP), g) an E1 region, and/or h) an E3 region.

[0294] Paragraph 2: A human adenovirus 5 (hAd)-based nucleic acid comprising: a) an E4 region with E4-ORF6/7, b) a virus associated (VA) RNA region, and c) an E2A region with L4-22K, L4-33K, and L4-100K, and not comprising one or more of: d) at least one packaging protein, e) at least one structural protein, f) a Major Late Promoter (MLP), g) an E1 region, and/or h) an E3 region.

[0295] Paragraph 3: The nucleic acid of paragraph 1 or paragraph 2, wherein the nucleic acid comprises in a 5' to 3' direction, the E4 region comprising E4-ORF 6/7, VA RNA region, E2A region.

[0296] Paragraph 4: The nucleic acid of paragraph 1 or paragraph 2, wherein the nucleic acid does not comprise an adenoviral inverted terminal repeat.

[0297] Paragraph 5: The nucleic acid of paragraph 1 or paragraph 2, wherein the nucleic acid comprises GGCAGC at positions 57-62 of L4-22K (e.g., 4279-4284 of SEQ ID NO: 1).

[0298] Paragraph 6: The nucleic acid of paragraph 1, wherein the E2A region comprises an E2 early promoter (SEQ ID NO: 2) or a sequence with at least 85% sequence identity to SEQ ID NO: 2, an E2 late promoter (SEQ ID NO: 3) or a sequence with at least 85% sequence identity to SEQ ID NO: 3, an E2A protein (SEQ ID NO: 4) or a sequence with at least 85% sequence identity to SEQ ID NO: 4, a L4-22K (SEQ ID NO: 5) or a sequence with at least 85% sequence identity to SEQ ID NO: 5, a L4-33K (SEQ ID NO: 6) or a sequence with at least 85% sequence identity to SEQ ID NO: 6, and/or an intermediate phase L4 promoter (L4P) (SEQ ID NO: 7) or a sequence with at least 85% sequence identity to SEQ ID NO: 7 and optionally a L4-100K (SEQ ID NO: 8) or a sequence with at least 85% sequence identity to SEQ ID NO: 8.

[0299] Paragraph 7: The nucleic acid of any one of paragraphs 3-6, wherein the E2A protein is operatively linked to the E2 early promoter and/or the E2 late promoter.

[0300] Paragraph 8: The nucleic acid of any one of paragraphs 3-6, wherein the L4-22K, the L4-33K, and optionally the L4-100K, are operatively linked to the L4P.

[0301] Paragraph 9: The nucleic acid of any one of paragraphs 3-8, wherein the E2A region is flanked by two type II restriction endonuclease recognition sites.

[0302] Paragraph 10: The nucleic acid of paragraph 9, wherein the two type II restriction endonuclease recognition sites are selected independently from the group consisting of: PaeI; SpeI; AscI; PmeI; NotI; and the corresponding isoschizomers of any of the foregoing.

[0303] Paragraph 11: The nucleic acid of any one of paragraphs 9-10, wherein at least one of the two type II recognition site allows the manipulation of the nucleic acid as modules.

[0304] Paragraph 12: The nucleic acid of any one of paragraphs 9-11, wherein the E2A region is flanked by a PaeI restriction endonuclease recognition site and a NotI restriction endonuclease recognition site.

[0305] Paragraph 13: The nucleic acid of any one of paragraphs 9-12, wherein the E2A region is flanked by two SpeI restriction endonuclease recognition sites.

[0306] Paragraph 14: The nucleic acid of any one of paragraphs 1-13, wherein the nucleic acid does not comprise a mutation that prevents expression of L4-22K (SEQ ID NO: 5) and/or L4-33K (SEQ ID NO: 6).

[0307] Paragraph 15: The nucleic acid of any one of paragraphs 1-14, wherein the E2A region comprises an E2

early promoter (SEQ ID NO: 2), an E2 late promoter (SEQ ID NO: 3), an E2A protein (SEQ ID NO: 4), a L4-22K (SEQ ID NO: 5), a L4-33K (SEQ ID NO: 6), and/or an intermediate phase L4 promoter (L4P) (SEQ ID NO: 7).

[0308] Paragraph 16: The nucleic acid of any one of paragraphs 1-15, wherein the E2A region comprises in the 5'-3' direction: an E2 early promoter, a L4-33K, a L4-22K, a L4P, an E2 late promoter, a L4-100K, and an E2A.

[0309] Paragraph 17: The nucleic acid of any one of paragraphs 1-16, wherein the E2A region comprises in the 5'-3' direction: an E2 early promoter, a L4-33K, a L4-22K, a L4P, an E2 late promoter, and an E2A.

[0310] Paragraph 18: The nucleic acid of any one of paragraphs 16 and 17, wherein the E2A section comprises: an E2 early promoter, an E2 late promoter, and an E2A.

[0311] Paragraph 19: The nucleic acid of any one of paragraphs 1-18, the E2A region of the Ad5 based nucleic acid of invention comprises a nucleic acid encoding the single-stranded DNA binding protein [DBP], and lacks the essential adenoviral structural (eg. Fiber, hexon, penton, core proteins) and replication (eg. DNA polymerase) genes.

[0312] Paragraph 20: The nucleic acid of any one of paragraphs 16-19, wherein the L4 section comprises: a L4-33K, a L4-22K, and a L4P.

[0313] Paragraph 21: The nucleic acid of any one of paragraphs 16-20, wherein the L4 elements are in the reverse orientation compared to the to the E2A region, E4 region, and VA RNA region.

[0314] Paragraph 22: The nucleic acid of any one of paragraphs 16-21, wherein the E2A is codon optimized relative to its wild-type sequence.

[0315] Paragraph 23: The nucleic acid of any one of paragraphs 1-22, wherein the E4 region comprises an E4 promoter (SEQ ID NO: 9), E4-ORF1 (SEQ ID NO: 10), an E4-ORF2 (SEQ ID NO: 11), an E4-ORF3 (SEQ ID NO: 12), an E4-ORF4 (SEQ ID NO: 13), an E4-ORF6 (SEQ ID NO: 14), and/or an E4-ORF6/7 (SEQ ID NO: 15).

[0316] Paragraph 24: The nucleic acid of paragraph 23, wherein the E4-ORF1, the E4-ORF2, the E4-ORF3, the E4-ORF4, the E4-ORF6, and/or the E4-ORF6/7 are operatively linked to the E4 promoter.

[0317] Paragraph 25: The nucleic acid of any one of paragraphs 1-24, wherein the E4 region comprises an E4 promoter (SEQ ID NO: 9), E4-ORF2 (SEQ ID NO: 11), an E4-ORF3 (SEQ ID NO: 12), an E4-ORF4 (SEQ ID NO: 13), an E4-ORF6 (SEQ ID NO: 14), and/or an E4-ORF6/7 (SEQ ID NO: 15).

[0318] Paragraph 26: The nucleic acid of paragraph 25, wherein the E4-ORF2, the E4-ORF3, the E4-ORF4, the E4-ORF6, and/or the E4-ORF6/7 are operatively linked to the E4 promoter.

[0319] Paragraph 27: The nucleic acid of paragraphs 25-26, wherein the nucleic acid does not comprise E4-ORF1 (SEQ ID NO: 10).

[0320] Paragraph 28: The nucleic acid of any one of paragraphs 25-27, wherein amino acid residue position 9 of E4-ORF1 as set forth in SEQ ID NO: 10 was mutated to a stop codon, or wherein the nucleic acid comprises a variant of SEQ ID NO:10 wherein the amino acid residue position 9 of SEQ ID NO: 10 is substituted with a stop codon.

[0321] Paragraph 29: The nucleic acid of any one of paragraphs 23-28, wherein the E4 region flanked by two type II restriction endonuclease recognition sites.

[0322] Paragraph 30: The nucleic acid of paragraph 29, wherein the E4 region is flanked by an *AscI* restriction endonuclease recognition site and a *PmcI* restriction endonuclease recognition site.

[0323] Paragraph 31: The nucleic acid of paragraph 29, wherein the two type II restriction endonuclease recognition sites are selected from the group consisting of: *PacI*; *SpeI*; *AscI*; *PmeI*; *NotI*; and the corresponding isoschizomers of any of the foregoing.

[0324] Paragraph 32: The nucleic acid of any one of paragraphs 29-31, wherein at least one of the two type II restriction endonuclease sites allows the manipulation of the nucleic acid as modules.

[0325] Paragraph 33: The nucleic acid of any one of paragraphs 1-32, wherein the E4 region comprises in the 5'-3' direction: an E4 promoter (SEQ ID NO: 9), an E4-ORF1 (SEQ ID NO: 10), an E4-ORF2 (SEQ ID NO: 11), an E4-ORF3 (SEQ ID NO: 12), an E4-ORF4 (SEQ ID NO: 13), an E4-ORF6 (SEQ ID NO: 14), and/or an E4-ORF6/7 (SEQ ID NO: 15).

[0326] Paragraph 34: The nucleic acid of any one of paragraphs 1-33, wherein the E4 region comprises in the 5'-3' direction: an E4 promoter (SEQ ID NO: 9), an E4-ORF2 (SEQ ID NO: 11), an E4-ORF3 (SEQ ID NO: 12), an E4-ORF4 (SEQ ID NO: 13), an E4-ORF6 (SEQ ID NO: 14), and/or an E4-ORF6/7 (SEQ ID NO: 15).

[0327] Paragraph 35: The nucleic acid of any one of paragraphs 1-34, wherein the E4 region comprises an E4-ORF6/7 (SEQ ID NO: 15).

[0328] Paragraph 36: The nucleic acid of any one of paragraphs 1-35, wherein the VA RNA region comprises a VA RNA I (SEQ ID NO: 16) and/or a VA RNA II (SEQ ID NO: 17).

[0329] Paragraph 37: The nucleic acid of paragraph 36, wherein a VA RNA I and/or a VA RNA II are directly placed between splicing sites.

[0330] Paragraph 38: The nucleic acid of paragraph 37, wherein the splicing sites are donor or acceptor splicing sites.

[0331] Paragraph 39: The nucleic acid of paragraph 36, wherein the VA RNA region is flanked by two type II restriction endonucleases recognition sites.

[0332] Paragraph 40: The nucleic acid of paragraph 39, wherein the VA RNA region is between a *PmeI* restriction endonuclease recognition site and a *PacI* restriction endonuclease recognition site.

[0333] Paragraph 41: The nucleic acid of paragraph 40, wherein the two type II restriction endonuclease recognition sites are selected from the group consisting of *PacI*, *SpeI*, *AscI*, *PmeI*, and *NotI* and/or their corresponding isoschizomers.

[0334] Paragraph 42: The nucleic acid of paragraph 40, wherein the restriction site allows the manipulation of the nucleic acid as modules.

[0335] Paragraph 43: The nucleic acid of any one of paragraphs 1-42, wherein the VA RNA region comprises, in the 5'-3' direction, a restriction endonuclease recognition site, a splicing site, a VA RNA I, a VA RNA II, a splicing site, and a restriction endonuclease recognition site.

[0336] Paragraph 44: The nucleic acid of paragraph 43, wherein the splicing sites are donor or acceptor splicing sites.

[0337] Paragraph 45: The nucleic acid of paragraph 43, wherein a VA RNA I and/or a VA RNA II are operatively linked to a Pol II promoter.

[0338] Paragraph 46: The nucleic acid of paragraph 36, wherein a VA RNA I and/or a VA RNA II are located within the E4 region.

[0339] Paragraph 47: The nucleic acid of paragraph 36, wherein a VA RNA I and/or a VA RNA II are located within the E2A region.

[0340] Paragraph 48: The nucleic acid of paragraph 47, wherein a VA RNA I and/or a VA RNA II are operatively linked to the E2 Early and/or Late Promoter.

[0341] Paragraph 49: The nucleic acid of paragraph 47, wherein a VA RNA I and/or a VA RNA II are operatively linked to the L4P promoter.

[0342] Paragraph 50: The nucleic acid of any one of paragraphs 1-49, wherein the nucleic acid further comprises a backbone region.

[0343] Paragraph 51: The nucleic acid of paragraph 50, wherein the backbone region comprises a pLDB backbone.

[0344] Paragraph 52: The nucleic acid of any one of paragraphs 1-51, wherein the hAd5 nucleic acid does not comprise at least one structural protein, wherein at least one structural protein comprises a fiber protein (SEQ ID NO: 18, SEQ ID NO: 32), a hexon protein (SEQ ID NO: 19, SEQ ID NO: 33), and/or a penton protein (SEQ ID NO: 20, SEQ ID NO: 34).

[0345] Paragraph 53: The nucleic acid of any one of paragraphs 1-52, wherein the hAd5 nucleic acid does not comprise at least one packaging protein, wherein at least one packaging protein comprises a 23K endoprotease (SEQ ID NO: 21, SEQ ID NO: 35), a peripentonal hexon-associated protein (SEQ ID NO: 22, SEQ ID NO: 36), and/or a packaging protein 3 (SEQ ID NO: 23, SEQ ID NO: 37).

[0346] Paragraph 54: The nucleic acid of any one of paragraphs 1-53, wherein the hAd5 nucleic acid does not comprise the E1 region, wherein the E1 region comprises an E1A protein (SEQ ID NOs: 24-28, 38-42) and/or an E1B protein (SEQ ID NOs: 29-30, 43-44).

[0347] Paragraph 55: The nucleic acid of any one of paragraphs 1-54, wherein the hAd5 nucleic acid does not comprise the E3 region, wherein the E3 region comprises at least one of SEQ ID NOs: 68-81.

[0348] Paragraph 56: The nucleic acid of any one of paragraphs 1-55, comprising SEQ ID NO: 1 and/or SEQ ID NO: 31.

[0349] Paragraph 57: The nucleic acid of any one of paragraphs 1-56 comprises in the 5'-3' direction: the E4 region, the VA RNA region, the E2A region, and/or the backbone region.

[0350] Paragraph 58: The nucleic acid of any one of paragraphs 1-56 comprises in the 5'-3' direction: the E4 region, the VA RNA region, and/or the E2A region.

[0351] Paragraph 59: The nucleic acid of any one of paragraphs 1-58, wherein the nucleic acid does not exceed 18,932 nucleotides.

[0352] Paragraph 60: The nucleic acid of any one of paragraphs 1-59, wherein the nucleic acid does not exceed 12,130 nucleotides.

[0353] Paragraph 61: The nucleic acid of any one of paragraphs 1-60, wherein the nucleic acid does not exceed 10,609 nucleotides.

[0354] Paragraph 62: The nucleic acid of any one of paragraphs 1-61, wherein the nucleic acid does not exceed 8,659 nucleotides.

[0355] Paragraph 63: The nucleic acid of any one of paragraphs 1-62, wherein the nucleic acid comprises a plasmid.

[0356] Paragraph 64: The nucleic acid of any one of paragraphs 1-63, wherein the nucleic acid is plasmid DNA.

[0357] Paragraph 65: The nucleic acid of paragraph 64, wherein the plasmid DNA can be linear or circular.

[0358] Paragraph 66: The nucleic acid of any one of paragraphs 1-62, wherein the nucleic acid comprises close ended linear duplexed DNA (cldDNA).

[0359] Paragraph 67: The nucleic acid of any one of paragraphs 1-62, wherein the nucleic acid is close ended linear duplexed DNA (cldDNA).

[0360] Paragraph 68: The nucleic acid of any one of paragraphs 1-67, further comprising at least one stuffer sequence comprising a sequence with at least 85% sequence identity to SEQ ID NO: 93 or 94.

[0361] Paragraph 69: The nucleic acid of any one of paragraphs 1-68, wherein the cldDNA further comprises at least one protelomerase binding site.

[0362] Paragraph 70: An adenovirus comprising the nucleic acid of any one of paragraphs 1-69.

[0363] Paragraph 71: A recombinant adenovirus-associated virus (rAAV) in combination with the adenovirus of paragraph 70.

[0364] Paragraph 72: A human adenovirus 5 (hAd)-based nucleic acid comprising L4-22K.

[0365] Paragraph 73: A human adenovirus 5 (hAd)-based nucleic acid comprising L4-33K.

[0366] Paragraph 74: A human adenovirus 5 (hAd)-based nucleic acid comprising L4-22K, L4-33K, and L4P.

[0367] Paragraph 75: A cell comprising the nucleic acid of any one of paragraphs 1-69, the adenovirus of paragraph 70, or the recombinant adenovirus-associated virus (rAAV) of paragraph 71.

[0368] Paragraph 76: The cell of paragraph 75, for use in production of recombinant adeno associated virus (rAAV) in a method comprising transfection of cells with i) the nucleic acid of any of claims 62 to 69, ii) rAAV genome and iii) AAV capsid (cap) and non-structural replication (rep) genes, allowing cells sufficient time to produce rAAV particles, and producing clarified lysate comprising rAAV capsid particles.

[0369] Paragraph 77: The cell of paragraph 76, wherein the rAAV particles in the clarified lysate comprises at least about 25% to at least about 30% full capsid particles.

[0370] Paragraph 78: The cell of paragraph 76, wherein the rAAV capsid particles in the clarified lysate comprises at least about 25% to at least about 30% full capsid particles, wherein the rAAV is manufactured using the hAd5 based nucleic acid of invention (SEQ ID NO: 1 or SEQ ID NO: 31).

[0371] Paragraph 79: The cell of paragraph 76, wherein, the rAAV in the clarified lysate comprises at least about 1.5 fold higher full capsid particle with SEQ ID NO: 1 or SEQ ID NO: 31, when compared with the rAAV in the clarified lysate that is produced with nucleic acid as set forth in SEQ ID NO: 66, SEQ ID NO: 67, or SEQ ID NO: 92.

[0372] Paragraph 80: A method of producing a recombinant adeno associated virus (rAAV) comprising transfecting cells with: i) the nucleic acid of any of paragraphs 1-69, ii) an rAAV genome comprising transgene and iii) AAV helper

Rep-Cap gene encoding AAV capsid and non-structural replication genes, and allowing the cells sufficient time to produce rAAV particles.

[0373] Paragraph 81: The method of paragraph 80, wherein, the method further comprises producing clarified lysate out of a bioreactor.

[0374] Paragraph 82: The method of paragraph 81, wherein the clarified lysate comprises rAAV with at least about 30% full capsid particles.

[0375] Paragraph 83: The method of any one of paragraphs 80-82, wherein, the clarified lysate comprises rAAV with at least about 1.5-fold higher quantity or percentage of full capsid particles, when compared with the rAAV in the clarified lysate that is produced with nucleic acid as set forth in SEQ ID NO: 66, SEQ ID NO: 67, or SEQ ID NO: 92.

[0376] Paragraph 84: The method of paragraph 80, wherein the rAAV genome comprises a transgene.

[0377] Paragraph 85: The method of paragraph 80, wherein the rAAV genome and/or AAV capsid and non-structural replication genes are in the form of a plasmid and/or cldDNA sequence.

[0378] Paragraph 86: The method of paragraph 80, wherein the cells are suspension cells.

[0379] Paragraph 87: The method of paragraph 86, wherein the suspension cells are mammalian cells.

[0380] Paragraph 88: The method of paragraph 87, wherein the cells are HEK293.

[0381] Paragraph 89: The method of paragraph 88, further comprising expanding the cells to produce sufficient cell mass to seed the bioreactor.

[0382] Paragraph 90: The method of any one of paragraphs 80-89, wherein the bioreactor is of at least a 25 L scale.

[0383] Paragraph 91: The method of any one of paragraphs 80-90, wherein the bioreactor is a stirring production bioreactor.

[0384] Paragraph 92: The method of any one of paragraphs 80-91, wherein the cells are expanded to produce sufficient cell mass to seed the stirring production bioreactor.

[0385] Paragraph 93: The method of any one of paragraphs 80-92, wherein the stirring production bioreactor is of at least a 250 L scale.

[0386] Paragraph 94: The method of paragraph 80, wherein the transfecting step comprises using polyethylenimine.

[0387] Paragraph 95: The method of paragraph 80, wherein the harvesting step comprises harvesting the suspension cells.

[0388] Paragraph 96: The method of paragraph 89, wherein the cells are harvested at least 72 hours after the transfecting step.

[0389] Paragraph 97: The method of paragraph 96, wherein the harvesting comprises lysing the suspension cells and purifying the rAAV virions.

[0390] Paragraph 98: The method of paragraph 97, wherein the lysing step comprises chemical lysis.

[0391] Paragraph 99: The method of paragraph 97, wherein the purifying step comprising a purification method selected from the group consisting of affinity capture chromatography, iodixanol density gradient centrifugation, and quaternary amine chromatography resin.

[0392] Paragraph 100: A method of producing a recombinant adenovirus-associated virus (rAAV) comprising: transfecting cells with: i) SEQ ID NO:1 or SEQ ID NO: 31,

ii) an rAAV genome comprising transgene, and iii) AAV helper Rep-Cap gene encoding AAV capsid and non-structural replication genes, and allowing the cells sufficient time to produce rAAV particles.

[0393] Paragraph 101: The method of paragraph 100, wherein the cells are cultured for a time sufficient and under conditions in which at least the polypeptide encoded by SEQ ID NO: 5 or the polypeptide encoded by SEQ ID NO: 6 are expressed.

[0394] Paragraph 102: The method of paragraph 100, wherein the cells are cultured for a time sufficient and under conditions in which at least one polypeptide encoded by SEQ ID NO: 1 or SEQ ID NO: 31 is expressed.

[0395] Paragraph 103: A method of producing viral particles, comprising; a) providing the cells of claim 77; b) culturing the cells for a time sufficient and under conditions in which at least the polypeptide encoded by SEQ ID NO: 5 or the polypeptide encoded by SEQ ID NO: 6 is expressed, or at least one polypeptide encoded by SEQ ID NO: 1 or SEQ ID NO: 31 is expressed; c) culturing the cells under conditions in which viral particles are produced; and d) optionally isolating the viral particles.

[0396] Paragraph 104: The method of paragraph 103, further comprising a sequence with at least 85% sequence identity to SEQ ID NO: 93 and/or a sequence with at least 85% sequence identity to SEQ ID NO: 94.

[0397] Paragraph 105: The method of claim 104, wherein SEQ ID NO: 93 is upstream of the 5' end of the nucleic acid sequence encoding the E4 region.

[0398] Paragraph 106: The method of claim 104, wherein SEQ ID NO: 94 is downstream of the 3' end of the nucleic acid sequence encoding the E2A region.

[0399] Paragraph 107: The method of claim 104, wherein SEQ ID NO: 94 is upstream of the 5' end of the nucleic acid sequence encoding the E4 region.

[0400] Paragraph 108: The method of claim 104, wherein SEQ ID NO: 93 is downstream of the 3' end of the nucleic acid sequence encoding the E2A region.

[0401] Paragraph 109: The method of paragraphs 104-108, wherein SEQ ID NO: 94 is upstream of the 5' end of the nucleic acid sequence encoding the E4 region, and SEQ ID NO: 93 is not located at the 3' end of the nucleic acid sequence encoding the E2A region.

[0402] Paragraph 110: The method of paragraphs 104-109, wherein the hAd5 based nucleic acid is cldNA.

[0403] Paragraph 111: The method of paragraph 110, wherein the cldNA further comprises a protelomerase binding site.

[0404] Paragraph 112: The method of paragraphs 104-111, wherein SEQ ID NO: 93 is located between the protelomerase binding site (TelRL) and the 5' end of the E4 region, and SEQ ID NO: 94 is located between the protelomerase binding site (TelRL) and the 3' end of the E2A region.

[0405] Paragraph 113: The method of paragraph 104-111, wherein SEQ ID NO: 94 is located between the protelomerase binding site (TelRL) and the 5' end of the E4 region, and SEQ ID NO: 93 is located between protelomerase binding site (TelRL) and the 3' end of the E2A region.

[0406] Paragraph 114: The method of paragraphs 104-111, wherein SEQ ID NO: 94 is located between protelomerase binding site and the upstream of the 5' end of the of the E4 region, and the nucleic acid does not comprise SEQ ID NO: 93.

[0407] Paragraph 115: A helper nucleic acid comprising a E2A region, a E4 region, and a VA RNA region, and not comprising one or more of at least one packaging protein, at least one structural protein, a Major Late Promoter (MLP), an E1 region, and/or an E3 region.

[0408] Paragraph 116: The nucleic acid of paragraph 115, wherein the nucleic acid comprises SEQ ID NO: 95.

[0409] Paragraph 117: A helper nucleic acid comprising a E2A region, a E4 region, and a VA RNA region, and not comprising one or more of at least one packaging protein, at least one structural protein, a Major Late Promoter (MLP), an E1 region, and/or an E3 region.

[0410] Paragraph 118: The nucleic acid of paragraph 117, wherein the nucleic acid comprises SEQ ID NO: 96.

[0411] To be able to detect residual nucleic acids e.g. residual DNA from an Ad helper construct in an AAV preparation e.g. rAAV in the clarified lysate, or, enriched or, purified rAAV), helper nucleic acids used for AAV production may include a stuffer sequence. As used herein, "stuffer" sequence refers to a non-coding sequence. A stuffer sequence preferably has no or minimal regulatory effect on coding sequences in the same nucleic acid molecule.

[0412] Described herein are Ad 5 based helper nucleic acid further comprising two novel sequences (e.g., stuffer sequences), SEQ ID NO: 93 and 94. In one aspect of any of the embodiments, a nucleic acid of the invention as described herein further comprises at least one stuffer sequence comprising a sequence with at least 85% sequence identity, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99% sequence identity to SEQ ID NO: 93 or 94.

[0413] In some embodiments, the sequence with at least 85% sequence identity, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99% sequence identity to SEQ ID NO: 93 or 94 is located at the AscI or NotI sites of a sequence with at least 80% sequence identity, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99% sequence identity to SEQ ID NO: 1. In some embodiments, the sequence with at least 85% sequence identity, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99% sequence identity to SEQ ID NO: 93 or 94 is located at the AscI or NotI sites of SEQ ID NO: 1.

[0414] In some embodiments of any of the aspects, a stuffer sequence comprises or consists of a sequence with at least 85% sequence identity to SEQ ID NO: 93. In some embodiments of any of the aspects, a stuffer sequence comprises or consists of a sequence with at least 90% sequence identity to SEQ ID NO: 93. In some embodiments of any of the aspects, a stuffer sequence comprises or consists of a sequence with at least 95% sequence identity to SEQ ID NO: 93. In some embodiments of any of the aspects, a stuffer sequence comprises or consists of a sequence with at least 98% sequence identity to SEQ ID NO: 93. In some embodiments of any of the aspects, a stuffer sequence comprises or consists of a sequence with at least 99% sequence identity to SEQ ID NO: 93. In some embodiments of any of the aspects, a stuffer sequence comprises or consists of the sequence of SEQ ID NO: 93.

[0415] In some embodiments of any of the aspects, a stuffer sequence comprises or consists of a sequence with at least 85% sequence identity to SEQ ID NO: 94. In some embodiments of any of the aspects, a stuffer sequence comprises or consists of a sequence with at least 90%

sequence identity to SEQ ID NO: 94. In some embodiments of any of the aspects, a stuffer sequence comprises or consists of a sequence with at least 95% sequence identity to SEQ ID NO: 94. In some embodiments of any of the aspects, a stuffer sequence comprises or consists of a sequence with at least 98% sequence identity to SEQ ID NO: 94. In some embodiments of any of the aspects, a stuffer sequence comprises or consists of a sequence with at least 99% sequence identity to SEQ ID NO: 94. In some embodiments of any of the aspects, a stuffer sequence comprises or consists of the sequence of SEQ ID NO: 94.

[0416] In some embodiments of any of the aspects, the nucleic acid comprises only a stuffer sequence comprising or consisting of a sequence with at least 85% sequence identity to SEQ ID NO: 93 and does not comprises a sequence with at least 85% sequence identity to SEQ ID NO: 94. In some embodiments of any of the aspects, the nucleic acid comprises only a stuffer sequence comprising or consisting of a sequence with at least 85% sequence identity to SEQ ID NO: 94 and does not comprises a sequence with at least 85% sequence identity to SEQ ID NO: 93.

[0417] In some embodiments of any of the aspects, the hAd5 based nucleic acid of the invention (e.g., XX85) further comprises SEQ ID NO: 93 or SEQ ID NO: 94 at the 5' end of the E4 region and/or at the 3' end of the E2A region. In some embodiments of any of the aspects, the nucleic acid of the invention is a cDNA or, neDNA. In one embodiment, the cDNA or, neDNA further comprises at least one protomerase binding site. In one embodiment, the cDNA or, neDNA is dbDNA or, dbDNA precursor plasmid. In one embodiment, the Ad5 based nucleic acid of the invention comprises SEQ ID NO: 93 or, SEQ ID NO: 94 located between the 5' end of the E4 region and 3' end of the protomerase site. In some embodiments of any of the aspects, the nucleic acid of the invention further comprises SEQ ID NO: 93 or SEQ ID NO: 94 at the 3' end of the E2A region. In some embodiments of any of the aspects, the nucleic acid comprises a stuffer sequence 3' of the E4 and E2A elements and 5' of the protomerase site found 3' of the E2A element. In some embodiments of any of the aspects, the hAd5 based nucleic acid of the invention further comprises SEQ ID NO: 93 or SEQ ID NO: 94 at the 5' end of the E4 element and SEQ ID NO: 93 or SEQ ID NO: 94 at the 3' end of the E2A elements. In some embodiments of any of the aspects, the hAd5 nucleic acid of the invention further comprises SEQ ID NO: 93 or SEQ ID NO: 94 at the 5' end of the E4 region and does not comprise SEQ ID NO: 93 or SEQ ID NO: 94 at the 3' end of the E2A region.

[0418] In some embodiments of any of the aspects, the nucleic acid of the invention further comprises a stuffer sequence with at least 85% sequence identity to SEQ ID NO: 93 located at the 5' end of the E4 region and does not comprise a stuffer sequence at the 3' end of the E2A region. In some embodiments of any of the aspects, the nucleic acid of the invention further comprises a stuffer sequence with at least 85% sequence identity to SEQ ID NO: 94 at the 5' end of the E4 region and does not comprise a stuffer sequence at the 3' end of the E2A element.

[0419] Unless otherwise defined herein, scientific and technical terms used in connection with the present application shall have the meanings that are commonly understood by those of ordinary skill in the art. The terminology

used herein is for the purpose of describing particular embodiments only, and is not intended to limit the scope of the present invention, which is defined solely by the claims. Definitions of common terms in cell biology, immunology, and molecular biology can be found in *The Merck Manual of Diagnosis and Therapy*, 20th Edition, published by Merck Sharp & Dohme Corp., 2018 (ISBN 0911910190, 978-0911910421); Robert S. Porter et al. (eds.), *The Encyclopedia of Molecular Cell Biology and Molecular Medicine*, published by Blackwell Science Ltd., 1999-2012 (ISBN 9783527600908); and Robert A. Meyers (ed.), *Molecular Biology and Biotechnology: a Comprehensive Desk Reference*, published by VCH Publishers, Inc., 1995 (ISBN 1-56081-569-8); *Immunology* by Werner Luttmann, published by Elsevier, 2006; *Janeway's Immunobiology*, Kenneth Murphy, Allan Mowat, Casey Weaver (eds.), W. W. Norton & Company, 2016 (ISBN 0815345054, 978-0815345053); *Lewin's Genes XI*, published by Jones & Bartlett Publishers, 2014 (ISBN-1449659055); Michael Richard Green and Joseph Sambrook, *Molecular Cloning: A Laboratory Manual*, 4th ed., Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y., USA (2012) (ISBN 1936113414); Davis et al., *Basic Methods in Molecular Biology*, Elsevier Science Publishing, Inc., New York, USA (2012) (ISBN 044460149X); *Laboratory Methods in Enzymology: DNA*, Jon Lorsch (ed.) Elsevier, 2013 (ISBN 0124199542); *Current Protocols in Molecular Biology (CPMB)*, Frederick M. Ausubel (ed.), John Wiley and Sons, 2014 (ISBN 047150338X, 9780471503385), *Current Protocols in Protein Science (CPPS)*, John E. Coligan (ed.), John Wiley and Sons, Inc., 2005; and *Current Protocols in Immunology (CPI)* (John E. Coligan, ADA M Kruisbeek, David H Margulies, Ethan M Shevach, Warren Strobe, (eds.) John Wiley and Sons, Inc., 2003 (ISBN 0471142735, 9780471142737), the contents of which are all incorporated by reference herein in their entireties.

[0420] Further, unless otherwise required by context, singular terms shall include pluralities and plural terms shall include the singular.

[0421] In some embodiments of any of the aspects, the disclosure described herein does not concern a process for cloning human beings, processes for modifying the germ line genetic identity of human beings, uses of human embryos for industrial or commercial purposes or processes for modifying the genetic identity of animals which are likely to cause them suffering without any substantial medical benefit to man or animal, and also animals resulting from such processes.

[0422] Groupings of alternative elements or embodiments disclosed herein are not to be construed as limitations. Each group member can be referred to and claimed individually or in any combination with other members of the group or other elements found herein. One or more members of a group can be included in, or deleted from, a group for reasons of convenience and/or patentability. When any such inclusion or deletion occurs, the specification is herein deemed to contain the group as modified thus fulfilling the written description of all Markush groups used in the appended claims.

[0423] The abbreviation, "e.g.," is derived from the Latin *exempli gratia*, and is used herein to indicate a non-limiting example. Thus, the abbreviation "e.g.," is synonymous with the term "for example."

[0424] Specific elements of any of the foregoing embodiments can be combined or substituted for elements in other embodiments. Furthermore, while advantages associated with certain embodiments of the disclosure have been described in the context of these embodiments, other embodiments may also exhibit such advantages, and not all embodiments need necessarily exhibit such advantages to fall within the scope of the disclosure.

[0425] It should be understood that this invention is not limited to the particular methodology, protocols, and reagents, etc., described herein and as such may vary. The terminology used herein is for the purpose of describing particular embodiments only, and is not intended to limit the scope of the present invention, which is defined solely by the claims.

[0426] Other than in the operating examples, or where otherwise indicated, all numbers expressing quantities of ingredients or reaction conditions used herein should be understood as modified in all instances by the term “about.” The term “about” when used to described the present invention, in connection with percentages means $\pm 1\%$.

[0427] In one respect, the present invention relates to the herein described compositions, methods, and respective component(s) thereof, as essential to the invention, yet open to the inclusion of unspecified elements, essential or not (“comprising”). In some embodiments, other elements to be included in the description of the composition, method or respective component thereof are limited to those that do not materially affect the basic and novel characteristic(s) of the invention (“consisting essentially of”). This applies equally to steps within a described method as well as compositions and components therein. In other embodiments, the inventions, compositions, methods, and respective components thereof, described herein are intended to be exclusive of any element not deemed an essential element to the component, composition or method (“consisting of”).

[0428] All patents, patent applications, and publications identified are expressly incorporated herein by reference for the purpose of describing and disclosing, for example, the methodologies described in such publications that might be used in connection with the present invention. These publications are provided solely for their disclosure prior to the filing date of the present application. Nothing in this regard should be construed as an admission that the inventors are not entitled to antedate such disclosure by virtue of prior invention or for any other reason. All statements as to the date or representation as to the contents of these documents is based on the information available to the applicants and does not constitute any admission as to the correctness of the dates or contents of these documents.

EXAMPLES

[0429] All documents mentioned herein are incorporated herein by reference. The contents of all references, patents, and published patent applications cited throughout this application, as well as the figures and the sequence listing,

are hereby incorporated by reference for all purposes to the same extent as if each individual publication or patent document were so individually denoted. By their citation of various references in this document, applicants do not admit any particular reference is “prior art” to their invention. Embodiments of inventive compositions and methods are illustrated in the following examples.

[0430] The following non-limiting examples are provided for illustrative purposes only in order to facilitate a more complete understanding of representative embodiments now contemplated.

Example 1

[0431] In some embodiments of any of the aspects, the human adenovirus 5 (hAd)-based nucleic acid comprises one of SEQ ID NOs: 1-17 or 31 or a sequence that is at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% identical to the sequence one of SEQ ID NOs: 1-17 or 31 that maintains the same functions one of SEQ ID NOs: 1-17 or 31. Any of these sequences as described herein can be used to produce AAV, rAAV, lentivirus, adenovirus and/or baculovirus.

[0432] In some embodiments of any of the aspects, the human adenovirus 5 (hAd)-based nucleic acid comprises one of SEQ ID NOs: 1-17 or 31 or a sequence that is at least 95% identical to the sequence one of SEQ ID NOs: 1-17 or 31 that maintains the same functions one of SEQ ID NOs: 1-17 or 31.

[0433] In some embodiments of any of the aspects, the human adenovirus 5 (hAd)-based nucleic acid encodes for at least one polypeptide selected from SEQ ID NOs: 82-91 or a sequence that is at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% identical to the sequence one of SEQ ID NOs: 82-91 that maintains the same functions one of SEQ ID NOs: 82-91.

[0434] In some embodiments of any of the aspects, the human adenovirus 5 (hAd)-based nucleic acid does not comprise at least one of SEQ ID NOs: 32-44, SEQ ID NOs: 68-74, or a sequence that is at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% identical to the sequence one of SEQ ID NOs: 32-44 or SEQ ID NOs: 68-74, e.g., that maintains the same functions one of SEQ ID NOs: 32-44 or SEQ ID NOs: 68-74.

[0435] In some embodiments of any of the aspects, the human adenovirus 5 (hAd)-based nucleic acid does not comprise at least one of SEQ ID NOs: 32-44, SEQ ID NOs: 68-74, or a sequence that is at least 95% identical to the sequence one of SEQ ID NOs: SEQ ID NOs: 32-44 or SEQ ID NOs: 68-74, e.g., that maintains the same functions one of SEQ ID NOs 32-44 or SEQ ID NOs: 68-74.

[0436] In some embodiments of any of the aspects, the human adenovirus 5 (hAd)-based nucleic acid does not encode for at least one polypeptide selected from SEQ ID NOs: 18-30, SEQ ID NOs: 75-81, or a sequence that is at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% identical to the sequence one of SEQ ID NOs: 18-30 or SEQ ID NOs: 75-81, e.g., that maintains the same functions one of SEQ ID NOs: 18-30 or SEQ ID NOs: 75-81.

[0437] In some embodiments, the hAd5 nucleic acid (e.g., XX85) comprises an E4 region with E4-ORF6/7, a virus associated (VA) RNA region, and an E2A region. The hAd5 nucleic acid comprises SEQ ID NOs: 2-17. In some preferred embodiments, the hAd5 nucleic acid (e.g., XX85) does not comprise at least one packaging protein, at least one structural protein, a Major Late Promoter (MLP), an E1 region, and/or an E3 region. In some embodiments, the hAd5 nucleic acid (e.g., XX85) does not comprise SEQ ID NOs: 18-30 and SEQ ID NOs: 68-81. In some embodiments, the hAd5 nucleic acid comprises elements that are described in Table 4.

1.	SEQ ID NO. 1	Full-length xx85 plasmid DNA
2.	SEQ ID NO. 2	E2 early promoter
3.	SEQ ID NO. 3	E2 late promoter
4.	SEQ ID NO. 4	E2A protein/DBPDNA sequence
5.	SEQ ID NO. 5	L4-22K DNA sequence
6.	SEQ ID NO. 6	L4-33K DNA sequence
7.	SEQ ID NO. 7	L4-100K DNA sequence
8.	SEQ ID NO. 8	L4 promoter (L4P)
9.	SEQ ID NO. 9	E4-promoter
10.	SEQ ID NO. 10	E4-ORF1 DNA sequence
11.	SEQ ID NO. 11	E4-ORF2 DNA sequence
12.	SEQ ID NO. 12	E4-ORF3 DNA sequence
13.	SEQ ID NO. 13	E4-ORF4 DNA sequence
14.	SEQ ID NO. 14	E4-ORF6 DNA sequence
15.	SEQ ID NO. 15	E4-ORF6/7 DNA sequence
16.	SEQ ID NO. 16	VA RNA I DNA sequence
17.	SEQ ID NO. 17	VA RNA II DNA sequence
18.	SEQ ID NO. 18	Fiber protein (AP_000226.1)
19.	SEQ ID NO. 19	Hexon protein
20.	SEQ ID NO. 20	Penton protein
21.	SEQ ID NO. 21	23K endoprotease
22.	SEQ ID NO. 22	Peripentonal Hexon-Associated Protein
23.	SEQ ID NO. 23	Packaging Protein 3
24.	SEQ ID NO. 24	E1A protein 13S
25.	SEQ ID NO. 25	E1A protein 12S
26.	SEQ ID NO. 26	E1A protein 11S
27.	SEQ ID NO. 27	E1A protein 10S
28.	SEQ ID NO. 28	E1A protein 9S
29.	SEQ ID NO. 29	E1B protein 19K
30.	SEQ ID NO. 30	E1B protein 55K
31.	SEQ ID NO. 31	xx85 closed ended linear duplexed DNA (clDNA)
32.	SEQ ID NO. 32	Fiber protein DNA sequence
33.	SEQ ID NO. 33	Hexon protein DNA sequence
34.	SEQ ID NO. 34	Penton protein DNA sequence
35.	SEQ ID NO. 35	23K endoprotease DNA sequence
36.	SEQ ID NO. 36	Peripentonal-Hexon Associated protein DNA seq.
37.	SEQ ID NO. 37	Packaging Protein 3 DNA sequence
38.	SEQ ID NO. 38	E1A protein 13S DNA sequence
39.	SEQ ID NO. 39	E1A protein 12S DNA sequence
40.	SEQ ID NO. 40	E1A protein 11S DNA sequence

-continued

41.	SEQ ID NO. 41	E1A protein 10S DNA sequence
42.	SEQ ID NO. 42	E1A protein 9S DNA sequence
43.	SEQ ID NO. 43	E1B protein 19K DNA sequence
44.	SEQ ID NO. 44	E1B protein 55K DNA sequence
45.	SEQ ID NO. 45	telRL site
46.	SEQ ID NO. 46	pal site
47.	SEQ ID NO. 47	φK02 telRL site
48.	SEQ ID NO. 48	loxP site
49.	SEQ ID NO. 49	FRT site
50.	SEQ ID NO. 50	phiC31 attP site
51.	SEQ ID NO. 51	λ attP site
52.	SEQ ID NO. 52	inverted terminal repeat base consensus seq.
53.	SEQ ID NO. 53	inverted terminal repeat for use with <i>E. coli</i> phage N15 and <i>Klebsiella</i> phage Phi KO2 protelomerases
54.	SEQ ID NO. 54	inverted terminal repeat for use with <i>Yersinia</i> phage PY54
55.	SEQ ID NO. 55	inverted terminal repeat for use with <i>Halomonas</i> phage phiHAP-1
56.	SEQ ID NO. 56	inverted terminal repeat for use with <i>Vibrio</i> phage VP882
57.	SEQ ID NO. 57	inverted terminal repeat for use with <i>Borrelia burgdorferi</i> protelomerase
58.	SEQ ID NO. 58	perfect inverted repeat sequence
59.	SEQ ID NO. 59	perfect inverted repeat sequence
60.	SEQ ID NO. 60	perfect inverted repeat sequence
61.	SEQ ID NO. 61	protelomerase target sequence for <i>E. coli</i> N15 TelN protelomerase
62.	SEQ ID NO. 62	protelomerase target sequence, <i>Klebsiella</i> phage PhiK02
63.	SEQ ID NO. 63	protelomerase target sequence, <i>Yersinia</i> phage PY54
64.	SEQ ID NO. 64	protelomerase target sequence, <i>Vibrio</i> phage VP882
65.	SEQ ID NO. 65	protelomerase target sequence, <i>Borrelia burgdorferi</i>
66.	SEQ ID NO. 66	xx6-80 plasmid DNA sequence
67.	SEQ ID NO. 67	xx6-80 clDNA sequence
68.	SEQ ID NO. 68	E3 protein 12.K DNA sequence
69.	SEQ ID NO. 69	E3 protein CR1-alpha DNA sequence
70.	SEQ ID NO. 70	E3 protein gp19K DNA sequence
71.	SEQ ID NO. 71	E3 protein CR1-beta DNA sequence
72.	SEQ ID NO. 72	E3 protein RID-alpha DNA sequence
73.	SEQ ID NO. 73	E3 protein RID-beta DNA sequence
74.	SEQ ID NO. 74	E3 protein 14.7K DNA sequence
75.	SEQ ID NO. 75	E3 protein 12.K
76.	SEQ ID NO. 76	E3 protein CR1-alpha
77.	SEQ ID NO. 77	E3 protein gp19K
78.	SEQ ID NO. 78	E3 protein CR1-beta
79.	SEQ ID NO. 79	E3 protein RID-alpha
80.	SEQ ID NO. 80	E3 protein RID-beta
81.	SEQ ID NO. 81	E3 protein 14.7K
82.	SEQ ID NO. 82	E2A protein
83.	SEQ ID NO. 83	L4-22K protein
84.	SEQ ID NO. 84	L4-33K protein
85.	SEQ ID NO. 85	L4-100K protein
86.	SEQ ID NO. 86	E4-ORF1 protein
87.	SEQ ID NO. 87	E4-ORF2 protein
88.	SEQ ID NO. 88	E4-ORF3 protein
89.	SEQ ID NO. 89	E4-ORF4 protein
90.	SEQ ID NO. 90	E4-ORF6 protein
91.	SEQ ID NO. 91	E4-ORF6/7 protein
92.	SEQ ID NO. 92	XX680 neDNA precursor plasmid
93.	SEQ ID NO. 93	Stuffer Sequence #2
94.	SEQ ID NO. 94	Stuffer Sequence #7
95.	SEQ ID NO. 95	pLS_212
96.	SEQ ID NO. 96	pLS_412

TABLE 3

SEQ ID NO. 1 (full length xx85 plasmid)	Sequence Lists
	TCTAGAGCTAGCATATGGATCCATCGATTAGGGATAACAGGGT AATtatacagcacacaattgcccattat acgcgcgtataatggactattgtgtgctgat aGGCGCGCCT tggattgaagccaatatgataatgagggggtggagt ttgtgacgtggcgcgggcggtgggaacggggcg ggtagcgtagggttttagggcgagtagctgtatgtgtgggaattgtagttttcttaaaatgggaagttacgta acgtgggaacacgggaagtgacgatttgaggaaagtgtgggttttttggcttctggttctggcgtaggttcgcg tgcggttttctgggtgtttttgtggactttaaccgttacgtcatttttagtccatataatactgcgtctgcacttggc ccttttttacactgtgactgattgagctgggtgcgtgtcgagtggtgttttttaatagggttttctttttactggtaag gctgactgtttatggctgccgtctgtggaagcgtgtatgtgttctggagcgggaggtgctattttgcctagg caggagggtttttcagtggttatgtgttttctctcctattattttgttatacctcctatgggggtgtaatgtgtgc tctacgcctgcgggtatgtattcccccggtatttcggtcgcttttagcactgacgatgtgaatcaacctga tgtgtttaccgagtcctacattatgactccggacatgaccgaggagctgtcgggtgtgtcttttaataccaggtga cc agtttttttacggtcacgcggcatggcgtagtccgtcttatgcttataaggggtgttttctggttgaagacag gcttctaagtgttaaatgtttttttgttattttattttgtgtttatgcagaaacccgcagacatgtttgagagaaaaatg gtgtctttttctgtgggtgttccggagcttacctgcctttatctgcatgagcatgactacgatgtgctttcttttttgc gcgagggtttgcctgattttttgagcagcacttgcattttatgcgcgccatgcaacaagcttacatccgg tgtcgcaacatcttacaattgccattatctgttctttggctgtagagtttgaccacgccaccggagggtgagcgc gaagtggcgcgctggctcgtgcagacctgcacgattatgttcagctggccctgcgaagggaacctacggg atcgcggtatttttgttaattgttccgcttttgaattctatacaggtctgtgaggaacctgaatttttgcacatcatgatt cgtcgtttgaggtgaagggtggagggtcgtctggagcagatttttacaattggcggacttaatttcgggatt tgcttagagatatattgagaaggtggcgagatgagaatttttgggcatggttgaagggtgctggaatgtttata gaggagattccacctgaagggttttagcctttacgtccacttggacgtgagggcggtttgccttttggaaagcca ttgtgcaacatcttacaattgccattatctgttctttggctgtagagtttgaccacgccaccggagggtgagcgc gttcaacttaatagatcttcatttttaggttttggataaatcttttggaaataaaaaaaacatggttcttccagctct tcccgctcctccgtgtgtgactcgcagaaacgaatgtgtagggtgggtgggtgtggttattctgcgggtgggtg gatgttatcagggcgagcggcgcatgaaggagttacatagaacccgaagccaggggggtcgtggatgctt tgagagagtggtataactacaactactacacagagcgaatgaagcggcgagaccggagacgcagatctgtt tgtcacgccgcacactggtttgtctcaggaaatataactacgtccggcggttccatttggcatgacactacgac caacacagatctcggtttgtctcggcgcatcctgcacgtacgtagggtcgtctacctccttttgagacagaaacccg cgctaccatactggaggatcatccgctgctgccgaatgtaacactttgacaatgcacaacgtgagttacgtg cgaggctctccctgcagtggtggatttacctgtattcaggaatgggtgttccctgggatatggttctaacgcg ggaggagcttgaatcctgaggaagtgtatgcacgtgtcctgtgttgtgccaacattgatatacagagagac atgatgatccatggttacgagctcctgggctctccactgtcattgttccagtcgggttccctgcagtgatagcc ggcgggcaggttttggccagctggtttaggatggtggtggatggcgccatgtttaactcagaggtttataggt accgggaggtggtgaattacaacatgcacaaagaggttaattgttatgtccagcgtgtttatgaggggtgcgc acttaattcactcgcgttgtggtatgatggccacgtgggttctgtggtcccgccatgagctttggatacagc gccttgcaactgtgggattttgaacaattatgtgtgtgtgtgcagttactgtgtgtattaaagttagatcagg gtgcgtgtgtgtgcggaggacaaaggcgccttatgctcgggggtgcgaatcatcgtgaggagacc actgccatgttgtattcctgcaggacggagcggcgggcgagcagttatttcgcgcgtgctgcagcacca ccgcctatcctgatgcagattatgactctaccccatgtaggcgtggacttctccttcgcgcgcgttaagc aaocgcaagttggacagcagcctgtggtcagcagctggacagcagacatgaactaaagttagctgcccgg ggagtttataatatactgatgagcgtttggctcgacaggaaacgtgtggaataataacacctaagaatatgt ctgttaccatgatgatgctttttaaaggccagcggggagaaaggactgtgtactctgtgtgttgggaggg aggtggcaggttgaatactagggttctgtgagtttgatgaaggtacgggtgatctgtataaagctatgtgtgtg gggtatatactactgaatgaaaaatgacttgaattttctgcaattgaaaaataaacacgttgaacataacaca aacgattctttattcttgggcaatgtatgaaaaaggtgaagaggatgtggcaaatatttcattaatgtatgtgtg gttttaaacgctcagggcgcgcaactcgttgacgtctgTagaccgtgcaaaaggagagcctgaagcgt gcactcttccgtggtctggtggataaattcgcgaagggtatcatggcgagacacggggttcgagccccgtat ccggccgtccgcgtgatccatcggttacgcgccgctgtgcgaacccaggtgtgcgacgtcagacaac ggggagtgctccttttgggtccttccaggcgcggtgctgctgcgtagcttttttggccactggccgcgcg cagcgtaaagcgttaggtggaaagcgaagcataaagtggctcgtccctgtagccggagggttattttcc aagggttaggtcggggacccccggttcaggtctcggacggcgagctcggcggaacgggggtttgccc tccccgtcatgcaagacccccgttgcaaatctcctcgggaacagggaagcagccccctttttgtctttccagat gcataccggtgctgcggcagatTTAATTAAaatggcgtgacgacaggtgctggcgccgggtgtgg ccgctggagatgacgtagtttctgcgcttaaatttgagaaggcgcgcaaacatagtccttaagagtacgcgc gcagttattactgaagagagcctccgctcttccagcgtgcgcggaagtgatcttgcgttttgtgatacagg cagctgcgggtgagggatcgcagagacgtgtttttattttcagctcttgttcttggccccctgctctgttgaata tagcatcacagagtgggaaaaatcctgtttctaagctcgccgggtcgatacgggttcgtttgggcgccagacgc agcgtcctcctcctgctgctgcgcgcgtgtggatttcttgggttttgcagagatctgtatccggtcgcttt gcttctgtgtggcgctgctgttctgctgcgcgtgcgcgtgcgcgggtgcagtagggctgttagagatgacgg tagtaatgcaggatgttacgggggaaggccacgcgtgtggttagagaagaaaggcgggggcggaagga gatgttgcgccacagctctgcaagcaagcaactatggcgcttcttgcgcgcgcgcagcagcggtagccttg gcgctgttctgtcttgggctaacggcgcgcgctgttggacttacggccctggttccagtggtgtccccat ctacgggttgggtcggcgaacgggcagtgccggcgcgctgcaggagcggaggttgtagccatgctggaa ccggttgcgcatcttggggcgcgcgaggggaatgcgacggaggtgacggtgttctgtctgacacct cttcgaccccggaagcttctcgtctaggctctccagctcttccatcatgtcctcctcctcctcgtccaaaacct cctctgcctgactgtccagatattctcctcgtcgtgggtggcgcgcgagctgcagctctcttttgggtgcc atcctgggaagcaaggcccgcgctgtctgtatagggtcggcgcgggggggttgggttgagctc ctcggcgagctgggggtccaaagttaacccccctcctcttctgtagcagaactcttggcggttctgttgat ggcttgaacttggccaagaatgtggccctgggttaatgacgcaggcggttaagctccgcatttggcggggg gatgggtcttctgtagaacctaactcgtggcggtggtagtctcaggtacaaatttgcgaaggttaagcgagc tccacagccccggagtgagtttaacccccggagcggcgactttctgtagggaggggacccctgcagctc aaaggtagcgaataatttgactttcgttaagcagctgcgaattgcaaacaggggagcgggtgcgggtgcata gggtgcagcgacagtgacactccagtagacgtcacgcgtcacgtcttccattatgtcagagtggtaggcaa ggtagttggctagctgcagaaggtagcagtgcccccaaggcgcgagggtatccgggtacttaatggg

TABLE 3-continued

Sequence Lists

cacaaagtcgctaggaagtgcacagcaggtggcgggcaagattcctgagcgctctaggataaagttcctaa
agttctgcaacatgctttgactggtagagtctggcagaccctgttgagggttttaagcaggcggttcggggaa
aatgatgtccgccaggtgcgcggccacggagcgctcgttgaaggcgctccataggctcctcaagttttgcttt
agcagtttctgcagctccttgagggtgcactcctccaagcactgctgccaacgcccctggcgctgcag
gtgtagcatagaaaataagtaaacgcagtcgcggacgtagtgcgcgcgcctcgcccttgagcgtggaat
gaagcagcttttgcgaagcggtttctgtgcaaaattccaaggtaggagaccaggttgacagctccacgt
tggagatcttgaggcctggcgtagctagccctgtcgaaagggtgtagtgcaatgtttcctctagcttgcgctg
catctccgggtcagcaaaagaccgctgcactgcactcaagctccacggtaacgagcactgcggccatcatta
gtttgctgcgtcctcctcaagtcggcaggtcgcgctttgaagccagcgctagctgctcgtcgccaaactg
cgggtaggccctcctctgtttgttcttgcaaatttgcatccctctccaggggctgcgcacggcgacgatcag
ctcactcatgactgtgctcatgacctggggggtaggtaagtgccgggtaggcaaaagtggtgacctcgat
gctgcgttttagtacggctaggcgcgctgtgacccctcgagttccaccaacactccagagtgaactttcatttt
cgctgttttctgttgacagagcttttccgcgcgcttctcgtcgctccaagaccctcaagatttttggcaact
cggtgagcagggcgataatcaggtatgacagcgccctgcgcgaagggcagctgctgtgctcgctgcgctg
gttggcacggcagataggggtatcttgcaagtttggaaaaagatgtgataggtggcaagcacctctggcac
gg
caaatacggggtagaagttgaggcgcggttggtgctcgcatgtgccgttttctggcggttggggggtacgc
gcggtgagaataggtggcggttcgtag
gcaaggctgacatccgctatggcgaggggcacatcgctgcgctcttgcaacgcgctgcagataatggcg
actggcgctgcagatgcttcaacgca
cgtcgtctccacatctaggtagtcgcatgctttcgtcccccgcccgacttgttctcgtttgectctgcgt
tgtcctggcttctgtttttatcctctgttg
gtactgagcggtcctcgtcgtcttgccttcaaaaacctgggtcctgctcgataatcacttctcctcctcaagc
gggggtgctcgacggggaaggtggt
aggcgcttgccggcatcggtggaggcggtggtggcgaactcagagggggcggttaggctgtcctcttc
tcgactgactccatgatctttttcgccta
taggagaaggaaatggccagtcgggaagaggagcagcgcaaacacccccgagcgcggaacgcggt
gcggcgcgagctcccccaacatggaggagctgtgtcccgctcccgctgcgcgcgcctccccggcg
cccccaaaaagcggtatggcgcgctatcgagtcaggagcaggaagactcatcacaagacgcgct
ggtgccgcgcacacccagcccgcgccatcgacctcgcgcgcggtttggccattgcgcccagaagaa
aaagaagcgccctctcccagcccgagcgcccgccatcaccagaggtaatcgtggacagcgaggaaga
aagagaagatgtggcgctacaatgggtgggtttcagcaacccacgggtgctaatcaagcatggcaaggga
ggtgaagcgacagtcggcggtgaatgaagacgacccagtcggcggtggtatgcggacgcaagagga
agaggaagagcccggaagcggaagtgaaattacgggtgatgaacccgctgagtggtgcgcgctcgtgct
cgctggggaagagcgatggaggtgcgcgcgcgctgatggacaagtaccagtggaataacgatcctaaag
gcgaacttcaaaactactgctgaccaaagtggaagctctggcgcgctgatacaagacctggctgaacgagg
agcaccgcgggttgacgctgaccttaccagcaacaagaccttgtgacgatgatggggcgattcctgcag
gcgtacctgcagtcgtttgcagaggtgacctacaagcatcagagccacgggctgcgcgtttgtgctgca
ccgctgcgctgagatcgaaggcgagcttaagtgtctacacggaagcattatgataaataggagcagctga
ttgaaatggatgtgacgagcgaaaaacgggcagcgcgctgaaggagcagctctagaaggccaagatcg
tgaagaacgggtggggcgcaaatgtggtgcagatctccaacacgacgcaaggtgctgctgcaacgacg
cggcctgtccggccaatcagtttccggcaagctcttgccgcatgttctctgaaggcgcaaaaggtcaggt
ggcttttaagcagatcaaggctttatgcaggcgctgtatcctaacgccacgacgggcagcggtcaccttttg
atgccactacgggtgcgagtgcaactcaaaagcctgggcacgcgcctttttgggaaggcagctaccaaggt
gactccgtctgccttgagcaacgcggaggaacctggacgcggatctgatctcgcacaagagcgtgctggcc
agcgtgcaccacccggcgctgatagtgctcagtgctgcaacctgtgtatcgcaactcgcgcgcgagg
gcggagggcccaactgcgacttcaagatctgcgcgcgcgacctgctaaacgcggttggtgatggtgcgag
cctgtggagtgaaaacttaccgagctgcgcggatggttgctgctgagtttaagtgagcactaaacacca
gtatcgcaacgtgtcctgcccagtgggcgcatagcgatgcgcgcgagaaacccctttgatttttaaaggcgca
gacggcaagggtggggtaaatatcaccgagaggtgtaaaaataaaagcatttgctttatgaaagtgtct
ctagtacattattttcatgtttttcaagtgacaaaaagaagtggtgCGGCCGactagt
tatcagcacacaattgcccattatgcgcgctaatgggactattgtgctgtgataTAGGGATAACA
GGGTAATTTAGAGCTAGCATATGGATCCATCGATTTTCGGGGA
AATGTGCGCGGAACCCCTATTGTTTATTTTCTAAATACATTCA
AATATGTATCCGCTCATGAGACAATAACCCGTGATAAATGCTTCA
ATAATATTGAAAAAGGAAGAGTATGAGCCATATTCACGGGAAA
CGTCGAGGCCGCGATTAAATTCACATGGATGCTGATTTATATG
GGTATAAATGGGCTCGCGATAATGTGCGGCAATCAGGTGCGACA
ATCTATCGCTTGATGGGAAGCCGATGCGCCAGAGTTGTTCTG
AAACATGGCAAAGGTAGCGTTGCCAATGATGTTACAGATGAGAT
GGTCAGACTAAACTGGCTGACGGAATTTATGCCTCTTCCGACCAT
CAAGCATTTTATCCGTACTCTGATGATGATGTTTACTCACCAC
TGCGATCCCCGGAACAGCATTCCAGGTATTAGAAGAATATC
CTGATTAGGTGAAAAATATTGTTGATGCGCTGGCAGTGTTCTCTGC
GCCGTTGCATTGATTCCTGTTTGTAAATTGCTCTTTTACAGCG
ATCGCGTATTTCTGCTCTCGCTCAGGCGCAATCACGAATGAATAAC
GGTTTGGT
TGATGCGAGTGATTTTGATGACGAGCGTAATGGCTGGCCTGTTG
AACAAAGTCTGGAAAGAAATGCATAAACTTTTGCCATTCTCACCG
GATTCAGTCGCTACTCATGGTGATTTCTCACTTGATAACCTTATTT
TTGACGAGGGGAAATTAA
TAGGTTGATTGATGTTGGACGAGTCGAATCGCAGACCGGATAC
CAGGATCTTGCCATCTTATGGAACTGCCTCGGTGAGTTTCTCTCT
TCATTACAGAAACGGCTTTTCAAAAAATATGGTATTGATAATCTCT
GATATGAATAAATTCAGTT

TABLE 3-continued

Sequence Lists	
	TCATTGATGCTCGATGAGTTTTTCTAAGcgtataatggTCTAGAGCTA GCATATGGATCCATCGATTccattatacgcCTGTGACACCAAGTTTACT CATATATACTTTAGATTGATTAAAACTTCATTTTAAATTAAAA GGATCTAGGTGAAGATCCTTTTTGATAATCTCATGACCAAAATCC CTTAACGTGAGTTTTTCGTTCCACTGAGCGTCAGACCCCGTAGAAA AGATCAAAGGATCTTCTTGAGATCCTTTTTTCTGCGCGTAATCT GCTGCTTGCAACAAAAAACCCCGCTACCAGCGGTGGTTTGT TTGCCGGATCAAGAGCTACCAACTCTTTTCCGAAGGTAACGGC TTCAGCAGAGCGCAGATACCAATACTGTTCTTCTAGTGTAGCCG TAGTTAGGCCACCACTTCAAGAACTCTGTAGCACCGCTACATAC CTCGCTCTGCTAATCCTGTTACCAGTGGCTGCTGCCAGTGGCGAT AAGTCGTGCTTACCGGGTTGGACTCAAGACGATAGTTACCGGA TAAGGCGCAGCGGTGCGGCTGAACGGGGGTTGCTGCACACAGC CCAGCTTGGAGCGAACGACCTACACCGAACTGAGATACCTACAG CGTGAGCTATGAGAAAGCGCCACGCTTCCCGAAGGGAGAAAGG CGGACAGGTATCCGGTAAGCGGCAGGGTCGGAACAGGAGAGCG CACGAGGGAGCTTCCAGGGGAAACGCCTGGTATCTTTATAGTC CTGTCGGGTTTCGCCACCTCTGACTTGAGCGTCGATTTTGTGAT GCTCGTCAGGGGGCGGAGCCTATGGAAAAACGCCAGCAACGC GGCCTTTTACGGTTCCTGGCCTTTTGCTGGCCTTTTGCTCACATG T
SEQ ID NO. 2 (E2 early promoter)	aatggcgctgacgacaggtgctggcgcggggtggtggcgctggagatgacgtagttttcgcgcttaaatgtg agaaagggcgcgaaactagtcccttaagagtgcgcgcagtagtttactgaa
SEQ ID NO. 3 (E2 late promoter)	ctecgcatttggcgggcgggattgggtcttcgtagaacctaatctcgtggcgctggtagtctcaggtacaaat
SEQ ID NO. 4 (E2A protein, also known as DNA Binding Protein (DBP))	aatggccagtcggggaagaggagcagcgcgaaaccacccccgagcgcgagcggtgcgggcgcgacg tcccccaaccatggaggacgtgtcgtcccgctcccgctcgccgcccgcctccccggcgcccccaaaaa gcggatgagcgcggtatcgagtccgaggacgaggaagactcatcaagacgcgctgggtgcgcgcga caccagccccgcccacacgtcggcgcggtattggccattgcgcccagaagaaaaagaagcgc ccttctcccaagcccgagcgccccccatcaccagaggtaatcgtggacagcgaggaagaaagagaagat gtggcgctacaaaatggtgggtttcagcaaccacccggtgctaatcaagcatggcaaggaggttaagcgca cagtgcggcgcggtgaatgaagacgacccagtggcgcgtggtatgcggacgcaagaggaagaggaaga gcccagcgcaagcggaagtgaaattacgggtgatgaaccgcgtgagtggtgcccgatcgtgtctgcgtgggag aagggcatggaggtcgcgcgcgcgtgatggcaagtaaccacgtggataacgatctaaagggcaacttca aactactgcctgaccaagtggaaagctctggcgccgctatgcaagacctggctgaacgaggagcaccgcg gggtgcagctgaccttcaccagcaacaagacctttgtgacgatgatggggcggttctctgcaggcgtagctgc agtgcgtttgcagaggtgacctacaagcatcacgagcccacgggctgcgcgtgtgtgctgcaccgctgcgcgt gagatcgaaggcgagcttaagtgtctacacggaagcatatgataaataaggagcagctgattgaaatggat gtgacgagcgaaacggcgagcgcgctgaaggagcagctagcaaggccaagatcgtgaagaacc gggtggggcgcaaatgtggtgcagatctccaacacgcagcgaaggtgctgcgtgcacgacgcgcgctgtc cggccaatcagtttccggcaagctcttgccgcatgttctctctgaaggcgcaaggctcaggtggcttttaag cagatcaaggcttttatgcaggcgctgtatcctaagccccagacggcgacggctcacttttgatgccactac gggtgcagtgcaactcaagcctgggcacgcgcctttttgggaaggcagctaccaaagtgactccgttcc gccctgagcaacgcggaggacctggacgcggatctgatctccgacaaagagcgtgctggccagcgtgcac caccggcgctgatagtgtccagtgctgcaaccctgtgtatcgcaactcgcgcgcgcaggcgaggagcc ccaactgcgactcaagatatacgcgccccgacctgctaaacgcgttggtgatgggtgcgcagcctgtggagt gaaaaacttcaccgagctgcgcggatgggtgtgcctgagtttaagtggagcactaaacaccagtagtcgaaac gtgtccctgccagtggcgcatagcgtagcgcggcagaaaccccttgatttttaa
SEQ ID NO. 5 (L4-22K)	tatccggtgcgctttgcttctgtgtggcgctgctgttgcgtgcgcgtgcgcgtgcgcgggtgcagtagggc tgtagagatgacggttagtaatgcaggatgttacgggggaaggccacgcgctgatggttagagaagaagc ggcggtgagagagatgttgcggccacagctcttgcgaagcaagcaactatggcgcttctgtgcccgcgcat gagcggtagccttggcgctgtgtgtgctcttgggctaacggcgggcggtgcttggacttaccggccctgggt ccagtggtgtcccatctacggttgggtcgcggaacgggcagtgccggcgccctgaggagcgagggtt gtagccatgctggaacgggttgcgatttctggggcgccggcgagggaatgcgacgagggtgacgggt gtttgctgtgacacctctcgacctcggaagcttctcgctagggctccagcttccatcatgtcctcctcct cctcgtccaaaacctcctctgacctgactgtccagtagtctcctcctcgtccgtgggtggcgg cggcagctgcagcttcttttgggtgccat
SEQ ID NO. 6 (L4-33K)	tagtccctaaagagtcagcgcgagtagtttactgaagagagcctccgcgtcttccagcgtgcgcggaagctga tcttcgcttttgtgatacaggcagctgcgggtgagggatcgagagacctgtttttattttcagctcttgttcttg ggcctgctctgttgaatatagcatacagagtgagggaataatcctgttcttaagctcgcggtcgatcagggt tcggtggggcgccagcagcgctcctcctcctgctgctgcccgcgctgtggatttcttgggctttgtcagag ctctgctatccggtcgcttctgtctgtgtgcccgcgtgctgtgctgcccgtgcccgtgcccgggtgcagta tgggctgtagagatgacggttagtaatgcaggatgttacgggggaaggccacgcgctgatggttagagaaga aagcgggcggaaggagatgttgcggccacagctctgcaagcaagcaactatggcgcttctgtgcccgc gccatgagcggtgaccttggcgctgtgtgtgctcttgggttaacggcgcgcggtgcttggacttaccggccc

Sequence Lists	
	tgggtccagtggtgtcccatctacaggttgggtcgccgaacgggcagtgccggcgccgctgaggagcgg aggtttgtagccatgctggaacgggtgcccatttctggggcgccggcgagggaatgcgaccgaggggtg acgggtgttctgctcgacacctctctgacctcggaagcttctctgctagggctctccagctctccatcatgtctct ctcctcctcgtccaaaacctctctgctgactgtcccagttatctcctcgtccgtgggtggcgg cggcagctgcagcttctttttgggtgccat
SEQ ID NO. 7 (L4 Promoter)	ggggggatttgggttgagctcctcgccggactgggggtccaagtaaaacccccctccctttcgttagcagaaa ctcttcggcgggcttctgtgtatggcttgcattggccaagaatgtggccctgggtaatgacgcag
SEQ ID NO. 8 (L4-100K)	tacggttgggtcgccgaacgggcagtgccggcgccgctgaggagcggaggttgtagccatgctggaac cggttgcccatttctggggcgccggcgagggggaatgcgaccgaggggtgacggctgttctgctcgacacctct tcgacctgggaagcttctcgtctaggctctcccagcttcccatcgatctcctcctcctcctcccaaacctcc tctgctgactgtcccagttatctcctcgttccgtgggtggcgccggcagctgcagcttcttttgggtgccat cctgggaagcaaggcccgcggtgctgctgatagggtcgccggcgccgggggattgggttgagctcct cgccggactgggggtccaagttaaaccccccgctcccttctgtagcagaaaactcttgccgggtctgtgtgtagg cttgcaatttgcccaagaatgtggccctgggttaatgacgcaggcggtaagctccgatttgccggcgggat tgggtctctgtagaaccttaactctgctggcggtggtagtctcaggtacaaatttgcaaggttaagccgacgtcc acagccccggagtgagtttcaacccccggagcccggaacttctgtagcagcagggaccccgagctcaaa ggtaccgataatttgacttctgcttaagcagctgcgaattgcaaacaggaggagcgggtcgccgggtgcataggtt gcagcgacagtgacactccagtagaccgtcacgcgtcacgtctccattatgtcagagtggttaggcaaggtga gttggctagctgcagaggtagcaggtggccccaagcgccgagcgtatcgccgtacttaatgggcaca aagtcgctaggaagtgcacagcaggtggcgggcaagattctgagcgctcaggataaagtctcctaaagt ctgcaacatgcttgactggtgaagttctggcagacctgttgacgggttttaagcaggcgttcggggaaaaat gatgtccggcaggtcgccggcgccgagcgctcggtgaagggcgtccatagctcctcctttagcttttag cagttctgcagctccttgaggttgactctcctcaagcactgctgccaaacgcccatggcgctcgccaggt gtagcatagaataagttaaacgcagtcgcgagcgtagtcgcccgcgcgtcgccttgagcgtggaatga agcacggttttgcccaaggcgggttttctgtgcaaaattccaaggttaggagcagaggttgacagctccacgttg gagatcttgaggcctggcgtagctagcctgtcgaaaggtgtatgtagcaatgttctcctagcttgccgtgca tctccgggtcagcaaaagacgcgtgcatacactcaagctccacggtaacgagcactgcggccatcattagt ttgctgcgtcctccaagtctggcaggtcgccgcttggaagccagcgcgctagctcgtcgcccaactgc gggtaggccctcctctgttttctgcaaaatttgactcctcctcaggggctgcgcagcgcgcagcatcagc tcaactcatgactgtgctcatgaccttggggggtaggttaagtgccgggtaggcaaaagtggtgacctcgatg ctgcgttttagtagcaggttaggcgcgcttgtaaccctcaggttccacaaacactccagagtgaacttcaatttc gctgtttctcgttgtagagcgtttgcccgcgccttctcgtcgctccaaagacctcaaaagatttttggaacttc gttgagcgaggcgatcatcaggtatgacagcgccctgcgcgaaggccagctgctgtgctcgctcggtcgcg ttggcagcgccaggtatagggtatctgcagttttggaaaaagatgtgataggtggcaagcactctggcagc gcaaataccgggttagaagttgaggcggggttgggctcgcatgtgcgctttcttgccgtttgggggtacg cgcggtgagaataggtggcgttcgtaggcaaggtgcataccgctatggcgaggggcacatcgctcgct cttgcaacgcgtcgagataatggcgcaactggcgctgcagatgcttcaacagcagcgtcgtctccacatctca ggtagtgcgcatgcttctgctcccccgccgactgttctcgtttgctctcgctgtgctggtctgtgctttta tctcgtttggtactgagcggtctcgtcgcttctgcttcaaaaactgggctcgtcgtcgtcgtcaatcactctcct cctcaagcgggggtgctcgcagcgggaaggtggttaggcgcgttggcggaactcggtaggagcggtgggt gcgaactcagagggggcggttagcgtgctcttctcgcactgactccat
SEQ ID NO. 9 (E4 promoter)	ttggattgaagccaatatgataatgaggggggtggagtttgtgacgtggcgggggcggtgggaacggggc gggtgacgtaggttttagggcggaagtaacttgtatgttggaattgtagtttcttaaaatgggaagttacgt aacgtgggaaaacggaagtgacga tttaggaagtttgggttttttgggtctcgtttctggcgtaggttcgctgcgggtttctgggtgttttggga ctttaaccggttagcgtcttttagtcctataataactcgctctgcacttg
SEQ ID NO. 10 (E4-ORF1)	atggctgcgcgtgtggaagcgctgtatgttgttctggagcgggagggtgctattttgcctaggcaggagggt ttttcaggtgtttatgtg ttttctcctctataattttgtttatacctcctatgggggctgtaattgtgtctctacgcctcggggtatgtattcccc cgggctatttcggctcgcttttagca ctgaccgatgtgaatcaacctgatgtgtttaccgagcttcaattatgactccggacatgaccgaggagctgtc gggtggtgtctttttaatcacggtgacc agttttttacggtcacgcggcatggcgtagtccgtcttatgcttataaagggtgttttctggttgaagacag gctctcaatgtttaa
SEQ ID NO. 11 (E4-ORF2)	tgtttgagagaaaaatggtgtctttttctgtggtggttcgggagcttacctgctttatctgcatgagcatgacta cgatgtgctttcttttttgccgagagcttggctgattttttgagcagacacttgcattttatatcgccgcccatgc aacaagcttacatcggggtacgtggttagcatagctccgagtagcgtgtcataatcagtggtggttctttt gtcatggttctgcccggggaagtgccgcgcgtggtccgtgcagacctgcagattatgttcagctggccct gcgaaggacatcaggatcgcggtattttgttaattgttccgcttttgaattctatacaggtctgtgagga acctgaatttttgcattatga
SEQ ID NO. 12 (E4-ORF3)	tgattcgtgcttgaggctgaaggtggaggcgcttggagcagattttacaatggccgggacttaatatcg ggatttgccttagagatatattgagaaggtggcgagatgagaattatttgggcatggttgaaggtgctgggaatgt ttatagaggagattcacctgaaggggttagcctttacgtccacttggacgtgaggccggtttgcttttggaa gccatttgcacacatctacaataatgccattatctgttcttgggtctagagtttgaccacgccacggaggga qccgcttgccttaatactatcttcaatttgaaggttttaqatataatcttttgaataa

TABLE 3-continued

Sequence Lists	
SEQ ID NO. 13 (E4-ORF4)	tggttcttccagctcttcccgcctctcccgtgtgtgactcgcagaaacgaatgtgtaggttggctgggtgtggct tattctgcggtgggtggatgttatcagggcagcggcgcatgaaggagtttacatagaacccgaagccagggg gcgctggatgctttgagagagtggatatactacaactactacacagagcgatctaagcggcgagaccgga gacgcagatctgtttgtcagcccgacctgggtttgtctcaggaaatagactacgtccggcggttccatttgg catgacactacgaccaacacgcatctcgggtgtctcggcgcaactccgtacagtag
SEQ ID NO. 14 (E4-ORF6)	ctacgtccggcggttccatttggcatgacactacgaccaacacgcatctcgggtgtctcggcgcaactccgtacag tagggatcgctctacctccttttgagacagaaacccgcgctaccatactggaggatcatccgctgctgccga atgtaacactttgacaatgcacaacgtgagttacgtcgcagggtcttccctgcagtggtggatttacgtgattc aggaatgggttgttccctgggataggttcta acgcgggaggagcttgaatcctgaggaagtgtatgcacgtgtgcctgtgtgtgtgccaacattgatcatga cgagcatgatgatccatgggttacgag tcttgggctctccactgtcattgttccagtcgccgttccctgcagtgatatagccggcgggcaggttttgcca gctgggttaggatgggtggatggcg catgtttaatcagaggtttataggtaccgggaggtgggtgaattacaacatgccaaaagaggtaatgtttatgt ccagcgtgtttatgaggggtcgcca cttaactacctgcgcttgggtatgatggccacgtgggttctgtggtccccgccatgagctttggatacacgcg ccttgcaactgtgggttttgacaata ttgtggtgctgtgctgcagttactgtgctgatttaagtgcagatcaggggtgcgctgctgtgtgccggaggacaag gcgcttatgctgcggcggtgcga tcacgctgaggagaccactgccatgttgtattcctgcaggacggagcggcgggcgagcagtttattcgc gcgctgctgcagcaccaccgcccctatcctgatgcagattatgactctacccccatgtaggcgtggacttctc cttcgcccgccttaagcaaccgcaagttggacagcagcctgtggctcagcagctggacagcgacatgaa cttaagtgcgctgcccgggaggtttatataatcactgatgagcgtttggctcgacaggaaacccgtgtggaat ataacacct aagaatatgtctgttaccatgatgatgctttttaaggccagccggggagaaaggactgtgtactctgtgtg ttgggaggaggtggcaggttgaat actagggttctgtga
SEQ ID NO. 15 (E4-ORF6/7)	ctacgtccggcggttccatttggcatgacactacgaccaacacgcatctcgggtgtctcggcgcaactccgtacag tagggatcgctctacctccttttgagacagaaacccgcgctaccatactggaggatcatccgctgctgccga atgtaacactttgacaatgcacaacgtgagttacgtcgcagggtcttccctgcagtggtggatttacgtgattc aggaatgggttgttccctgggataggttcta acgcgggaggagcttgaatcctgaggaagtgtatgcacgtgtgcctgtgtgtgtgccaacattgatcatga cgagcatgatgatccatgggttacgag tcttgggctctccactgtcattgttccagtcgccgttccctgcagtgatatagccggggcaggttttgcca gctgggttaggatgggtggatggcg catgtttaatcagaggtttataggtaccgggaggtgggtgaattacaacatgccaaaagaggtaatgtttatgt ccagcgtgtttatgaggggtcgcca cttaactacctgcgcttgggtatgatggccacgtgggttctgtggtccccgccatgagctttggatacacgcg ccttgcaactgtgggttttgacaata ttgtggtgctgtgctgcagttactgtgctgatttaagtgcagatcaggggtgcgctgctgtgtgccggaggacaag gcgcttatgctgcggcggtgcga tcacgctgaggagaccactgccatgttgtattcctgcaggacggagcggcgggcgagcagtttattcgc gcgctgctgcagcaccaccgcccctatcctgatgcagattatgactctacccccatgtaggcgtggacttctc cttcgcccgccttaagcaaccgcaagttggacagcagcctgtggctcagcagctggacagcgacatgaa cttaagtgcgctgcccgggaggtttatataatcactgatgagcgtttggctcgacaggaaacccgtgtggaat ataacacct aagaatatgtctgttaccatgatgatgctttttaaggccagccggggagaaaggactgtgtactctgtgtg ttgggaggaggggaggttgaat actagggttctgtgagtttgattaaaggtacgggtgatctgataagctatgtgtgtggggctatactactgaat gaaaaatgacttgaaattttctgca attgaaaaataaacacgttgaaacataacacaaacgattctttattcttgggcaatgtatgaaaaagtgtaaga ggatgtggcaaatatttcattatg tagttgtgg
SEQ ID NO. 16 (VA RNA1)	gggcactcttccgtgggtcgtgggataaaatcgcaagggtatcatggcggacgacccgggttcgagcccg tatccggcggtccgcgctgatccatcggttacgcgccgctgtcgaaacccagggtgtgcgacgtcagacaa cggggagtgctcctttt
SEQ ID NO. 17 (VA RNA2)	gctcgctccctgtagccggagggttattttccaagggttgagtcgcgggacccccgggttcgagctctcgacc ggcgggactcgcggcgaacgggggtttgcctccccgtcatgcaagacccccgcttgcaaatcctccggaaa caggagcagagccctttttt
SEQ ID NO. 18 (Fiber protein, AP_000226.1)	MKRARPSEDTFNPVYPYDTETGPPTVPFLTPPFVSPNGFQESPPGVLS LRLSEPLVTSNGMLALKMGNLSLDEAGNLTSQNVTTVSPPLKTKT SNINLEISAPLTVTSEALTVAAPLMVAGNTLTMSQAPLTVHDS KLSIATQGPLTVSEGLALQTSGLPLTTDSSTLTITASPLLTATGSLG IDLKEPIYTQNGKLGLKYGAPLHVTDLNTLTATGPGVTINNTSLQ TKVTGALGFDSSQGNMQLNVAGGLRIDSQNRRLILDVSYPPDAQN QLNLRLGQGPLFINSAHNLDINYNKGLYLFASNNKKLEVNLSA KGLMFDATAIAINAGDGLFGSPNAPNTNPLKTKIGHGLEFDSNKA MVPKLGTGLSFDSTGAITVGNKNNDKLTWTTAPSPNCRNLNAEKD AKLTLVLTKGSQLATVSVLAVKGLAPISGTVQSAHLIRFDENG LLNNSFLDPEYWNFRNGDLTEGTAYTNAVGFMPNLSAYPKSHGKT AKSNIVSQVYLNGDKTKPVTLTITLNGTQETGDTTPSAYSMSFSWD WSGHNYINEIFATSSYTFSYIAQE

TABLE 3-continued

Sequence Lists	
SEQ ID NO. 19 (Hexon protein, AP_000211.1)	MATPSMMPQWSYMHISGQDASEYLSPLGVQFARATETYFSLNNK FRNPTVAPTHDVTTRDSQRLTLRFIPVDREDTAYSYKARFTLAVGD NRVLDMASTYFDIRGVLDRGPTFKPKYSGTAYNALAPKGA PNCEW DEAATALEINLEEDDDNEDEVDEQ AEQQKTHVFGQAPYSGINIKKEGIQIGVEGQTPKYADKTFQPEPQIGE SQWYETINHAAGRVLKKTTPMKPCYGSYAKPTNENGGQGLVKQ QNGKLESQVEMQFFSTTEATAGNDNLTPKVVLVYSEDVDIETPDTH ISYMPTIKEGNSRELMGQQSMPNRPNYIAFRDNFI GLMYNSTGNMGVLAGQASQLNAVVDLQDRNTELSYQLLLDSIGD RTRYFSMWNQAVDSYDPDVRIIENHGTEDELPNYCPLGGVINTETL TKVKPKTGQENGWEKDATEFSDKNEIRVGNNFAMEINLNANLWFRN FLYSNIALYLPDKLKYSFSPNVKISDNPTTYDYMKNRV VAPGLVDCYINLGARWSDYMDNVNPNFNNHNRNAGLRYRSMLLGN GRYVPFPHIQVPQKFFAIKNLLLLPGSYTYEWNFRKDVNMVLQSSLG NDLRVDGASIKFDSICLYATFFPMAHNTASTLEAML RNDTNDQSFN DYL SAANMLYPI PANATNVPI SIPSRNWA AFRGWAFTR LKTKETPSLGS GYDPYTYSGSIPYLDGTFYLNHTFKKVAITFDSSVS WPGNDRLLTPNEFEIKRSVDGEGYNVQCNMTKDWFVLQMLANY NIGYQGFYIPESYKDRMYSFFRNFPQMSRQVDDTKYKDYQQVGIL HQHNNSGFVGYLAPTMREGQAYPANFPYPLIGKTA VDSITQKKFLC DRTLWRIPFSSNFMSMGALTDLGQNLLYANSAHALDMTFEVDPM EPTLLYVLFVFDVVRVHRPHRGV IETVYLRT PPSAGNATT
SEQ ID NO. 20 (Penton protein, AP_000206.1)	MRAAMYEEGPPPSYESVVSAA PVAAALGSPFDAPLDPFPVPPRYL RPTGGRNSIRYSELAPLFDTRVYLDNKS TDVASLNYQNDHSNLF TTVIQNNDYSPGEASTQTINLDDRSHWGDLKTLIHTNMPNVEFM FTNKFKARVMVSR LPTKDNQVELKYEWVEPTLPEGNYSETMTIDL MNNAIVEHYLKVGRQNGVLES DGVKFDTRNFRLGFPDVTGL VMP GVYTNEAFHPDIILLPGCGVDFTHSRLSNLLGIRKRPQFQEGFRITYD DLEGGNIPALLD VDAYQASLKDDTEQGGGGAGGSNSSGSGAEENS NAAAAAMQPVEDMNDHAIRGDTFATRAEEKRAEAEAAAAEAPPA AQPEVEKPKQKPVIKPLTEDSKKRSYNLISNDSTFTQYRSWYLAYN YGDPTGIRSWTLLCTPDVTCGSEQVYWSLPDMMQDPVTPRSTRQI SNFPVVGAE LLPVHKS SFYNDQAVYSQ LIRQFTSLTHVFNRFPENQI LARPPAPTITTVSENVPALTDHGTLPLRNSIGGVQRVITIDARRRTPC VYVKALGIVSPRVLSSRTF
SEQ ID NO. 21 (23K endoprotease, AP_000212.1)	MGSSEQLKAI VKDLGCGPYFLGTYDKRFP GFVSPHKLACAIVNTA GRETGGVHWMFAFWNPHSKTCYLFEPFGFSDQRLKQVYQFEYESL LRRSAIASSPDRCTILEKSTQSVQGPNSAACGLFCCMFLHAFANWPQ TPMDHNPTMNLITGVPN SMLNSPQVQPTLRNQEQLYSFLERHSPY FRSHSAQIRSATSFC H LKNM
SEQ ID NO. 22 (Peripentonal hexon- associated protein, AP_000205.1)	MMQDATDPAVRAALQS QPSGLNSTDDWRQVMDRIMSLTARNPDA FRQQPQANRLSAILEAVVPARANP THEKVLAI VNALAE NAI R PDEA GLVYDALLQRVARYNSGNVQTNLDRLVGDVREAVAQRERAQQQV NLGSMVALNAFLSTQPANVPRGQEDYTNFVSALRLMVTETPQSEV YQSGPDYFFQTSRQGLQTVNLSQAFKNLQGLWGVRAPTGDRATVS SLLTPNSRLLLLLLIAPFTDSGVS SRD TYLGHLLTLYREAIGQAHVDEH TFQEITSVSRALGQEDTGSLEATLNYLLTNRRQKIPSLHSLNSEEEERIL RYVQQSVSLNLMRDGVTPSVALDMTARNMEPGMYASNRPFINRLM DYLHRAAAVNPEYFTNAILNPHWLPPPGFYTGGEFVPEGNDGLFWD DIDDSVFSPQPQTLLLELQREQAEALRKESFRPSSLSDLGAAAPR SDASSPFFSLIGSLTSTRTTTRPRLGEEYLNNSLLQPQREKNLPAPF NNGIESLVDKMSRWKTYAQEHRDVPGRPPTRRQRHRDRQRLVWE DDDSADDSVLDLGSGNPF AHLRPRLGRMF
SEQ ID NO. 23 (Packaging Protein 3, AP_000204.1)	MHPVLRQMRPPPQQRQEQEQRTCRAPSPPTASGGATSAVDAAA DGDYEP RRRRARHYLDLEEGLARLGAPSPERYPRVQLKRD TREA YVPRQNLFRDREGEEPEEMDRDKFHAGREL RHGLNRERLLREEDFE PDARTGISPARAHVAAADLV TAYEQTVNQEINFQKSFNNHVRTLVA REEVAIGLMHLWDFVSAL EQNPNSKPLMAQLFLIVQHSRDNEAFRD ALLNIVEPEGRWLLDLINILQSI VVQERSLSLADKVAAINYSMLSLGK FYARKIYHTPVVPIDKEVKIEGFYMRMALKVLTLSDDLGVYRNERI HKAVSVSRRELSDRELMSLQRALAGTSGDREAESYFDAGADL RWAPSRRALEAAGAGPGLAVAPARAGNVGVVEEYDEDEYEPED GEY
SEQ ID NO. 24 (E1a protein- 13S, AP_000197.1)	MRHIIHGGVITEEMAASLLDQLIEEVLADNLPPSHFEPPTLHELVD LDVTAPEDPNEEAVSQIFPDSVMLAVQEGIDLTLTFPPAGSPPEPHLS RQPEQPEQRALGPVSMPNLVPEVIDLTCH EAGFPPSDDEDEEGEEFV LDYVEHPGHGCRSCHYHRRNTGDPD IMCSLCYMRTCGMFVYSPVS EPEPEPEPEPEPARPTRRPKMAPAILRRPTSPVSR E C N S T D S C D S G P S NTPPEIHPVVPLCPIKPVA VRVGRRQAVECIEDLLNEPGQLDLSCK RPRP

TABLE 3-continued

Sequence Lists	
SEQ ID NO. 25 (E1A protein 12S)	MRHIICHGGVITEEMAASLLDQLIEEVLADNLPPSHFEPPTLHELYD LDVTAPEDPNEEAVSQIFPDSVMLAVQEGIDLLTFPPAGSPPEPHLS RQPEQPEQRALGPVSMPLVPEVIDLTCEAGFPSPDDEEEGPVSE PEPEPEPEPEPARPTRRPKMAPAILRRPTSPVSRCSNSTSDSCDSGPSN TPPEIHPVVPLCPIKPVAVRVGRRQAVECIEDLLNEPGQPLDLSCKR PRP
SEQ ID NO. 26 (E1A protein 11S)	MRHIICHGGVITEEMAASLLDQLIEEPEQPEQRALGPVSMPLVPEVI DLTCEAGFPSPDDEEEGEFFVLDYVEHPGHGCRSCHYHRRNTGD PDIMCSLCYMRTCGMFVYSPVSEPEPEPEPEPEPARPTRRPKMAPAIL RRPTSPVSRCSNSTSDSCDSGPSNTPEIHPVVPLCPIKPVAVRVGGR RQAVECIEDLLNEPGQPLDLSCKRPRP
SEQ ID NO. 27 (E1A protein 10S)	MRHIICHGGVITEEMAASLLDQLIEEPEQPEQRALGPVSMPLVPEVI DLTCEAGFPSPDDEEEGPVSEPEPEPEPEPEPARPTRRPKMAPAIL RRPTSPVSRCSNSTSDSCDSGPSNTPEIHPVVPLCPIKPVAVRVGGR RQAVECIEDLLNEPGQPLDLSCKRPRP
SEQ ID NO. 28 (E1A protein 9S)	MRHIICHGGVITEEMAASLLDQLIEEVLCLNLSLSPSQNRSLQDLPAV LKWRLLS
SEQ ID NO. 29 (E1B protein 19K, AP_000198.1)	MEAWECLEDFSAVRNLLQSSNSTSWFWRFLWGSQAKLVCRKE DYKWEFEELLKSCGELFDSLNLGHQALFQEKVIKTLDFSTPGRAAA AVAFLSFIKDKWSEETHLSGGYLLDFLAMHLWRAVVRHKNRLLLL SSVRPAIIPTEEQQQQEEARRRRQEQQSPWNPRAGLDPRE
SEQ ID NO. 30 (E1B protein 55K, AP_000199.1)	MERRNPSERGVPAFGSGHASVESGCETQESPATVVFRPPGDNTDGG AAAAAGGSQAAAAGAEPMPEPESRPGPSGMNVVQVAELYPELRRIL TITEDGQGLKGVKREKRGACATEEARNLAFSLMTRHRPECITFQQIK DNCANELDLLAQKYSIEQLTTYWLQPGDDFEEAIRVYAKVALRPDC KYKISKLVNIRNCCYISGNGAEVIDTEDRVAFRCSMINMWPGVLG MDGVVIMNVRFTPNFGTGFPLANTNLILHGVSYFGFNNTCWEAWT DVRVRGCAFYCCWKGVVCRPKSRASIKKCLFERCTGLILSEGNSRV RHNVASDCGCFMLVKSAVAVIKHNMVCGNCEDRASQMLTCDGNC HLLKTIHVASHSRKAWPVFEHNILTRCSLHLGNRRGVFLPYQCMLS HTKILLEPESMSKVNNGVFDMTMKIWKVLRVDETRTRCRPCECG GKHIRNQVMLDVTEELRPDHLVLACTRAEFGSSDEDTD
SEQ ID NO. 31 (xx85 c1DNA)	gcgtataatggactattgtgtgctgataGGCGCGCCTtggtatgaagccaatatgataatgagggggg ggagtttgtgacgtggcgcgggcggtgggaacggggcggtgacgtagggttttagggcgagtaacttgt atgtgttgggaattgtagtttcttaaaatgggaagttacgtacgtgggaaacggaagtacgactttgagga agttgtgggttttttggtcttctgttctggggcgtaggttcgctgctgggtttctgggtgttttttggtgactttaacc gttacgtcatttttttagtcctatatatactcgctctgcacttggccctttttacactgtgactgattgagctgggtgc cgtgtcgagtggtgttttttaaataggttttcttttactggttaaggctgactgttatggctgccgctgtggaagc gctgtatgtgttctcgagcgagggtgctattttgcctaggcaggaggggttttcagggtgttatgtgttttct ctcctatttaatttgggtatacctcctatggggcgctgaatgttgcctctacgcctgagggtatgtattccccgggc tatttcggtcgcttttagcactgaccgatgtgaatcaacctgatgtgtttaccgagctctacattatgactccgg acatgaccgaggagctgtcggtggtgcttttaatacagggtgaccagttttttacgggtcacgccggcatggc cgtagtcgctcttatgcttataaggggtgttttctcgtgtgtaagacaggctctaatgttttaaatgttttttggttat tttattttgtgtttatgcagaaacccgcagacatgtttgagagaaaaatgggtgtcttttctgtggtggttccggagct tacctgcctttatctgcagatgacatgactacgatgtgctttcttttgcgagaggctttgcctgatttttgagcag cacctgtcattttatgcgcccccatgcaacaagcttatacctggggctacgctggttagcatagctccgag atgcgtgtcataatcagtggtgggttctttgtcatggttcctggcggggaagtggccgctggtccggtgcag acctgcacgattatgttcagctggccctgcgaagggaacctacgggatcgcggtattttgttaagtgtccgcttt tgaatcttatacaggtctgtgaggaacctgaatttttgcaatcatgattcgctgctgaggctgaaggtggagg gcgctctggagcagattttacaatggccggacttaatatcgggatttgcttagagatatattgagaaggtgg cgagatgagaattatttgggcattggtgaaggtgctggaatgtttatagaggagattcaccctgaaggggttta gcctttacgtccacttgagcgtgagggcggtttgccttttggaagccattgtgcaacatcttacaatgccatta tctgttcttggctgtagagtttgaccacgcccagggagggagcgcgttcaactaatagatcttcaatttggagg ttttggataatcttttggataaaaaaaaaaacatggttcttccagctcttcccgtctctccggtgtgtgactccg agaacgaatgtgtaggttgctgggtgtggtctattctcggtggtggatgttatcagggcagcgccgcatg aaggagtttacatagaaccgaagccagggggcgccctggatgctttgagagagtggaatatactacaactac tacacagagcgatctaagcggcgagacggagacgcagatctgtttgtcacgcccgacctggttttgcctc aggaataatgactacgtccggcgcttccatttggcatgacactacgaccaacacgatctcggtgtgtccggcg cactccgtacagtagggatcgtctacctccttttgagacagaaacccgcgtaccatactggaggatcatcc gctgctccccgaatgtaacactttgacaatgcacaacgtgagttacgtgcgaggtcttccctgcagtggtggg agtttaggtggtggtggatggcgccatgtttaatcagaggtttataggtaccgggaggtggtgaattacaa catgcaaaagaggtaatgtttatgtccagcgtgtttatgaggggtcgccacttaattcactgcgcttgggt atgatggccacgtgggttctgtggtccccgccatgagctttggatcacgcgcttgactgtgggattttgaa caatatgtggtgctgtgctgcagttactgtgctgatttaagtgagatcaggggtgcgtgctgtgcccggagg acaaggcgcttctgctggggcggtgcgaatcatcgctgaggagaccactgccatgtgtattcctgcag

TABLE 3-continued

Sequence Lists

gacggagcggcgggcgagcagttatttcgcgcgctgctgcagcaccacgcctatcctgatgcacgat
 tatgactctacccccatgtaggcgtggaacttctccttcgcgcgcgcgttaagcaaccgcaagttggacagcag
 cctgtggctcagcagctggacagcgacatgaactaagtgaagctgcccggggagttattaatatcactgat
 gagcgtttggctcgacaggaacccgtgtggaataaacacctagaatattgtctgttaccatgatgatgct
 ttttaaggccagccgggggagaaaggactgtgactctgtgtgttgggagggaggtggcaggttgaactacta
 ggggtctgtgagtttgattaaaggtacggtgatctgtataagctatgtgggtggggctataactgaatgaaa
 aatgacttgaaattttctgcaattgaaaaataaacacggttgaacataacacaaacgattctttattcttgggcaa
 tgtatgaaaaagtgtaagaggatgtggcaaatattcattaatgtagttgtgggtttaaacggtcaggcgcgcg
 caatcgttgacgctctGTtagaccgtgcaaaaggagagcctgtaagcgggcactcttcggtggtctgggtgg
 ataaattcgcaagggtatcatggcgagcagccgggttcgagcccgctatccggccgtccgcgctgatcc
 atgcggttaccgcccgcgctgtcgaaaccaggtgtgcgacgtcagacaacgggggagtgctccttttggctt
 ccttccaggcgcgcgctgctgcgctagcttttttggccactggccgcgcgcagcgttaagcgggttaggct
 ggaaagcgaaagcattaaagtggtcgcctcctgtagccggaggggtattttccaagggttgagtgcgggga
 ccccggttcgagttcggacccggcgactgcggcgaaacgggggtttgcctcccgctcatgcaagacc
 cgcttgcaaatctctcggaacagggaacgagcccttttttgcctttccagatgcatccggtgctgcggca
 gatTTAATTAaattggcgctgacgacaggtgctggcgccgggtgtggccgctggagatgacgtag
 ttttcgcgcttaaatttgagaaaggcgcgaaactagtccttaagagtcagcgcgagttattactgaagaga
 gcctccgcgtcttcacagcgtgcgcgaagctgatcttcgcttttgtgatcacggcagctgcgggtgagggat
 cgcagagacctgtttttattttcagctcttgttcttggccccctgctctgttgaaatatagcatcacagagtgaggaa
 aaatccctgtttctaaagctcgcgggtcgatacgggttcggtggcgccagacgcagcgtctcctcctcgtgct
 ctgcgcgcgctgtggattttcttgggcttgtcagagctcttgcctatccggctgcctttgctctctgtgtggcgctgc
 tgttgcctgcgcgtgcgcgtgcgcgcggtgcagttatgggtgtagagatgacggttagtaatgcaggatgttac
 gggggaaggccacgcgctgatggtagagaagaaaggcgggcggaaggagatgttgcctccacagct
 tgcaagcaagcaactatggcgcttcttgtcccgcgcctatgagcggtagccttgccgctgttgttgcctctggg
 ctaacggcgcgcgctgcttgagacttaccggccctgggtccagtggtgctccatctacggttgggtgcggcgaa
 cgggcagtgccggcgcgctgagggagcggaggttgtagccatgctggaacgggttgcgatttctggg
 gcgcgcgcgaggggaatgcgaccgaggggtgacgggtgttctgctgacacctcttcgacctcggaagcttc
 ctgcttaggtctctccagctcttccatcatgctcctcctcctcctgcctccaaacctcctctgctgactgtccca
 gtattcctcctcgtccgtgggtggcgcgagctgcagcttcttttgggtgccatcctgggaagcaaggg
 ccccgcgctgctgctgatagggtgcgcgcgggggggattgggttgagctcctgcgcgactgggggt
 ccaagttaacccccctcctcttctgtagcaaaactcttgggggcttgttgtatggcttgcaattggccaaag
 aatgtggccctgggtaatgacgcagcggttaagctccgcatttggcgggcgggattgggtcttcgtagaacc
 taatctcgtggcggtggttagtctcaggtacaaatttgcaaggttaagccgacgtccacagcccgaggtg
 agtttcaaccccgagcgcgggacttctcgtcaggcgagggacccctgcagctcaaaaggtaccgataatttg
 acttctgttaagcagctgcgaatttgcaaacagggaagcgggtgcgggggtgcataggttgacgcagactga
 cactccagtagaccgtcaccgctcacgtcttccattatgtcagagtggtaggcaaggtagttggctagctgca
 gaaggtagcagtgcccccgaagcggcgaggggcatctgcgggtacttaattgggcacaaagtgcctaggaa
 gtgcagcaggtggcgggcaagatctcgtagcgtctaggataaagttcctaaagttctgcaacatgctt
 gactggtgaagtctggcagaccctgttgaggggttttaagcaggcgttcgggggaaatgatgtccgcagg
 tgcgcggccacggagcgtcgttgaaaggcgtccataggtcctcaagttttgcttttagcagttcttgcagctc
 cttgaggttgcaactcctccagcactgctgccaacgcctcctggcgctgcgcaggtgtagcatagaaataa
 gtaaacgcagtcgcggagctagtcgcgcgcgcctcgccttgagcgtggaatgaagcacgttttgccca
 agggcggtttctgtgcaaaattccaaggttaggagaccaggttgacagctccacgttggaagatctgcagggc
 ctggcgtacgtagcctgtcgaaaggtgtagtgcaatgttctcctagcttgccgtgcatctccgggtcagca
 aagaacgcgtgcatgactcaagctccacggtaacgagcactgcggccatcattagtttgcgtcgtcctcc
 aagtcggcaggtcgcgcgtttgaagccagcgcgtagctgctcgtgcgcaactgcgggtaggccctcct
 ctgtttgttcttgcaaatttgcatcctctccaggggtgcgcagcgcgcagcatcagctcactcatgactgtg
 ctcatgaccttgggggtaggttaagtgcgggttaggcaagtggtgacctcgatgctgcgttttagtacg
 gctaggcgcgcttgtcacctcgagttccaccaacactccagagtgactttcatttcgtctgtttctcgtgtgc
 agagcgtttgcgcgcgcttctcgtgcgctcgaagacccctcaagatttttggcaactcgttgagcggcg
 atatcaggtatgacagcgcctcgcgcaaggccagctgcttgtccgctcgggtcgggttggaacggcagg
 ataggggtatcttcgagttttggaaaagatgtgataggtggcaagcacctctggcagggcaaataccgggt
 agaagttgagcgcggggttgggttcgcatgtgcgctttcttggcgcttgggggggtacgcgcggtgagaata
 ggtggcggtctgtaggaaggtgacatccgctatggcgaggggcacatcgtcgcgtcttgcacacgctc
 gcagataatggcgactggcgctgcagatgcttcaacagcagctgctcctccacatctaggtagtcgcatg
 cctttcgtcccccgccgacttctcctcgtttgctcgtggttgcctcgtggtcttgccttttatcctcgttggtagt
 gagcgtcctcgtcgtcttcgcttacaaaacctgggtcctgctcgataatcacttctcctcctcaagcggg
 gtgcctcgacggggaaggtggtaggcgcttggcgccatcgttgaggcggtggtggcgaaactcagag
 gggcgctatcgagttaggctgcttctcctcgtactgactccatgatctttctcgtcctataggagaaggaaatggccag
 tcgggaagaggagcagcgcaaaacaccccgagcgcggacgcggtgcggcgacgctcccccaac
 catggaggagcgtgtcgtcccgctcccgctgcgcgcgcctccccgggcccccaaaaagcggatgag
 gcggcgtacgagtcgaggaagcaggaagactcatcacagacgcgctggtgcgcgcacacccagcc
 cgcgccatcgacctcggcgcggtatttggccatgcgcgcaagaagaaaaagaaagcgcctctctccaa
 gcccgagcgcccccatcaccagaggttaactcgtgacagcaggaagaaagagaagatgtggcgctac
 aaatgggtgggtttcagcaacccacgggtgctaatcaagcatggcaaggaggttaagcgacagtgccg
 gctgaatgaagacgaccagtgccgctggtatgcgacgcaagaggaaaggaagagccagcgaa
 gcggaaagtgaatatcgggtgatgaacccgctgagtggtgcgcatcgtgtcgcgtgggagaagggcatgg
 aggtgcgcgcgctgatggacaagtaccacgtggataacgatctaaaggcgaaacttcaactactgct
 gaccaagtgaagctctggcgccgctatgaagacctggctgaacgaggagcaccgcggttgacgctg
 accttaccagcaacaagactttgtgacgatgatggggcgatctcctgaggcgctacctgcagctcgtttgca
 gaggtgacctacaagcatcacgagccacgggtgcgcgttgtggctgcacgcgtgcgctgagatcgaa
 ggcgagcttaagtgtctacacggaagcattatgataaataaggagacgctgatgaaatggatgtgacgagc
 gaaaacgggcagcgcgcgtgaaggagcagctctagcaaggccaagatcgtgaagaacgggtggggcc
 gaaatgtgtgcagatctccaacacgagcgaaggtgctgcgtgcagcagcggcgctgtccggccaatca
 gttttccggcaagctctgcggcatgttctcctcgaaggcgcaaggctcaggtggcttttaagcagatcaag

TABLE 3-continued

Sequence Lists	
	gcttttatgcaggcgctgtatcctaacgcccagaccgggacgggtcaccttttgatgccactacgggtgcgagt gcaactcaaaagcctgggacgcgcccttttgggaaggcagctaccaagttgactccgttcgccctgagc aacggcgaggacctggacgggatctgatctccgacaagagcggtgctggccagcgtgcaccaccggc gctgatagtggtccagtgctgcaacctgtgtatcgcaactcgcgcgcgaggcgaggccccaaactgc gactccaagatatcgggcgccgacctgtcaaacgcttggtgatggtgcgcagccttgaggagtaaaacttc accgagctgccgggatggttgtgctgagtttaagtggagcactaaacaccagtatcgcaactgtccctg ccagtgggcatagcgatgcggcgagaaaccccttgatttttaacggcgagacgggaagggtggggg taataaatcaccgagagtgtaacaataaaagcatttgcccttattgaaagtgtctctagtacattattttacatg ttttcaagtacaaaaagaagtggCGGCGCactagttatcagcacacaattgcccatatacgc
SEQ ID NO. 32 (Fiber DNA sequence, AC_000008.1)	atgaagcgcgcaagaccgtctgaagataccttcaaccccggtatccatatgacacggaaacgggtccctcc aactgtgctttttctactcctccctttgtatcccccaatgggtttcaagagagtcctccctggggactctctttgc gcctatccgaacctctagttaacctcaatggcatgcttgcgctcaaaatgggcaacggcctctctctggacga ggcgggcaaccttacctcccaaaatgttaacctgtgagccacctctcaaaaaaaccagtaaaactaa acctggaatatctgcaccctcacagttacctcagaagccctaacgtgggtgccgcccacacctctaattggt cgcgggcaacacactcaccatgcaatcacaggccccgctaaccgtgcacgactccaaacttagcattgcc accaaggccccctcacagtgctcagaaggaaagctagccctgcaaacatcaggccccctcaccaccacc gatagcagtagcccttactatcactgctcaccctctaacactgcccactggtagcttgggcattgacttgaa agagccatttatcacaaaaatggaaaactaggactaaagtacggggctcctttgcatgtaacagacgacct aaacactttgaccgtagcaactggtccaggttgactatttaataacttcttgcactaaagtactggag ccttgggttttgattcacaaggcaatatgcaacttaattgtagcaggaggactaaggattgattctcaaaacaga cgcttatacttgattgatttagttatccgtttgatgctcaaaacaaactaaatctaagactaggacagggccctctt ttataaactcagcccaacttggtatttaactacaacaaggccttacttggttcaacgttcaaaacttccaa aaagcttgaggttaacctaagcactgccaagggttgatgtttgacgctacagccatagccattaatgcagg agatgggcttgatattggttcacctaatgcacacaaacacaaatcccccaaaaaaattggccatggccta gaatttgattcaacaaggctatggttccctaaactagggaactggccttagtttgacagcacaggtggcattac agtaggaacaaaaataatgataagctaacctttgtggaccacaccagctccatctcctaacgttagactaat gcagagaaagatgctaaactcactttggtcttaacaaaatgtggcagtaaatacttgcacagtttcagttttg gctgttaaggcagtttggtcccaatcttggaacagttcaaaagtctcatctattataagatttgacgaaaat ggagtgctactaaacattccttctggaccagaatattggaacttagaaaatggagatcttactgaaggca cagctatcaaaacgctgttggtattatgctaacctatcagcttatacaaaatctcacggtaaaactgccaaa agtaacattgtcagtcagtttacttaacggagacaaaactaaacgttaacactaacattacacataacg gtacacaggaacaggagacacaactccaagtgcatactctatgtcattttcatgggactggtctggccaca actacattaatgaaatatttgccacatcctcttaacatttttcatacattgcccagaataa
SEQ ID NO. 33 (Hexon DNA sequence, AC_000008.1)	atggctaccccttcgatgatgccgagtggtcttcatatgcacatctcgggcccaggacgcctcggagtacctg agccccgggctggtgacgtttgcccgcgcaccagagacgtacttcagcctgaataacaagttagaaaaccc cagctggcgccctacgcagcagtgaccacagaccggtcccagcgttgagcgtcggttcatccctgtg gaccgtgaggatactgcgtactcgtacaaggcgcggttccccctagctgtgggtgataaacgtgtgctgga catggcttccacgtactttgacatcccgcgctgctggacaggggcccctacttttaagccctactctggcact gcctacaacgcccctggctcccaagggtgccccaaatccttgcaaatgggatgaagtgctactgctcttgaa ataaacctagaagaaggagcagtgacaacgaagacgaagtagacgagcaagctgagcagcaaaaaac tcacgtatttgggcaggcgcccttatctggtataaatattacaaggagggtattcaaatagggtgcgaaggtc aaacacctaaatagccgataaaaactttcaacctgaacctcaaataggagaatctcagtggtacgaactga aattaatcatgcagctgggagagtccttaaaaagactaccccaatgaaacccatgttacgggtcatatgcaaaa cccacaatgaaaatggagggaaggcattcttgtaagcaacaaaatggaaaagtgaaggtcaagtggtg aaatgcaattttctcaactactgaggcgaccgcaggcaatgggtgataacttgactcctaaagtggattgtac agtgaagatgtagatatagaaccccagacactcatattcttcatgcccactattaagggaaggtaacctcac gagaactaatgggccaacatctatgcccaacaggcctaattacattgcttttagggacaattttatgggtctaa tgtattacaacagcaggggtaattatgggtgtcttgccggggccaagcatcgagttgaaatgctgtgtgagttg caagacagaaacacagagctttcataccagcttttgcttgattccattggtgatagaaccaggtacttttcatgt ggaatcaggctgttgacagctatgatccagatgttagaattattgaaaaatcatggaactgaagatgaactcca aattactgctttccactgggaggtgtgatttaataacagagactcttaccagggtaaaacctaaaaacaggtcagg aaaatggatgggaaaaagatgctacagaattttcagataaaaatgaaatagagttggaaaataattttgccat ggaaatcaatctaaatgccaaactgtggagaaatttctgtactccaacatagcgtgtatttgcccagacaag ctaaagtacgtccttccacgtaaaaatttctgataaacccaaacacctacgactacatgaacaagcaggtgg tggctcccggttagtgagctgtacattaaccttgagcagcgtggtcccttgactataggacaacgtcaa cccatttaaccaccacgcgaatgctggcctgcgtaccgctcaatgttgctgggcaatggtcgctatgtgcc ttccacatccagtgctcagaagtcttcttgccattaaaaacctccttctcctggcggtcctacacactaga gtggaacttcaggaaagatgttaacatggttctgcagagctccctaggaaatgacctaaaggttgacggag ccagcattaaagttagtagcatttgctttacgccacctcttccccatggcccacaacaccgctccacgctt gaggccatgcttagaaacgacacacagcagcagctcctttaaagactatctcctgcgcgcacacatgctctac cctatacccgccaaacgtacacacgtgcccatatccatccctcccgcaactggggcggtttccggcggtg ggccttcaacgcgcttaagactaaggaaaccccatcactgggctcggtgctacgaccttattacacctactct ggctctacacctacgtagtggaaccttttaacctcaaccacaccttcaagaaggtggccattacctttgactctt ctgtcagctggcctggcaatgaccgctgcttaccctcaacagagtttgaaattaaagcgtcagttgacgggg agggttacaacgttgcccagtgtaacatgaccaaaagactgggtcctgggtacaaatgctagctaacataacat tggctaccagggctctatataccagagagctacaaggacgcagctgactcctctttagaaacttccagccc atgagcgtcaggtggtgagatgataactaaacaggaactaccaacaggtgggcatcctacaccaacacaaa caactctggatttgttggtaccttgccccccaccatgcgcgaaggacagggcctacctgctaacttccctat ccgcttataggcaagacgcagttgacagcattaccagaaaaagttctttgcgatcgcaaccttggcgca tccattctccagtaactttatgtccatggcgcaactcacagacgtgggccccaaaccttctctacgccaactcc gcccacgcgtagacatgacttttaggtggatcccatggaagagcccaccttctttatggtttgtttgaagtc tttgagtggttcgctgtgcacggcgcaacggcggtcatcgaaacgtgtacctgcgcacgccccttctc ggcgggcaacgccacacataa

TABLE 3-continued

Sequence Lists	
SEQ ID NO. 34 (Penton DNA sequence, AC_000008.1)	atgcgccgcgccggcgatgtatgaggaaggtcctcctcctcctacgagagtgtggtgagcgccggcgcca gtggcgccggcgctgggtttctccttcgatgctcctcctggaccgcccgtttgtgctcctcgccgtacctgccc cctaccgggggggagaaacagcatccgttactctgagttggcaccctattcgacaccaccgctgtgtacctg gtggacaacaagtcaacggatgtggcatcctgaactaccagaacgaccacagcaactttctgaccacggt catcaaaacaatgactacagcccgggggaggcaagcacacagaccatcaattttgacgaccggtcgac tggggcgccgacctgaaaacccatcctgcataccaacatgccaaatgtgaacgagttcatgtttaccaataag ttttaaggcgccgggtgatgggtgctcgcttgcctactaaggacaatcaggtggagctgaaatacagagtggtg ggagttcacgctgcccaggggcaactactccgagaccatgaccatagaccttatgaacaacgagctcggtg gagcactacttgaaagtggcgagacagaacggggttctggaaagcgacatcggggttaaagtgtgacacc gcaacttcagactggggtttgaccccgctcactgggtcttgcctgcctggggtatatcaaacgaagccttccat ccagacatcattttgctgccaggatgccccgggtggacttccccacagccgctgagcaactttgtgggcatc cgcaagcggaaccccttcaggagggtttaggatcacctacgatgatctggagggttggttaacattcccgc actgtttggatgtggacgctaccaggcgagcttgaagatgacacgaacaggcggggtggcgagg cggcagcaacagcagtgaggcgccggaagagaactccaacgcgccagcccgccggaatgcagcc ggtggaggacatgaacgatcatgccattcgcggcgacacctttgccacacgggctgaggagaagcgccg tggcgcggaagcgagcgccgaagctgcccccgctgcgcaacccgaggtcgagaagcctcagaag aaacccggtgatcaaacccctgacagaggacagcaagaacgcagttacaacctaatagcaatgacagca ccttcacccagtagccgagctggtacctgtcatacaactacggcgacccctcagaccggaatccgctcatgg accctgctttgcactcctgacgtaacctgcccgtcgagcaggttctactggctgctgcccagacatgatgcaa gaccccgtagccttccgctccacgcccagatcagcaactttccggtgggtggcgccgagctgttgcctg gcactccaagagcttctacaacgaccaggccgttactcccaactcatccgaggtttacctctctgacccac gtgttcaatcgcttcccgagaacagattttggcgccgcccagcccccaccatcaccacgctcagtgaa aacgttctctgctctcacagatcacgggacgctaccgctgcgcaacagcatcgaggaggtccagcgagtg ccattactgacgcccagacgcccacctgcccctacgtttacaaggccctgggcatagtctcgccgcccgtc ctatcgagccgcaactttttga
SEQ ID NO. 35 (23K endoprotease DNA sequence, AC_000008.1)	atggggtccagtgagcaggaactgaaagccattgtcaaatgcttgggttggggccatatttttggggacctat tgacaagcgctttccaggctttgtttctccacacaagctcgccctgcccattagtcaatcggcccggtcgca gactggggggctacactggatggcctttgctggaacccgcaactcaaaacatgctacctctttgagcccttt ggcttttctgaccagcgaactcaagcaggtttaccagttttagtagtagctcctcctgcccgttagcgccttg ctcttcccccagcgcgtgtataacgctggaaaagtccacccaaagcgtacagggggcccaactcggccgc ctgtggactattctgctgcatgtttctccacgcttttgccaactggccccaactcccatggatcacaacccca ccatgaaccttattaccggggtaccacactccatgctcaacagtcctccaggttacagcccaccctgcgtcgca accaggaacagctctacagcttctggagcgccactcgccctacttccgagccacagtgccgagattagg agcgccacttctttttgtcacttgaaaaacatgtaa
SEQ ID NO. 36 (Peripentonal- Hexon Associated Protein DNA sequence, AC_000008.1)	atg atgcaagacg caacggaccc ggccgtgccc gggcgctgc agagccagcc gtccgcccct aactccacgg acgactggcg ccagggtcatg gaccgcatca tgtcgctgac tgcgcgcaat cctgacgcgt tccggcagca gccgcaggcc aaccggctct ccgcaattct ggaagcgggt gtcccgccgc gcgcaaaccc cagcagcagc aaggtgctgg cgatcgtaaa cgcgctggcc gaaaacaggc ccatccggcc cgacgaggcc ggcctggtct acgacgcgct gcttcagcgc gtggctcggtt acaacagcgg caactgtagc aaccaactgg accggctggt gggggatgtg cgcgagccgc tggcgagcgc tagcgccgcg cagcagcagg gcaacctggg ctccatggtt gcaactaaacg ccttcctgag tacacagccc gccaacgtgc cgccggggaca ggaggactac accaactttg tgagcgcact gccgctaatg gtgactgaga caacgcaaa tgaggtgtac cagtctgggc cagactattt ttccagacc agtagacaag gccctgagac cgtaaacctg agccaggctt tcaaaaactt gcaggggctg tggggggtgc gggtccccc aggcgacccgc gcgacccgtg ctactgtgct gacgcccac tcgcccctgt tgcgtgctgt aatagcgccc ttcacggaca gtggcagcgt gtcccgggac acatacctag gtcactgtgt gacactgtac cgcgaggcca taggtcaggc gcatgtggac gagcatactt tccaggagat tacaagtgtc agcccgccgc tggggcagga ggacacgggc agcctggagg caaccctaaa ctacctgctg accaaccggc ggcagaagat cccctggtg cacagttaa acagcgagga ggagcgcaat ttgcgctacg tgcagcagag cgtgagcctt aacctgatgc gcgacgggg aacgcccagc gtggcgctgg acatgaccgc gcgcaacatg gaaccgggca tggatgctc aaaccggccg tttatcaacc gcctaattgga ctacttgcat cgcgcccgcg ccgtgaaccc cgagtatttc accaatgcca tcttgaaccc gcaactggcta ccccccctg gttctacac cgggggattc gaggtgccc agggtaacga tggattctc tgggacgaca tagacagac cggtgtttcc ccgcaaccgc agaccctgct agagtgtgaa cagcgccagc aggcagagcc ggcgctgcca aaggaaagct tccgcaggcc aagcagcttg tccgatctag gcgctgccc cccgcggtca gatgctagta gcccatttcc aagcttgata ggggtcttta ccagcactgc caccaccgc cgcgcccgtg tggcgagga ggagatccta aacaactcgc tgcgtgagcc gcagcgcaaa aaaaacctgc ctccggcatt tcccaaacac gggatagaga gcctagtga caagatgagt agatggaaga cgtacgcgca ggagcacagg gacgtgccag gcccgccccc gccacccgt cgtcaaaggc acgaccgtca gcggggtctg gtgtgggagg acgatgactc ggcagacgac agcagcgtcc tggatttggg agggagtgcc aaccggtttg cgcaccttcg ccccgagctg gggagaatgt ttttaa
SEQ ID NO. 37 (Packaging Protein 3 DNA sequence, AC_000008.1)	atgcatccggtgctgcccagatgccccccctcctcagcagcggcgaagagcaagagcagcggcagac atgcaggggaccctccctcctcctaccgctcaggaggggcgacatccgcggttgacgcccgcagaga tgggtgattacgaaccccgccggcgccggcccgccactacctggacttgaggaggcgaggccctgg cgcggttaggagcgcctctcctgagcgggtaccgaagggtgagctgaagcgtgatcgcgtaggagcgt acgtgcccggcgagaacctgtttcgcgacccgagggagaggagcccaggagatgcccggatcgaaa gttccacgagggcgagagctgcggcatggcctgaatcgcgagcgggtgctgcgagaggagactttga gcccgagcgcgaacccgggattagtccgcgcccgcacacgtggcgccgcgacccgtgtaaacgcgat

TABLE 3-continued

Sequence Lists	
	acgagcagacgggtgaaccaggagattaactttcaaaaaagctttaacaaccacgtgcgtacgcttgtggcg cgcgaggaggtggctataggactgatgcatctgtgggactttgtaagcgcgctggagcaaaacccaaatag caagccgctcatggcgcagctgttccttatagtgcagcacagcagggaacaacgaggcattcagggatgcg ctgctaacaatagtagagcccgagggccgctggctgctcgatttgataaacatcctgcagagcatagtggtg caggagcgagccttgagcctggctgacaaggtggccgcatcaactattccatgcttagcctgggcaagttt tacgcccgcaagatataccataccccttacgttcccatagacaaggaggtaaagatcgaggggttctacatg cgcatggcgctgaaggtgcttaccttgagcgcagacctgggctttatcgcaacgagcgcacccacaagg ccgtgagcgtgagccggcgcgagctcagcgaccgcgagctgatgcacagcctgcaaagggccctg gctggcagggcgagcggcgatagagagggcgagtcctactttgacgcgggcgctgacctgcgctgggccc ccaagccgagcgccttgaggcgagctggggcggaacctgggctggcggtggcaccgcgcgcgctg gcaacgctcggcggcgtggaggaatatgacgaggacgatgagtagcagcagcagaggacggcgagtactaa
SEQ ID NO. 38 (E1A protein 13S DNA sequence, AC_000008.1)	TATTTATACCCGGTGAGTTCCTCAAGAGGCCACTCTTGAGTGCCA GCGAGTAGAGTTTTCTCCTCCGAGC CGCTCCGACACCGGGACTGAAAATGAGACATATTATCTGCCACG GAGGTGTTATTACCGAAGAAATGGCC GCCAGTCTTTTGAGCCAGCTGATCGAAGAGGTACTGGCTGATAA TCTTCCACCTCCTAGCCATTTTGAAC CACCTACCCCTTCACGAAGTGTATGATTAGACGTGACGGCCCCCG AAGATCCCAACGAGGAGGCGGTTTC GCAGATTTTCCCGAGTCTGTAATGTTGGCGGTGCAGGAAGGGA TTGACTTATTCACTTTTCCGCGCGCG CCCGGTTCTCCGAGCCGCCCTCACCTTTCCCGGCAGCCGAGCAG CCGGAGCAGAGAGCCTTGGGTCCGG TTTCTATGCCAAACCTTGTGCCGAGGTGATCGATCTTACCTGCC ACGAGGCTGGCTTTCCACCCAGTGA CGACGAGGATGAAGAGGGTGAGGAGTTTGTGTTAGATTATGTGG AGCACCCCGGGCACGGTTGCAGGTCT TGTCATTATCACCGGAGGAATACGGGGACCCAGATATTATGTG TTCGCTTTGCTATATGAGGACCTGTG GCATGTTTGCTACAGTAAGTGAAAATTATGGGCAGTCGGTGAT AGAGTGGTGGGTTTGGTGTGTAATT TTTTTTTAATTTTACAGTTTGTGGTTTAAAGAATTTTGTATTGT GATTTTTTAAAGGTCCTGTGTCT GAACCTGAGCCTGAGCCCGAGCCAGAACCCGAGCCTGCAAGACC TACCCGCGCTCCTAAATGGTGCCTG CTATCCTGAGACGCCCCGACATCACCTGTGTCTAGAGAATGCAAT AGTAGTACGGATAGCTGTGACTCCGG TCCTTTAACACACCTCCTGAGATACACCCGGTGGTCCCGCTGTG CCCCATTAAACAGTTGCCGTGAGA GTTGGTGGGCGTCGCCAGGCTGTGGAATGTATCGAGGACTTGCT TAACGAGTCTGGGCAACCTTTGGACT TGAGCTGTAACGCCCCAGGCCATAAGGTGTAACCTGTGATTG CGTGTGGTTAACGCCTTTGTTTGC TGAATGAGTTGATGTAAGTTTAAATAAGGGTGAGATAATGTTTA
SEQ ID NO. 39 (E1A protein 12S DNA sequence, AC_000008.1)	TATTTATACCCGGTGAGTTCCTCAAGAGGCCACTCTTGAGTGCCA GCGAGTAGAGTTTTCTCCTCCGAGC CGCTCCGACACCGGGACTGAAAATGAGACATATTATCTGCCACG GAGGTGTTATTACCGAAGAAATGGCC GCCAGTCTTTTGAGCCAGCTGATCGAAGAGGTACTGGCTGATAA TCTTCCACCTCCTAGCCATTTTGAAC CACCTACCCCTTCACGAAGTGTATGATTAGACGTGACGGCCCCCG AAGATCCCAACGAGGAGGCGGTTTC GCAGATTTTCCCGAGTCTGTAATGTTGGCGGTGCAGGAAGGGA TTGACTTATTCACTTTTCCGCGCGCG CCCGGTTCTCCGAGCCGCCCTCACCTTTCCCGGCAGCCGAGCAG CCGGAGCAGAGAGCCTTGGGTCCGG TTTCTATGCCAAACCTTGTGCCGAGGTGATCGATCTTACCTGCC ACGAGGCTGGCTTTCCACCCAGTGA CGACGAGGATGAAGAGGGTGAGGAGTTTGTGTTAGATTATGTGG AGCACCCCGGGCACGGTTGCAGGTCT TGTCATTATCACCGGAGGAATACGGGGACCCAGATATTATGTG TTCGCTTTGCTATATGAGGACCTGTG GCATGTTTGCTACAGTAAGTGAAAATTATGGGCAGTCGGTGAT AGAGTGGTGGGTTTGGTGTGTAATT TTTTTTTAATTTTACAGTTTGTGGTTTAAAGAATTTTGTATTGT GATTTTTTAAAGGTCCTGTGTCT GAACCTGAGCCTGAGCCCGAGCCAGAACCCGAGCCTGCAAGACC TACCCGCGCTCCTAAATGGTGCCTG CTATCCTGAGACGCCCCGACATCACCTGTGTCTAGAGAATGCAAT AGTAGTACGGATAGCTGTGACTCCGG TCCTTTAACACACCTCCTGAGATACACCCGGTGGTCCCGCTGTG CCCCATTAAACAGTTGCCGTGAGA GTTGGTGGGCGTCGCCAGGCTGTGGAATGTATCGAGGACTTGCT

TABLE 3-continued

Sequence Lists	
	TAACGAGTCTGGGCAACCTTTGGACT TGAGCTGTAAACGCCCCAGGCCATAAGGTGTAAACCTGTGATTG CGTGTGTGGTTAACGCCCTTGTGTTGC TGAATGAGTTGATGTAAGTTTAATAAAGGGTGAGATAATGTTTA
SEQ ID NO. 40 (E1A protein 11S DNA sequence, AC_000008.1)	TATTTATACCCGGTGAGTTCCTCAAGAGGCCACTCTTGAGTGCCA GCGAGTAGAGTTTTCTCCTCCGAGC CGCTCCGACACCGGGACTGAAAAATGAGACATATTATCTGCCACG GAGGTGTTATTACCGAAGAAATGGCC GCCAGTCTTTTGGACCAGCTGATCGAAGAGGTACTGGCTGATAA TCTTCCACCTCCTAGCCATTTGAAC CACCTACCCCTTACGAACTGTATGATTAGACGTGACGGCCCCCG AAGATCCCAACGAGGAGGCGGTTTC GCAGATTTTCCCGAGTCTGTAATGTTGGCGGTGCAGGAAGGGA TTGACTTATTCACCTTTCCGCCGCG CCCGGTTCTCCGAGCGCCTCACCTTTCCCGGACGCCGAGCAG CCGGAGCAGAGAGCCTTGGGTCCGG TTTCTATGCCAAACCTTGTGCCGAGGTGATCGATCTTACCTGCC ACGAGGCTGGCTTTCCACCCAGTGA CGACGAGGATGAAGAGGGTGAGGAGTTTGTGTTAGATTATGTGG AGCACCCCGGCACGGTTGCAGGTCT TGTCAATTATCACCGAGGAATACGGGGACCCAGATATTATGTG TTCGCTTTGCTATATGAGGACCTGTG GCATGTTTGTCTACAGTAAGTGAAAAATTATGGGCAGTCGGTGAT AGAGTGGTGGGTTTGGTGTGGTAATT TTTTTTTAATTTTACAGTTTGTGGTTTAAAGAATTTGTATTGT GATTTTTTAAAGGTCTCTGTGCT GAACCTGAGCCTGAGCCCGAGCCAGAACCGGAGCCTGCAAGACC TACCCGGCGTCTTAAATTGGTGCCTG CTATCCTGAGACGCCCGACATCACCTGTGTCTAGAGAATGCAAT AGTAGTACGGATAGCTGTGACTCCGG TCCTTCTAACACACCTCCTGAGATACACCCGGTGGTCCCGCTGTG CCCCATTAACCCAGTTGCCGTGAGA GTTGGTGGGCGTCGCCAGGCTGTGGAATGTATCGAGGACTTGCT TAACGAGTCTGGGCAACCTTTGGACT TGAGCTGTAAACGCCCCAGGCCATAAGGTGTAAACCTGTGATTG CGTGTGTGGTTAACGCCCTTGTGTTGC TGAATGAGTTGATGTAAGTTTAATAAAGGGTGAGATAATGTTTA
SEQ ID NO. 41 (E1A protein 10S DNA sequence, AC_000008.1)	TATTTATACCCGGTGAGTTCCTCAAGAGGCCACTCTTGAGTGCCA GCGAGTAGAGTTTTCTCCTCCGAGC CGCTCCGACACCGGGACTGAAAAATGAGACATATTATCTGCCACG GAGGTGTTATTACCGAAGAAATGGCC GCCAGTCTTTTGGACCAGCTGATCGAAGAGGTACTGGCTGATAA TCTTCCACCTCCTAGCCATTTGAAC CACCTACCCCTTACGAACTGTATGATTAGACGTGACGGCCCCCG AAGATCCCAACGAGGAGGCGGTTTC GCAGATTTTCCCGAGTCTGTAATGTTGGCGGTGCAGGAAGGGA TTGACTTATTCACCTTTCCGCCGCG CCCGGTTCTCCGAGCGCCTCACCTTTCCCGGACGCCGAGCAG CCGGAGCAGAGAGCCTTGGGTCCGG TTTCTATGCCAAACCTTGTGCCGAGGTGATCGATCTTACCTGCC ACGAGGCTGGCTTTCCACCCAGTGA CGACGAGGATGAAGAGGGTGAGGAGTTTGTGTTAGATTATGTGG AGCACCCCGGCACGGTTGCAGGTCT TGTCAATTATCACCGAGGAATACGGGGACCCAGATATTATGTG TTCGCTTTGCTATATGAGGACCTGTG GCATGTTTGTCTACAGTAAGTGAAAAATTATGGGCAGTCGGTGAT AGAGTGGTGGGTTTGGTGTGGTAATT TTTTTTTAATTTTACAGTTTGTGGTTTAAAGAATTTGTATTGT GATTTTTTAAAGGTCTCTGTGCT GAACCTGAGCCTGAGCCCGAGCCAGAACCGGAGCCTGCAAGACC TACCCGGCGTCTTAAATTGGTGCCTG CTATCCTGAGACGCCCGACATCACCTGTGTCTAGAGAATGCAAT AGTAGTACGGATAGCTGTGACTCCGG TCCTTCTAACACACCTCCTGAGATACACCCGGTGGTCCCGCTGTG CCCCATTAACCCAGTTGCCGTGAGA GTTGGTGGGCGTCGCCAGGCTGTGGAATGTATCGAGGACTTGCT TAACGAGTCTGGGCAACCTTTGGACT TGAGCTGTAAACGCCCCAGGCCATAAGGTGTAAACCTGTGATTG CGTGTGTGGTTAACGCCCTTGTGTTGC TGAATGAGTTGATGTAAGTTTAATAAAGGGTGAGATAATGTTTA

TABLE 3-continued

Sequence Lists	
SEQ ID NO. 42 (E1A protein 9S DNA sequence, AC_000008.1)	TATTTATACCCGGTGAGTCTCTCAAGAGGCCACTCTTGAGTGCCA GCGAGTAGAGTTTTCTCTCCGAGC CGCTCCGACACCGGGATGAAAATGAGACATATTATCTGCCACG GAGGTGTTATTACCGAAGAAATGGCC GCCAGTCTTTTGGACCAGCTGATCGAAGAGGTACTGGCTGATAA TCTTCCACCTCCTAGCCATTTGAAC CACCTACCCCTTCACGAAGTGTATGATTAGACGTGACGGCCCCCG AAGATCCCAACGAGGAGGCGGTTTC GCAGATTTTCCCGAGTCTGTAATGTTGGCGGTGCAGGAAGGGA TTGACTTATTCACCTTTTCCGCGCGCG CCCGGTTCTCCGAGCGCCCTCACCTTTCCCGGAGCCCGAGCAG CCGGAGCAGAGAGCCTTGGGTCCGG TTTCTATGCCAAACCTTGTCGCCGAGGTGATCGATCTTACCTGCC ACGAGGCTGGCTTTCCACCCAGTGA CGACGAGGATGAAGAGGGTGAGGAGTTTGTGTTAGATTATGTGG AGCACCCCGGGCACGGTTGCAGGTCT TGTCATTATACCGGAGGAATACGGGGGACCCAGATATTATGTG TTCGCTTGCTATATGAGGACCTGTG GCATGTTTGTCTACAGTAAGTGAATAATTATGGGCAGTCGGTGAT AGAGTGGTGGGTTGGTGTGTTAATT TTTTTTTAAATTTTACAGTTTGTGGTTTAAAGAATTTGTATTGT GATTTTTTAAAGGTCCTGTGTCT GAACCTGAGCCTGAGCCCGAGCCAGAACCCGAGCCTGCAAGACC TACCCGGCGTCTTAAATGGTGCCTG CTATCCTGAGACGCCCCGACATCACCTGTGTCTAGAGAATGCAAT AGTAGTACGGATAGCTGTACTCCGG TCCTTCTAACACACCTCCTGAGATACACCCGGTGGTCCCGCTGTG CCCCATTAAACCCAGTTGCCGTGAGA GTTGGTGGGCGTCGCCAGGCTGTGGAATGTATCGAGGACTTGCT TAACGAGTCTGGGCAACCTTTGGACT TGAGCTGTAACGCCCCAGGCCATAAGGTGTAACCTGTGATTG CGTGTGTGGTTAACGCCTTTGTTTGC TGAATGAGTTGATGTAAGTTTAAATAAAGGGTGAGATAATGTTTA
SEQ ID NO. 43 (E1B protein 19K DNA sequence, AC_000008.1)	atggaggcttgggagtggttgggaagatttttctgctgtgcgtaacttgcaggaaacagagctctaacagtacctct tggttttggaggtttctgtggggctcatccaggcaagttagctcgcagaattaaaggaggattacaagtggg aatttgaagagcttttgaatcctgtggtgagctgtttgattcttgaatctgggtcaccaggcgcttttcccaaga gaagggtcatcaagactttgatttttccacaccggggcgcgctgcggctgctgttgctttttgagttttataaa ggataaatggagcgaagaacccatctgagcgggggggtacctgctggattttctggccatgcactctgtgga gagcggttgtgagacacaagaatcgctgtactgtgtgtcttcgctccgcccggcgatataaccgacggag gagcagcagcagcagcaggaggaagccaggcggcgggcaggagcagagccatggaacccgag agccggcctggaccctcgggaatga
SEQ ID NO. 44 (E1B protein 55K DNA sequence, AC_000008.1)	atggagcgaagaaacccatctgagcgggggggtacctgctggattttctggccatgcactctgtggagagcgg ttgtgagacacaagaatcgctgtactgttgtcttcgctccgcccggcgataataaccgacggaggagcag cagcagcagcaggaggaagccaggcggcgggcgaggagcagagcccatggaaccgagagccgg cctggaccctcggaatgaatgttgacaggtggctgaactgtatccagaactgagacgcattttgacaatta cagaggatgggaggggctaaagggggtaaaaggaggagcggggggctgtgaggctacagaggaggc taggaatctagcttttagcttaatgaccagacacgcctcctgagtgattacttttcaacagatcaaggataattgc gctaagtagcttgatctgctggcgagaaagtattccatagagcagctgaccacttactggctgcagccaggg gatgattttgaggaggctattagggtatgcaaaagtggcacttagggcagattgcaagtacaagatcagc aaacttgtaaatcaggaattgttgcatacttctgggaacggggccgaggtggagatagatacggaggat aggggtggcctttagatgtagcatgataaataatgtggcggggggtgcttggcatggacgggggtggttattatga atgtaagggttactggccccaattttagcggtacggttttctggccaataccaaccttatcctacacgggtgtaa gcttctatgggtttaacaataacctgtgtggaagcctggaccgatgaagggttcggggctgtgccttttactgc tgctggaagggggtggtgtgtcgccccaaaagcagggttcaattaaagaatgcctcttgaaagggtgacc ttgggtatcctgtctgagggttaactccagggtgcgcacaatgtggcctccgactgtggttgcttcactgctagt gaaaagcgtggctgtgattaagcataaacatggatgtgtggcaactgcgaggacagggcctctcagatgctga cctgctcggacggcgaactgtcacctgctgaagaccattcacgtagccagccactctcgcaaggcctggcca gtgtttgagcataacatactgacccgctgttccctgcatgtgggtaacaggagggggggtgttccctaccttacca atgcaatttgagtcacactaagatatgtgcttgagcccgagagcatgtccaaggtgaacctgaacgggggtgtt gacatgacctgaagatctggaagggtgctgaggtacgatgagacccgcaccagggtgcagacctgcgagt gtggcggttaacatattaggaaccagcctgtgatgctggatgtgaccgaggagctgaggcccgatcacttg gtgctggcctgcacccgcgctgagtttggctctagcgatgaagatacagattga
SEQ ID NO. 45 (telRL site)	tatcagcacacaattgcccattatacgcgcgtataatggactattgtgtgctgata
SEQ ID NO. 46 (pal site)	ACCTATTTTACGATACACTACGCGCTAGTATGCTGAAATAGGT
SEQ ID NO. 47 (qK02 telRL site)	CCATTATACGCGCTATAATGG

TABLE 3-continued

Sequence Lists	
SEQ ID NO. 48 (loxP site)	TAACCTCGTATAGCATACATTATACGAAGTTAT
SEQ ID NO. 49 (FRT site)	GAAGTTCCTATTCTCTAGAAAGTATAGGAACCTC
SEQ ID NO. 50 (phiC31 attP site)	CCCAGGTCAGAAGCGGTTTTTCGGGAGTAGTGCCCCAACTGGGGT AACCTTTGAGTTCTCTCAGTT GGGGGCGTAGGGTCGCCGACAYGACACAAGGGGTT
SEQ ID NO. 51 (λ attP site)	TGATAGTGACCTGTTTCGTTGCAACACATTGATGAGCAATGCTTTT TTATAATGCCAACTTTGTACAA AAAAGCTGAACGAGAAACGTAAAATGATATAAA
SEQ ID NO. 52 (inverted terminal repeat base consensus sequence)	NCATNNTANNCGNNTANNATGN
SEQ ID NO. 53 (inverted terminal repeat for use with <i>E.</i> <i>coli</i> phage N15 and <i>Klebsiella</i> phage Phi KO2 protelomerases)	CCATTATACGCGGTATAATGG
SEQ ID NO. 54 (inverted terminal repeat for use with <i>Yersinia</i> phage PY54)	GCATACTACGCGGTAGTATGC
SEQ ID NO. 55 (inverted terminal repeat for use with <i>Halomonas</i> phage phiHAP- 1)	CCATACTATACGTATAGTATGG
SEQ ID NO. 56 (inverted terminal repeat for use with <i>Vibrio</i> phage VP882)	GCATACTATACGTATAGTATGC
SEQ ID NO. 57 (inverted terminal repeat for use with <i>Borrelia</i> <i>burgdorferi</i> protelomerase)	ATTATATATATAAT
SEQ ID NO. 58 (perfect inverted repeat sequence)	GGCATACTATACGTATAGTATGCC
SEQ ID NO. 59 (perfect inverted repeat sequence)	ACCTATTTTACGCATACTACGCGGTAGTATGCTGAAATAGGT
SEQ ID NO. 60 (perfect inverted repeat sequence)	CCTATATTGGGCCACCTATGTATGCACAGTTGCGCCATACTATAC GTATAGTATGGGCGAACTGTGCATACATAGGTGGCCCAATATAG G

Sequence Lists	
SEQ ID NO. 61 (protelomerase target sequence for <i>E. coli</i> N15 TelN protelomerase)	TATCAGCACACAATTGCCCATTTATACGCGGTATAATGGACTATT G TGTGCTGATA
SEQ ID NO. 62 (protelomerase target sequence, <i>Klebsiella</i> phage PhiK02)	ATGCGCGCATCCATTATACGCGGTATAATGGCGATAATACA
SEQ ID NO. 63 (protelomerase target sequence, <i>Yersinia</i> phage PY54)	TAGTCACCTATTTTCAGCATACTACGCGGTAGTATGCTGAAATAG GTTACTG
SEQ ID NO. 64 (protelomerase target sequence, <i>Vibrio</i> phage VP882)	GGGATCCCGTTCCATACATACATGTATCCATGTGGCATACTATAC GTATAGTATGCCGATGTTACATATGTTATCATTCGGGATCCCGTT
SEQ ID NO. 65 (protelomerase target sequence, <i>Borrelia</i> <i>burgdorferi</i>)	TACTAAATAAATATTATATATATAATTTTTTATTAGTA
SEQ ID NO. 66 (xx6-80 plasmid DNA sequence)	tcttcgcgttcctcgctcactgactcgctgcgctcggtcggttcggtcgccgcgagcggtatcagctcactcaa aggcggtaatacgggttatccacagaatacaggggataaacgcaggaaagaacatgtgagcaaaaggccagc aaaaggccaggaaacgtaaaaaggccgcgcttgctggcgcttttccataggctccgccccctgacgagcat cacaaaaatcgacgctcaagtcagaggtggcgaaaccgcagaggactataaagataccaggcgcttcccc ctggaagctccccctgcgtgcgctctcctgttccgacctgcgcgttaccggataacctgtccgcctttctcccttcg ggaagcgctggcgctttctcatagctcagcgcttaggtatctcagttcggtgtaggctgctcgctccaagctgg gctgtgtgcacgaaccccccgcttcagcccgacgcgtgcgccttatccggaactatcgcttctgagtcacaacc cggtaaagcacgacttatcgccactggcagcagccactggtaacaggattagcagagcgaggtatgttagg cggtgtcacagagttcttgaagtggtggcctaactacggctacactagaagaacagtatcttggtatctgcgct ctgctgaagccagttaccttcggaaaaagagtttgtagctcttgatccggcaacaaaccacgcgtggtagc ggtggttttttgtttgcaagcagcagattacgcgcagaaaaaaaggatctcaagaagatcctttgatcttttcta cggggtctgacgctcagtggaacgaaaaactcacgttaagggtatttggtcatgagattatcaaaaaggatctt cacctagatccttttaaattaaaaatgaagttttaaatacaatctaaagtatatatgagtaaaactggctctgacagtt attagaaaaactcatcgagcatcaaatgaaactgcaatttatctcatatcaggattatcaataccatatttttgaaa aagccggtttctgtaatagaaggagaaaaactcaccgaggcaggttccataggatggcaagatcctgggtatcggtc tgcgatcgactcgctccaacatcaatcaaacctataatctccctcgctcaaaaaaagggtatcaagtgagaa atcaccatgagtgacgactgaatccggtgagaatggcaaaagtttatgcatttcttcagactgttcaacag gccagccattacgctcgctcaaaaactcactcgcatcaaccaaacccgttatctcattcggtatggcgctgagc gagacgaaatacgctgcgctgtttaaaggacaaatcaaaacaggaaatcgaatgcaaccggcgagga cactgccagcgcatacaacaattttcacctgaatcaggatattcttcaataacctggaatgctgttttccgggg atcgcagtggtgagtaaacatgcatcatcaggagtagcgataaaatgcttgatggtcggaagaggcataaat tcgctcagcccttttagctgtgacctctcatctgtaacatcatggcaacgctacctttgccatgtttcagaaac aacctctggcgcatcgggcttcccatcaaacgcatagattgtcgacactgattgcccgcacattatcgcgagcc catttatccccataaaatcagcatccatgttggaatttaatacgcggcctcgacgtttcccggtgaaataggtc tactctctcttttcaatattatggaacttatcagggttatgtctcatgagcgcatacatatttgaatgtatttag aaaaataaacaaatagggggttcgcgcacatttccccgaaaagtgccacctgacgtctaaagaaccattatt atcatgacataaacctataaaaaatagggtatcacgaggccctttcgctcgcgcggtttcggtgatgacggtga aaacctctgacacagatcgtcccgagacggtcacagcttgtctgtgaagcggtgcggggagcagagaa gcccgctcaggggcgctcagcgggtgttgccgggtgtcggggctggcttaactatcgccgcatcagagcag attgtactgagagtgccaccataaaattgtaaacgttaataatttgttaaaattcgcgtaaaattttgttaaatcagc tcatttttaaccaataggccgaataatcgcaaaaatcccttaaaataaaaagaataagccgagatagggttga gtgtgttccagtttggaacaagagttccactattaagaacacgtggactccaacgtcaaaaggcgcaaaaacccg tctatcagggggatggcccactacgtgaaccatcacccaaatacagtttttgggggtcgaggtgcccgtaaag cctaaactcgaacccataaggagagccccgatttagagcttgacggggaaaagccgggaacgtggcga gaaagggaagggaagaaagcgaaaggagcggggcgttagggcgctggcaagtgtagcggtcacgctcg cgtaaccaccacaccccgccgcgttaatgcgcgcgtacaggggcgctactatggttgcttgacgtatgcg gtgtgaaataccgcacagatcgtaaggagaaaaatccgcatacaggcccatctcgccattcaggctgcgc aacgtgtggaaggggcgatcggtgcgggcctcttcgctatacgcgcagctggcgaaagggggatgtgctg caaggcgatttaagttgggtaacgccagggttttccagtcacgacgttgtaaaaacgacggccaggtgccaa cttaagggtcacggccacgctggccactagctattctgcagagaagcaccatgtccttgggtccggctgct

TABLE 3-continued

Sequence Lists

gaatgcgcagggcggtcgcccatgccccagggcttcgttttgacatcggcgcaggtctttgtagtagtcttgcat
 gagcctttctaccggcacttcttcttctctctctctctctgtctgcatctcttgcatctatcgctgcggcgccggcg
 gagtttggccgtaggtggcgccctcttctctccatgctgttgacccgaagccctcatcggtgaagcag
 ggctaggtcgccgacaaacgcgtcggttaatatggcctgctgacccgtcggtgagggtagactggaagtca
 tccatgtccacaaagcggtggtatgcgcccggtgtgatgggtgaagtgcagttggccataacggaccagtt
 acggctcgtgtgaccggcgtgcgagagctcggtgtacctgagacgcgagtgaagccctcgagtcaaatacgt
 agtcgttgcaagtcgcgaccaggtactgggtatccacacaaaagtgcggcgccggctggcggttagaggg
 gccagcgtaggggtggcgccgggctcgccggggcgagatctccacataaaggcgatgatccgtagatgta
 cctggacatccaggtgatgcccggcgccgggtggaggcgccggaaagtgcgggacgcgggtccaga
 tgttgccgacggcgaaggtgctccatggtcgggacgctctggccggtcaggcgccgcgaatcgttgac
 gctctagcgtgcaaaaggagagcctgaagcgggcactctccgtggctcgtgggataaaattcgcaagggt
 atcatggcggacgacccgggttcgagcccgctatccggccgtccgccgtgatccatcggttaccgccc
 cgtgtcgaaaccaggtgtgcgacgtcagacaaacggggaggtgctctctttggcttctccagcgccggcg
 gctctgcgctagcttttttggccactggccgcgcgcagcgtgaagcgggttagcctggaaagcgaaagcatt
 aagtggtcgtccctgtagccggaggggtattttccaagggttagtgcggggacccccgggtcgagctcc
 ggacggccgggactgcggcgaaacgggggtttgctcccccgtcatgaagaccccggttcgaaattccctcc
 ggaaacagggaacgagcccttttttgcctttccagatgcatccgggtgctgcggcgagatgcggccctct
 cagcagcgccgaagagcagagcagcgccagacatgcagggcacccctccctctctaccgctcagg
 agggggacatcccggttgacgcggcgagcagatggtgattacgaaccccgccggcgccggggccggcg
 actacctggacttgaggaggggcgaggccctggcgccggtaggagccctctcctgagcggcaccga
 aggggtgcagctgaagcgtgatacgcgtgaggcgtacgtgcgcggcgagaacctgttgcgacccgcgag
 ggagaggagcccgaggagatgcgggagtcgaaagtccacgcagggcgcgagctgcggcatggcctga
 atcgcgagcggttgcctgcgcgaggaggaactttgagccgcgcgcgcaacccgggattagtcgcgcgcg
 cacacgtggcgccgcgcgacccgtgaacccgcatacgagcagacggtgaacccaggagattaaatttcaaaa
 aagctttaaacaccacgtgcgtacgttgcggcgcgaggaggggtgctataggactgatgcatctgtggg
 actttgtgaagcgctggagcaaaacccaaatagcaagccgctcatggcgacagctgttcttatagtcgagc
 acagcagggaacaacgaggcattcagggtgcgctgctaaacatagtagagcccgaggcccgctggctgc
 tcgatttgataaacatcctgcagagcatagtggtgcaggagcgagcttgagcctggctgacaaggtggcc
 gccatcaactatccatgcttagctgggcaagttttacgcccgaagataaccaatcccttacctccat
 agacaaggaggtaaagatcgagggttctacatgcgcatggcgctgaaggtgcttaccttgagcgacgac
 ctggggcgtttatcgcaacgagcgcacccacaagggcgtgagcgtgagccggcgccgagactcagcgac
 cgcgagctgatgcacagcctgcgaagggccctggctggcagggcgagcgcgatagagaggccgagtc
 ctactttgacgcggcgctgacctgcgctgggccccaaagccgacgcgcctggaggcagctggggccg
 gacctgggctggcggtggcaccgcgcgcgctggcaacgtcgccggcggtggaggaaatgacgaggac
 gatgagtacgagccagaggacggcgagtagtaagcgggtgatgtttctgatcagatgatgcaagacgcaac
 ggacccggcggtgcggcgccgctgcagagccagccgtccggccttaactccacggacgactggcgcc
 aggtcatggaccgcatcatgctgactgcgcgcaatcctgacgcgttcggcgagcagccgagggccaa
 ccggctctccgaattctggaagcgggtgggtcccgccgcgcgcaaacccacgacgagaaggtgctgg
 gatcgtaaacgcgctggccgaaacagggccatccggccgcgagggccggcctggtctacgacgcgc
 tgcttcagcgcggtgctgttacacagcgccacgtgcagacaaacctggaccggctggtgggggattgt
 gcgcgagggcggtgcgcgagcgtgagcgcgcgagcagcagggaacctgggctccatggttgcaactaa
 acgcctctcctgagtacacagcccgccacgtgcccgcgggacaggaggactacaccaactttgtgagcgc
 actcgcgctaatggtgactgagacaccgcaaggtgaggtgtaccagtctgggcccagactatttttccagac
 actagacaaaggcctgcagaccgttaaacctgagccaggctttcaaaaacttcaggggctgtggggggtg
 cgggctccacagggcgaccgcgcgacccgtgtctagcttgctgacgcccactcgccctgttgcctgctgct
 aatagcgcccttcacggacagtggaagcgtgtccgggacacataacctaggteacttgctgacactgtacc
 cgaggccataggtcaggcgcatgtggacgacatacttccaggagattacaagtgtagcgcgcgctg
 gggcgaggaggacacggcgagcctggaggcaacctaaactacctgctgaccaaccggcgccgagaag
 atccctcgttgacagatttgacacctttggcgcatccattctccagtaactttatgtccatggggcgactcac
 agacctggggccaaaacctctctacgcgaactccgcccacgcgctagacatgactttgagggtggatccat
 ggacgagccacaccttcttatgtttgttgaaagtcttgacgtgggtccgtgtgcacacgcgcgacccggcg
 tcacgaaaccggtgacctgcgcagccctctcggccggcgaacgcacacataaagaagcgaagcaaca
 tcaacaacagctgcgcctatgggctccagtgagcaggaactgaaagccattgtcaaatgttggttggtg
 gccatatttttgggacacctatgacaagcgcttccaggctttgttctccacacaagctcgccctgcgcctatg
 caatacggccggctgcgagactggggcgctacactggatggccttgctcggaaaccgcgactcaaaaaa
 tgctacctcttgagcccttggtctttctgaccagcgactcaagcagggttaccagtttgagtacgagtcactc
 ctgcgcgtagcgccattgctcttcccccgaccgctgtataacgctggaaagtccacccaaagcgtagacg
 gggcccaactcgccgcgctgtggactattctgctgcatgtttctccacgccttgccaaactggcccaaaactc
 ccatggatcacaccccaacctgaacctattacgggggtaccacacccatgctcacaagctccccaggtac
 agccacccctgctgcgcaaccagggaacagctctacagcttctggagcgccactcgccctactccgcgacg
 cacagtcgcgagattaggagcgccactctttttgtcacttgaaaaacatgtaaaaaatatgtactagagacac
 tttcaataaaggcaaatgctttttatgtgacactctcggtgatttttacccccaccttgccgtctgcgcgctt
 aaaaaatcaagggggtctgcgcgcatcgctatgcgccttgccagggaacagcttgccgatactgggtgttag
 tgctccacttaaaactcaggcacaacctccggcgagctcggtgaagttttcactccacaggtgcgcacca
 tcaccaacgcgttgacaggtcgggcgccgcatatctgaaagtcgagttggggccctccgcctgcgcgcgc
 gagttgcgatacacagggttgacgacactggaacactatcagcgccgggtggtgcacgctggccagcaacg
 ctcttgctcgagatcagatccgcgtccaggtctccgcgttgctcaggcggaacggagtcacatttggtagc
 tgccctcccaaaaaggcgcggtgcggcgctttgagttgcaactgcacccgtagtggcatcaaaaggtgacc
 gtgcccggctggcgcttaggatcacgcgctgcataaaagccttgatctgcttaaaagccacctgagccttt
 gcgccttcagagaagaacatgcgcgaagacttgccggaaacgtgattggccggacagggcgcgctcgtgc
 acgacgacacttgctcggtgtggagatctgacacacatttcggcccccacgggtcttcacgatcttgccctt
 gctagactgctccttcagcgcgcgctgcccgttttgcctcgtcactccatttcaatcacgtgctccttatttacc
 ataagctccgtgtagacacttaagctcgccttcgatctcagcgagcggtgcagccacaacgcgcgagcc
 cgtgggtcgtgatgcttgtaggtcactctgcgaacgactgcaggtacgcctgcaggaaatcgccccatcat
 cgtcacaaggtctgttgctggtgaaggtcagctgcaaccccggtgctcctcgttcagccaggtcttgcat

TABLE 3-continued

Sequence Lists
acggccgcagagcttccacttggtcaggcagtagtttgaagttcgcccttagatcggtatccacgtggtaactt gtccatcagcgcgcgcgagcctccatgcccttctcccacgcagacacgateggcacactcagcgggttc atcaccgtaatttcaactttccgcttcgctgggctcttctcttctcttgcgtccgcataccacgcgcactgggt cgtcttattcagcgcgcgactgtgcgttacctcttggccatgcttgattagcaccgggtgggttgctgaaa cccaccatttgtagcgccacatcttctcttcttctctcgtgtccacgattacctctgggtgatggcgggcgctcg ggcttgggagaaggcgctcttcttcttcttgggcgaatggccaaatccgcccgcgaggtcgatggcgc gggctgggtgtgcgcgccacagcgctcttgtgatgagtcttctcgtcctcggactcgatacgcgcgctc atccgcttttttggggcgcccgggaggcgcgcgacggggacggggacgacacgctcctccatggtt gggggacgtcgcgcgacccgctccgctcggggtgggttgcgctgctcctcttccgactggcca tttcttctctataggcagaaaaagatcatggagtcagtcgagaagaaggacgctaaccccccctctg agttcgccaccacgcctccacgagtgccgccaacgcgctaccaccttccccgtcgaggcacccccgct tgaggaggaggagtgattatcgagcaggaccaggttttgaagcgaagacgacgaggaccgctcagta ccaacagaggataaaaagcagaccaggcaaacgcagaggcaaacgaggaaacagtcggcggggg gacgaaggcatggcgactacctagatgtgggagacgacgtgctgtgaagcatctgcagcgccagtgcg ccattatctgcgacgcttgcaagagcgacgagtggtgccctcgccatagcggatgtcagccttgctac gaacgcacactattctcaccgcgctaccccccaaacgcgaagaaaacgcgcacatcgagcccaacccg cgctcaacttctaccccgctatttgcggtgcccagaggtgcttgccacctatcacatcttttccaaaagtcgaag ataccctctatcctgcccgtgccaacgcgacgagcgagcgaagaagcagctggccttgcggcagggcgctgtc atacctgatactgcctcgtcacaagagtgccaaaaatcttggagggtcttggacgcgacgagaagcgcg ggcaaacgctctgcaacaggaaaaacgcgaaaaatgaaagtcactctggagtgcttggtggaactcgagggt gacaacgcgcccactagccgactaaaacgcgacatcgaggtcacccttctgctacccggcacttaacct accccccaaggatcatgagcagctcatgagtgagctgatcgtgcccgtgcgacgccccggagaggat gcaaatctgcaagaacaaacagaggaggccctaccgcagttggcgacgagcagctagcgcgctggct caaacgcgagcgtgcccacttggaggagcgacgcaaaactaatgatggcgcgagtgctcgttaccgtgg agcttgagtgcatgcagcggtcttcttgcgtgacccggagatgcagcgcaagctagaggaaaacttgcaactac accttctgcagagggtacgtacgcgagcgctgcaagatctccacgtggagctctgcaacctggctctctac cttggaaatttgcacgaaaaacgccttgggcaaacgtgcttcttccacgctcaaggcgagggcgcgcg cgactacgtcgcgactgcttacttattctatgctacacctggcagacggccatggggcttggcgacgag tgcttgaggagtgcaacctcaaggagctgcagaaactgctaaagcaaaactggaagacctatggacg ccttcaacgagcgctcctggcgcgacacgtggcgacatcattttcccgaaacgctgcttaaaacccctgc aacagggtctgccagacttaccagtcacaagcagtggtgcagaactttaggaactttactagagcgctcagg aatcttgcgcgcacctgctgtgcaacttctagcagacttgggcccatttaagaccgcgaatgcccctccgcg cttgggggcaactgctaccttctgcagctagccaaactaccttgcctaccactctgacataatggaagacgtga cggtgacggtctactggagtgctcactgctgctgcaacctatgcacccgcacccgctcctgggttgcgaatc gcagctgcttaacgaaagtcgaattatcggtacctttagctgacgggtcctcgcctgacgaaagtcgcg ggctccgggggtgaaactcactccgggggtggtgacgtcggttaccttgcgaaatttgtacctgaggacta ccacgcccacgagattaggttctacgaagacaaatcccgcccgccctaatgaggagcttaccgctcgctca ttaccagggccacatcttgggcaattgcaagccatcaacaagcccgcccaagagtttctgctacgaaagg gacgggggggttacttggacccccagtcggcgagggagctcaacccaatccccccgcgcccgcgacgct atcagcagcagcgcgggcccttgcctcccaggatggcacccaaaaagaagctgcagctgcccgcgcca cccacggacgagggaggaatactgggacagtcaggcagaggaggttttggacgagggagggagggacat gatggaagactgggagagcctagacgaggaagcttccgaggtcgaagaggtgtcagacgaaacaccgctc acctcgggtcgcatccccctgcgcggcgccccagaaatcggcaaccgggttcacgcatggctacaacctcc gctcctcagcgcgcgcgcgcaactgcccgttgcgcgacccaaccgtagatgggacaccactggaaccagg gcccgttaagtccaagcagcgcgccgcttagcccaagagcaaacacagcgcccaaggctaccgctcatgg cgcgggcacaagaacgccaatagtgcttgcctgcaagactgtgggggcaacatctcttgcgcgcgctt cttcttaccatcagcgctgggcttccccgtaaacatcctgcatctactaccgctcatctctacagccatactgc accggcgcgagcgcgcaacagcagcgccacacagaagcaaggcgacggatagcaagactctg acaaagcccaagaaatccacagcgcgcgcgacgagcaggaggaggagcgctgcttgcggcccaacg aacccgtatcgaccccgagcttgaacacaggattttccactctgtatgctatatttcaacagagcagggg ccaagaacaagagctgaaaaataaaaaacaggctctctgcgacccctcaccgcgagctgctgtatcacaaaa gcgaagatcagcttcggcgacgctggaagacgggaggtctcttcaagtaaaactgcgcgctgactctt aaggactagtttgcgcgcttctcaaatataagcgcgaaaaactacgtcatctccagcgccacaccggcg ccagcactgttgtcagcgccattatgagcaaggaaatccccacgcccctacatgtggagttaccagccaca atgggacttgcggctggagctgcccagactactcaaccgaataaactacatgagcgcgggacccaca tgatatccccgggtcaacggaatacgcgcccacggaacggaattctcctgggaacaggcggtatataccacc acacctcgtaataaccttaatccccgtagttggccccgctgcccgtgtaccaggaaagtcccgcctccacc actgtggtacttcccagagacgcccaggccgaagttcagatgactaaactcagggggcgagcttgcggggcg gcttctgcacaggggtgcggtcgccggcgagggtataactcacctgacaaatcagagggcgagggtatcag ctcaacgacgagtcggtgagctcctcgttggctctcgtcgggacgggacattcagatcgcgcgcgcg ccgctcttcttcaacgctcgtcaggcaactcctaactctgcagacctcgtcctctgagccgctctggaggc attggaaactctgcaatttattgaggagtttggccatcggtctacttaacctctcgggacctccgggcaac tatccggatcaatttatttcaactttagcgcggttaaggactcgcgagcggtacgactgaatgttaagt gagaggcagagcaactgcgcctgaaacacctggtccactgtgcgcgcccaagtgcttgcgcgcgactc cggtgagtttgcactttgaatttgcgagagatcatatcgaggggcccgcgacggcgctccgggttaccgc ccagggagagcttgcgcgtagcctgatcgggagtttaccagcgccccctgctagttagcggggacagg ggacccctggttctcactgtgatttgaacctgtcctaaccctggattacatcaagatctctagtttaactag agtaccggggatcttattccctttaaactaaaaaaaataaagacatcacttactaaaatcagttagca aatcttctgtccagtttattcagcagcactccttgcctcctccagctctggtattgcagcttctcctggtgc aaactttctccacaatctaataatggaatgtcagtttctcctgttctgtccatccgcacccactatcttcatgtgtt gcagatgaagcgcgcaagacgctcgaagatacctcaaccccggtatccatagacgggaacgggtc ctccaaactgtgccttttcttactcctcctttgtatcccccaatgggttcaagagagtcctcctgggttactctc tttgcgcctatccgaacctctagttacctccaatggcatgcttgcgctcaaaatgggcaacgggctctctctgg acgagccggcaaccttacctccaaaatgtaacctgtgagccacctctcaaaaaaaccaagtcacaa ataaacctggaatatactgcacccctcacagttacctcagaagccctactgtggctgcccgcgacactcta

TABLE 3-continued

Sequence Lists

atggtcgcgggcaacacactcaccatgcaatcacaggcccgctaaccgtgcagcactccaaacttagcat
 tggcaccacaaggaccctcacagtggtcagaaggaaagctagccctgcaaacatcaggcccccaccacc
 accgatagcagtagccttactatcactgctcaccctcttaactactgcccactggttagcttgggcattgactt
 gaaagagcccatttatcacaaaaatgaaaaactaggactaaagtacggggctccttgcagtataacagacga
 cctaaacactttgaccgtagcaactgggtccaggtgtgactattaataacttcttgcactaaagttaactgg
 agccttgggttttgatcacaggcaatgcaacttaatgtagcaggaggactaaggattgattctcaaaaca
 gacgccttacttgcagtgtagttatccgtttgatgctcaaaacaaactaaatctaaagactaggacaggccct
 ctttttataaaactcagcccacaacttggatattaactacaacaaaggcccttacttgtttacagcttcaaacattc
 caaaaagccttgaggttaacctaagcactgccaaggggttgatgtttgacgctacagccatagccattaatgca
 ggagatgggcttgaaatttgggttcacctaagtcacaaacacaaatccctcaaaacaaaaatggccatggc
 ctagaatttgattcaaacagggtatgggtcctaactaggaaactggccttagtttgacagcacaggtgcccatt
 acagttaggaacaaaaataatgataagctaactttgtggaccacaccagctccatctcctaactgtagactaa
 atgcagagaaagatgctaaactcactttgtgtcttaacaaaatgtggcagtcataacttgcacagtttcagttt
 ggctgttaaaaggcagtttggctccaatcttggaacagttcaagtgctcatcttataagatttgacgaaaa
 tggagtgctactaaacaattccttccctggaccagaatattggaactttagaaatggagatcttactgaaggca
 cagcctatcaaacgctgttggtatctgctaacctatcagcttatacaaaatctcagcgtaaaaactgccc
 agtaacatgtcagtcagtttacttaaacggagacaaaaactaaacgttaacactaaccttacaactaaacg
 gtacacaggaacaggagacacaaactccaagtgcatactctatgtcattttcatgggactggctcgccaca
 actacattaatgaaatatttgccacatcctcttcaacttttcatatctgcccagaataaagaatcgtttgtgtta
 tgtttcaacgtgtttatttttcaattgcagaaaaatttcaagtcatttttcaactcagtagtatagcccccacacat
 agcttatcacagatcacgtagcttaatacaactcacagaaccctagttatcaacccgtccacccctccccaaca
 cacagagtacacagtcctttctccccgggtggccttaaaagcatcatatcagggtaacagacatattcttag
 gtgttatattccacacgggttccgtgctgagccaaacgctcatcagtgatataataaaactccccgggcagctca
 cttaagttcatgtcgctgtccagctgtgagccacaggtgctgtccaacttgcggttgcttaacggcgccg
 aaggagaagtccacgctacatgggggttagagtcataatcgtgcatcaggatagggcggtggtgctgagc
 cagcgccgcaataaaactgctgcccgcgcgctccgtcctgcaggaatacaacatggcagtggtctctctca
 gcgagatgtcgccacgcccgcagcataaggcgcccttgcctccgggacacagcagcgccacccctgatctcact
 taaatcagcacagtaactgcagcacagcaccacaatattgttcaaaaatcccacagtgcaaggcgctgtatcc
 aaagctcatgggggggacacagaaacccacgtggccatcataccacaagcgcaggttagattaaaggcg
 acccctcataaacacgctggacataaacattacctcttttggcatgttgtaattcaccacccctcccggtaccat
 aaacctctgattaaacatggcgccatccaccacatcctaaaccagctggccaaaacccctgcccgcgggcta
 tacactgcagggaacccgggactggaacaatgacagtgagagcccgagactcgtaaccatggatcatcat
 gctcgtcatgatataatgttggcacaacacagggcacacgtgcatataacttccctcaggatataagctcctcc
 cgcttgaacatatacccagggaacacccattcctgaatcagcgtaaaatcccacactgcagggaagacc
 tgcacagtaactcagcttgcgattgtcaaaagtgttacctcgggcagcagcggtgatcctccagttggtta
 gcgcgggtttctgtctcaaaaggaggtagacgatccctactgtacggagtgcccgagacaacccagatc
 gtgttggtcgttagtgcatgcaaaatggaacgcggcagctagtcataattcctgaagcaaaacccaggtgcgg
 gcgtgacaaacagatctgcgtctccggtctcgccgcttagatcgctctgtgtagtattgttagtatatccactct
 ctcaagcatccaggcgcccccgtggcttcgggttctatgtaaactccttcatgcgcgctgcccgtgataacat
 ccaccacccgagaataaggccacccagccaaactacacattcgtctcgaggtcacacacggggaggc
 gggaagagctggaagaaccatgttttttttttattccaaaagattatccaaaaccccaaatgaagatctataa
 gtgaacgcgctcccccgtgggtgggtcaaacctacagccaaagaacagataatggcatttgttagatg
 ttgcacaaatggcttcaaaaaggcaaacggccctcagctccaagtggaactaaaggctaaacccctcagggt
 gaatctcctctataaacattccagcaccttcaacccatgcccacaaatattctcatctcgccaccttctcaatatac
 tctaaagcaaatcccgaatattaaagtcggccattgtaaaaatctgctccagagcgccctccaccttcagcctc
 aagcagcgaatcatgattgcaaaaattcagggtcctcacagacctgtataagattcaaaagcgggaacattaac
 aaaaatccgcgcatcccgtaggtcccttcgcagggcagctgaacataatcgtgcaggtctgcacgggaca
 gcgcggccacttccccgccaggaaacatgacaaaagaacccacactgattatgacacgcatactcggagc
 tatgctaaccagcgtagcccagatgtaagctgttgcatggcgccgcatataaaatgcaagggtgctgctcaa
 aaaatcaggcaaaagcctcgcgcaaaaagaaagcacatcgtagtcagctcagcagataaaaggcaggtta
 agctccgggaacccacagaaaaagacacatttttctctcaaacatgtctgcgggtttctgcataaacacaa
 aataaaaatacaaaaaaacatttaaacattagaagctgtcttacaacaggaaaaaacacccctataagcata
 agacggactacggccatgcccggcgtgaccttaaaaaaactgggtcaccgtgattaaaaagcaccacggaca
 gctcctcggtcatgtccggagtcataatgtaaagactcggtaaacacatcaggttgattcacatcggtcagtgct
 aaaaagcgaccgaataagccgggggaatacataccgcaggcgtagagacaacattacagcccccata
 ggaggtataacaaaattaaataggagagaaaaacacataaacacccctgaaaaacccctcctgctaggcaaaat
 agcaccctcccgctccagaacacacatacagcgcttccacagcggcagccataacagtcagccttaccagta
 aaaaagaaaaactattaaaaaacacacactcgacacggcaccagctcaatcagtcacagtgtaaaaaagg
 gccaaagtcagagcagtagtatatagagactaaaaaatgacgttaacgggttaaggtccacaaaaaaccccgag
 aaaacccgcagcgaacctacgcccagaaacgaaagccaaaaaacccacaacttctcaaatcgtcacttc
 cggtttccacggttacgtcacttcccattttaagaaaaactacaattcccaacacatacaagttactccgcccata
 aacctacgtcacccgcccgttcccacgcccgcgcagctcacaaactcccccctcattatcatattgg
 cttcaatccaaaataatcatcaataataacacttatttggattgaagccaatatgataatgaggggggtggagttt
 gtgacgtggcgccggggcggtgggaacggggcggtgacgtagtagtggtggcggaagtgtgatgttgcagg
 tttggcggaacacatgtaagcgcaggatgtggcaaaaagtgcagtttttgggtgcgccggatccacaggac
 ggggtgtggtcgccatgatcgcgtagtcgatagtggtccaagtgcgaagcagcagcaggtggtggcgccg
 gccaaagcgggtcggaacagtgctccgagaacgggtgcgcatagaataatgcataacgcataatagcgttagc
 agcacgccatagtgactggcgatgctgtcggaatggagcatatcccgcaagaggcccgccagtcacggc
 ataaccagcctatgctacagcatccagggtgacgggtgcggaggtgacgatgagcgcatgttagatttc
 atacacgggtgctgactgcttagcaatttaactgtgataaaactaccgcataaagcttatcgaattcgaatca
 tgcataagctgttccgtgtgaaatttggtatccgctcaaatccacacacatacagagccggaagcataaaag
 tgtaaagcctgggtgctaatgagtgagctaactcacatatttgcgttgcgctcactgcccgcttccagtc
 ggaacacccgtcgtgccagctgcattaatgaatcgcccaacgcgcggggagaggcggttgcgtattggg
 cgc

TABLE 3-continued

Sequence Lists	
SEQ ID NO. 67 sequence) (xx6-80 c1DNA	GCGTATAATGGACTATTGTGTGCTGATAGGCGCGCCCGACAGAAGCAC CATGTCTTGGGTCCGGCCTGCTGAATGCGCAGGCGGTGCGCCATGCCC CAGGCTTCGTTTTGACATCGGCGCAGGTCTTTGTAGTAGTCTTGCATGA GCCTTTTACCGGCACCTTCTTCTCTCTCTCTCTTGTCTGCATCTCTTG CATCTATCGCTGCGGCGGCGCGGAGTTTGGCCGTAGGTGGCGCCCTCT TCCTCCCATGCGTGTGACCCCGAAGCCCTCATCGGTGAAGCAGGGCT AGGTGCGCGACAACGCGCTCGGCTAATATGGCCTGCTGCACCTGCGTG AGGGTAGACTGGAAGTCATCCATGTCCACAAAGCGGTGGTATGCGCCC GTGTTGATGGTGTAAAGTGCAGTTGGCCATAACGACCAAGTTAACGGTC TGGTGACCCGGCTGCGAGAGCTCGGTGTACCTGAGACGCGAGTAAGCC CTCGAGTCAAATACGTAGTCGTTGCAAGTCCGACCAAGGTAAGTATG CCACCAAAAGTGCAGGCGGCGGTGGCGGTAGAGGGGCCAGCGTAGG GTGGCCGGGGCTCCGGGGCGAGATCTTCCAACATAAGGCGATGATAT CCGTAGATGTACCTGGACATCCAGGTGATGCCGCGCGGTGGTGAG GCGCGCGAAAGTGCAGGACGCGGTTCAGATGTTGCGCAGCGCAAA AAGTGCTCCATGGTCGGGACGCTCTGGCCGGTCAGGCGCGCGCAATCG TTGACGCTCTAGCGTGCAAAGGAGAGCCTGTAAAGCGGCACTCTTCC GTGGTCTGGTGGATAAATTGCAAGGGTATCATGGCGGACGACCGGG TTCGAGCCCGTATCCGGCGCTCGCGGTGATCCATGCGGTTACCGCCC GCGTGTGCAACCCAGGTGTGCGACGTGAGACAAAGGGGAGTGCTCCT TTTGGCTTCCTCCAGGCGCGCGGTGCTGCGCTAGCTTTTGGCCA CTGGCCGCGCGCAGCGTAAGCGGTAGGCTGGAAGCGAAAGCATTAA GTGGCTCGCTCCCTGTAGCCGAGGGTTATTTCCAAAGGTTGAGTCGC GGGACCCCGGTTTCGAGTCTCGGACCGCGGACTGCGCGAAACGGGG GTTTGCTCCCGTCATGCAAGACCCCGCTTGCAAATTCCTCCGAAAC AGGACGAGCCCTTTTGTCTTTCCAGATGCATCCGCTGCTGCGGC AGATGCGCCCCCTCCTCAGCAGCGGCAAGAGCAAGAGCAGCGGCAG ACATGACAGGCGACCCCTCCCTCTCTCTACCGCGTCAGGAGGGCGACA TCCGCGGTTGACGCGGCGCAGATGGTGATTACGAACCCCGCGCGCG CGGCCCCGGCACTACCTGGACTTGGAGGAGGGCGAGGGCTGGCGCGG CTAGGAGCGCCCTCTCTGAGCGGCACCAAGGTGCGAGTGAAGCGT GATACGCGTGAGGCGTACGTGCCGCGCAGAACCTGTTTCGCGACCGC GAGGGAGAGGAGCCCGAGGAGATGCGGGATCGAAAGTTCCACGCGAG GCGCGAGCTGCGGCATGGCTGAATCGCGAGCGGTTGCTGCGCGAGGA GGACTTTGAGCCCGACGCGCAACCGGGATTAGTCCGCGCGCGCAC CGTGGCGGCGCGACCTGGTAACCGCATACGAGCAGCGGTGAACCA GGAGATTAACTTTCAAAAAGCTTTAACAACACGTCGCTACGCTTGT GGCGCGGAGGAGGTGGCTATAGGACTGATGCATCTGTGGGACTTTGT AAGCGCGCTGGAGCAAACCCAAATAGCAAGCCGCTCATGGCGCAGCT GTTCTTATAGTGACGACAGCAGGGACAACGAGGCATTACGGGATGC GCTCTAAACATAGTAGAGCCGAGGGCCGCTGGCTGCTCGATTGAT AAACATCCTGCAGAGCATAGTGGTGCAGGAGCGCAGCTTGAACCTGGC TGACAAGGTGGCCGCCATCAACTATTCATGCTTAGCCTGGGCAAGTTT TACGCCCGCAAGATATACCATACCCCTTACGTTCCCATAGACAAGGAG GTAAAGATCGAGGGGTTCTACATGCGCATGGCGCTGAAGGTGCTTACC TTGAGCGACGACCTGGGCGTTTATCGCAACGAGCGCATCCACAAGGCC GTGAGCGTGAGCGCGCGCGCGAGCTCAGCGACCGCGAGCTGATGCAC AGCCTGCAAAGGGCCCTGGCTGGCACGGGCGAGCGGATAGAGAGGC CGAGTCTACTTTGACGCGGGCGCTGACCTGCGCTGGGCCCCAAGCCG ACGCGCCCTGGAGGCAGCTGGGGCCGACCTGGGCTGGCGGTGGCACCC CGCGCGCGCTGGCAACGTCGGCGGCGTGAGGAATATGACGAGGACG ATGAGTACGAGCGAGAGGACGGCGAGTACTAAGCGGTGATGTTTCTGA TCAGATGATGCAAGACGCAACGGACCCGCGGTGCGGGCGCGCTGCA GAGCCAGCCGTCGCGCTTAACTCCACGAGCAGCTGGCGCCAGGTCAT GGACCGCATCATGTGCTGACTGCGCGCAATCTGACGCGTTCCGGCA GCAGCCGAGGCCAACCAGGCTCTCCGCAATTCTGGAAGCGGTGGTCCC GGCGCGCGCAAAACCCACGACGAGAAAGGTGCTGGCGATCGTAAACGC GCTGGCCGAAAACAGGGCCATCCGGCCCGACGAGGCGCGCCTGGTCTA CGAGCGCTGCTTACGCGCTGGCTCGTTACACAGCGGCAACGTGCA GACCAACCTGGACCGGCTGGTGGGGGATGTCGCGAGGGCGTGGCGCA CGGTGAGCGCGCGCAGCAGCAGGGCAACCTGGGCTCCATGGTTGCACT AAACGCTTCTGAGTACACAGCCCGCAACGTGCGCGGGGACAGGA GGACTACACCAACTTTGTGAGCGCACTGCGGCTAATGGTGACTGAGAC ACCGCAAAGTGAGGTGTACAGTCTGGGCGAGCTATTTTCCAGACC AGTAGACAAGGCTGACAGCCGTAACCTGAGCCAGGCTTTCAAAAC TTGAGGGGCTGTGGGGGTGCGGGCTCCACAGGCGACCGCGCGACC GTGCTAGCTTGCTGACGCCCACTCGCGCTGTGCTGCTGCTAATAG CGCCCTTACGAGACAGTGGCAGCGTGTCCCGGACACATACTAGGTC ACTTGCTGACACTGTACCGCGAGGCCATAGGTGAGGCGCATGTGGACG AGCATACTTTCCAGGAGATTACAAGTGTGAGCGCGCGCTGGGGCAGG AGGACACGGGCGAGCTGGAGGCAACCTAACTACCTGCTGACCAACC GGCGGCGAAGATCCCCCTGTTGACAGTTTGACCCCTTTGGCGCATCC CATTTCCAGTAACCTTATGTCCATGGGCGCACTCACAGACCTGGGCCA AAACCTTCTACGCCAATCCGCGCACGCGCTAGACATGACTTTTGAG GTGATCCCATGAGCAGGCCACCTCTTTATGTTTGTGTTGAGTCTT

TABLE 3-continued

Sequence Lists

TGACGTGGTCCGTGTGCACCAGCCGACCGCGCGTTCATCGAAACCGT
 GTACCTGCGCACGCCCTTCTCGGCCGGCAACGCCACACATAAAGAAG
 CAAGCAACATCAACACAGCTGCCGCCATGGGTCCAGTGAGCAGGAA
 CTGAAAGCCATTGTCAAAGATCTTGGTTGTGGGCCATATTTTTGGGCA
 CCTATGACAAGCGCTTTCCAGGCTTTGTTTCTCCACACAAGCTCGCCTG
 CGCCATAGTCAATACGCCCGGTGCGGAGACTGGGGCGGTACACTGGAT
 GGCCTTTGCCTGGAACCCGCACTCAAAAACATGCTACCTCTTTGAGCCC
 TTTGGCTTTTCTGACCAGCGACTCAAGCAGGTTTACCAGTTTGAGTACG
 AGTCACTCCTGCGCGGTAGCGCCATTGCTTCTTCCCCGACCGCTGTAT
 AACGCTGGAAGTCCACCCAAAGCGTACAGGGGCCCACTCGGCCGC
 CTGTGGACTATTCTGCTGCATGTTTCTCCACGCCCTTGCCAACTGGCCCC
 AAACCTCCCATGGATCAACCCCCACCATGAACCTTATTACGGGGTAC
 CCAACTCCATGCTCAACAGTCCCAGGTACAGCCCACCTGCGTCGCA
 ACCAGGAACAGCTCTACAGCTTCTGGAGCGCACTCGCCCTACTTCCG
 CAGCCACAGTGCAGATTAGGAGCGCCACTTCTTTTGTCACTTGAAA
 AACATGTAAAAATAATGTACTAGAGACACTTCAATAAAGGCAAAATGC
 TTTTATTTGTACACTCTCGGGTGATTATTTACCCCCACCTTGCCGTG
 CGCCGTTTAAAAATCAAAGGGTTCTGCCGCGCATCGCTATGCCCACT
 GGCAGGGACACGTTGCGATACTGGTGTTTAGTGCTCCACTTAACTCAG
 GCACAACCATCCGCGGCAGCTCGGTGAAGTTTCACTCCACAGGCTGC
 GCACCATCACCAACGCGTTTAGCAGGTGCGGCGCCGATATCTTGAAAT
 CGCAGTTGGGGCTCCGCCCTGCGCGCGCGAGTTGCGATACACAGGGT
 TGACGACTGGAACACTATCAGCGCGGGTGGTGACGCTGGCCAGCA
 CGCTCTTGTCGAGATCAGATCCGCTCCAGGTCTCCGCGTTGCTCAG
 GGCAGACGAGTCAACTTTGGTAGCTGCCTTCCAAAAAGGGCGCGTG
 CCCAGGCTTTGAGTTGCACTCGCACCGTAGTGCGATCAAAGGTGACC
 GTGCCCGGTCTGGGCGTTAGGATACAGCGCTGCATAAAAGCCTTGAT
 CTGCTTAAAGCCACCTGAGCCTTTGCGCCTTCAGAGAAGAACATGCC
 GCAAGACTTGCCGAAACTGATTGGCCGACAGGCGCGCTGTCAC
 GCAGCACCTTGCGTGGTGTGGAGATCTGCACCACATTTCCGCCCCAC
 CGGTTCTTACGATCTTGGCCTTGCTAGACTGCTCCTTACGCGCGCGT
 GCCGCTTTTCGCTCGTCACATCCATTTCAATCAGTGCTCCTTATTATC
 ATAATGCTTCCGTGTAGACACTTAAGCTCGCCTTCGATCTCAGCGCAGC
 GGTGCAGCCACAACGCGCAGCCCGTGGGCTCGTGATGCTTGTAGGTCA
 CCTCTGCAAAACGACTGCAAGTACGCTGCAAGGATCGCCCATCATCG
 TCAAAAGGTCTTGTGCTGGTGAAGGTGAGTGAACCCGCGGTGCTC
 CTCGTTAGCCAGGTCTTGATACGCGCGCAGAGCTTCCACTTGGTCA
 GGCAGTAGTTTGAAGTTTCGCTTTAGATCGTTATCCAGTGCTACTTGT
 CCATCAGCGCGCGCGCAGCTCCATGCCCTTCTCCACGCGAGACAGAT
 CGGCACACTCAGCGGGTTCATCACCGTAATTTCACTTTCCGCTTCGCTG
 GGCCTTCTCCTTCTCCTTGCGTCCGATACACGCGCCACTGGGTGCT
 CTTTATTACGCGCGCGCACTGTGCGCTTACCTCCTTTGCCATGCTTGATT
 AGCACCGGTGGGTGCTGAAACCCACCATTTGTAGCGCCACATCTTCTC
 TTTCTTCTCGCTGTCCACGATTACCTCTGGTGATGGCGGGCGCTCGGG
 CTTGGGAGAAGGGCGCTTCTTTTCTTCTGGGCGCAATGGCCAAATCC
 GCCGCCGAGGTGATGGCCGCGGGCTGGGTGTGCGCGGCACACGCGCG
 TCTTGTGATGAGTCTTCTCGTCTCGGACTCGATACGCGCGCTCATCC
 GCTTTTTTGGGGCGCCCGGGAGGCGCGCGGACGCGGGACGGGGAC
 GACACGCTCCTCATGGTTGGGGGACGTGCGCGCGCACCGCGTCCGCGC
 TCGGGGTGGTTTCGCGCTGCTCCTCTTCCGACTGGCCATTTCTTCTC
 CTATAGGCAGAAAAGATCATGGAGTCAGTCGAGAAGAACGAGCC
 TAACCGCCCCCTCTGAGTTCCGCCACACCGCTCCACCGATGCCGCCAA
 CGCGCTTACCACCTTCCCCGTGAGGCACCCCGCTTGAGGAGGAGGA
 AGTGATTATCGAGCAGGACCCAGGTTTGTAAAGCAAGACGACGAGGA
 CCGCTCAGTACCAACAGAGGATAAAAAGCAAGACCAGGACAACGCAG
 AGGCAAAACGAGGAACAAGTCGGGCGGGGGACGAAAGGCATGGCGAC
 TACCTAGATGTGGGAGACGACGTGCTGTTGAAGCATCTGACGCGCAG
 TGCGCCATTATCTGCGACGCGTTGCAAGAGCGCAGCGATGTGCCCCCTC
 GCCATAGCGGATGTACGCTTGCCTACGAACGCCACCTATTCTCACCGC
 GCGTACCCCCCAAACGCGCAAGAAAACGGCACATGCGAGCCCAACCCGC
 GCCTCAACTTCTACCCCGTATTTGCGGTGCCAGAGGTGCTTGCCACCTA
 TCACATCTTTTCCAAAACGCAAGATACCCCTATCCTGCGCTGCCCAAC
 CGCAGCGAGCGGACAAGCAGCTGGCCTTGGCGAGGGCGCTGTCTATA
 CCTGATATCGCCTCGCTCAACGAAGTGCCAAAAATCTTTGAGGGTCTTG
 GACGCGACGAGAAGCGCGCGCAACGCTCTGCAACAGGAAAAACAGC
 GAAATGAAAGTCACTCTGGAGTGTGGTGGAATCGAGGGTGACAAAC
 GCGCGCTAGCCGTACTAAAACGCGCATCGAGGTCAACCACTTTGCC
 TACCCGCACTTAACCTACCCCCAAGGTATGAGACAGTCATGAGT
 GAGTGATCGTGCGCGGTGCGCAGCCCTGGAGAGGGATGCAAAATTTG
 CAAGAACAACAGAGGAGGGCTTACCCGAGTTGGCGACGAGCAGCT
 AGCGCGCTGGCTTCAAACGCGCGAGCTGCGCACTTGAGGAGCGACG
 CAACTAATGATGGCCGAGTGCTCGTTACCGTGAGCTTGAGTGCA
 GCAGCGGTTCTTTGCTGACCCGAGATGCAGCGCAAGCTAGAGGAAAC
 ATTGCACTACACCTTTCGACAGGGCTACGTACGCGAGGCTGCAAGAT
 CTCCAACGTGGAGTCTGCAACCTGGTCTCTACCTTGGAAATTTTGAC

TABLE 3-continued

Sequence Lists

GAAAACCGCCTTGGGCAAAACGTGCTTCATTCCACGCTCAAGGCGAG
 GCGGCCGCGACTACGTCCGCGACTGCGTTTACTTATTTCTATGCTACA
 CCTGGCAGACGGCCATGGGCGTTTGGCAGCAGTGTCTGGAGGAGTGCA
 ACCTCAAGGAGCTGCAGAACTGCTAAAGCAAACTTGAAGGACCTAT
 GGACGGCCTTCAACGAGCGCTCCGTGGCCGCGACCTGGCGGACATCA
 TTTTCCCGAACGCCTGCTTAAACCTGCAACAGGGTCTGCCAGACTT
 CACCAGTCAAAGCATGTTGCAGAACTTTAGGAACCTTATCCTAGAGCG
 CTCAGGAATCTTGCCCGCCACCTGCTGTGCACTTCCTAGCGACTTTGTG
 CCCATTAGTACCGCAATGCCCTCCGCCGCTTGGGGCCACTGCTACC
 TTCTGCAGCTAGCCAACTACCTTGCTTACCACCTGACATAATGGAAGA
 CGTGAGCGGTGACGGTCTACTGGAGTGTCACTGTCGCTGCAACCTATGC
 ACCCGCACCGCTCCCTGGTTTGCAATTGCGAGCTGCTTAAAGAAAGTC
 AAATTATCGGTACCTTTGAGCTGCAGGGTCCCTCGCTGACGAAAAGTC
 CGCGGCTCCGGGGTTGAACTCACTCCGGGCTGTGGAGCTCGGCTTA
 CCTTCGCAAAATTTGTACTGAGGACTACCACGCCACGAGATTAGGTTT
 TACGAAGACCAATCCCGCCCGCTAATGCGGAGCTTACCGCTCGCTC
 ATTACCCAGGGCCACATTTCTGGCCAATTGCAAGCCATCAACAAAGCC
 CGCCAAAGATTTCTGCTACGAAAGGACGCGGGGTTTACTTGGACCCC
 CAGTCCGGCGAGGAGCTCAACCCAAATCCCCCGCGCGCGAGCCCTAT
 CAGCAGCAGCCGCGGGCCCTTGCTTCCAGGATGGCACCCAAAAGAA
 GCTGCAGCTGCCGCCGCCACCCAGGACGAGGAGGAATACTGGGACAG
 TCAGGCAGAGGAGGTTTGGACGAGGAGGAGGAGGACATGATGGAAG
 ACTGGGAGAGCTTAGACGAGGAAGCTTCCGAGGTGCAAGAGGTGTCA
 GACGAAACACCGTCAACCTCGGTGCGATTCCCTCGCCGCGCGCCAG
 AAATCGGCAACCGGTTCCAGCATGGCTACAACCTCCGCTCCTCAGGCG
 CCGCCGCGACTGCCCGTTCCCGGACCCAAACCGTAGATGGGACCCACT
 GGAACAGGGCCGGTAAGTCCAAGCAGCCGCGCGTTAGCCCAAGAG
 CAACAACAGCGCCCAAGGCTACCGCTCATGGCGCGGGCACAAGAACGCC
 ATAGTTGCTTGTGCAAGACTGTGGGGCAACATCTCCTTCGCCCCGCC
 GCTTTCTTCTTACCATCAGGCGTGGCTTCCCCCGTAACATCCTGCAT
 TACTACCGTCATCTCTACAGCCCATACTGCACCGGCGGACGCGGACG
 AACAGCAGCGGCCACACAGAAGCAAGGCGACCGGATAGCAAGACT
 TGACAAAGCCCAAGAAATCCACAGCGCGCGCAGCAGCAGGAGGAGGA
 GCGCTGCGCTTGGCGCCCAACGAACCGGTATCGACCCGCGAGCTTAGA
 AACAGGATTTTTCCCACTCTGTATGCTATATTTCAACAGAGCAGGGGCC
 AAGAACAAGAGCTGAAATATAAAACAGGTCTCTGCGATCCTCACC
 GCAGCTGCCGTATCACAAGCGAAGATCAGCTTCGGCGCACGCTGG
 AAGACGCGGAGGCTCTTTCAGTAAATACTGCGCGCTGACTCTTAAGG
 ACTAGTTTCGCGCCCTTCTCAAATTTAAGCGCGAAACTACGTCATCT
 CCAGCGGCCACACCCGCGCGCAGCACCTGTTGTCAGCGCCATTATGAG
 CAAGGAATTTCCACGCGCTACATGTGGAGTTACAGCCCAAAATGGG
 ACTTGCAGGCTGGAGCTGCCAAGACTACTCAACCCGAATAAACTACAT
 GAGCGCGGGACCCACATGATATCCCGGTCAACGGAATACGCGCCCA
 CCGAAACCGAATTTCTCTGGAACAGGCGGCTATTACACCAACCTCG
 TAATAACCTTAATCCCGTAGTTGGCCCGCTGCCCTGGTGTACAGGAA
 AGTCCCGCTCCCAACCTGTGGTACTTCCAGAGACGCCAGGCGCGAA
 GTTCAGATGACTAACTCAGGGCGCAGCTTGGGGCGGCTTTCGTCA
 AGGCTGCGGTGCGCCGCGGCGAGGTATAACTCACCTGACAATCAGAGGG
 CGAGGTATTCAGCTCAACGACGAGTCCGTGAGCTCCTCGCTTGGTCTCC
 GTCCGAGCGGACATTTTCAGATCGCGCGCGCGCGCGCTTTCATTAC
 GCCTCGTCAGGCAATCTTAACCTGTCAGACCTCGTCTCTGAGCCGCGC
 TCTGGAGGCATTGGAACCTGCAATTTATTGAGGAGTTTGTGCCATCGG
 TCTACTTTAACCCCTTCTCGGGACCTCCCGGCCACTATCCGGATCAATT
 TATTCTTAACCTTTGACGCGGTAAAGGACTCGGCGGACGGCTACGACTG
 AATGTTAAGTGGAGAGGAGAGCAACTGCGCCTGAAACACCTGGTCCA
 CTGTCGCGGCCACAAGTGCTTTGCCGCGACTCCGGTGAGTTTGTCTAC
 TTTGAATTGCCCGAGGATCATATCGAGGGCCCGGCGCACGGCGTCCGG
 CTTACCGCCAGGAGAGCTTGGCCGTAGCCTGATTGCGGAGTTTACCC
 AGCGCCCCCTGTAGTTGAGCGGACAGGGGACCTGTGTTCTCACTGT
 GATTTGCAACTGTCTTAACCTGGATTACATCAAGATCCTCTAGTTAAT
 TAACTAGAGTACCCGGGATCTTATTCCCTTAACTAATAAAAAAAAT
 AATAAAGCATCACTTACTTAAATCAGTTAGCAAAATTTCTGTCCAGTTT
 ATTCAGCAGCACTCCTTGCCCTCCTCCAGCTCTGGTATTGAGCTTC
 CTCCTGGCTGCAAACTTTCTCCACAATCTAAATGGAATGTCAGTTTCCT
 CCTGTTCTGTCCATCCGACCCACTATCTTCATGTTGTTGAGATGAA
 GCGCGCAAGACCGTCTGAAGATACCTTCAACCCCGTGTATCCATATGA
 CACGGAACCGGCTCCTCAACTGTGCTTTTCTTACTCCTCCCTTTGTAT
 CCCCCAATGGGTTTCAAGAGAGTCCCTCGGGTACTCTCTTTCGCGCT
 ATCCGAACCTCTAGTTACCTCCAATGGCATGCTTGCCTCAAAATGGGC
 AACGGCTCTCTCTGGACGAGGCGGCAACCTTACCTCCCAAAATGTA
 ACCACTGTGAGCCACCTCTCAAAAAAACCAAGTCAACATAAACCTG
 GAAATATCTGCACCCCTCAAGTTACCTCAGAAGCCCTAACTGTGGCTG
 CCGCCGCACTCTAATGGTGGCGGCAACCACTACCATGCAATCAC
 AGGCCCCGCTAACCGTGCAGACTTCAAACTTAGCATTTGCCACCCAAG
 GACCCCTCACAGTGTGAGAAGGAAGCTAGCCCTGCAACATCAGGCC

TABLE 3-continued

Sequence Lists

CCTCTACCACCACCGATAGCAGTACCCTTACTATCACTGCCTCACCCCC
 TCTAACTACTGCCACTGGTAGCTTGGGCATTGACTTGAAAGAGCCCAT
 TATACACAAAATGGAAACTAGGACTAAAGTACGGGGCTCCTTTGCAT
 GTAACAGACGACCTAAACACTTTGACCGTAGCAACTGGTCCAGGTGTG
 ACTATTAATAATACTTCTTGCAACTAAAGTTACTGGAGCCTTGGGT
 TTGATTACAAAGGCAATATGCAACTTAATGTAGCAGGAGGACTAAGGA
 TTGATTCTCAAAACAGACGCCTTATACTTGATGTTAGTTATCCGTTTGA
 TGCTCAAAACCAACTAAATCTAAGACTAGGACAGGGCCCTCTTTTATA
 AACTCAGCCCCAAGCTTGGATATTAACACAAAGGCCCTTACTTGT
 TTACAGCTTCAAACTTCCAAAAGCTTGAGGTTAACCTAAGCACTG
 CCAAGGGGTTGATGTTTGACGCTACAGCCATAGCCATTAATGCAGGAG
 ATGGGCTTGAATTTGGTTCACCTAATGCACCAACACAAATCCCTCAA
 AACAAAAATGGCCATGGCCTAGAATTTGATTCAAAACAGGCTATGGT
 TCCTAAACTAGGAAGCTGGCCTTAGTTTGGACGACAGGTGCCATTACA
 GTAGGAACAAAAATAATGATAAGCTAACTTTGTGGACCACACAGCT
 CCATCTCCTAACTGTAGACTAAATGCAGAGAAAGATGCTAACTCACT
 TTGGTCTTAACAAAATGTGGCAGTCAATACTTGCTACAGTTTCAGTTT
 TGGTGTATAAGGAGTGGCTCCAATATCTGGACAGTTCAAAGTGC
 TCATCTTATTATAAGATTTGACGAAAATGGAGTGCTACTAAACAAATTC
 TTCCTGGACCCAGAATATTGGAAGCTTAGAAATGGAGATCTTACTGAA
 GGCACAGCCTATACAAACGCTGTTGGATTTATGCCTAACCTATCAGCTT
 ATCCAAAATCTCAGGTAAAGCTGCCAAAAGTAACATTGTGAGTCAAG
 TTACTTAACCGGAGACAAAACCTAAACCTGTAACTAACCATTACAC
 TAAACGCTACACAGGAACAGGAGACAACTCCAAGTGCATACCTCTA
 TGTCAATTTTCATGGGACTGGTCTGGCCACAACATCAATGAATATTT
 TGCCACATCCTCTTACACTTTTTCATACATTGCCAAGAATAAAGAAATC
 GTTTGTGTTATGTTTCAACGTGTTATTTTCAATTGCAGAAAATTTCAA
 GTCATTTTTCATTAGTAGTATAGCCCCACCACACATAGCTTATACAG
 ATCACCGTACCTTAATCAAACCTACAGAACCTTAGTATTCAACCTGCCA
 CCTCCTCCCAACACACAGAGTACACAGTCTTCTCCCGGCTGGCCT
 TAAAAAGCATCATATCATGGGTAACAGACATATTTCTAGGTGTTATATT
 CCACACGGTTTCTGTGAGCAGCAACGCTCATCAGTGATATTAATAAAC
 TCCCGGCGAGCTCACTTAAGTTTATGTCGCTGTCCAGCTGCTGAGCCA
 CAGGCTGCTGTCCAACCTTGCGGTGCTTAAACGGCGGCGAAGGAGAAG
 TCCACGCTTACATGGGGTAGAGTCATAATCGTGCATCAGGATAGGGC
 GGTGGTGTGACAGCAGCGCGCAATAAACTGCTGCCCGCGCGCTCCG
 TCCTGCAGGAATACAACATGGCAGTGGTCTCCTCAGCGATGATTCGCA
 CCGCCCGCAGCATAAGGCGCTTGTCTCCGGGCACAGCAGCGCACCC
 TGATCTCACTTAAATCAGCAGTAAGTGCAGCACAGCACCACAATAT
 TGTCAAAATCCACAGTGCAAGGCGCTGTATCCAAAGCTCATGGCGG
 GGACCAAGAACCCACGTGGCCATCATACCACAGCGCAGGTAGATT
 AGTGGCGACCCCTCATAAACACGCTGGACATAAACATTACCTCTTTTGG
 CATGTTGTAATTCACCACCTCCCGGTACCATATAAACCTCTGATTAAC
 ATGGCGCCATCCACACCATCTTAAACAGCTGGCCAAAACCTGCCCG
 CCGCTATACACTGCAGGGAACCGGACTGGAACAATGACAGTGGAG
 AGCCACGAGTCTGTAACCATGGATCATCATGCTCGTCATGATATCAATG
 TTGGCACAACACAGGCACAGTGCATACACTTCTCAGGATTACAAGC
 TCCTCCCGCGTTAGAACCATATCCAGGGAACACCCATTCTCTGAATCA
 CGGTAAATCCCACTGCAGGGAAGACCTCGCACGTAACCTCACGTTGT
 GCATTGTCAAAGTGTACATTTCGGGCAGCAGCGGATGATCTCCAGTAT
 GGTAGCGCGGTTCTGTCTCAAAGGAGGTAGACGATCCCTACTGTA
 CGGAGTGCAGCGAGACAACCGAGATCGTGTGGTTCGTAGTGTATGCC
 AAATGGAAACCGCGAGCTAGTCAATTTCTGAAGCAAAACAGGTGC
 GGGCGTGACAAACAGATCTGCGTCTCCGGTCTCGCCGCTTAGATCGCTC
 TGTGTAGTAGTTGTAGTATATCCACTCTCTCAAAGCATCCAGGCGCCCC
 CTGGCTTCGGGTTCTATGTAACTCCTTCATGCGCCGCTGCCCTGATAA
 CATCCACCACCGCAGAATAAGCCACACCCAGCCAACCTACACATTCTGT
 TCTGCGAGTCACACACGGGAGGAGCGGGAAGAGCTGGAAGAACCATG
 TTTTTTTTTTTATTCCAAAAGATTATCCAAAACCTCAAAATGAAGATCT
 ATTAAGTGAACGCGCTCCCTCCGGTGGCGTGGTCAAACCTCTACAGCC
 AAAGAACAGATAATGGCATTGTGAAGATGTTGCACAATGGCTTCCAAA
 AGGCAACCGGCCCTCAGTCCAAGTGGACGTAAGGCTAAACCTTCA
 GGGTGAATCTCTCTATAAACATTCCAGCACCTTCAACCATGCCCAAAT
 AATTCTCATCTCGCCACCTTCTCAATATATCTTAAGCAAATCCCGAAT
 ATTAAGTCCGGCCATTGTAAAAATCTGCTCCAGAGCGCCCTCCACCTTC
 AGCCTCAAGCAGCGAATCATGATTGCAAAAATTCAGGTTCTCTACAGA
 CCTGTATAAGATTCAAAAGCGGAACATTAAACAAAATACCGGATCCC
 GTAGGTCCCTTCGAGGGCCAGCTGAACATAATCGTGCAGGTCTGCAC
 GGACCAGCGCGGCCACTTCCCGCCAGGAACCATGACAAAGAACCCA
 CACTGATTATGACACGCATACCTCGGAGCTATGCTAACAGCGTAGCCC
 CGATGTAAGCTTGTGTCATGGGCGCGATATAAAATGCAAGGTGCTGC
 TCAAAAATCAGGCAAAGCTCGCGCAAAAAGAAAGCACATCGTAG
 TCATGCTCATGCAGATAAAGGACAGGTAAGCTCCGGAACCCACAGAA
 AAAGACACCATTTTTCTCTCAACATGTCTCGGGGTTCTGCATAAACA
 CAAAATAAAATAACAAAAAACATTTAAACATTAGAAGCTGTCTTAC

TABLE 3-continued

Sequence Lists	
	AACAGGAAAAACAACCCTTATAAGCATAAGACGGACTACGGCCATGCC GGCGTGACCGTAAAAAACTGGTCACCGTGATTAAAAAGCACCACCGA CAGCTCCTCGGTCAATGTCCGGAGTCATAATGTAAGACTCGGTAACAC ATCAGGTTGATTACATCGGTCACTGCTAAAAAGCGACCGAAATAGCC CGGGGAATACATACCCGAGGCGTAGAGACAACATTACAGCCCCAT AGGAGGTATAACAAATTAATAGGAGAGAAAAACACATAAACACCTG AAAAACCTCTGCCTAGGCAAAATAGCACCCCTCCCGCTCCAGAACA CATAACGCGCTTCCACAGCGGAGCCATAACAGTCAGCCTTACCAGTA AAAAAGAAACCTATTAAAAAACACCACTCGACACGGCACCAGCTCA ATCAGTCACAGTGTAAAAAGGGCCAAGTGCAGAGCGAGTATATATAG GACTAAAAAATGACGTAAACGGTTAAAGTCCACAAAAACACCCAGAA AACCGACGCGAACCTACGCCAGAAACGAAAGCAAAAAACCCACA ACTTCCTCAATCGTCACTTCCGTTTCCACAGTTACGTCACTTCCCAT TTAAGAAAACTACAATTCCCAACACATACAAGTTACTCGCCCCAAAA CCTACGTACCCGCCCGTTCCACGCCCGGCCACGTACAAACTCC ACCCCTCATTATCATATTGGCTTCAATCCAAAAATAAGCGGCCGACTA GTTATCAGCACACAATTGCCATTATACGC
SEQ ID NO. 68 (E3 region, 12.5K)	atgttaagtggagaggcagagcaactgcgcctgaaacacctgggtccactgtcgccgccacaagtgccttgc ccgcgactccggtgagtttctgctactttgaattgcccaggatcatatcgagggcccgccgacggcgctcc ggcttaccgcccagggagagcttgcccgtagcctgattcgaggagtttaccagcgccccctgctagttgag cgggacaggggaccctgtgttctcactgtgatttgcaactgtcctaaccttggattacatcaagatcttctgttgc catctctgtgctgagtataataaacacagaaattaa
SEQ ID NO. 69 (E3 region, CR1-alpha)	atgaacaattcaagcaactctacgggctatttctaattcagggttctctagaatcggggttgggggttattctctgtc ttgtgattctctttattcttataactaacgcttctctgcctaaggctcgccgctgtgtgtgacatttgcattttatg tcagctttttaaacgctggggctgccacccaagatga
SEQ ID NO. 70 (E3 region, gp19K)	atgattaggtacataatcctaggtttactcacccttgcgtcagcccacggtagccacccaaaagggtggattttaa ggagccagcctgtaattgttacattcgcagctgaagctaatgagtgacccactcttataaaatgcaccacaga acatgaaaagctgcttattcgccacaaaaacaaattggcaagtatgctgtttatgctatttggcagccaggtg acactacagagtataatgtttacagtttccagggtaaaagtcataaaaactttatgtatacttttccattttatgaa tgtgagcatttaccatgtacatgagcaaacagataagttgtggccccacaaaattgtgtggaaaacactgg cactttctgtgctgactgctatgctaattacagtgctgcgtttggctgtgacctactctatattaaatacaaaaagca gagcagcctttattgaggaagaaagaaatgccttaa
SEQ ID NO. 71 (E3 region, CR1-beta)	atgaccaacacacccaacgcggcgccgctaccggacttacatctaccacaaatacaccccaagtttctgc ctttgtcaataaactgggataaacttgggcatgtgggtgtctccatagcgccttatgtttgtatgccttatttattatgtg gctcatctgctgcctaaagcgcaaacgcggccgaccacccatctatagtcctcatctgtgctacacccaaa caatgatggaatccatagattggacggactgaaacacatgttcttttctcttacagtatga
SEQ ID NO. 72 (E3 region, RID-alpha)	atgattcctcgagtttttatattactgacccctgttgcgcttttttgtgctgctccacattgggtgcgggtttctcaca tcgaagtagactgcatccagccttcacagctctatttgccttaccgatttgcacccctcacgctcatctgcagcct catcactgtggtcatcgctttatccagtgcatgactgggtctgtgtgctgctttgcatactcagacaccatcc ccagtcacgggacaggactatagctgagcttctttagaattctttaa
SEQ ID NO. 73 (E3 region, RID-beta)	atgaaatttactgtgacttttctgctgattatttgcaccctatctgcgttttgttccccgacctccaagctcaaag acatatcatgcatgactcactcgtatattggaatattccaagttgctacaatgaaaaagcgatctttccgaagc ctgggttatatgcaatcatctctgttatgggtgtctgcagtagcatcttagccctagctatataatccctaccttgacat tggctggaaaacgaatagatgcatgaaccacccaactttccccgcgcccgcctatgcttccactgcaacaagt tgttgcggcggtcttgtcccagccaatcagcctcgccccacttctccccccccactgaaatcagctacttta atctaacaggaggagatgactga
SEQ ID NO. 74 (E3 region, 14.7K)	atgactgacaccctagatctagaatggacggaattattacagagcagcgctgctagaaagacgcaggg cagcgcccgagcaacagcgcatgaatcaagagctccaagacatggtaacttgcaccagtgcacaaagg gtatcttttgtctggttaagcagggccaaagtcacctacgacagtaataccacggacaccgccttagctacaa gttgccaaccaagcgtcagaaattgggtgctcatggtgggagaaaagcccataccataactcagcactcggt agaaacaggaagctgcattcactcaccttgtcaaggacctgaggatctctgcaccccttattaagaccctgtgc ggctctcaagatcttattccctttaactaa
SEQ ID NO. 75 (E3 region, 12.5K)	MLSGEAEQLRLKHLVHCRHRKCFARDSGEFCYFELPEDHIEGPA HGVRLTAQGELARSLIREFTQRPRLVERDRGPVLTVICNPNLGLH QDLCHLCAEYNKYRN
SEQ ID NO. 76 (E3 region, CR1-alpha)	MNNSNSTGYSNSGFSRIGVGVLCLVILFILILTLCLRLAACCVHIC IYCQLFKRWGRHPR
SEQ ID NO. 77 (E3 region, gp19K)	MIRYIILGLLTLASAHGTTQKVDKPEACNVTFAAEANECTTLI KCTTEHEKLLIRHKNKIGKYAVYAIWQPGDTTEYNVTVFQKSHKT FMYTFPFYEMCDITMYSKQYKLWPPQNCVENTGTFCTAMLITV LALVCTLLYIKYKSRRSFIEKKMP

TABLE 3-continued

Sequence Lists	
SEQ ID NO. 78 (E3 region, CR1-beta)	MTNTTNAAAATGLTSTTNTQVSAFVNWDNLGMWWSIALMFV CLII MWLICCLKRKRARPPIYSPIIVLHPNNDGIHRLDGLKHMFFSLT V
SEQ ID NO. 79 (E3 region, RID-alpha)	MIPRVFILLTLVALFCACSTLAAVSHIEVDCIPAFTVYLLYGFTLTLI CSLITVVI AFIQCIDWVCVRFAYLRHHPQYRDRTIAELLRL
SEQ ID NO. 80 (E3 region, RID-beta)	MKFTVTFLLI ICTLSAFCSPTSKPQRHISCRFTRIWNIPSCYNEKSDLS EAWLYAII SVMVFCSTILALAIYPYLDIGWKRIDAMNHPTFPAPAML PLQQV VAGGFVPANQPRPTSPTPT EISYFNLTGGDD
SEQ ID NO. 81 (E3 region, 14.7K)	MTDTLDLEMDGIITEQRLLERRRAAAEQRMNQELQDMVNLHQCK RGIFCLVKQAKVYDSNTTGHRLSYKLPTKRQKLVVMVGEKPITIT QHSVETEGCIHSPCQGPEDLCTLIKTLCLGLKDLIPFN
SEQ ID NO. 82 (E2A protein)	MASREEEQRETTPERGRGAARRPPTMEDVSSPSPSPPPRAPPKKRM RRRIESEDEEDSSQDALVPRTSPRPSSTAADLAIAPKKKKRPSPKP ERPPSP EIVDSEEREDVALQMVGFSPNPVLIKHGKGGKRTVRRLN EDDPVARGMRTQEEEEEPCKTWLN EHRGLQLTFTSNKTFVTMMG RFLQAYLQSF AEVTYKHHEPTGCALWLHRC AEIEGELKCLHGSIMI NKEHVIEMDVTS ENGQRALKEQSSKAKIVKNRWGRNVVQISNTDA RCCVHDAAC PANQFSGKSCGMFF SEGAKA QVAFKQI KAFMQALYP NAQTGHGHLMLPLRCECNSKPGHAPFLGRQLPKLTPFALSNAEDLD ADLISDKSVLASVHHPALIVFQCCNPVYRNSRAQGGGPNCDFKISAP DLLNALVMVRLWSENFTELPRMVVPEFKWSTKHQYRNVSLPVAH SDARQNPFDF
SEQ ID NO. 83 (L4-22K)	MAPKKKLQLPPPTDEEEYWDSQAEVLDEEEEDMMEDWESLDEE ASEVEEVSDETPSPSVAFPPSPAPQKSATGSSMATTSAPQAPPALPVRR PNRRWDTTGTRAGKSKQPPPLAQEQQRQGYRSWRGHKNAIVACL QDCGNISFARRELLYHHGVAFPRNLIHYYRHLYSPYCTGGSGSGS NSSGHT EAKATGSEAESEITVMNPLSVPIVSAWEKGM EAARALMDK YHVDNDLKANFKLLPDQVEALAAV
SEQ ID NO. 84 (L4-33K)	MAPKKKLQLPPPTDEEEYWDSQAEVLDEEEEDMMEDWESLDEE ASEVEEVSDETPSPSVAFPPSPAPQKSATGSSMATTSAPQAPPALPVRR PNRRWDTTGTRAAHTAPAAAAAATAAATQKRRPD SKTLTKPK KSTAAAAGG GALRLAPNEPVSTRELNRIFPTLYAIFQQSRGQEQE LKIKNRSLSLRSCLYHKSEDQLRRTLED AEALFSKYCALTLD
SEQ ID NO. 85 (L4-100K)	MESVEKKDSL TAPSEFATTASTDAANAPTTPV EAPPLEEEV IIEQD PGFVSEDD EDRSVPTEDKKQDQD NAEANEEQVGRGDERHGDYLDV GDDVLLKHLQRQCAIICDALQERSDVPLAIADVSLAYERHLFSRVP PKRQENGTC EPNRLNFYPVFAVPEVLATYHIFQNC KIPLSCRANR SRADKQ LALRQGAVIDIASLNEVPKIF EGLGRDEKRAANALQQENS ENESHSGVLVEEGDNARLAVLKRSIEVTHFAYPALNLPKVMSTV MSELIVRAQPLERDANLQEQT E EGLPAVGDEQLARWLQTREPADL EERRKLMAAVLVTVLEECMQRFADPEMQRKEETLHYTFRQGY VRQACKISNVELCNLVSYLGI LHENRLGQNVLHSTLKGEARRDYVR DCVYLF LCYTWQTAMGVWQCCLEECNLKELQKLLKQNLKDLWTA FNERSVA AHLADIIFPERLLKTLQQLP DFTSQSMLQNRNFILERSG ILPATCCALPSDFVPIKYREC PPLWGH CYLLQLANYLAYHSDIMED VSGDGLLECHCRCNLCTPHRS LVCNSQLL NESQIIGTFELQGPSPDEK SAAPGLKLT PGLWTSAYLRKFVPEDYHAHEIRFYEDQSRPPNAELT ACVITQGHILGQLQAINKARQEFLLRKGRGVYLD PQSGEELNPIPPP QPYQQQPRALASQDGTQKEAAAAATHGRGGILGQSGRGGFGRGG GGHDGRLGEPRRGSFRGRRGVRRNTVTLGRIPLAGAPEIGNRFQHG YNLRSSGAAGTARSPTQP
SEQ ID NO. 86 (E4-ORF1)	MAAAVEALYVVLEREGAILPRQEGFSGVYVFFSPINFVIPP MGAVM LSRLRVCIPPGYFGRFLALTDVNQPDVFTESYIMT PDMTEELSVVL FNHGDQFFYGHAGMAVRLMLIRVVFPVVRQASNV
SEQ ID NO. 87 (E4-ORF2)	MFERKMVSFSVVVPELTCLYLHEHDYDVL SFLREALPDFLSSTLHFI SPPMQQAYIGATLVSIAPSMRVII SVGSFVMVPGGEVAALVRADLHD YVQLALRRDLRDRGIFVNVPLNL IQVCEEPEFLQS
SEQ ID NO. 88 (E4-ORF3)	MIRCLRLKVEGALEQIFTMAGLNIRDLLRDLRWRDENYLG MVEG AGMFIEEIHPEGFSLYVHLDVRAVCLLEAIVQHLTNAIICSLAVEFDH ATGGER VHLIDLHFEVLDNLLE
SEQ ID NO. 89 (E4-ORF4)	MVLPALPAPPVCD SQNECVGWLGVAYS AVVDVIRAAAHEGVYIEP EARGRLDALREWIYNNYTERSKRRDRRRRSVCHARTWFCFRKYD YVRSIWHDTTNTISVVSASHVQ

TABLE 3-continued

Sequence Lists	
SEQ ID NO. 90 (E4-ORF6)	MTTSGVPFGMTLRPTRSRRLSRRTFYSDRLPPFETETRATILEDHPLL PECNTLTMHNVSYVRGLPCSVGFTLIQEWVVPWDMVLTREEL VILR KCMHVCLCCANIDIMTSMMIHGYESWALHCHCSSPGSLQCIAGGQ VLASWFRMVVDGAMFNQRFIYREVVNYNMPKEVMFMSVFMFMR GRHLIYLRWYDGHVGSVVPAMSPGYALHCGILNNIVLCCSYCA DLSEIR VRCCARRTRRLMLRAVRILAEETTAMLYSCRTERRRQQFIR ALLQHRPILMHDYDSTPM
SEQ ID NO. 91 (E4-ORF6/7)	MTTSGVPFGMTLRPTRSRRLSRRTFYSDRLPPFETETRATILEDHPLL PECNTLTMHNAWTSPPVQKQPVQQLDSDMNLSELPG FINITDERLARQETVWNITPKNMSVTHDMMLFKASRGERTVYSVC WEGGRLNTRVL
SEQ ID NO. 92 (XX680 neDNA precursor plasmid)	TCTAGAGCTAGCATATGGATCCATCGATTTAGGGATAACAGGGT AATtaccagcacacaattgcccattatacgcgcgtataatggactattgtgtgctgataggCGCGCC cgacagaaagcccatgtccttgggtccggcctgctgaatgcgcaggcggtcgccatgccccaggcttcg ttttgacatcgcgccaggtctttgtagtcttgcgatgagcctttctaccggcactctctctctctctctctctgt cctgcactctcttgcactctatcgctgcccggcgccggaggtttggcgtagggtggcgccctcttctctcccagc gtgtgacccccgaagccctcatcggtgaagcagggctaggctggcgacaaacgcgctcggtcaatatggc ctgctgcacctgctgagggtagactggaagtcacatgtccacaagcggtggtatgcgcgcgtgtgtat ggtgtgaagtgcagttggccataacggaccagttaacggctctgtgacccggctgcgagagctcggtgtacc tgagacgcgagtgaagccctcgagtcacaaacagtagtcgttgcgaagtcgcaccaggtactggatccccacc aaaaagtcgcccggcggtggcggtagagggccagcgtagggtggcggggctccggggcgagat cttccaacataaggcgatgatccgtagatgtacctggacatccaggtgatgcccggcgcggtggtggag gcgcgcgggaaagtgcgggacgcggttccagatgttgcgcagcggcgaagaggtctccatggtcgggagc ctctggccggtcaggcgccgcaatcgttgacgctctagcgtgcaaaaggagagcctgtgaagcggcact cttccgtggtctgggtgatataatcgcaagggtatcatggcgacgacccgggttcgagcccgatccgg ccgtccgcgcgtgatccatcggttaccgcccgcgtgtcgaaccaggtgtgcgacgtcagacaacgggg gagtgtcctcttgggttctctccaggcgccggcggtgctgctgctagcttttttggccactggccgcgcgacg cgtgaagcggttaggctggaagcgaaagcattagtggtcgctccctgtagccggagggtattttccaaag ggttgagtcgcccgaaccccggttcgagtcctcgacccggcgactgcgcgaacgggggtttgctccct ccgtcatgcaagaccccgcttgcaaatctctccggaacagggacgagcccttttttggctttccagatgc atccggtgctgcccagatgcgccccctctcagcagcggaagagcaagagcagcgccagacatgc agggcacccctccctcctcctaccgcgtcaggagggcgacatccgcggttgacgcggcagcagatggt gattacgaaccccgccgcccggcgcccgccactacctggacttgaggaggcgaggcgctggcg ggctaggagcgccctctcctgagcggcaccgaagggtgcagctgaagcgtgatccgctgagcggtacg tgcgcgcgcgaacactgttgcgcacgcgagggagaggagcccgaggagatgcgggatcgaaagtcc cacgcaggcgcgagctgcggcatggcctgaatcgcgagcggttgctgcgcgaggaggactttgagccc gacgcgcgaacccggatagttccgcgcgcgcacagtgccggcgcccgacccggttaaccgcatacga gcagacgggtgaaccaggagattaaactttcaaaaaagctttaacaaccacgtgcgtacgcttggtgcccgcg aggaggtggctataggactgatgcatctgtgggactttgtgaagcgctggagcaaaacccaaatagcaag ccgctcatggcgagctgttcttatagtgacgacagcagggaacacagggaattcagggatgcccgtgct aaacatagtagagcccgagggcgctggtgctcgatttgataaacatccctgcagagcatagtggtgcagg agcgcagcttgagcctgggtgacaaggtggccgcatcaactattccatgcttagcctgggcaagtttacg cccgcaagatataccatacccttacggttccatagacaaggaggtaaagatcgaggggttctacatgcgca tggcgctgaaggtgtctaccttgagcgacgacctggcgctttatcgcaacgagcgcatccacaaggcctg agcgtgagccggcgccgagctcagcgacgcgagctgatgcacagcctgcaaaaggccctggctgg cacgggcagcggcgatagagaggccgagctcctactttgacgcggcgctgacctgcgctgggccccaa gccgacgcgcctggaggcactggggccggacctgggctggcggtggcaccgcgcgcgctggcga cgtcgccggcggtggaggaatatgacgaggacgatgagtagcagcagaggacggcgagtagtaagcgg tgatgttctgatcagatgatgaagacgcaacggacccggcggtgcggggcgctgcagagccagcc gtcggcgcttaactccacggacgactggcgccaggtcatggacccgcatcatgctgctgactgcgcgcaatc ctgacgcgttccggcagcagcccgagccaaccggctctccgcaattctggaagcggtggtcccgggcg gcgcaaacccacgcacgagaaggtgctggcgatcgtaaacgcgctggccgaaaacagggccatccgg ccgacgagggccggcctgggtcatcagacgcgctgcttcagcgcggtggctcgttacaacagcggcaacgtg agaccaactggacgcgctggtggggatgtgcgcgagggcgtggcgacgctgagcgcgcgagca gcagggaacactgggctccatggttgactaaacgccttctgagtagacagcccgccaacgtgcccggg ggacagggactacaccaactttgtgagcgactcggtcaatgggtgactgagacacggcgaagtggg tgtaccagcttgggccagactatttttccagaccagttagacaaggcctgcagaccgtaaacctgagccagg ctttcaaaaacttgacggggctgtggggggcggggctccacaggcgacccgcgcgacctgtctagctt gctgacgcccacactcgcgccgtgtgctgctgataatagcgcccttcacggacagtgagcgtgcccggg acacatacctaggtcacttgcctgacactgtaccgcgagggccataggtcaggcgcatgtggacgagcatact tccaggagattacaagtgtcagccgcgcgctggggcaggaggacacgggcagcctggaggcaacccta aactacctgtgaccaacggcgccgagaagatccctcgttgacaggtttgacccctttggcgcatcccat ctccagtaactttatgtccatggcgcaactcacagacctggggcaaaaccttctctacgccaactccgcca cgcgctagacatgactttgaggtggatcccatggacgagccaccctcttattgtttgttgaagtcttgac gtggtcgtgtgacccagcgcgacccggcgctcatcgaaacgctgtaacctgcgcacgcccctctcgccgg gcaacgccacaacataaagaagcaagcaacatcaacaacagctgcccgcctgggctccagtggagcagga actgaaagccattgtcaagatcttggttggtggggccatatttttgggcacctatgacaagcgcttccaggctt gtttctccacacaagctcgcccgcccatagtcacacggccggctgcgagactggggcgctacactgga tggcctttgctggaacccgcactcaaaaacatgctacctttgagccctttggctttctgaccagcgactc aagcaggtttaccagtttgagtacgagctcactcctgcgcgtagcgccattgcttcttcccccgaccgctgat aacgctggaaaagtccacccaagcgtacagggggcccaactcgcccgctgtggagctattctgctgcatgt ttctccacgcctttgcccaactggccccaaactcccatggatcacacccaccatgaacctattaccgggggt

TABLE 3-continued

Sequence Lists

acccaactccatgctcaacaggtccccaggtacagcccacccctgcgtcgcaaccaggaacagctctacagct
 tccctggagcgccactcgccctacttccgcagccacagtgcgcagattaggagcgccacttcttttgcactt
 gaaaaacatgtaaaaataatgtactagagacactttcaataaaggcaaatgctttttattgtacactctcggtg
 attatttacccccaccccttgcgtctgcgcggttataaaatcaaaggggttctgcgcgcagctatgcgcga
 ctggcaggggacagcttgcgatactgggtgttagtgctccacttaaaactcaggcacaacccatccgcgcgagct
 cgggtgaagttttcactccacaggtctgcgcacccatcaccaacgcgttagcaggtcgggcgccgatacttga
 agtcgcagttggggcctccgccttgcgcgcgcgaggtgcgatacacaggggtgcagcactggaacactat
 cagcgccgggtgggtgcacgctggccagcagctcttgcgcgagatcagatccgcgtccaggtcctccgcg
 ttgctcagggcggaacggagtcacacttggtagctgccttcccaaaaaggcgctgcccaggtttgagttg
 cactcgacccgtagtgcatcaaaaggtgacccgtgcgcggttggcggttaggatacagcgccgtgcataaaa
 agccttgatctgcttaaaagccacctgagccttgcgccttcagagaagaacatgccgaagacttgcggga
 aaactgatggcggaacaggccgcgtcgtgcacgcagcacttgcgtcggtgtggagatctgcacacat
 ttgcggccacccggttcttcacgatcttggccttgcgtagactgctcctcagcgcgcgctgcccgtttcgctc
 gtccacactccattcaatcagctgctccttattatcataatgcttccgtgtagacacttaagctcgcttcgatctc
 agcgacgggtgcagccacaacgcgcagccggtgggtcgtgatgcttgtaggtcactctgcaaacgac
 tgcaggtacgcctgcaggaatcgcccatcatcgtcacaaaggtcttggtaggtgaggtcagctgcaac
 cgcgggtgctcctcgttcagcaggtcttgcatacggcgccagagcttccacttggtcagggagtagttg
 aagttcgctttagatcgttatccacgtggtacttgtccatcagcgcgcgcgagcctccatgcccttctccca
 cgcagacagatcgccacactcagcgggttcatcacgtaatttcaacttccgcttcgctgggtctctcctctt
 cctcttgcgtccgcataccagcgccactgggtcgtcttcaattcagcgcgcgactgtgcgttacctcctttg
 ccatgcttgatagcaccggtgggtgtcgtgaaacccaccattttagcgccacatcttctcttctcctcgctgt
 ccacgattacctctggtgatggcgggcgctggggttgggagaaggcgcttcttttcttcttggggcgaat
 ggccaaatccgcccgcgaggtcgatggcgcggtgggtgtgcgcggccacagcgcttctgtgatga
 gtcttctcgtcctcgactcgatacgcgcctcatccgctttttggggcgcccggggagggcgcgcg
 acggggacggggagcagcagctctccatggttgggggagctgcgcgcgacccgctcgcgctcgggg
 gtgggttgcgcgtgctcctctccgactggccatttctctctataggcagaaaaagatcatggagtcagt
 cgagaagaaggacagcctaaccgccccctctgagttcgccaccaccgctccacccgatgccgccaacgc
 gcttaccaccttccccctcgaggcaccgcccttgaggaggaggaaagtgatatacagagcaggaccaggt
 tttgaagcgaaagcagcagggaccgctcagtaaccaacagaggataaaaagcaagaccaggacaacgca
 gaggcaaacagggaacaaagtgcggcggggggacgaaaggcatggcgactacctagatgtgggagacg
 acgtgctgtgaaagcatctgcagcgccagtgccgcatatctgcgacgcgttgcaagagcgagcagatgtg
 cccctcgccatagcggatgtcagccttgccatcagaaagccacactattctcagcgcgctaccccccaaacg
 ccaagaaaacggcacatgcgagcccaacccgcgcctcaacttctaccccgctatttgcgctgccagaggtg
 cttgccacctatcacatcttttccaaaactgcaagataccccctatcctgcccgtgccaacggcagcgagcg
 acaagcagctggccttgcgcgagggcgctgtcatacctgatctgcctcgtcacaagagtgccaaaaatc
 tttgaggggtcttgagcgagcagagaagcgcgcggaacgccttgcaacagggaacacagcgaaatgaa
 agtcactctggaggtgttggtggaactcgaggggtgacaacgcgcgcctagccgtaaaaaacgcagcatcg
 aggttaccacacttgcctacccggcacttaacctaccccccaaggtcatgagcacagtcatgagtgagctga
 tcgtgcgcgctgcgcagccctggagagggatgcaaatttgcaagaacaaacagaggagggcctaccgc
 cagttggcgagcagcagctagcgcgctggcttcaaacgcgcgcgactgcccagcttgaggagcgagcga
 aactaatgatggcgagtgctcgttacggtgagcttgagtgcatgcagcggttcttgcgtgaccggagat
 gcagcgcaagctagaggaaacattgcactacaccttgcagagggctacgtacgccaggcctgcaagatct
 ccaacgtggagctctgcaacctggtctcctaccttggaatttgcaagaaaacgccttgggcaaaaacgtgct
 tcatccacgctcaagggcgaggcgcgccgcgactacgtccgcgactgcttacttatttctatgctacacc
 tggcagacggccatggcggttggcagcagtgcttgaggagtgcaacctcaaggagctgcagaaaactgc
 taaagcaaaactgaaaggacctatggacggccttcaacgagcgctccgtggcgcgacactggcggaat
 cattttcccgaaacgctgctttaaaccctgcaacagggtctgcccagacttaccagtcacaagcatgttgag
 aactttaggaaacttatacctagagcgctcaggaaacttggccgcccactgctgtgcacttctagcgactttgtg
 cccattaaagtcacgcgaatgccctccgcgcttggggccactgctaccttctgcagctagccaactaccttg
 cctacctctgacataatggaagagctgagcggtgacggtctactggagtgctcactgtcgtgcgtgcaact
 gcaccccgacccgctcctgggttgcattcgcagctgcttaacgaaagtcaaatatcggtacctttgagct
 gcagggtcctcgcctgacgaaaagtccgcggtccggggttgaaactcactccggggtgtggagctcg
 gcttaccttcgcaaatttgtacctgaggactaccacgcccacagagattagggtctacgaaagcaaatccgcg
 cgctaatgcggagcttaccgctcgcgtcattaccagggccacattcttggccaattgcaagccatcaaca
 aagcccgccaaagatttctgctacgaaagggacggggggttacttggaaccccgctccggcgaggagct
 caacccaatcccccgcgcgcgagccctatcagcagcagccgcgggccttgcctccaggtatggcac
 ccaaaaagaagctgcagctccgcgcccacccacggacgaggaggaatactgggacagtcaggcaga
 ggaggttttgagcagggaggaggaggacatgatggaagactgggagagctagacagggaagcttccg
 aggtcgaaaggtgtcagacgaaacacgctcaccctcggtcgcttccccctcgccggcgccccaagaaatc
 ggcaacccggttccagcatggctacaacctccgctcctcaggcgccgcccagctgcccgttcgcccagcc
 aacgttagatgggacacactggaaccaggggcggttaagtccaagcagccgcccgttagcccaaga
 gcaacaacagcgccaaggtacccgtcatggcgcgggcacaagaacgctattgtctgttgcaagac
 tgtgggggcaacatctccttcgcccgcgcgttcttctctaccatcacggcggtggccttcccccgtaacatcct
 gcattactaccgtcatctctacagcccatctgcacggcgggcagcgcgagcaacagcagcgggccacaca
 gagcaaaagcgagcgatagcaagactctgcaaaagcccaagaaatccacagcgcgcgagcagca
 ggaggaggagcgctgcgtctggcgcccacgaacccgtatcgacccgcgagcttagaaacaggattttc
 ccactctgtatgctatattcaacagagcagggggccaagaacagagctgaaaaaaaaaacaggctctctgc
 gatccccccagcgctgctgtatcacaaaagcgaagatcagcttcggcgcacgctggaagacgcgga
 ggctctctcagtaaatactgcgcgctgactcttaaggactagtcttcgcccctttctcaaatttaagcgcgaa
 actacgtcatctccagcgccacacccggcgccagcactgtgtgcagcgccattatgagcaaggaaatcc
 ccagccctacatgtggagttaccagccacaaatgggacttgcgggtggagctgcccagactactcaacc
 cgaataaactacatgagcggggacccacatgatatccgggtcaacggaatcgcgcgccacgaaac
 cgaattctcctggaacaggcggttattaccacacacctcgtaataaccttaatccccgtagttggccgctg
 ccttggtgtaaccggaagtcgcgtccacacacttggtacttccagagacgcccaggccgaagttcag
 atgactaactcagggcgagcttgcggcggttctcgtcacaggttgcggtgcggcgggcagggataa

TABLE 3-continued

Sequence Lists

ctcacctgacaatcagaggcgaggtattcagctcaacgacgagtcggtgagctcctcgcttggtctccgtc
 cggacgggacatttcagatcggcgggcgccggcgctcttcattcacgcctcgtcaggcaatcctaactctgc
 agacctcgtcctctgagccgcgctctggaggcattggaactctgcaatttattgaggagtttgtgccatcggtc
 tactttaacccctctcgggacctcccgccactatccggatcaatttattcctaactttgacgcggtaaggagc
 tcggcggaaggctacgactgaatgttaagtggagaggcagagcaactgcgcctgaaacacctgggtccact
 gtcgcgccacaaagtgtttgcccgcgactccggtgagttttgctactttgaattgcccaggagatcatatcga
 gggcccgggcgacggcgctccggcttacgcccaggagagcttgcccgtagcctgattcgggagtttac
 cagcgccccctgctagttagcggggacaggggaccctgtgttctcactgtgatttgcaactgtcctaaccctg
 gattacatcaagatcctctagttaattaactagagtaccggggatcttattccctttaactataaaaaaaaaa
 ataaagcatcacttacttaaatcagttagcaaatttctgtccagtttattcagcagcactccttgccctcctcc
 cagctctgggtattgcagcttctcctgggtgcaaaactttctccacaactctaaatggaatgtcagtttctcctgtt
 cctgtccatccgacccactatcttcatgttgttgacagatgaagcgcgcaagaccgtctgaagataccttcaa
 ccccggtatccatgatgacacggaaacgggtcctccaactgtgccttttcttactcctcctttgtatcccccaat
 ggggttcaagagagtcctcctggggtactcctttgcgccatccgaacctctagttaacctccaatggcatgct
 tgcgctcaaaatgggcaacggcctctctctggacgagggcggaaccttaacctccaaaatgtaacctgtg
 gagccacctctcaaaaaaaccagtcataaactggaaatctcgcacccctcagagttacctcagaga
 agccctaacctgtggtgcgcgcgacaccttaagtgtcgggggcaacacactcaccatgcaatcacaggc
 ccgctaaccgtgcacgactccaaacttagcattgcccaccaaaggaccctcagagtgctcagaaggaaagct
 agcctgcaaacatcaggccccctcaccaccacgcgtagcagtagccttactatcactgctcaccctctct
 aactactgcactggtagcttggtcatgacttgaaagagccatttatacacaataatggaaactaggacta
 aagtagcgggctcctttgcatgtaacagacgacctaaactttgacgtagcaactgggtccaggtgtgact
 attataaacttctcttgcaaaactaaagtactggagccttggttttgatccacaaggcaatgatgcaacttaag
 tagcaggagactaaggattgattctcacaacagacgccttatacttgatgttagttatccgtttgatgctcaaa
 accaactaaatctaagactaggacagggccctcttttataaactcagcccaacttggtatataactacaac
 aaaggccttacttgtttacagcttcaaaacttcaaaaagcttgaggttaacctaaagcactgccaagggtg
 gatgtttgacgctacagccatagccatataatgcaggagatgggcttgaatttggttaccataatgacccaac
 acaaatccctcaaaacaaaatggccatggcctagaatttgattcaaaacaggctatgggtcctaactag
 gaaatggccttagtttgacagcacaggtgacctacagtaggaaacaaaaataatgataagctaaactttgtg
 gaccacaccagctccatctcctaactgtagactaaatgcagagaaagatgctaaactcactttggtctttaa
 aaatgtggcagtcataacttgctacagttttagttttggctgttaaggcagtttggtcccaatctctggaaca
 gttcaagtgctcatcttattataagatttgacgaaaatggagtgctactaaacaattccttctggaccacgaa
 tattggaaactttagaaatggagatcttactgaaggcacagcctatacaaacgctgttgatttatgcttaoccta
 tcagcttatccaaaatctcacggttaaaactgcaaaaagtaaacattgtcagtcaggttacttaaacggagacaa
 aactaaacctgttaactaaccattacactaaacggtacacaggaacaggagacacaaactccaagtgcac
 actctatgtcatcttcatgggactgtcttgcccaacacactacattaatgaaatatttgccacatcctcttactttt
 catacatttgcccaagaataaagaatcgtttgtgttatgtttcaacgtgtttattttcaattgcagaaaatttcaagt
 catttttctcagtagtatagccccaccaccacatagcttatacagatcaccgtagccttaatacaactcacaga
 accctagttatcaacctggccacctcctcccaacacacagagtagacagctccttctcccggtggtccttaca
 aaagcatcatatcatgggttaacagacatattcttaggtgttatattccacacgggttctctgcagccaaacgct
 catcagtgatataataaactcccgggcgagctcacttaagttcatgtcgtgtccagctgctgagccacagg
 ctgctgtccaaacttgcggtgtcttaacggcgcggaaggagaagtcacagcctacatgggggttagagtcac
 aatcgtgcatcaggataggcggtgtgtgctgcagcagcgcggaataaactgctgcccgcgcgctccgt
 cctgcaggaatacaacatggcagtggtctcctcagcgatgattcgacccgcccgagcataaaggcgcttg
 tctccgggacagcagcgacccctgatctcacttaaatcagcacagtaactgcagcacagcaccacaata
 ttgttcaaaatcccacagtcgaaggcgctgtatccaaagctcatggggggaccacagaacccacgtggcc
 atcataccacaagcgaggttagattaaagtgggacccctcataaacacgctggacataaacattacctctttt
 ggcagttgttaattcaaccacctccggtagcctataaaactctgattaaacatggcgccatccaccacctcct
 aaaccagctggccaaaactgcccgcggctatacactgcagggaacgggactggaaacatgacagtg
 gagagcccaggactcgaacatggatcatcatgctcgtcatgatataatgttggcacacacagggcacac
 gtgcatacacttctcaggattacaagctcctcccggttagaacctatccagggaacacacccatctctga
 atcagcgtataatcccacactgcagggaagacctcgcagtaactcagcttgtgcatgtgcaaaagtgtacatt
 cgggcagcagcggtgatctccagtaggttagcggggtttctgtctcaaaaggaggtagacgatcccta
 ctgtacggagtgcccgagacaaacagagatcgtgttggtcgtagtgcatgccaatggaaacgcggagct
 agtcatattcctgaagcaaaacagggtgcggcggtgacaaacagatctgcgtctccggtctcgcgcgttag
 atcgtctgtgtagtagttgtatataccactctctcaagcatccaggcgccccctgggtcgggttctatgt
 aaactccttcatgcgcggtgcccgtataacatccaccacgcagaaataagccacacccagccaacctaca
 cattcgttctgcgagtcacacacgggagggagcggaagagctggaagaacatgttttttttttatccaaaa
 gattatccaaaacctcaaaatgaagatctataagtgaacgcgctccctccgggtggcgtgggtcaaacctac
 agccaaagacagataaatggcatttgtaagatgtgcacaatgggttccaaaaggcaaacggccctcagctc
 caagtgagcgtaaaaggctaaacctctcaggggtgaatctcctctataaacatccagcaccttcaaccatgcc
 aaataattctcatctgccaccttctcaatatatctctaagcaaatcccgaaatataagtcggccatttgtaaaa
 tctgtccagagccctccaccttcagcctcaagcagcgaatcatgattgcaaaaaatcaggttctcctcag
 acctgtataagattcaaaagcggaacattaaacaaaatcccgcatcccgtaggtccttgcgaggggcag
 ctgaacataatcgtgcaggtctgcacggaccagcgcgccacttccccgccaggaaacctgacaaaagaa
 cccacactgattagacacgcatctcggagctatgctaacacagcgtagcccgcatgaagcttctgtcatgg
 gcgcgcatataaaatgcaaggtgctgctcaaaaaatcaggcaaaagcctcgcgcgcaaaaagaaagcacatc
 gtatgtcatgctcatgcagataaaggcaggttaagctccggaaaccacacagaaaaagacaccatttttctctc
 aaacatgtctgggggtttctgcataaaacacaaaaataaaataacaaaaaacatttaaacattagaagcctgtct
 tacaacaggaaaaaacaccttataagcataaagacgagctacggccatgcggcggtgacctgaaaaaac
 tggtcaccgtgattaaaaagcaccacagcagctcctcggtcatgtccggagtcataatgtaagactcggtga
 aacacatcagggttgattcacatcgggtcagtgctaaaaagcgacggaataagccggggggaatcacaccgc
 caggcgttagagacaacattacagcccccataggaggtataacaaaatataaggagagaaaaacacataa
 acacctgaaaaaacctcctgcctaggcaaaatagcaccctcccgctccagaaacacatcacagcgttccac
 agcgcgagccatcaagctcagccttaccagtaaaaaagaaaaactataaaaaaacaccatcgacacgg
 caccagctcaatcagtcacagtgtaaaaaaggcccaagtcagagcgagtagatataggactaaaaatga

TABLE 3-continued

Sequence Lists	
	cgtaacgggttaaagtcacacaaaaaacaccagaaaaccgcacgcgaacctacgcccagaaacgaaagcc aaaaaacccacaaacttcctcaaatcgctcacttcggttttcccacgttacgtcacttcccattttaagaaaactaca attcccaacacatacaagttactccgcctaaaacctacgtcaccgcgccgttcccacgccccgcgccac gtcacaaactccacccctcattatcatattggcttcaatccaaaataaGCGGCCGCactagttatcagc acacaattgccattatacgcgcgtataatggactattgtgtgctgataTAGGGATAACAGGGT AATTCTAGAGCTAGCATATGGATCCATCGATTTTCGGGGAATGT GCGCGGAACCCCTATTTGTTATTTTCTAAATACATTCAAATAT GTATCCGCTCATGAGACAATAACCTGATAAATGCTTCAATAAT ATTGAAAAGGAAGAGTATGAGCCATATTCAACGGGAACGTCG AGGCCGCGATTAAATCCAACATGGATGCTGATTATATGGGTAT AAATGGGCTCGCGATAATGTCGGGCAATCAGGTGCGACAATCTA TCGCTTGATGGGAAGCCGATGCGCCAGAGTTGTTTCTGAAAC ATGGCAAAGGTAGCGTTGCCAATGATGTTACAGATGAGATGGTC AGACTAACTGGCTGACGGAATTTATGCCCTCTCCGACCATCAA GCATTTTATCCGTACTCCTGATGATGCATGGTTACTCACCCTGC GATCCCCGGAAAAACAGCATTCCAGGTATTAGAAGAATATCCTG ATTGAGGTGAAAAATATTGTTGATGCGCTGGCAGTGTCTGCGCC GGTTGCATTGATTCCTGTTGTAAATTGTCCTTTAACAGCGATC GCGTATTTCTGCTCGCTCAGGCGCAATCACGAATGAATAACGGTT TGGTTGATGCGAGTGATTTTGTGACGAGCGTAATGGCTGGCCT GTTGAACAAGTCTGGAAGAAATGCATAAATTTGCCATTCTC ACCGGATTCAGTCGTCATCATGGTGATTCTCACTTGATAACCT TATTTTGGACGAGGGGAAATTAATAGGTTGTATTGATGTTGGACG AGTCGGAATCGCAGACCGATACCAGGATCTTGCCATCCTATGGA ACTGCCCTCGGTGAGTTTTCCTTCATTACAGAAACGGCTTTTTC AAAAATATGGTATTGATAATCCTGATATGAATAAATGCAAGTTTC ATTTGATGCTCGATGAGTTTTCCTAAAGcgtataatggTCTAGAGCTAGC ATATGGATCCATCGATTccattatacgcctGTGAGCCAAGTTTACTCA TATATACTTTAGATTGATTTAAAACTTCATTTTAAATTAAAAAG ATCTAGGTGAAGATCCTTTTGATAATCTCATGACCAAAATCCCT TAACGTGAGTTTTCGTTCCACTGAGCGTCAGACCCCGTAGAAAA GATCAAAGGATCTTCTTGAGATCCTTTTTCGCGCGTAATCTC CTGCTTGCAAAACAAAAAACCCGCTACAGCGGTGGTTGTT TGCCGGATCAAGAGCTACCAACTCTTTTCCGAGGTAACGGCT TCAGCAGAGCGCAGATAACCAATACTGTTCTTCTAGTGAGCCGT AGTTAGGCCACCACTTCAAGAACTCTGTAGCACCCTACATAC CTCGCTCTGCTAATCCTGTTACCAAGTGGCTGCTGCCAGTGGCGAT AAGTCGTGCTTACCGGTTGGACTCAAGACGATAGTTACCGGA TAAGGCGCAGCGTTCGGCTGAACGGGGGTTCTGTGCACACAGC CCAGCTTGAGCGAACGACCTACACGAAGTGAATACCTACAG CGTGAGCTATGAGAAAGCGCCACGCTTCCGGAAGGGAGAAAG CGGACAGGTATCCGGTAAGCGGCAGGGTCGGAACAGGAGAGCG CACGAGGGAGCTTCCAGGGGGAACCGCTGGTATCTTTATAGTC CTGTGCGGTTTCGCCACCTCTGACTTGAGCGTCGATTTTGTGAT GCTCGTCAGGGGGCGGAGCCTATGGAACACGCAGCAACGC GGCCTTTTACGGTTCTCGGCTTTTGTGCGCTTTTGTCTACATG T
SEQ ID NO: 93	AAC TAGGTCCAATGCTACTGATAGTGACTGGCTATGTCTGAGCCT CTTCTTAGGACAGAGGCTGAAGGTATCATGCTGCAATGCTCCTA GGCTTACTGCAGTCACATGGTTGTAGTGTCTTGCATTGGCAGTC AGTGGCAATGCCTCTAGCACATGCCTGGCTACT
SEQ ID NO: 94	AAGCTTGATGCTATTATCTCAGTACTTACAGCAGCCTTGCTTGG CACTTCAGACCTGGCACTACCTAGCCATAGTAGCATTGTCCAGG CATAAGCCATGGAGTCATGAGGATTCTGCCACCAAGCTGCTCT AGTCTGACCAGCCTCTTCTGTAGAGGTACAGA
SEQ ID NO: 95 (LS 212 hybrid xx85 sequence)	TCTAGAGCTAGCATATGGATCCATCGATTTAGGGATAACAGGGT AATtatacagcacacaattgcccattatacgcgcgtataatggactattgtgtgctgataAGCGCGCCT tggattgaagccaatatgataatgagggggtggagttgtgacgtggcgcgggcggtgggaacggggcg gggtacgtagggttttagggcgagtaacttgatgtgttgggaattgtagtttcttaaaatgggaagttacgta acgtgggaaaaacggaagtacgatttgaggaagttgtgggttttttggcttctggttctggcgtaggttccgcg tgcggttttctgggtgtttttgtggacttaacccgttaacgtcatttttttagtcctatatatactcgctctgcacttgg cccttttttacactgtgactgattgaactgtgtgcggtgctgagtggtgttttttaaatagggtttctttttactggta aggctgactgttatggctgcccgtgtggaagcctgtatgttgttctggagcgggagggtgctattttgcttagg caggagggtttttcagggtgtttatgtgtttttctctcctataattttgttatacctcctatgggggctgtaattgtgt ctctacgcctgcccgtatgtattccccgggctatttcggctcgcttttttagcactgacgatgtgaatcaacctga tgtgtttaccgagtcctacattatgactccggacatgaccgaggagctgtcggtgtgtcttttaatacagcgtga ccagttttttacgggtcacgcggcatggccgtagtcctgtcttataggtttgttttctgttgttaagac aggcttctaatgtttaaatgttttttgggtattttattttgtgtttatgcagaaacccgagacatgttgagagaaaa atgggtgtcttttctgtgggtgttccggagcctacctgcctttatctgcatgagcatgactacgatgtgtctttctttt tgccgagagcttttgcctgattttttgagcagcacttgcattttatatcgccgcccatacaaacagcttacatcg gggtacgctgggttagcatagctccgagtatcggtgtcataaatcagtggtgttctttgtcatgggttctcgccg gggaagtggccgctggtccgtgacagacctgcacgatattgttcagctggcctgcgaaggagcctacg

TABLE 3-continued

Sequence Lists

ggatcgcgggtatTTTTGTTaatgttccgcttttgaatcttatacaggtctgtgaggaacctgaatttttgcaatcatg
 attcgcgtcttgaggctgaaggtggaggcgctctggagcagatttttacaatggccggacttaatttcggg
 atttgcttagagatataattgagaaggtggcgagatgagaattatttgggcatgggtgaaggtgctggaatgttta
 tagaggagattcaccctgaaggggttagcctttacgtccacttggacgtgagggcgtttgccttttggaagc
 catgtgccaacatcttacaatgccattatctgtcttggctgtagagttagaccacgccacggaggggagc
 gcgttcacttaatagatcttcatTTTgaggttttgataaatcttttggaaataaaaaaaacatgggtcttccagct
 cttcccgtctcccgtgtgtgactcgcagaaacgaatgtgttaggttggtcgggtgtggcttattctcgggtggg
 ggatgttatcagggcagcggcgcatgaaggagtttacaatagaacccgaagccaggggggcgctggatgct
 ttgagagagtgatataactacaactactacacagagcgatctaagcggcgagaccggagacgcagatctgt
 ttgtcagcccgccacctgggttttgcctcagggaatatgactacgtccggcggtccatttggcatgacactacga
 ccaacacgatctcgggtgtctcggcgcaactccgtacagtagggatcgtctacctccttttgagacagaaaccc
 gcgctaccatactggaggatcatccgctgtcggcgaaatgtaacactttgacaatgcacaacgtgagttacgt
 gcgaggtcttccctgcagtggtgggatttacgtgatctcaggaatgggttgcctcgggtgagatgggttctaacgc
 gggaggaggttgtaactcaggaagtgtatgcagtggtcgtgtgttgccaacattgatatcatgacagag
 catgatgatccatgggtacgagtcctgggctctccactgtcatgttccagtcgggttccctgcagtgatagc
 cggcggcgaggttttgccagctgggttaggatgggtgggtgagggcaggtttaaactcagaggtttataggg
 taccgggaggtgggaattacaacatgccaaaagaggtaatgtttatgtccagcgtgtttatgaggggtcgcc
 acttaactacactcgcgttgggtatgatggccacgtgggttctgtgggtcccgcctatgagctttggatcacgc
 gccttgcaactgtgggatttgaacaattatgtgtgtgtgtgcagttactgtgtgtatTaaagtggatcagg
 gtgcgctcgtgtgcgggagggacaaggcgcttatgtcgcggcggtgcgaatcatcgtcaggagacc
 actgccatgttgtattcctgcaggacggagcggcgggcgagcagtttatcgcgcgtcgtcgcagacca
 ccgccttatctgatgcagattatgactctaccccatgtaggcgtggacttctccttcgcgcggcggttaagc
 aaccgcaagttggacagcagcctgtggctcagcagctggacagcgacatgaacttaagtggatgcggcg
 ggagtttattaatatcactgatgagcgtttggctcgacaggaaacggtgtggaatataaacacctaagaatatgt
 ctgttaccatgatgatgctttttaaaggccagccggggagaaaggactgtgtactctgtgtgtgggaggg
 aggtggcaggttgaaactagggttctgtgagtttgatTaaaggtacggtgatctgtataagctatgtgggtggg
 gggctataactactgaatgaaaaatgacttgaaattttctgcaattgaaaaataaacacgttgaaacataacaca
 aacgatctcttattcttgggcaatgtatgaaaaagtgtTaaaggtatgggcaaatatttcatatgatgtgtgg
 gttTaaacggtcaggcgcgcgcaatcgttgacgctctGTagaccgtgcaaaaggagagcctgaagcgg
 gcactcttccgtggtctgggtgataaatcgcgaagggtatcatggcgagcagccgggttcgagccccgtat
 ccggccgtccgcgctgatccatgcgggttacgcggcggtgtgcgaacccaggtgtgcgacgtcagacaacg
 ggggagtgctccttttgggtcctcctccaggcgcgcggtgctgctgcgctagctttttggccactggcgcgcg
 cagcgtTaaagcgttaggctggaaagcgaagcatTaaagtggctcgtcctcgttagccggagggttattttcc
 aagggttgagtcggggacccccgggttcagatctcggacggcgcgactcggcggaacgggggtttgccc
 tccccgtcattgcaagacccccgttgcaaatctcctccggaacacgggacgagccccctttttgctttcccagat
 gcctccggtgctcggcgagatTTAATTAAaatggcgctgacgacaggtgctggcgccgggtgtgg
 ccgctggagatgacgtagtTtcgcgcttaaatTTgagaaggggcgcaaacactagtcctTaaaggtcagcgc
 caggtattTactgaagagagcctccgcgtctccagcgtgcgcgcaagctgatctcgttttggtgatacagg
 cagctcggggtgagggatcgcagagacgtttttttattttcagctcttgttcttggccctgctctgttgaaata
 tagcatcacagagtgggaaaaatcctgtttctaagctcgcgggtcgatacgggttcgttggggcgccagac
 gcagcgtcctcctcctgctgctgcgcggctgtggattcttgggctttgtcagagctctgctatccggtcgc
 ctttgctctctgtgtggcgctgctgttgcgtgcgcgtcgcgcgtgagtcagttgggctgtagagatga
 cggtagtaatgcaggatgttacgggggaaggccacgcgctgatggtagagaagaaaggcgggcgga
 ggagatgttgccccacagctcttgcgaagcaactatggcggttctgtgcgcgcgcatgagcggtagc
 cttggcgctgttgttgccttgggctaacggcgcgcgctgcttggaacttacggcgccctgggtccagtggtgtc
 ccactacgggttgggtcggcgaaacgggcagtgccggcgcgctgaggagcggaggtttgtagccatgct
 ggaacgggtgccgattcttggggcgcgcgaggggaatgcgacgagggtagcggtgtttcgtctgac
 accctctcgaccccggaagcttctcgtctaggctctccagctctccatcatgctcctcctcctcgtccaaa
 acctcctcgtcctgactgtcccagttatctcctcgtcctcgtgggtggcgcgcgagctgcagctctttttggg
 tgcatcctgggaagcaaggcgcgcggtgctgctgataggctcgcggcgcggggggattgggtga
 gctcctcgcgggactgggggtccaagtTaaacccccgtccctttcgtagcagaaactcttggcgggctttgtt
 gatggcttgcaattggccaagaatgtggccctgggtTaaagcagggcggtTaaagctccgcatTTggcgggc
 gggattggtctcgtagaacctaatctcgtggcggtggtagctcctcaggtTaaacatttgcaaggtTaaagcga
 cgtccacagccccggagtgagttTaaacccccgagcgcgggactttcgtcaggcgagggaacctgcagc
 TaaaggtaccgataatttgactttcgtTaaagcagctgcgaatTgcaaacacgggagcggtgcgggggtgcat
 aggttgacgcagcagtgacactccagtagaccgtcaaccgtcacgtcttccattatgtcagagtggtaggca
 aggtagttggctagctgcagaaggtagcagtgggcccaagcggcgagggaattcgcggtactTaaaggtg
 gcacaaagtgcgtaggaagtgcacagcaggtgggggcaagattcctgagcgctcaggtTaaaggtcct
 aaagttctgcacatgctttgactgggtgaagtctggcagacccctgttgaggggtttTaaagcagcgcttcgggg
 aaaatgatgtccgcaggtgcgcggccacggagcgtcgtTgaaggcgtccataggtcctTaaagtttgc
 tttagcagttctgcagctccttgaggttgcaactcctcgaagcactgctgcaaacgccccatggcgctgccc
 aggtgtagcatagaataaagtTaaacgcagtcgcggagcgtgctgcgcgcgctcgccttgagcgtgga
 atgaagcacgttttgcccaaggcggtttcgtgcaaaattccaaggtaggagacaggttgacagacccac
 gttggagatcttgacggcctggcgtagcagcctgtcgaaaggtgtagtgcaatgtttcctctagcttgccgt
 gcactcggggtcagcaaaagacggcgtgactcaagctccacggtaacgagcactgcggccatcatt
 agtttgctgctcctccaagtcggcaggtcgcgcgtttgaagcagcgcgctagctgctcgtcgcgaact
 ggggttaggcctcctctgtttgttttgcaaaatttgcatcctcctccaggggtgcgcagggcgacgatca
 gctcactcagactgtctcatgacacttggggggttaggtTaaagtcggggtaggcaaaaggtgggtgacctcg
 atgctcgtgttttagtacggctaggcgcggttgtcaccctcaggtTccaccaacactccagagtgactttcatt
 ttctgctgttttctgttgacagcgtttgcccgcgcgtctctcgtcgcgtccaagacctcaagatttttggaac
 ttcgttgagcgaggcagatcaggtatgacagcgccctgcgcgaaggccagctgcttgctcgcctcggctgc
 ggttggaacggcaggttaggggtatcttgacgttttggaaaaagatgtgatagggtggcaagcactctggc
 acggcaaaacacggggtagaagttgagggcggggtggggtcgcagtgctgcggtttcttgggcgtttgggggggt
 acgcgggtgagaatagggtggcgttctgtaggcaaggctgacatccgctatggcgaggggcacatcgtcgt
 cgctcttgcaacgcgtgcagataatggcgactggcgctgcagatgctTaaacagcagctcgtctcccac

TABLE 3-continued

Sequence Lists
atctaggtagtcgccaatgcctttcgtecccccgccgacttggtcctcgtttgccctctgcggtgtcctggtcttgc tttttatecctctgttggtactgagcgggtcctcgctcgttctcgcttacaaaacctgggtcctgctcgataatcacttc ctcctcctcaagcgggggtgctcgacggggaaggtggtaggcgcgttgccgcatcggtggaggcggt ggtaggggaactcagagggggcggttaggtgtcctctctcgcactgaactccatgatcttttctgctatagg agaaggaatGGCCAGCAATCAGCACTCACAGAGGGAGCGCACCCC AGACCGCAGCGCTCAGCCGCCCGCCAAAATGGGCAGATACT TTC'TGGATTCCGAAAGCGAAGAAGAACTGGAAGCTGTGCCTTTA CCTCCAAAGAAAAAGTCAAGAAATCTATGGCTGCGATACCTCT TTC'CCAGAGAGTGCAGAAGAAGAGGCGAGAACCCAAAG GCAGTTT'AGGAGTAATGGGTTT'CAGCATGCCGCCCGTCCGCATT ATGCATCATGCAGACGGTTCTCAGTCTTTTCAAAAAATGGAAAC CAGGCAGGTACACGTTTGAAGGCTTCCGCTCAAAACAGCGACG AAAATGAAAAAATGTTGTTGTTTCGCAATCCGGCAAGCCAG CCCTAGTTT'CAGCTTGGGAAAAAGGCATGGAAGCCATGGCTAT GCTAATGGAAGTACCATGTGGATCAGCAGAGCGCGCCACCT TTCGTTTTT'GCCGGATCAGGGCAGCGTGTACAAGAAATATGC ACAACATGGCTCAACGAAGAAAAAGCGCGTTTGCAGCTGACTTT TTCATCCCAAAAACCTTT'CAGGAGCTCATGGGACGCTTTT'GCA AGGATATATGCAAGCTTATGCCGGTGTCCAACAGAATTCCTGGG AACCACCGGTTGCTGCGTGTGGGAGCATAAGTGTACCGAGCGC GAAGGGGAGCTTAGATGCC'GTCATGGAATGGAGATGGTGC'CAA AGAGCATTGGTGGAAATGGATGTAACCGAGCGAAAGTGGGCAAC GAGCGTTGAAGAGAAACCCCTCGAAAGCCAAGGTGGCGCAAAA CCGCTGGGGCGTAATGTAGTTCAAATTA'AAACGACGATGCC GCTGCTGTTTT'CATGATGTTGGCTGCGGGAATAATCTTCTCCG GAAAGTCTGCGGCTTGT'TTATCTGAAGGAATGAAGGCTCAA ATAGCTTTTAGGCAAAATGAAGCTTTATGCTGGCCGACTACCCCT CACATGCGACATGGGCAAAAACGTCCTCTATGCCAGTGC'GCTG CGAATGTTTAAACAAGCAAGATGGCCTGCCACGGATGGGCGTC AACTGTGTAAATCACTCCTTTTAACTCAGCAATGTGGATAACA TTGATATCAACGAAGTAACCGACCTGGAGCGTTAGCCAGTATT AAGTATCCGTGTTGTTGGTTTTCAGTGC'CAATCCAGTTTAT CGCAATGCGCGCGCAATGCTGGCCCTAATGCGACTTCAAGAT TTC'TGCTCCTGATGTTATGGGCGCCCTGCAACTGTGCGCCAGCT GTGGGGAGAAAAATTTGACGGCTCCCCCTAGGCTGT'TATTCC AGAATTCAAGTGGCATCAGCGTTTGCAGTACAGAAACATATCCC TGCCCAACCAACCGGCGACTGTGCGAAGAGCCATTTGATTTTT AAcggcgagacgagcaaggggggggtaataatcaccgagagtgtaacaaataaaagcatttgcctt tattgaagtgctctctagtagtatttttcatggttttcaagtgacaaaagaagtgGCGGCCGact agttatcagcacacaattgcccattatcagcggtataatggactatgtgtgctgataTAGGGATAA CAGGGTAATTCTAGAGCTAGCATATGGATCCATCGATTTTCGGG GAAATGTGCGCGGAACCCCTATTTGTTATTTTCTAAATACATT CAAATATGTATCCGCTCATGAGACAATAACCCGTGATAAATGCTTC AATAATATTGAAAAAGGAAGAGTATGAGCCATATTCACGGGAA ACGTCGAGGCGCGGATTAAATTCACATGGATGCTGATTATAT GGGTATAAATGGGCTCGCGATAATGTGCGGCAATCAGGTGCGAC AATCTATCGCTTGTATGGGAAGCCGATGCGCCAGAGTTGTTTCT GAAACATGGCAAGGTAGCGTTGCCAATGATGTTACAGATGAGA TGGTCAGACTAAACTGGCTGACGGAATTTATGCCCTCTCCGACCA TCAAGCATTTTATCCGTACTCCTGATGATGCATGGTTACTCACCA CTGCGATCCC'CGAAAAACAGCATTCCAGGTATTAGAAGAAATAT CCTGATT'CAAGTAAAAATTTGTGATGCGCTGGCAGTGTTCCTG CGCCGGTTGCATT'CGATTCTGTTTGTAAATGTCCTTTTAACAGC GATCGCGTATTT'CGTCTCGCTCAGGCGCAATCACGAATGAATAA CGGTTTGGTTGATGCGAGTGATTTT'GATGACGAGCGTAATGGCTG GCCTGTTGAACAAGTCTGGAAGAAATGCATAAACTTTTGCCAT TCTCACCGGATT'CACTCGTCACTCATGGTATTCTCACTTGATA ACCTTATTTT'GACGAGGGGAAATTAATAGGTGTATTGATGTTG GACGAGTCGGAATCGCAGACCGATACCAGGATCTTGCCATCCTA TGGAAC'TGCCCTCGGTGAGTTTCTCCTTCAATACAGAAACGGCTT TTTCAAAATATGGTATTGATAATCTGATATGAATAAATGCAG TTTCAATTGATGCTCGATGAGTTTTTCTA'Agcgtat'aatggTCTAGAGCT AGCATATGGATCCATCGATTccattat'acgcCTGT'CAAGCAAGTTTAC TCATATATAC'TT'AGATTGATTTAAACTTCATTTTAAATTTAAAA GGATCTAGGTGAAGATCCTTTT'GATAATCTCATGACCAAAATCC CTTAACGTGAGTTTTCGTTCCACTGAGCGTCAGACCCCGTAGAAA AGATCAAAGGATCTTCTTGAGATCCTTTTTTCTGCGCGTAATCT GCTGCTTGCAAACAAAAAAACCACCGCTACCAGCGGTGGTTGT TTGCGCGATCAAGAGCTACCAACTCTTTTCCGAAGGTA'ACTGGC TTCAGCAGAGCGCAGATACCAAACTGTTCTTCTAGTGTAGCCG TAGTTAGGCCACCACTTCAAGAACTCTGTAGCACC'GCTACATAC CTCGCTCTGCTAATCCTGT'TACAGTGGCTGCTGCCAGTGGCGAT AAGTCGTGCTTACCGGTTGGACTCAAGACGATAGTTACCGGA TAAGGCGCAGCGGTGGGCTGAACGGGGGTTGCTGCACACAGC CCAGCTTGGAGCGAACGACCTACACCGAACTGAGATACCTACAG

TABLE 3-continued

Sequence Lists	
	CGTGAGCTATGAGAAAGCGCCACGCTTCCCGAAGGGAGAAAGG CGGACAGGTATCCGGTAAGCGGCAGGGTCGGAACAGGAGAGCG CACGAGGGAGCTTCCAGGGGAAACGCTCGGTATCTTTATAGTC CTGTGCGGGTTTCGCCACCTCTGACTTGAGCGTCGATTTTGTGAT GCTCGTCAGGGGGCGGAGCCTATGGAACACGCCAGCAACGC GGCCTTTTACGGTTCCTGGCCTTTTGCTGGCCTTTTGCTCACATG T
SEQ ID NO: 96 (LS_412 hybrid xx85 sequence)	TCTAGAGCTAGCATATGGATCCATCGATTTAGGGATAACAGGGT AATtaccagcacacaattgcccattatacgcgcgtataatggactattgtgtgctgataGGCGCGCct tggattgaagccaatatgataatgaggggtggaatttgtgacgtggcgcggggcgtagggaacggggcg ggtagacgtagggttagggcgagtagaactgtatgtgtgggaattgtagtttcttaaaatgggaagttacgta acgtgggaaaaacggaagtgcagattttgaggaagtgtgggttttttggtttctgtttctggggcgtaggttcgcg tgcgggtttctgggtgtttttgtggacttaaccgttaacgtcatttttttagtcctataatactcgctctgcactgg ccctttttacactgtgactgattgagctgggtgcggtgctgagtggtgttttttaaatagggtttctttttactggta aggctgactgttATGGCTGCTTTTGAGACTCTTTATGTGTATTTTACGGGA CCTGGGGCTATGTTGCCTAAACAAGAGGGCGACTCTAATGCTTA TGTGTTATTTTCTCCTGCGAATTTTGTATACCTCCACATGGAGTT GTGCTTTTATATTTGCACATAGCAGTTGATATTCCTCCTGGATATT TGGGAACATTGTTTTCATTATGCGACATGAACGCCAGAGGGGTTT TTGTTGGCGCTGAAACGCTTTATCCAGGCTCAAGAAATGGAGCTC AGTGTTTTGTGTTTAAATCATTCGACGTGTTTTGCGATGTTTCGCG CAAAGCAGCCAGTCGCGCGCTTGCTTTTAAGTAGAGTTGTTTTTC CACCCGTTTGCCAGGCATCTTAATTTAAACATATTTTATTTTCA GGCTAACCTAAAGCATGTTTCAGAGGTCGCTTGTTCATTACTCCG TGTTGTTTCCGGAGTCTTTACGGAACATTATGATGGCTTAGATT TTGAGGTGGTGACGTTTCTTAAAGACGTGCTACCTGAGTTTGGC TGCTGGTAATGCATTATTTAACTCCTCCTATGCGCGATGCTACG TTGGCGCCACGCTTACTAATATGGGTCCATTGTGCAAGTTGTAT GTTCTGTGGGAACCTCCGAACCTTGACCTGGAGGTGAACCTTCTT TGCTGCTGGCTTCTGATTTGTATGATTTTATACAACCTGGCATTAA GATGTGAGCTGCGAGACCAAGGTGTGGAGCCTAATGTAAATCTA CTGAATTTACTGACAGGTGTTGAAGATCCAGACTTTTTTCAGCAA ATATGAAGTACTGCCTGCGGATGGCGGTGGAGGGCGCCCTTACA GAGCTTTTAAATATTCACGTTTGAACCTGCAAAATCAGTGTGTT CAAATAATACAAACAGTGAAGAATGAAATTAACCTGGGAATGGT TCAGTCAGGCAGTTTGATGATAGAAGAGTTTCATGATAATGCATT TGCTTTGCTTTTGTGTTATCGAAATCAGAGCTGTGGCTCTTTTGA AGCTGTTGTTGAACATTGGAATAACGCTTACATTTGATCTGGC TGTGATCTTTCACCAGCACAGCGGAGGCGATCGCTGCCACCTGC GAGATTTACGCATTCAAATCCTTGCTGACCGCTTGATTAAAGTTT TTATGCCCTCTACCTGTATTCTCCTCCTCCTGTAAGTCGGGACAC GGCTGCCCTGCATAGCATGGCTTGGTTTAGCCCATGCATCCTGTGT GGATACTCTGCGCTTTATTAACATCATGATTTGAAGATAACACC TGAAGCTGAATACATTTTAGCAAGCTGCGAGAGTGGTTGTACTT TGCTTTTTTGACGGAACGCCAACGCTGCAACAAAAAGGACGAG GTGCGATAACCAAGTGGTGTGACGTGGTTTGTGTTTTTAAAGTACG AAGACGCTCGCAAGTCTGTGTTTACGATGCAGCGGACAGACG GTATCGCTACAGATTGGCACCATACAACAAGTACCACTACCGC CCTGTGAGGAACAGTCAAAAGCTACGTTGAGTACTTCGGAATAA TCTTTATGGCCTGAGTGTAAATAGTCTGACTTTACATAATGTAAGT GAGGTAAGAGGCATTCTTCATGTGTAGGTTTTACAGTGTGTCAG GAATGGCCAAATACCGTGGGATATGATTCTAAGTATTATGAGAT GTTTATTTTGAAAAATACATGAGTGTATGTATGTGTGTGCCAC TATAAATGTTGAAGTTACTCAATATTACATGGTCATGAGCGGTG GCTTATTCATTGTCAATTGCCAGCGTCCGGGTTCACTACAGTGTAT GTCAGCTGGGATGCTTTTGGGACGCTGTTCAAATGGCCGTAT ATGGCGCCTTgATTAACAAAAGGTGTTTTTGGTATCGGGAGGTTG TTAACCATTAAATGCCATAAGAGGTGATGTATGTGGGAAGCACC TTTGTAGAGGTGCGCATTTAATTACTTTAAATATTATGTATGAT GGCCATGCCTGGTTAGCGTTAGAAAAAGTTAGTTTTGGATGGAG CGCCTTTAATTATGGAATTTTAAATAACATGTAGTGTGTGTGTG TGATTATTGTAAAGACTTAAGTGAGATACGCATGCGCTGTTGCGC TCGTGCTACAGACTGCTAATGTTAAAGTTGTTCAAGTAATTGTC TGAAAAACATGTTTCGCCCTTAAACATAGTCGGCATGAACGTT ATCGTCAGCAACTGCTAAAGGGTTAATTATGCATCATCGAGCA ATTTTATTTGGAGATTATAATCAACGAGAGAATCCTTGGGCGGCT GATGGACACTGACTGTTGTACTTTTGTAGGATAAAATCATGGA CCTGGTTTTGGATGGGGAATGCCGCTTGAGTGACTGTGCGGGCG AGGGATTTCGTTCCATCACCGACCTCGCTTTGCCGTAAGAAA CTGTGTGGACGCTAACGCCAAAAAACCTAAGTCGAAATATTCAA GTGCAAGTTGTTTTCAGCTACAAAGGGGAAAGGAGGTATACAA GGTAAATGGGAAGGAGGACGTTTAAACACGCTATAGTGTAAgt ttgattaaagttacgggtgatctgtataagctatgtgggtggggctataactactgaatgaaaaatgacttgaagt tttctgcaattgaaaaataaacacgttgaacataaacacaacgattctttattcttgggcaatgtatgaaaaagt

TABLE 3-continued

Sequence Lists

gtaagaggatgtggcaaatatctcattaatgtagttgtgggtttaacgggtcaggcgcgcgcaatcggtgacg
 ctctGTAGaccgtgcaaaaggagagcctgt aagcgggcaactctccgtgggtctgggtggataaatcgcaa
 gggatcatcggcggaacgacgggggttcgagccccgtatccggccgtccgccgtgatccatcgcggttacg
 cccgctgtgcgaaccagggtgtgcgacgtcagacaaagggggagtgctccttttggtctcctccaggcg
 ggcggctgctgcgctagcttttttggccactggcgcgcgcagcgtaagcggtaggctggaaagcgaaa
 gcattaaagtggtcgtcctcgtagcgggaggggtattttccaagggttagtcgcggggacccccgggttcga
 gtctcggaccggcggaactgcggcgaaacgggggtttgcctcccgtcatgcaagaccccgcttgcaaat
 cctccggaacagggaacgagccccctttttgcttttccagatgcacccgtgctgcggcagatTTAAT
 TAAaatggcgctgacgacaggtgctggcgccgggtgtggccgtggagatgacgtagttttcgcgctta
 aatttgagaaaggcgcaaacatagtccttaagagtcagcgcgagatattactgaagagagcctccgct
 cttccagcgtgcgcgaagctgatcctcgtttttgtgatacaggcagctgcgggtgagggatcgagagac
 ctgttttttattttcagctctgttcttgccccctgctctgttgaaatatagcatacagagtggaataatcctgttt
 ctaagctcgggggtcgatacgggttcgtttggcgccagacgcagcgtcctcctcctgctgctgcccgcg
 tgtggatttcttgggtttgtcagagtcctgctatccggtcgctttgcttctgtgtggcgctgctgttctgccc
 ctgcccgtgcccgggtgcagtagggctgtagagatgacggtagtaagcaggatgtacgggggaagg
 ccacgcgctgtagtagagaagaaggcgggcggaaggagatgtgccccacagtccttgcaagcaag
 caactatggcgcttctgtgcccgcgcatgagcggtagccttgccgctgtttgtgctcctgggctaaccgccc
 cggtcgttggaactacggccccgttccagtggtgtcccatctacgggtgggtcgcggaacgggcagtg
 ccggcgccgctgaggagcgagggtgttagccatgctggaacgggttgccgatttctggggcgccggcg
 aggggaatcgacaggggtgacgggtgttctgctgacacctcttcgacctcggaagctcctcgtctaggg
 tctccagctcttccatcatgtcctcctcctcctcgtccaaaacctcctcgtcgtgactgtccagctattcctcctc
 gtcctgggtggcgccgagctgcagctctcttttgggtgcatcctgggaagcaaggcccgcgctg
 ctgctgatagggtgcggcgccgggggatgggttagctcctcgcggactgggggtccaagtaa
 accccccgtcccttcgtagcagaaactcttgccgggcttgttgatggcttgcaattggccaagaatgtggc
 cctgggttaatgacgcaggcggttaagctccgcatttggcgggcgggatgggtcttcgtagaacctaatcctg
 gggcggtgtagtcctcaggtaacaaattgcgaaggtaagcgcagctccacagccccgagtaggtttcaac
 cccggagcccggaactttcgtcaggcgagggaacctgcagctcaaaaggtaccgataaattgactttcgtta
 agcagctgcgaattgcaaaacagggaagggtgcgggtgcataggttgacgcagcagtgacactccag
 agacgcctaccgctcagctcttccattatgtcagagtggtaggcaaggtagtggttagctagctgcagaagtag
 cagtgcccccaaggcgcgagggtatcgcggtacttaaggggcacaaagtcgctagggaagtgcacag
 caggtgggggcaagattcctgagcgctcaggaataagttcctaaagttctgcaacatgctttgactggtga
 agtcggcagacctggttgcaagggtttaagcagcgcttcggggaaaatgatgtccgcagggtgcgcg
 ccacggagcgctcgttgaaaggcgtccataggtccttcaagttttgctttagcagttcttgacgctccttgagg
 ttgcaactcctccaagcactgctgccaacgccccatggcgctcctgacaggtgtagcatagaaataagtaaacg
 cagtcggcgagcgtagtcgcgcgcgctcgccttgagcgtggaatgaagcagcttttgccaaggcgctt
 ttcgtgcaaaattccaaggttaggagaccaggttgacagctccacgttgagagatcttgacggcctggcgctac
 gtacccctgtcgaaaggtgtagtgcaatgtttcctctagcttgccgtgcatctccgggtcagcaaaagaccgc
 tgcagcactcaagctccaggttaacgagcactgcggccatcattagtttgcgctcgtcctccaagtcggca
 ggctcgcgcgtttgaagccagcgctagctgctcgtcgcgaactgcgggtaggccctcctcgtttgttctt
 gcaaattgcatcctctccagggggtgcgcagggcgacgatcagctcactcatgactgtgctcatgacctt
 ggggggttaggttaagtgccgggtaggcaagtggtgacctcgatgctgcgttttagtacggctaggcg
 gcgttgtcaccctcgagttccaccaacactccagagtgactttcattttcgctgtttcctggttgcaagcggtttg
 ccgcgcgtctcgtcgcgtccaagacctcaagatttttggcacttcgttgagcgaggcgatcaggtat
 gacagccctgcgcgaaggcagctgcttgcgcgtcggctgcgggtggcagggcaggatagggtatc
 ttgcagttttggaaaaagatgtgatagggtggcaagcactctggcagcgcaaaatcggggtagaagttagg
 gcgcgggttgggctcgcagtgccgctttcttggcggttggggggtacgcgcgggtgagaatagggtggcgtt
 gtgagcaaggctgacatccgctatggcgaggggcacatcgctgcgctcttgcaacgcgctgcagataatg
 gcgcactggcgctgcagatgcttcaacagcagctcgtctccacatctaggtagtcgcatgaccttctgctcc
 cccgccagactgttctcgtttgacctcgtgtgtcctggctgtcctggtctgtcttttatcctctgttggtactgagcggtcct
 cgtcgtctcgtctacaaaacctgggtcctgctcgataatcacttctcctcctccaagcggggtgctcgac
 ggggaagggtgtaggcgcttgccggcatcgggtggagggcggtgggtggcgaactagagggggcggttag
 gctgtcctctctcgcactgactccatgatctttctgctctataggagaaggaaaaggccagtcgggaagagg
 agcagcgcgcaaaacccccgagcgcgagcggtgcggcgagcgtcccccaacctggaggagct
 gtcgtccccgtccccgtcgcgcgcgctccccggcgcccccaaaaaggcgatgagggcggtatcga
 gtcggaggacgaggaagactcatcacaagacgcgctgggtgcgcgcacacccagcccgcgccatcga
 cctcgcgcggtgatttggccattgcgcccagaagaaaagaagcgcccttctcccaagccgagcgcc
 cgccatcaccagaggtaatcgtggacagcgaggaagaaagagaagatgtggcgctacaaatggtgggttt
 cagcaacccaccggtgctaatcaagcatggcaaggaggttaagcgacagtcggcgcggtgaatgaaga
 cgaccagtgccgctggtatgcggacgcaagaggaagaggaagagccagcgaagcggaagtga
 attacggtgatgaacccgctgagtggtgcccgtcgtgtcgtgggagaaggcgatggaggtgcgcgcg
 cgctgatggacaagtaccagtggtataacgatctaaaggcggaacttcaaaactactgctgaccaagtggaa
 gctctggcgcgctgatacgaagacgtggtgaacgaggaagcagcggggttgacgtgacctcaccagca
 acaagacctttgtgacgatgatggggcgatctcgtgacggcgtaacctgcagtcgtttgcagaggtgacctaca
 agcatcacgagccccgggtgcgcgttgtggctgcacgcgctgcgctgagatcgaaggcgagctaaagt
 tctacacggaagcattatgataaataggagcagctgattgaaatggatgtgacgagcgaaacggcgagc
 gcgcgtgaaggagcagcttagcaaggccaagatcgtgaagaacgggtggggcggaatgtggtgcag
 atctccaaacaccgacgcaagggtgctgcgtgcacgacggcgctgcggccaatcagttttcgggcaagtc
 ttggcgcatgttcttctgaaggcgcaaggctcaggtggcttttaagcagatcaaggcttttatcgaggcg
 ctgtatcctaacgcccagaccggcgacgggtcaccttttgatgccaactacgggtgcagatgcaactcaagcct
 gggcacgcgcctttttgggaaggcagctacaaagttgactcgttcgcccgtgacacgcggaggagac
 tggacgcggatctgactcgcgacaagagcgtgctggccagcgtgcacaccccgcgctgatagtggtcca
 gtgctgcaacccctgtgatcgcaactcgcgcgcgagggcgaggcccccaactgcgacttcaagatcgc
 gcgcccagctgctaaacgcgttggtgatgggtgcgcagcctgtggagtgaaaacttaccgagctgcgc
 ggatgggttgctcgtgagtttaagtgagcactaaacaccagtatcgcaacgtgtcctgccagtgccgata
 gcgatgcggcgcaaacctttgattttaaacggcgacagcggaagggggggttaataatcacc

TABLE 3-continued

Sequence Lists	
gagagtgtagacaaataaaagcatttgcctttattgaaagtgctcttagtacattatttttacatggttttcaagtgcaca aaaagaagtggtgCGGCCGCactagttatcagcacacaaattgcccattatcacgcgcgtataatggacta ttgtgtgctgataTAGGGATAACAGGGTAATTCTAGAGCTAGCATATGGA TCCATCGATTTTCGGGGAATGTGCGCGGAACCCCTATTGTGTTA TTTTTCTAAATACATTCAAATATGTATCCGCTCATGAGACAATAA CCCTGATAAATGCTTCAATAATATTGAAAAGGAAGAGTATGAG CCATATTCAACGGGAAACGTCGAGGCCGCGATTAAATCCACAA TGGATGCTGATTTATATGGGTATAAATGGGCTCGCGATAATGTG GGCAATCAGGTGCGACAATCTATCGCTGTATGGGAAGCCGAT GCGCCAGAGTTGTTTCTGAAACATGGCAAAGGTAGCGTTGCCAA TGATGTTACAGATGAGATGGTCAGACTAACTGGCTGACGGAAT TTATGCCTCTTCGACCATCAAGCATTTATCCGTACTCCTGATG ATGCATGGTTACTCACCCTGCGATCCCCGGAACAAACAGCATT CAGGTATTAGAAGAATATCTGATTAGGTGAAAATATTGTTGA TGCGCTGGCAGTGTCTGCGCCGGTTCGATTTCGATTCTGTTTG TAATTGTCCTTTTAAACAGCGATCGCGTATTTTCGTCCTCGTCAGGC GCAATCACGAATGAATAACGGTTTGGTTGATGCGAGTGATTTTG ATGACGAGCGTAATGGCTGGCCTGTTGAACAAGTCTGGAAGAA ATGCATAAACTTTTGCCATTCTCACCAGGATTCAGTCGTCACCTCAT GGTGATTTCTCACTTGATAACCTTATTTTTCGACGAGGGGAAATTA ATAGGTTGTATGTATGTTGGACGAGTCGGAATCGCAGACCGATA CCAGGATCTTGCCATCCTATGGAAGTGCCTCGGTGAGTTTCTCC TTCATTACAGAAACGGCTTTTTCAAAATATGGTATTGATAATCC TGATATGAATAAATGTCAGTTTCATTTGATGCTCGATGAGTTTTT CTAAGcgtataatggTCTAGAGCTAGCATATGGATCCATCGATTccattat acgcCTGTAGACCAAGTTTACTCATATATACTTTAGATTGATTTA AACTTCATTTTAAATTTAAAGGATCTAGGTGAAGATCCTTTT GATAATCTCATGACCAAAATCCCTTAAACGTGAGTTTTCGTTCCAC TGAGCGTCAGACCCCGTAGAAAAGATCAAAGGATCTTCTTGAGA TCCTTTTTTCTGCGCGTAATCTGCTGCTGCAACAAAAAACCC ACCGCTACCGCGGTGGTTTGTGTCGGGATCAAGAGCTACCAA CTCTTTTTCCGAAGGTAACCTGGCTTCAGCAGAGCGCAGATACCA AATACTGTTCTTCTAGTGTAGCCGTAGTTAGGCCACCACTTCAAG AACTCTGTAGCACCGCCTACATACCTCGCTCTGCTAATCCTGTTA CCAGTGGCTGCTGCCAGTGGCGATAAGTCGTCTTACCGGGTTG GACTCAAGACGATAGTTACCGGATAAGGCGCAGCGGTCCGGCTG AACGGGGGGTTCGTGCACACAGCCAGCTTGGAGCGAACGACCT ACACCGAACTGAGATACCTACAGCGTGAGCTATGAGAAAGCGCC ACGCTTCCCGAAGGGAGAAAGGCGGACAGGTATCCGGTAAGCG GCAGGGTCGGAACAGGAGAGCGCACGAGGGAGCTTCCAGGGGG AAACGCTGGTATCTTTATAGTCCTGTCGGGTTTCGCCACCTCTG ACTTGAGCGTCGATTTTGTGTATGCTCGTCAGGGGGCGGAGCCT ATGGAAAAACGCGAGCAACGCGGCCTTTTACGGTTCCTGGCCT TTTGCTGGCCTTTTGCTCACATGT	

TABLE 4

Exemplary Ad5 based Helper Plasmid Regions in XX85		
Name	Position [nt] (e.g., of SEQ ID NO: 1)	
pLDB backbone		
pLDB backbone	8693 ... 111	
NotI	8693 ... 8700	
SpeI	8701 ... 8706	
TelRL	8707 ... 8762	
Primer #32 cDNA Production	8724 ... 8734	
Site of Cleavage	8734 ... 8735	
Primer #32 cDNA Production	8735 ... 8745	
I-SceI site	8763 ... 8780	
Restrictions Sites for cDNA Processing	8781 ... 8809	
AmpR promoter	8824 ... 8928	
KanR	8929 ... 9738	
Primer #32 cDNA Production	9739 ... 9749	
Restrictions Sites for cDNA Processing	9750 ... 9778	
Primer #32 cDNA Production	9779 ... 9789	
pBR322_origin	9944 ... 10,563	
Restrictions Sites for cDNA Processing	1 ... 29	

TABLE 4-continued

Exemplary Ad5 based Helper Plasmid Regions in XX85		
Name	Position [nt] (e.g., of SEQ ID NO: 1)	
I-SceI site	30 ... 47	
TelRL	48 ... 103	
Primer #32 cDNA Production	65 ... 75	
Site of Cleavage	75 ... 76	
Primer #32 cDNA Production	76 ... 86	
AscI	104 ... 111	
E4 Region	112 ... 3306	
E4 Promoter	112 ... 419	
TATA_Box	386 ... 393	
E4 Transcription Start Site	419 ... 419	
E4; Universal	479 ... 493	
Splice Donor Site		
GT; Donor Site	486 ... 487	
E4-ORF1	501 ... 887	
To make E4_ORF1_KO: Targeting codon	525 ... 527	
[TAT to TAG]		
Splice Acceptor Site (E4-ORF2)	891 ... 922	

TABLE 4-continued

Exemplary Ad5 based Helper Plasmid Regions in XX85	
Name	Position [nt] (e.g., of SEQ ID NO: 1)
AG: Acceptor Site	921 ... 922
E4-ORF2	935 ... 1327
Splice Acceptor Site (E4-ORF3)	1260 ... 1294
Acceptor Site	1293 ... 1294
E4-ORF3	1324 ... 1674
Splice Acceptor Site (E4-ORF4)	1574 ... 1594
Acceptor Site	1593 ... 1594
E4-ORF4	1685 ... 2029
Splice Acceptor Site [E4-ORF6 and E4-ORF6/7]	1924 ... 1944
Acceptor Site	1943 ... 1944
E4-ORF6/7	1950 ... 3113
E4-ORF6 [Also referred to as E4-34K]	1950 ... 2834
E4-ORF6/7 Splice Donor Site	2117 ... 2131
Donor Site	2124 ... 2125
Splice Acceptor Site [E4-ORF6/7]	2813 ... 2834
Acceptor Site	2833 ... 2834
E4-Poly(A)	3114 ... 3306
Donor Site	3118 ... 3132
Prediction: 0.97/1.00	
E4-Poly(A)_Signal	3206 ... 3211
Poly(A)_Signal	3239 ... 3244
STOP-Codon	3240 ... 3242
Donor Site	3260 ... 3274
Prediction: 0.88/1.00	
Virus-Associated RNAs Region	3307 ... 3834
RNA Region	
PmeI	3307 ... 3314
Donor Site	3309 ... 3323
Prediction: 0.61/1.00	
XbaI Site was destroyed	3341 ... 3348
Donor Site	3361 ... 3375
Prediction: 0.74/1.00	
Virus Associated RNA I	3374 ... 3533
A-Box Promoter Element	3387 ... 3395
B-Box Promoter Element	3432 ... 3442
Donor Site	3491 ... 3505
Prediction: 0.87/1.00	
Acceptor Site	3526 ... 3566
Prediction: 0.98/1.00	
Transcription Termination Signal for Pol III	3530 ... 3533
Transcription Termination Signal for Pol III	3569 ... 3574
Donor Site	3588 ... 3602
Prediction: 0.85/1.00	
A-Box Promoter Element	3604 ... 3612
Virus Associated RNA II	3630 ... 3792
B-Box Promoter Element	3686 ... 3696
Splice Acceptor Site [L1-52 kDa Protein]:	3783 ... 3823
1.0/1.0	
Transcription Termination Signal for Pol III	3787 ... 3792
Transcription Termination Signal for Pol III	3795 ... 3798
Acceptor site: 1.00/1.00	3802 ... 3803
PacI	3827 ... 3834
E2A Region	3835 ... 8692
E2 Early Promoter	3835 ... 3957
E2 Early TATA #2	3898 ... 3905
L4 Splicing Factor 33 kDa Protein [L4-33 kDa]	3922 ... 4813
E2 Early TATA #1	3929 ... 3934
E2 Early Transcription Start Site	3957 ... 3957

TABLE 4-continued

Exemplary Ad5 based Helper Plasmid Regions in XX85	
Name	Position [nt] (e.g., of SEQ ID NO: 1)
Splice Donor Site (1st Leader of E2A DNA Binding)	4019 ... 4031
L4 Packaging 22 kDa Protein [L4-22 kDa]	4223 ... 4813
Splice Acceptor Site (L4-33 kDa)	4290 ... 4302
Splice Donor Site (L4-33 kDa)	4491 ... 4503
L4 Hexon-assembly Associated 100 kDa Protein	4524 ... 6947
L4P	4860 ... 4996
TATA_Box	4918 ... 4924
E2 Late Promoter	5003 ... 5076
E2 Late Transcription Start Site	5097 ... 5097
Splice Donor Site	5163 ... 5177
Splice Acceptor Site	6243 ... 6283
Splice Donor Site	6334 ... 6348
E2A: Splice Acceptor Site	6946 ... 6986
Acceptor site	6965 ... 6966
E2A [Also referred to as DBP]	6976 ... 8565
E2A-Poly(A)	8566 ... 8692
BsrGI	8609 ... 8614
Poly(A)_Signal	8615 ... 8620
Poly(A)_Signal	8631 ... 8636

Example 2

[0438] Manufacturing of recombinant AAV (rAAV) using helper nucleic acid as described herein e.g., helper cDNA.

[0439] Manufacture of the rAAV vector was achieved by triple cDNA-based transient transfection of a suspension HEK293 cell line. The upstream process was initiated with the thaw of a single vial, which was expanded in a series of shake flasks to produce sufficient cell mass to seed a bioreactor at the 25-L or 50-L scale, and sequentially a 250-L or 500-L stirring production bioreactor, respectively. After expansion of the cells to the target production volume, cells were transfected with a cocktail consisting of Adenovirus helper cDNA (XX85 or, XX85 hybrid as described in invention (XX680 (SEQ ID NO: 67)), AAV Rep-Cap helper cDNA (rep2/cap8), and the AAV transgene-containing cDNA, mixed with the transfection reagent, polyethylenimine. Cells were harvested between ~72 hours post-transfection. Products used for cell culture are chemically defined, and do not utilize materials of animal-origin in either the production or purification processes. The downstream purification process involves chemical lysis to release the viral vector. Cellular DNA and RNA were flocculated in the presence of a specific reagent. Cellular debris was clarified by depth and membrane filtration, and intact rAAV particles are further purified by affinity capture chromatography. Full capsids were selected from empty capsids by iodixanol density gradient centrifugation. Purified Bulk Virus from the Iodixanol Centrifugation step was

captured, further purified, and concentrated using a quaternary amine chromatography resin (anion exchange column). Contaminant proteins that did not bind to the column were removed in the flow through and from column wash steps. The column eluate containing purified rAAV vector was concentrated or diluted to the target concentration (if required) and diafiltered into formulation buffer. The formulated purified rAAV solution was filtered into a sterile container.

[0440] Before proceeding to the downstream chromatography purification process, the downstream purification process initiates with chemical lysis of HEK293 cells in suspension to release the viral vector. Cellular debris is then clarified by filtration and the intact rAAV particles are recovered in filtrate that is called herein as “clarified lysate”, or “clarified cell lysate”. Clarified lysate thereafter undergoes downstream chromatographic purification process to produce purified or enriched rAAV.

[0441] The rAAV, using the Ad5 based helper nucleic acid of the invention, was manufactured using the method as described in PCT/US2022/013279, published as WO2022159679, and/or, as described in PCT/US2021/013689, published as WO/2021/146591 which are incorporated herein by reference in its entirety.

[0442] As shown in FIG. 5, the rAAV particle titer (vp/ml), vector genome titer (vg/ml), and SEC 260/280 were performed in the clarified lysate that was out of the bioreactor and did not undergo the downstream chromatographic purification process. In this process, 3 liters of HEK 293 cell culture, with cell density of 4E6 cells/ml, were transfected using Ad helper xx85cDNA (SEQ ID NO. 31) and Ad helper xx680 cDNA (SEQ ID NO. 67), where each helper construct was used at 7500 copies per cell. The result indicates that xx85 gave rise to a population of rAAV with 32% full capsid particles, whereas, xx680 gave rise to a population of rAAV with only 17% full capsid particles where, all conditions of experiment (including cell density, copy numbers of the construct) remained same for testing these two different Ad helper constructs. This clearly depicts that the Ad helper nucleic acid as described herein e.g., xx85 nucleic acid, led to higher packaging efficiency compared to xx-680 nucleic acid; in this experiment, the packaging efficiency with xx85 cDNA was about 1.9 fold higher than that with xx680 cDNA. Furthermore, the size exclusion chromatography (SEC260/280) corroborated the higher packaging with higher % full rAAV as the xx85 SEC 260/280 value was higher (1.15) than that with xx680 (1.0).

[0443] FIG. 6 are 3 experiments directly comparing plasmid XX85 with plasmid XX680. The objective is to examine the differences between XX85 and XX680, keeping either the total DNA quantity (mass) identical or keeping the total # of plasmid copies transfected per the cell the same. XX85 generally yields equivalent or better (1-1.5x) viral genome titers (vg/mL) with slightly decreased viral capsid titers (~75%) which results in better packaging (higher 260/280 ratios).

[0444] Experiments shown in FIG. 7 are 2 experiments which used the Pompe Disease M1 plasmid as a transgene and 1 experiment in FIG. 8 which used Lux-2A-eGFP plasmid as a transgene. The objective in FIG. 7 is to examine differences between XX85 and XX680 in 3 different serotypes (AAV2, AAV8, and AAV9) while using the same transgene. The objective in FIG. 8 is to examine differences between XX85 and XX680 when using a different transgene than the previous 2 experiments in FIG. 7. Total DNA per cell is reduced for this experiment because previous experiments have shown that $0.5 \mu\text{g}/1 \times 10^6$ cells is optimal for this transgene. The results for FIG. 7 and FIG. 8 show that XX85 outperforms XX680 in packaging efficiency in multiple capsids (AAV2, AAV8, and AAV9) and XX85 results in more full capsids with same total viral genomes.

Example 3: Method Description

[0445] ELISA (vp/ml)—AAV8 ELISA was used to quantify total capsids (vp/ml). The AAV8 titration ELISA is a sandwich ELISA based method which was used for the quantitative determination of rAAV serotype 8 viral particles. The method was performed using a commercial kit (PRAAV8, PROGEN). The assay was based on the sandwich ELISA technique where a monoclonal antibody specific for a conformational epitope on assembled AAV capsids was coated onto the plate and was used to capture AAV particles from the specimen.

[0446] ITR-qPCR (vg/ml)—The viral genome (VG) was quantified using the qPCR method. The method consisted of a DNaseI and proteinase K digestion-based extraction procedure followed by PCR amplification and real time fluorescence-based detection of the genomic target region (ITR). The rAAV sample was treated with DNase I enzyme to remove non-encapsidated DNA followed by a second treatment with Proteinase K enzyme to digest the proteinaceous viral capsid. The exposed viral vector DNA was diluted using the sample dilution buffer (SDB). The diluted DNA reaction was assayed by qPCR, which utilized a fluorescent dye-based detection system with a primer pair and probe that target the ITR or the transgene sequence in the rAAV genome. Hydrolysis probe assays (e.g., TaqMan assays) included a sequence-specific, fluorescently labeled oligonucleotide probe in addition to a pair of sequence-specific PCR primers. When the hydrolysis probe was intact, the fluorescence of the reporter was quenched due to its proximity to the quencher. The amplification reaction included a combined annealing and extension step during which the probe hybridized to the target, and the dsDNA-specific 5'→3' exonuclease activity of Taq polymerase cleaved off the reporter. As the reporter was separated from the quencher, the resulting fluorescence signal was proportional to the amount of amplified product in the reaction. The absolute quantity of the target sequence was interpolated from a plasmid standard curve containing the ITR or the transgene sequence. After mathematical correction to account for method dilutions, titer results were reported as viral genomes per milliliter (VG/mL).

[0447] SEC 260/280—SEC exclusion HPLC uses a porous matrix to separate proteins based on size. Larger species elute earlier due to a smaller accessible volume resulting from exclusion from the matrix pores, and smaller species elute later due to the additional volume accessible from the matrix pores. Based on these principles, a size exclusion HPLC method was developed to separate potential aggregates and impurities from rAAV final vectors and in-process samples. In addition, this method was also used to quantitate the capsid protein titer by using a serotype specific standard curve. Furthermore, area under the main peak at 280 and 260 nm were integrated, and a ratio of both wavelengths calculated, this ratio provided insight with regards to the fullness of the viral vector, with a higher number indicating a higher fullness of the capsid or viral particle.

Example 4—Stuffer Sequences

[0448] The stuffer sequences SEQ ID NO: 93 and SEQ ID NO: 94 can be included in a nucleic acid as described herein, e.g., a pxx85 sequence as described herein. When Stuffers 2 and Stuffers 7 are included in such a sequence, they will not induce gene expression, e.g., of the E2 or E4 proteins.

at the AscI site 5' of the E4 region and/or a 3' stuffer can be located at the NotI site 3' of the E2A region. These locations are shown schematically in FIG. 9. Nucleic acids comprising one or both stuffers, in a 5' and/or 3' position can be tested, e.g., as shown in the following table. Nucleic acids comprising only a 5' Stuffer can display superior performance, and nucleic acids comprising only a 5' Stuffer 7 can display particularly superior performance. For example, XX85 Ad helper nucleic acid further comprising a stuffer 7 at the 5' end will produce rAAV with higher titer when compared to rAAV produced with Stuffer 7 at 5' end and stuffer 2 at 3' end.

TABLE 5

Possible Stuffer Incorporation	
5'-Stuffer 7	
3'-Stuffer 2	
5'-Stuffer 2	
3'-Stuffer 7	
5'-Stuffer 7	
3'-No stuffer	
5'-Stuffer 2	
3'-No stuffer	

TABLE 6

Stuffer sequences:		
Stuffer	SEQ ID NO:	Sequence
2	93	AAC TAGGTC CAATGCTACTGATAGTGACTGGCTATGTCTGAGCCTCTTCTTAGGACAGA GGCTGAAGGTATCATTGCTGCAATGCTCCTAGGCTTACTGCAGTCACATGGTTGTAGTG TCTTGCCATTGGCAGTCAGTGGCAATGCCTTAGCACATGCCTGGCTACT
7	94	AAGCTTGATGCTATTATCTCAGCTACTTACAGCAGCCTTGCTTGGCACTTCAGACCTGGC ACTCACCTAGCCATAGTAGCATTGTCCAGGCATAAGCCATGGAGTCATGAGGATTCTGC CACCAAGTCTGCTCTAGTCTGACCAGCCTTCTCCTGTAGAGGTACAGA

[0449] hAd5 based nucleic acids described herein, e.g., XX85, further comprising Stuffer 2 and/or 7 (SEQ ID NOs: 93 and 94) can be hydrodynamically injected in mice and expression of E2 and/or E4 in the liver can be measured. Plasmids containing either one of the stuffer sequences can be administered via hydrodynamic tail vein injection to 7-week-old C57BL/6JOLaHsd male mice. Twenty-four hours after the injection, animals can be euthanized, and gene expression quantified (mRNA levels and protein levels) in liver. Plasmid copy number (PCN) can also be determined in liver to normalize the levels of expression. The level of gene and protein expression from plasmids comprising one or both Stuffers will be similar to the levels observed in a control construct with no stuffer.

[0450] SEQ ID NO: 93 and/or SEQ ID NO: 94 can be included in a nucleic acid sequence described herein e.g., XX85 further comprising the protelomerase sites. In particular, stuffer sequences 2 and/or 7 (SEQ ID NOs: 93 and 94) can be included upstream of the 5' end of the E4 region (i.e. a 5' stuffer) and/or downstream of the 3' end of the E2A region (i.e. a 3' stuffer). Further, a 5' stuffer can be located

Example 5: RAAV Production Data with XX85 Hybrids LS212 and LS412

[0451] These experiments directly comparing plasmid XX85 with hybrid plasmids LS212 and LS412 as shown in FIG. 12. The objective is to examine the differences between XX85, LS212, and LS412, keeping the total DNA quantity (mass) identical per the cell the same.

[0452] The experimental design is found in Table 7 below:

Experimental Design:	
Scale:	125 mL Shake Flasks
Transfection Density	4e6 cells/mL
Media	Dynamis
DNA Type	Plasmid
Cocktail Incubation	7 minutes
Total DNA qty	0.5 ug/1e6 cells
AAV Serotype	AAV8
Transgene	pM3_XSeq100
Reaction Replicates	X2

SEQUENCE LISTING

Sequence total quantity: 96

SEQ ID NO: 1 moltype = DNA length = 10609

FEATURE Location/Qualifiers

source 1..10609

mol_type = other DNA

organism = synthetic construct

SEQUENCE: 1

```

tctagagcta gcatatggat ccacgcattt agggataaca gggttaattat cagcacacaaa 60
ttgcccatatg tacgcgcgcta taatggacta ttgtgtgctg ataggcgcgc cttggattga 120
agccaatatg ataataagggt ggtggagttt gtgacgtggc gcggggcggt ggaacggggc 180
gggtgacgta ggttttaggg cgagtaact tgtatgtgtt gggaattgta gttttcttaa 240
aatgggaagt tacgtaacgt gggaaaacgg aagtgcacgt ttgaggaagt tgtgggtttt 300
ttggctttcg tttctggggt taggttcgcg tgcggttttc tgggtgtttt ttgtggactt 360
taaccgttac gtcatttttt agtccatat atactcgctc tgcacttggc ccttttttac 420
actgtgactg attgagctgg tgcggtgctg agtgggtgtt ttttaaatagg tttctttttt 480
tactggtaag gctgactggt atggctgccc ctgtggaagc gctgtatggt gttctggagc 540
gggaggggtg cgttttagct aggcaggagg gtttttcagg tgtttatgtg tttttctctc 600
ctattaattt tgtataacct cctatggggg ctgtaattgt tctctacgc ctgcgggtat 660
gtattccccc gggctatttc ggtcgctttt tagcactgac cgatgtgaat caacctgatg 720
tggtttaccga gttctacatt atgactccgg acatgaccga ggagctgtcg gtgggtgctt 780
ttaatacagg tgaccagttt ttttacggtc acgcgggcat ggccgtagtc cgtcttatgc 840
ttataagggg tgtttttctt gttgtaagac aggcctctaa tggttaaatg tttttttgtt 900
attttatttt gtgtttatgc agaaaacccg agacatgttt gagagaaaaa tgggtgtctt 960
ttctgtgtgt gttccggagc ttacctgcct ttatctgcat gagcatgact acgatgtgct 1020
ttcttttttg cgcgagggct tgcctgattt tttgagcagc accttgcat ttatctgcgc 1080
gcccatacaa caagcttaca tcggggctac gctggtttag atagctccga gtatgctgtg 1140
cataatcagt gtgggttctt ttgtcatggt tctctggcgg gaagtggcgc cgtgtgtccg 1200
tgcagacctg cagcattatg ttacagctgg cctgcgaagg gacctacggg atcgcgggat 1260
ttttgttaat gttccgcttt tgaactttat acaggtctgt gaggaacctg aatttttgca 1320
atcatgattc gctgcttgag gctgaagggt gagggcgctc tggagcagat tttacaatg 1380
gccgacttta atattccgga ttgcttaga gatataatga gaagggtggc agatgagaat 1440
tatttgggca tgggtgaagg tgcgtgaatg ttatagagg agattcacc tgaagggttt 1500
agcctttacg tccacttggg cgtgagggcc gtttgctttt tggaaagcat tgtgcaacat 1560
cttacaatg ccattatctg tttcttggct gtgaggtttg accacggcac cggaggggag 1620
cgcttccact taatagatct tcattttagg gttttggata atcttttggg aaaaaaaaaa 1680
aaacatgggt cttccagctc tccccgctcc tcccgtgtgt gactcgcaga acgaatgtgt 1740
agggtggctg ggtgtgctt attctcgctt ggtggtatgt atcagggcag cggcgcatga 1800
aggagtttac atagaacccg aagccagggg gcgctggat gctttgagag agtggatata 1860
ctacaactac tacacagagc gatctaagcg gcgagaccgg agacgcagat ctgtttgtca 1920
cgcccgacc tggttttgc tccagaaata tgactacgtc cggcggtcca tttggcatga 1980
cactacgacc aacacgacct cggttgtctc ggcgcactcc gtacagtagg gatcgtctac 2040
ctccttttga gacagaaacc cgcgtacca tactggagga tcatccgctg ctgccgaat 2100
gtaacacttt gacaatgcac aacgtgagtt acgtgcgagg tcttccctgc agtgtgggat 2160
ttacgtgat tcaggaaatg gttgttccct gggataggtt tctaacgcgg gaggagcttg 2220
taactctgag gaagtgtatg cactgtgtgc tgtgtgtgtc caacattgat atcatgacga 2280
gcatgatgat ccattggtac gagtctctgg ctctccactg tcattgttcc agtccgggtt 2340
ccctgcagtg tctagccggc gggcagggtt ttgcccagctg gtttaggatg gtgggtgatg 2400
gcgcgatgtt taatcagagg tttataggt accgggaggt ggtgaattac aacatgccaa 2460
aagaggtaat gtttatgtcc agcgtgttta tgaggggtcg ccacttaac taccctgcgt 2520
tgtgtatga ttggccacgt ggttctgtgg tcccgcgcat gagctttgga tacagccct 2580
tgcaactgtg gattttgaac aatattgtgg tgcgtgtgctg cagttactgt gctgatttaa 2640
gtgagatcag ggtgcgctgc tgtgcccggg ggacaaggcg ccttatgctg cgggcgggtg 2700
gaatcatcgc ttgaggagaa actgccatgt tgtattcctg caggacggag cggcgcgctg 2760
agcagtttat tcgcgcgctg ctgcagcacc accgcctat cctgatgcac gattatgact 2820
ctaccccat gtaggcgtgg acttctcctt cgcgcgccgt taagcaaccg caagtggac 2880
agcagcctgt ggctcagcag ctggacagcg acatgaactt aagttagctg cccggggagt 2940
ttattaatat cactgatgag cgtttggctc gacaggaaac cgtgtggaat ataacacct 3000
agaatatgtc tgttaccatt gatgatgac tttttaaggc cagccgggga gaaaggactg 3060
tgtactctgt gtgttgggag ggttgaatac taggggtctg tgagttgat 3120
taaggtagcg tgatctgtat aagctatgtg gtggtggggc tatactactg aatgaaaaat 3180
gacttgaat tttctgcaat tgaaaaaata acacgttgaa acataacaca aacgattctt 3240
tattcttggg caactgtatg aaggtgtaa gaggatgtgg caaatatttc attaatgtag 3300
ttgtgggttt aaacggctcag gcgcgcgcaa tctgtgacgc tctgtagacc gtgcaaaagg 3360
agagcctgta agcgggcact cttccgtggt ctggtggata aattcgcga ggtatcatgg 3420
cggacgacgg gcgttcgccc cccgtccgccc gtgacccatg cggttaccgc 3480
ccgcgtgtcg aaccaggtg tgccagctca gacaacgggg gagtgcctct tttggcttcc 3540
ttccaggcgc ggcggctgct gcgctagctt ttttggccac tggccgcgcg cagcgtgaagc 3600
ggtaggctg gaaagcgaaa gcattaaagt gctcgtccc tgtagccgga ggggtatttt 3660
ccaagggttg agtcgcggga ccccggttc gagtctcgga ccggccggac tgcggcgaa 3720
gggggtttgc ctccccgtca tgcaagaccc cgcttgcaaa tctctccgga aacagggagc 3780
agcccttttt ttgcttttcc cagatgcac cggtgctgcg gcagatttaa ttaaaatggc 3840
gctgacgaca ggtgctggcg ccgggtgtgg ccgctggaga tgacgtagtt ttcgcgtta 3900
aatttgagaa agggcgcgaa actagtcctt aagagtcagc gcgcagatt tactgaagag 3960
agcctccgct tctccagag tgcgcggaag ctgattctcg cttttgtgat acaggcagct 4020
gcggtgtagg gatcgcagag acctgttttt tattttcagc tctgtgtctt ggccctgct 4080

```

-continued

ctgttgaaat	atagcataca	gagtgggaaa	aatcctgttt	ctaagctcgc	gggtcgatac	4140
gggttcggtg	ggcgccagac	gcagcgctcc	tccctcgtct	gctgccgcgc	ctgtggattt	4200
cttgggcttt	gtcagagctc	tgtatcccg	tcgcctttgc	ttctgtgtgg	ccgctgctgt	4260
tgtgccgct	gccgctgcc	ccggtgcagt	atgggctgta	gagatgacgg	tagtaatgca	4320
ggatgttacg	ggggaaggcc	acgccgtgat	ggtagagaag	aaagcggcgg	gcgaaggaga	4380
tgttgccccc	acagtcctgc	aagcaagcaa	ctatggcggt	cttggtcccc	cgccatgagc	4440
ggtagccttg	gcgctgttgt	tgtccttggg	ctaacggcgg	cggtcgttg	gacttacggg	4500
ccctgggtcc	agtgggtgtc	catctacgg	tgggtcggcg	aacgggcagt	gccggcgggc	4560
cctgaggagc	ggaggttgta	gccatgctgg	aacgggttgc	cgatttctgg	ggcgccggcg	4620
aggggaatgc	gaccgagggt	gacggtgttt	cgtctgacac	ctcttcgacc	tcggaagctt	4680
cctcgtctag	gtctctccag	tcttccatca	tgtcctcctc	ctcctcgtcc	aaaacctcct	4740
ctgcctgact	gtcccagtat	tccctcctgt	ccgtgggtgg	cggcggcagc	tcgagcttct	4800
ttttgggtgc	catcctggga	agcaagggcc	cgcgctgct	gctgataggg	ctgcggcgcc	4860
gggggggttg	ggttgagctc	ctgcgcggac	tgggggtcca	agtaaacccc	ccgtcccttt	4920
cgtagcagaa	actcttggcg	ggctttgttg	atggcttgca	attggccaag	aatgtggccc	4980
tgggtaatga	cgcaggcggt	aagctccgca	tttggcgggc	gggatgtgtc	ttcgtagaac	5040
ctaactcgt	gggcgtggta	gtcctcaggt	acaaatttgc	gaaggtaagc	cgagctccac	5100
agcccccagg	tgagtttcaa	ccccggagcc	cgcgactttt	cgtcaggcga	gggacctcgc	5160
agctcaaaag	taccgataat	ttgactttcg	ttaagcagct	gcgaattgca	aaccagggag	5220
cgggtcgggg	tgcatagggt	gcagcgacag	tgacactcca	gtagaccgtc	accgctccag	5280
tcttccatta	tgtcagagtg	gtaggcaagg	tagttggcta	gctgcagaag	gtagcagtg	5340
ccccaaagcg	cgggagggga	ttcgcggtag	ttaatgggca	caaagtgcgt	aggaagtgca	5400
cagcaggttg	cgggcaagat	tccctagcgc	tctaggataa	agtctcctaa	gttctgcaac	5460
atgctttgac	tgggtgaagtc	tggcagaccc	tgttgacagg	ttttaagcag	gcgttcgggg	5520
aaaatgatgt	cgcgccaggt	cgcggccacg	gagcgtcgt	tgaaggccgt	ccataggtcc	5580
ttcaagtgtt	ccgttagcag	ttcttcgagc	tccctgaggt	tgacctctc	caagcactgc	5640
tgccaaacgc	ccatggccgt	ctgccaggtg	tagcatagaa	ataagtaaac	gcagtcgagg	5700
acgtagtgc	gccgcgcctc	gcccttgagc	gtggaatgaa	gcacgttttg	cccaaggcgg	5760
ttttcgtgca	aaattccaag	gtaggagacc	agggtgcaga	gctccacgtt	ggagatcttg	5820
caggccctgg	gtacgtagcc	ctgtcgaaag	gtgtagtcca	atgtttcctc	tagcttgccg	5880
tgcattctcg	ggtcagcaaa	gaaccgctgc	atgcactcaa	gctccacggt	aacgagcaact	5940
ggggccatca	ttagtttgcc	tcgctcctcc	aagtcggcag	gctcgcgcgt	ttgaagccag	6000
cgcgctagct	gctcgtcgcc	aactcggggt	aggccctcct	ctgtttgttc	ttgcaaat	6060
gcattccctc	ccaggggctg	gcacggcgcc	acgatcagct	cactcatgac	tgtgctcatg	6120
accttggggg	gtagggttaag	tgcgggttag	gcaaagtggg	tgacctcgat	gctgcgtttt	6180
agtagcgcta	ggcgcgctgt	gtcaccctcg	agttccacca	acactccaga	gtgactttca	6240
ttttcgctgt	ttctcgtgtg	cagagcggtt	ccgcgcgcgt	tctcgtcgcg	tccaagaccc	6300
tcaaagattt	ttggcacttc	gttgagcgag	gcgatatac	gtatgacagc	gccctgccgc	6360
aaggccagct	gcttgtccgc	tgggtgcggg	tgggcacggc	aggatagggg	tatcttgca	6420
ttttggaaaa	agatgtgata	ggtggcaagc	acctctggca	cggcaaaatc	ggggtagaag	6480
ttgagggcgg	ggttgggctc	gcattgtgcg	ttttcttggc	gtttgggggg	tacgcgcggt	6540
gagaataggt	ggcggttcgt	ggcaaggctg	acatccgcta	tggcgagggg	cacatcgctg	6600
cgctcttgca	acgcgtcgca	gataatggcg	cactggcgct	gcagatgctt	caacagcacg	6660
tgcctcccca	catctaggta	gtcgcctatg	ctttctgctc	ccgcgccgac	ttgttctcctg	6720
tttgctctcg	cgctgtcctg	gtccttgcct	ttatcctctg	ttggtactga	gcggtcctcgt	6780
tgcctctcgc	ttaccaaaac	tgggtcctgc	tcgataatca	cttctcctc	ctcaagcggg	6840
ggtgcctcga	cggggaaggt	ggttaggcgc	tgggcggcat	cggtggaggc	ggtggtggcg	6900
aaactcagag	gggcgggttag	gctgtccttc	ttctcgactg	actccatgat	cttttctcgc	6960
ctataggaga	aggaatggc	cagtcgggaa	gaggagcagc	gcgaaccac	ccccagcgc	7020
ggacgcgggt	cggcgcgagc	tcccccaacc	atggaggagc	tgtcgtcccc	gtcccgcgtg	7080
ccgcgcgcct	cccgggcgcc	ccccaaaaag	cggatgaggg	ggcgatcgca	gtccgaggac	7140
gaggaaagct	catcacaaga	cgcgctggtg	ccgcgcacac	ccagcccgcg	gccatcgacc	7200
tggcgggcgg	atttggccat	tgcgcccaag	aagaaaaaga	agcgccttcc	tcccaagccc	7260
gagcgcccg	catcaccaga	ggtaatcgtg	gacagcgagg	aagaaagaga	agatgtggcg	7320
gtacaaaatg	tgggtttcag	caaccacccg	gtgctaatac	agcatggcaa	aggaggttaag	7380
cgcacagtgc	ggcggtgtaa	tgaagacgac	ccagtggcgc	gtggtatgcg	gacgcaagag	7440
gaagaggaag	agcccgagca	agcggaaaag	gaaattacgg	tgatgaaccc	gctgagtggt	7500
ccgatcgtgt	ctgcgtggga	gaaaggcctg	gaggctgcgc	gcgcgctgat	ggacaagtac	7560
cacgtggata	acgatctaaa	ggcgaaactc	aaactactgc	ctgaccaagt	ggaagctctg	7620
cgggccgctat	gcaagacctg	gctgaacgag	gagcaccgcg	gggtgcagct	gaccttcacc	7680
agcaacaaga	cctttgtgac	gatgatgggg	cgattcctgc	aggcgtaact	gcagtcggtt	7740
gcagaggtga	cctacaagca	tcacgagccc	acgggctgcg	cgttgtgggt	gcaccgctgc	7800
gctgagatcg	aaggcgagct	taagtgtcta	cacggaagca	ttatgataaa	taaggagcac	7860
gtgattgaaa	tggatgtgac	gagcgaaaac	gggcagcgcg	cgctgaagga	gcagtcctagc	7920
aaggccaaga	tcgtgaagaa	ccgggtgggg	cgaaatgtgg	tgagatctc	caacaccgac	7980
gcaaggtgct	gcgtgcacga	cgcggcctgt	ccggccaatc	agttttccgg	caagtcttgc	8040
ggcatgttct	tctctgaagg	cgcaaaaggct	cagggtggctt	ttaagcagat	caaggctttt	8100
atgcaggcgc	tgtatcctaa	cgcccagacc	gggcacggtc	accttttgat	gccactacgg	8160
tgcgagtgca	actcaagcc	tgggcacgcg	cccttttttg	gaaggcagct	accaaagttg	8220
actcgtttcg	ccctgagcaa	cgcggaggac	ctggacgcgg	atctgatctc	cgacaagagc	8280
gtgctggcca	gcgtgcacca	ccggcgctg	atagtgttcc	agtgtgcaca	ccctgtgtat	8340
cgcactcgc	gcgcgcagg	cggaggcccc	aactgcgact	tcaagatata	ggcgcccgac	8400
ctgctaaacg	cgttgggtgat	ggtgcgcagc	ctgtggagtg	aaaacttcac	cgagctgcgc	8460
ccgatggttg	tgcctgagtt	taagtggagc	actaaacacc	agtatcgcaa	cgtgtccctg	8520
ccagtggcgc	atagcgatgc	gcggcagaac	ccctttgatt	tttaaacggc	gcagacggca	8580
aggggtgggg	taaataatca	cccagagtg	tacaaataaa	agcatattgc	tttatgtgaa	8640

-continued

```

gtgtctctag tacattatTT ttacatgttt ttcaagtGac aaaaagaagt gggcgGccgc 8700
actagtTatc agcacacaat tgccattat acgcgcgtat aatggactat tgtgtgctga 8760
tataggGata acagggtAat tctagagcta gcatatggat ccatcgattt tcggggaaat 8820
gtgcgcggaa cccctatttg tttatttttc taaatacatt caaatatgta tccgctcatg 8880
agacaataac cctgataaat gcttcaataa tattgaaaaa ggaagagtat gagccatatt 8940
caacgggaaa cgtcgaggcc gcgattaaat tccaacatgg atgtcgattt atatgggtat 9000
aaatgggctc gcgataatgt cgggcaatca ggtgcgacaa tctatcgctt gtatgggaag 9060
ccgatgcgc cagagtTgtt tctgaaacat ggcaaaggta gcgttgccaa tgatgttaca 9120
gatgagatgg tcagactaaa ctggctgacg gaatttatgc ctctccgac catcaagcat 9180
tttatccgta ctctgatga tgcattggtta ctcaccactg cgatccccgg aaaaacagca 9240
ttccaggTat tagaagaata tcttgattca ggtgaaaaa ttgttgatgc gctggcagtg 9300
ttcctgcgcg gggtgcattc gattcctgtt tgtaattgtc cttttaacag cgatcgcgta 9360
tttcgtctcg ctacggcgca atcacgaatg aataacggtt tgggtgatgc gagtattttt 9420
gatgacgagc gtaatggctg gctgttgtaa caagtctgga aagaaatgca taaacttttg 9480
ccattctcac cggattcagt cgtcactcat ggtgatttct cacttgataa ccttattttt 9540
gacgagggga aataatatgg ttgtattgat gttggacgag tcggaatcgc agaccgatac 9600
caggatcttg caatcctatg gaactgcctc ggtgagtttt ctcttctatt acagaaacgg 9660
ctttttcaaa aatatggtat tgataacctc gatatgaata aattgcagtt tcatttgatg 9720
ctcgatgagt ttttctaagc gtataatggt cttagagtag catatggatc catcgattcc 9780
attatagccc tgtcagacca agtttactca tatatacttt agattgattt aaaaacttcat 9840
ttttaattta aaaggatcta ggtgaagatc ctttttgata atctcatgac caaaatccct 9900
taacgtgagt tttcgttcca ctgagcgta gaccccgtag aaaagatcaa aggatcttct 9960
tgagatcctt tttttctgcg cgtaatctgc tgccttgcaaa caaaaaaac accgctacca 10020
gcggtggttt gtttgccgga tcaagagcta ccaactcttt ttccgaaggT aactggcttc 10080
agcagagcgc agataccaaa tactgttctt ctagtgtagc cgtagttagg ccaccacttc 10140
aagaactctg tagcaccgcc tacataacct gctctgctaa tctgttacc agtggctgct 10200
gccagtggcg ataagtcgtg tcttaccggg ttggactcaa gacgatagtt accggataag 10260
gcgcagcggT cgggctgaac ggggggttcg tgcacacagc ccagcttgga gcgaacgacc 10320
tacaccgaac tagataacct acagcgtgag ctatgagaaa gcgccacgtc tccggaaggg 10380
agaaaggcgg acaggTatcc ggttaagcggc agggctcgga caggagagcg caccgaggag 10440
cttcacgggg gaaacgcctg gtatctttat agtctgtcgc ggtttcgcca cctctgactt 10500
gagcgtcgat ttttTgatg ctctgcaggg gggcgaggcc tatggaaaaa cgccagcaac 10560
gcggcctttt tacggttcct ggcccttttg tggccttttg ctcacatgt 10609

```

```

SEQ ID NO: 2          moltype = DNA length = 123
FEATURE              Location/Qualifiers
source                1..123
                      mol_type = other DNA
                      organism = synthetic construct

```

```

SEQUENCE: 2
aatggcgctg acgacaggTg ctggcgcccg gtgtggccgc tggagatgac gtagttttcg 60
cgcttaaatT tgagaaaagg cgcgaaacta gtccttaaga gtcagcgcgC agtattttact 120
gaa                                                    123

```

```

SEQ ID NO: 3          moltype = DNA length = 73
FEATURE              Location/Qualifiers
source                1..73
                      mol_type = other DNA
                      organism = synthetic construct

```

```

SEQUENCE: 3
ctccgcattt ggcggggcgg attggtcttc gtagaaccta atctcgtggg cgtggtagtc 60
ctcaggTaca aat                                                    73

```

```

SEQ ID NO: 4          moltype = DNA length = 1591
FEATURE              Location/Qualifiers
source                1..1591
                      mol_type = other DNA
                      organism = synthetic construct

```

```

SEQUENCE: 4
aatggccagt cgggaagagg agcagcgcca aaccaccccc gagcgcggaC gcggtgcggc 60
gcgacgtccc ccaaccatgg aggacgtgtc gtcccgcgtc ccgtcgccgc cgctcccccg 120
ggcgccccca aaaaagcgga tgaggcgggc tatcgagtcc gaggacgagg aagactcatc 180
acaagacgcg ctggtgcgcg gcacacccag cccgcggcca tcgacctcgg cggcggtatt 240
ggccattgcy cccaagaaga aaaagaagcg cccttctccc aagcccgagc gcccgccatc 300
accagaggtA atcgtggaca gcgaggaaga aagagaagat gtggcgctac aaatggTggg 360
tttcagcaac ccaccggtgc taatcaagca tggcaaagga ggtAagcgca cagtgcggcg 420
gctgaatgaa gacgaccagc tggcgcggtg tatgcggagc caagaggaaG aggaagagcc 480
cagcgaagcg gaaagtgaaa ttacggtgat gaaccgcgtg agtgtgcgca tcgtgtctgc 540
gtgggagaag ggcattggagg ctgcgcgcgc gctgatggac aagtaccacg tggataacga 600
tctaaaggcg aacttcaaac tactgcctga ccaagtggaa gctctggcgg ccgtatgcaa 660
gacctggctg aacgaggagc acccggggtt gcagctgacc ttcaccagca acaagacctt 720
tgtgacgatg atggggcgat tcttcagggc gtacctgcag tcgtttgcag aggtgacctA 780
caagcatcac gagcccacgg gctgcgcgtt gtggctgcac cgctgcgcgt agatcgaaGg 840
cgagcttaag tgtctacacg gaagcattat gataaataag gagcacgtga ttgaaatgga 900
tgtacagagc gaaaacgggc agcgcgcgct gaaggagcag tctagcaagg ccaagatcgt 960
gaagaaccgg tggggccgaa atgtggtgca gatctccaac accgacgcaa ggtgctcgct 1020

```

-continued

```

gcacgacgcg gectgtccgg ccaatcagtt ttccggcaag tcttgccgca tgttcttctc 1080
tgaaggcgca aaggctcagg tggcttttaa gcagatcaag gcttttatgc aggcgctgta 1140
tcctaacgcc cagaccgggc acggtcacct ttgatgcca ctacgggtgc agtgcaactc 1200
aaagcctggg cagcgccctt tttgggaag gcagctacca aagtgtactc cgttcgccct 1260
gagcaacgcg gaggacctgg acgcggtatc gatctccgac aagagcgtgc tggccagcgt 1320
gcaccaccgc gcgctgatag tgttccagtg ctgcaaccct gtgtatcgca actcgcgcgc 1380
gcaggggcga gggcccaact gcgacttcaa gatatcgcg cccgacctgc taaacgcggt 1440
ggatgatggg cgcagcctgt ggagtgaata cttcaccgag ctgcccggga tggttgtgcc 1500
tgagtttaag tggagcacta aacaccagta tcgcaacgtg tccctgccag tggcgcatag 1560
cgatgcgcgg cagaaccctt ttgattttta a 1591

```

```

SEQ ID NO: 5      moltype = DNA length = 590
FEATURE          Location/Qualifiers
source           1..590
                 mol_type = other DNA
                 organism = synthetic construct

```

```

SEQUENCE: 5
tatccggtcg cctttgtctc tgtgtggcgg ctgctgttgc tgccgctgcc gctgccgcgc 60
gtgcagtagt ggctgtagag atgacggtag taatgcagga tgttacgggg gaaggccacg 120
ccgtgatggg agagaagaaa gcggcgggcg aaggagatgt tgcgccacac gtcttgcaag 180
caagcaacta tggcggtctt gtgcccgcgc catgagcggg agccttgggc ctgtttgttc 240
tcttgggcta acggcgggcg ctgcttggac ttaccggccc tggttccagt ggtgtcccat 300
ctacgggttg ctggcggaac gggcagtgcc ggccgcgccct gaggagcgga ggttgtatgc 360
atgctggaac cggttgccga tttctggggc gcccgcgagg ggaatgcgac caggggtgac 420
gggtgttctg ctgacacctc ttgcacctcg gaagcttctc cgtctaggct ctccagtcct 480
tccatcatgt cctcctcttc ctgcgtccaa accctctctg cctgactgtc ccagtattcc 540
tctcgtccgc tgggtggcgg cggcagctgc agcttctttt tgggtgccat 590

```

```

SEQ ID NO: 6      moltype = DNA length = 891
FEATURE          Location/Qualifiers
source           1..891
                 mol_type = other DNA
                 organism = synthetic construct

```

```

SEQUENCE: 6
tagtccttaa gagtcagcgc gcagatttta ctgaagagag cctccgcgtc ttccagcgtg 60
cgccgaagct gatcttcgct ttgtgtatgc aggcagctgc ggggtgagga tcgcagagac 120
ctgtttttta ttttcagctc ttgttcttgg cccctgctct gttgaaatat agcatacaga 180
gtgggaaaaa tctctgttct aagctcgcgg gtgcatacgg gttcgttggg cgcacagcgc 240
agcgtctctc ctcctgtctg tgcgcgcgct gtggatttct tgggctttgt cagagtcctg 300
ctatccggtc gcccttgtct ctgtgtggcc gctgctgttg ctgcccgtgc cgtgcgccgc 360
gggtgcagta gggctgtaga gatgacggta gtaatgcagg atgttacggg ggaaggccac 420
gccgtgatgg tagagaagaa agcggcgggc gaaggagatg ttgccccac agtcttgcaa 480
gcaagcaact atggcgttct tgtgcccgcg ccatgagcgg tagccttggc gctgtgtgtg 540
ctcttgggct aacggcgggc gctgcttga cttaccggcc ctggttccag tgggtgtcca 600
tctacggttg ggtcggcgaa cgggcagtg cggcgggcgc tgaggagcgg aggtttagc 660
catgctgga cgggttgccg atttctgggg cgcggcgag ggaatgcga ccgaggggtg 720
cgggtgttct tctgacacct cttcgacctc ggaagcttcc tgcgtatggc tctccagtc 780
ttccatcatg tctcctctct cctcgtccaa aacctcctct gcctgactgt cccagtattc 840
ctcctcgtcc gtgggtggcg gcggcagctg cagcttcttt ttgggtgcc t 891

```

```

SEQ ID NO: 7      moltype = DNA length = 135
FEATURE          Location/Qualifiers
source           1..135
                 mol_type = other DNA
                 organism = synthetic construct

```

```

SEQUENCE: 7
ggggggattg ggttgagctc ctgcgcggac tgggggtcca agtaaacccc ccgtcccttt 60
cgtagcagaa actcttggcg ggccttgttg atggcttgca attggccaag aatgtggccc 120
tgggtaatga cgcag 135

```

```

SEQ ID NO: 8      moltype = DNA length = 2423
FEATURE          Location/Qualifiers
source           1..2423
                 mol_type = other DNA
                 organism = synthetic construct

```

```

SEQUENCE: 8
tacgggttggg tcggcgaaac ggcagtgccg gcggcgccgt aggagcggag gttgtagcca 60
tgctggaacc ggttgccgat ttctggggcg ccggcgaggg gaatgcgacc gagggtgacg 120
gtgtttcgtc tgacacctct tcgacctcgg aagcttctct gtctaggctc tcccagtcct 180
ccatcatgtc ctcctctctc tcgtccaaaa cctcctctgc ctgactgtcc cagtattcct 240
cctcgtccgt ggggtggcgg ggcagctgca gcttcttttt ggggtgccatc ctgggaagca 300
agggcccgcg gctgtgtctg atagggtgct gcggcggggg ggaattgggt gagctcctcg 360
ccggactggg ggtccaagta aacccccctg ccttctcgta gcagaaactc ttggcgggct 420
ttgttgatgg cttgcaattg gcccaagaat tggccctggg taatgacgca ggcggtaagc 480
tcgcatttg cggggcgagg tgggtcttc tagaacctaa tctcgtgggc gtggtagtcc 540
tcaggtacaa atttgcgaag gtaagccgac gtccacagcc ccgagtgag tttcaacccc 600

```

-continued

```

ggagccgcgg acttttcgtc aggcgagggga cctgcagct caaagggtacc gataatttga 660
ctttcgttaa gcagctgcga attgcaaac agggagcggg gcgggggtgca taggttgca 720
cgacagtgac actccagtag accgtcaccc ctcacgtctt ccattatgtc agagtggtag 780
gcaaggtagt tggctagctg cagaaggtag cagtggcccc aaagcggcgg agggcattcg 840
cggtagcttaa tgggcacaaa gtgcgtagga agtgacacgc aggtggcggg caagattcct 900
gagcgtctcta ggataaagtt cctaaagttc tgcaacatgc tttgactggt gaagtctggc 960
agaccctgtt gcagggtttt aagcaggcgt tcggggaaaa tgatgtccgc caggtgcgcg 1020
gccacggagc gctcggtgaa ggcggtccat aggtccttca agttttgctt tagcagtttc 1080
tgacgtcctt tgagggtgca ctctccaag cactgctgcc aaacgcccat ggcgctctgc 1140
caggtgtagc atagaataa gtaaacgcag tcgcggacgt agtcgcgccg cgcctcgccc 1200
ttgagcgtgg aatgaagcac gttttgccc aggcgggttt cgtgcaaaat tccaaggtag 1260
gagaccaggt tgacagagtc caggttgagg atcttgacag cctggcgtag gtagccctgt 1320
cgaaagggtg agtgcaatgt ttctctagc ttgcgtgca tctccgggtc agcaaagaac 1380
cgctgcagtc actcaagtc caccgtaacg agcactgcgg ccattcattag tttgcgtcgc 1440
tcctccaagt cggcaggctc gcgcgtttga agccagcgcg ctacgtctgc gtcgccaact 1500
gcgggtaggc cctcctctgt ttgttcttgc aaatttgcac ccctcccag gggctgcgca 1560
cggcgcacga ctactcact ctgactgtg ctcatgacct tgggggtag gtttaagtgc 1620
gggtaggcaa agtgggtgac ctgcgtgctg cgttttagta cggctaggcg cgcgttgta 1680
ccctcgagtt ccaccaaac tccagagtga ctttcatitt cgctgttttc ctgttgca 1740
gcgtttgcgc ccgcgttctc gtccggtcca agaccctcaa agatttttgg cacttcgttg 1800
agcagggcga tatcaggtat gacagcgcgc tcgcgcaagg ccagctgctt gtcgctcgg 1860
ctgcgggttg caccgcagga taggggtatc ttgcagtttt ggaaaaagat gtgatagggt 1920
gcaagcacct ctggcacggc aaatacgggg tagaagtga ggcgcgggtt gggctcgcat 1980
gtgccgtttt cttggcggtt ggggggtacg cgcggtgaga ataggtggcg ttcgtaggca 2040
aggtgacat ccgctatggc gaggggcaca tcgctgcgct cttgcaacgc gtcgcagata 2100
atggcgcaat ggcgctgcag atgcttcaac agcacgtcgt ctccacatc taggtagtcg 2160
ccatgccttt cgtcccccg cccgacttgt tcctcgtttg cctctcggtt gtcctgggtc 2220
tcctttttat cgtctgttgg tactgagcgg tcctcgctcg cttcgcttac aaaacctggg 2280
tcctgctcga taatcacttc ctctcctca agcgggggtg cctcgacggg gaagggtgta 2340
ggcgcgttgg cggcatcggt ggaggcgggt gtggcgaaact cagagggggc ggttaggctg 2400
tcctctctct cgactgactc cat 2423

```

```

SEQ ID NO: 9      moltype = DNA length = 297
FEATURE          Location/Qualifiers
source           1..297
                 mol_type = other DNA
                 organism = synthetic construct

```

```

SEQUENCE: 9
ttggattgaa gccaatatga taatgagggg gtggagtttg tgacgtggcg cggggcggtg 60
gaacggggcg ggtgacgtga gttttaggcg ggagtaacct gtatgtgttg ggaattgtag 120
ttttctaaaa atgggaagtt agtcaacgtg ggaataacga agtgacgatt tgaggaagtt 180
gtgggttttt tggctttcgt ttctgggcgt aggttcgctg gcggttttct ggggtgtttt 240
tgtggacttt aaccgttacg tcatttttta gtctatatata tactcgctct gcacttg 297

```

```

SEQ ID NO: 10     moltype = DNA length = 387
FEATURE          Location/Qualifiers
source           1..387
                 mol_type = other DNA
                 organism = synthetic construct

```

```

SEQUENCE: 10
atggctgcgc ctgtggaagc gctgtatgtt gttctggagc gggaggggtg tattttgcct 60
aggcaggagg gtttttcagg tttttatgtg tttttctctc ctattaattt tgttataact 120
cctatggggg ctgtaatgtt gtctctacgc ctgcgggtat gtattcccc gggctatttc 180
ggtcgctttt tagcactgac cgatgtgaat caacctgatg tgtttaccga gtcttacatt 240
atgactccgg acatgaccga ggaagctgctg gtggtgcttt ttaatacagg tgaccagttt 300
ttttacggtc acgcggcat ggcgtagtc cgtcttatgc ttataagggg tgtttttcct 360
gttgtaagac aggtcttctaa tgtttaa 387

```

```

SEQ ID NO: 11     moltype = DNA length = 392
FEATURE          Location/Qualifiers
source           1..392
                 mol_type = other DNA
                 organism = synthetic construct

```

```

SEQUENCE: 11
tgtttgagag aaaaaaggtg tctttttctg tgggtggtcc ggagccttacc tgcctttatc 60
tgcatgagca tgactacgat gtgctttcct ttttgcgca ggctttgcct gattttttga 120
gcagcacctt gcattttata tcgcgcacca tgcaacaagc ttacatcggg gctacgctgg 180
ttagcatagc tccgagtagt cgtgtcataa tcagtggtgg tctttttgtc atggttctcg 240
gcggggaagt ggcgcgctg gtccgtgcag acctgcacga ttatgttcag ctggccctgc 300
gaagggacct acgggatcgc ggtattttt ttaatgttcc gcttttgaat cttatacagg 360
tctgtgagga acctgaattt ttgcaatcat ga 392

```

```

SEQ ID NO: 12     moltype = DNA length = 350
FEATURE          Location/Qualifiers
source           1..350
                 mol_type = other DNA

```


-continued

```

                                organism = synthetic construct
SEQUENCE: 12
tgattcgtcg cttgaggctg aaggtggagg gcgctctgga gcagattttt acaatggccg 60
gacttaatat tccgggatttg cttagagata tattgagaag gtggcgagat gagaattatt 120
tgggcatggt tgaagggtgct ggaatgttta tagaggagat tcacctgaa gggtttagcc 180
tttacgtcca cttggacgtg agggcgcttt gcccttttga agccattgtg caacatctta 240
caaatgccc tctctgttct ttggctgtag agtttgacca cgccaccgga ggggagcgcg 300
tccacttaat agatcttcat ttggagggtt tggataactt tttggaataa 350

SEQ ID NO: 13                moltype = DNA length = 344
FEATURE                      Location/Qualifiers
source                       1..344
                                mol_type = other DNA
                                organism = synthetic construct
SEQUENCE: 13
tgggtcttcc agctcttccc gctcctcccg tgtgtgactc gcagaacgaa tgtgtagggt 60
ggctgggtgt ggcttattct gcgggtgggt atgttatcag ggcagcggtg catgaaggag 120
tttacataga acccgaagcc agggggcgcc tggatgcttt gagagagtgg atatactaca 180
actactacac agagcgatct aagcggcgag accggagacg cagatctgtt tgtcacgccc 240
gcactgggtt ttgcttcagg aaatatgact acgtccggcg ttcatttgg catgacacta 300
cgaccaacac gatctcggtt gtctcggcgc actccgtaca gtag 344

SEQ ID NO: 14                moltype = DNA length = 1160
FEATURE                      Location/Qualifiers
source                       1..1160
                                mol_type = other DNA
                                organism = synthetic construct
SEQUENCE: 14
ctacgtccgg cgttccattt ggcctgacac tacgaccaac acgatctcgg ttgtctcggc 60
gcactccgta cagtagggat cgtctacctc cttttgagac agaaaccgcg gctaccatac 120
tggaggatca tccgtgctg cccgaatgta acactttgac aatgcacaac gtgagttacg 180
tgcgaggctc tccctgcagt gtgggattta cgctgattca ggaatgggtt gttccctggg 240
atatggttct aacgcgggag gagcttgtaa tcctgaggaa gtgtatgcac gtgtgcctgt 300
gttgtgcgca cttgatatac atgacgagca tgatgatcca tggttacgag tcttgggctc 360
tccactgtca ttgttccagt cccggttccc tgcagtgtat agcggcggtg cagggttttg 420
ccagctggtt taggatgggt gtggatggcg ccatgtttaa tcagagggtt atatggtacc 480
gggaggtggt gaattacaac atgccaaaag aggtaatgtt tatgtccagc gtgtttatga 540
ggggtcgcca cttaatctac ctgcgcttgt ggtatgatgg ccacgtgggt tctgtgggtc 600
ccgccatgag ctttggatac agcgccttgc actgtgggat tttgaacaat attgtgggtc 660
tgtgtgcgag ttactgtgct gatttaagtg agatcagggt gcgctgctgt gcccgaggga 720
caaggcgctc tatgctgcgg gcgggtgcgaa tcatcgctga ggagaccact gccatgttgt 780
attcctgcag gacggagcgg cggcggcgac agtttattcg cgcgctgctg cagcaccacc 840
gccctatcct gatgcacgat tatgactcta ccccatgta ggctgggact tctccttcgc 900
cgcccgtaa gcaaccgcaa gttggacagc agcctgtggc tcagcagctg gacagcgaca 960
tgaacttaag tgagctgccc ggggagttta ttaatatcac tgatgagcgt ttggctcgac 1020
aggaaccgtg gtggaatata acacctaaga atatgtctgt taccatgat atgatgctt 1080
ttaaggccag ccggggagaa aggactgtgt actctgtgtg ttgggaggga ggtggcagg 1140
tgaatactag ggttctgtga 1160

SEQ ID NO: 15                moltype = DNA length = 1353
FEATURE                      Location/Qualifiers
source                       1..1353
                                mol_type = other DNA
                                organism = synthetic construct
SEQUENCE: 15
ctacgtccgg cgttccattt ggcctgacac tacgaccaac acgatctcgg ttgtctcggc 60
gcactccgta cagtagggat cgtctacctc cttttgagac agaaaccgcg gctaccatac 120
tggaggatca tccgtgctg cccgaatgta acactttgac aatgcacaac gtgagttacg 180
tgcgaggctc tccctgcagt gtgggattta cgctgattca ggaatgggtt gttccctggg 240
atatggttct aacgcgggag gagcttgtaa tcctgaggaa gtgtatgcac gtgtgcctgt 300
gttgtgcgca cttgatatac atgacgagca tgatgatcca tggttacgag tcttgggctc 360
tccactgtca ttgttccagt cccggttccc tgcagtgtat agcggcggtg cagggttttg 420
ccagctggtt taggatgggt gtggatggcg ccatgtttaa tcagagggtt atatggtacc 480
gggaggtggt gaattacaac atgccaaaag aggtaatgtt tatgtccagc gtgtttatga 540
ggggtcgcca cttaatctac ctgcgcttgt ggtatgatgg ccacgtgggt tctgtgggtc 600
ccgccatgag ctttggatac agcgccttgc actgtgggat tttgaacaat attgtgggtc 660
tgtgtgcgag ttactgtgct gatttaagtg agatcagggt gcgctgctgt gcccgaggga 720
caaggcgctc tatgctgcgg gcgggtgcgaa tcatcgctga ggagaccact gccatgttgt 780
attcctgcag gacggagcgg cggcggcgac agtttattcg cgcgctgctg cagcaccacc 840
gccctatcct gatgcacgat tatgactcta ccccatgta ggctgggact tctccttcgc 900
cgcccgtaa gcaaccgcaa gttggacagc agcctgtggc tcagcagctg gacagcgaca 960
tgaacttaag tgagctgccc ggggagttta ttaatatcac tgatgagcgt ttggctcgac 1020
aggaaccgtg gtggaatata acacctaaga atatgtctgt taccatgat atgatgctt 1080
ttaaggccag ccggggagaa aggactgtgt actctgtgtg ttgggaggga ggtggcagg 1140
tgaatactag ggttctgtga 1200
gtggggctat actactgaat gaaaaatgac ttgaaatttt ctgcaattga aaaataaaca 1260

```

-continued

```

cgttgaaaca taacacaaac gattctttat tcttgggcaa tgtatgaaaa agtgaagag 1320
gatgtggcaa atatttcatt aatgtagttg tgg 1353

```

```

SEQ ID NO: 16          moltype = DNA length = 160
FEATURE               Location/Qualifiers
source                1..160
                     mol_type = other DNA
                     organism = synthetic construct

```

```

SEQUENCE: 16
gggcactctt ccgtggctctg gtggataaat tcgcaagggt atcatggcgg acgaccgggg 60
ttcgagcccc gtatccggcc gtcgcgcgtg atccatgcgg ttaccgccc cgtgtcgaa 120
ccagtggtgc gacgtcagac aacgggggag tgctcctttt 160

```

```

SEQ ID NO: 17          moltype = DNA length = 162
FEATURE               Location/Qualifiers
source                1..162
                     mol_type = other DNA
                     organism = synthetic construct

```

```

SEQUENCE: 17
gctcgtctcc tgtagccgga ggggtatttt ccaagggttg agtcgcggga cccccggttc 60
gagtcctcga ccggccggac tgcggcgaac gggggtttgc ctccccgtca tgcaagacct 120
cgcttgcaaa ttctctccga aacaggggac agcccccttt tt 162

```

```

SEQ ID NO: 18          moltype = AA length = 581
FEATURE               Location/Qualifiers
source                1..581
                     mol_type = protein
                     organism = synthetic construct

```

```

SEQUENCE: 18
MKRARPS EDT FNPVYPYDTE TGPPTVPFLT PPFVSPNGFQ ESPPGVLSLR LSEPLVTSNG 60
MLALKMGNGL SLDEAGNLTS QNVTTVSPPL KTKSNINLE ISAPLTVTSE ALTVA AAPL 120
MVAGNTLTMQ SQAPLTVHDS KLSIATQGGL TVSEGKLALQ TSGPLTTTDS STLTITASPP 180
LTTATGSLGI DLKEPIYTON GKLGKLYGAP LHVTDLNLTL TVATGPGVTI NNTSLQTKVT 240
GALGFDSQGN MQLNVAGGLR IDSQNRRLIL DVSYPFDAQN QLNRLRGQGP LFINSAHNLD 300
INYNKGLYLF TASNNSKKLE VNLSTAKGLM FDATAIAINA GDGLEFGSPN APNTNPLKTK 360
IGHGLEFDSN KAMVPKLG TG LSPDSTGAI T VGNKNNDKLT LWTTPAPSPN CRLNAEKDAK 420
LTLVLTKCGS QILATVSVLA VKGSLAPISG TVQSAHLIIR FDENGVLNN SFLDPEYWNF 480
RNGDLTEGTA YTNAVGFMPN LSAYPKSHGK TAKSNIVSQV YLNGDKTKPV TLTITLNGTQ 540
ETGDTTPSAY SMSFSWDWSG HNYINEIFAT SSYTFSYIAQ E 581

```

```

SEQ ID NO: 19          moltype = AA length = 952
FEATURE               Location/Qualifiers
source                1..952
                     mol_type = protein
                     organism = synthetic construct

```

```

SEQUENCE: 19
MATPSMMPQW SYMHISGQDA SEYLSPLGVQ FARATETYFS LNNKFRNPTV APTHDVTDDR 60
SQRLTLRFIP VDREDTAYS Y KARFTLAVGD NRVLDMASTY FDIRGVLD RG PTFKPYSGTA 120
YNALAPKGAP NPCEWDEAAT ALEINLEED DDNEDEVDEQ AEQKQTHVFG QAPYSGINIT 180
KEGIQIGVEG QTPKYADKTF QPEPQIGESQ WYETEINHAA GRVLKKTTPM KPCYGSYAKP 240
TNENGGQGIL VKQQNGKLES QVEMQFFSTT EATAGNGDNL TPKVVLYSED VDIETPDTHI 300
SYMPTIKEGN SRELMGQOSM PNRPNYIAFR DNFI GLMYN STGNMGVLAG QASQLNAVVD 360
LQDRNTELSY QLLDSIGDR TRYFSMNQA VDSYDPDVRI IENHGTEDEL PNYCFPLGGV 420
INTETLTKVK PKTQENGWE KDATEFSDKN EIRVGNNFAM EINLNANLWR NFLYSNIALY 480
LPDKLKYS PS NVKISDNPT YDYMNKRVVA PGLVDCYINL GARWSLDYMD NVNPFNHHRN 540
AGLRYRSM LL GNGRYVPFHI QVPQKFFAIK NLLLLPGSYT YEWNFRKDVN MVLQSSLGND 600
LRVDGASIKF DSI CLYATFF PMAHNTASTL EAMLRNDTND QSFNDYLSAA NMLYPIPANA 660
TNVPISIPSR NWA AFRGWAF TRLKTKETPS LGS GYDPY YT YSGSIPYLDG TFYLNHTFKK 720
VAITFDSSVS WPGNDRLLTP NEFEIKRSVD GEGYNVAQC N MTKDWFLVQM LANYNIGYQG 780
FYIPESYKDR MYSFPRNFQ P MSRQVVD DTK YKDYQQVGIL HQHNSGFVG YLAPTMREGQ 840
AYPANFPYPL IGKTAVDSIT QKKFLCDRTL WRIPFSSNFM SMGALTDLGQ NLLYANSAHA 900
LDMTFEVDPM DEPTLLYVLF EVFDVVRVHR PHRGVITVY LRTPFSAAGNA TT 952

```

```

SEQ ID NO: 20          moltype = AA length = 571
FEATURE               Location/Qualifiers
source                1..571
                     mol_type = protein
                     organism = synthetic construct

```

```

SEQUENCE: 20
MRRAMYEEG PPPSYESVVS AAPVAAALGS PFDAPLDPPF VPPRYLRPTG GRNSIRYSEL 60
APLFD TTRYV LVDNKS TDVA SLNYQNDHSN FLTTVIQND YSPGEASTQT INLDDRSHWG 120
GDLKTLHTN MPNVNEFMFT NKFKARVMVS RLPTKDNQVE LKYEWVEFTL PEGNYSETMT 180
IDLMMNAIVE HYLKVG RQG VLES DIGVKF DTRNFR LGFD PVTGLVMPGV YTNEAFHPDI 240
ILLPGCGVDF THSRLSNLLG IRKRQPFQEG FRITYDDLEG GNIPALLDVD AYQASLKDDT 300
EQGGGGAGGS NSSSGS GAEEN SNAAAAMQP VEDMNDHAIR GDTFATRAEE KRAEAEAAAE 360
AAAPAAQPEV EKPQKKPVIK PLTEDSKKRS YNLISNDSTF TQYRSWYLAY NYGDPQTGIR 420

```

-continued

SWTLLCTPDV	TCGSEQVYWS	LPDMMQDPVT	FRSTRQISNF	PVVGAEELPV	HSKSFYNDQA	480
VYSQLIRQFT	SLTHVFNRF	ENQILARPPA	PTITTVSENV	PALTDHGTLP	LRNSIGGVQR	540
VTITDARRRT	CPYVYKALGI	VSPRVLSST	F			571

SEQ ID NO: 21 moltype = AA length = 204
 FEATURE Location/Qualifiers
 source 1..204
 mol_type = protein
 organism = synthetic construct

SEQUENCE: 21

MGSSEQELKA	IVKDLGCGPY	FLGTYDKRFP	GFVSPHKLAC	AIVNTAGRET	GGVHWMFAFW	60
NPHSKTCYLF	EPFGFSDQRL	KQVYQFEYES	LLRRSAIASS	PDRCTILEKS	TQSVQGPNSA	120
ACGLFCCMFL	HAFANWPQTP	MDHNPTMNL	TGVVNSMLNS	PQVQPTLRN	QEQLYSFLER	180
HSPYFRSHSA	QIRSATSFC	LKNN				204

SEQ ID NO: 22 moltype = AA length = 585
 FEATURE Location/Qualifiers
 source 1..585
 mol_type = protein
 organism = synthetic construct

SEQUENCE: 22

MMQDATDPAV	RAALQSQPSG	LNSTDDWRQV	MDRIMSLTAR	NPDAPRQQPQ	ANRLSAILEA	60
VVPARANPTH	EKVLAIUNAL	AENRAIRPDE	AGLVYDALLQ	RVARYNSGNV	QTNLDRLVGD	120
VREAVAQRER	AQQQGNLGS	VALNAFLSTQ	PANVPRGQED	YTNFVSALRL	MVTETPQSEV	180
YQSGPDYFFQ	TSRQGLQTVN	LSQAFKNLQ	LWGVRAPTGD	RATVSSLTTP	NSRLLLLLIA	240
PFTDSGSVSR	DTYLGHLLTL	YREAIGQAHV	DEHTFQEITS	VSRALGQEDT	GSLEATLNLY	300
LTNRRQKIPS	LHSLNSEER	ILRYVQQSVS	LNLMRDGVTP	SVALDMTARN	MEPGMYASNR	360
PFINRLMDYL	HRAAAVNPEY	FTNAILNPHW	LPPPGFYTGG	FEVPEGNDGF	LWDDIDDSVF	420
SPQPQTLLLE	QQREQAEAL	RKESFRRPSS	LSDLGAAAPR	SDASSPPFSL	IGSLTSTRTT	480
RPRLLGEEFY	LNNSLQFQR	EKNLPPAPFN	NGIESLVDKM	SRWKTYAQEH	RDVPGPRPPT	540
RRQRHQRGR	LVWEDDSAD	DSSVLDLGS	GNPFAHLRPR	LGRMF		585

SEQ ID NO: 23 moltype = AA length = 415
 FEATURE Location/Qualifiers
 source 1..415
 mol_type = protein
 organism = synthetic construct

SEQUENCE: 23

MHPVLRQMRP	PPQQRQEQEQ	RQTCRAPSP	PTASGGATSA	VDAAADGDYE	PPRRRARHYL	60
DLEEGEGLAR	LGAPSPERYP	RYQLKRDTR	AYVPRQNLFR	DREGEEPEEM	RDRKFHAGRE	120
LRHGLNRERL	LREEDFEPDA	RTGISPARAH	VAAADLVTA	EQTVNQEINF	QKSFNNHVRT	180
LVAEEVAIG	LMHLWDFVSA	LEQNPNSKPL	MAQLFLIVQH	SRDNEAFRDA	LLNIVEPEGR	240
WLLDLNLILQ	SIVVQERSLS	LADKVAAINY	SMLSLGKFYA	RKIYHTPYVP	IDKEVKIEGF	300
YMRMALKVLT	LSDDLGVYRN	ERIHKAVSVS	RRRELSREL	MHSLQRALAG	TGSGDREAES	360
YFDAGADLRW	APSRRALEAA	GAGPGLAVAP	ARAGNVGGVE	EYDEDEYEP	EDGEY	415

SEQ ID NO: 24 moltype = AA length = 289
 FEATURE Location/Qualifiers
 source 1..289
 mol_type = protein
 organism = synthetic construct

SEQUENCE: 24

MRHIICHGGV	ITEEMASLL	DQLIEEVLAD	NLPPPSHFEP	PTLHELYDLD	VTAPEDPNEE	60
AVSQIFPDSV	MLAVQEGIDL	LTFPPAPGSP	EPHLSRQPE	QPEQRALGPV	SMPNLVPEVI	120
DLTCHGAGFP	PSDDEDEEGE	EFVLDYVEHP	GHGCRSCHYH	RRNTGDPDIM	CSLCYMRCTG	180
MFVYSPVSEP	EPEPEPEPEP	ARPTRRPKMA	PAILRRPTSP	VSRECNSSTD	SCDSGPSNTP	240
PEIHPVPLC	PIKPVAVRVG	GRQAVECIE	DLLNEPGQPL	DLSCRRPRP		289

SEQ ID NO: 25 moltype = AA length = 243
 FEATURE Location/Qualifiers
 source 1..243
 mol_type = protein
 organism = synthetic construct

SEQUENCE: 25

MRHIICHGGV	ITEEMASLL	DQLIEEVLAD	NLPPPSHFEP	PTLHELYDLD	VTAPEDPNEE	60
AVSQIFPDSV	MLAVQEGIDL	LTFPPAPGSP	EPHLSRQPE	QPEQRALGPV	SMPNLVPEVI	120
DLTCHGAGFP	PSDDEDEEGP	VSEPEPEPEP	EPEPARPTRR	PKMAPAILRR	PTSPVSREC	180
SSTDSCDSGP	SNTPEIHPV	VPLCPKIPVA	VRVGGRRQAV	ECIEDLLNEP	GQPLDLSCKR	240
PRP						243

SEQ ID NO: 26 moltype = AA length = 217
 FEATURE Location/Qualifiers
 source 1..217
 mol_type = protein
 organism = synthetic construct

SEQUENCE: 26

-continued

MRHIICHGGV	ITEEMAASLL	DQLIEEPEQP	EQRALGPVSM	PNLVPEVIDL	TCHEAGFPPS	60
DDEDEEGEEF	VL DYVEHPGH	GCRSCHYHRR	NTGDPDIMCS	LCYMRCTCGMF	VYSPVSEPEP	120
EPEPEPEPAR	PTRRPKMAPA	ILRRPTSPVS	RECNSSTDSC	DSGPSNTPPE	IHPVVPLCPI	180
KPVAVRVGGR	RQAVECIEDL	LNEFGQPLDL	SKRRPRP			217

SEQ ID NO: 27 moltype = AA length = 171
 FEATURE Location/Qualifiers
 source 1..171
 mol_type = protein
 organism = synthetic construct

SEQUENCE: 27
 MRHIICHGGV ITEEMAASLL DQLIEEPEQP EQRALGPVSM PNLVPEVIDL TCHEAGFPPS 60
 DDEDEEGPVS EPEPEPEPEP EPARPTRRPK MAPAILRRPT SPVSRRECNS TDSCDSGPSN 120
 TPPEIHPVVP LCPIKPVAVR VGRRQAVEC IEDLLNEPGQ PLDLCKRRP P 171

SEQ ID NO: 28 moltype = AA length = 55
 FEATURE Location/Qualifiers
 source 1..55
 mol_type = protein
 organism = synthetic construct

SEQUENCE: 28
 MRHIICHGGV ITEEMAASLL DQLIEEVLCL NLSLSPSQNR SLQDLPAVLK WRLLS 55

SEQ ID NO: 29 moltype = AA length = 176
 FEATURE Location/Qualifiers
 source 1..176
 mol_type = protein
 organism = synthetic construct

SEQUENCE: 29
 MEAWECLEDF SAVRNLEQS SNSTSWFWRW LWGSSQAKLV CRIKEDYKWE FEELLKSCGE 60
 LFDLSNLGHQ ALFQEKVKT LDFSTPGRAA AAVAFLSFIK DKWSEETHLS GGYLLDFLAM 120
 HLWRAVVRHK NRLLLSSVR PAIIPTEEQQ QQQEEARRRR QEQSPWNPRA GLDPRE 176

SEQ ID NO: 30 moltype = AA length = 496
 FEATURE Location/Qualifiers
 source 1..496
 mol_type = protein
 organism = synthetic construct

SEQUENCE: 30
 MERRNPSERG VPAGFSGHAS VESGCETQES PATVVFRPPG DNTDGGAAAA AGGSQAAAAG 60
 AEPMEPESRP GPSGMNVQV AELYPELRRI LTITEDGQGL KGVKRERGAC EATEEARNLA 120
 FSLMTRHRPE CITFQQIKDN CANELDLLAQ KYSLQLTTY WLQPGDDFEE AIRVYAKVAL 180
 RPDCKYKISK LVNIRNCCYI SGNCAEVEID TEDRVAFRCs MINMWPGLV MDGVVIMNVR 240
 FTGPNFSGTV FLANTNLILH GVSFYGFNNT CVEAWTDVRV RGCAFYCCWK GVVCPRPKSRA 300
 SIKKCLFERC TLGILSEGNS RVRHNVASDC GCFMLVKVA VIKHNMVCGN CEDRASQMLT 360
 CSDGNCHLLK TIHVASHSRK AWPVFEHNIL TRCSLHLGMR RGVFLPYQCN LSHTKILLEP 420
 ESMKVNLMNG VFDMTMKIWK VLRVDETRTR CRPCECGGKH IRNQPVMLDV TEELRPDHLV 480
 LACTRAEFGS SDEDTD 496

SEQ ID NO: 31 moltype = DNA length = 8659
 FEATURE Location/Qualifiers
 source 1..8659
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 31
 gcgtataatg gactattgtg tgcgtgatagg cgcgccttgg attgaagcca atatgataat 60
 gagggggttg agtttgtgac gtggcgcggg gcgtgggaac gggcggggtg acgtagggtt 120
 tagggcgagg taacttgtat gtgttgggaa ttgtagtttt cttaaaatgg gaagttacgt 180
 aacgtgggaa aacggaagtg acgatttgag gaagttgtgg gttttttggc tttcgtttct 240
 gggcgtaggt tcgcgtgcgg ttttctgggt gttttttgtg gactttaacc gttacgtcat 300
 tttttagtc tatatatact cgcctctgac ttggcccttt tttacactgt gactgattga 360
 gctggtgccc tgcgcagtgg tgttttttta atagggtttt ttttttactg gtaaggctga 420
 ctgttatggc tgccgctgtg gaagcgtgt atgtgtttt ggagcgggag ggtgctattt 480
 tgccatggca ggggggtttt tcagggtgtt atgtgtttt ctctctattt aattttgtta 540
 taacctcat gggggctgta atgttgtct tacgcctgcg ggtatgtatt ccccggggct 600
 atttcggtcg ctttttagca ctgaccgatg tgaatcaacc tgatgtgttt accgagtcct 660
 acattatgac tccggacatg accgaggagc tgcctggtgt gctttttaat caccgtgacc 720
 agttttttta cggtcacgcc ggcattggcg tagtcctgt tatgcttata aggggtgttt 780
 ttcctgttgt aagacaggct tctaattgtt aaatgtttt ttgttatttt attttgtgtt 840
 tatgcagaaa cccgcagaca tgtttgagag aaaaatggtg tctttttctg tgggtgttcc 900
 ggagcttacc tgcctttatc tgcattgaca tgactacgat gtgctttctt ttttgccgca 960
 ggctttgctt gattttttga gcagaccctt gcattttata tcgcgcacca tgcaacaagg 1020
 ttacatcggg gctacgctgg ttacatagc tccagtgatg cgtgtcataa tcagtgtggg 1080
 ttcttttgtc atggttctct gcggggaagt ggcgcgctgt gtccgtgcag acctgcacga 1140
 ttatgttcag ctggccctgc gaaggacac acgggatcgc ggtatttttg ttaatgttcc 1200
 gcttttgaat cttatacagg tctgtgagga acctgaattt ttgcaatcat gattcgtgtc 1260

-continued

ttgaggetga	aggtggaggg	cgtcttgag	cagattttta	caatggccgg	acttaatat	1320
cgggatttgc	ttagagatat	attgagaagg	tggcgagatg	agaattattt	gggcatgggt	1380
gaaggtgctg	gaatgtttat	agaggagatt	cacctgaag	ggtttagcct	ttacgtccac	1440
ttggacgtga	gggcccgttg	ccttttgaa	gccattgtgc	aacatcttac	aaatgccatt	1500
atctgttctt	tggctgtaga	gtttgaccac	gccacggag	gggagcgct	tcacttaata	1560
gatcttcatt	ttgaggtttt	ggataatctt	ttggaataaa	aaaaaaaaa	tggttcttcc	1620
agctcttccc	gctcctccc	tgtgtgactc	gcagaacgaa	tgtgtaggtt	ggctgggtgt	1680
ggcttattct	gcggtgtgtg	atgttatcag	ggcagcgcg	catgaaggag	ttacataga	1740
acccgaagcc	agggggcgcc	tggatgcttt	gagagagtgg	atatactaca	actactacac	1800
agagcgatct	aagcggcgag	accggagacg	cagatctgtt	tgtcacgccc	gcacctgggt	1860
ttgcttcagg	aaatgatgact	acgtccggcg	ttccatttgg	catgacacta	cgaccaacac	1920
gatctcgggt	gtctcggcgc	actccgtaca	gtagggatcg	tctacctcct	tttgagacag	1980
aaaccgcgcg	taccatactg	gaggatcatc	cgtctgtgcc	cgaatgtaac	actttgacaa	2040
tgcacaacgt	gagttacgtg	caggtctctc	cctgcagtgt	gggatttacg	ctgattcagg	2100
aatgggttgt	tcctctgggt	atggttctaa	cgcgggagga	gcttgtaatc	ctgagggaagt	2160
gtatgcacgt	gtgcctgtgt	tgtgccaaac	ttgatatcat	gacgagcatg	atgatccatg	2220
gttacgagtc	ctgggtcttc	cactgtcatt	gttccagtcc	cggttccctg	cagtgtatag	2280
cgggcgggca	gggttttgcc	agctgtgtta	ggatgggtgt	ggatggcgcc	atgtttaatc	2340
agaggtttat	atggtaccgg	gaggtgggtg	attacaacat	gccccaaag	gtaatgttta	2400
tgtccagcgt	gtttatgagg	ggtcgccact	taactctact	gcgcttgttg	tatgatggcc	2460
acgtgggttc	tgtgggtccc	gccatgagct	ttggatacag	cgcttgcac	tgtgggtatt	2520
tgaaacaatat	tgtgggtgct	actgtcagtt	actgtgtgta	tttaagttag	atcagggtgc	2580
gctgtctgtc	cggagagaca	aggcgcttta	tgtctcgggc	gggtgcgaatc	atcagtgagg	2640
agaccactgc	catgttgtat	tcttcagga	cggagcggcg	cggcgacgag	tttattccgc	2700
cgtgctgca	gcaccacgcg	cctatcctga	tgcacgatta	tgaactctac	cccatgtagg	2760
cgtggacttc	tccttcgcgc	cccgtaagc	aaccgcaagt	tggacagcag	cctgtggctc	2820
agcagctgga	cagcgacatg	aaactaagt	agctgcccg	ggagtttatt	aatatcactg	2880
atgagcgttt	ggctcgacag	gaaaccgtgt	ggaatataac	acctaagaat	atgtctgtta	2940
cccatgatat	gatgcttttt	aaggccagcc	ggggagaaa	gactgtgtac	tctgtgtgtt	3000
gggagggagg	tggcaggttg	aatactagg	ttctgtgagt	ttgatgaag	tacgggtgatc	3060
tgtataagct	atgtgtgtgt	ggggctatac	tactgaatga	aaaatgactt	gaaattttct	3120
gcaattgaaa	aataaaacag	ttgaaacata	acacaaacga	ttctttatc	ttgggcaatg	3180
tatgaaaaag	tgtaaagaga	tgtggcaaat	atcttcatat	tgtagtgtgt	gggttaaacg	3240
gtcaggcgcg	gcgaactcgt	gacgctctgt	agaccgtgca	aaaggagagc	ctgtaagcgg	3300
gcactcttcc	gttgtctgtt	ggataaatc	gcaagggtat	catggcggag	gaccgggggt	3360
cgagccccgt	atccggccgt	cgcgcgtgat	ccatgcggtt	accgccccgc	tgtcgaaacc	3420
agggtgtcga	cgtcagacaa	gggggagtg	ctccttttgg	cttcttcca	ggcgcgccgg	3480
ctgctgcgct	agcttttttg	gccactggcc	gcgcgcagcg	taagcgggta	ggctggaaa	3540
cgaaagcatt	aagtggctcg	ctccctgtag	cgggaggggt	atcttccaag	gggtgagtcg	3600
cgggaccccc	ggttcgagtc	ctggaccggc	cggactgcgc	cgaacggggg	tttgcctccc	3660
cgtcatgcaa	gacccccgtt	gcgaattcct	cgggaaacag	ggacgagccc	cttttttgc	3720
tttcccatag	gcacccgggt	ctgcgcgaga	tttaattaaa	atggcgctga	cgacaggtgc	3780
tggcgccggg	tgtggccgct	ggagatgacg	tagttttcgc	gcttaaaatt	gagaaagggc	3840
gcgaaactag	tccttaagag	tcagcgcgca	gtatttactg	aagagagcct	ccgcgtcttc	3900
cagcgtgcgc	cgaagctgat	ctcgcctttt	gtgatcacgg	cagctgcggg	tgagggtatc	3960
cagagaacctg	ttttttat	tcagctcttg	ttcttggccc	ctgctctgtt	gaaatatagc	4020
atacagagtg	ggaaaaatcc	tgtttctaat	ctcgggggtc	gatacgggtt	cgttgggggc	4080
cagacgcagc	gctcctcttc	ctgctgctgc	cgcgcgtgtg	gatttcttgg	gctttgtcag	4140
agttcttgct	tcgggtgcgc	tttgcctctg	tgtggccgct	gctgttgcgc	ccgctgcgc	4200
tgcgcgcggt	gcagtatggg	ctgtagagat	gacggtagta	atgcaggatg	ttacggggga	4260
aggccacgcc	gtgatgttag	agaagaaaag	ggcgggcgaa	ggagatgttg	ccccacagt	4320
cttgcaagca	agcaactatg	gcgttcttgt	gcccgcgcca	tgagcggtag	ccttggcgct	4380
gtttgtgtgc	ttgggctaac	ggcggcggtc	gcttggactt	accggccctg	gttccagttg	4440
tgtcccatct	acggttgggt	cggcgaaacg	gcagtgcgcg	cggcgccctg	ggagcggagg	4500
ttgtagccat	gttggaaacc	gttgcgcgatt	ctcggggcgc	cggcgagggg	aatgcgaccg	4560
aggggtgacg	tgtttcgtct	gacacctctt	cgacctcgga	agcttctctg	tctaggctct	4620
cccagttctc	catcatgtcc	tcctctctct	cgtccaaaac	ctcctctgce	tgaactgtccc	4680
agttattctc	ctcgtccgtg	ggtggcgcg	gcagctgcag	cttctttttg	ggtgccatcc	4740
tgggaagcaa	gggcccgcgg	ctgctgctga	tagggctgcg	cggcgggggg	gattgggggt	4800
agctcctcgc	cggactgggg	gtccaaagta	accccccgct	cctttcgtag	cagaaaactct	4860
tggcgggctg	tgttgatggc	ttgcaatttg	ccaagaatgt	ggccttgggt	aatgacgcag	4920
gcggtaagct	ccgcatttgg	cgggcgggat	tggctctctg	agaacctaat	ctcgtgggcg	4980
tggtagtctc	caggtacaaa	tttgcgaagg	taagccgacg	tccacagccc	cggagtgaagt	5040
ttcaaccocg	gagccgcgga	cttttctgtc	ggcgagggac	cctgcagctc	aaaggtaccg	5100
ataatttgac	tttcgttaag	cagctgcgaa	ttgcaaaaca	gggagcgggt	cgggggtgat	5160
aggttgacgc	gacagtgaac	ctccagttag	ccgtcacccg	tcacgtcttc	cattatgtca	5220
gagtggtagg	caaggtagtt	ggctagctgc	agaaggtagc	agtgccccca	aagcggcgga	5280
gggcatctgc	ggtaactaat	gggcacaaa	tcgctaggaa	gtgcacagca	ggtggcgggc	5340
aagattcctg	agcgtcttag	gataaaagtc	ctaaagtctc	gcaacatgct	ttgactgggt	5400
aagtctggca	gacctgtgtg	cagggtttta	agcaggcggt	cggggaaaaa	gatgtccgcc	5460
aggtgcgcgc	ccacggagcg	ctcgttgaag	gccgtccata	ggtccttcaa	gttttgcctt	5520
agcagtttct	gcagctcctt	gaggttgac	tcctccaagc	actgctgcca	aacgcccacg	5580
gccgtctgcc	aggtgtagca	tagaaataag	taaacgcagc	cgcggacgta	gtcgcgcgc	5640
gcctcgccct	tgagcgtgga	atgaagcacg	ttttgcccac	ggcgggtttc	gtgcaaaatt	5700
ccaaggtagg	agaccaggtt	gcagagctcc	acgttggaga	tcttgacggc	ctggcgtagc	5760
tagccctgtc	gaaaggtgta	gtgcaatgtt	tcctctagct	tgcgctgcac	ctccgggtca	5820

-continued

```

gcaaagaacc gctgcatgca ctcaagctcc acggtaacga gcactgcggc catcattagt 5880
ttgcgtcgct cctccaagtc ggcaggctcg cgcgtttgaa gccagcgcg tagctgctcg 5940
tcgccaactg cgggtaggcc ctctctgtgt tgttcttgca aatttgcatc cctctccagg 6000
ggctgcgcac ggcgcacgat cagctcactc atgactgtgc tcatgacctt ggggggtagg 6060
ttaagtgcgc ggtaggcaaa gtgggtgacc tcgatgctgc gttttagtac ggetaggcgc 6120
gcgttgctac cctcgagttc caccaacact ccagagtgaac tttcattttc gctgttttcc 6180
tggtgcagag cgtttgccgc gcgcttctcg tcgctccaa gacctcaaa gatttttggc 6240
acttcgttga gcgaggcgat atcaggtatg acagcgccct gccgcaaggc cagctgcttg 6300
tcgcctcgcg tcggtttggc acggcaggat aggggtatct tgcagttttg gaaaaagatg 6360
tgataggtgg caagcacctc tggcacggca aatcgggggt agaagttgag gcgcgggttg 6420
ggctcgcatg tgcgtttttc ttggcgtttg gggggtacgc gcggtgagaa taggtggcgt 6480
tcgtaggcaa ggtgacatc cgtatggcg aggggcacat cgctgcgctc ttgcaacgcg 6540
tcgcagataa tggcgcaact gcgctgcaga tgcttcaaca gcacgtcgctc tcccacatct 6600
aggtagtcgc atgccttttc gtccccccgc cgcactttgt cctcgtttgc ctctcgcttg 6660
tcctggtctt gctttttatc ctctgttggt actgagcggt cctcgctgctc ttcgcttaca 6720
aaactgggtt cctgctcgat aatcacttcc tcctcctcaa gcgggggtgc ctgcacgggg 6780
aaggtggtag gcgcgttggc ggcactcggtg gaggcgggtg tggcgaaact agagggggcg 6840
gttaggctgt cctctctctc gactgactcc atgatctttt tctgcctata ggagaaggaa 6900
atggccagtc ggggaagagga gcagcgcgaa accaccccg agcgcggagc cgtgcgggcg 6960
cgacgtcccc caaccatgga ggaactgtcg tccccgtccc cgtcgccgccc gcctccccgg 7020
ggcccccaaa aaaagcggtg gagggcggtt atcgagtcgc aggcagagga agactcatca 7080
caagacgcgc tgggtgcgcgc cacacccagc ccgcggccat cgacctcggc ggcggatttg 7140
gccattgcgc ccaagaagaa aaagaagcgc ccttctccca agcccgagcg cccgccatca 7200
ccagaggtaa tcgtggacag cgaggaagaa agagaagatg tggcgctaca aatggtgggt 7260
ttcagcaacc caccggtgct aatcaagcat ggcaaaaggag gtaagcgcac agtgcggcgg 7320
ctgaatgaag acgacccagt ggcgcgtggt atgcggagcg aagaggaaga ggaagagccc 7380
agcgaagcgg aaagtgaat taccgtgatg aaccgcgtga gtgtgccgat cgtgctcgcg 7440
tgggagaagg gcactggaggc tcgcgcgcgc ctgatggaca agtaccacgt ggataacgat 7500
ctaaaggcga acttcaaaact actgcctgac caagtggaaag ctctggcggc cgtatgcaag 7560
acctggctga acgaggagca ccgcgggttg cagctgacctc tcaccagcaa caagacctt 7620
gtgacgatga tggggcgatt cctgcaggcg cgtttgcaga ggtgacctac 7680
aagcatcacg agcccaaggc ctgcgcgttg tggctgcacc gctgcgctga gatcgaaagg 7740
gagcttaagt gtctacacgg aagcattatg ataaataagg agcactgat tgaatggat 7800
gtgacgagcg aaaaacgggca gcgcgcgcgt aaggagcagt ctagcaaggc caagatcgtg 7860
aagaaccggt gggggcgaaa tgtggtgcag atctccaaaca ccgacgcaag gtgctgcgtg 7920
cacgacgcgc cctgtccggc caatcagttt tccggcaagt cttgcggcat gttctctct 7980
gaaggcgcaa aggtcaggtt ggcttttaag cagatcaagg cttttatgca ggcgctgtat 8040
cctaaccgcc agaccgggca cggtcacctt ttgatgccac tacggtgcga gtgcaactca 8100
aagcctgggc acgcgcctt tttgggaagg cagctaccaa agttgactcc gttcgccctg 8160
agcaacgcgc aggaactgga cgcggatctg atctccgaca agagcgtgct ggccagcgtg 8220
caccaccgcg cgtcgatagt gttccagtgc tgcaaccctg tgtatcgcaa ctgcgcgcg 8280
cagggcggaag gccccaactg cgaactcaag atatcggcgc ccgacctgct aaacgcgttg 8340
gtgatggtgc gcagcctgtg gagtgaaaac ttcaccgagc tgccgcggat ggttgtgcct 8400
gagtttaagt ggagcactaa acaccagtat cgcaacgtgt ccctgccagt ggcgcatagc 8460
gatgcgcggc agaaccctt tgaattttaa acggcgcgaga cggcaagggt gggggtaaat 8520
aatcaccgga ggtgtacaa ataaaagcat ttgcctttat tgaagctgct tctagtacat 8580
tatttttaca gttttttcaa gtgacaaaaa gaagtgggcg gccgcactag ttatcagcac 8640
acaattgccc attatacgc 8659

```

```

SEQ ID NO: 32      moltype = DNA length = 1746
FEATURE            Location/Qualifiers
source              1..1746
                    mol_type = other DNA
                    organism = synthetic construct

```

```

SEQUENCE: 32
atgaagcgcg caagaccgtc tgaagatacc ttcaaccccg tgtatccata tgacacggaa 60
accggtcctc caactgtgct ttttcttact cctccctttg tatcccccaa tgggtttcaa 120
gagagtcccc ctggggtact ctctttgcgc ctatccgaac ctctagttac ctccaatggc 180
atgcttgccg tcaaaatggg caacggcctc tctctggacg aggcgcggcaa ccttacctcc 240
caaaatgtaa ccactgtgag cccacctctc aaaaaaacca agtcaaacat aaacctggaa 300
atatctgcac cctcacaagt tacctcagaa gccctaactg tggctgcgcg cgcacctcta 360
atggtcgcgc gcaacacact caccatgcaa tcacaggccc cgctaaccgt gcacgactcc 420
aaacttagca ttgccaccca aggaccctc acagtgtcag aaggaaagct agccctgcaa 480
acatcaggcc cctcaccacc caccgatagc agtaccctta ctactactgc ctacccccct 540
ctaaactact ccaactggtg acttggcatt gacttgaaag agcccattta tacacaaaat 600
ggaaaactag gactaaagta cggggctcct ttgcatgtaa cagacgacct aaacactttg 660
accgtagcaa ctggtccagg tgtgactatt aataaactt ccttgcaaac taaagttact 720
ggagccttgg gttttgattc acaaggcaat atgcaactta atgtagcagg aggactaagg 780
attgattctc aaaacagacg ccttatactt gatgttagtt atccgtttga tgctcaaaac 840
caactaaatc taagactagg acagggccct ctttttataa actcagccca caacttggat 900
attaactaca caaaggcctt ttacttgttt acagcttcaa acaattccaa aaagcttgag 960
gttaacctaa gcactgccaa ggggttgatg tttgacgcta cagccatagc cattaatgca 1020
ggagatggcg ttgaatttgg ttacactaat gcaccaaaca caaatcccc caaaacaaaa 1080
attggccatg ccctagaatt tgattcaaac aaggctatgg ttctaaact aggaactggc 1140
cttagttttg acagcaacag tgccattaca gtaggaaaca aaaataatga taagctaact 1200
ttgtggacca caccagctcc atctcctaac tgtagactaa atgcagagaa agatgctaaa 1260

```

-continued

```

ctcacttttg tcttaacaaa atgtggcagt caaatacttg ctacagtttc agttttggct 1320
gttaaaggca gtttggctcc aatatctgga acagttcaaa gtgctcatct tattataaga 1380
tttgacgaaa atggagtgct actaaacaat tccttccttg acccagaata ttggaacttt 1440
agaaatggag atcttactga aggcacagcc tatacaaacg ctgttgatt tatgcctaac 1500
ctatcagctt atccaaaatc tcacggtaaa actgcaaaa gtaacattgt cagtcaagtt 1560
tacttaaacg gagacaaaac taacactgta acactaacca ttacactaaa cgggtacacag 1620
gaaacaggag acacaactcc aagtgcatac tctatgtcat tttcatggga ctggtctggc 1680
cacaactaca ttaatgaaat atttgccaca tctctttaca ctttttcata cattgcccaa 1740
gaataa 1746

```

```

SEQ ID NO: 33      moltype = AA  length = 2859
FEATURE            Location/Qualifiers
source              1..2859
                    mol_type = protein
                    organism = synthetic construct

```

```

SEQUENCE: 33
ATGGCTACCC CTTGATGAT GCCGAGTGG TCTTACATGC ACATCTCGGG CCAGGACGCC 60
TCGGAGTACC TGAGCCCCGG GCTGGTGCAG TTTGCCCGCG CCACCGAGAC GACTTCAGC 120
CTGAATAACA AGTTTAGAAA CCCACGGTG GCGCCTACGC ACGACGTGAC CACAGACCGG 180
TCCCAGCGTT TGACGCTGCG GTTCATCCCT GTGGACCGTG AGGATACTGC GTACTCGTAC 240
AAGGCGCGGT TCACCCTAGC TGTGGGTGAT AACCGTGTGC TGGACATGGC TTCCACGTAC 300
TTTGACATCC GCGCGTGTCT GGACAGGGGC CCTACTTTTA AGCCCTACTC TGGCACTGCC 360
TACAACGCCC TGGCTCCCAA GGGTGCCCA AATCCTTGGC AATGGGATGA AGCTGCTACT 420
GCTCTTGAAT TAAACCTAGA AGAAGAGGAC GATGACAACG AAGACGAAGT AGACGAGCAA 480
GCTGAGCAGC AAAAACTCTA CGTATTGGG CAGGCGCCTT ATTCTGGTAT AATATTACA 540
AAGGAGGGTA TTCAAATAGG TGTCGAAGGT CAAACACCTA AATATGCCGA TAAAACATTT 600
CAACCTGAAC CTCAAATAGG AGAATCTCAG TGGTACGAAA CTGAAATTA TCGTGCAGCT 660
GGGAGAGTCC TTAAAAGAGC TACCCCAATG AAACCATGTT ACGGTTTATA TGCAAAACCC 720
ACAAATGAAA ATGGAGGGCA AGGCATTCTT GTAAAGCAAC AAAATGGAAA GCTAGAAAAGT 780
CAAGTGGAAA TGCAATTTTT CTCAACTACT GAGGCGACCG CAGGCAATGG TGATAACTTG 840
ACTCTAAAG TGAATTTGTA CAGTGAAGAT GTAGATATAG AAACCCAGA CACTCATATT 900
TCTTACATGC CCACTATTAA GGAAGGTAAC TCACGAGAAC TAATGGGCCA ACAATCTATG 960
CCCAACAGGC ATAATTACAT TGCTTTTAGG GACAATTTTA TTGGTCTAAT GTATTACAAC 1020
AGCACGGGTA ATATGGTGTG TCTGGCGGGC CAAGCATCGC AGTTGAATGC TGTGTAGAT 1080
TTGCAAGACA GAAACACAGA GCTTTCATAC CAGCTTTTGC TTGATTCCAT TGGTGATAGA 1140
ACCAGGTACT TTTCTATGTG GAATCAGGCT GTTGACAGCT ATGATCCAGA TGTTAGAATT 1200
ATTGAAAATC ATGGAACATG AGATGAACCT CCAAATTACT GCTTCCACT GGGAGGTGTG 1260
ATTAATACAG AGACTCTTAC CAAGGTAAAA CCTAAACAG GTCAGGAAAA TGGATGGGAA 1320
AAAGATGCTA CAGAATTTTC AGATAAAAAT GAAATAAGAG TTGGAAATAA TTTTGCCATG 1380
GAAATCAATC TAAATGCCAA CCTGTGGAGA AATTTCTGT ACTCCAACAT AGCGCTGTAT 1440
TTGCCCGACA AGCTAAAGTA CAGTCCTTCC AACGTAAAAA TTTCTGATAA CCCAAACACC 1500
TAGCACTACA TGAACAAGCG AGTGGTGGCT CCCGGGTTAG TGGACTGCTA CATTAACTTT 1560
GGAGCACGCT GGTCCCTTGA CTATATGGAC AACGTCAACC CATTAAACCA CCACCGCAAT 1620
GCTGGCCTGC GCTACCGCTC AATGTTGCTG GGCAATGGTC GCTATGTGCC CTTCCACATC 1680
CAGGTGCCTC AGAAGTTCTT TGCCATTAAA AACCTCCTTC TCCTGCCGGG CTCATACACC 1740
TACAGTGGGA ACTTCAGGAA GGATGTTAAC ATGGTCTTGC AGAGCTCCCT AGGAAATGAC 1800
CTAAGGGTTG ACGGAGCCAG CATTAGTTT GATAGCATTT GCCTTTACGC CACCTTCTTC 1860
CCCATGGCCC ACAACACCGC CTCACGCTT GAGGCCATGC TTAGAAACGA CACCAACGAC 1920
CAGTCCTTTA ACGACTATCT CTCGCCGCGC AACATGCTCT ACCCTATACC CGCCAACGCT 1980
ACCAACGTGC CCATATCCAT CCCCTCCCGC AACTGGGCGG CTTTCCGCGG CTGGGCCTTC 2040
ACGCGCCTTA AGACTAAGGA AACCCCATCA CTGGGCTCGG GCTACGACCC TTATTACACC 2100
TACTCTGGCT CTATACCCCTA CTTAGATGGA ACCTTTTACC TCAACCAACG CTTTAAGAAG 2160
GTGGCCATTA CCTTTGACTC TTCTGTCAGC TGGCCTGGCA ATGACCGCCT GCTTACCCCC 2220
AACGAGTTTG AAATTAAGCG CTCAGTTGAC GGGGAGGGTT ACAACGTTGC CCAGTGTAAC 2280
ATGACCAAAG ACTGGTTTCT GGTACAAATG CTAGCTAACT ACAACATTGG CTACCAGGGC 2340
TTCTATATCC CAGAGAGCTA CAAGGACCGC ATGTACTCCT TCTTTAGAAA CTTCCAGCCC 2400
ATGAGCCGTC AGGTGGTGGG TGATACTAAA TACAAGGACT ACCAACAGGT GGGCATCCTA 2460
CACCAACACA ACAACTCTGG ATTTGTTGGC TACCTTGCCC CCACCATGCG CGAAGGACAG 2520
GCCTACCTGC CTAACCTCCC CTATCCGCTT ATAGGCAAGA CCGCAGTTGA CAGCATTACC 2580
CAGAAAAAGT TTCTTTGCGA TCGCACCTTT TGGCGCATCC CATTCTCCAG TAACCTTTATG 2640
TCCATGGGCG CACTCACAGA CCTGGGCCAA AACCTTCTCT ACGCCAACCT CGCCCCAGCG 2700
CTAGACATGA CTTTTGAGGT GGATCCCATG GACGAGCCCA CCCTTCTTTA TGTTTTGTTT 2760
GAAGTCTTTG ACGTGGTCCG TGTGCACCGG CCGCACCGCG GCGTCATCGA AACCGGTGAC 2820
CTGCGCACGC CTTTCTCGGC CGGCAACGCC ACAACATAA 2859

```

```

SEQ ID NO: 34      moltype = DNA  length = 1716
FEATURE            Location/Qualifiers
source              1..1716
                    mol_type = other DNA
                    organism = synthetic construct

```

```

SEQUENCE: 34
atgcgggcgc egcgcatgta tgaggaaggt cctcctccct cctacgagag tgtggtgagc 60
gcgcgccag tggcgcggc gctgggttct ccttcgatg ctccctgga cccgcccgtt 120
gtgcctccgc ggtacctgcg gctaccggg gggagaaaca gcatccgtta ctctgagttg 180
gcacccctat tcgacaccac ccgtgtgtac ctggtggaca acaagtcaac ggatgtggca 240
tccctgaact accagaacga ccacagcaac tttctgacca cggctattca aaacaatgac 300

```

-continued

```

tacagcccg  gggaggcaag  cacacagacc  atcaatcttg  acgaccggtc  gcactggggc  360
ggcgacctga  aaacoatcct  gcataccaac  atgccaaatg  tgaacgagtt  catgtttacc  420
aataagttta  aggcgcgggt  gatggtgtcg  cgcttgcccta  ctaaggacaa  tcaggtggag  480
ctgaaatacg  agtgggtgga  gttcacgctg  cccgagggca  actactccga  gaccatgacc  540
atagacctta  tgaacaacgc  gatcgaggag  cactacttga  aagtgggcag  acagaacggg  600
gttctggaaa  gcgacatcgg  ggtaaaagttt  gacacccgca  acttcagact  ggggtttgac  660
cccgctactg  gtcttgtcat  gctgggggta  tatacaaacg  aagccttcca  tccagacatc  720
atcttgctgc  caggatgcgg  ggtggacttc  acccacagcc  gcctgagcaa  cttgttgggc  780
atccgcaagc  ggcaaccctt  ccaggagggc  tttaggatca  cctacgatga  tctggagggt  840
ggtaacattc  ccgcactgtt  ggatgtggac  gcctaccagg  cgagcttgaa  agatgacacc  900
gaacaggggc  ggggtggcgc  aggcggcagc  aacagcagtg  gcagcggcgc  ggaagagaa  960
tccaacgcgc  cagccgcggc  aatgcagccg  gtggaggaca  tgaacgatca  tgccattcgc  1020
ggcgacacct  ttgccacacg  ggtgaggag  aagcgcgctg  aggcggaagc  agcggccgaa  1080
gctgcgcgcc  ccgctggcga  acccgaggtc  gagaagcctc  agaagaaacc  ggtgatcaaa  1140
cccctgacag  aggacagcaa  gaaacgcagt  tacaacctaa  taagcaatga  cagcaccttc  1200
accagtgacc  gcagctggta  ccttgcatac  aactacggcg  accctcagac  cggaatccgc  1260
tcatggaccc  tgccttgac  tccctgacgt  accctgcggc  cggagcaggt  ctactggctg  1320
ttgccagaca  tgatgcaaga  ccccgtagac  ttccgctcca  cgcgccagat  cagcaacttt  1380
ccggtggtgg  cgcgcgagct  gttgcccggt  cactccaaga  gcttctacaa  cgaccaggcc  1440
gtctactccc  aactcactcc  ccagtttacc  tctctgaccc  acgtgttcaa  tcgctttccc  1500
gagaaccaga  ttttggcgcg  cccgcgagcc  cccaccatca  ccaccgtcag  tgaaaacgtt  1560
cctgctctca  cagatcacgg  gacgttaccg  ctgcgcaaca  gcctcggagg  agtccagcga  1620
gtgaccatta  ctgacgcag  acgcccagcc  tgcccctacg  tttacaaggc  cctgggcata  1680
gtctcgcgcg  gcgtcctatc  gagccgcact  ttttga  1716

```

```

SEQ ID NO: 35      moltype = DNA length = 615
FEATURE            Location/Qualifiers
source              1..615
                    mol_type = other DNA
                    organism = synthetic construct

```

```

SEQUENCE: 35
atgggctcca  gtgagcagga  actgaaagcc  attgtcaaag  atcttggttg  tggggccatat  60
tttttgggca  cctatgacaa  ggcctttcca  ggctttgttt  ctccacacaa  gctgcgctgc  120
gccatagtc  atacggccgg  tcgcgagact  gggggcggtac  actggatggc  ctttgccctg  180
aaccgcgact  caaaaaacatg  ctacctttt  gagccctttg  gctttttctga  ccagcgactc  240
aagcaggttt  accagtttga  gtacgagtc  ctcccgcgcc  gtacgcgcat  tgcttcttcc  300
cccgaccgct  gtataacgct  ggaaaagtcc  acccaaagcg  tacagggggc  caactcggcc  360
gcctgtggac  tattctgtgc  catgtttctc  cagcgccttg  ccaactgggc  ccaaaactcc  420
atggatcaca  accccacct  gaaccttatt  accgggggtac  ccaactccat  gctcaacagt  480
cccaaggtag  agcccacct  gcgtcgcaac  caggaacagc  tctacagctt  cctggagcgc  540
cactcgccct  acttccgcag  ccacagtgcg  cagattagga  gcgccacttc  tttttgtcac  600
ttgaaaaaca  tgtaa  615

```

```

SEQ ID NO: 36      moltype = DNA length = 1758
FEATURE            Location/Qualifiers
source              1..1758
                    mol_type = other DNA
                    organism = synthetic construct

```

```

SEQUENCE: 36
atgatgcaag  acgcaacgga  cccggcggtg  cggggcggcg  tgcagagcca  gccgtccggc  60
cttaactcca  cggacgactg  gcgccaggtc  atggaccgca  tcatgtcgct  gactgcgcgc  120
aatcctgacg  cgcttcggga  cgaagccgag  gccaaaccgc  tctccgcaat  tctggaagcg  180
gtgggtcccg  cgcgcgcgca  cccacgcgac  gagaagggtc  tggcgatcgt  aaacgcgctg  240
gccgaaaaaca  gggccatccg  gcccgacgag  gccggcctgg  tctacgacgc  gctgcttcag  300
cgcggtggct  gttacaacag  cggcaacgtg  cagaccaacc  tggaccggct  ggtgggggat  360
gtgcgcgagg  cctgtggcgca  gcgtgagcgc  gcgcagcagc  agggcaacct  gggctccatg  420
gttgactcaa  acgccttcc  gactacacag  cccgccaaag  tgccgcgggg  acaggaggac  480
tacaccaact  ttgtgagcgc  actgcggcta  atggtagact  agacaccgca  aagttaggtg  540
taccagtctg  ggccagacta  ttttttccag  accagtagac  aaggcctgca  gaccgtaaac  600
ctgagccagg  ctttcaaaaa  cttgcagggg  ctgtgggggg  tgccgggctcc  cacaggcgac  660
cgcgcgacgc  tgtctagctt  gctgacgcgc  aactcgcgcc  tgttgctgct  gctaatagcg  720
cccttcacgg  acagtggcag  cgtgtcccg  gacacatacc  taggtcactt  gctgacactg  780
taccgcgagg  ccataggtca  gccgcagtgt  gacgagcata  ctttccagga  gattacaagt  840
gtcagccgcg  cgctggggca  ggaggacacg  ggcagcctgg  aggcacacct  aaactacctg  900
ctgaccaacc  ggcggcagaa  gatccctcgc  ttgcacagtt  taacacgcga  ggaggagcgc  960
atcttgcgct  acgtgcagca  gagcgtgagc  cttaacctga  tgcgcgacgc  ggtaacgccc  1020
agcgtggcgc  tggacatgac  cgcgcgcaac  atggaaccgg  gcatgtatgc  ctcaaaccgg  1080
ccggttatca  accgccta  ggactacttg  catcgcgcg  ccgcggtgaa  ccccgagtat  1140
ttcaccatg  ccatcttgaa  cccgcactgg  ctaccgcccc  ctggtttcta  caccggggga  1200
ttcgaggtgc  ccgagggtca  cgatggattc  ctctgggagc  acatagacga  cagcgtgttt  1260
tccccgcaac  cgcagacact  gctagagttg  caacagcgcg  agcaggcaga  ggcggcgctg  1320
cgaaaggaaa  gcttccgcag  gccaaagcagc  ttgtccgac  taggcgctgc  gggcccgcg  1380
tcagatgcta  gtageccatt  tccaagcttg  atagggtctc  ttaccagcac  tcgacccacc  1440
gcgccgcgcc  tgctggggca  ggaggagtac  ctaaaacact  cgctgctgca  gccgcagcgc  1500
gaaaaaaacc  tgctccggc  atttcccaac  aacgggtag  agagcctagt  ggacaagatg  1560
agtagatgga  agacgtacgc  gcaggagcac  agggacgtgc  caggcccgcg  cccgcccacc  1620

```


-continued

```

cgctcgtaaa ggcacgacg tcagcgggggt ctggtgtggg aggcagatga ctccggcagac 1680
gacagcagcg tcctggattt gggaggggagt ggcaaccctg ttgcgcacct tcgccccagg 1740
ctggggagaa tgttttaa 1758

```

```

SEQ ID NO: 37      moltype = DNA length = 1248
FEATURE           Location/Qualifiers
source            1..1248
                  mol_type = other DNA
                  organism = synthetic construct

```

```

SEQUENCE: 37
atgcatccgg tgtcgcgcca gatcgcccc cctcctcagc agcggcaaga gcaagagcag 60
cggcagacat gcagggcacc ctccctcct cctaccgctg caggaggggc gacatccgcg 120
gttgacgcgg cagcagatgg tgattacgaa cccccgcggc gccggggccc gactaactcg 180
gacttgaggg agggcgaggg cctggcgagg ctaggagcgc cctctcctga gcggtaccca 240
aggggtgcagc tgaagcgtga tacgcgtgag gcgtacgtgc cgcggcgaga cctgtttcgc 300
gaccgcgagg gagaggagcc cgaggagatg cgggatcgaa agttccacgc agggcgcgag 360
ctgcggcatg gccctgaatc cgagcgggtg ctgcgcgagg aggaacttga gcccgacgcg 420
cgaaccggga ttagtcccg cgcgcgcacac gtggcgggccg ccgacctggt aaccgcatac 480
gagcagacgg tgaaccagga gattaacttt caaaaaagct ttaacaacca cgtgcgtacg 540
cttggtggcg gcgaggaggt ggctatagga ctgatgcac tggtgggactt tgtaagcgcg 600
ctggagcaaa acccaaatag caagccgctc atggcgcgagc tgttccttat agtgcagcac 660
agcaggggaca accaggcatt cagggatgag ctgctaaaca tagtagagcc cgaggggccg 720
tggctgctcg atttgataaa catcctgcag agcatagtgg tgccaggagcg cagcttgagc 780
ctggctgaca aggtggccgc catcaactat tccatgctta gcctgggcaa gttttacgcc 840
cgcaagatat accatacccc ttacgttccc atagacaagg aggtaaagat cgagggggtt 900
tacatgcgca tggcgctgaa ggtgcttacc ttgagcgacg acctgggctg ttatcgcaac 960
gagcgcatcc acaaggccgt gagcgtgagc cggcgggcgcg agctcagcga ccgcgagctg 1020
atgcacagcc tgcaaaaggc cctggctggc acgggcagcg gcgatagaga ggccgagctc 1080
tactttgacg cggcgctgga cctgcgctgg gccccaagcc gacgcgcctt ggaggcagct 1140
ggggccggac ctgggctggc ggtggcaccc gcgcgcgctg gcaacgtcgg cggcgtggag 1200
gaatatgacg aggcagatga gtacgagcca gaggacggcg agtactaa 1248

```

```

SEQ ID NO: 38      moltype = DNA length = 1164
FEATURE           Location/Qualifiers
source            1..1164
                  mol_type = other DNA
                  organism = synthetic construct

```

```

SEQUENCE: 38
tatttatacc cgggtgagtt ctaagaggcc cactcttgag tgccagcgag tagagttttc 60
tcctccgagc cgctccgaca ccgggactga aaatgagaca tattatctgc cacggagggtg 120
ttattaccga agaaatggcc gccagtcctt tggaccagct gatcgaagag gtactggctg 180
ataatcttcc acctcctagc cattttgaa cacctaccct tcacgaactg tatgatttag 240
acgtgacggc cccgaagatg cccaacgagg aggcgggttc gcagattttt cccgagtcctg 300
taatgttggc ggtgcaggaa gggattgact tattcacttt tccgccggcg cccggttctc 360
cggagccgcc tcacctttcc cggcagcccc agcagccgga gcagagagcc ttgggtccgg 420
tttctatgcc aaaccttggt cgggaggtga tcgatcttac ctgccacgag gctggctttc 480
caccagtgga cgacgaggat gaagaggggt aggagtttgt gttagattat gtggagcacc 540
ccgggcacgg ttgcaggtct tgcattatc accggaggaa tacgggggac ccagatatta 600
tgtgttcgct ttgctatatg aggacctgtg gcatgtttgt ctacagtaag tgaaaattat 660
gggcagtcgg ttagatagtg gtgggtttgg ttgtgtaatt tttttttaat ttttacagt 720
ttgtggttta aagaattttt tattgtgatt ttttaaaagg tcctgtgtct gaacctgagc 780
ctgagcccca gccagaaccg gagcctgcaa gacctaccg gcgtcctaaa ttggtgacct 840
ctatcctgag acgcccagca tcacctgtgt ctagagaatg caatagtagt acggatagct 900
tgtagctcgg tccttctaac acacctcctg agatacaccc ggtgggtccc ctgtgcccc 960
ttaaacagtg tgcctgagga cttggtgggc gtgcgcaggc tgtggaatgt atcgaggact 1020
tgcttaacga gtctgggcaa cttttggact tgagctgtaa acgccccagg ccataagggt 1080
taaacctgtg attgcgtgtg tggttaacgc ctttgtttgc tgaatgagtt gatgtaagt 1140
taataaaggg tgagataatg ttta 1164

```

```

SEQ ID NO: 39      moltype = DNA length = 1164
FEATURE           Location/Qualifiers
source            1..1164
                  mol_type = other DNA
                  organism = synthetic construct

```

```

SEQUENCE: 39
tatttatacc cgggtgagtt ctaagaggcc cactcttgag tgccagcgag tagagttttc 60
tcctccgagc cgctccgaca ccgggactga aaatgagaca tattatctgc cacggagggtg 120
ttattaccga agaaatggcc gccagtcctt tggaccagct gatcgaagag gtactggctg 180
ataatcttcc acctcctagc cattttgaa cacctaccct tcacgaactg tatgatttag 240
acgtgacggc cccgaagatg cccaacgagg aggcgggttc gcagattttt cccgagtcctg 300
taatgttggc ggtgcaggaa gggattgact tattcacttt tccgccggcg cccggttctc 360
cggagccgcc tcacctttcc cggcagcccc agcagccgga gcagagagcc ttgggtccgg 420
tttctatgcc aaaccttggt cgggaggtga tcgatcttac ctgccacgag gctggctttc 480
caccagtgga cgacgaggat gaagaggggt aggagtttgt gttagattat gtggagcacc 540
ccgggcacgg ttgcaggtct tgcattatc accggaggaa tacgggggac ccagatatta 600
tgtgttcgct ttgctatatg aggacctgtg gcatgtttgt ctacagtaag tgaaaattat 660

```

-continued

```

gggcagtcgg  tgatagagtg  gtgggttttg  tgtggtaatt  tttttttaat  ttttacagtt  720
ttgtgggttta aagaattttg  tattgtgatt  ttttaaaagg  tcctgtgtct  gaacctgagc  780
ctgagcccgga gccagaaccg  gagcctgcaa  gacctaccgg  gcgtcctaaa  ttggtgcctg  840
ctatcctgag  acgcccagaca  tcacctgtgt  ctagagaatg  caatagtagt  acggatagct  900
gtgactccgg  tccttctaac  acacctcctg  agatacacc  ggtgggtccc  ctgtgcccc  960
ttaaaccagt  tgcggtgaga  gttggtgggc  gtcgccaggc  tgtggaatgt  atcgaggact  1020
tgcttaacga  gtctgggcaa  cctttggact  tgagctgtaa  acgccccagg  ccataagggt  1080
taaacctgtg  attgcgtgtg  tggttaacgc  ctttgtttgc  tgaatgagtt  gatgtaagtt  1140
taataaaggg  tgagataaat  tttta  1164

```

```

SEQ ID NO: 40      moltype = DNA  length = 1164
FEATURE            Location/Qualifiers
source              1..1164
                    mol_type = other DNA
                    organism = synthetic construct

```

```

SEQUENCE: 40
tatttataacc  cggtgagttc  ctcaagaggc  cactcttgag  tgccagcgag  tagagttttc  60
tcctccgagc  cgctccgaca  ccgggactga  aaatgagaca  tattatctgc  caccgaggtg  120
ttattaccga  agaaatggcc  gccagtcttt  tggaccagct  gatcgaagag  gtactggctg  180
ataatcttcc  acctcctagc  catthttgaa  cactaccct  tcacgaactg  tatgatttag  240
acgtgacggc  cccgaagat  cccaacgagg  aggcgggttc  gcagattttt  cccgagttct  300
taatgttggc  ggtgcaggaa  gggattgact  tattcacttt  tccgccggcg  cccggttctc  360
cggagccggc  tcacctttcc  cggcagcccg  agcagccgga  gcagagagcc  ttgggtcccg  420
tttctatgcc  aaaccttgtg  ccggagggtg  tcgatcttac  ctgccacgag  gctggctttc  480
caccagtgga  cgacgaggat  gaagagggtg  aggagtttgt  gttagattat  gtggagcacc  540
ccgggcacgg  ttgcaggtct  tgcattatc  accggaggaa  tacgggggac  ccagatatta  600
tgtgttcgct  ttgctatatg  aggacctgtg  gcattgttgt  ctacagtaag  tgaataattat  660
gggcagtcgg  tgatagagtg  gtgggttttg  tgtggtaatt  tttttttaat  ttttacagtt  720
ttgtgggttta aagaattttg  tattgtgatt  ttttaaaagg  tcctgtgtct  gaacctgagc  780
ctgagcccgga gccagaaccg  gagcctgcaa  gacctaccgg  gcgtcctaaa  ttggtgcctg  840
ctatcctgag  acgcccagaca  tcacctgtgt  ctagagaatg  caatagtagt  acggatagct  900
gtgactccgg  tccttctaac  acacctcctg  agatacacc  ggtgggtccc  ctgtgcccc  960
ttaaaccagt  tgcggtgaga  gttggtgggc  gtcgccaggc  tgtggaatgt  atcgaggact  1020
tgcttaacga  gtctgggcaa  cctttggact  tgagctgtaa  acgccccagg  ccataagggt  1080
taaacctgtg  attgcgtgtg  tggttaacgc  ctttgtttgc  tgaatgagtt  gatgtaagtt  1140
taataaaggg  tgagataaat  tttta  1164

```

```

SEQ ID NO: 41      moltype = DNA  length = 1164
FEATURE            Location/Qualifiers
source              1..1164
                    mol_type = other DNA
                    organism = synthetic construct

```

```

SEQUENCE: 41
tatttataacc  cggtgagttc  ctcaagaggc  cactcttgag  tgccagcgag  tagagttttc  60
tcctccgagc  cgctccgaca  ccgggactga  aaatgagaca  tattatctgc  caccgaggtg  120
ttattaccga  agaaatggcc  gccagtcttt  tggaccagct  gatcgaagag  gtactggctg  180
ataatcttcc  acctcctagc  catthttgaa  cactaccct  tcacgaactg  tatgatttag  240
acgtgacggc  cccgaagat  cccaacgagg  aggcgggttc  gcagattttt  cccgagttct  300
taatgttggc  ggtgcaggaa  gggattgact  tattcacttt  tccgccggcg  cccggttctc  360
cggagccggc  tcacctttcc  cggcagcccg  agcagccgga  gcagagagcc  ttgggtcccg  420
tttctatgcc  aaaccttgtg  ccggagggtg  tcgatcttac  ctgccacgag  gctggctttc  480
caccagtgga  cgacgaggat  gaagagggtg  aggagtttgt  gttagattat  gtggagcacc  540
ccgggcacgg  ttgcaggtct  tgcattatc  accggaggaa  tacgggggac  ccagatatta  600
tgtgttcgct  ttgctatatg  aggacctgtg  gcattgttgt  ctacagtaag  tgaataattat  660
gggcagtcgg  tgatagagtg  gtgggttttg  tgtggtaatt  tttttttaat  ttttacagtt  720
ttgtgggttta aagaattttg  tattgtgatt  ttttaaaagg  tcctgtgtct  gaacctgagc  780
ctgagcccgga gccagaaccg  gagcctgcaa  gacctaccgg  gcgtcctaaa  ttggtgcctg  840
ctatcctgag  acgcccagaca  tcacctgtgt  ctagagaatg  caatagtagt  acggatagct  900
gtgactccgg  tccttctaac  acacctcctg  agatacacc  ggtgggtccc  ctgtgcccc  960
ttaaaccagt  tgcggtgaga  gttggtgggc  gtcgccaggc  tgtggaatgt  atcgaggact  1020
tgcttaacga  gtctgggcaa  cctttggact  tgagctgtaa  acgccccagg  ccataagggt  1080
taaacctgtg  attgcgtgtg  tggttaacgc  ctttgtttgc  tgaatgagtt  gatgtaagtt  1140
taataaaggg  tgagataaat  tttta  1164

```

```

SEQ ID NO: 42      moltype = DNA  length = 1164
FEATURE            Location/Qualifiers
source              1..1164
                    mol_type = other DNA
                    organism = synthetic construct

```

```

SEQUENCE: 42
tatttataacc  cggtgagttc  ctcaagaggc  cactcttgag  tgccagcgag  tagagttttc  60
tcctccgagc  cgctccgaca  ccgggactga  aaatgagaca  tattatctgc  caccgaggtg  120
ttattaccga  agaaatggcc  gccagtcttt  tggaccagct  gatcgaagag  gtactggctg  180
ataatcttcc  acctcctagc  catthttgaa  cactaccct  tcacgaactg  tatgatttag  240
acgtgacggc  cccgaagat  cccaacgagg  aggcgggttc  gcagattttt  cccgagttct  300
taatgttggc  ggtgcaggaa  gggattgact  tattcacttt  tccgccggcg  cccggttctc  360

```

-continued

```

cggagcgcgc tcacctttcc cggcagcccg agcagccgga gcagagagcc ttgggtccgg 420
tttctatgcc aaacctttgt cgggaggtga tcgatcttac ctgccacgag gctggccttc 480
caccagtgta cgacgaggat gaagagggtg aggagtttgt gttagattat gtggagcacc 540
ccgggcacgg ttgcaggtct tgtcattatc accggaggaa tacgggggac ccagatatta 600
tgtgttcgct ttgctatag aggacctgtg gcatgtttgt ctacagtaag tgaaaattat 660
gggcagtcgg tgatagagtg gtgggttttg ttgtgtaatt ttttttaaat ttttacagtt 720
ttgtggttta aagaattttg tattgtgatt ttttaaaagg tcctgtgtct gaacctgagc 780
ctgagcccga gccagaaccg gagcctgcaa gacctaccgg gcgtcctaaa ttggtgacct 840
ctatcctgag acgcccagca tcacctgtgt ctagagaatg caatagtagt acggatagct 900
gtgactccgg tccttctaac acacctctcg agatacacc ggtgggtccc ctgtgcccc 960
ttaaacacgt tgccgtgaga gttggtgggc gtgccaggcg tgtggaatgt atcgaggact 1020
tgcttaacga gtctgggcaa cctttggact tgagctgtaa acgcccagcg ccataagggtg 1080
taaacctgtg attgcgtgtg ttggttaacgc ctttgtttgc tgaatgagtt gatgtaagtt 1140
taataaagggt tgagataatg ttta 1164

```

```

SEQ ID NO: 43      moltype = DNA length = 531
FEATURE           Location/Qualifiers
source            1..531
                  mol_type = other DNA
                  organism = synthetic construct

```

```

SEQUENCE: 43
atggaggcct gggagtggtt ggaagatttt tctgctgtgc gtaacttgct ggaacagagc 60
tctaacagta cctcttggtt ttggagggtt ctgtggggct catcccagcg aaagttagtc 120
tcgagaatta aggaggatta caagtgggaa tttgaagagc ttttgaaatc ctgtggtgag 180
ctgtttgatt tttgaatct gggtcaccag gcgcttttcc aagagaaggt catcaagact 240
ttggattttt ccacacccgg gcgcgctgcg gctgctgttg cttttttgag ttttataaag 300
gataaatgga gcgaagaaac ccatctgagc ggggggtacc tgctggattt tctggccatg 360
catctgtgga gacgggttgt gagacacaag aatcgctgcg tactgttgct ttcggtccgc 420
ccggcgataa tacgcagcga ggagcagcag cagcagcagg aggaagccag gcggcgccgc 480
caggagcaga gcccatggaa cccgagagcc ggcctggacc ctcggaatg a 531

```

```

SEQ ID NO: 44      moltype = DNA length = 1491
FEATURE           Location/Qualifiers
source            1..1491
                  mol_type = other DNA
                  organism = synthetic construct

```

```

SEQUENCE: 44
atggagcgaa gaaaccatc tgagcggggg gtacctgctg gattttcttg ccatgcattc 60
gtggagagcg gttgtgagac acaagaatcg cctgctactg ttgtcttccg tccgccccgc 120
gataataaccg acggaggagc agcagcagca gcaggaggaa gccaggcgcc gccggcagga 180
gcagagccca tggaaaccga gagccggcct ggacctcggg gaatgaatgt tgtacagggt 240
gctgaactgt atccagaact gagacgcatt ttgacaatta cagaggatgg gcagggggta 300
aaggggggtaa agagggagcg gggggcttgt gaggctacag aggaggctag gaatctagct 360
tttagcttaa tgaccagaca ccgtcctgag tgtattactt ttcaacagat caaggataat 420
tgcgctaatg agcttgatct gctggcgtag aagtattcca tagagcagct gaccacttac 480
tggctgcagc caggggatga ttttagggag gctattaggg tatatgcaaa ggtggcactt 540
aggccagatt gcaagtacaa gatcagcaaa cttgtaaata tcagggaattg ttgtacatt 600
tctgggaacg gggccgaggt ggagatagat acggaggata ggggtggcct tagatgtagc 660
atgataaata tttggccggg ggtgcttgcc atggacgggg ttggtattat gaatgtaagg 720
tttactggcc ccaattttag cggtagcggt ttcctggcca ataccaacct taccctacac 780
ggtgtaagct tctatgggtt taacaatacc tgtgtggaag cctggaccga tgttaagggt 840
cgggctgtgt ccttttactg ctgctggaag ggggtggtgt gtcgccccaa aagcagggct 900
tcaattaaag aatgctctt tgaaagggtt accttgggta tcctgtctga gggtaactcc 960
aggggtgcgc acaatgtggc ctccgactgt ggttgcttca tgctagtga aagcgtggct 1020
gtgattaagc ataacatggt atgtggcaac tgccaggaca gggcctctca gatgctgacc 1080
tgctcgagcg gcaactgtca cctgtgaaag accattcacg tagccagcca ctctcgcaag 1140
gcctggccag tgtttgagca taacatactg acccgctgtt ccttgcatth gggttaacag 1200
aggggggtgt tcctacctta ccaatgcaat ttgagtcaca ctaagatatt gcttgagccc 1260
gagagcatgt ccaagggtga cctgaacggg gtgtttgaca tgaccatgaa gatctggaag 1320
gtgctgaggt acgatgagac ccgcaccagg tgcagaccct gcgagtgtgg cggtaaacat 1380
attaggaacc agcctgtgat gctggatgtg accgaggagc tgaggcccca tcacttggtg 1440
ctggcctgca cccgcgctga gtttggctct agcgatgaag atacagattg a 1491

```

```

SEQ ID NO: 45      moltype = DNA length = 56
FEATURE           Location/Qualifiers
source            1..56
                  mol_type = other DNA
                  organism = synthetic construct

```

```

SEQUENCE: 45
tatcagcaca caattgcccc ttatacgccg gtataatgga ctattgtgtg ctgata 56

```

```

SEQ ID NO: 46      moltype = DNA length = 42
FEATURE           Location/Qualifiers
source            1..42
                  mol_type = other DNA
                  organism = synthetic construct

```

-continued

SEQUENCE: 46
acctatttca gcatactacg cgcgtagtat gctgaaatag gt 42

SEQ ID NO: 47 moltype = DNA length = 22
FEATURE Location/Qualifiers
source 1..22
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 47
ccattatacg cgcgtataat gg 22

SEQ ID NO: 48 moltype = DNA length = 33
FEATURE Location/Qualifiers
source 1..33
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 48
taacttcgta tagcatacat tatacgaagt tat 33

SEQ ID NO: 49 moltype = DNA length = 34
FEATURE Location/Qualifiers
source 1..34
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 49
gaagttccta ttctctagaa agtataggaa cttc 34

SEQ ID NO: 50 moltype = DNA length = 100
FEATURE Location/Qualifiers
source 1..100
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 50
cccaggtcag aagcgggttt cgggagtagt gccccaactg gggtaacctt tgagttctct 60
cagtgggggg cgtaggggtcg ccgacaygac acaaggggtt 100

SEQ ID NO: 51 moltype = DNA length = 100
FEATURE Location/Qualifiers
source 1..100
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 51
tgatagtgac ctgttcgttg caacacattg atgagcaatg cttttttata atgccaaactt 60
tgtacaaaaa agctgaacga gaaacgtaaa atgatataaa 100

SEQ ID NO: 52 moltype = DNA length = 22
FEATURE Location/Qualifiers
source 1..22
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 52
ncatnntann cgnntannat gn 22

SEQ ID NO: 53 moltype = DNA length = 22
FEATURE Location/Qualifiers
source 1..22
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 53
ccattatacg cgcgtataat gg 22

SEQ ID NO: 54 moltype = DNA length = 22
FEATURE Location/Qualifiers
source 1..22
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 54
gcatactacg cgcgtagtat gc 22

SEQ ID NO: 55 moltype = DNA length = 22
FEATURE Location/Qualifiers
source 1..22
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 55
ccatactata cgtatagtat gg 22

SEQ ID NO: 56	moltype = DNA	length = 22	
FEATURE	Location/Qualifiers		
source	1..22		
	mol_type = other DNA		
	organism = synthetic construct		
SEQUENCE: 56			
gcatactata	cg	tatatgat	gc
SEQ ID NO: 57	moltype = DNA	length = 14	
FEATURE	Location/Qualifiers		
source	1..14		
	mol_type = other DNA		
	organism = synthetic construct		
SEQUENCE: 57			
attatatata	taat		
SEQ ID NO: 58	moltype = DNA	length = 24	
FEATURE	Location/Qualifiers		
source	1..24		
	mol_type = other DNA		
	organism = synthetic construct		
SEQUENCE: 58			
ggcatactat	acgtatagta	tgcc	
SEQ ID NO: 59	moltype = DNA	length = 42	
FEATURE	Location/Qualifiers		
source	1..42		
	mol_type = other DNA		
	organism = synthetic construct		
SEQUENCE: 59			
acctatttca	gcatactacg	cgcgtagtat	gctgaaatag gt
SEQ ID NO: 60	moltype = DNA	length = 90	
FEATURE	Location/Qualifiers		
source	1..90		
	mol_type = other DNA		
	organism = synthetic construct		
SEQUENCE: 60			
cctatattgg	gccacctatg	tatgcacagt	tcgcccatac
atcgtgcata	cataggtggc	ccaatatagg	tatacgtata gtagggcgca
SEQ ID NO: 61	moltype = DNA	length = 56	
FEATURE	Location/Qualifiers		
source	1..56		
	mol_type = other DNA		
	organism = synthetic construct		
SEQUENCE: 61			
tatcagcaca	caattgccca	ttatacgcgc	gtataatgga ctattgtgtg ctgata
SEQ ID NO: 62	moltype = DNA	length = 42	
FEATURE	Location/Qualifiers		
source	1..42		
	mol_type = other DNA		
	organism = synthetic construct		
SEQUENCE: 62			
atgcgcgcga	ccattatacg	cgcgtataat	ggcgataata ca
SEQ ID NO: 63	moltype = DNA	length = 52	
FEATURE	Location/Qualifiers		
source	1..52		
	mol_type = other DNA		
	organism = synthetic construct		
SEQUENCE: 63			
tagtcaccta	tttcagcata	ctacgcgcgt	agtatgctga aataggttac tg
SEQ ID NO: 64	moltype = DNA	length = 90	
FEATURE	Location/Qualifiers		
source	1..90		
	mol_type = other DNA		
	organism = synthetic construct		
SEQUENCE: 64			
gggatcccg	ttccatacata	catgtatcca	tgtggcatac
gttacatatg	gtatcattcg	ggatcccg	tatacgtata gtagccgat
SEQ ID NO: 65	moltype = DNA	length = 38	

-continued

FEATURE	Location/Qualifiers	
source	1..38	
	mol_type = other DNA	
	organism = synthetic construct	
SEQUENCE: 65		
tactaaataa atattatata tataatTTTT tattagta		38
SEQ ID NO: 66		
moltype = DNA length = 18876		
FEATURE	Location/Qualifiers	
source	1..18876	
	mol_type = other DNA	
	organism = synthetic construct	
SEQUENCE: 66		
tcttcgctt cctcgctcac tgactcgctg cgcgcggtcg ttccggtcgcg gcgagcggtg	60	
tcagctcact caaaggcggt aatcagggtta tccacagaat caggggataa cgcaggaaag	120	
aacatgtgag caaaaggcca gcaaaaggcc aggaaccgta aaaaggccgc gttgctggcg	180	
ttttccata ggctccgcc cctgacgag catcacaaaa atcgacgtc aagtcagagg	240	
tggcgaaacc cgacaggact ataaagatac caggcgtttc cccctggaag ctccctcgctg	300	
cgctctcctg ttccgaccct gccgcttacc ggatacctgt ccgcctttct cccttcggga	360	
agcgtggcgc tttctcatag ctacacgtgt ttcacgtctca gttcgggtga ggtcgttcgc	420	
tccaagctgg gctgtgtgca cgaaccccc gttcagcccg accgctgcgc cttatccggt	480	
aaactatcgtc ttgagtcaca cccggtaaga cagcacttat cgcactggc agcagccact	540	
ggtaacagga ttgacagagc gaggtatgta ggcggtgcta cagagttcct gaagtgggtg	600	
cctaactacg gctacactag aagaacagta ttggttatct gcgctctgct gaagccagtt	660	
accttcggaa aaagagttgg tagctcttga tccggcaaac aaaccaccgc tggtagcggg	720	
ggtttttttg tttgcaagca gcagattacg cgcagaaaaa aaggatctca agaagatcct	780	
ttgatctttt ctacgggggc tgacgctcag tggaaacgaaa actcacgtta agggattttg	840	
gtcatgagat tatcaaaaag gatcttcacc tagatccttt taaattaaaa atgaagtttt	900	
aaatcaatct aaagtatata tgagtaaaact tgggttgaca gttattagaa aaactcatcg	960	
agcatcaaat gaaactcgaa tttattcata tcaggattat caataccata tttttgaaaa	1020	
agcgttttct gtaatgaaag gaaaaactca ccgaggcagt tccataggat ggcaagatcc	1080	
tggatccggt ctgcgattcc gactcgtcca acatcaatac aacctattaa tttccctcg	1140	
tcaaaaaataa gggtatcaag tgagaaatca ccatgagtga cgactgaatc cggtagaat	1200	
ggcaaaagtt tatgcatttc ttccagact tgttcaacag gccagccatt acgctcgtca	1260	
tcaaaatcac tcgcatcaac caaacggtta ttcattcgtg attgcgcctg agcgagacga	1320	
aatacgcgat cgctgttaaa aggacaatta caaacaggaa tcgaatgcaa ccggcgccagg	1380	
aaactcgcca gcgcatcaac aatattttca cctgaatcag gatattcttc taatacctgg	1440	
aatgctgttt ttccggggat cgcagtggtg agtaaccatg catcatcagg agtacggata	1500	
aaatgcttga tggtcggaag aggcataaat tccgtcagcc agtttagtct gaccatctca	1560	
tctgtaacat catgggcaac gctaccttgg ccatgtttca gaaacaactc tggcgcatcg	1620	
ggcttcccat acaagcgata gattgtcgca cctgattgcc cgacattatc gcgagcccat	1680	
tatacccat ataaatcagc atccatgttg gaatttaatc gcggcctcga cgtttcccg	1740	
tgaatatggc tcaatacttc cttttttcaa tattattgaa gcatttatca gggttattgt	1800	
ctcatgagcg gatacatatt tgaatgtatt tagaaaaata aacaaatagg ggttcgcgc	1860	
acatttcccc gaaaagtgc acctgacgtc taagaaacca ttattatcat gacattaacc	1920	
tataaaaaata ggcgtatcac gagggccctt cgtctcgcg gtttcggtga tgacgggtga	1980	
aacctctgac acatgcagct cccggagacg gtcacagctt gtctgtaagc ggatgccggg	2040	
agcagacaag cccgtcaggg cgcgtcagcg ggtgttgccg ggtgtcgggg ctggcttaac	2100	
tatgccgcat cagagcagat tgaactgaga gtgcaccata aaattgtaaa cgttaatat	2160	
ttgttaaaat tcggttaaaa tttttgttaa atcagctcat tttttaacca ataggccgaa	2220	
atcggaacaaa tcccttataa atcaaaagaa tagcccgaga taggggtgag tgttgttcca	2280	
gttttgaaca agagtccaact attaaagaac gtggactcca acgtcaaaagg gcgaaaaacc	2340	
gtctatcagg gcgatggccc actacgtgaa ccatcaccca aatcaagttt ttgggggtcg	2400	
aggtgccgta aagcactaaa tcggaaccct aaaggagacc cccgatttag agcttgacgg	2460	
ggaaagccgg gaaacgtggc gagaagggaa ggaaggaagc gggcgctagg	2520	
gcgctggcaa gtgtagcggg cagcgtgcgc gtaaccacca caccgcgcgc gcttaatgcg	2580	
ccgtacaggg gcgcgtaact tgggtgcttt gacgtatcgc gtgtgaaata ccgcacagat	2640	
gcgtaaggag aaaataaccgc atcaggcgcc attcgccatt caggctgcgc aactgttggg	2700	
aaggcgcatc ggtgcggggc tcttcgctat tacgccagct ggcgaaaggg ggatgtgctg	2760	
caaggcgatt aagttgggtg acgccagggt tttcccagtc acgacgttgt aaaacgacgg	2820	
ccagtgcaca gcttaagggtg cagggcccac gtggccacta gtacttctcg acagaagcac	2880	
catgtccttg ggtccggcct gctgaatgcg caggcggtcg gccatgcccc aggtctcggt	2940	
ttgacatcgg cgcaggtctt tgtagtatgc ttgcatgagc ctttctaccg gactctctc	3000	
ttctccttcc tcttgtcctg catctcttgc atctatcgtc gcggcgccgg cggagtttgg	3060	
ccgtaggtgg cgcctccttc ctcccatgcy tgtgaccccg aagccctca tcggctgaag	3120	
cagggctagg tcggcgacaa cgcgctcgcc taatatggcc tgcgtgacct gcgtgagggt	3180	
agactggaag tcacocatgt ccacaaagcg gtggtatgcg cccgtgttga tgggtgaagt	3240	
gcagttggcc ataacggacc agttaaccgt ctggtgacct ggctgcgaga gctcgggtga	3300	
cctgagacgc gagtaagccc tcgagtcaca tacgtagtgc ttgcaagtcc gcaccaggta	3360	
ctggtatccc accaaaaagt gcggcgccgg ctggcggtag aggggcccgc gtagggtggc	3420	
cggggctccg ggggcgagat cttccaaact aaggcgatga tatccgtaga tgtacctgga	3480	
catccagggt atgcggcgcg cgggtgttga ggcgcgcgga aagtcgcgga cgcgggtcca	3540	
gatgttgccg agcggcaaaa agtgctccat ggtcgggacg ctctggccgg tcaggcgccg	3600	
gcaatcgttg acgctctagc gtgcacaaag agagcctgta agcgggcact cttccgtggt	3660	
ctggtggata aatcgcaag ggtatcatgg cggacgacgg ggggttcgag cccgtatccg	3720	
gcccgtccgc gtgatccatg cggttaccgc ccgctgtcgc aaccagggtg tgcgacgtca	3780	

-continued

gacaaacgggg	gagtgetcct	tttggettcc	ttccaggcgc	ggcggetget	gcgetagett	3840
ttttggcccac	tggcgcgcgc	cagcgttaagc	ggttaggctg	gaaagcgaaa	gcattaagtg	3900
gctcgcctccc	tgtagccgga	gggttatttt	ccaagggttg	agtcgcggga	cccccggttc	3960
gagtcctcgga	ccggcccgac	tgcggcggaac	gggggtttgc	ctccccgtca	tgcaagaccc	4020
cgcttgacaaa	ttcctccgga	aacagggacg	agcccccttt	ttgcttttcc	cagatgcac	4080
cggctgctcgc	gcagatgcgc	ccccctctc	agcagcggca	agagcaagag	cagcgcgaga	4140
catgcagggc	accctcccc	ctcctaccg	cgtcaggagg	ggcgacatcc	gcggttgacg	4200
cggcagcaga	tggtgattac	gaacccccgc	ggcgccgggc	ccggcactac	ctggacttgg	4260
aggaggcgga	gggcctggcg	cggctaggag	cgccctctcc	tgagcggcac	ccaagggtgc	4320
agctgaagcg	tgatacgcgt	gaggcgtagc	tgcccgcgca	gaacctgttt	cgcgaccgcg	4380
agggagagga	gcccgaaggag	atgcgggatc	gaaagtcca	cgcaggcgcg	gagctgcggc	4440
atggcctgaa	tcgcgagcgg	ttgctgcgcg	aggaggactt	tgagcccgac	gcgcgaaccg	4500
ggattagtc	cgccgcgcga	cacgtggcgg	ccgcgcgact	ggtaaccgca	tacgagcaga	4560
cgggtgaacca	ggagattaac	tttcaaaaaa	gctttaacaa	ccacgtgcgt	acgcttgtgg	4620
gcgcgcgagga	gggtggctata	ggactgatgc	atctgtggga	ctttgtgaagc	gcgctggagc	4680
aaaacccaaa	tagcaagccg	ctcatggcgc	agctgttctc	tatagtgcag	cacagcaggg	4740
acaaacgaggc	attcagggat	gcgctgctaa	acatagtaga	gcccgaaggc	cgttggtctg	4800
tcgatttgat	aaacatcctg	cagagcatag	tggtgcagga	gcgcagcttg	agcctggctg	4860
acaaggtggc	cgccatcaac	tattccatgc	ttagcctggg	caagtgttac	gcccgaaga	4920
tataccatcc	cccttacgtt	cccatagaca	aggaggtaaa	gatcgagggg	ttctacatgc	4980
gcatggcgct	gaaggtgctt	accttgagcg	acgacctggg	cggttatcgc	aacgagcgca	5040
tcacaaggcg	cgtgagcgtg	agccggcggc	gcgagctcag	cgaccgcgag	ctgatgcaca	5100
gcctgcaaaag	ggccctggct	ggcacgggca	gcggcgatag	agaggccgag	tcctactttg	5160
acgcggggcgc	tgacctgcgc	tgggccccaa	gccgacgcgc	cctggaggca	gctggggccg	5220
gacctgggct	ggcgggtggca	cccgccgcgc	ctggcaacgt	cggcgggcgtg	gaggaatatg	5280
acgagggcga	tgagtacgag	ccagaggacg	gcgagtacta	agcgggtgatg	tttctgatca	5340
gatgatgcaa	gacgcaacgg	accgcggcgt	gcggcgcgcg	ctgcagagcc	agcgcgcgg	5400
ccttaactcc	acggacgact	ggcgccaggt	catggaccgc	atcatgtcgc	tgactgcgcg	5460
caatcctgac	gcgttccggc	agcagccgca	ggcccaaccg	ctctccgcaa	ttctggaaagc	5520
ggtggtcccgc	gcgcgcgcga	acccccacga	cgaagaagtg	ctggcgatcg	taaacgcgct	5580
ggccgaaaaac	agggccatcc	ggcccgacga	ggccggcctg	gtctacgacg	cgctgcttca	5640
gcgcgtggct	cgttacaaca	gcggcaacgt	gcagaccaac	ctggaccggc	tggtggggga	5700
tgtgcgcgcg	gcccgtggcg	agcgtgagcg	gcgcgacgag	cagggcaacc	tggtgctccat	5760
ggttgcacta	aacgccttcc	tgagtacaca	gcccgcgaac	gtgcccgcgg	gacaggagga	5820
ctacaccaac	tttgtgagcg	cactgcccgt	aatgggtgact	gagacaccgc	aaagtggagt	5880
gtaccagctc	gggcccagact	attttttcca	gaccagtaga	caaggcctgc	agaccgtaaa	5940
cctgagccag	gctttcaaaa	acttgacggg	gctgtggggg	gtgcccggctc	ccacaggcga	6000
ccgcgcgacc	gtgtctagct	tgttgacgcc	caactcgcgc	ctggttgcgc	tgctaatagc	6060
gccccttcacg	gacagtggca	gcgtgtcccg	ggacacatac	ctaggctcact	tgctgacact	6120
gtaccgcgag	gccataggtc	aggcgcatgt	ggacgagcat	actttccagg	agattacaag	6180
tgtcagccgc	gcgctggggc	aggaggacac	gggcagcctg	gaggcaaccc	taaaactacct	6240
gctgaccaac	cggcggcaga	agatcccctc	gttgacacgt	ttgcaccctt	tggcgcaccc	6300
cattctccag	tacatttatg	tccatgggcg	cactcacaga	cctgggccaa	aaccttctct	6360
acgccaactc	cgccccacgc	ctagacatga	cttttgaggt	ggatcccatg	gacgagccca	6420
cccttcttta	tggtttggtt	gaagtctttg	acgtgggtccg	tgtgcaccag	ccgcacccgcg	6480
gcgtcatcga	aacgctgtac	ctgcgcacgc	ccttctcggc	cggcaacgcc	acaacataaa	6540
gaagcaagca	acatcaacaa	cagctgccgc	catgggctcc	agtgagcagg	aactgaaagc	6600
catgtgcaaa	gatcttgggt	gtgggccaata	ttttttgggc	acctatgaca	agcgttttcc	6660
aggctttggt	tctccacaca	agctgcgctg	cgccatagtc	aatacggccg	gtcgcgagac	6720
tgggggctga	cactggatgg	cctttgcctg	gaacccgcac	tcaaaaacat	gctacctctt	6780
tgagcccttt	ggctttctcg	accagcgact	caagcaggtt	taccagtttg	agtacgagtc	6840
actcctgcgc	gtagcgcga	ttgcttcttc	ccccgaccgc	tgtataacgc	tggaaaagtc	6900
cacccaaaagc	gtacaggggc	ccaactcggc	cgctgtggga	ctattctgct	gcatgtttct	6960
ccacgccttt	gccaactggc	cccaactccc	catggatcac	aaccccccca	tgaaccttat	7020
taccggggta	cccaactcca	tgctcaacag	tcccaggtta	cagccccacc	tgctgcgcaa	7080
ccaggaaacag	ctctacagct	tcctggagcg	ccactcgccc	tacttccgca	gccacagtgc	7140
gcagattagg	agcgccactt	ctttttgtca	cttgaaaaac	atgtaaaaat	aatgtactag	7200
agacactttc	aataaaggca	aatgctttta	tttgtacact	ctcgggtgat	tatttcccc	7260
cacccttgcc	gtctgcgcgc	tttaaaaaatc	aaaggggttc	tgccgcgcac	cgtatgcgc	7320
cactggcagg	gacacgttgc	gatactgggtg	tttagtgctc	cacttaaaact	caggcacacac	7380
catccgcggc	agctcggtga	agttttcact	ccacaggctg	cgcaccatca	ccaacgcgtt	7440
tagcaggtcg	ggcgccgata	tcttgaagtc	gcagttgggg	cctccgcccc	gcgcgcgcga	7500
gttgcgatcc	acaggggttg	agcaactggaa	cactatcagc	gcccgggtgtg	gcacgcgtgc	7560
cagcacgctc	ttgtcggaga	tcagatccgc	gtccaggctc	tccgcgttgc	tcaggggcgaa	7620
cggagtcaac	tttggtagct	gccttcccaa	aaagggcgcg	tgcccaggct	ttgagttgca	7680
ctcgacccgt	agtggtcatca	aaaggtgacc	gtgcccggct	tgggcgttag	gatcacgcgc	7740
ctgcataaaa	gccttgatct	gcttaaaagc	cacctgagcc	tttgcgcctt	cagagaagaa	7800
catgcccga	gacttgccgc	aaaactgatt	ggccgggacag	gcccgcgtcg	gcacgcagca	7860
ccttgctgcg	gtgttgagga	tctgcaccac	atctcggccc	caccggttct	tcacgatctt	7920
ggccttgcta	gactgctcct	tcagcgcgcg	ctgcccgttt	tcgctcgtea	catccatttc	7980
aatcacgtgc	tactatttta	tcataatgct	tcggtgtaga	cacttaagct	gccttcgat	8040
ctcagcgcag	cgggtgcagcc	acaacgcgca	gcccgtgggc	tcgtgatgct	tgtaggtcac	8100
ctctgcaaac	gactgcaggt	acgcctgcag	gaatcgcccc	atcatcgtea	caaaggtctt	8160
gttgcgtggt	aaggtcagct	gcaacccgcg	gtgctcctcg	ttcagccagg	tcttgcatatc	8220
ggccgccaaga	gcttccactt	ggtcaggcag	tagtttgaa	ttgcgcctta	gatcgttatc	8280
cacgtggtac	ttgtccatca	gcgcgcgcgc	agcctccatg	cccttctccc	acgcagacac	8340

-continued

gacgggcaca	ctcagcgggt	tcatcacgct	aatttcactt	tccgcttcgc	tgggctcttc	8400
ctcttctctt	tgcgtccgca	taccacgcgc	cactgggtcg	tcttcaattca	gccgcgcac	8460
tggtgcgtta	cctcctttgc	catgcttgat	tagcacccgt	gggttgctga	aaccaccat	8520
ttgtagcgcc	acatctttct	ttcttctctc	gctgtccacg	attacctctg	gtgatggcgg	8580
gcgctcgggc	ttgggagaag	ggcgcttctt	ttcttctctg	ggcgcaatgg	ccaaatccgc	8640
cgccgaggtc	gatggcgcg	ggctgggtgt	gcgcggcacc	agcgctctt	gtgatgagtc	8700
ctctctgctc	tgggactcga	tacgcgcgct	catccgcttt	tttgggggcg	cccggggagg	8760
cggcgggcac	ggggacgggg	acgacacgct	ctccatgggt	gggggacgtc	gcgcgcgacc	8820
gggtccgcgc	tggggggtgg	tttcgcgctg	ctcctcttcc	cgactggcca	tttctctctc	8880
ctataggcag	aaaaagatca	tggagtcagt	cgagaagaag	gacagcctaa	ccgccccctc	8940
tgagttcgcc	accaccgect	ccaccgatgc	cgccaacgcg	cctaccacct	tccccgtcga	9000
ggcaccgccg	cttgaggagg	aggaagtgat	tatcgagcag	gaccaggtt	ttgtaagcga	9060
agacgacgag	gaccgctcag	taccaacaga	ggataaaaaa	caagaccagg	acaacgcaga	9120
ggcaaacgag	gaacaagtgc	ggcgggggga	cgaaaggcat	ggcgactacc	tagatgtggg	9180
agacgacgtg	ctgttgaaag	atctgcagcg	ccagtgcgcc	attatctgcg	acgctgtgca	9240
agagcgacgc	gagtgcccc	tcgccatagc	ggatgtcagc	cttgccctacg	aacgccacct	9300
attctcaccc	cgcttaccct	ccaaacgcga	agaaaacggc	acatgcgagc	ccaaccgcgc	9360
cctcaacttc	taccccgctat	ttgcgctgcc	agaggtgtct	gccacctatc	acatcttttt	9420
ccaaaactgc	aagataccct	tatcctgccg	tgccaaccgc	agccgagcgg	acaagcagct	9480
ggccttgccg	caggggcgctg	tcatacctga	tatcgccctg	ctcaacgaag	tgccaaaaat	9540
ctttgagggt	cttggagcgcg	acgagaagcg	cgcggcaaac	gctctgcaac	aggaaaaacag	9600
cgaaaaatga	agtcactctg	gagtggttgt	ggaaactcgag	ggtgacaacg	cgcgcctagc	9660
cgtactaaaa	cgagcatcgc	aggtcaccca	ctttgcctac	ccggcactta	acctaccctc	9720
caagggtcatg	agcacagtcg	tgagtgagct	gatcgtgcgc	cgtgcgcagc	ccctggagag	9780
ggatgcacat	ttgcaagaag	aaacagagga	gggcctacc	gcagtggcg	acgagcagct	9840
agcgcgctgg	cttcaaacgc	gcgagcctgc	cgacttggag	gagcgacgca	aactaatgat	9900
ggcgcgagtg	ctcgtttaccg	tggagcttga	gtgcatgcag	cggttctctg	ctgaccgccga	9960
gatgcagcgc	aagctagagg	aaacattgca	ctacaccttt	cgacagggtc	acgtacgccca	10020
ggcctgcaag	atctccaaag	tggagctctg	caacctggct	tcctaccttg	gaatttttga	10080
cgaaaaccgc	cttgggcaaa	acgtgcttca	ttccacgcct	aaggggcagg	cgcgcgcgca	10140
ctacgtccgc	gactgcgtct	acttatttct	atgctacacc	tggcagacgg	ccatgggcgt	10200
ttggcagcag	tgtctggagg	agtgcacact	caaggagctg	cagaaaactgc	taaagcaaaa	10260
cttgaaaggac	ctatggagac	ccttcaacga	gcgctccggt	gccgcgcacc	tggcgagcat	10320
cattttcccc	gaacgcctgc	ttaaaaccct	gcaacagggt	ctgccagact	tcaccagtcg	10380
aagcatgttg	cgaaacttta	ggaaactttat	cctagagcgc	tcagggaatct	tgcgccccac	10440
ctgctgtgca	cttctagcgc	actttgtgcc	cattaagtac	cgcgaaatgcc	ctccgcgcgt	10500
ttggggccac	tgtacacttc	tgacgtagc	caactacctt	gcctaccact	ctgacataat	10560
ggaaagacgtg	agcgggtgacg	gtctactgga	gtgtcactgt	cgctgcaacc	tatgcacccc	10620
gcaccgcctc	ctggtttgca	attcgcagct	gcttaacgaa	agtcacaaat	tcggtagcctt	10680
tgagctgcag	ggctccctgc	ctgacgaaaa	gtccgcggct	ccggggttga	aactcactcc	10740
ggggctgtgg	acgtcggctt	accttcgcaa	atttgtacct	gaggactacc	acgccccaga	10800
gattaggttc	tacgaagacc	aatcccgccc	gcctaagtgc	gagcttaccg	cctgcgtcat	10860
taccaggggc	cacattcttg	gccaatgtga	agccatcaac	aaagcccgcc	aagagtttct	10920
gtacgaaaaa	ggacgggggg	tttacttgga	ccccagctcc	ggcgaggagc	tcaacccaat	10980
ccccccgcgc	ccgcagccct	atcagcagca	gccgcggggc	cttgcttccc	aggatggcac	11040
ccaaaaagaa	ggtgcagctg	ccgcgcgcc	ccacggacga	ggaggaatac	tgggacagtc	11100
aggcagagga	gggttttgac	gaggaggagg	aggacatgat	ggaagactgg	gagagcctag	11160
acgaggaagc	ttccgaggtc	gaagagggtg	cagacgaaac	accgtcaccc	tcggctcgcat	11220
tcctctcgcc	ggcgccccag	aaatcggcaa	ccggttccag	catggctaca	acctccgctc	11280
ctcaggcgcc	gccggcactg	cccgctcgcc	gacccaaccg	tagatgggac	accactggaa	11340
ccaggggcgc	taagtccaag	cagccgcgcg	cgttagccca	agagcaacaa	cagcgcccaag	11400
gctaccgctg	atggcgcggg	cacaagaacg	ccatagtgtg	ttgcttgcaa	gactgtgggg	11460
gcaacatctc	cttcgcccgc	cgtcttcttc	tctaccatca	cggcggtggc	ttcccccgta	11520
acatcctgca	ttactaccgt	catctctaca	gcccatactg	caccggcggc	agcggcagca	11580
acagcagcgg	ccacacagaa	gcaaaggcga	ccggatagca	agactctgac	aaagcccaag	11640
aaatccacag	cggcggcagc	agcaggagga	ggagcgctgc	gtctggcgcc	caacgaaccc	11700
gtatcgaccc	gcgagcttag	aaacaggatt	tttccactc	tgtatgctat	atttcaacag	11760
agcaggggcc	aagaacaaga	gctgaaaata	aaaaacagg	ctctgcgatc	cctcaccgcg	11820
agctgcctgt	atcacaaaag	cgaagatcag	cttcggcgca	cgctggaaga	cgcggaggct	11880
ctcttcagta	aatactgcgc	gctgactctt	aaggactagt	ttcgcgccct	ttctcaaat	11940
taagcgcgaa	aactacgtca	ttccagcg	ccacaccgcg	cgccagcacc	tgttgctagc	12000
gccattatga	gcaaggaaat	tcccacgccc	tacatgtgga	gttaccagcc	acaaatggga	12060
cttgcggtcg	gagctgcccc	agactactca	accgaataaa	actacatgag	cgcgggaccc	12120
cacatgatga	cccggtcaa	cggaaatagc	gcccaccgaa	accgaattct	cctggaacag	12180
gcggctatta	ccaccacacc	tcgtaataac	cttaatcccc	gtagtggcc	cgtgcctctg	12240
gtgtaccagg	aaagtcccg	tcccaccact	gtggtacttc	ccagagacgc	ccaggccgaa	12300
gttcagatga	ctaactcagg	ggcgagctt	gcggcgcgct	ttcgtcacag	gggtgcggtc	12360
cccgggcagg	gtataactca	cctgacaatc	agagggcgag	gtattcagct	caacgacgag	12420
tcgggtgagct	cctcgcttgg	tctccgtccg	gacgggacat	ttcagatcgg	cggcgccggc	12480
gcctcttcat	tcacgcctcg	tcaggcaatc	ctaactctgc	agacctctgc	ctctgagccg	12540
cgtctgggag	gcattggaac	attgaggagt	ttgtgccate	ggctactctt		12600
aaaccttctc	cgggacctcc	cggccactat	ccggatcaat	ttattcctaa	ctttgacgcg	12660
gtaaaggact	cggcgagcgg	ctacgactga	atgttaagtg	gagaggcaga	gcaactgcgc	12720
ctgaaacacc	tggctcactg	tcgcgcgcc	aagtgtcttg	cccgcgactc	cggtagtctt	12780
tgctactttg	aattgcocga	ggatcatatc	gagggcccg	cgcacggcgt	ccggcttacc	12840
gcccaggagg	agcttgcccg	tagcctgatt	cgggagttta	cccagcgcgc	cctgctagt	12900

-continued

gagcgggaca	ggggaccctg	tgttctcact	gtgatttgca	actgtcctaa	cctgggatta	12960
catcaagatc	ctctagttaa	ttaactagag	tacccgggga	tcttattccc	tttaactaat	13020
aaaaaaaaat	aataaagcat	cacttactta	aaatcagtta	gcaaatttct	gtccagttta	13080
tccagcagca	cctccttgcc	ctcctcccag	ctctgggtatt	gcagcttcc	cctgggtgca	13140
aaactttctc	acaactctaa	tggaaatgtc	gtttcctcct	gttcctgtcc	atccgcaccc	13200
actatcttca	tgttgttgca	gatgaagcgc	gcaagaccgt	ctgaagatac	cttcaacccc	13260
gtgtatccat	atgacacgga	aaccggctcc	ccaactgtgc	ctttctttac	tctcctcttt	13320
gtatccccc	atgggtttca	agagagtccc	cctggggtac	tctctttgcg	cctatccgaa	13380
cctctagtta	cctccaatgg	catgcttgcg	ctcaaaatgg	gcaacggcct	ctctctggac	13440
gaggccggca	accttacctc	ccaaaatgta	accactgtga	gcccacctct	caaaaaaac	13500
aagtcaaaac	taaaacctgga	aatatctgca	cccctcacag	ttacctcaga	agccctaact	13560
gtggctgccg	cgcacacctc	aatggctcgc	ggcaacacac	tcaccatgca	atcacaggcc	13620
cgcgtaacgg	tgcacgactc	caaaacttagc	attgccaccc	aaggacccct	cacagtgtca	13680
gaaggaaaag	tagccctgca	aaactcaggg	cccctcacca	ccaccgatag	cagtaccctt	13740
actatcactg	cctcaccccc	tctaaactact	gccactggta	gcttggggcat	tgacttgaaa	13800
gagcccatTT	atacacaaaa	tgaaaaacta	ggactaaagt	acggggctcc	tttgcattga	13860
acagacgacc	taaacactttt	gaccgtagca	actgggtccag	gtgtgactat	taataaact	13920
tctctgcaaa	ctaaagttaac	tggagccttg	ggtttttgatt	cacaaggcaa	tatgcaactt	13980
aatgtagcag	gaggactaag	gattgattct	caaaacagac	gcctataact	tgatgttagt	14040
tatcgcgttg	atgctcaaaa	ccaaactaaat	ctaagactag	gacagggccc	tctttttata	14100
aactcagccc	acaacttgga	tattaactac	aacaaaggcc	tttacttggt	tacagcttca	14160
aaacaattcca	aaaagcttga	gggttaacct	agcactgcca	aggggttgat	gtttgacgct	14220
acagccatag	caactaatgc	aggagatggg	cttgaatttg	gttcacctaa	tgacacaaac	14280
acaaatcccc	tcaaaacaaa	aattggccat	ggcctagaat	ttgattcaaa	caaggctatg	14340
gttctctaac	taggaactgg	ccttagtttt	gacagcacag	gtgccattac	agtaggaac	14400
aaaaataatg	ataagctaac	tttgtggacc	acaccagctc	catctcctaa	ctgtagacta	14460
aatgcagaga	aagatgtcaa	actcactttg	gtcttaacaa	aatgtggcag	tcaaatactt	14520
gctacagttt	cagttttggc	tgttaaaggc	agtttggtcc	caatatctgg	aacagttcaa	14580
agtgtctatc	ttattataag	atttgacgaa	aatggagtgc	tactaaacaa	ttcctctctg	14640
gaccagaaat	attggaactt	tgaataatgga	gatcttactg	aaggcacagc	ctatacaaac	14700
gctgttggaT	ttatgcttaa	cctatcagct	tatccaaaat	ctcacggtaa	aactgccaaa	14760
agtaacattg	tcagtcaagt	ttacttaaac	ggagacaaaa	ctaaacctgt	aacactaac	14820
attacactaa	acggtacaca	ggaacacagga	gacacaactc	caagtgcata	ctctatgtca	14880
ttttcatggg	actggtctgg	ccacaactac	attaatgaaa	tatttgccac	atcctcttac	14940
actttttcat	acattgcccc	agaataaaga	atcggtttgtg	ttatgtttca	acgtgtttat	15000
ttttcaattg	cagaaaaattt	caagtcatTT	ttcattcagt	agtatagccc	caccaccaca	15060
tagctttatac	agatcacctg	accttaataca	aactcacaga	accctagtat	tcaacctgcc	15120
acctcccccc	caacacacag	agtacacagt	cctttctccc	cggtggcct	taaaaagcat	15180
catatcatgg	gtaacagaca	tattcttagg	tgttatattc	cacacgggtt	cctgtcgagc	15240
caaacgctca	tcagtgtat	taataaactc	cccgggcagc	tcacttaagt	tcagtgcgt	15300
gtccagctgc	tgagccacag	gctgctgtcc	aacttgcggt	tgcttaacgg	gcggcggaagg	15360
agaagtccac	gcctacatgg	gggtagagtc	ataatcgtgc	atcaggatag	ggcgggtggtg	15420
ctgcagcagc	gcgcgaataa	actgctgcgc	ccgcgcgtcc	gtcctgcagg	aatacaaat	15480
ggcagtggtc	tctccagcga	tgattcgcac	cgcccgagc	ataaggcgcc	ttgtcctccg	15540
ggcacagcag	cgcacctga	tctcaactaa	atcagcacag	taactgcagc	acagcaccac	15600
aatattgttc	aaaatcccc	agtgcaaggc	gctgtatcca	aagctcatgg	cggggacccac	15660
agaacccacg	tggccatcat	accacaagcg	caggtagatt	aagtggcgac	ccctcataaa	15720
cacgtgggac	ataaacatta	cctcttttgg	catgttgtaa	ttcaccacct	cccggtagca	15780
tataaacctc	tgattaaaca	ggcgcccatc	caccacctc	ctaaaccagc	tgcccaaaac	15840
ctgccccggc	gctatacact	gcagggaacc	gggactggaa	caatgacagt	ggagagccca	15900
ggactcgtaa	ccatggatca	tcatgctcgt	catgatatac	atgttggcac	aacacaggca	15960
cacgtgcata	cacttctcta	ggattacaag	ctcctccgc	gttagaacca	tatcccaggg	16020
aaacaacccat	tcttgaatca	gcgtaaatcc	cacactgcag	ggaagacctc	gcacgtaaact	16080
cacgttgtgc	attgtcaaat	tgttacattc	gggcagcagc	ggatgatcct	ccagtatggt	16140
agcgcggtgt	tctgtctcaa	aaggaggtag	acgatcccta	ctgtacggag	tgccgagaga	16200
caaccgagat	cgtgttggtc	gtagtgtcat	gccaaatgga	acgcgggacg	tagtcatatt	16260
tcttgagaca	aaaccagggt	cgggcgtgac	aaacagatct	gcgtctccgg	tctcgccgct	16320
tagatcgctc	tgtgtagttag	ttgtagtata	tccactctct	caaagcatcc	aggcgcccc	16380
tggcttcggg	ttctatgtaa	actccttcat	gcgcgctgc	cctgataaca	tccaccaccg	16440
cagaataaag	cacaccagc	caacctacac	attcgttctg	cgagtccac	acgggaggag	16500
cgggaagagc	tggaaagaacc	atgttttttt	ttttattcca	aaagattatc	caaaaacctca	16560
aaatgaagat	ctattaagtg	aacgcgctcc	cctccggtgg	cgtgggtcaa	ctctacagcc	16620
aaagaacaga	taatggcatt	tgtaaagatgt	tgcaaatgg	cttccaaaag	gcaaacggcc	16680
ctcacgtcca	agtggacgta	aaggctaaac	ccttcagggt	gaatctcctc	tataaacatt	16740
ccagcacctt	caaccatgcc	caataaattc	tcatctgcgc	accttctcaa	tatatctcta	16800
agcaaatccc	gaatattaag	tccggccatt	gtaaaaatct	gctccagagc	gccctccacc	16860
ttcagcctca	agcagcgaat	catgattgca	aaaattcagg	ttctccacag	acctgtataa	16920
gattcaaaag	cggaaacatta	acaaaataac	cgcgatcccg	taggtccctt	cgcaggggcca	16980
gctgaacata	atcgtgcagg	tctgcacgga	ccagcgcggc	cacttccccg	ccaggaaacca	17040
tgacaaaaga	accacactgt	attatgacac	gcatactcgg	agctatgcta	accagcgtag	17100
ccccgatgta	agcttgttgc	atgggcggcg	atataaaatg	caagggtgctg	ctcaaaaaat	17160
caggcaaaag	ctcgcgcaaa	aaagaaagca	catcgtagtc	atgctcatgc	agataaaggc	17220
aggtaagctc	cggaaaccac	acagaaaaag	acaccatttt	tctctcaaac	atgtctgcgg	17280
gtttctgcat	aaacacaaaa	taaaaataca	aaaaaacatt	taaacatttag	aagcctgtct	17340
tacaacagga	aaaacaaccc	tataagcat	aagacggact	acggccatgc	cggcgtgacc	17400
gtaaaaaaac	tggtcaccgt	gattaaaaag	caccaccgac	agctcctcgg	tcatgtccgg	17460

-continued

agtcataatg	taagactcgg	taaacacatc	aggttgatgc	acatcggtca	gtgctaaaaa	17520
gcgaccgaaa	tagcccgggg	gaatacatac	cgcagggcgt	agagacaaca	ttacagcccc	17580
cataggagggt	ataacaaaat	taataggaga	gaaaacacac	taaacacctg	aaaaaccctc	17640
ctgcctaggc	aaaatagcac	cctcccgtc	cagaacaaca	tacagcgctt	ccacagcggc	17700
agccataaaca	gtcagcctta	ccagtaaaaa	agaaaaccta	ttaaaaaac	accactcgac	17760
acggcaccag	ctcaatcagt	cacagtgtaa	aaaagggccca	agtcgacagc	gagtatatat	17820
aggactaaaa	aatgacgtaa	cggttaaagt	ccacaaaaaa	caccagaaaa	accgcacgcg	17880
aaacctacgc	cagaaacgaa	agccaaaaaa	cccacaactt	cctcaaatcg	tcacttcctg	17940
tttcccacgt	tacgtcactt	ccatttttaa	gaaaactaca	attcccaaca	catacaagtt	18000
actccgcctc	aaaacctacg	tcaccgcgcc	cgttcccacg	ccccgcgcca	cgtcacaaac	18060
tccacccctc	cattatcata	ttggcttcaa	tccaaaataa	tcatacaata	tataccttat	18120
tttgatttga	agccaatatg	ataatgaggg	ggtggagttt	gtgacgtggc	gcggggcggtg	18180
ggaacggggc	gggtgacgta	gtagtgtggc	ggaagtgtga	tgttgcaagt	gtggcggaac	18240
acatgtaaagc	gacggatgtg	gcaaaagtga	cgttttttgt	gtgcgcggga	tccacaggac	18300
gggtgtggtc	gccatgatcg	cgtagtcgat	agtggtccca	agtacgcaag	cagcagggac	18360
tgggcggcgg	ccaaagcggt	cggacagtgc	tccgagaacg	ggtgcgcata	gaaattgcat	18420
caacgcatac	agcgctagca	gcacgcata	gtgactggcg	atgctgtcgg	aatggacgat	18480
atcccgcgaag	agggcccgca	gtaccggcat	aaccaagcct	atgcctacag	catccagggt	18540
gacggtggcg	aggatgacga	tgagcgcatt	gttagatttc	atacacgggtg	cctgactgcg	18600
ttagcaattt	aactgtgata	aactacgcga	ttaaagctta	tcgaattcgt	aatcatgtca	18660
tagctgtttc	ctgtgtgaaa	ttgttatccg	ctcacaaatc	cacacaacat	acgagccgga	18720
agcataaagt	gtaaaagctg	gggtgcctaa	tgagtgaact	aactcacatt	aattgcgttg	18780
cgctcactgc	ccgctttcca	gtcgggaaac	ctgtcgtgcc	agctgcatta	atgaatcggc	18840
caacgcgcgg	ggagaggcgg	tttgcgtatt	ggggcgc			18876

SEQ ID NO: 67 moltype = DNA length = 15310
 FEATURE Location/Qualifiers
 source 1..15310
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 67

gcgtataatg	gactattgtg	tgctgatagg	cgcgcccagc	agaagcacca	tgtccttggg	60
tccggcctgc	tgaatgcgca	ggcggtcggc	catgcccagc	gcttcgtttt	gacatcggcg	120
aggtcttttg	tagtagtctt	gcatagcctt	ttctaccggc	acttcttctt	ctccttcttc	180
ttgtcctgca	tctcttgcac	ctatcgtcgc	ggcggcggcg	gagtttggcc	gtaggtggcg	240
ccctcttctc	cccctgcgtg	tgaccccgaa	gcccctcctc	ggctgaagca	gggctaggtc	300
ggcgacaacg	cgtcggctga	atatggcctg	ctgcacctgc	gtgagggtag	actggaagtc	360
atccatgtcc	acaaaagcgt	gggtatgcgc	cgtgttgatg	gtgtaagtgc	agttggccat	420
aacggaccag	ttaacggtct	gggtgacccg	ctgcgagagc	tcggtgtacc	tgagacgcga	480
gtaagccctc	gagtcacata	cgtagtcggt	gcaagtcctc	accaggtact	ggtatcccac	540
caaaaagtgc	ggcggcggct	ggcggttagg	gggcccagcg	agggttggcg	gggctccggg	600
ggcgagatct	tccaacataa	ggcgatgata	tccgtagatg	tacctggaca	tccaggtgat	660
gcccggcgcg	gtggtggagg	gcgcgggaaa	gtcgcggacg	cggttccaga	tgttgcgcag	720
cggcaaaaag	tgctccatgg	tcggggacgt	ctggcccgctc	agggcgcgcg	aatcgttgac	780
gctctagcgt	gcaaaaggag	agcctgtaag	cgggcaactc	tccgtggtct	gggtggataa	840
ttcgcaaggg	tatcatggcg	gacgaccggg	gttcgagccc	cgtatccggc	cgctccgcgt	900
gatccatgcg	gttaccgccc	gcgtgtcgaa	cccagggtgtg	cgacgtcaga	caacggggga	960
gtgctccttt	tggtctcctt	ccaggcggcg	cggctgtcgc	gctagctttt	ttggccactg	1020
gcccgcgcga	gcgttaagcg	ttaggctgga	aagcgaaagc	attaagtggc	tcgctccctg	1080
tagccggagg	gttattttcc	aagggttagg	tcgcgggacc	cccgggtcga	gtctcggacc	1140
ggccggagctg	cggcgaaagg	gggtttgcct	cccgcctcatg	caagaccctc	cttgcaaaat	1200
cctccggaag	cagggacgag	cccctttttt	gctttttcca	gatgcactcg	gtgctgcggc	1260
agatgcgccc	ccctcctcag	cagcggcaag	agcaagagca	gcggcagaca	tgcaggggac	1320
cctccctcct	tcctaccgct	tcaggagggg	cgacatccgc	gggtgacgcg	gcagcagatg	1380
gtgattacga	accccccgcg	cgcggggccc	ggcactacct	ggacttggag	gagggcgagg	1440
gcctggcgcg	gctaggagcg	ccctcctcct	agcggcaccc	aaggggtgcag	ctgaagcgtg	1500
atacgcgtga	ggcgtagctg	cgcgcgcaga	acctgtttcg	cgaccgcgag	ggagaggagc	1560
ccgaggagat	cggggatcga	aagttccacg	cagggcgcga	gctgcggcat	ggcctgaatc	1620
gcgagcgggt	gctgcgcgag	gaggactttg	agcccgcgcg	gcgaaccggg	attagtcctc	1680
cgcgcgcaca	cgtggcggcc	gccgacctgg	taaccgcata	cgagcagacg	gtgaaccagg	1740
agattaactt	tcaaaaaagc	tttaacaacc	acgtgcgtac	gcttggggcg	cgcgaggagg	1800
tggttatagg	actgatgcac	ctgtgggact	ttgtaagcgc	gctggagcaa	aaccctaaat	1860
gcaagccgct	catggcgacg	ctgttcctta	tagtcgagca	cagcagggac	aacgaggcat	1920
tcagggatgc	gctgctaaac	atagtagagc	cagagggccg	ctggctgctc	gatttgataa	1980
acatcctgca	gagcatagtg	gtgcaggagc	gcagcttgag	cctggctgac	aagggtggcg	2040
ccatcaacta	ttccatgcct	agcctgggca	agttttacgc	ccgcaagata	taccataacc	2100
cttacgttcc	catagacaag	gaggtaaaga	tcgagggggt	ctacatgcgc	atggcgctga	2160
aggtgcttac	cttgagcgac	gacctgggcg	tttatcgcaa	cgagcgcatc	cacaaggccg	2220
tgagcgtgag	cggcgggcgc	gagctcagcg	accgcgagct	gatgcacagc	ctgcaaaagg	2280
ccctggctgg	cacgggcagc	ggcgatagag	aggccgagtc	ctactttgac	gcgggcgctg	2340
acctgcgctg	ggccccaaagc	gcacgcgccc	tggaggcagc	tggggccgga	cctgggctgg	2400
cgggtggcacc	gcgcgcgcct	ggcaacgtcg	gcggcggtga	ggaatatgac	gaggacgatg	2460
agtagcagcc	agaggacggc	gagtagtaag	cggtagatgt	tctgatcaga	tgatgcaaga	2520
cgcaaccggc	cggcggtgtc	gggcggcgct	gcagagccag	ccgtccggcc	ttactccac	2580
ggagcactgg	tcgacggcat	tggaccgcat	catgtcgtcg	actgcgcgca	atcctgacgc	2640
gttccggcag	cagccgcagg	ccaaccggct	ctccgcaatt	ctggaagcgg	tggctccggc	2700

-continued

gcgcgcgaac	cccacgcacg	agaaggtgct	ggcgatcgta	aacgcgctgg	ccgaaaacag	2760
ggccatccgg	cccgcacgag	ccggcctggg	ctacgacgcg	ctgcttcagc	gcgtggctcg	2820
ttacaacacg	ggcaacgtgc	agaccaacct	ggaccggctg	gtgggggatg	tgcgcgaggc	2880
cgtggcgacg	cgtgagcgcg	cgcagcagca	gggcaacctg	ggctccatgg	ttgactaaa	2940
cgccctcctg	agtacacagc	ccgccaacgt	gccgcgggga	caggaggact	acaccaactt	3000
tgtgagcgca	ctgcggctaa	tggtgactga	gacaccgcaa	agtgaggtgt	accagtctgg	3060
gccagactat	ttttccaga	ccagtagaca	aggcctgcag	accgtaaac	tgagccaggc	3120
tttcaaaaac	ttgcaggggc	tgtggggggg	gcgggctccc	acaggcgacc	gcgcgaccgt	3180
gtctagcttg	ctgacgcccc	actcgcgcct	gttgctgctg	ctaatagcgc	ccttcacgga	3240
cagtggcagc	gtgtcccggg	acacatacct	aggtcacttg	ctgacactgt	accgcgaggc	3300
cataggctag	gcgcatgtgg	acgagcatac	tttccaggag	attacaagtg	tcagccgcgc	3360
gctggggcag	gaggacacgg	gcagcctgga	ggcaacccta	aactacctgc	tgaccaaccg	3420
gcggcagaag	atccctcgt	tgacagttt	gcacctttg	gcgcatecca	ttctccagta	3480
actttatag	catgggcgca	ctcacagacc	tgggccccaa	ccttctctac	gccaaactcg	3540
cccacgcgct	agacatgact	tttgaggtgg	atccccatga	cgagcccacc	cctctttatg	3600
ttttgttga	agtctttgac	gtggtccgtg	tgaccagcc	gcaccgcggc	gtcatcgaaa	3660
ccgtgtacct	gcgcacgccc	ttctcgccg	gcaacgcac	aacataaaga	agcaagcaac	3720
atcaacaaca	gctgcgcgca	tgggctccag	tgagcaggaa	ctgaaagcca	ttgtcaaaaga	3780
tcttggtgtg	gggcatatt	tttggggcac	ctatgacaag	cgctttccag	gctttgtttc	3840
tccacacaag	ctgcctcg	ccatagtcaa	tacggccggt	cgcgagactg	ggggcgtaga	3900
ctggatggcc	tttgccctga	accgcactc	aaaaacatgc	tacctctttg	agccctttgg	3960
cttttctgac	cagcgactca	agcaggttta	ccagtttgag	tacgagtcac	tcctgcgcgc	4020
tagcgccatt	gcttctctcc	ccgaccgctg	tataaacgctg	gaaaagtcca	cccaaagcgt	4080
acagggggccc	aactcggcgc	cctgtggact	attctgctgc	atgtttctcc	acgcctttgc	4140
caactggccc	caaacctccc	tggatcacaa	ccccaccatg	aaccttatta	ccggggtagc	4200
caactccatg	ctcaacagtc	ccaggtaca	gcccaccctg	cgtcgcaacc	aggaacagct	4260
ctacagcttc	ctggagcgcc	actcgcctca	cttcgcgcgc	cacagtcgcg	agattaggag	4320
cgccacttct	ttttgtcact	tgaaaaacat	gtaaaaataa	tgtactagag	acactttcaa	4380
taaaaggcaaa	tgtctttatt	tgtacactct	cggttgatta	tttaccctca	cccttgccgt	4440
ctgcgcgctt	taaaaatcaa	aggggttctg	ccgcgcctcg	ctatgcgcga	ctggcaggga	4500
cacgttgcca	tactggtgtg	tagtctcca	cttaactca	ggcacaaaca	tccgcggcag	4560
ctcggtgaag	ttttcactcc	acaggtcg	caccatcacc	aacgcgttta	gcaggtcg	4620
cgccgatatc	ttgaagtcgc	agttagggcc	tccgcctcgc	gcgcgcgagt	tgcgatacac	4680
aggggttgca	ctatgacgc	cggtggtgc	acgctggcca	gcagctctt	4740	
gtcgagatc	agatcccgct	ccaggtcctc	cgcttgctc	agggcgcaacg	gagtcacact	4800
tggtagctgc	cttccccaaa	agggcgcgctg	cccaggcttt	gagttgcact	cgcaaccgtg	4860
tggcatcaaa	aggtgaccgt	gcccgctctg	ggcgtagga	tacagcgctc	gcataaaagc	4920
cttgatctgc	ttaaaagcca	ctcgagcctt	tgcccttca	gagaagaaca	tgccgcaaga	4980
cttgccggaa	aactgattgg	ccggacaggc	cgctcgtgc	acgcagcacc	ttgcgtcggt	5040
gttgagatc	tgcaccacat	ttcgcccca	ccggttcttc	acgatcttgg	ccttgctaga	5100
ctgctctctc	agcgcgcgct	gcccgttttc	gctcgtcaca	tccatttcaa	tcacgtgctc	5160
cttatttctc	ataatgcttc	cgtgtagaca	cttaagctcg	ccttcgatct	cagcgacgcg	5220
gtgcagccac	aacgcgcgac	ccgtgggctc	gtgatgcttg	taggtcacct	ctgcacacga	5280
ctgcaggtac	gcctgcagga	atcgcccat	catcgtcaca	aaggtcttgt	tgctgggtgaa	5340
ggtagctgc	aaccgcggt	gctcctcgtt	cagccaggtc	ttgcatacgg	ccgccagagc	5400
ttccacttgg	tcaggcagta	gcttgaaagt	cgcccttaga	tcgttatcca	cgtggtaact	5460
gtccatcagc	gcgcgcgcag	cctccatgcc	cttctcccac	gcagacacga	tcggcacact	5520
cagcgggttc	atcacgtaaa	tttcaacttc	cgcttcgctg	ggctcttcc	cctcctcttg	5580
cgctccgata	ccacgcgcga	ctgggtcgtc	ttcattcagc	cgccgcactg	tgccgttacc	5640
tcccttgcca	tgtcttgatta	gcaccgggtg	gttgctgaaa	cccaccattt	gtagcggcac	5700
atctctctct	tcttctctgc	tgtccacgat	tacctctggt	gatggcgggc	gctcgggctt	5760
gggagaagg	cgcttctttt	tcttcttggg	gcgaatggcc	aaatccgcgc	ccgaggtcga	5820
tggcgcggg	gtgggtgtgc	gcggcaccag	cgctcttgt	gatgagctt	cctcgtcctc	5880
ggactcgata	cgccgcctca	tccgcttttt	tgggggcgc	cggggagggc	gcggcgacgg	5940
ggacggggac	gacagctcct	ccatggttgg	gggacgtcgc	gccgcaccgc	gtccgcgctc	6000
gggggtgggt	tcgcgctgct	cctcttccc	actggccatt	tccttctcct	ataggcagaa	6060
aaagatcatg	gagtcagtcg	agaagaagga	cagcctaacc	gccccctctg	agttcggcac	6120
caccgcctcc	accgatgcgc	ccaacgcgc	taccaccttc	ccgctcgagg	caccccgct	6180
tgaggaggag	gaagtgatta	tcgagcagga	cccaggtttt	gtaagcgaag	acgacgagga	6240
ccgctcagta	ccaacagagg	ataaaaagca	agaccaggac	aacgcagagg	caaacgagga	6300
acaagtccgg	cggggggaag	aaaggcatgg	cgactaccta	gatgtgggag	acgacgtgct	6360
gttgaagcat	ctgcagcgcc	agtgcgccat	tatctgcgac	gcgttgcaag	agcgcagcga	6420
tgtccccctc	gccatagcgg	atgtcagcct	tgccacgaa	cgccacctat	tctcaccgcg	6480
cgtaccccc	aaacgcgaag	aaaacggcac	atgcgagccc	aaccgcgcgc	tcaacttcta	6540
ccccgtattt	gcggtgccag	aggtgcttgc	cacctatcac	atcttttttc	aaaactgcga	6600
gatacccccta	tcttcgcggt	ccaacgcgag	ccgagcggac	aagcagctgg	ccttgcgga	6660
gggcgctgtc	atacctgata	tcgcctcgct	caacgaagtg	ccaaaaatct	ttgagggct	6720
tggacgcgac	gagaagcgcg	cggcaaacgc	tctgcaacag	gaaaacagcg	aaaatgaaag	6780
tcactctgga	gtgttggtgg	aactcgaggg	tgacaacgcg	cgctagccg	tactaaaacg	6840
cagcatcgag	gtcaccact	ttgcctaccc	ggcacttaac	ctacccccca	aggtcatgag	6900
cacagtcatg	agtgagctga	tcgtgcgcgc	tgcgagccc	ctggagaggg	atgcaaaatt	6960
gcaagaacaa	acagaggagg	gctacccgc	agttggcgac	gagcagctag	cgcgctggct	7020
tcaaacgcgc	gagcctcgcc	acttgagga	gcgacgcaaa	ctaagtatgg	ccgcagtgct	7080
cgttaccgtg	gagcttgagt	gcctgcagcg	gttctttgct	gacccggaga	tgacgcgcaa	7140
gtagagga	acattgcaact	acacctttcg	acagggctac	gtacgcgag	cctgcaagat	7200
ctccaacgtg	gagctctgca	acctggtctc	ctaccttgga	attttgcacg	aaaaccgcct	7260

-continued

tgggcaaaac	gtgtttcatt	ccacgctcaa	gggagaggcg	cgccgcgact	acgtccgcga	7320
ctgcgtttac	ttattttctat	gctacacctg	gcagacggcc	atgggcgttt	ggcagcagtg	7380
cttgaggagag	tgcaacctca	aggagctgca	gaaactgcta	aagcaaaact	tgaaggacct	7440
atggacggcc	ttcaacgagc	gctccgtggc	cgcgacactg	gcggacatca	ttttcccgca	7500
acgcctgctt	aaaaocctgc	aacagggtct	gccagacttc	accagtcaaa	gcattgttga	7560
gaacttttagg	aactttatcc	tagagcgctc	aggaatcttg	cccgccacct	gctgtgcact	7620
tcctagcgac	tttgtgccca	ttaagtaccg	cgaatgccct	ccgcgcgttt	ggggccactg	7680
ctacctttcg	cagctagcca	actaccttgc	ctaccactct	gacataatgg	aagacgtgag	7740
cggtgacggt	ctactggagt	gtcactgtcg	ctgcaaccta	tgcaccccg	accgctccct	7800
ggtttgcaat	tcgcagctgc	ttaacgaaag	tcaaattatc	ggtacctttg	agctgcaggg	7860
tccttcgctt	gacgaaaagt	ccgcggctcc	ggggttgaaa	ctcactccgg	ggctgtggac	7920
gtcggcttac	cttcgcaaat	ttgtacctga	ggactaccac	gcccacgaga	ttaggttcta	7980
cgaagaccac	tcctgcggcg	ccaatgcgga	gcttaccgcc	tgcgtcatta	cccaggggcca	8040
cattctttggc	caatttgcaag	ccatcaacaa	agcccgccaa	gagttttctgc	tacgaaaggg	8100
acgggggggtt	tacttggaac	cccagtcggg	cgaggagctc	aacccaatcc	ccccgcggcc	8160
gcagccctat	cagcagcagc	cgcgggccct	tgcttccag	gatggcacc	aaaaagaagc	8220
tgacgtgctc	gccgcccacc	acggacgagg	aggaatactg	ggacagtcag	gcagaggagg	8280
ttttggacga	ggaggaggag	gacatgatgg	aagactggga	gagcctagac	gaggaagcct	8340
ccgaggtcga	agaggtgtca	gacgaaacac	cgtcacctcc	ggtcgcattc	ccctcgccgg	8400
cgccccgaaa	atcgggcaac	ggttccagca	tggctacaac	ctccgctcct	caggcgccgc	8460
cggcactgcc	cgttcgcccga	cccaaccgta	gatgggacac	cactggaacc	aggggcggtta	8520
agtcacagca	gccgcggcg	ttagcccaag	agcaacaaca	gcgccaaggc	taccgctcat	8580
ggcgcgggca	caagaacggc	atagttgctt	gcttgcaaga	ctgtgggggg	aacatctcct	8640
tcgcccggcg	ctttctcttc	taccatcacg	cgctggcctt	cccccgtaac	atcctgcatt	8700
actaccgtca	tctctacagc	ccatactgca	ccggcgggcag	cggcagcaac	agcagcgggc	8760
acacagaagc	aaaggcgacg	ggatagcaag	actctgacaa	agcccaagaa	atccacagcg	8820
gcggcagcag	caggaggagg	agcgctgcgt	ctggcgccca	acgaaccctg	atcgacccgc	8880
gagcttagaa	acaggtatctt	tcctcactctg	tatgctatat	ttcaacagag	cagggggccaa	8940
gaacaagagc	tgaaaaataaa	aaacaggctc	ctgcgatccc	tcacccgcag	ctgcctgtat	9000
cacaaaaagc	aagatcagct	tcggcgccacg	ctggaagacg	cggaggctct	cttcagtaaa	9060
tactgcggcg	tgactcttaa	ggactagttt	cgcgcccttt	ctcaaattta	agcgcgaaaa	9120
ctacgtcatc	tcacagcgcc	acaccggcg	ccagcacctg	ttgtcagcgc	cattatgagc	9180
aaggaaaatc	ccacgcctta	catgtggagt	taccagccac	aaatgggact	tcgggctgga	9240
gctgccccag	actactcaac	ccgaataaac	tacatgagcg	cgggacccca	catgatattc	9300
cggttcaacg	gaatacgcgc	ccaccgaaac	cgaattctcc	tggaacaggc	ggctattacc	9360
accacacctc	gtaataacct	taatccccgt	agttggcccg	ctgcctgggt	gtaccaggaa	9420
agtcocgctc	ccaccactgt	ggtacttccc	agagacgccc	aggccgaagt	tcagatgact	9480
aaactcagggg	cgcagcttgc	ggggcgcttt	cgtcacaggg	tgcggtcgcc	cgggcagggg	9540
ataactcacc	tgacaatcag	aggggcaggt	attcagctca	acgacgagtc	gggtgagctcc	9600
tcgcttggtc	tcgctccgga	cgggacattt	cagatcgggc	gcgcggcgcc	ctcttcattc	9660
acgctcgtc	aggcaatcct	aactctgcag	acctcgctct	ctgagccgcg	ctctggaggc	9720
atttggaact	tgcaatttat	tgaggagttt	gtgccactcg	tctactttaa	ccctctctcg	9780
ggactccccg	gccactatcc	ggatcaattt	attcctaact	ttgacgcggg	aaaggactcg	9840
gcggacggct	acgactgaat	gttaagtggg	gaggcagagc	aaactgcgct	gaaacacctg	9900
gtccactgtc	gtgccccaaa	gtgctttggc	cgcgactccg	gtgagtttgc	ctactttgaa	9960
ttgcccgagg	atcatatcga	gggcccggcg	cacggcgctc	ggcttacccg	ccaggagagag	10020
cttgcccgtta	gcctgattcg	ggagtttacc	cagcgccccc	tgctagttag	gcggggacagg	10080
ggaccctgtg	ttctcactgt	gatttgcaac	tgtcctaacc	ctggattaca	tcaagatcct	10140
ctagttaat	aactagagta	ccgggggac	ttattccctt	taactaataa	aaaaaaataa	10200
taaagcatca	cttacttaaa	atcagttagc	aaatttctgt	ccagtttatt	cagcagcacc	10260
tccttgccct	cctcccagct	ctgggtattg	agcttccctc	tggtcgcata	ctttctccac	10320
aatctaaatg	gaatgtcagt	ttcctcctgt	tcctgtccat	ccgcacccac	tatcttcactg	10380
ttgttgacga	tgaaagcgcg	aagaccgtct	gaagatacct	tcaaccccg	gtatccatat	10440
gacacggaaa	ccggtcctcc	aactgtgcct	ttctctactc	ctccctttgt	atcccccaat	10500
gggtttcaag	agagtccccc	tggggtactc	tccttgccgc	tatccgaacc	tcagtttacc	10560
tcctaatggca	tgcttgccgt	caaaatgggc	aacggcctct	ctctggacga	ggccggcaac	10620
cttacctccc	aaaatgtaac	cactgtgagc	ccacctctca	aaaaaaccaa	gtcaaacata	10680
aaacttgaaa	tactctgcaac	ccctcacagt	acctcagaag	ccctaactgt	ggctgcggcc	10740
gcacctctaa	tggtcgcggg	caacacactc	acctgcaat	cacaggcccc	gctaaccgtg	10800
cacgactcca	aacttagcat	tgccacccaa	ggacccctca	cagtgtcaga	aggaaagcta	10860
gcccgtgaaa	ctacaggccc	cctcacacc	accgatagca	gtacccttac	tatcactgcc	10920
tcacccctcc	taactactgc	cactggtagc	ttgggcattg	acttgaaaga	gcccatttat	10980
acacaaaatg	gaaaactagg	actaaagtac	ggggctcctt	tgcatgtaac	agacgacctt	11040
aaacttttga	ccgtagcaac	tggtccagggt	gtgactatta	ataatacttc	cttgcaaaact	11100
aaagttaactg	gagccttggg	ttttgattca	caaggcaata	tgcaacttaa	tgtagcaggga	11160
ggactaaggga	ttgattctca	aaacagacgc	cttataactg	atgttagtta	tcctgtttgat	11220
gctcaaaacc	aactaaatct	aagactagga	caggggccctc	tttttataaa	ctcagccccc	11280
aaacttgata	ttactatcaa	caaggccctt	tacttggtta	cagcttcaaa	caattccaaa	11340
aaacttgagg	ttacctaag	cactgccaa	gggttgatgt	ttgacgctac	agccatagcc	11400
atataatgcag	gagatggggt	tgaatttggt	tcacctaatg	caccaaacac	aaatccccctc	11460
aaaaacaaaa	ttggccacgg	cctagaattt	gattcaaaaa	aggctatggt	tcctaactaa	11520
ggaactggcc	ttagtttttg	cagcacaggt	gccattacag	taggaaacaa	aaataatgat	11580
aaacttaactt	tgtaggaccac	accagctcca	tctcctaact	gtagactaaa	tgacagagaaa	11640
gatgctaaac	tacttttggt	cttaacaaaa	tgtaggcagtc	aaataacttc	tacagtttca	11700
gttttggtcg	ttaaagcgag	tttggtccca	atatctggaa	cagttcaaa	tgctcatctt	11760
attataagat	ttgacgaaaa	tgtagtgcta	ctaaacaatt	ccttccctgga	cccagaatat	11820

-continued

tggaacttta	gaaatggaga	tcttactgaa	ggcacagcct	atacaaacgc	tgttggattt	11880
atgcctaacc	tatcagctta	tccaaaatct	cacggtaaaa	ctgcaaaaag	taacattgtc	11940
agtcaggttt	acttaaacgg	agacaaaact	aaacctgtaa	cactaaccat	tacactaaac	12000
ggtaacacag	aaacaggaga	cacaactcca	agtgacatac	ctatgtcatt	ttcatgggac	12060
tggctcgcc	acaactacat	taatgaaata	tttgccacat	cctcttacac	tttttcatac	12120
attgcccagg	aataaagaat	cgtttgtgtt	atgtttcaac	gtgtttattt	ttcaattgca	12180
gaaaatttca	agtcattttt	cattcagtag	tatagcccca	ccaccacata	gcttatacac	12240
atcaccgtag	cttaaatcaaa	ctcacagaac	cctagtattc	aacctgccc	ctccctccca	12300
acacacagag	tacacagtc	tttctccccg	gctggcctta	aaaagcatca	tatcatgggt	12360
aacagacata	ttcttaggtg	tttatattcca	cacggtttcc	tgtcgagcca	aacgctcatc	12420
agtgatatta	ataaactccc	cgggcagctc	acttaagttc	atgtcgctgt	ccagctgctg	12480
agccacaggg	tgtgtgtccaa	cttgccgttg	cttaacgggc	ggcgaaggag	aagtccacgc	12540
ctacatgggg	gtagagtcac	aatcgtgcat	caggataggg	cggtgggtgt	gcagcagcgc	12600
gcgaataaac	tgtcgcgcgc	gccgtccgt	cctgcaggaa	tacaacatgg	cagtgggtctc	12660
ctcagcgatg	attcgcacgc	cccgcagcat	aaggcgcctt	gtctcccggt	cacagcagcg	12720
caccctgac	tcacttaaat	cagcacagta	actgcagcac	agcaccacaa	tattgttcaa	12780
aatcccacag	tgcaggcggc	tgtatccaaa	gctcatggcg	gggaaccacag	aacccacgtg	12840
gcccatacat	cacaagcgca	ggtagattaa	gtggcgaccc	ctcataaaca	cgttgagcat	12900
aaacattacc	ttctttggca	tttgttaatt	caccacctcc	cggtaaccata	taaacctctg	12960
attaacacatg	gcgcccattc	ccaccatcct	aaaccagctg	gccaaaacct	gcccgcgggc	13020
tatacactgc	agggaaacgg	gactggaaca	atgacagtgg	agagcccagg	actcgtaacc	13080
atggatcatc	atgctcgtca	tgatatcaat	gttggcaca	cacaggcaca	cgtgcataca	13140
cttctcagg	attacaagct	cctcccgcgt	tagaaccata	tcccagggaa	caacccattc	13200
ctgaatcagc	gtaaatccca	cactgcaggg	aagacctcgc	acgtaactca	cgttggtgat	13260
tgtcaaaagt	ttacatctgg	gcagcagcgg	atgatcctcc	agtatggtag	cgcggttttc	13320
tgtctcaaaa	ggaggtagac	gatccctact	gtacggagtg	cgccgagaca	accgagatcg	13380
tgttggtcgt	agtgctcatg	caaagtgaac	gccggacgta	gtcatatttc	ctgaagcaaa	13440
accaggtgcg	ggcgtgacaa	acagatctgc	gtctccggtc	tcgccgctta	gatcgctctg	13500
tgtagtatgt	gtagtatatc	cactctctca	aagcatccag	gcgccccctg	gcttcgggtt	13560
ctatgtaaac	tccttcacgc	gccgtgccc	tgataacatc	caccaccgca	gaataagcca	13620
caccagcca	acctacacat	tcgttctgcg	agtcacacac	gggaggagcg	ggaagagctg	13680
gaagaacat	gttttttttt	ttattccaaa	agattatcca	aaacctcaaa	atgaagatct	13740
attaagttaa	cgcgctcccc	tccggtggcg	tgtgcaaac	ctacagccaa	agaacagata	13800
atggcatttg	taagatgttg	cacaatggct	tccaaaaggc	aaacggccct	cacgtccaag	13860
tggacgtaaa	ggctaaaccc	ttcagggtga	atctctctca	taaacatttc	agcaccttca	13920
accatgcccc	aataattctc	atctcgccac	cttctcaata	tatctctaag	caaatcccga	13980
atattaagtc	cgccatttgt	aaaaatctgc	tccagagcgc	cctccacctt	cagcctcaag	14040
cagcgaatca	tgattgcaaa	aattcaggtt	cctcacagac	ctgtataaga	ttcaaaaagc	14100
gaacattaac	aaaaataccg	cgtatccgta	ggtcccttcg	caggggcagc	tgaacataat	14160
cgtgcaggtc	tgacgggacc	agcgcggcca	cttccccgcc	aggaacctatg	acaaaagaac	14220
ccacactgat	tatgacacgc	atactcggag	ctatgctaac	cagcgtagcc	ccgatgtaag	14280
cttgttgcat	ggcgggcgat	ataaaatgca	aggtgctgct	caaaaaatca	ggcaaaagcct	14340
cgcgcaaaaa	agaaagcaca	tcgtagtcat	gctcatgca	ataaaggcag	gtaagctccg	14400
gaaccaccac	agaaaaagac	accatttttc	tctcaaacat	gtctgcggtt	ttctgcataa	14460
acacaaaaata	aaataacaaa	aaaacattta	aacattagaa	gcctgtctta	caacaggaaa	14520
aaacaacctt	ataagcataa	gacggactac	ggccatgccc	gcgtgaccgt	aaaaaaactg	14580
gtcacccgtg	ttaaaaagca	ccaccgacag	ctcctcggtc	atgtccggag	tcataatgta	14640
agactcggtg	aacacatcag	gttgattcac	atcggtcagt	gctaaaaagc	gaccgaaata	14700
gcccggggga	atacatacc	gcaggcgtag	agacaacatt	acagcccca	taggaggtat	14760
aaacaaaatta	ataggagaga	aaaacacata	aaacacctgaa	aaacctcct	gcctaggcaa	14820
aatagcaccc	tcccgctcca	gaacaacata	cagcgcttcc	acagcggcag	ccataacagt	14880
cagccttacc	agtaaaaaag	aaaaactatt	aaaaaaacac	cactcgacac	ggcaccagct	14940
caatcagtc	cagtgtaaaa	aaggggccaag	tgcagagcga	gtatatatag	gactaaaaaa	15000
tgacgtaacg	gttaaggtcc	acaaaaaaca	cccagaaaac	cgcacgcgaa	cctacgcccc	15060
gaaacgaaag	ccaaaaaac	cacaacttcc	tcaaatcgtc	acttccgttt	tcccacgtta	15120
cgtcacttcc	cattttaaga	aaactacaat	tcccacaca	tacaagttac	tccgccttaa	15180
aacctacgtc	accgcgcccc	ttcccacgcc	ccgcgccacg	tcacaaaactc	cacccctcca	15240
ttatcatatt	ggcttcaatc	caaaaataagc	ggccgcacta	gttatcagca	cacaattgcc	15300
cattatacgc						15310

SEQ ID NO: 68 moltype = DNA length = 324
 FEATURE Location/Qualifiers
 source 1..324
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 68

atgttaagtg	gagaggcaga	gcaactgccc	ctgaaacacc	tggccactg	tcgccgccac	60
aagtgtttg	cccgcgactc	cggtagttt	tgctactttg	aattgccga	ggatcatatc	120
gagggcccg	cgacggcgt	cgggttacc	gccaggag	agcttgccc	tagcctgatt	180
gggagttta	cccagcccc	cctgctagt	gagcgggaca	ggggaccctg	tgttctcact	240
gtgatttga	actgtcttaa	ccttgatta	catcaagatc	ttgttgcca	tctctgtgct	300
gagtataata	aatacagaaa	ttaa				324

SEQ ID NO: 69 moltype = DNA length = 192
 FEATURE Location/Qualifiers
 source 1..192

-continued

```

                                mol_type = other DNA
                                organism = synthetic construct

SEQUENCE: 69
atgaacaatt caagcaactc tacgggctat tctaattcag gtttctctag aatcggggtt 60
ggggttattc tctgtcttgt gattctcttt attcttatac taacgcttct ctgcctaagg 120
ctcgccgcct gctgtgtgca catttgcatt tattgtcagc tttttaaagc ctggggtcgc 180
cacccaagat ga 192

SEQ ID NO: 70      moltype = DNA length = 483
FEATURE           Location/Qualifiers
source            1..483
                  mol_type = other DNA
                  organism = synthetic construct

SEQUENCE: 70
atgattaggt acataatcct aggtttactc acccttgcgt cagccacagg taccacccaa 60
aagggtgatt ttaaggagcc agcctgtaat gttacattcg cagctgaagc taatgagtgc 120
accactctta taaaatgcac cacagaacat gaaaagctgc ttattcgcca caaaaacaaa 180
attggcaagt atgctgttta tgctatttgg cagccaggtg acactacaga gtataatgtt 240
acagttttcc agggtaaaag tcataaaact tttatgtata cttttccatt ttatgaaatg 300
tgcgacatta ccatgtacat gagcaaacag tataagttgt gggccccaca aaattgtgtg 360
gaaaacactg gcactttctg ctgcactgct atgctaatta cagtgtctgc tttggctctg 420
accctactct atattaaata caaaagcaga cgcagcttta ttgaggaaaa gaaaatgcct 480
taa 483

SEQ ID NO: 71      moltype = DNA length = 282
FEATURE           Location/Qualifiers
source            1..282
                  mol_type = other DNA
                  organism = synthetic construct

SEQUENCE: 71
atgaccaaca caaccaacgc ggccgcccgt accggactta catctaccac aaatacaccc 60
caagtttctg cctttgtcaa taactgggat aactgggca tgtgggtggt ctccatagcg 120
cttatgtttg tatgccttat tattatgtgg ctcatctgct gcctaaagcg caaacgcgcc 180
cgaccacca tctatagctc catcattgtg ctacacccaa acaatgatgg aatccataga 240
ttggacggac tgaaacacat gttcttttct cttacagtat ga 282

SEQ ID NO: 72      moltype = DNA length = 276
FEATURE           Location/Qualifiers
source            1..276
                  mol_type = other DNA
                  organism = synthetic construct

SEQUENCE: 72
atgattcttc gagtttttat attactgacc cttgttgccg ttttttgtgc gtgctccaca 60
ttgggtgcgg tttctcatat cgaagtagac tgcattccag ccttcacagt ctatttgctt 120
tacggatttg tcaccctcac gctcatctgc agcctcatca ctgtgggtcat cgcctttatc 180
cagtgcaattg actgggtctg tgtgcgcttt gcatatctca gacaccatcc ccagtacagg 240
gacaggacta tagctgagct tcttagaatt ctttaa 276

SEQ ID NO: 73      moltype = DNA length = 399
FEATURE           Location/Qualifiers
source            1..399
                  mol_type = other DNA
                  organism = synthetic construct

SEQUENCE: 73
atgaaaattta ctgtgacttt tctgctgatt atttgacccc tatctgcggt ttgttccccg 60
acctccaagc ctcaaagaca tatatcatgc agattcactc gtatatggaa tattccaagt 120
tgctacaatg aaaaaagcga tctttccgaa gcctgggtat atgcaatcat ctctgttatg 180
gtgttctgca gtaccatctt agccctagct atatatccct accttgacat tggctgggaa 240
cgaatagatg ccatgaacca cccaactttc cccgcgcccc ctatgcttcc actgcaacaa 300
gttgttgccg gcggttttgt cccagccaat cagcctcgcc ccacttctcc cccccccact 360
gaaatcagct actttaatct aacaggagga gatgactga 399

SEQ ID NO: 74      moltype = DNA length = 387
FEATURE           Location/Qualifiers
source            1..387
                  mol_type = other DNA
                  organism = synthetic construct

SEQUENCE: 74
atgactgaca ccctagatct agaaatggac ggaattatta cagagcagcg cctgctagaa 60
agacgcaggg cagcgccgga gcaacagcgc atgaatcaag agctccaaga catgggttaac 120
ttgcaaccagt gcaaaagggg tatcttttgt ctggtaaaagc aggccaaagt cacctacgac 180
agtaatacca ccggacacgg ccttagctac aagttgccaa ccaagcgta gaaattgggtg 240
gtcatgggtg gagaaaagcc cattaccata actcagcact cggtagaaac cgaaggctgc 300
attcactcac cttgtcaagg acctgaggat ctctgcaccc ttattaaagc cctgtgcggt 360
ctcaaagatc ttattccctt taactaa 387

```

SEQ ID NO: 75	moltype = AA length = 107								
FEATURE	Location/Qualifiers								
source	1..107								
	mol_type = protein								
	organism = synthetic construct								
SEQUENCE: 75									
MLSGEAEQLR LKHLVHCRRH KCFARDSGEF CYFELPEDHI EGPAGHVRLT AQGELARSLI	60								
REFTQRPLL V ERDRGPCVLT VICNCPNLGL HQDLCCCLCA EYNKYRN	107								
SEQ ID NO: 76	moltype = AA length = 63								
FEATURE	Location/Qualifiers								
source	1..63								
	mol_type = protein								
	organism = synthetic construct								
SEQUENCE: 76									
MNNSNSTGY SNSGFSRIGV GVILCLVILF ILILTLCLR LAACCVHICI YCQLFKRWGR	60								
HPR	63								
SEQ ID NO: 77	moltype = AA length = 160								
FEATURE	Location/Qualifiers								
source	1..160								
	mol_type = protein								
	organism = synthetic construct								
SEQUENCE: 77									
MIRYIILGLL TLASAHGTTQ KVDKFKEPACN VTFAAEANEC TTLIKCTTEH EKLIRHKNK	60								
IGKYAVYAIW QPGDTTEYNV TVPQGKSHKT FMYTFPFYEM CDITMYMSKQ YKLWPPQNCV	120								
ENTGTFCCTA MLITVLALVC TLLYIKYKSR RSFIEEKKMP	160								
SEQ ID NO: 78	moltype = AA length = 93								
FEATURE	Location/Qualifiers								
source	1..93								
	mol_type = protein								
	organism = synthetic construct								
SEQUENCE: 78									
MTNTTNAAAA TGLTSTTNT	QVS	AFVNMWD	NLGMW	WFSIA	LMFV	CLIMW	LICCL	KRKA	60
RPPIYSPIIV LHPNNDGIHR	LDGL	KHMF	FS	LTV					93
SEQ ID NO: 79	moltype = AA length = 91								
FEATURE	Location/Qualifiers								
source	1..91								
	mol_type = protein								
	organism = synthetic construct								
SEQUENCE: 79									
MIPRVFILLT LVALFCACST LAAVSHIEVD CIPAFTVYLL YGFVTLTLIC SLITVVIAFI	60								
QCIDWVCVRF AYLRHHPQYR DRTIAELLRI L	91								
SEQ ID NO: 80	moltype = AA length = 132								
FEATURE	Location/Qualifiers								
source	1..132								
	mol_type = protein								
	organism = synthetic construct								
SEQUENCE: 80									
MKFTVTPLLI ICTLSAPCSP TSKPQRHISC RFTRIWNIPS CYNEKSDLSE AWLYAIISVM	60								
VFCSTILALA IYPYLDIGWK RIDAMNHPTF PAPAMLPLQQ VVAGGFVPAN QPRPTSPTPT	120								
EISYFNLTGG DD	132								
SEQ ID NO: 81	moltype = AA length = 128								
FEATURE	Location/Qualifiers								
source	1..128								
	mol_type = protein								
	organism = synthetic construct								
SEQUENCE: 81									
MTDTLDLEMD GIITEQRLLR RRRAAEQQR MNQELQDMVN LHQCKRGIFC LVKQAKVYTD	60								
SNTTGHRLSY KLPTKRQKLV VMVGKPPITI TQHSVETEGC IHSPCQGPED LCTLIKTLCG	120								
LKDLIPFN	128								
SEQ ID NO: 82	moltype = AA length = 471								
FEATURE	Location/Qualifiers								
source	1..471								
	mol_type = protein								
	organism = synthetic construct								
SEQUENCE: 82									
MASREEEQRE TTPERGRGAA RRPPTMEDVS SPSPSPPPPR APPKKRMRRR IESEDEEDSS	60								
QDALVPRTPS PRPSTSAADL AIAPKKKKKKR PSPKPERPPS PEVIDSEEE REDVALQMVG	120								
FSNPPVLIKH GKGGKRTVRR LNEDDPVARG MRTQEEEEEP CKTWLNEEHR GLQLTFTSNK	180								
TFVTMMGRFL QAYLOSFAEV TYKHHEPTGC ALWLHRCAEI EGELKCLHGS IMINKEHVIE	240								

-continued

MDVTSSENGQR	ALKEQSSKAK	IVKNRWGRNV	VQISNTDARC	CVHDAACPAN	QFSGKSCGMF	300
FSEGAKAQVA	FKQIKAFMQA	LYPNAQTGHG	HLLMPLRCEC	NSKPGHAPFL	GRQLPKLTPF	360
ALSNAEDLDA	DLISDKSVLA	SVHHPALIVF	QCCNPVYRNS	RAQGGGPNC	FKISAPDLLN	420
ALVMVRSLSW	ENFTELPRMV	VPEFKWSTKH	QYRNVSLPVA	HSDARQNPF	F	471

SEQ ID NO: 83 moltype = AA length = 254
 FEATURE Location/Qualifiers
 source 1..254
 mol_type = protein
 organism = synthetic construct

SEQUENCE: 83

MAPKKKLQLP	PPPTDEEEYW	DSQAEVLDE	EEEDMMEDWE	SLDEEASEVE	EVSDETPSPS	60
VAFPSAPQK	SATGSSMATT	SAPQAPPALP	VRRPNRRWDT	TGTRAGKSKQ	PPPLAQEQQ	120
RQGYRSWRGH	KNAIVACLQD	CGGNISFARR	FLLYHHGVAF	PRNILHYRRH	LYSPYCTGGS	180
GGGSNSSGHT	EAKATGSEAE	SEITVMNP	LS	VPIVSAWEKG	MEAAARALMDK	240
FKLLPDQVEA	LAAY					254

SEQ ID NO: 84 moltype = AA length = 229
 FEATURE Location/Qualifiers
 source 1..229
 mol_type = protein
 organism = synthetic construct

SEQUENCE: 84

MAPKKKLQLP	PPPTDEEEYW	DSQAEVLDE	EEEDMMEDWE	SLDEEASEVE	EVSDETPSPS	60
VAFPSAPQK	SATGSSMATT	SAPQAPPALP	VRRPNRRWDT	TGTRAAHTAP	AAAAAATAA	120
ATQKQRRPDS	KTLTKPKKST	AAAAAGGGAL	RLAPNEPVST	RELNRNIFPT	LYAIFQQSRG	180
QEQELKIKNR	SLRSLTRSCL	YHKSEDQLRR	TLEDAAELFS	KYCALTLDK		229

SEQ ID NO: 85 moltype = AA length = 807
 FEATURE Location/Qualifiers
 source 1..807
 mol_type = protein
 organism = synthetic construct

SEQUENCE: 85

MESVEKKDSL	TAPSEFATTA	STDAANAPT	FPVEAPPLEE	EEVIEQDPG	FVSEDDEDRS	60
VPTEDKKQDQ	DNAEANEQV	GRGDERHGDY	LDVGDDVLLK	HLQRQCAIIC	DALQERSDVP	120
LAIADVSLAY	ERHLFSRPV	PKRQENGTC	PNPRLNFYFV	FAVPEVLATY	HIFFQNCKIP	180
LSCRANRSRA	DKQLALRQGA	VIPDIASLNE	VPKIFEGLGR	DEKRAANALQ	QENSENESH	240
GVLVELEGDN	ARLAVLKRSI	EVTHFAYPAL	NLPPKVMSTV	MSELIVRRAQ	PLERDANLQE	300
QTEGLPAVG	DEQLARWLQT	REPADLEERR	KLMMAAVLVT	VELECMQRRF	ADPEMQRKLE	360
ETLHYTFRQG	YVRQACKISN	VELCNLVSYL	GILHENRLGQ	NVLHSTLKGE	ARRDYVRDCV	420
YLFLCYTWQT	AMGVWQCLE	ECNLKELQKL	LKQNLKDLWT	AFNERSVAAH	LADIIFFPERL	480
LKTLQQGLPD	FTSQSMLQNF	RNFILERSGI	LPATCCALPS	DFVPIKYREC	PPPLWGHCYL	540
LQLANYLAYH	SDIMEDVSGD	GLLECHCRCN	LCTPHRSLVC	NSQLLNESQI	IGTFELQGPS	600
PDEKSAAPGL	KLTPGLWTS	YLRKFVPEDY	HAHEIRFYED	QSRPPNAELT	ACVITQGHIL	660
GQLQAINKAR	QEFLLRKGRG	VYLDPQSGEE	LNPIDPPPPQ	YQQQPRALAS	QDGTQKEAAA	720
AAATHGRGGI	LQSGSRGGFG	RGGGGHGDRL	GEPRRGSFRG	RRGVRRNTVT	LGRIPLAGAP	780
ETGNRFQHG	Y	NLRSSGAAGT	ARSPTQP			807

SEQ ID NO: 86 moltype = AA length = 128
 FEATURE Location/Qualifiers
 source 1..128
 mol_type = protein
 organism = synthetic construct

SEQUENCE: 86

MAAAVEALYV	VLEREGAILP	RQEGFSGVYV	FFSPINFVIP	PMGAVMLSLR	LRVCIPPGYF	60
GRFLALTDVN	QPDVFTEYSI	MTPDMTEELS	VVLFNHGDQF	FYGHAGMAV	RLMLIRVVFP	120
VVRQASNV						128

SEQ ID NO: 87 moltype = AA length = 130
 FEATURE Location/Qualifiers
 source 1..130
 mol_type = protein
 organism = synthetic construct

SEQUENCE: 87

MPERKMVSFS	VVVPELTCLY	LHEHDYDVLS	FLREALPDFL	SSTLHFISPP	MQQAYIGATL	60
VSIAPSMRVI	ISVGSFVMVP	GGEVAALVRA	DLHDYVQLAL	RRDLRDRGIF	VNVPLLNLIQ	120
VCEEPEFLQS						130

SEQ ID NO: 88 moltype = AA length = 116
 FEATURE Location/Qualifiers
 source 1..116
 mol_type = protein
 organism = synthetic construct

SEQUENCE: 88

MIRCLRLKVE	GALEQIFTMA	GLNIRDLLRD	ILRRWRDENY	LGMVEGAGMF	IEEIHPEGFS	60
------------	------------	------------	------------	------------	------------	----

-continued

LYVHLDVRAV CLLEAIVQHL TNAICSLAV EPDHATGGER VHLIDLHFEV LDNLLE 116
 SEQ ID NO: 89 moltype = AA length = 114
 FEATURE Location/Qualifiers
 source 1..114
 mol_type = protein
 organism = synthetic construct
 SEQUENCE: 89
 MVLPALPAPP VCDSQNECVG WLGVAYSADV DVIRAAAHG VYIEPEARGR LDALREWIYY 60
 NYTTERSKRR DRRRRSVCHA RTWFCFRKYD YVRSIWHDT TTNTISVVA HSVQ 114

SEQ ID NO: 90 moltype = AA length = 294
 FEATURE Location/Qualifiers
 source 1..294
 mol_type = protein
 organism = synthetic construct
 SEQUENCE: 90
 MTTSGVPFGM TLRPTRSRLS RRTPYSRDRL PPFETETRAT ILEDHPLLPE CNTLTMHNVS 60
 YVRGLPCSVG FTLIQEWVVP WDMVLTRREL VILRKCMLVC LCCANIDIMT SMMIHGYESW 120
 ALHCHCSSPG SLQCIAGQGV LASWFRMVVD GAMFNQRFIW YREVVNYNMP KEVMPMSSVF 180
 MRGRHLIYLR LWYDGHVGSV VPAMSPGYSA LHCGLNNIV VLCCSYCADL SEIRVRCCAR 240
 RTRRLMLRAV RIIAETTAM LYSCRTERRR QQFIRALLQH HRPILMHDYD STPM 294

SEQ ID NO: 91 moltype = AA length = 150
 FEATURE Location/Qualifiers
 source 1..150
 mol_type = protein
 organism = synthetic construct
 SEQUENCE: 91
 MTTSGVPFGM TLRPTRSRLS RRTPYSRDRL PPFETETRAT ILEDHPLLPE CNTLTMHNAW 60
 TSPSPPVKQP QVGQPVAAQQ LDSDMNLSEL PGEFINITDE RLARQETVWN ITPKNMSVTH 120
 DMMLFKASRG ERTVYSVCWE GGGRLNTRVL 150

SEQ ID NO: 92 moltype = DNA length = 17260
 FEATURE Location/Qualifiers
 source 1..17260
 mol_type = other DNA
 organism = synthetic construct
 SEQUENCE: 92
 tctagagcta gcatatggat ccatcgattt agggataaca gggttaattat cagcacacaa 60
 ttgcccatta tacgcgcgta taatggacta ttgtgtgctg ataggcgcgcg ccgacagaag 120
 caccatgtcc ttgggtccgg cctgtctgaat gcgcaggcgg tcggccatgc ccagggttc 180
 gttttgacat cggcgacagg cttttagta gtcttgcag agcctttcta ccggcacttc 240
 ttcttctcct tccctctgtc ctgcactctc tgcactctac gctgcggcgg ccggcgagtt 300
 tggcgtagg tggcgccctc ttctcccat gcgtgtgacc ccgaagcccc tcatcggtcg 360
 aagcagggct aggtcgccga caacgcgctc ggctaataatg gcctgctgca cctgcgtgag 420
 ggtagactgg aagtcaccca tgtccacaaa gcgggtggtat gcgcccgtgt tgaagggtga 480
 agtgacgttg gccataacgg accagttaac ggtctggtag ccggcgctgc agagctcgg 540
 gtactcgaga cgcagtagc cctcgagtc aaatacgtag tctgtgcaag tccgcaccag 600
 gtactggtat cccacacaaa agtgccggcg cggtctggcg tagaggggac agcgtagggt 660
 ggccggggct ccggggcgga gatcttccaa cataaggcga tgatatccgt agatgtacct 720
 ggacatccag gtgatccggc gcgcgggtgt ggaggcgcg gcgaagtcgc ggacgcggtt 780
 ccagatgttg gcgagcgcca aaaagtgtc catggtcggg acgctctggc cggtcaggcg 840
 cgcgcaatcg ttgacgtctc agcgtgcaaa agggagagcct gtaagcgggc actcttccgt 900
 ggctctgttg ataaattcgc aagggatatca tggcggacga ccgggggttc agccccgtat 960
 ccggccgtcc gccgtgaccc atgcgggttac cgcggcgctg tcgaacccag gtgtgagacg 1020
 tcagacaacg ggggagtgct ccttttggtc tccttccagg cgcggcggtt gctgcgctag 1080
 cttttttggc cactggccgc gcgcagcgta agcgggttag ctggaaagcg aaagcattaa 1140
 gtggctcgct cctctgagcc ggagggttat tttccaaagg ttgagtcgag ggacccccgg 1200
 ttcgagcttc ggaccggcgg gactgcggcg aacgggggtt tgctctcccg tcatgcaaga 1260
 ccccgcttgc aaattcctcc ggaaacaggg acgagccctc ttttgcctt tccagatgc 1320
 atccgggtgt cggcgagatg cgcggccctc ctcagcagcg gcaagagcaa gagcagcggc 1380
 agacatgcag ggcacccctc cctcctccta ccgctcagg agggggcaga tccgcgggtg 1440
 acgcggcagc agatgggtat tacgaacccc cgcggcgccg ggcccgccac tacctggact 1500
 tggaggaggg cgaggggcgt gcgcggctag gagcgccctc tctgagcgcg caccacaggg 1560
 tgcagctgaa gcgtgatacg cgtgaggcgt acgtgcccg cgcaaacctg tttcgcgacc 1620
 gcgagggaga ggagcccgag gagatgcggg atcgaaagtt ccacgcaggg cgcgagctgc 1680
 ggcatggcct gaatcgcgag cggttgctgc gcgaggagga ctttagccc gagcgcgaa 1740
 ccgggattag tcccgcgcg gcacacgtgg cggccgccga cctggttaac gcatacgagc 1800
 agacggtgaa ccaggagatt aactttcaaa aaagctttaa caaccacgtg cgtacgcttg 1860
 tggcgcgga ggaggtggct atggactga tgcactctgt ggactttgta agcgcgctgg 1920
 agcaaaaccc aaatagcaag ccgctcatgg cgcagctgtt ccttatagtg cagcacagca 1980
 gggacaacga ggcattcagg gatgcgtgc taaacatagt agagcccgag ggccgctggc 2040
 tgctcgattt gataaacatc ctgcagagca tagtgggtga ggagcgcagc ttgagcctgg 2100
 ctgacaaggt ggcgcgcac aactattcca tgcttagcct gggcaagttt tacgcccga 2160
 agatatacca taccctttac gttcccatag acaaggaggt aaagatcgag gggttctaca 2220

-continued

tgcgcgatggc	gctgaaggtg	cttaccttga	gcgacgacct	ggggcgttat	cgcaacgagc	2280
gcatccacaa	ggccgtgagc	gtgagccggc	ggcgcgagct	cagcgacgcg	gagctgatgc	2340
acagcctgca	aagggccctg	gctggcacgg	gcagcggcga	tagagaggcc	gagtcctact	2400
ttgacgcggg	cgtgacctg	cgtggggccc	caagccgacg	cgccctggag	gcagctgggg	2460
ccggacctgg	gctggcggtg	gcaccgcgcg	gcgctggcaa	cgtcggcggc	gtggaggaat	2520
atgacgagga	cgatgagtac	gagccagagg	acggcgagta	ctaagcggtg	atgtttctga	2580
tcagatgatg	caagacgcaa	cggaccgggc	ggtgcggggc	gcgctgcaga	gccagccgtc	2640
cggccttaac	tcacgggacg	actggcgcca	ggtcatggac	cgcacatgtg	cgtgactgcg	2700
ggcgaatcct	gacgcgttcc	ggcagcagcc	gcagggccaa	cggctctccg	caattctgga	2760
agcggtggtc	ccggcgcgcg	caaaccacc	gcacgagaag	gtgctggcga	tcgtaaacgc	2820
gctggccgaa	aacagggccca	tcggcgccga	caggccggcg	ctggtctacg	acgcgctgct	2880
tcagcgctg	gctcgttaca	acagcggcaa	cgtgcagacc	aacctggacc	ggctggtggg	2940
ggatgtgcgc	gaggccgtgg	cgcagcgtga	gcgcgcgcag	cagcagggca	acctgggctc	3000
catggttgca	ctaaccgctt	tcctgagtac	acagcccgcc	aacgtgcgcg	ggggacagga	3060
ggactacacc	aactttgtga	gcgcactgcg	gctaattggtg	actgagacac	cgcaaatgta	3120
ggtgtaccag	tctgggcccag	actatttttt	ccagaccagt	agacaaggcc	tgcagaccgt	3180
aaacctgagc	cagcgtttca	aaaacttgca	ggggctgtgg	gggggtgcggg	ctccacagg	3240
gcaccgcgcg	accgtgtcta	gcttgctgac	gcccaactcg	cgctctgtgc	tgctgcta	3300
agcgccttc	acggacagt	gcagcgtgtc	ccgggacaca	tacctaggtc	acttgctgac	3360
actgtaccgc	gaggccatag	gtcaggcgca	tgtggacgag	catactttcc	aggagattac	3420
aagtgtcagc	cgcgcgctgg	ggcaggagga	cacgggcgag	ctggaggcaa	ccctaaacta	3480
cctgctgacc	aaccggcgcc	agaagatccc	ctcgttgca	agtttgacc	cttggcgca	3540
tcacattctc	cagtaacctt	atgtccatgg	gcgcactcac	agacctgggc	caaaaccttc	3600
tctacgccaa	ctccgcccac	gcgctagaca	tgaactttga	ggtggatccc	atggacgagc	3660
ccacccttct	ttatgttttg	ttgaagtct	ttgacgtggt	ccgtgtgcac	cagccgcacc	3720
ggcgcgctcat	cgaaccgtg	tacctgcgca	cgcccttctc	ggcgggcaac	gccacaacat	3780
aaagaagcaa	gcaacatcaa	caacagctgc	cgccatgggc	tcagtgagc	aggaaactgaa	3840
agccattgtc	aaagatcttg	ggtgtggggc	atattttttg	ggcacctatg	acaagcgctt	3900
tcacggcttt	gttctccac	acaagctcgc	ctcgcgcata	gtcaatacgg	ccgggtcgca	3960
gactgggggc	gtacactgga	tggcctttgc	ctggaaccgc	cactcaaaaa	catgctacct	4020
ctttgagccc	tttggctttt	ctgaccagcg	actcaagcag	gtttaccagt	ttgagtacga	4080
gtcactcctg	cgcctgagc	ccattgcttc	ttcccccgac	cgtgtataaa	cgttggaata	4140
gtccacccaa	agcgtacagg	ggcccaactc	ggcgcgctgt	ggactattct	gctgcatggt	4200
tctccacgcc	tttgccaaact	ggcccaaaac	tcccatggat	cacaacccca	ccatgaacct	4260
tattaccggg	gtacccaact	ccatgctcaa	cagtccccag	gtacagccca	ccctgcgtcg	4320
caaccaggaa	cagctctaca	gcttccctgga	gcgcactcgc	ccctacttcc	gcagccacag	4380
tgcgagagat	ttgagcgcca	cttctttttg	tcaattgaaa	aacatgtaaa	aataatgtac	4440
tagagacact	ttcaataaag	gcaaatgctt	ttatttgtac	actctcggtg	gattatttac	4500
ccccaccctt	gcccgtctgcg	cgttttaaaa	atcaaaaggg	ttctgcccgc	catcgctatg	4560
cgccactggc	agggacactg	tgcgatactg	gtgttttagt	ctccacttaa	actcaggcac	4620
aaaccatccg	ggcagctcgg	tgaagttttc	actccacagg	ctcgcgcacca	tcaccaacgc	4680
gtttagcagg	tccggcgccg	atatcttgaa	gtcgcagttg	gggcctccgc	cctgcgcgcg	4740
cgagttgcga	tacacaggtg	tcagcactgc	gaacactatc	agcgcggggt	ggtgcacgct	4800
ggccagcacg	ctctgttcgg	agatcagatc	cgcgtccagg	tcctcccgct	tgctcagggc	4860
gaacggagtc	aactttggta	gctgccttcc	caaaaagggc	gcgtgcccag	gctttgagtt	4920
gcactcgca	cgtagtggca	tcaaaaggtg	accgtgcccg	gtctggcgct	taggatacac	4980
cgctgcata	aaagccttga	tctgcttaaa	agccacctga	gcctttgcgc	cttcagagaa	5040
gaacatgccg	caagacttgc	cggaaaactg	attggccgga	caggccgcgt	cgtgcacgca	5100
gcaccttgct	tcggtgttgg	agatctgcac	cacatttcgg	ccccaccggg	tcttccagat	5160
cttgcccttg	ctagactgct	ccttcagcgc	gcgctgcccg	ttttcgctcg	tcacatccat	5220
ttcaatcacg	tgctccttat	ttatcataat	gcttccgctg	agacacttaa	gctcgccctc	5280
gatctcagcg	cagcgggtgca	gccacaacgc	gcagcccgtg	ggctcgtgat	gctttaggtg	5340
caacctctga	aacgactgca	ggtagccctg	caggaaatcg	cccatcatcg	tcacaagagt	5400
cttgttgctg	gtgaaggtga	gctgcaaccc	gcgggtgctc	tcgttcacgc	aggctcttga	5460
taaggccgcc	agagcttcca	cttggtcagg	cagtagtttg	aagttcgctt	ttagatcggt	5520
atccacgtgg	tacttgtcca	tcagcgcgcg	cgcagcctcc	atgcccctct	cccacgcaga	5580
cacgatccgg	acactcagcg	ggttcacac	cgtaatttca	ctttccgctt	cgtggggtc	5640
ttcctcttcc	tcttgcttcc	gcataccacg	cgccactggg	tcgtcttcat	tcagccgcgc	5700
cactgtgcgc	ttacctcctt	tgcctgctt	gattagcacc	gggtgggttg	tgaacccac	5760
catttgtagc	gccacatctt	ctctttcttc	ctcgtgtccc	acgattacct	ctgggtgatg	5820
cgggcgctcg	ggcttgggag	aaggcgctt	ctttttcttc	ttgggcgcaa	tgcccaaatc	5880
cggccgcgag	gtcgtatggc	gcgggctggg	tgtgcgcggc	accagcgctg	cttgtgatga	5940
gtcttctcgc	tcctcggaact	cgtacgcgcg	cctcatccgc	ttttttgggg	gcgcccgggg	6000
aggcggcgcc	gacggggacg	gggacgacac	gtcctccatg	gttgggggac	gtcgcgcgcg	6060
acgcgctccg	cgtcgggggg	tggtttcgcg	ctgctcctct	tcccgactgg	ccatttccct	6120
ctcctatagg	cagaaaaaga	tcattggagt	agtcgagaag	aaggacagcc	taaccgcccc	6180
ctctgagttc	gccaccaccg	cctccaccga	tgccgcacca	gcgcctacca	ccttccccctg	6240
cgaggcacc	ccgcttgagg	aggaggaagt	gattatcgag	caggacccag	gttttgttaag	6300
cgaagacgac	gaggaccgct	cagtaccaac	agaggataaa	aagcaagacc	aggacaacgc	6360
agaggcaaac	gaggaaacaag	tcgggcgggg	ggacgaaaag	catggcgact	acctagatgt	6420
gggagacgac	gtgctgttga	agcatctgca	gcgccagtgc	gccattatct	gcgacgcgtt	6480
gcaagagcgc	agcagatgtg	ccctcgccat	agcggatgtc	agccttgctt	acgaacgcca	6540
cctattctca	ccgcgcgtac	ccccaaaacg	ccaagaaaac	ggcacatgcg	agcccaaccc	6600
gcgcctcaac	ttctaccccg	tatttgccgt	gccagagggtg	cttgccacct	atcacatctt	6660
tttccaaaac	tgcaagatac	ccctatccgt	ccgtgccaac	cgcagccgag	cggacaagca	6720
gctggccttg	cggcagggcg	ctgtcatacc	tgatatcgcc	tcgctcaacg	aagtgcacaa	6780

-continued

aatctttgag	ggtcttggac	gcgacgagaa	gcgcgcggca	aacgcctctgc	aacaggaaaa	6840
cagcgaaaaat	gaaagtccact	ctggagtggt	ggtggaactc	gaggggtgaca	acgcgcgcct	6900
agccgtacta	aaacgcagca	tccaggtcac	ccactttgcc	taccgcgcac	ttaacctacc	6960
ccccagggtc	atgagcacag	tcatgagtga	gctgatcgtg	cgccgtgcgc	agccctgga	7020
gagggatgca	aatttgcaag	aacaaacaga	ggagggccta	cccgcagttg	gcgacgagca	7080
gctagcgcgc	tggcttcaaa	cgcgcgagcc	tgccgacttg	gaggagcgac	gcaactaat	7140
gatggccgca	gtgctcggtta	ccgtggagct	tgagtgcagc	cagcggttct	ttgctgaccc	7200
ggagatgcag	cgcaagctag	aggaaacatt	gcactacacc	tttcgacagg	gctacgtacg	7260
ccaggcctgc	aagatctcca	acgtggagct	ctgcaacctg	gtctcctacc	ttggaatttt	7320
gcacgaaaaac	cgccttgggc	aaaacgtgct	tcatccacg	ctcaaggggc	aggcgcgcgc	7380
cgactacgtc	cgcgactcgc	tttacttatt	tctatgctac	acctggcaga	cgcccatggg	7440
cgtttggcag	cagtgccttg	aggagtgcga	cctcaaggag	ctgcagaaac	tgctaagca	7500
aaacttgaag	gacctatgga	cgcccttcaa	cgagcgctcc	gtggccgcgc	acctggcggga	7560
catcattttc	cccgaacgcc	tgcttaaaac	cctgcaacag	ggtctgcccag	acttcaccag	7620
tcaaagcatg	ttgcagaact	ttaggaaact	tatcctagag	cgctcaggaa	tcttgcccgc	7680
caactgctgt	gcaacttctc	gcgactttgt	gcccattaag	taccgcgaat	gccctccgc	7740
gctttggggc	cactgctacc	ttctgcagct	agccaactac	cttgccctacc	actctgacat	7800
aatggaagac	gtgagcgggt	acgggtctact	ggagtgtcac	tgtcgctgca	acctatgcac	7860
ccgcacccgc	cccttggttt	gcaattcgca	gctgcttaac	gaaagtcata	ttatcggtac	7920
ctttgagctg	cagggtccct	cgccctgacga	aaagtccgcg	gctccggggg	tgaactcac	7980
tcgggggctg	tggagctcgg	cttaccttcg	caaatttgta	cctgaggact	accacgcccc	8040
cgagattagg	tctacgaag	accaatcccg	ccgcctaat	gcggagctta	ccgctgcgt	8100
cattaccacg	ggccacattc	ttggccaatt	gcaagccatc	aacaaagccc	gccaaagatt	8160
tctgtctacga	aagggacggg	gggtttactt	ggacccccag	tcggcgagg	agctcaaccc	8220
aatccccccg	ccgcgcgacg	cctatcagca	gcagccgcgc	gcccttgctt	cccaggatgg	8280
cacccaaaaa	gaagctgcag	ctgccgcgcg	caccacagga	cgaggaggaa	tactgggaca	8340
gtcaggcaga	ggagggtttg	gacgaggagg	aggaggacat	gatggaagac	tgaggagacc	8400
tagacgagga	agcttccgag	gtcgaagagg	tgtcagacga	aacaccgtca	ccctcggtcg	8460
cattccccctc	cgccggcctcc	cagaaatcgg	caaccgggtc	cagcatggct	acaacctcgc	8520
ctcctcaggc	gcccgcggca	ctgcccggtc	gccgacccaa	ccgtagatgg	gacaccactg	8580
gaaccagggc	cggttaagtcc	aagcagccgc	cgccgttagc	ccaagagcaa	caacagcgcc	8640
aaggetaccg	ctcatggcgc	gggcacaaaga	acgcatagt	tgcttgcttg	caagactgtg	8700
ggggcaacat	ctccttcgcc	cgcgcgtttc	ttctctacca	tcacggcggtg	gccttcccc	8760
gtaacatcct	cgattactac	cgctatctct	acagcccata	ctgcaccggc	ggcagcggca	8820
gcaacagcag	ggccacacac	gaagcaagg	cgaccggata	gcaagactct	gacaaagccc	8880
aagaaatcca	cagcggcggc	agcagcagga	ggaggagcgc	tgcgtctggc	gcccacagaa	8940
ccggtatcga	cccgcgagct	tagaaacagg	atttttccca	ctctgtatgc	tatatctcaa	9000
cagagcaggg	gccaagaaca	agagctgaag	ataaaaaaca	ggtctctgctg	atccctcacc	9060
cgcagctgcc	tgtatcacaa	aagcgaagat	cagcttcggc	gcacgctgga	agacgcggag	9120
gctctcttca	gtaaatatgc	cgcgctgact	cttaaggact	agtttcgcgc	cctttctcaa	9180
atttaagcgc	gaaaaactacg	tcatctccag	cgccacaccc	cgccgcgcgc	acctgttgtc	9240
agcgcctatta	tgagcaagga	aattcccacg	ccctacatgt	ggagttaacca	gccacaaatg	9300
ggacttgccg	ctggagctgc	ccaagactac	tcaacccgaa	taaactacat	gagcgcggga	9360
ccccacatga	tatccccggg	caacggaata	cgcgcgcccc	gaaaccgaat	tctctcggaa	9420
caggcggtcta	ttaccaccac	acctcgtaat	aaccttaatc	cccgtagttg	gcccgcgtgc	9480
ctgggtgtacc	aggaaagtcc	cgctccaccc	actgtggtac	ttcccagaga	cgcccagccc	9540
gaagttcaga	tgactaactc	aggggcccgc	cttgccggcg	gctttcgtca	cagggtgcgc	9600
tcgcccgggc	agggtataac	tcacctgaca	atcagagggc	gaggtattca	gctcaacgac	9660
gagtccgtga	gctcctcgct	tggtctccgt	ccggacggga	catttcagat	cgccggcgcc	9720
ggccgctctt	cattcacgccc	tcgtcaggca	atccctaactc	tcgacagctc	gtcctctgag	9780
ccgcgctctg	gaggcatttg	aactctgcaa	tttattgagg	agtttgtgcc	atcggtctac	9840
tttaaccctc	ctccgggacc	tcgccggcac	tatccggatc	aatttattcc	taactttgac	9900
ggcgtaaaag	actcggcgga	cggtctacgac	tgaatgttaa	gtggagaggc	agagcaactg	9960
cgctgaaac	acctggtcca	ctgtcgccgc	cacaagtgc	ttgcccgcga	ctccggtgag	10020
ttttgctact	ttgaattgcc	cgaggatcat	atcaggggcc	cgccgcacgc	cgctccggtt	10080
accgcccagg	gagagcttgc	ccgtagcctg	attcgggagt	ttaccacagc	ccccctgcta	10140
gttgagcggg	acaggggacc	ctgtgtttct	actgtgattt	gcaactgtcc	taacctcgga	10200
ttacatcaag	atcctctagt	taattaacta	gagtaaccgc	ggatcttatt	ccctttaact	10260
aataaaaaaa	aataataaag	catcacttac	ttaaaaatcag	ttagcaaat	tctgtccagt	10320
ttattcagca	gcacctcctt	gcctcctcc	cagctctggg	attgcagctt	cctcctggct	10380
gcaaacctttc	tccacaatct	aaatggaatg	tcagtttctc	cctgttctcg	tccatccgca	10440
cccactatct	tcatgttggt	gcagatgaag	cgcgcaagac	cgtctgaaga	taccttcaac	10500
cccggtgatc	catatgacac	ggaacccggt	cctccaactg	tgccttttct	tactcctccc	10560
tttgatatcc	ccaatgggtt	tcaagagagt	ccccctgggg	tactctcttt	gcgcctatcc	10620
gaacctctag	ttacctccaa	tggcatgctt	gcgctcaaaa	tgggcaacgc	cctctctctg	10680
gacgaggccg	gcaaccttac	ctcccaaaat	gtaaccactg	tgagccaccc	tctcaaaaaa	10740
accaagtcaa	acataaaacct	ggaaaatctc	gcacccctca	cagttacctc	agaagcccta	10800
actgtggctg	ccgcgcgacc	tctaattggtc	gcgggcaaca	cactcaccat	gcaatcacag	10860
gccccgctaa	ccgtgcacga	ctccaaactt	agcattgcca	cccaaggacc	cctcacagtg	10920
tcagaaggaa	agtagccctt	gcaaacatca	ggccccctca	ccaccaccga	tagcagtagc	10980
cttactatca	ctgctctacc	ccctctaact	actgccaactg	gtagcttggg	cattgacttg	11040
aaagagccca	tttatcacac	aaatggaaaa	ctaggactaa	agtagggggc	tcttttgcat	11100
gtaacagacg	acctaaacac	tttgaccgta	gcaactgtgc	caggtgtgac	tattaataat	11160
acttccttgc	aaactaaagt	tactggagcc	ttgggttttg	attcacaaag	caatatgcaa	11220
cttaatgtag	caggaggact	caggattgat	tctcaaaaac	gagcccttat	acttgatggt	11280
agttatccgt	ttgatgctca	aaaccaacta	aatctaagac	taggacaggg	ccctcttttt	11340

-continued

ataaactcag	cccacaactt	ggatattaac	tacaacaaag	gcctttactt	gtttacagct	11400
tcaaacaaat	ccaaaaagct	tgagggttaac	ctaagcactg	ccaagggggt	gatgtttgac	11460
gtacagccca	tagccattaa	tgccaggagat	gggcttgaat	ttgggttcacc	taatgcacca	11520
aacacaaatc	ccctcaaaac	aaaaattggc	catggcctag	aatttgattc	aaacaaggct	11580
atgggttccta	aactaggaac	tgcccttagt	tttgacagca	caggtgccat	tacagtagga	11640
aaacaaaata	atgataagct	aaatctgtgg	accacaccag	ctccatctcc	taactgtaga	11700
ctaaatgcag	agaaagatgc	taaacctact	ttggtcttaa	caaaatgtgg	cagtcaaata	11760
cttgctacag	tttcagtttt	ggctgttaaa	ggcagtttgg	ctccaatc	tggaacagtt	11820
caaagtgtct	atcttattat	aagatttgac	gaaaatggag	tgctactaaa	caattccttc	11880
ctggaccacg	aattattggaa	ctttagaaat	ggagatctta	ctgaaggcac	agcctataca	11940
aacgctgttg	gatttatgcc	taacctatca	gcttatccaa	aatctcacgg	taaaactgcc	12000
aaaagtaaca	ttgtcagtc	agtttactta	aacggagaca	aaactaaacc	tgtaacacta	12060
accattacac	taaacggtag	acaggaacaa	ggagacacaa	ctccaagtgc	atactctatg	12120
tcattttcat	gggactggtc	tgcccaaac	tacattaatg	aaatatttgc	cacatcctct	12180
tacacttttt	catacattgc	ccaagaataa	agaatcggtt	gtgttatgtt	tcaacgtgtt	12240
tatttttcaa	ttgcagaaaa	tttcaagtca	tttttcttcc	agtagtatag	ccccaccacc	12300
acatagctta	tacagatcac	cgtaccttaa	tcaaaactcac	agaaccttag	tattcaacct	12360
gcccactccc	tcccaacaca	cagagtacac	agtcctttct	ccccggctgg	ccttaaaaaag	12420
catcatatca	tggttaacag	acatattctt	aggtgttata	ttccacacgg	ttctctgtcg	12480
agccaaacgc	tcctcagtg	tatttaataa	ctccccgggc	agctcactta	agttcatgtc	12540
gctgtccagc	tgctgagcca	caggctgtctg	tccaacttgc	gggtgtctaa	cggcgccgga	12600
aggagaagtc	cacgcctaca	tgggggtaga	gtcataatcg	tgcatcagga	tagggcggtg	12660
gtgctgcagc	agcgccgcaa	taaaactgctg	ccgcgcgcgc	tccgtcctgc	aggaatacaa	12720
catggcagtg	gtctcctcag	cgatgattcg	caccgcccgc	agcataaggc	gccttgtcct	12780
ccgggcacag	cagcgcaccc	tgactctact	taaatcagca	cagtaactgc	agcacagcac	12840
cacaatatgt	ttcaaaatcc	cacagtgcga	ggcgctgtat	ccaaagctca	tgccggggac	12900
cacagaaccc	acgtggccat	cataccacaa	gcgcaggtag	attaagtggc	gacccctcat	12960
aaacacgctg	gacataaaca	ttacctcttt	tgccatgttg	taattcacca	cctcccggta	13020
ccataataac	ctctgattaa	acatggcgcc	atccaccacc	atcctaacc	agctggccaa	13080
aacctgcccg	ccggctatcc	actgcaggga	accgggactg	gaacaatgac	agtgaggagc	13140
ccaggactcg	taaccatgga	tcatcatgct	cgtcatgata	tcaatgttgg	cacaacacag	13200
gcacacgtgc	atacacctcc	tcaggattac	aagctcctcc	cgcgttagaa	ccatattcca	13260
gggaacaaac	catctcgtga	tcagcgtaaa	tcccacactg	cagggaagac	ctcgcacgta	13320
actcacgttg	tgactgttgc	aagtgttaca	ttcgggcagc	agcggatgat	cctccagtat	13380
ggtagcgcgg	ttttctgtct	caaaaggagg	tagacgatcc	ctactgtacg	gagtgcgccg	13440
agacaaccga	gatcgtgttg	gtcgtagtgt	catgcctaat	ggaacgcggg	acgtagtcat	13500
atttctgtga	gcaaaaccag	gtgcggcgct	gacaaacaga	tctcgtctc	cggctcgcgc	13560
gcttagatcg	ctctgtgtag	tagttgtagt	atatccactc	tctcaaaaga	tccaggcgcc	13620
ccctggcttc	gggttctatg	taaaactcct	catgcgcgcg	tgccctgata	acatccacca	13680
ccgcagaata	agccacaccc	agcccaacct	cacattcggt	ctgcgagtca	cacacgggag	13740
gagcgggaag	agctggaaga	accatgtttt	tttttttatt	ccaaaagatt	atccaaaacc	13800
tcaaaatgaa	gatctattaa	gtgaacgcgc	tcccctccgg	tgccgtggtc	aaactctaca	13860
gcaaaagaac	aatgtgaaga	tggtgcacaa	tggttcccaa	aaggcacaacg		13920
gcccctacgt	ccaagtggac	gtaaaaggct	aacccttcag	gggtgaatctc	ctctataaac	13980
attccagcac	cttcaacctat	gcccacaata	ttctcatctc	gccacctctc	caatatatct	14040
ctaagcgaat	cccgaattat	aatgtccggc	attgtaaaaa	tctgctccag	agccctctcc	14100
accttcagcc	tcaagcagcg	aatcatgatt	gcaaaaatcc	aggttctctca	cagacctgta	14160
taagattcaa	aagcgggaaca	ttacaaaaaa	taccgcgcatc	ccgtaggctcc	cttcgcaggg	14220
ccagctgaac	ataatcgtgc	aggtctgcac	ggaccagcgc	ggccacttcc	ccgcaggga	14280
ccatgacaaa	agaacccaca	cgtgattatga	cacgcatact	cggagctatg	ctaaccagcg	14340
tagccccgat	gtaagcttgt	tgcatggcg	gcgatataaa	atgcaagggtg	ctgctcaaaa	14400
aatcaggcaa	agcctcgcgc	aaaaaagaaa	gcacatcgta	gtcatgctca	tgcatgataa	14460
ggcagggtag	ctccgggaacc	accacagaaa	aagacaccat	ttttctctca	aacatgtctg	14520
cggttttctg	cataaacaca	aaataaaaata	acaaaaaac	atttaaacat	tagaagcctg	14580
tcttacacaa	ggaaaaacaa	cccttataag	cataagacgg	actacggcca	tgccggcggtg	14640
accgtaaaaa	aactgggtcac	cgtgattaaa	aagcaccacc	gacagctcct	cgggtcatgtc	14700
cggagtcata	atgtaagact	cggtaaacac	atcagggtga	ttcacatcgg	tcagtgtctaa	14760
aaagcgaccg	aaatagcccg	ggggaatata	taccgcagcg	cgtagagaca	acattacagc	14820
ccccatagga	ggtataacaa	aatttaatagg	agagaaaaac	acataaacac	ctgaaaaaac	14880
ctcctgccta	ggcaaaatag	caccctcccg	ctccagaaca	acatacagcg	cttccacagc	14940
ggcagccata	acagtcagcc	ttaccagtaa	aaaagaaaaa	ctattaaaaa	aacaccactc	15000
gacacggcac	cagctcaatc	agtcacagtg	taaaaaaggg	ccaagtgcag	agcaggtata	15060
tataggacta	aaaaatgacg	taacggttaa	agtcacacaa	aaacaccacg	aaaaccgcac	15120
gcgaacctac	gcccagaac	gaaagccaaa	aaacccacaa	cttcctcaaa	tcgtcacttc	15180
cgttttccca	cgttacgtca	cttccatttt	taagaaaaact	acaattccca	acacatacaa	15240
gttactccgc	cctaaaaact	acgtcacccg	ccccgttccc	acgccccgcg	ccacgtcaca	15300
aactccaccc	cctcattatc	atattggcct	caatccaaaa	taagcggccg	cactagtgtat	15360
cagcacacaa	ttgcccatta	tacgcgcgta	taatggacta	ttgtgtgctg	atatagggat	15420
aacagggtaa	ttctagagct	agcatatgga	tccatcgatt	ttcggggaaa	tgtgcgcgga	15480
acccctattt	gtttattttt	ctaaatcat	tcaaatatgt	atccgctcat	gagacaataa	15540
ccctgataaa	tgtttcaata	atattgaaaa	aggaagagta	tgagccatat	tcaacgggaa	15600
acgtcgaggc	cgcgattaaa	ttccaacatg	gatgctgatt	tatatgggta	taaatgggct	15660
cgcgataatg	tcgggcaatc	aggtgcgaca	atctatcgct	tgatgggaa	gcccgatgcg	15720
ccagagttgt	ttctgaaaaa	tgccaaaggt	agcgttgcca	atgatgttac	agatgagatg	15780
gtcagactaa	actggctgac	ggaaatttat	cctcttccga	ccatcaagca	ttttatccgt	15840
actcctgatg	atgcatgggt	actcaccact	gcgatccccg	gaaaaacagc	attccaggta	15900

-continued

ttagaagaat	atcctgattc	aggtgaaaat	attgttgatg	cgctggcagt	gttctgcgc	15960
cgggtgcatt	cgattcctgt	ttgtaattgt	ccttttaaca	gcgatcgcg	atttcgtctc	16020
gctcaggcgc	aatcacgaat	gaataacggt	ttggttgatg	cgagtgtatt	tgatgacgag	16080
cgtaatggct	ggcctgttga	acaagtctgg	aaagaaatgc	ataaactttt	gccattctca	16140
cgggattcag	tcgctactca	tggtgatttc	tcacttgata	accttatttt	tgacgagggg	16200
aaattaatag	gttgatttga	tgttgacga	gtcggaaatc	cagaccgata	ccaggatctt	16260
gccatcctat	ggaactgect	cggtgagttt	tctccttcat	tacagaaacg	gctttttcaa	16320
aaatatggta	ttgataatcc	tgatatgaat	aaattgcagt	ttcatttgat	gctcgatgag	16380
tttttctaag	cgtataatgg	tctagagcta	gcataatgat	ccatcgattc	cattatacgc	16440
ctgtcagacc	aagtttactc	atatatactt	tagattgatt	taaaacttca	tttttaattt	16500
aaaaggatct	agggaagat	cctttttgat	aatctcatga	ccaaaatccc	ttaacgtgag	16560
ttttcgttcc	actgagcgtc	agaccccgta	gaaaagatca	aaggatcttc	ttgagatcct	16620
ttttttctgc	gcgtaactcg	ctgcttgcaa	acaaaaaac	caccgctacc	agcgggtggt	16680
tgtttgccgg	atcaagagct	accaactctt	tttcggaagg	taactggctt	cagcagagcg	16740
cagataccaa	atactgttct	tctagtgtag	ccgtagttag	gccaccactt	caagaactct	16800
gtagcaccgc	ctacatacct	gcctctgcta	atcctgttac	cagtggctgc	tgccagtggc	16860
gataagtcgt	gtcttaacgg	gttggaactc	agacgatagt	taccggataa	ggcgacggcg	16920
tcgggctgaa	cggggggttc	gtgcacacag	cccagcttgg	agcgaacgac	ctacaccgaa	16980
ctgagatacc	tacagcgtga	gctatgagaa	agcgccacgc	ttccgaagg	gagaaaggcg	17040
gacagggtac	cggtaagcgg	caggggtcga	acaggagagc	gcacgagggg	gcttccaggg	17100
ggaaacgcct	ggtatcttta	tagtctctgc	gggtttcgcc	acctctgact	tgagcgtcga	17160
tttttgat	gctcgtcagg	ggggcgagc	ctatggaaaa	acgcccagca	cgcggccttt	17220
ttacgggtcc	tggtcctttg	ctggcctttt	gctcacatgt			17260

SEQ ID NO: 93 moltype = DNA length = 168
 FEATURE Location/Qualifiers
 source 1..168
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 93
 aactaggctc aatgctactg atagtgactg gctatgtctg agcctcttct taggacagag 60
 gctgaaggta tcattgtctg aatgctccta ggcttactgc agtcacatgg ttgtagtgtc 120
 ttgccattgg cagtcagtggt caatgcctct agcacatgcc tggctact 168

SEQ ID NO: 94 moltype = DNA length = 168
 FEATURE Location/Qualifiers
 source 1..168
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 94
 aagcttgatg ctattatctc agctacttac agcagccttg cttggcactt cagacctggc 60
 actcacctag ccatagtagc attgtccagg cataagccat ggagtcataa ggattctgcc 120
 accaagctctg ctctagtcct gaccagcctc ttctctgtaga ggtacaga 168

SEQ ID NO: 95 moltype = DNA length = 10474
 FEATURE Location/Qualifiers
 source 1..10474
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 95
 tctagagcta gcatatggat ccatacgattt agggataaca gggttaattat cagcacacaa 60
 ttgcccatta tacgcgcgta taatggacta ttgtgtgctg ataggcgcg cttggattga 120
 agccaatatg ataattaggg ggtggagttt gtgacgtggc gcggggcgctg ggaacggggc 180
 ggggtgacgta ggttttaggg cggagtaact tgtatgtgtt gggaattgta gttttcttaa 240
 aatgggaagt tacgtaacgt gggaaaaacg aagtgcagat ttgaggaagt tgtgggtttt 300
 ttggctttcg tttctggggc taggttcgctg tgcggttttc tgggtgtttt ttgtggactt 360
 taaccgttac gtcatttttt agtcctatat atactcgctc tgcacttgge cctttttttac 420
 actgtgactg attgagctgg tgcggtgtcg agtgggtgtt ttttaatagg ttttcttttt 480
 tactggtaag gctgactggt atggctgccc ctgtggaagc gctgtatgtt gttctggagc 540
 gggaggggtg tattttgcct aggcaggagg gtttttcagg tgtttatgtg tttttctctc 600
 ctattaattt tgttatacct cctatggggg ctgtaattgt gtctctacgc ctgcgggtat 660
 gtattccccc gggctatttc ggtcgctttt tagcactgac cgatgtgaat caacctgatg 720
 tgtttaccga gtcttacatt atgactccgg acatgaccga ggagctgtcg gtgggtgctt 780
 ttaatcacgg tgaccagttt ttttacggtc acgcccgcac ggccgtagtc cgtcttatgc 840
 ttataaagggt gttttttcct gttgtaagac aggtcttcaa tgtttaaatg tttttttgtt 900
 attttatttt gtgtttatgc agaaacccgc agacatgttt gagagaaaaa tgggtgtctt 960
 ttctgtgggtg gttccggagc ttacctgcct ttatctgcat gagcatgact acgatgtgct 1020
 ttcttttttg cgcgaggctt tgcctgattt tttagcagc accttgcat ttatatcgcc 1080
 gcccattgca caagcttaca tcggggctac gctggttagc atagctccga gtatgcgtgt 1140
 cataatcagt gtcgggtctt ttgtcatggt tctctggcgg gaagtggcgg cgtggttcgg 1200
 tgcagacctg cagcattatg ttacgtggc cctgcgaagg gacctacggg atcgcggtat 1260
 ttttggttaat gttccgcttt tgaatcttat acaggtctgt gaggaacctg aatttttgca 1320
 atcatgattc gctgcttgag gctgaagggt gagggcgctc tggagcagat ttttacaatg 1380
 gccggactta atattcggga tttgcttaga gatatttga gaaggtggcg agatgagaat 1440
 tatttgggca tgggtgaagg tgcgtgaatg ttatatagag agattcacc tgaagggttt 1500
 agcctttacg tccacttgga cgtgagggcc gtttgccttt tgggaagccat tgtgcaacat 1560

-continued

cttacaaatg	ccattatctg	ttctttggct	gtagagtgtg	accacgccac	cggaggggag	1620
cgcgttcact	taatagatct	tcattttgag	gttttggata	atcttttggg	ataaaaaaaa	1680
aaacatgggt	cttcacagctc	ttcccgcctc	tcccggtgtg	gactcgcaga	acgaatgtgt	1740
agggtggctg	gggtgtggct	attctgcggg	gggtggatgt	atcagggcag	cggcgcatga	1800
aggagtttac	atagaacccg	aagccagggg	gcgcctggat	gctttgagag	agtggaataa	1860
ctacaactac	tacacagagc	gatctaagcg	gcgagaccgg	agacgcagat	ctgtttgtca	1920
cgcgcgcacc	tgggtttgtc	ttaggaataa	tgactacgtc	cggcggttcca	tttggcatga	1980
cactacgacc	aacacgatct	cggttgtctc	ggcgcactcc	gtacagttag	gatcgtctac	2040
ctccttttga	gacagaaacc	cgcgctacca	tactggagga	tcacccgctg	ctgcccgaat	2100
gtaacacttt	gacaatgcac	aacgtgagtt	acgtgcgagg	tcctccctgc	agtgtgggat	2160
ttacgctgat	tcagggaatgg	gttgttccct	gggatatggt	tcataacgcg	gaggagcttg	2220
taatcctgag	gaagtgtatg	cacgtgtgcc	tgtgttgtgc	caacattgat	atcatgacga	2280
gcatgatgat	ccatgggtac	gagtctctgg	ctctccactg	tcattgttcc	agtcccgggt	2340
ccctgcagtg	tatagccggc	gggcagggtt	tggccagctg	gtttaggatg	gtgggtgatg	2400
gcgcgatgtt	taatcagagg	tttatatggt	accgggaggt	gggtgaattac	aacatgccaa	2460
aagaggtaat	ttttatgtcc	agcgtgttta	tgaggggtcg	ccacttaatc	tactgcgctc	2520
tgtggtatga	tggccacgtg	gggtctgtgg	tcgccgccat	gagctttgga	tacagcgctc	2580
tgcatctgtg	gattttgaac	aatattgtgg	tgtctgtctg	cagtactact	gctgatttaa	2640
gtgagatcag	gggtgcgctg	tgtgcccgga	ggacaaggcg	ccttatgctg	cgggcgggtg	2700
gaatcatcgc	ttagggagacc	actgccatgt	tgtattcctg	caggacggag	cggcgggcgc	2760
agcagtttat	tcgcgcgctg	ctgcagcacc	accgccctat	cctgatgcac	gattatgact	2820
ctaccccat	gtaggcgtgg	acttctcctt	cgcgcgccgt	taagcaaccg	caagttggac	2880
agcagcctgt	ggctcagcag	ctggacagcg	acatgaactt	aagtgcagctg	cccggggagt	2940
ttattaatat	cactgatgag	cgtttggctc	gacaggaaac	cgtgtggaat	ataaacctta	3000
agaaatgtgc	tgttaccatc	gatatgatgc	tttttaagcg	cagccgggga	gaaaggactg	3060
tgtactctgt	gtgttgggag	ggaggtggca	gggtgaatac	taggggtctg	tgagtttgat	3120
taaggtagcg	tgatctgtat	aagctatgtg	gtgggtgggg	tataactact	aatgaaaaat	3180
gacttgaaat	ttcttgcaat	gaaaaataaa	acacgttgaa	acataacaca	aacgattctt	3240
tattcttggg	caatgtatga	aaaagtgtaa	gaggatgtgg	caaatatttc	attaatgtag	3300
ttgtgggttt	aaacggctcag	gcgcgcgcaa	tcgttgacgc	tcgttagacc	gtgcaaaagg	3360
agagcctgta	agcgggcact	cttccgtggg	ctgggtggata	aattcgcgaag	ggatcatagg	3420
cggacgacgc	gggttcgagc	cccgatcccg	gcgcctccgc	gtgatccatg	cggttaccgc	3480
ccgcgtgtcg	aaaccagggtg	tcgcagctca	gacaacgggg	gagtgctcct	tttggcttcc	3540
ttccaggcgc	ggcggctgct	gcgcctagctt	ttttggccac	tggccgcgca	cagcgttaagc	3600
ggtttaggctg	gaaagcgaaa	gcattaaagt	gctcgtctcc	tgtagccgga	gggttatatt	3660
ccaaggggtg	agtcgcggga	cccccggttc	gagtcctcga	ccggccggac	tcggcggaac	3720
gggggtttgc	ctcccgctca	tgcaagaccc	cgttgcaaaa	ttctccgga	aacagggagc	3780
agccctcttt	ttgcttttcc	cagatgcctc	cgggtctgcg	gcagatttaa	ttaaaatggc	3840
gctgacgaca	gggtctggcg	ccgggtgtgg	ccgtgggaga	tgacgtagtt	ttcgcgctta	3900
aaatttgaaa	agggcgcgaa	actagtctct	aagagtcagc	gcgcagttat	tactgaagag	3960
agcctccgcg	tcctccagcg	tgcgcggaag	ctgatcttcg	cttttgtgat	acaggcagct	4020
gcgggtgaggg	gatcgcagag	acctgttttt	tattttcagc	tcctgttctt	ggccctgctc	4080
ctggtgaaat	atagcaatca	gagtgggaaa	aatcctgttt	ctaagctcgc	gggtcgatac	4140
gggttcggtg	ggcgccagac	gcagcgctcc	tcctcctgct	gctgcgcgcg	ctgtggattt	4200
cttgggcttt	gtcagagctc	tgtatccggg	tcgcctttgc	ttctgtgtgg	ccgctgctgt	4260
tgtgcgcgct	ggcgctgcgc	ccggtgcagt	atgggctgta	gagatgacgg	tagtaatgca	4320
ggatgttacg	ggggaaggcc	acgcctgtat	ggtagagaag	aaagcggcgg	gcgaaggaga	4380
tgttgcctcc	acagtccttc	aagcaagcaa	ctatggcggt	cttgtgcgcg	cgccatgagc	4440
ggtagccttg	gcgctgttgt	tgtctttggg	ctaaccggcg	cggctgcttg	gacttaccgg	4500
cctgggttcc	agtggtgtcc	catctacggt	tgggtcggcg	aacgggcagt	gcggcgcgcg	4560
cctgaggagc	ggaggtgtga	gccatgctgg	aaccgggttc	cgatttcttg	ggcgccggcg	4620
aggggaatgc	gaccgagggg	gacgggtgtt	cgtctgacac	ctcttcgacc	tcggaagcct	4680
cctcgtctag	gctctccag	tcctccatca	tgtctctctc	ctcctcgtcc	aaaaacctct	4740
ctgcctgact	gtcccagtat	tcctcctcgt	ccgtgggtgg	cggcggcagc	tcagacttct	4800
ttttgggtgc	catcctggga	agcaaggggc	cgcggctgct	gctgataggg	ctgcgcggcg	4860
gggggggattg	gggtgagctc	ctgcgcggac	tgggggtcca	agtaaacccc	ccgtcccttt	4920
cgtagcagaa	actcttgggc	ggctttgttg	atggcttgca	attggccaag	aatgtggccc	4980
tgggtaatga	cgcaggcggt	aagctccgca	tttggcgggc	gggattgggt	ttcgtagaa	5040
ctaactctct	gggcgtggta	gtcctcaggt	acaaatttgc	gaaggtaagc	cgacgtccac	5100
agccccggag	tgagtttcaa	ccccggagcc	gcggactttt	cgtcaggcga	gggacctctg	5160
agctcaaaag	taccgataat	ttgactttcg	ttaagcagct	gcgaattgca	aaccagggag	5220
cgggtcggggg	tgcatagggt	gcagcgacag	tgacactcca	gtagaccgtc	accgctcacg	5280
tcctccattt	tgtcagagtg	gtaggcaagg	tagttggcta	gctgcagaag	gtagcagtg	5340
ccccaaagcg	gcggagggga	ttcgcgggtac	ttaatgggca	caaagtcgct	aggaagtgca	5400
cagcaggtgg	cgggcaagat	tcctgagcgc	tctaggataa	agttcctaaa	gttctgcaac	5460
atgctttgac	tggtagaagc	tggcagaccc	tgttgcaggg	ttttaagcag	gcgttcgggg	5520
aaaatgatgt	ccgcacaggtg	cgcggccacg	gagcgcctgt	tgaaggccgt	ccataggtcc	5580
ttcaagtttt	gcttttagcag	ttctgcagc	tccttgaggt	tgactccttc	caagcactgc	5640
tgccaaacgc	ccatggccgtg	ctgccaggtg	tagcatagaa	ataagtaaac	gcagtcgcgg	5700
acgtagtcgc	gccgcgcctc	gcccttgagc	gtggaatgaa	gcacgttttg	ccccaggcgg	5760
ttttcgtgca	aaattccaag	gtaggagacc	aggttgcaga	gctccacgtt	ggagatcttg	5820
caggcctggc	gtacgtagcc	ctgtcgaaa	gtgtagtcca	atgtttctct	tagcttgcgc	5880
tgcatctccg	ggtcagcaaa	gaaccgctgc	atgcactcaa	gctccacggt	aacgagcact	5940
gcggccatca	ttagttttgc	tcgctcctcc	aagtcggcag	gctcgcgcgt	ttgaagccag	6000
cgcctagctc	gctcgtcgcc	aactcgggg	aggccctcct	ctgtttgttc	ttgcaattt	6060
gcatccctct	ccaggggctg	cgcacggcgc	acgatcagct	cactcatgac	tgtgctcatg	6120

-continued

```

accttggggg gtaggttaag tgcggggtag gcaaagtggg tgacctcgat gctgcgtttt 6180
agtacgggcta ggcgcgcggtt gtcaccctcg agttccacca acactccaga gtgactttca 6240
ttttcgctgt tttcctgttg cagagcggtt gccgcgcgct tctcgtcgcg tccaagaccc 6300
tcaaagattt ttggcacttc gttgagcgag gcgatatcag gtatgacagc gccctgccgc 6360
aaggccagct gcttgtccgc tcggctgcgg ttggcacggc aggatagggg tatcttgca 6420
ttttggaaaa agatgtgata ggtggcaagc acctctggca cggcaaatat ggggtagaag 6480
ttgagggcgc ggttgggctc gcatgtgccg ttttcttggc gtttgggggg tacgcgcggt 6540
gagaataggt ggcttctcta ggcaaggctg acatccgcta tggcgagggg cacatcgctg 6600
cgctcttgca acgctgcgca gataatggcg cactggcgct gcagatgctt caacagcagc 6660
tcgtctccca catctaggta gtcgccatgc ctttctgtcc cccgccgac ttgttctctg 6720
tttgctctcg gttgtctctg gtttctctt ttatctctcg ttggtactga gcgggtctctg 6780
tcgtctctcg ttacaaaacc tgggtcctgc tcgataatca cttcctctc ctaagcggg 6840
ggtgcctcga cggggaaggt ggtaggcgcg ttggcggcat cgggtggaggc ggtggtggcg 6900
aactcagagg gggcggttag gctgtccttc ttctcgactg actccatgat cttttctctg 6960
ctataggaga aggaaatggc cagcaatcag cactcacaga gggagcgcac cccagaccgc 7020
agcgtcagc cgcgcgcgcg aaaaatgggc agatacttc tggattccga aagcgaagaa 7080
gaactggaag ctgtgccttt acctccaaag aaaaaagtca agaaatctat ggctgcgata 7140
cctctttccc cagagagtg cagaaagaa gaggcagaa caccaagagc agtttttaga 7200
gtaatgggtt tcagcatgcc gcccgctccg attatgcac atgcagacgg ttctcagctc 7260
tttcaaaaaa tggaaaaccg gcagggtacac gttttgaagg cttcgcgctc aaacagcgac 7320
gaaaaatgaa agaattgtgt tgttgttcgc aatccggcaa gccagccctc agtttcagct 7380
tgggaaaaag ccatggaagc catggctatg ctaatggaaa agtaccatgt ggatcacgac 7440
gagcgcgcca ccttctgttt ttgcccggat cagggcagcg tgtacaagaa aatatgcaca 7500
acatggctca acgaagaaaa gcgcggtttg cagctgactt ttccatccca aaaaaccttt 7560
caggagctca tgggagcctt ttgcaagga tatatgcaag cttatgccgg tgtccaacag 7620
aattcctggg aaccacccgg ttgctgcgtg tgggagcata agtgtacgca gcgcgaagg 7680
gagcttagat gcctgcctgg aatggagatg gtgcgcaagc agcatttggt ggaatggat 7740
gtaaccagcg aaagtgggca acgagcgttg aaagagaacc cctcgaaagc caaggtggcg 7800
caaaaccgct gggggcgtaa tgtagttcaa attaaaaacg acgatgcccg ctgctgtttt 7860
catgatgttg gctgcgggaa taattctttc tccggaaagt cctgcggtt gttttattct 7920
gaaggaatga aggcctcaat agcttttagg caaattgaag cttttatgct ggcgcgac 7980
cctcacatgc gacatgggca aaaaacgtct cttatgccag tgcgctcgca atgttttaac 8040
aagcaagatg cctgcgcacg gatggggcgt caactgtgta aaatcactcc ttttaacctc 8100
agcaatgttg ataacattga tatcaacgaa gtaaccgacc ctggagcgtt agccagtatt 8160
aagtatccgt gtttgttggt ttttcagtcg gcaaatccag tttatcgcaa tgcgcgcggc 8220
aatgtcgccc ctaattgcga cttcaagatt tctgtcctcg atgttatggg cgcctcgcaa 8280
cttgtgcgcc agctgtgggg agaaaatttt gacggctccc cccctaggct tgttattcca 8340
gaattcaagt ggcacacgcg ttgacgtac agaaacatat ccttgcaccac caaccacggc 8400
gactgtcgcg aagagccatt tgatttttaa acggcgcgaga cggcaagggt gggggtaaat 8460
aatcacccga gagtgtacaa ataaaagcat ttgcctttat tgaagtgtc tctagtacat 8520
tatttttaca tgtttttcaa gtgacaaaaa gaagtgggcg gccgcactag ttatcagcac 8580
acaattgccc attatacgcg cgtataatgg actatttgtg gctgatatag ggataacagg 8640
gtaattctag agctagcata gatcccatc gattttcggg gaaatgtgcg cggaaccctc 8700
atttgtttat ttttctaatt acattcaaat atgtatccgc tcatgagaca ataacctga 8760
taaatgtctc aataatatat aaaaaggaa agtatgagcc atattcaacg ggaacgctcg 8820
aggcgcgcat taaattccaa catggatgct gatttatatg ggtataaatg ggctgcgat 8880
aatgtcgggc aatcaggtgc gacaatctat cgtttgtatg ggaagccgga tgcgcagag 8940
ttgtttctga aacatggcaa aggtagcgtt gccaatgatg ttacagatga gatggtcaga 9000
ctaaactggc tgacggaaatt tatgcctctt ccgaccatca agcattttat cgtactcct 9060
gatgatgcct ggttactcac cactgcgac cccgaaaaaa cagcattcca ggtattagaa 9120
gaatatcctg attcaggtga aaatatgtt gatgcgctgg cagtggtcct gcgcgggtt 9180
cattcgattc ctgtttgtta ttgtcctttt aacagcgatc gcgtatttcg tctcgctcag 9240
gcgcaatcac gaatgaataa cggtttggtt gatgcgagtg attttgatga ctagcgtaat 9300
ggctggcctg ttgaacaagt ctggaaagaa atgcataaac ttttgccatt ctcaccggat 9360
tcagtcgtca ctcatggtga ttctcactt gataaacctt ttttgacga ggggaaatta 9420
ataggttgta ttgatgttgg acgagtcgga atcgagacc gataccagga tcttgccatc 9480
ctatggaact gcctcggtga gttttctcct tcaatcaga aacggctttt tcaaaaatat 9540
ggatttgata atcctgatga gaataaattg cagtttcatt tgatgctcga tgagttttt 9600
taagcgata atggtctaga gctagcatat ggatccatcg attccattat acgctgtca 9660
gaccaagttt actcatatat actttagatt gatttaaaac ttcattttta atttaaaagg 9720
atctaggtga agatcccttt tgataatctc atgacaaaaa tcccttaacg tgagttttc 9780
ttccactgag cgtcagaccc cgtagaaaag atcaaaaggat cttcttgaga tcttttttt 9840
ctgcgcgtaa tctgctgctt gcaaaaaaaa aaaccaccgc taccagcgtt ggtttgtttg 9900
ccggatcaag agctaccaac tctttttccg aaggtaactg gcttcagcag agcgcagata 9960
ccaaatactg ttcttctagt gttagccgtag ttaggccacc acttcaagaa cctctgtagc 10020
ccgctacat acctcgctct gctaactcctg ttaccagtg cgtctgcag tggcgataag 10080
tcgtgtctta cggggttgga ctcaagacga tagttaccgg ataaggcgca gcggctgggc 10140
tgaacggggg gttcgtgcac acagcccagc ttggagcgaa cgacctacac cgaactgaga 10200
tacctacagc gtgagctatg agaaagcgcc acgcttcccg aaggagagaa ggcggacag 10260
tatccggtaa gcggcaggg cggaaacagga gagcgcacga gggagcttcc agggggaaaac 10320
gcctggatc tttatagtc ttctcgggtt cgcacacctc gactgagcg tcgattttt 10380
tgatgctcgt cagggggggc gagcctatgg aaaaacgcca gcaacgggc ctttttacgg 10440
ttcctggcct tttgtggcc tttgtctcac atgt 10474

```

SEQ ID NO: 96

moltype = DNA length = 10583

FEATURE

Location/Qualifiers

-continued

```
source 1..10583
mol_type = other DNA
organism = synthetic construct

SEQUENCE: 96
tctagagcta gcatatggat ccatcgattt agggataaca gggttaattat cagcacacaa 60
ttgcccatta tacgcgcgta taatggacta ttgtgtgctg ataggcgcgc cttggattga 120
agccaatatg ataatgaggg ggtggagttt gtgacgtggc gcggggcgctg ggaacggggc 180
gggtgacgta gggttttaggg cggagtaact tgtatgtgtt gggaattgta gttttcttaa 240
aatgggaagt tacgtaacgt gggaaaacgg aagtgcacgt ttgaggaagt tgtgggtttt 300
ttggctttcg tttctgggcg taggttcgctg tgcggttttc tgggtgtttt ttgtggactt 360
taaccggtac gtcatttttt agtcctatat atactcgctc tgcacttggc cctttttttac 420
actgtgactg attgagctgg tgcgctgctg agtgggtgtt ttttaaatagg ttttcttttt 480
tactggtaag gctgactggt atggctgctt ttgagactct ttatgtgtat tttacgggac 540
ctgggggctat gttgcctaaa caagagggcg actctaattg ttatgtgtta ttttctcctg 600
cgaaattttgt tatacctcca catggagttg tgcctttata tttgcacata gcagttgata 660
ttcctcctgg atatttggga acattgtttt cattatgcga catgaacgcc agaggggttt 720
ttgttggcgc tgaacgcgtt tatccaggct caagaatgga gctcagtggt ttgtttgtta 780
atcattccga cgtgttttgc gatgttcgctg caaagcagcc agtcgcgcgc ttgcttttaa 840
gtagagttgt ttttccaccc gtttgccagg catctttaat ttaacatatt tttatttttc 900
aggctaacct aaagcatggt tcagaggtcg cttgttcatt actccgtggt gtttccggag 960
tctttacgga actatttgca tggcttagat tttagaggtg tgacgtttct taaagacgtg 1020
ctactgaggt tttggctgct ggtaatgcat tatttaactc ctctatgctg cgatgtctac 1080
gttggcgcca cgcttactaa tatgggtcca tttgtgcaag ttgtatgttc tgtgggaact 1140
ccggaacttg tacctggagg tgaactttct ttgctgctgg cttctgattt gatgattttt 1200
atacaactgg cattaagatg tcagctgcga gaccaaggtg tggagcctaa tgtaaatcta 1260
ctgaatttac tgcagggtgt tgaagatcca gacttttttc agcaaatatg aagtactgcc 1320
tgcgatggcg ggtggaggcg gcccttacag agctttttta tttacacggt ttgaacctgc 1380
aaaatcagtg tgttcaataa atacaacagt ggaagaatga aaattacctg ggaatgggtt 1440
agtcaggcag ttgatgata gaagagtttc atgataatgc atttgccttg cttttgttta 1500
tcgaatccag agctgtggct cttttagaag ctgtgttgga acatttggaa aatcgcttac 1560
aaattgatct ggcgtgctgc tttcaccagc acagcggagg cgatcgctgc cactgcgag 1620
atttacgcat tcaaatcctt gctgacgcgc ttgattaagt ttttatgctt ctaccttga 1680
ttcctcctcc tctctgaagt cgggacacgg ctgctgcat agcatggctt ggtttagccc 1740
atgcatcctg tgtggatag ctgcgcttta ttaaacatca tgatttgaag ataacacctg 1800
aagctgaata cacttttagca agcctgcgag agtgggtgta ctttgccttt ttgacggaac 1860
gccaacgctg caaacaacaaa ggacgaggtg cgataaccag tggctgtagc tggttttgtt 1920
tttttaagta cgaagacgct cgcaagctctg ttgtttacga tgcagcgcca cagacgggat 1980
cgctacagat tggcaccata caacaagtac caactaccgc cctgtgagga acagtcaaaa 2040
gctacgttga gtacttcgga aaattcctta tggcctgagt gtaatagtct gactttacat 2100
aatgtaagtg aggttaagag ctttcttca tgtgtagggt ttacagtgtc gcagggaatg 2160
ccaataccgt gggaatagat tctaactgat tatgagatgt ttattttgaa aaaatacatg 2220
agtgtatgta tgtgtgtgct cactataaat gttgaagtta ctcaattatt acatggtcat 2280
gagcgggtggc ttattcattg tcaattgccag cgtccggggt cactacagtg tatgtcagct 2340
gggatgcttt tgggacgctg gttcaaaatg gccgtatatg gcgccttgat taacaaaagg 2400
tgtttttgtt atcgggaggt tgttaaccat ttaatgccta aagaggtgat gtagtggga 2460
agcacctttg tttagaggtcg ccaatttaatt tactttaaaa ttatgtatga tggccatgcc 2520
tggttagcgt tagaaaaagt tagttttgga tggagcgctt ttaattatgg aatttttaaa 2580
aacatgttag tgcgtgtgtg tgattattgt aaagacttaa gtgagatagc catgcgctgt 2640
tgcgctcgctg taccacactg cctaatgtta aaagtgttgc aagtaattgc tgaaaacact 2700
gttcgccctc taaaacatag tccgcatgaa cgttatcgct agcaactgct aaaggggtta 2760
attatgcacg atcgagcaat tttatttgga gattataatc aacgagagaa tccctgggag 2820
gctgatggac actgactggt gttacttttt gtaggataaa atcatggacc tggttttgga 2880
tggggaatgc cgcttgagtg actgtgcggg cgaggggattc gtttccatca ccgacctcgc 2940
ctttgcccggt aaagaaaactg tgtggacgct aacgccaaaa aacctaaagt gaaatatca 3000
agtgacgttg ttttcagcta caaaggggga aagggaggtta tacaaggtta aatgggaagg 3060
aggcagttta accacgcgta tagtgtaagt ttgattaagg tacggtgatc tgtataagct 3120
atgtgggtgt ggggctatag tactgaatga aaaatgactt gaaattttct gcaattgaaa 3180
aataaacacg ttgaaacata acacaaacga ttctttattc ttgggcaatg tatgaaaaag 3240
tgtaagagga tgtggcaaat atttcattaa tgtagtgtgt ggtttaaacg gtcaggcgcg 3300
cgcaatcggt gacgctctgt agaccgtgca aaaggagagc ctgtaagcgg gcaactcttc 3360
gtggtctggt ggataaattc gcaaggggat catggcggac gaccgggggt cgagccccgt 3420
atccggccgt ccgcgctgat ccatgcgggt accgcccgcg tgtcgaaacc aggtgtgcga 3480
cgtcagacaa cgggggagtg ctctcttttg ctctcttcca ggccggcgcg ctgctgcgct 3540
agcttttttg gccactggcc gcgcgcagcg taagcgggta ggctggaaag cgaaagcatt 3600
aagtggctcg ctccctgtag ccggaggggt attttccaa ggttgagtcg cgggaccccc 3660
ggttcgagtc tcggaccggc cggactgcgg cgaacggggg tttgcctccc cgtcatgcaa 3720
gaccocgctt gcaaatctct ccggaaacag ggacgagccc cttttttgct tttccagat 3780
gcatccggtg ctgcggcaga ttttaataaa atggcgctga cgacaggtgc tggcgccggg 3840
tgtggccgct ggagatgacg tagttttcgc gcttaaatgt gagaaggggc gcgaaactag 3900
tccctaagag tcagcgcgca gtatttactg aagagagcct ccgcgtcttc cagcgtgcgc 3960
cgaagctgat cttcgctttt gtgatacagg cagctgcggg tgagggatcg cagagacctg 4020
ttttttattt tcagctcttg ttcttggccc ctgctctgtt gaaatatagc atacagagt 4080
ggaaaaatcc tgtttctaa gctcggggtc gatacgggtt cgttggcgcg cagacgcagc 4140
gctcctctcc ctgctgctgc cgcgctgtgt gatttcttgc gctttgtcag agtcttgcga 4200
tcgggtcgcc tttgtctctg tgtggccgct cgtgtgtgct cgcgtgcgcg tgcgcgggt 4260
gcagtatggg ctgtagagat gacggtagta atgcaggatg ttacggggga aggccacgcc 4320
```


-continued

gtgatggtag	agaagaaagc	ggcggggcgaa	ggagatgttg	ccccacagt	cttgcaagca	4380
agcaactatg	gcgttcttgt	gcccgcgcca	tgagcggtag	ccttggcgct	gttggtgtct	4440
ttgggctaac	ggcgggcgct	gcttggactt	accggccctg	gttccagtag	tgtcccatct	4500
acggttgggt	cggcggaacg	gcagtgccgg	cggcgccctga	ggagcggagg	ttgtagccat	4560
gctggaacgg	gttgccgatt	tctggggcgc	cggcgagggg	aatgcgaccg	aggggtgacgg	4620
tgtttcgtct	gacacctctt	cgcacctcga	agcttccctc	tctaggctct	cccagctctt	4680
catcatgtcc	tctctctcct	cgtccaaaa	ctctctctgc	tgaactgtcc	agtattctct	4740
ctcgctcggt	gggtggcgcg	gcagctgcag	cttctttttg	gggtccatcc	tgggaagcaa	4800
gggcccgcgg	ctgctgtctga	tagggctgcg	gcggcggggg	gattgggttg	agctcctcgc	4860
cggactgggg	gtccaagtaa	accccccgct	cctttcgtag	cagaaactct	tggcggggtt	4920
tgttgatggc	ttgcaattgg	ccaagaatgt	ggccctgggt	aatgacgcag	gcggtaagct	4980
ccgcatattg	cggcgcggtg	tggtcttctg	agaacctaat	ctcgtagggc	tggtagtctt	5040
caggtacaaa	tttgcgaagg	taagccgacg	tccacagccc	cggagttagt	ttcaaccccg	5100
gagccgcgga	cttttctgtc	ggcgagggac	cctgcagctc	aaaggtagcc	ataatttgac	5160
tttctgttaag	cagctgcgaa	ttgcaaacca	gggagcgggt	cggggtgcat	aggttgacgc	5220
gacagtgaaca	ctccagtaga	cgtccaccgc	tacgtcttcc	cattatgtca	gagtggtagg	5280
caaggtagtt	ggctagctgc	agaaggtagc	agtggcccca	aagcggcgga	gggcattctc	5340
ggtaactta	gggcacaaag	tcgctaggaa	gtgcacagca	ggtagggggc	aagattcctg	5400
agcgcctctg	gataaagtct	ctaaagtctt	gcaacatgct	tgactgggtg	aagtcctggc	5460
gacctgtgtg	caggggttta	agcaggcggt	cggggaaaa	gatgtccgcc	aggtgcgcgg	5520
ccacggagcg	ctcggtgaag	gccgtccata	ggctcttcaa	gttttgtctt	agcagtttct	5580
gcagctcctt	gaggttgca	tcttccaagc	actgctgcca	aacgcccacg	gccgtctgcc	5640
aggtgtagca	tagaaataag	taaacgcagt	cgcggacgta	gtcgcgcgcg	gcctcgccct	5700
tgagcgtgga	atgaagcagc	ttttgcccac	ggcggttttc	gtgcaaaatt	ccaaggttagg	5760
agaccaggtt	gcagagctcc	acgttggaga	tcttgcaagg	ctggcgtagc	tagccctgtc	5820
gaaaagggtg	tgcaaatggt	tctcttagct	tcgcgtgcat	ctccgggtca	gcaaaagaac	5880
gctgcatgca	ctcaagctcc	acggtaacga	gcaactgcgc	catcattagt	ttgcgtcgct	5940
cctccaagtc	ggcaggctcg	cgcgtttgaa	gccagcgcgc	tagctgctcg	tcgccaaactg	6000
cgggttaggc	ctctcttgtt	tggttctgtc	aatttgatc	cctctccagg	ggctgcgcac	6060
ggcgacagat	cagctcactc	atgactgtgc	tcatgacctt	ggggggttag	ttaatgccc	6120
ggtaggcaaa	gtgggtgacc	ccgatgctgc	gttttagtac	ggctaggcgc	gcgtttgtac	6180
ctcagagttc	caccaaacact	ccagagtgc	tttcattttc	gctgttttcc	tggtgcagag	6240
cgtttgcgcg	gcgcttctcg	tcgcgtccaa	gacctccaaa	gatttttggc	acttcgttta	6300
gcgagggcgt	atcaggtatg	acagcgccct	gccgcaaggc	cagctgcttg	tccgctcgcc	6360
tcggttggc	acggcaggat	aggggtatct	tgcaagtttg	gaaaaagatg	tgataggtgg	6420
caagcacctc	tgccacggca	aatcgggggt	agaagttgag	gcgcgggttg	ggctcgcatg	6480
tgccgttttc	ttggcgtttg	gggggtacgc	gcggtgagaa	taggtggcgt	tcgtaggcaa	6540
ggctgacatc	cgtatggcg	aggggcacat	cgtgcgcctc	ttgcaacgcg	tcgcagataa	6600
tgggcgactg	gcgctgcaga	tgcttcaaca	gcaactgcct	tccacatctc	aggtagtcgc	6660
catgcttttc	gtccccccgc	cgcacttggt	cctcgtttgc	ctctgcgttg	tctgggtctt	6720
gctttttatc	ctctgttggt	actgagcggg	cctcgctgct	ttcgcttaca	aaacctgggt	6780
cctgctcgat	aatcaactcc	tctctctcaa	gcgggggtgc	ctcgacgggg	aaggtggtag	6840
gcggttggc	ggcgttggg	gagggcggtg	tgccgaacta	gagggggcgg	ttaggctgtc	6900
cttcttctcg	actgactcca	tgatcttttt	ctgcctatag	gagaaggaaa	tgccagtcgc	6960
ggaagaggag	cagcgcgaaa	cccccccgca	gcgcgggacg	ggtagcggcg	gacgtcccc	7020
aaactaggag	agcgtgtcgt	ccccctcccc	gtcgccggcg	cctccccggg	cgcccccaaa	7080
aaagcggaag	aggcggcgta	tcgagtcgga	ggacgaggaa	gactcatcac	aagacgcgct	7140
ggtagccgcg	acacccagcc	cgcggccatc	gacctcggcg	gcggatttgg	ccattgcgcc	7200
caagaagaaa	aagaagcgcc	cttctcccaa	ccccgagcgc	ccgccaatca	cagaggtaat	7260
cgtggacagc	gaggaagaaa	gagaagatgt	ggcgctacaa	atggtgggtt	tcagcaaccc	7320
accggtgcta	atcaagcatg	gcaaaaggag	taagcgcaca	gtgcggcgcc	tgaatgaaga	7380
cgaccagatg	gcgcgtggta	tcgggacgca	agaggaagag	gaagagccca	gcgaagcgga	7440
aagtgaattt	accggtgatg	acccgctgag	tgtgcgcgct	gtgtctgcgt	gggagaaggg	7500
catggaggct	gcgcgcgcgc	tgatggacaa	gtaccacgtg	gataacgatc	taaaggcgaa	7560
cttcaaaacta	ctgcctgacc	aagtggaagc	tctggcgccc	gtatgcaaga	cctggctgaa	7620
cgaggagcac	cgcgggttgc	agctgacctt	caccagcaac	aagaccttgc	tgacgatgat	7680
ggggcgatct	ctgcaggcgt	acctgcagtc	gtttgcagag	gtgacctaca	agcatcacga	7740
gcccaacgggc	tgccgcttgc	ggctgcaccg	ctgcgctgag	atcgaaggcg	agcttaagtg	7800
tctacacgga	agcattatga	taataaagga	gcacgtgatt	gaaatggatg	tgacgagcga	7860
aaacggggcag	gcgcgcgtga	aggagcagtc	tagcaaggcc	aagatcgtga	agaaccgggtg	7920
ggggcgaaat	tggtgtcaga	tctccaacac	cgacgcgaag	tgctgcgtgc	acgacgcggc	7980
ctgtccggcc	aatcagtttt	cgggcaagtc	tttctctctg	aaggcgcaaa	8040	
ggctcaggtg	gcttttaagc	agatcaaggc	ttttatgcag	gcgctgtatc	ctaaccgcca	8100
gaccggggcac	ggtcaccttt	tgatgccact	acgggtgcgag	tgcaactcaa	agcctgggca	8160
gcgcctcttt	ttgggaaggc	agctacccaa	gttgactccg	ttgcacctga	gcaacgcgga	8220
ggacctggac	gcgcatctga	tctccgacaa	gagcgtgtgc	gccagcgtgc	accacccggc	8280
gctgatagtg	ttccagtgct	gcaacctgtg	gtatcgcaac	tcgcgcgcgc	agggcgaggg	8340
ccccaaactgc	gaattccaaga	tatcgccgcc	cgacctgcta	aacgcgttgg	tgatgggtgc	8400
cagcctgtgg	agtgaaaact	tcaccgagct	gccgcggatg	gttggtgcctg	agtttaagtg	8460
gagcactaaa	caccagtatc	gcaacgtgtc	cctgccagtg	gcgcataagc	atgcgcggca	8520
gaaccccttt	gatttttaaa	cggcgagac	ggcaagggtg	gggttaataa	atcaccgag	8580
agtgtaaaaa	taaaagcatt	tgccctttat	gaaagtgtct	ctagtacatt	atttttacat	8640
gtttttcaag	tgcaaaaaag	aagtgggcgg	ccgcactagt	tatcagcaca	caattgcccc	8700
ttatacgcgc	gtataatgga	ctattgtgtg	ctgatataag	gataaacagg	taattctaga	8760
gctagcatat	ggatccatcg	attttcgggg	aaatgtgcgc	ggaaccccta	ttgtgttatt	8820
tttctaataa	cattcaataa	tgtatccgct	catgagacaa	taacctgat	aatgtcttca	8880

-continued

ataatattga	aaaaggaaga	gtatgagcca	tattcaacgg	gaaacgtcga	ggccgcgatt	8940
aaattccaac	atggatgctg	atttatatgg	gtataaatgg	gctcgcgata	atgtcgggca	9000
atcaggtgcg	acaatctatc	gcttgatgg	gaagcccgat	gcgcacagat	tgtttctgaa	9060
acatggcaaa	ggtagcgttg	ccaatgatgt	tacagatgag	atggtcagac	taaacgtgct	9120
gacggaattt	atgcctcttc	cgaccatcaa	gcattttatc	cgtactcctg	atgatgcattg	9180
gttactcacc	actgcgatcc	ccggaaaaac	agcattccag	gtattagaag	aatatcctga	9240
ttcaggtgaa	aatatgtgtg	atgcgctggc	agtgttcctg	cgccggttgc	attcgattcc	9300
tgtttgtaat	tgtcctttta	acagcgatcg	cgtatttcgt	ctcgtccagg	cgcaatcacg	9360
aatgaataac	ggtttggttg	atgcgagtga	ttttgatgac	gagcgtaatg	gctggcctgt	9420
tgaacaagtc	tggaaagaaa	tgataaaact	tttgccattc	tcaccggatt	cagtcgtcac	9480
tcatgggtgat	ttctcacttg	ataaccttat	ttttgacgag	gggaaattaa	taggttgat	9540
tgatgttgga	cgagtcggaa	tcgcagaccg	ataccaggat	cttgccatcc	tatggaactg	9600
cctcgggtgag	ttttctcctt	cattacagaa	acggcttttt	caaaaatatg	gtattgataa	9660
tcctgatatg	aataaaattgc	agtttcatct	gatgctcgat	gagtttttct	aagcgtataa	9720
tgggtctagag	ctagcatatg	gatccatcga	ttccattata	cgctgtcgag	accaagttta	9780
ctcatatata	cttagatgtg	atttaaaact	tcattttttaa	tttaaaagga	tctaggtgaa	9840
gatccttttt	gataaatctca	tgaccaaaa	cccttaacgt	gagttttcgt	tcactgagc	9900
gtcagacccc	gtagaaaaa	tcaaaaggatc	ttcttgagat	ccttttttct	tgccgcta	9960
ctgctgcttg	caaacaaaaa	aaccaccgct	accagcgggt	gtttgtttgc	cggatcaaga	10020
gctaccaact	ctttttccga	aggtaactgg	cttcagcaga	gcgcagata	caaaactagt	10080
tcttctagt	tagccgtagt	taggccacca	cttcaagaac	tctgtagcac	cgctacata	10140
cctcgtcctg	ctaactcctg	taccagtggc	tgtgccagt	ggcgataagt	cgtgtcttac	10200
cgggttgga	tcaagcagat	agttaccgga	taaggcgcag	cggtcggggt	gaacggggg	10260
ttcgtgcaca	cagcccagct	tggagcgaac	gacctacacc	gaactgagat	acctacacg	10320
tgagctatga	gaaagcgcca	cgcttcccga	aggagaaaag	gcggacaggt	atccggtaag	10380
cggcaggggt	ggaacaggag	agcgacgag	ggagcttcca	gggggaaacg	cctggtagct	10440
ttatagtcct	gtcgggttct	gccacctctg	acttgagcgt	cgatttttgt	gatgctcgt	10500
aggggggcgg	agcctatgga	aaaacgccag	caacgcggcc	ttttacggt	tcctggcctt	10560
ttgctggcct	tttgcacaca	tgt				10583

1. A human adenovirus 5 (hAd)-based nucleic acid comprising:

- an E4 region with E4-ORF6/7, and
- a virus associated (VA) RNA region, and
- an E2A region with L4-22K and L4-33K, and not comprising one or more of:
 - at least one packaging protein,
 - at least one structural protein,
 - a Major Late Promoter (MLP),
 - an E1 region, and/or
 - an E3 region.

2. A human adenovirus 5 (hAd)-based nucleic acid comprising:

- an E4 region with E4-ORF6/7,
- a virus associated (VA) RNA region, and
- an E2A region with L4-22K, L4-33K, and L4-100K, and

not comprising one or more of:

- at least one packaging protein,
- at least one structural protein,
- a Major Late Promoter (MLP),
- an E1 region, and/or
- an E3 region.

3. The nucleic acid of claim 1 or claim 2, wherein the nucleic acid comprises in a 5' to 3' direction, the E4 region comprising E4-ORF 6/7, VA RNA region, E2A region.

4. The nucleic acid of claim 1 or claim 2, wherein the nucleic acid does not comprise an adenoviral inverted terminal repeat.

5. The nucleic acid of claim 1 or claim 2, wherein the nucleic acid comprises GGCAGC at positions 57-62 of L4-22K (e.g., 4279-4284 of SEQ ID NO: 1).

6. The nucleic acid of claim 1, wherein the E2A region comprises an E2 early promoter (SEQ ID NO: 2) or a sequence with at least 85% sequence identity to SEQ ID NO: 2, an E2 late promoter (SEQ ID NO: 3) or a sequence with at least 85% sequence identity to SEQ ID NO: 3, an E2A

protein (SEQ ID NO: 4) or a sequence with at least 85% sequence identity to SEQ ID NO: 4, a L4-22K (SEQ ID NO: 5) or a sequence with at least 85% sequence identity to SEQ ID NO: 5, a L4-33K (SEQ ID NO: 6) or a sequence with at least 85% sequence identity to SEQ ID NO: 6, and/or an intermediate phase L4 promoter (L4P) (SEQ ID NO: 7) or a sequence with at least 85% sequence identity to SEQ ID NO: 7 and optionally a L4-100K (SEQ ID NO: 8) or a sequence with at least 85% sequence identity to SEQ ID NO: 8.

7. The nucleic acid of any one of claims 3-6, wherein the E2A protein is operatively linked to the E2 early promoter and/or the E2 late promoter.

8. The nucleic acid of any one of claims 3-6, wherein the L4-22K, the L4-33K, and optionally the L4-100K, are operatively linked to the L4P.

9. The nucleic acid of any one of claims 3-8, wherein the E2A region is flanked by two type II restriction endonuclease recognition sites.

10. The nucleic acid of claim 9, wherein the two type II restriction endonuclease recognition sites are selected independently from the group consisting of: *PacI*; *SpeI*; *AscI*; *PmeI*; *NotI*; and the corresponding isoschizomers of any of the foregoing.

11. The nucleic acid of any one of claims 9-10, wherein at least one of the two type II recognition site allows the manipulation of the nucleic acid as modules.

12. The nucleic acid of any one of claims 9-11, wherein the E2A region is flanked by a *PacI* restriction endonuclease recognition site and a *NotI* restriction endonuclease recognition site.

13. The nucleic acid of any one of claims 9-12, wherein the E2A region is flanked by two *SpeI* restriction endonuclease recognition sites.

14. The nucleic acid of any one of claims 1-13, wherein the nucleic acid does not comprise a mutation that prevents expression of L4-22K (SEQ ID NO: 5) and/or L4-33K (SEQ ID NO: 6).

15. The nucleic acid of anyone of claims 1-14, wherein the E2A region comprises an E2 early promoter (SEQ ID NO: 2), an E2 late promoter (SEQ ID NO: 3), an E2A protein (SEQ ID NO: 4), a L4-22K (SEQ ID NO: 5), a L4-33K (SEQ ID NO: 6), and/or an intermediate phase L4 promoter (L4P) (SEQ ID NO: 7).

16. The nucleic acid of any one of claims 1-15, wherein the E2A region comprises in the 5'-3' direction: an E2 early promoter, a L4-33K, a L4-22K, a L4P, an E2 late promoter, a L4-100K, and an E2A.

17. The nucleic acid of any one of claims 1-16, wherein the E2A region comprises in the 5'-3' direction: an E2 early promoter, a L4-33K, a L4-22K, a L4P, an E2 late promoter, and an E2A.

18. The nucleic acid of any one of claims 16 and 17, wherein the E2A section comprises: an E2 early promoter, an E2 late promoter, and an E2A.

19. The nucleic acid of any one of claims 1-18, the E2A region of the Ad5 based nucleic acid of invention comprises a nucleic acid encoding the single-stranded DNA binding protein [DBP], and lacks the essential adenoviral structural (eg. Fiber, hexon, penton, core proteins) and replication (eg. DNA polymerase) genes.

20. The nucleic acid of any one of claims 16-19, wherein the L4 section comprises: a L4-33K, a L4-22K, and a L4P.

21. The nucleic acid of any one of claims 16-20, wherein the L4 elements are in the reverse orientation compared to the to the E2A region, E4 region, and VA RNA region.

22. The nucleic acid of any one of claims 16-21, wherein the E2A is codon optimized relative to its wild-type sequence.

23. The nucleic acid of any one of claims 1-22, wherein the E4 region comprises an E4 promoter (SEQ ID NO: 9), E4-ORF1 (SEQ ID NO: 10), an E4-ORF2 (SEQ ID NO: 11), an E4-ORF3 (SEQ ID NO: 12), an E4-ORF4 (SEQ ID NO: 13), an E4-ORF6 (SEQ ID NO: 14), and/or an E4-ORF6/7 (SEQ ID NO: 15).

24. The nucleic acid of claim 23, wherein the E4-ORF1, the E4-ORF2, the E4-ORF3, the E4-ORF4, the E4-ORF6, and/or the E4-ORF6/7 are operatively linked to the E4 promoter.

25. The nucleic acid of any one of claims 1-24, wherein the E4 region comprises an E4 promoter (SEQ ID NO: 9), E4-ORF2 (SEQ ID NO: 11), an E4-ORF3 (SEQ ID NO: 12), an E4-ORF4 (SEQ ID NO: 13), an E4-ORF6 (SEQ ID NO: 14), and/or an E4-ORF6/7 (SEQ ID NO: 15).

26. The nucleic acid of claim 25, wherein the E4-ORF2, the E4-ORF3, the E4-ORF4, the E4-ORF6, and/or the E4-ORF6/7 are operatively linked to the E4 promoter.

27. The nucleic acid of claims 25-26, wherein the nucleic acid does not comprise E4-ORF1 (SEQ ID NO: 10).

28. The nucleic acid of any one of claims 25-27, wherein amino acid residue position 9 of E4-ORF1 as set forth in SEQ ID NO: 10 was mutated to a stop codon, or wherein the nucleic acid comprises a variant of SEQ ID NO:10 wherein the amino acid residue position 9 of SEQ ID NO: 10 is substituted with a stop codon.

29. The nucleic acid of any one of claims 23-28, wherein the E4 region flanked by two type II restriction endonuclease recognition sites.

30. The nucleic acid of claim 29, wherein the E4 region is flanked by an *AscI* restriction endonuclease recognition site and a *PmeI* restriction endonuclease recognition site.

31. The nucleic acid of claim 29, wherein the two type II restriction endonuclease recognition sites are selected from the group consisting of:

PacI; *SpeI*; *AscI*; *PmeI*; *NotI*; and the corresponding isoschizomers of any of the foregoing.

32. The nucleic acid of any one of claims 29-31, wherein at least one of the two type II restriction endonuclease sites allows the manipulation of the nucleic acid as modules.

33. The nucleic acid of any one of claims 1-32, wherein the E4 region comprises in the 5'-3' direction: an E4 promoter (SEQ ID NO: 9), an E4-ORF1 (SEQ ID NO: 10), an E4-ORF2 (SEQ ID NO: 11), an E4-ORF3 (SEQ ID NO: 12), an E4-ORF4 (SEQ ID NO: 13), an E4-ORF6 (SEQ ID NO: 14), and/or an E4-ORF6/7 (SEQ ID NO: 15).

34. The nucleic acid of any one of claims 1-33, wherein the E4 region comprises in the 5'-3' direction: an E4 promoter (SEQ ID NO: 9), an E4-ORF2 (SEQ ID NO: 11), an E4-ORF3 (SEQ ID NO: 12), an E4-ORF4 (SEQ ID NO: 13), an E4-ORF6 (SEQ ID NO: 14), and/or an E4-ORF6/7 (SEQ ID NO: 15).

35. The nucleic acid of any one of claims 1-34, wherein the E4 region comprises an E4-ORF6/7 (SEQ ID NO: 15).

36. The nucleic acid of any one of claims 1-35, wherein the VA RNA region comprises a VA RNA I (SEQ ID NO: 16) and/or a VA RNA II (SEQ ID NO: 17).

37. The nucleic acid of claim 36, wherein a VA RNA I and/or a VA RNA II are directly placed between splicing sites.

38. The nucleic acid of claim 37, wherein the splicing sites are donor or acceptor splicing sites.

39. The nucleic acid of claim 36, wherein the VA RNA region is flanked by two type II restriction endonucleases recognition sites.

40. The nucleic acid of claim 39, wherein the VA RNA region is between a *PmeI* restriction endonuclease recognition site and a *PacI* restriction endonuclease recognition site.

41. The nucleic acid of claim 40, wherein the two type II restriction endonuclease recognition sites are selected from the group consisting of *PacI*, *SpeI*, *AscI*, *PmeI*, and *NotI* and/or their corresponding isoschizomers.

42. The nucleic acid of claim 40, wherein the restriction site allows the manipulation of the nucleic acid as modules.

43. The nucleic acid of any one of claims 1-42, wherein the VA RNA region comprises, in the 5'-3' direction, a restriction endonuclease recognition site, a splicing site, a VA RNA I, a VA RNA II, a splicing site, and a restriction endonuclease recognition site.

44. The nucleic acid of claim 43, wherein the splicing sites are donor or acceptor splicing sites.

45. The nucleic acid of claim 43, wherein a VA RNA I and/or a VA RNA II are operatively linked to a Pol II promoter.

46. The nucleic acid of claim 36, wherein a VA RNA I and/or a VA RNA II are located within the E4 region.

47. The nucleic acid of claim 36, wherein a VA RNA I and/or a VA RNA II are located within the E2A region.

48. The nucleic acid of claim 47, wherein a VA RNA I and/or a VA RNA II are operatively linked to the E2 Early and/or Late Promoter.

49. The nucleic acid of claim 47, wherein a VA RNA I and/or a VA RNA II are operatively linked to the L4P promoter.

50. The nucleic acid of any one of claims 1-49, wherein the nucleic acid further comprises a backbone region.

51. The nucleic acid of claim 50, wherein the backbone region comprises a pLDB backbone.

52. The nucleic acid of any one of claims 1-51, wherein the hAd5 nucleic acid does not comprise at least one structural protein, wherein at least one structural protein comprises a fiber protein (SEQ ID NO: 18, SEQ ID NO: 32), a hexon protein (SEQ ID NO: 19, SEQ ID NO: 33), and/or a penton protein (SEQ ID NO: 20, SEQ ID NO: 34).

53. The nucleic acid of any one of claims 1-52, wherein the hAd5 nucleic acid does not comprise at least one packaging protein, wherein at least one packaging protein comprises a 23K endoprotease (SEQ ID NO: 21, SEQ ID NO: 35), a peripentonal hexon-associated protein (SEQ ID NO: 22, SEQ ID NO: 36), and/or a packaging protein 3 (SEQ ID NO: 23, SEQ ID NO: 37).

54. The nucleic acid of any one of claims 1-53, wherein the hAd5 nucleic acid does not comprise the E1 region, wherein the E1 region comprises an E1A protein (SEQ ID NOs: 24-28, 38-42) and/or an E1B protein (SEQ ID NOs: 29-30, 43-44).

55. The nucleic acid of any one of claims 1-54, wherein the hAd5 nucleic acid does not comprise the E3 region, wherein the E3 region comprises at least one of SEQ ID NOs: 68-81.

56. The nucleic acid of any one of claims 1-55, comprising SEQ ID NO: 1 and/or SEQ ID NO: 31.

57. The nucleic acid of any one of claims 1-56 comprises in the 5'-3' direction: the E4 region, the VA RNA region, the E2A region, and/or the backbone region.

58. The nucleic acid of any one of claims 1-56 comprises in the 5'-3' direction: the E4 region, the VA RNA region, and/or the E2A region.

59. The nucleic acid of any one of claims 1-58, wherein the nucleic acid does not exceed 18,932 nucleotides.

60. The nucleic acid of any one of claims 1-59, wherein the nucleic acid does not exceed 12,130 nucleotides.

61. The nucleic acid of any one of claims 1-60, wherein the nucleic acid does not exceed 10,609 nucleotides.

62. The nucleic acid of any one of claims 1-61, wherein the nucleic acid does not exceed 8,659 nucleotides.

63. The nucleic acid of any one of claims 1-62, wherein the nucleic acid comprises a plasmid.

64. The nucleic acid of any one of claims 1-63, wherein the nucleic acid is plasmid DNA.

65. The nucleic acid of claim 64, wherein the plasmid DNA can be linear or circular.

66. The nucleic acid of any one of claims 1-62, wherein the nucleic acid comprises close ended linear duplexed DNA (clDNA).

67. The nucleic acid of any one of claims 1-62, wherein the nucleic acid is close ended linear duplexed DNA (clDNA).

68. The nucleic acid of any one of claims 1-67, further comprising at least one stuffer sequence comprising a sequence with at least 85% sequence identity to SEQ ID NO: 93 or 94.

69. The nucleic acid of any one of claims 1-68, wherein the clDNA further comprises at least one protelomerase binding site.

70. An adenovirus comprising the nucleic acid of any one of claims 1-69.

71. A recombinant adenovirus-associated virus (rAAV) in combination with the adenovirus of claim 70.

72. A human adenovirus 5 (hAd)-based nucleic acid comprising L4-22K.

73. A human adenovirus 5 (hAd)-based nucleic acid comprising L4-33K.

74. A human adenovirus 5 (hAd)-based nucleic acid comprising L4-22K, L4-33K, and L4P.

75. A cell comprising the nucleic acid of any one of claims 1-69, the adenovirus of claim 70, or the recombinant adenovirus-associated virus (rAAV) of claim 71.

76. The cell of claim 75, for use in production of recombinant adeno associated virus (rAAV) in a method comprising transfection of cells with i) the nucleic acid of any of claims 62 to 69, ii) rAAV genome and iii) AAV capsid (cap) and non-structural replication (rep) genes, allowing cells sufficient time to produce rAAV particles, and producing clarified lysate comprising rAAV capsid particles.

77. The cell of claim 76, wherein the rAAV particles in the clarified lysate comprises at least about 25% to at least about 30% full capsid particles.

78. The cell of claim 76, wherein the rAAV capsid particles in the clarified lysate comprises at least about 25% to at least about 30% full capsid particles, wherein the rAAV is manufactured using the hAd5 based nucleic acid of invention (SEQ ID NO: 1 or SEQ ID NO: 31).

79. The cell of claim 76, wherein, the rAAV in the clarified lysate comprises at least about 1.5 fold higher full capsid particle with SEQ ID NO: 1 or SEQ ID NO: 31, when compared with the rAAV in the clarified lysate that is produced with nucleic acid as set forth in SEQ ID NO: 66, SEQ ID NO: 67, or SEQ ID NO: 92.

80. A method of producing a recombinant adeno associated virus (rAAV) comprising transfecting cells with: i) the nucleic acid of any of claims 1-69, ii) an rAAV genome comprising transgene and iii) AAV helper Rep-Cap gene encoding AAV capsid and non-structural replication genes, and allowing the cells sufficient time to produce rAAV particles.

81. The method of claim 80, wherein, the method further comprises producing clarified lysate out of a bioreactor.

82. The method of claim 81, wherein the clarified lysate comprises rAAV with at least about 30% full capsid particles.

83. The method of any one of claims 80-82, wherein, the clarified lysate comprises rAAV with at least about 1.5-fold higher quantity or percentage of full capsid particles, when compared with the rAAV in the clarified lysate that is produced with nucleic acid as set forth in SEQ ID NO: 66, SEQ ID NO: 67, or SEQ ID NO: 92.

84. The method of claim 80, wherein the rAAV genome comprises a transgene.

85. The method of claim 80, wherein the rAAV genome and/or AAV capsid and non-structural replication genes are in the form of a plasmid and/or clDNA sequence.

86. The method of claim 80, wherein the cells are suspension cells.

87. The method of claim 86, wherein the suspension cells are mammalian cells.

88. The method of claim 87, wherein the cells are HEK293.

89. The method of claim **88**, further comprising expanding the cells to produce sufficient cell mass to seed the bioreactor.

90. The method of any one of claims **80-89**, wherein the bioreactor is of at least a 25 L scale.

91. The method of any one of claims **80-90**, wherein the bioreactor is a stirring production bioreactor.

92. The method of any one of claims **80-91**, wherein the cells are expanded to produce sufficient cell mass to seed the stirring production bioreactor.

93. The method of any one of claims **80-92**, wherein the stirring production bioreactor is of at least a 250 L scale.

94. The method of claim **80**, wherein the transfecting step comprises using polyethylenimine.

95. The method of claim **80**, wherein the harvesting step comprises harvesting the suspension cells.

96. The method of claim **89**, wherein the cells are harvested at least 72 hours after the transfecting step.

97. The method of claim **96**, wherein the harvesting comprises lysing the suspension cells and purifying the rAAV virions.

98. The method of claim **97**, wherein the lysing step comprises chemical lysis.

99. The method of claim **97**, wherein the purifying step comprising a purification method selected from the group consisting of affinity capture chromatography, iodixanol density gradient centrifugation, and quaternary amine chromatography resin.

100. A method of producing a recombinant adenovirus-associated virus (rAAV) comprising: transfecting cells with: i) SEQ ID NO:1 or SEQ ID NO: 31, ii) an rAAV genome comprising transgene, and iii) AAV helper Rep-Cap gene encoding AAV capsid and non-structural replication genes, and allowing the cells sufficient time to produce rAAV particles.

101. The method of claim **100**, wherein the cells are cultured for a time sufficient and under conditions in which at least the polypeptide encoded by SEQ ID NO: 5 or the polypeptide encoded by SEQ ID NO: 6 are expressed.

102. The method of claim **100**, wherein the cells are cultured for a time sufficient and under conditions in which at least one polypeptide encoded by SEQ ID NO: 1 or SEQ ID NO: 31 is expressed.

103. A method of producing viral particles, comprising;

- a) providing the cells of claim **77**;
- b) culturing the cells for a time sufficient and under conditions in which at least the polypeptide encoded by SEQ ID NO: 5 or the polypeptide encoded by SEQ ID NO: 6 is expressed, or at least one polypeptide encoded by SEQ ID NO: 1 or SEQ ID NO: 31 is expressed;
- c) culturing the cells under conditions in which viral particles are produced; and
- d) optionally isolating the viral particles.

104. The method of claim **103**, further comprising a sequence with at least 85% sequence identity to SEQ ID NO: 93 and/or a sequence with at least 85% sequence identity to SEQ ID NO: 94.

105. The method of claim **104**, wherein SEQ ID NO: 93 is upstream of the 5' end of the nucleic acid sequence encoding the E4 region.

106. The method of claim **104**, wherein SEQ ID NO: 94 is downstream of the 3' end of the nucleic acid sequence encoding the E2A region.

107. The method of claim **104**, wherein SEQ ID NO: 94 is upstream of the 5' end of the nucleic acid sequence encoding the E4 region.

108. The method of claim **104**, wherein SEQ ID NO: 93 is downstream of the 3' end of the nucleic acid sequence encoding the E2A region.

109. The method of claims **104-108**, wherein SEQ ID NO: 94 is upstream of the 5' end of the nucleic acid sequence encoding the E4 region, and SEQ ID NO: 93 is not located at the 3' end of the nucleic acid sequence encoding the E2A region.

110. The method of claims **104-109**, wherein the hAd5 based nucleic acid is cDNA.

111. The method of claim **110**, wherein the cDNA further comprises a protelomerase binding site.

112. The method of claims **104-111**, wherein SEQ ID NO: 93 is located between the protelomerase binding site (TelRL) and the 5' end of the E4 region, and SEQ ID NO: 94 is located between the protelomerase binding site (TelRL) and the 3' end of the E2A region.

113. The method of claims **104-111**, wherein SEQ ID NO: 94 is located between the protelomerase binding site (TelRL) and the 5' end of the E4 region, and SEQ ID NO: 93 is located between protelomerase binding site (TelRL) and the 3' end of the E2A region.

114. The method of claim **104-111**, wherein SEQ ID NO: 94 is located between protelomerase binding site and the upstream of the 5' end of the of the E4 region, and the nucleic acid does not comprise SEQ ID NO: 93.

115. A helper nucleic acid comprising a E2A region, a E4 region, and a VA RNA region, and not comprising one or more of at least one packaging protein, at least one structural protein, a Major Late Promoter (MLP), an E1 region, and/or an E3 region.

116. The nucleic acid of claim **115**, wherein the nucleic acid comprises SEQ ID NO: 95.

117. A helper nucleic acid comprising a E2A region, a E4 region, and a VA RNA region, and not comprising one or more of at least one packaging protein, at least one structural protein, a Major Late Promoter (MLP), an E1 region, and/or an E3 region.

118. The nucleic acid of claim **117**, wherein the nucleic acid comprises SEQ ID NO: 96.

* * * * *