



US 20250283099A1

(19) **United States**(12) **Patent Application Publication**
MEZIADI(10) **Pub. No.: US 2025/0283099 A1**(43) **Pub. Date: Sep. 11, 2025**(54) **GENETICALLY ENGINEERED PLANT OR
PART THEREOF ADAPTED FOR THE
PRODUCTION OF RECOMBINANT
PROTEINS AND PROCESS THEREOF**(52) **U.S. Cl.**
CPC *C12N 15/8218* (2013.01); *A01H 1/045*
(2021.01); *A01H 1/108* (2021.01)(71) Applicant: **CORE BIOGENESIS, EVRY (FR)**(57) **ABSTRACT**(72) Inventor: **Chouaib MEZIADI, EVRY (FR)**(21) Appl. No.: **18/282,080**(22) PCT Filed: **Mar. 10, 2022**(86) PCT No.: **PCT/EP2022/056113**


§ 371 (c)(1),

(2) Date: **Sep. 14, 2023**(30) **Foreign Application Priority Data**

Mar. 16, 2021 (EP) 21305319.2

Publication Classification(51) **Int. Cl.***C12N 15/82* (2006.01)*A01H 1/00* (2006.01)*A01H 1/04* (2006.01)

A genetically engineered plant or part thereof adapted for the production of recombinant proteins, the plant comprising at least one inactivated gene involved in the Transcriptional Gene Silencing (TGS) and/or Post Transcriptional Gene Silencing (PTGS) mechanism and at least one nucleic acid construct comprising a viral promoter coupled to a nucleic acid construct comprising a coding sequence of a recombinant protein. A nucleic acid construct, a process for producing a recombinant protein, a method for obtaining a genetically engineered plant or part thereof and a fusion protein comprising a recombinant protein and an oil-body protein produced by, or obtained from the genetically engineered plant or new-grown plants from the seeds of the genetically engineered plant.

Specification includes a Sequence Listing.




FIG 1




FIG 2

GENETICALLY ENGINEERED PLANT OR PART THEREOF ADAPTED FOR THE PRODUCTION OF RECOMBINANT PROTEINS AND PROCESS THEREOF

DESCRIPTION OF THE TEXT FILE SUBMITTED ELECTRONICALLY

[0001] The sequence listing associated with this application is provided in text format in lieu of a paper copy, and is hereby incorporated by reference into the specification. The name of the text file containing the Sequence Listing is “072797 EP Sequences_ST25.txt”.

FIELD OF THE INVENTION

[0002] The present invention relates to a genetically engineered plant or part thereof adapted for the production of recombinant proteins, the plant comprising at least one inactivated gene involved in the Transcriptional Gene Silencing (TGS) and/or Post Transcriptional Gene Silencing (PTGS) mechanism and at least one nucleic acid construct comprising a strong promoter coupled to a nucleic acid construct comprising a coding sequence of a recombinant protein.

[0003] The present invention also relates to a nucleic acid construct, a process for producing a recombinant protein, a method for obtaining a genetically engineered plant or part thereof and a fusion protein comprising a recombinant protein and an oil-body protein produced by, or obtained from the genetically engineered plant or new-grown plants from the seeds of the genetically engineered plant.

BACKGROUND PRIOR ART

[0004] A recombinant protein is a protein produced by cells whose DNA has been modified by genetic engineering. Recombinant proteins can be molecules of pharmaceutical, therapeutic, cosmetic interest, molecules used in research and development or in the field of agroindustry. So as to be produced in large quantities, the host cell whose DNA has been modified must grow in large quantities and the protein produced must be functional and easy to purify. In particular, the recombinant protein coding sequence must be implemented in the host cell in a large number of copies with a promoter which allows an important rate of transcription or which can be induced.

[0005] Up to now, available molecules are mainly produced in bacteria, mammalian cells and, to a lesser extent, in yeasts and insect cells. These conventional cell culture-based systems are useful but limited by high cost, low efficiency or low yield. Besides, mammalian cells as production hosts raise safety and ethical concerns. Therefore, global production capacities for recombinant proteins are currently insufficient or see their field of applications limited.

[0006] Plants as recombinant protein production hosts have been considered as a viable option. Indeed, they provide a valuable alternative to fermentation-based systems for the production of recombinant proteins, having numerous advantages. First, they have the ability to perform post-translational modifications such as correct folding, glycosylation and disulfide bonds that are essential for most mammalian proteins' activity. Particularly, such post-translational modifications are essential for proteins to be effective. Without such post-translational modifications, recom-

binant proteins obtained may not be functional and artificially reproducing these post-translational modifications may be considered impossible at the moment or too costly. Secondly, there is a greatly reduced risk of contamination with human pathogens, which is a serious concern with mammalian cells in bioreactors. Thirdly, plant growth requirements are simple and not expensive compared to traditional fermentation-based systems, allowing for low-cost scale-up. Whole plants have quite simple growth needs compared to mammalian cell cultures as they only need light as an energy source and minerals to grow. In addition, transient expression systems are able to produce proteins including vaccine candidates in high quantity within a short time period (4-6 weeks), an efficient time scale in case of pandemics or flu epidemics (Gleba Y, Klimyuk V, Marillonnet S. Magniffection—a new platform for expressing recombinant vaccines in plants. *Vaccine*. 2005 Mar 18;23(17-18): 2042-8. doi: 10.1016/j.vaccine.2005.01.006. PMID: 15755568; Musiychuk, Konstantin et al. “A launch vector for the production of vaccine antigens in plants.” *Influenza and other respiratory viruses* vol. 1, 1 (2007): 19-25. doi: 10.1111/j.1750-2659.2006.00005.x).

[0007] To obtain genetically engineered plants, solutions such as stable nuclear transformation may be used, which is a flexible solution with efficient scale-up. Plastid genome engineering may also be used as their highly polyploid and circular DNA allows a large number of transgene copies. However, plastidial expression is prokaryotic in nature and cannot do post-translational modifications described earlier. Transient expression using agroinfiltration also allows production of a recombinant protein with a maximum yield between 2 and 5 days post infiltration.

[0008] The main drawback of the stable nuclear transformation system is low expression levels which allows between 0.001% and 1% of TSP (Total Soluble Proteins) mainly due to gene silencing by Transcriptional Gene Silencing (TGS) and posttranscriptional gene silencing (PTGS). These production rates are far from being enough to compete with traditional fermentation-based systems. Low levels of protein accumulation also increase the cost of purification to non-economic levels. For agroinfiltration, in addition to the need of setting up a complex and costly system to produce on a large scale, transgene RNAs are frequently recognized by plant cells as being “foreign” and silenced by post-transcriptional gene silencing (PTGS). Even if this PTGS can be overcome in some cases by co-expressing a viral suppressor of gene silencing, such as the p19 protein of tomato bushy stunt virus (TBSV), the production in agroinfiltrated leaves remains between 1% TSP and 15% TSP. Further, this method is time-consuming, its implementation requires expert manipulations, and the extraction and purification process is as expensive as conventional systems.

[0009] One of the major criteria for high-level expression of a protein is the use of a strong promoter. Viral promoters are by far the most used ones. However, the stronger the expression, the more irregularity is observed. This is mainly due to a defense mechanism called gene silencing triggered against the expression of these transgenes which are treated like invasive nucleic acids due to their high level expression under the strong promoter. Gene silencing can be activated against the introduced gene or against its transcripts by the transcriptional or post-transcriptional gene silencing (PTGS and TGS) respectively. This inactivation corresponds to the

specific degradation of messenger RNA (mRNA) encoded by the transgene and the production of double-stranded RNAs (dsRNA) by RNA-DEPENDENT RNA POLYMERASES (RDRs). Then, dsRNAs are processed into 21 to 24 nt (nucleotides) duplexes according to the DICER-LIKE (DCL) enzyme and are protected from exonucleases through 2'O-methylation by HUA ENHANCER 1 (HEN1). Finally, one strand of the small RNA duplexes is loaded into ARGONAUTE (AGO) proteins therefore forming the RNA-inducing silencing complex (RISC) which will drive sequence-specific mRNA cleavage & translational repression or RNA directed DNA methylation (RdDM) (Martínez de Alba AE, Elvira-Matelot E, Vaucheret H. Gene silencing in plants: a diversity of pathways. *Biochim Biophys Acta*. 2013 Dec; 1829(12):1300-8. doi: 10.1016/j.bbagr.2013.10.005. Epub 2013 Nov 1. PMID: 24185199).

[0010] Several strategies can be adopted to avoid this phenomenon, for example by expressing simultaneously a silencing suppressor in addition to the gene of interest. These suppressors generally have a viral origin. For example p19 protein from the Tomato Bushy Stunt Virus (TBSV) is a suppressor which can be co-expressed with a recombinant protein which results in a highly increased expression level of the protein of interest (Voinnet et al. Suppression of gene silencing: a general strategy used by diverse DNA and RNA viruses of plants. *Proc Natl Acad Sci USA*. 1999). However, such suppressors of gene silencing can affect the development of the plant and exhibit heterogeneity when they are co-infiltrated in transient expression.

[0011] Ultimately, the cost of the purification process with plants could be identical to the one used in fermentation-based systems and onerous steps of extraction-purification of the recombinant protein from plant tissue are required. Often, the recombinant protein is inserted into the matrix of plant tissue, which makes its extraction and purification difficult to carry out, even though this step must be carried out as quickly as possible due to the risk of proteolysis in plant extracts. In conventional systems, recombinant proteins are extracted along with many other compounds such as nucleic acids, chlorophyll, alkaloids, phenolics, polysaccharides and proteases. The problem is that these compounds can not only bind and degrade the recombinant protein but also foul chromatography resins and crossflow membranes resulting in reducing final product quality and yield or adding to manufacturing costs.

[0012] Therefore, global production capacities for recombinant proteins are currently insufficient or see their field of applications limited. Hence there is a need to find alternative solutions and/or innovative technologies.

[0013] The invention seeks to overcome the aforementioned drawbacks of the prior art as it aims to provide a genetically engineered plant which allows producing large quantities of recombinant proteins which are functional, can be easily extracted and purified, and which may be used for multiple applications.

SUMMARY OF THE INVENTION

[0014] To this effect, the present invention relates to a genetically engineered plant or part thereof adapted for the production of recombinant proteins comprising:

[0015] at least one inactivated gene involved in the Transcriptional Gene Silencing (TGS) and/or Post Transcriptional Gene Silencing (PTGS) mechanism corresponding to:

[0016] (1) at least one knocked-out gene involved in the TGS and/or PTGS mechanism; and/or

[0017] (2) at least one nucleic acid RNA interference construct targeting the RNA molecules expressed from the at least one gene involved in the TGS and/or PTGS mechanism;

[0018] at least one nucleic acid construct comprising a strong promoter coupled to a polynucleotide sequence comprising a coding sequence of a recombinant protein;

[0019] wherein (i) the coding sequence of the recombinant protein is linked in a reading frame to an oil body protein coding sequence; and/or (ii) the at least one inactivated gene involved in the TGS and/or PTGS mechanism includes at least one inactivated gene involved in the TGS mechanism and at least one inactivated gene involved in the PTGS mechanism.

[0020] By "at least one inactivated gene" as used herein it is understood a gene which cannot encode an RNA or a protein or encodes no functional protein, or which encodes a protein with reduced activity by at least 70%, preferably at least 90%. Said "inactivated gene" can encode a protein with reduced functionality, or be a fully inactivated gene, encoding no functional protein or not encoding any protein. An inactivated gene involved in the TGS or PTGS mechanism in the present invention is usually a wild-type gene, i.e. a wild-type gene which, due to the genetically engineered inactivation, cannot encode an RNA or protein, or encodes no functional protein, or encodes a protein with reduced activity, by at least 70%, preferably at least 90%.

[0021] By "gene involved in the Transcriptional Gene Silencing (TGS) and/or Post Transcriptional Gene Silencing (PTGS) mechanism", it is particularly understood as any gene involved in the TGS and/or PTGS mechanism which would prevent the transcription or the RNA product of the genetically engineered at least one nucleic acid construct, which comprises a strong promoter coupled to a polynucleotide sequence comprising a coding sequence of a recombinant protein, wherein such coding sequence of a recombinant protein may be linked in a reading frame to an oil body protein coding sequence.

[0022] By "knocked-out gene", it is understood a gene which has been genetically engineered and which has at least one genetic alteration in its coding sequence which leads to the inability to encode an RNA or a protein or which leads to a protein which is not functional, or with a reduced activity, by at least 70%. By genetic alteration, it is intended to signify at least one among the following modifications: an insertion of a stop codon, an insertion of a nucleotide resulting in the creation of a stop codon, a shift of the nucleotide reading frame resulting in a protein which is not functional, the introduction of a recombination site, such as Cre-Lox, or any modification which has a highly suppressive effect of at least 70%, preferably at least 90% on the expression of the target gene. Other modifications altering the coding sequence of the gene so as to knock it out may also be used. Such genetic alterations typically result from the use of a method selected among CRISPR-Cas 9, synthetic RNAi, TALENs, Meganuclease, TILLING and Zinc finger nuclease but other methods may be suitable. As an alternative, other methods such as physical and chemical mutagenesis by Gamma irradiation or EMS treatment may be used. Preferably, the method used for generating the genetic alterations is CRISPR-Cas9.

[0023] By “at least one nucleic acid RNA interference construct targeting the RNA molecules expressed from the at least one gene involved in the TGS and/or PTGS mechanism”, it is understood that the at least one gene involved in the TGS and/or PTGS mechanism allows generation of RNAi duplex, generated from the natural TGS and PTGS mechanism or by a hairpin artificial structure.

[0024] By “at least one nucleic acid construct comprising a strong promoter coupled to a polynucleotide sequence comprising a coding sequence of a recombinant protein”, it is intended to signify a genetically engineered construct which has been inserted into the plant so as to enable the plant to produce the recombinant protein. The said ‘at least one nucleic acid construct’ may also be referred to as a transgene. By “at least one nucleic acid construct comprising a strong promoter coupled to a polynucleotide sequence comprising a coding sequence of a recombinant protein linked in a reading frame to an oil body protein coding sequence”, it is intended to signify a genetically engineered construct which has been inserted into the plant so as to enable the plant to produce the recombinant protein and the oil body protein.

[0025] By “oil body protein”, it is understood as a protein which may be part of a lipid-containing structure which is typically intracellular. Typically, a lipid-containing structure occurring in plants comprising triacylglycerol molecules or other neutral lipids surrounded by a phospholipid half-unit membrane and oil body proteins.

[0026] Regarding oil-body proteins, the water insoluble oil fraction is stored in discrete subcellular structures variously known in the art as oil bodies which may be referred to as oleosomes, lipid bodies, lipid droplets or spherosomes. Besides a mixture of oils, such as triacylglycerides or other neutral lipids, which chemically are defined as glycerol or fatty alcohol esters of fatty acids, oil bodies comprise phospholipids and a number of associated proteins, collectively termed oil body proteins.

[0027] In the present invention “a strong promoter” is used. It will be understood that the strength of a promoter is determined in part by the attributes of the cell in which it operates. By “a strong promoter”, it is intended to mean a promoter which results in high-level expression of gene elements, which causes mRNAs to be initiated at high frequencies. The term “strong promoter” is a term well known and widely used in the art and many strong promoters are known in the art, or can be identified by routine experimentation. It may be a native promoter or a promoter which is not native of the engineered plant, such as another plant promoter, a viral promoter, a bacterial promoter or even a synthetic promoter. Each of these promoters may be used in any embodiment disclosed herein. Preferably, the strong promoter is a viral promoter. By “a viral promoter”, “a bacterial promoter”, “a synthetic promoter”, it is intended to mean any viral, bacterial, synthetic promoter which may be used in plants.

[0028] For instance, as viral promoters, the promoter from CMV (P CMV) the mtHP promoter (Xiao, K., Zhang, C., Harrison, M., & Wang, Z. (2004). Isolation and characterization of a novel plant promoter that directs strong constitutive expression of transgenes in plants. *Molecular Breeding*, 15, 221-231; Patent EP1608761B1), the MMV FLt promoter (Dey, N., Maiti, I.B. Structure and promoter/leader deletion analysis of mirabilis mosaic virus (MMV) full-length transcript promoter in transgenic plants. *Plant Mol.*

Biol. 40, 771-782 (1999); U.S. Pat. No. 6,420,547B1), the rbcS1 promoter (Outchkourov NS, Peters J, de Jong J, Rademakers W, Jongsma MA. The promoter-terminator of chrysanthemum rbcS1 directs very high expression levels in plants. *Planta*. 2003 Apr) and the Chlorella virus gene promoter (Mitra A, Higgins DW, Rohe NJ. A Chlorella virus gene promoter functions as a strong promoter both in plants and bacteria. *Biochem Biophys Res Commun*. 1994 Oct 14) may be used. Also, the 35 S viral promoter may be used, for instance CaMV 35S or its derivatives including the tandem sequence. Also double 35S CaMV or CSMV promoter may be used.

[0029] Advantageously, the at least one inactivated gene involved in the TGS or PTGS mechanism is chosen among the Dicer-like (DCL) family, the Suppressor of Gene Silencing (SGS) family, the Argonaute (AGO) family, the RNA dependent RNA polymerase (RdR) family and combinations thereof.

[0030] Advantageously, the at least one inactivated gene involved in the TGS or PTGS mechanism includes at least one inactivated gene involved in the TGS mechanism and at least one inactivated gene involved in the PTGS mechanism. For instance, the at least one gene involved in the TGS mechanism may be RDR2 or DCL3 or one of AGOs genes. For instance the at least one gene involved in the PTGS mechanism may be RDR6 or DCL2 or DCL4.

[0031] Advantageously, the at least one inactivated gene involved in the TGS and/or PTGS mechanism includes the RdR2 gene and the RdR6 gene.

[0032] Advantageously, the oil body protein coding sequence is the coding sequence of an oil body protein selected among oleosin, caleosin, steroleosin, perilipin or caveolin.

[0033] The coding sequence of the recombinant protein in the at least one nucleic acid construct is not limited. The coding sequence of the recombinant protein may be related to proteins used in cosmetic industry, pharmaceutical industry, food industry or agriculture. Advantageously, the coding sequence of the recombinant protein may be selected among the coding sequence of antibodies, growth factors, enzymes, structural proteins, receptors and signaling proteins and antigens.

[0034] Advantageously, the coding sequence of a recombinant protein is the coding sequence or a partial coding sequence of a protein or epitope of a virus. Preferably, such virus is a virus causing human disease. Even more preferably, such protein or epitope of a virus is a protein or epitope of the SARS-COV-2 virus, for instance the peplomers or Spike protein of SARS-COV-2.

[0035] Advantageously, the plant is a genetically engineered oleaginous plant or part thereof, preferably selected among the following genus: *Arachis*, *Camelina*, *Theobroma*, *Brassica*, *Gossypium*, *Olea*, *Ricinus*, *Glycine*, *Helianthus*, *Elaeis*, *Carthamus* and *Linum*.

[0036] Alternatively, the plant is a genetically engineered *Nicotiana* spp including *Nicotiana benthamiana* or *Camelina sativa* or part thereof. A genetically engineered plant being a double mutant RdR2 RdR6 of the *Nicotiana benthamiana* and *Camelina sativa* species is particularly adapted for the expression of the nucleic acid construct comprising a strong promoter coupled to a polynucleotide sequence comprising a coding sequence of a recombinant protein in reading frame to an oil body protein coding sequence.

[0037] Advantageously, the part thereof is at least one part selected among: the seeds, the pollens, the flowers, the roots, the stems, the spores, the mega- or micro-spores, embryos and the vegetative organs of non-flowering plants.

[0038] The present invention also relates to a nucleic acid construct comprising a strong promoter coupled to a polynucleotide sequence comprising a coding sequence of a recombinant protein linked in a reading frame to an oil body protein coding sequence.

[0039] Advantageously, the oil body protein coding sequence is a coding sequence of oleosin, caleosin, steroleosin, perilipin or caveolin.

[0040] Advantageously, the strong promoter of the nucleic acid construct may be a viral promoter such as described previously.

[0041] The coding sequence of the recombinant protein in the at least one nucleic acid construct is not limited. The coding sequence of the recombinant protein may be related to proteins used in cosmetic industry, pharmaceutical industry, food industry or agriculture. Advantageously, the coding sequence of the recombinant protein is selected among the coding sequence of antibodies, growth factors, enzymes, structural proteins, receptors and signaling proteins and antigens.

[0042] The present invention also relates to a process for producing a recombinant protein in a genetically engineered plant or part thereof, comprising the steps of:

[0043] inactivating at least one gene involved in the TGS and/or PTGS mechanism in a plant or part thereof by:

[0044] (1) generating at least one genetic alteration in the coding sequence of the at least one gene involved in the TGS and/or PTGS mechanism,

[0045] such generating step being performed by using a method selected among: CRISPR-Cas 9, TALENs, Meganuclease, TILLING, Zinc finger nuclease, synthetic RNAi, physical or chemical mutagenesis and combinations thereof; and/or

[0046] (2) inserting in the plant at least one nucleic acid RNA interference construct targeting the RNA molecules expressed from the at least one gene involved in the TGS and/or PTGS mechanism;

[0047] inserting in the plant at least one nucleic acid construct comprising a strong promoter coupled to a polynucleotide sequence comprising a coding sequence of a recombinant protein,

[0048] wherein (i) the coding sequence of the recombinant protein is linked in a reading frame to an oil body protein coding sequence; and/or (ii) the step of inactivating at least one gene includes the inactivation of at least one gene involved in the TGS mechanism and at least one gene involved in the PTGS mechanism,

[0049] wherein the step of inserting is performed by using a method selected among: CRISPR-Cas 9, TALENs, Meganuclease, Zinc finger nuclease with particle gun transformation and *Agrobacterium tumefaciens*,

[0050] wherein the step of inactivating may be performed after the step of inserting, and

[0051] optionally recovering the recombinant protein and the oil body protein and optionally purifying the recombinant protein recovered.

[0052] Preferably, the method used for generating the genetic alterations is CRISPR-Cas9.

[0053] Advantageously in that process, the at least one inactivated gene involved in the TGS or PTGS mechanism is chosen among the Dicer-like (DCL) family, the Suppressor of Gene Silencing (SGS) family, the Argonaute (AGO) family the RNA dependent RNA polymerase (RdR) family and combinations thereof.

[0054] Advantageously, the at least one inactivated gene involved in the TGS or PTGS mechanism includes at least one inactivated gene involved in the TGS mechanism and at least one inactivated gene involved in the PTGS mechanism. For instance, the at least one gene involved in the TGS mechanism may be RDR2 or DCL3 or one of AGOs genes. For instance the at least one gene involved in the PTGS mechanism may be RDR6 or DCL2 or DCL4.

[0055] Advantageously in that process, the at least one inactivated gene involved in the TGS and/or PTGS mechanism includes the Rdr2 gene and the Rdr6 gene.

[0056] Advantageously in that process, the oil body protein coding sequence is a coding sequence of oleosin, caleosin, steroleosin, perilipin or caveolin.

[0057] The coding sequence of the recombinant protein in the at least one nucleic acid construct is not limited. The coding sequence of the recombinant protein may be related to proteins used in cosmetic industry, pharmaceutical industry, food industry or agriculture. Advantageously in that process, the coding sequence of the recombinant protein is selected among the coding sequence of antibodies, growth factors, enzymes, structural proteins, receptors and signaling proteins and antigens.

[0058] Advantageously in that process, the coding sequence of a recombinant protein is the coding sequence or a partial coding sequence of a protein or epitope of a virus. Preferably, such virus is a virus causing human disease. Even more preferably, such protein or epitope of a virus is a protein or epitope of the SARS-COV-2 virus, for instance the peplomers or Spike protein of SARS-COV-2

[0059] Advantageously in that process, the plant is a genetically engineered oleaginous plant or part thereof, preferably selected among the following genus: *Arachis*, *Camelina*, *Theobroma*, *Brassica*, *Gossypium*, *Olea*, *Ricinus*, *Glycine*, *Helianthus*, *Elaeis*, *Carthamus* and *Linum*.

[0060] Alternatively in that process, the plant is a genetically engineered *Nicotiana* spp including *Nicotiana benthamiana* or *Camelina sativa* or part thereof.

[0061] Advantageously in that process, the part thereof is at least one part selected among: the seeds, the pollens, the flowers, the roots, the stems, the spores, mega- or micro-spores, the embryos and the vegetative organs of non-flowering plants.

[0062] The present invention also relates to a method for obtaining a genetically engineered plant or part thereof as described above, the method comprising:

[0063] inactivating at least one gene involved in the TGS and/or PTGS mechanism gene in a plant or part thereof by:

[0064] (1) generating at least one genetic alteration in the coding sequence of one or more gene involved in the TGS and/or PTGS mechanism, such generating step being performed by using a method selected among: CRISPR-Cas 9, TALENs, Meganuclease,

TILLING, Zinc finger nuclease, synthetic RNAi, physical or chemical mutagenesis and combinations thereof; and/or

[0065] (2) implementing RNA interference genes targeting the RNA molecules expressed from the TGS and/or PTGS mechanism genes,

[0066] and

[0067] inserting in the plant a nucleic acid construct comprising a strong promoter coupled to a nucleic acid sequence comprising a coding sequence of a recombinant,

[0068] wherein (i) the coding sequence of the recombinant protein is linked in a reading frame to an oil body protein coding sequence; and/or (ii) the step of inactivating at least one gene includes the inactivation of at least one gene involved in the TGS mechanism and at least one gene involved in the PTGS mechanism,

[0069] such step of inserting being performed by using a method selected among: CRISPR-Cas 9, TALENs, Meganuclease, Zinc finger nuclease with particle gun transformation and *Agrobacterium tumefaciens*,

[0070] wherein the inactivation step can be performed after the step of inserting.

[0071] Advantageously, the method further comprises:

[0072] collecting the seeds of the genetically engineered plant with at least one inactivated gene involved in the TGS and/or PTGS mechanism and the nucleic acid construct inserted;

[0073] growing new plants from the seeds and/or plant tissues; and

[0074] selecting the heterozygotes or homozygotes from new-grown plants which have at least one inactivated gene involved in the TGS and/or PTGS mechanism and the nucleic acid construct, and all progeny and genetic crosses using these plants.

[0075] The present invention also relates to a fusion protein comprising a recombinant protein and an oil-body protein produced by, or obtained from:

[0076] the genetically engineered plant or part thereof as described above, or

[0077] the genetically engineered plant or part thereof obtained from the method as described above, or

[0078] the heterozygotes or homozygotes new-grown plants selected as described above.

[0079] The present invention also relates to a seed from the genetically engineered plant or part thereof as described above or recovered or purified from the process as described above.

[0080] The present invention also relates to a callus of the genetically engineered plant of the invention.

[0081] Although it is not admitted that an essentially biological process may allow obtaining a genetically engineered plant or part thereof of the present invention, or a nucleic acid construct of the present invention, or a fusion protein comprising a recombinant protein and an oil-body protein produced by, or obtained from the genetically engineered plant or part thereof of the present invention or obtained from the heterozygotes or homozygotes new-grown plants selected of the present invention, it is stated that the claimed products are obtained by means which are not essentially biological process and the claimed methods do not correspond to essentially biological process.

[0082] Further characteristics, details and advantages of the invention will emerge from the description made with reference to the annexed drawings given by way of example.

BRIEF DESCRIPTION OF THE DRAWINGS

[0083] The invention will be better understood and its various characteristics and advantages will emerge from the following description of a number of exemplary embodiments and its appended figures in which:

[0084] FIG. 1 displays a first diagram representing the TGS and PTGS mechanisms;

[0085] FIG. 2 displays a second diagram representing the strategy used according to a particular embodiment of the present invention.

DETAILED DESCRIPTION OF THE INVENTION

[0086] In this specification, the invention will be described by way of examples. However, the invention is not restricted to these examples.

[0087] FIG. 1 displays a first diagram representing the TGS and PTGS mechanisms. In a classic functioning cell, a double strand DNA (dsDNA) is transcribed by RNA polymerase II in single strand RNAs (ssRNA). Such ssRNAs are then replicated by RdR6 to double strand RNAs (dsRNAs) which mediates the production of 21-22 nucleotides by DCL4 or 2 or 24 nucleotides by DCL3. HEN1 allows the methylation of such nucleotides which are then used as guides by the AGOs proteins for the silencing process. These proteins are components of the RNA-Induced Silencing Complex (RISC) which allows gene silencing, and according to RdR6, the post-transcriptional gene silencing (PTGS) mechanism.

[0088] On the other side of FIG. 1 is shown the similar transcriptional gene silencing (TGS) mechanism which is related to RdR2 and DCL3.

[0089] FIG. 2 displays a second diagram representing the strategy used according to a particular embodiment of the present invention. In FIG. 2, the nucleic acid construct, or transgene, which has been inserted in the plant, allows the high transcription of mRNAs as the strong promoter of the nucleic acid construct is coupled to a polynucleotide sequence of a recombinant protein. Moreover, the nucleic acid construct is inserted in multiple copies, at multiple positions. In a plant which has only been engineered by the insertion of the nucleic acid construct, RdR6 would allow the silencing at post transcription level while RdR2 would allow the silencing at transcription level, resulting in the protection of the plant against the expression of the nucleic acid construct.

[0090] According to a particular embodiment of the invention, the RdR2 and RdR6 genes are inactivated by the generation of at least one genetic alteration in the coding sequence of the RdR2 and RdR6 genes of the plant cells. Such inactivation prevents the silencing mechanism to be effective against the transcription of the nucleic acid construct inserted. Therefore, the plant cells are used as a production unit so as to obtain the recombinant protein of the recombinant protein coding sequence comprised in the nucleic acid construct.

[0091] According to present invention, the nucleic acid construct may comprise coding sequences of the recombinant protein and the oil body protein in a reading frame,

allowing the expression of both coding sequences so as to obtain fusion proteins. By “linked in a reading frame” it is understood that the recombinant protein and the oil body protein coding sequences are set on consecutive triplets of DNA, which are non-overlapping. The order coding sequences of the recombinant protein and the oil-body protein is not relevant and they may be inverted.

[0092] The fusion protein may correspond to a tandem fusion, with the proteins being connected end-to-end or by protein linkers. Specific protein linkers may be particularly suitable for the purification process and methods of the present invention so as for these protein linkers to be specifically targeted so as to separate the recombinant protein from the oil-body protein. Such protein linkers may correspond to multiple glycine residues or proline residues but other protein linkers may be suitable.

[0093] Further, the fusion proteins may accumulate in oil bodies, which may be referred as oleosomes, containing mainly the recombinant protein and the oil body protein, such as oleosin. Other oil body proteins may be used, such as caleosin, steroleosin, perilipin and caveolin. Particularly, the oil bodies are present in the seeds and the leaves.

[0094] Among the strong promoters of the nucleic acid construct cited above, viral promoters may be used. For instance, as viral promoters, the promoter from CMV (P CMV) the mHP promoter (Xiao, K., Zhang, C., Harrison, M., & Wang, Z. (2004). Isolation and characterization of a novel plant promoter that directs strong constitutive expression of transgenes in plants. *Molecular Breeding*, 15, 221-231; Patent EP1608761B1), the MMV FLt promoter (Dey, N., Maiti, I.B. Structure and promoter/leader deletion analysis of mirabilis mosaic virus (MMV) full-length transcript promoter in transgenic plants. *Plant Mol. Biol.* 40, 771-782 (1999); U.S. Pat. No. 6,420,547B1), the rbcS1 promoter (Outchkourov NS, Peters J, de Jong J, Rademakers W, Jongsma MA. The promoter-terminator of chrysanthemum rbcS1 directs very high expression levels in plants. *Planta*. 2003 Apr) and the Chlorella virus gene promoter (Mitra A, Higgins DW, Rohe NJ. A Chlorella virus gene promoter functions as a strong promoter both in plants and bacteria. *Biochem. Biophys. Res Commun.* 1994 Oct 14) may be used. Also, the 35 S viral promoter may be used, for instance CaMV 35S or its derivatives including the tandem sequence. Also double 35S CaMV or CSMV promoter may be used.

[0095] In the genetically engineered plant or part thereof of the present invention, or the associated process and methods, the inactivation of at least one gene involved in the Transcriptional Gene Silencing (TGS) and/or Post Transcriptional Gene Silencing (PTGS) mechanism allows blocking the triggering of silencing against the expression of the at least one nucleic acid which would be considered as invasive nucleic acids due to an high level of expression under a strong promoter such as for instance a viral promoter. Said inactivation prevents the specific degradation of messenger RNA encoded by the nucleic acid construct and/or prevents the production of double stranded RNAs (dsRNA) encoded by the nucleic acid construct. The inactivation may inhibit sequence-specific mRNA cleavage and translational repression or RNA directed DNA methylation.

[0096] The inactivation of the said at least one gene involved in the Transcriptional Gene Silencing (TGS) and/or Post Transcriptional Gene Silencing (PTGS) mechanism is not lethal to the genetically engineered plant.

[0097] In the present invention the at least one inactivated gene involved in the TGS or PTGS mechanism may be chosen among the Dicer-like (DCL) family, the Suppressor of Gene Silencing (SGS) family, the Argonaute family (AGO), the RNA dependent RNA polymerase (RdR) family and combinations thereof. However, the at least one gene to inactivate may vary depending on the species or genus of plants which is genetically engineered.

[0098] In the case of a genetically engineered plant comprising at least one nucleic acid construct comprising a strong promoter coupled to a polynucleotide sequence comprising a coding sequence of a recombinant protein linked in a reading frame to an oil body protein coding sequence, such a genetically engineered plant allows increasing the yield and simplifying the first steps of purification extraction by addressing the recombinant proteins to oil-bodies particularly present in leaves and seeds. Therefore, cell fractionation and purification of lipid bodies carrying the recombinant proteins by flotation gradient may be extracted from the genetically engineered plant or parts thereof and particularly from the leaves or seeds.

[0099] According to the alternatives of the present invention, on one hand, with RNAi inhibition modification the genetically engineered plant may be cultivated so as to be more resistant to pathogens. On the other hand, with knocked-out genes, the recombinant protein production yield is greater.

[0100] In a particular embodiment, the at least one inactivated gene involved in the TGS or PTGS mechanism includes at least one inactivated gene involved in the TGS mechanism and at least one inactivated gene involved in the PTGS mechanism. For instance, the at least one gene involved in the TGS mechanism may be RDR2 or DCL3 or one of AGOs genes. For instance the at least one gene involved in the PTGS mechanism may be RDR6 or DCL2 or DCL4.

[0101] Advantageously, the at least one inactivated gene involved in the TGS and/or PTGS mechanism includes the RdR2 gene and the RdR6 gene. Such genetically engineered plant or part thereof may be referred as a double mutant RdR2 RdR6, which increases the expression of the nucleic acid construct by disrupting homogeneously the silencing mechanism at the transcriptional and post-transcriptional level and without having an impact on plant development. A specific RdR2 RdR6 double mutant which is preferred is a RdR2 RdR6 double mutant of *Nicotiana* spp including *Nicotiana benthamiana* or *Camelina sativa*.

[0102] The coding sequence of the recombinant protein in the at least one nucleic acid construct is not limited. The coding sequence of the recombinant protein may be related to proteins used in cosmetic industry, pharmaceutical industry, food industry or agriculture. Advantageously, the coding sequence of the recombinant protein is selected among the coding sequence of antibodies, growth factors, enzymes, structural proteins, receptors and signaling proteins and antigens.

[0103] Advantageously, the coding sequence of a recombinant protein is the coding sequence of a protein or a partial coding sequence of a protein or epitope of a virus. Preferably, such virus is a virus causing human disease. Even more preferably, such protein or epitope of a virus is a protein or epitope of the SARS-COV-2 virus, for instance the peplomers or Spike protein of SARS-COV-2

[0104] By “optionally recovering the recombinant protein and the oil body protein”, it is understood that as soon as a genetically engineered plant or part thereof as indicated above is obtained, the genetically engineered plant or part thereof is able to express the coding sequence of the recombinant protein and the oil body protein by initiating the expression from the strong promoter. Due to a high expression activity caused by the strong promoter, the proteins which will be obtained will be in high quantity and they will gather in oil bodies, particularly in the seeds and in the leaves.

[0105] Further when using this approach, the recombinant proteins recovered can be cleaved from the oil bodies as a first purification step, for instance using an endoprotease. Depending on the recombinant protein and the oil-body protein used but also on the type of protein fusion, which may be an end-to-end connection or a protein linker, the cleavage step may be adapted. Further, the process of the invention may comprise the purification of the recombinant protein according to conventional methods.

[0106] Examples of plants which may be used are listed: *Arabidopsis* (*Arabidopsis thaliana*), *Camelina* (*Camelina* spp), Rapeseed (*Brassica* spp.), Soybean (*Glycine max*), Sunflower (*Helianthus annuus*), oil palm (*Elaeis guineensis*), cottonseed (*Gossypium* spp.), groundnut (*Arachis hypogaea*), coconut (*Cocos nucifera*), castor (*Ricinus communis*), Safflower (*Carthamus tinctorius*), mustard (*Brassica* spp. and *Sinapis alba*), coriander (*Coriandrum Sativum*), Squash (*Cucurbita maxima*), linseed/flax (*Linum usitatissimum*), Brazil nut (*Bertholletia excelsa*), jojoba (*Simmondsia chinensis*) and maize (*Zea mays*). However, other plants may be suitable for the present invention.

[0107] A list of sequences is provided according to Table 1.

TABLE 1

Sequence number	Title
SEQ ID NO 1	Transcript sequence of RdR2 (AT4G11130.1)/Chr4:6780522 . . . 6784440 forward
SEQ ID NO 2	Transcript sequence of RdR2 (LOC104707406) NCBI Reference Sequence: XM_010423753.2
SEQ ID NO 3	Transcript sequence of RdR2-like (LOC104737110) NCBI Reference Sequence: XM_010457214.2
SEQ ID NO 4	Transcript sequence of RdR2-like 2 (LOC104719267) NCBI Reference Sequence: XM_019230033.1
SEQ ID NO 5	Transcript sequence of RdR6 (AT3G49500.1)/Chr3:18349161 . . . 18353624 reverse
SEQ ID NO 6	Transcript sequence of RdR6 (LOC104711463) NCBI Reference Sequence: XM_019229277.1
SEQ ID NO 7	Transcript sequence of RdR6 variant (LOC104791175) NCBI Reference Sequence: XM_019246751.1
SEQ ID NO 8	Transcript variant of RdR6-like (LOC104780770) NCBI Reference Sequence: XM_010505306.2
SEQ ID NO 9	Binary vector pLX-CaMV, complete sequence MH200606 REGION: 260 . . . 1219
SEQ ID NO 10	Cloning vector Cloning vector pG2RNAi2, complete sequence/KT954097 REGION: 2921 . . . 3429

TABLE 1-continued

Sequence number	Title
SEQ ID NO 11	Example of oleosin fused to a part of the receptor binding domain of the Spike protein of SARS-CoV-2 by the intermediary of the prochymosin sequence

[0108] Seq. 1 is an example of transcript sequence of RdR2 in *Arabidopsis thaliana*; Seq. 2 is an example of transcript sequence of RdR2 in *Camelina sativa*; Seq. 3 is an example of transcript sequence of RdR2-like in *Camelina sativa*; Seq. 4 is another example of transcript sequence of RdR2-like in *Camelina sativa*; Seq. 5 is an example of transcript sequence of RdR6 in *Arabidopsis thaliana*; Seq. 6 is an example of transcript sequence of RdR6 in *Camelina sativa*; Seq. 7 is an example of variant transcript sequence of RdR6 in *Camelina sativa*; Seq. 8 is an example of another variant transcript sequence of RdR6-like in *Camelina sativa*; Seq. 10 is an example of a strong promoter being a Double 35S CaMV promoter; Seq. 11 is an example of a strong promoter being a CSMV promoter; Seq. 11 is an example of an amino acids sequence an oleosin fused to a part of the receptor binding domain of the Spike protein of SARS-COV-2.

[0109] Advantageously, the strong promoter comprises or consists of the sequence of a Double 35S CaMV promoter set forth in SEQ. 9 or a variant thereof with at least 70% identity thereto, preferably 90% identity. Such promoters may be used with any embodiment of the present invention.

[0110] Advantageously, the strong promoter comprises or consists of the sequence of a CSMV promoter set forth in SEQ. 10 or a variant thereof with at least 90% identity thereto. Such promoter may be used with any embodiment of the present invention.

[0111] Advantageously, the coding sequence of a recombinant protein being the receptor binding domain of the Spike protein of SARS-COV-2 fused to an oleosin comprises a sequence having at least 90% sequence identity to SEQ. 11 (amino acids) or SEQ. 12 (DNA). Such sequence may be used for the nucleic acid construct comprising a coding sequence of a recombinant protein in a reading frame with an oil-body protein coding sequence of any embodiment of the present invention. A fusion protein which is enzymatically active and resides on the oil bodies may be used directly. The fusion protein may be stable in dry seeds for long periods, such as 2 to 4 years and when extracted has a half-life of 3 to 4 weeks on oil bodies.

[0112] The genetically engineered plant or part thereof of the present invention and the methods and process of the present invention allow the production of recombinant proteins with oil bodies and recombinant proteins purified, in a manner which is extremely inexpensive, with plants which may allow switching to open-field production, offering a novel route to the manufacture of recombinant proteins.

[0113] The present invention is directed to genetically engineered plants which have been modified locally so as to obtain a transient expression of a recombinant protein. The present invention is also directed to the genetically engineered plants which have been obtained from the seeds of a previous genetically engineered plant according to the invention and which allow a permanent expression of said recombinant protein.

[0114] The examples described above are given as illustrations of embodiments of the invention. They do not in any way limit the scope of the invention which is defined by the following claims.

 SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 11

<210> SEQ ID NO 1

<211> LENGTH: 3402

<212> TYPE: DNA

<213> ORGANISM: *Arabidopsis thaliana*

<400> SEQUENCE: 1

```

atggtgtcag agacgacgac gaaccgatca acggttaaaa tctcaaacgt tctcaaac 60
atagtcgccg acgaactcct ccggttctta gaactccacc tcggcgaaga tactgtattc 120
gcactcgaaa tccaacaac tcgtgacaat tggaagccaa gagacttcgc tcgagtacaa 180
ttcactaccc tcgaagtc aaatcgcagcc cagcttctct cttctcaaag caagtcctt 240
ttcaaaaccc ataactaag actctctgaa gcttatgatg atatcatccc tcgtcctgta 300
gatccaagga aaaggctaga cgacatcggt ttgactgttg gggttctctga gtctgatgaa 360
aaaagggttt gtgccttaga aaaatgggat ggtgtgaggt gttggatttt gactgagaag 420
agaagagttg agttttgggt ttgggaaagt ggtgattgtt ataagattga agttaggttt 480
gaggatatta ttgaaactct tagttgttgt gttaatgggt acgcttctga gattgatgca 540
tttcttctca agctgaaata tggaccgaag gtatttaaaa gagtaacagt tcacatagcc 600
acaaagttta agtctgatcg gtacagattc tgcaaggagg attttgattt catgtggatt 660
cggacaactg atttctctgg ttcgaaatca attggtacat caacttgctt ttgtttggaa 720
gtccacaatg gctcaacgat gtttagacatt ttctcggtct taccttacta ccgagaagac 780
actttgagtc taacttatgt ggatgggaag acctttgctt ctgcagctca aattgttccc 840
ctcttgaatg ccgccatttt ggggttagag ttcccatatg agatcctttt ccaactcaat 900
gogcttggtc atgcgcagaa aatcagtcct tttgctgctg cagatatgga actgatcaaa 960
atccttcgtg gtatgagttt ggaaccgca ttggtgatcc tcaagaaact tcaccagcaa 1020
agttctatat gttatgatcc tgtctctctt gtcaagactc agatgcaatc tgtggttaag 1080
aagatgaagc attccctgc atcagcttat aaaagattga ccgagcagaa catcatgagt 1140
tgtcagagag cttacgttac accctcaaag atctatctgt tgggtccaga gcttgagact 1200
gcaaattatg ttgtgaagaa ctttcagag catgtctcgg atttcatgag agttactttt 1260
gtggaagaag attggagcaa gcttcccgca aatgctctct ctgtgaactc caaggaaggc 1320
tattttgtga agccctctag aaccaacatt tataacaggg tgttgtcaat ccttgagaaa 1380
gggattaccg ttgggcctaa gaggtttgag ttcttggtt tttcagcgag ccaactgcga 1440
ggaaattcgg tctggatggt tgccttctaac gagaaagtaa aagcgggaaga tataagagaa 1500
tggatggggt gtttcgtaa aatccgaagc atttccaaat gtgctgctag gatgggtcag 1560
ttgttcagtg cttcgcggca aacacttatt gtccgtgcac aagatgtgga gcagattccc 1620
gacatcgaag tgacaactga tgggtctgat tactgcttct cggatggcat tgggaaaatt 1680
tcaactgcat ttgccaagca agttgcacag aagtgtggat tgagtcattg cccttctgcc 1740
tttcaaatc gatacgttgg ctacaaggt gtgattgctg ttgaccgcag ttccttccga 1800
aagttgtctc tgcgtgatag tatgcttaaa ttgactcga acaacaggat gctgaacgtt 1860
accagggtga cagagtcgat gccttgcttc ttaaacggg agatcatttg cctttgtctg 1920
acccttgtaa tagaagatgc aatgtttgag gcgatgcaag cgggtgcat t atctatgctt 1980

```

-continued

gggaatatgc ttgaagaccg cgatgcagca cttaatgttc tgcagaaatt gagcggagaa	2040
aattccaaga atttgctagt taagatgctg cttcaaggat atgcaccgag ttcagaacct	2100
tacctctcaa tgatgcttcg tgtgcaccac gagagccagc tttctgaact aaagagcaga	2160
tgcaggatag ttgtaccgaa aggacggatc ttgatcggtt gcatggatga aatgggtatc	2220
ctggagtatg gccaaagtga tgttcgtgta accctgacta aagcggaaact gaaatctcgc	2280
gatcagagct accttcgcaa gattgatgag gaaacatctg tggttattgg gaaagtggtc	2340
gtgacgaaaa acccatgtct tcaccctgga gatattagag ttcttgatgc tatatatgag	2400
gtccatttcg aagaaaaggg atatctcgac tgcacatctt ttctcagaa gggagaaaga	2460
ccacatccaa atgaatgttc tgggtggcat ctgcacggag accagttttt tgttagctgg	2520
gatgagaaga ttatacctag cgaaatggac cctccaatgg actatgctgg aagcaggcct	2580
cgtctaattg atcatgacgt cacgcttagag gaaatccaca aattttttgt ggattatatg	2640
ataagcgaca cgcttggggt gatctcaact gcacatttgg ttcacgcaga ccgtgaccct	2700
gaaaaagccc ggagccagaa gtgtctagag ttagcaaacc ttcactctag ggctgttgat	2760
tttgcaaaaa ctggagctcc agctgagatg ccttatgcct taaagcccag agagtccct	2820
gattttctgg aacggtttga gaaaccaaca tacatctctg agtctgtgtt tgggaaacta	2880
taccgtgctg tgaagagctc tctagcacag agaaagccag aagctgagag cgaggacacg	2940
gtagcttatg atgtgacact tgaagaagct ggctttgaga gctttataga gacagcgaaa	3000
gcccatagag acatgtatgg tgagaaactg acctcgttga tgatatacta tggagctgct	3060
aacgaagagg agattctcac aggcattttg aaaaccaagg agatgtatct ggcgagagat	3120
aaccggagggt atgggtgatg gaaggataga attacgcttt ccgtgaaaga ttgcataaa	3180
gaggccatgg gatggttcga gaaaagctgc gaggacgaac aacagaagaa gaagctagca	3240
tcggcgtggt actatgtaac atacaatcca aaccatcgcg atgagaagtt gacattcttg	3300
agtttcccat ggatcgtagg tgacgttttg cttgatataa aggctgaaaa tgcacagaga	3360
cagagcgttg aagagaaaaac aagtggactt gtatccattt ga	3402

<210> SEQ ID NO 2

<211> LENGTH: 3628

<212> TYPE: DNA

<213> ORGANISM: Camelina sativa

<400> SEQUENCE: 2

ttttctgatt ctctgggaat cactcttctt cttcactccc tctctctctc tctctctctc	60
cgttcacttg ctcttggggt caatcatggt gtcagaggcg acgacggcta cgaaccgacc	120
aaccgttaaa gtctcaaatg ttctcaaac catagtcgcc gacgaactcc tccggttcct	180
cgagctccac ctgcggcgaag acacagtgtg cgctctcgaa atcccaacaa ctgcgcgagaa	240
ttggaagcca cgggacttcg ctagagtaca attcagtacc ctggaagtca aatctcgagc	300
ccagcttctc tcttcacaaa gcaagctcct tttcaaaacc cataacctaa gactctccga	360
agcttacgat gacatcatcc ctgcgccgtg agatccacgg agaaggctag aagacgtcgt	420
tttgactgtt gggttccctg agtctgggtg agagaggttc tgtgccctag aaaaatgggg	480
aggcgtgagg tggtggattc tggaagagaa gaggagactt gagttttggg tttgggaatg	540
tgggtgaatg tataagcttg aagttaggtt tgaggatatt gttgaaactc ttggctgctg	600

-continued

tgtaaatggt gacgcttctg agattaatgc gtttcttctc aagctgaaat atggacccaaa	660
ggtttttaaa agagtgcag gacctcacat agccacaaag tttaaactcg atcggtaccg	720
tttctgcaag gaggattttg atttcatgtg ggttcgcaca actgatttct ctgggtcaaa	780
gtcaatcggg acatcaactt gcttttggtt ggaggtagag aatggctcca agatgttaga	840
cattttctcg tgtttgctt actacagaga agacactttg agtctaacca ctgtggatgg	900
gactgcgttt gcctctgcat gtcaaattgt tcccccttg aatgctgcca gtctggggtt	960
agagtttcca tatgagatcc tctttcaact caattcgtg gttcacaatc agaaaatcag	1020
tcttttgcgt gcatacaata tggaactgat caacatcctt cgtgggttga gcttggaac	1080
cgcattggtt atcctcaaga agcttcacca gcaaagctct atatgttatg atcctgtctc	1140
ctttgtcaag actctgatgc aatccccggt taagaagatg aagcattccc ctgcatcagc	1200
taatacaaga ctgaccgagc agaatatcat gagttgtcag agagcctacg ttacaccctc	1260
aaagatttat ctggtgggtc cagagcttga gaaagctaac tatgttgtga agaactttgc	1320
agagcatgtc tcagatttca tgagaattac ttttgtggaa gaagattgga gcaagattcc	1380
agcaaagtct ctttctgtga actccaagga aggcattttt gtgaagccct ttagaaccaa	1440
catttataac aggggtgtgt caatccttg agaagggatc actgttgggc ctaagagggt	1500
tgagttcttg gctttttcag ccagccaact gcgaggaaac tcagtctgga tgtttgett	1560
taacgagaaa gttaaagcag aagatataag agaattggatg ggtgtgttcc gtaaaatccg	1620
aagcatctcc aaatgtgctg ctaggatggg tcagttgttc agtgcttcac ggcagacagt	1680
tactgtccgt gcacaagatg tggagcagat tcctgacatt gaagtgacta ctgatggtgc	1740
tgattattgc ttctcggatg gcacgggaa aatttcgttg gcatttgcta ggcaagtgtc	1800
tcagaagtgt gggcttgatt atgtcccttc tgcatttcaa attcgatacg gtggtacaa	1860
agggtgtatc gccgttgacc gcagttcctt cagaaagatg tctctgcgtg atagtatgct	1920
aaagtttgac tcaacaaca gtagtcttaa cgtaaccagg tggacagagt cgatgccttg	1980
cttcttaaac cgggagatca tttgtctttt gtcgactctt ggaatagaag atgcagtgtt	2040
tgaggccatg caagcgatgc atttatctat gctggggaat atgcttgaag accgcaatgc	2100
agcacttaat gtgctgcaga aattgagcgg agaaaattcc aagaatctgc tagttaagat	2160
gctgtacaa ggatacgcac cgagttcaga accgtacctc tcaatgatgc ttcgtgtgca	2220
ccacgagagc caactttctg aactaaagag taggtgcagg atacttgtaa cgaaaggacg	2280
gatcttgatc ggttgcatgg atgaaatggg tattctggag tatggccaag tgtatgttcg	2340
tgtaaccctg actgaagcgg aactgaaatc tcgtgaacag agttacttcc gcaagattaa	2400
tgaggaaaca tctgtgtgta ttgggaaagt ggtcgtgacg aaaaacccat gtcttcaccc	2460
tggagatata agagtcttctg acgctatata tgaggtcagt ttccaagaaa agggatttgt	2520
tgactgcatc atctttctc agaagggaga aaggccacat cccaatgaat gttctggtgg	2580
tgatctcgac ggagaccagt tttttgtag ttgggatgag aagcttatac cgagccaaat	2640
ggaccctcca atggactacg ctggaagcag acctcgtcta atggatcatg acgttaccct	2700
agaggaaata cacaattttt ttgtggatta tatgataagc gacacgctgg gagtgatctc	2760
aactgcacat ttggttcatg cagaccgtga cctgaaaaa gccaggagcc agaagtgtct	2820
agagttagca catcttcact ctagggtgt tgattttgcg aaaactggag ctccagcgga	2880

-continued

gatgccttat gccttaaagc ccagagagtt ccctgatttc ctggaacggt tcgagaaacc	2940
aacatacatc tctgagctcg tgtttgggaa actttaccgt gctgtgaaaa gctcgttagc	3000
acagaggaag ccagaagctg agagcgagga cacgatagct tatgattcca cacttgaaga	3060
agctggctat gagagcttta tagagacagc caaagccac agagacatgt atgctgagaa	3120
actgacctcg ttgatgatat actacggagc tgtaaacgaa gaagagatcc tcacaggcat	3180
tttgaaaact aaggagatgt atctggcgag agataaccgg aggtatgggtg atatgaagga	3240
tagaatcacc ttgtctgtga aggatttgca gagagaggcc ttgggatgggt tcgataaaag	3300
ctgcgaggag aaacaagaga agaagaagct agcttcagct tggattacg taacatacaa	3360
cccgagccat gtcgatgaga agttgaaatt cctgagtttt ccgtggatcg ttggtgacat	3420
attgctagag attaaggctg aaaatgcaca gagtcagagc gttgaagacc aaacaaatgg	3480
acttgatatc atttgattac cctatcccta tctatctatc actcgttgct gtagtataat	3540
tgctagatta agacaattga gaccagaaca gaacgtcgtcgt tgtatatgctg tcaactcaaaa	3600
ttatcaaata ctaatgacta attaatta	3628

<210> SEQ ID NO 3

<211> LENGTH: 3377

<212> TYPE: DNA

<213> ORGANISM: Camelina sativa

<400> SEQUENCE: 3

caacgggttaa agtctccaat gttcctcaaa ccatagtcgc cgacgaactc ctccgcttcc	60
tcgagettca cctcggcgaa gacacagtgt tcgctctcga aatcccaaca actcgcgaga	120
attggaagcc acgggacttc gctcagtagc aattcagtag cctcgaagtc aaatctcag	180
cccagcttct ctcttcacaa agcaagctcc ttttcaaaac ccataaccta agactctccg	240
aagcttacga tgacatcata cctcgccctg tagatccacg gagaaggcta gaagacgtcg	300
ttttgactgt tgggtttcct gagtctgggtg aagagaggtt ctgtgcccta gaaaaatggg	360
gaggcgtgag gtgttggtt ctggaagaga agaggagact tgagttttgg gtttgggaat	420
gtggtgaatg ttataagatt gaagttaggt ttgaggatat tgttgaaact cttggctgcg	480
ttgttaatgg tgacgcctct gagattaatg cgtttcttct gaggctgaaa tatggaccaa	540
aggtatttaa aagagtaaca ggacctcaca tagccgcaaa gtttaaactc gatcggtagc	600
gtttctgcaa ggatgatttt gatttcatgt gggttcgcac aactgatttc tctgggtcaa	660
agtcaatcgg tacatcaact tgcttttttt tggaggtaga gaatggctcc aagatgttag	720
acattttctc gtggttgctt tactacagag aaggcacttt gagtctaacc actgtggatg	780
ggaaagcgtt tgctcttca tgtcaaattg tccccctctt gaatgctgcc aatctggggt	840
tagagtttcc atatgagatc cttttccaac tcaattcgtc gggtcacaaat aaaaaaatca	900
gtctttttgc tgcatacaat atggaactga tcaacatcct tcgtgggttg agattggaaa	960
ccgcattgggt tatcctcaag aaacttcacc agcaaagctc tatatgttat gatcctgtct	1020
cctttgtcaa gactcagatg caatccccgg ttaagaagat gaagcattcc cctgcatcag	1080
ctaatacaag actgaccgag cagaatatca tgagttgtca gagagcctac gttacaccct	1140
caaagattta tctgttgggt ccagagcttg agaaagctaa ctatgttggtg aagaactttg	1200
cagagcatgt ctcagatttc atgagaatta cttttgtgga agaagattgg agcaagattc	1260

-continued

cagcaaatgc tctttctgtg aactccaagg aaggctatct tgtgaagccc tttagaacca	1320
acatttataa cagggtgttg tcaatccttg gagaagggat cactgttggg cctaagaggt	1380
ttgagttctt ggctttttca gccagccaac tgcgaggaaa ctcagtctgg atgtttgctt	1440
ctaacgagaa agttaagca gaagatataa gagaatggat ggggtgtttc cgtaaaatcc	1500
gaagcatctc caaatgtgct gctaggatgg gtcagttgtt cagtgtctca cggcagacag	1560
ttactgtccg tgcacaagat gtggagcaga ttctgacat tgaagtgact actgatgggtg	1620
ctgattactg cttctcggat ggcattggga aaatttcatt ggcatttgcct aggcgaagttg	1680
ctcagaagtg tgggcttgat tatgtccctt ctgcatttca aattcgatac ggtggctaca	1740
aagggtgatg cgccgttgac cgcagttcct tcagaaagat gtctctgcgt gatagtatgc	1800
taaagtttga ctcaacaac aggatgctta acgtaaccag gtggacagag tcgatgcctt	1860
gcttcctaaa ccgggagatc atttgccttt tgtcgtactt tggaatagaa gatgaagtgt	1920
ttgagggcat gcaagcgttg catttatcta tgctggggaa catgcttgaa gaccgcaatg	1980
cagcacttaa tgtgctgcag aaattgagcg gagaaaattc caagaatctg ctagttaaga	2040
tgctgtctaca aggatacgca ccgagctcag aaccgtacct ctcaatgatg cttcgtgtac	2100
accacgagag ccagctttct gaactaaaga gttaggtgcag gatacttgta ccgaaaggac	2160
ggatcttgat cgggtgcatg gatgaaatgg gtatcctgga gtatggccaa gtgtatgttc	2220
gtgtaacctt gactgaagcg gaactgaaat ctcgtgaaca gagttacttc cgcaaggtta	2280
atgagggaaac atctgtgggtg attgggaaag tagtcgttac gaaaaacca tgtcttcacc	2340
ctggagatat cagagttctt gacgtatat atgaggtcag ttctgaagaa aagggatctg	2400
tcgactgcat catctttcct cagaaggagag aaaggccaca tcccaatgaa tgttctgggtg	2460
gtgatctcga cggagaccag ttttttggtt gttgggatga gaagcttata ccaagccaaa	2520
tggacctctc aatggactac gctgctagca gacctcgtat aatggatcat gatgtcacc	2580
tagaggaaat ccacaaatct tttgtggact atatgataag cgacacgctg ggagtgatct	2640
caactgcaca tttggttcat gcagaccgag accctgaaaa agccaggagc cagaaatgtc	2700
tagagttagc gcatcttcac tctagggctg ttgattttgc caaaactgga gctccagcgg	2760
agatgcctta cgccttaaag ccagagagat tccctgattt cctggaacgg ttcgagaaac	2820
caacatacat ctctgagtct gtgtttggga aactttaccg tgctgtgaaa agctcgttag	2880
cacaaaggaa gccagaagct gagagcgagg acacgatagc ttatgattcc acactgaag	2940
aagctggcta tgagagcttt atagagacag ccaaaacca cagagacatg tatgctgaga	3000
aactgacctc gttgatgata tactacggag ctgtaaacga agaagagatc ctcacaggca	3060
ttttgaaac taaggagatg tatctggcga gagataaccg gaggtatggg gatatgaagg	3120
atagaatcac cttgtctgtg aaggatttgc agagagaggc cttgggatgg ttcgagaaaa	3180
gtgctgagga gaaacaagag aagaagaagc tagcctcggc ttggtactac gtaacataca	3240
acccgagcca ggtcgatgag aagttgaaat tcctgagttt tccgtggatc gttggtgaca	3300
ttttgctaga gattaaggct gaaaatgcac agagtcagag cgggtgaagac caaacaatg	3360
gacttgatc cgtttga	3377

<210> SEQ ID NO 4

<211> LENGTH: 3111

<212> TYPE: DNA

-continued

<213> ORGANISM: *Camelina sativa*

<400> SEQUENCE: 4

```

cctgtagatc cacggagaag gctagaagac gtcgttttga ctgttgggtt cctgagtct    60
ggatgaagaga ggttctgtgc cctagaaaaa tggggaggcg tgaggtgttg gattctggaa    120
gagaagagga gacttgagtt ttgggttttg gaatgtggtg aatgttataa gcttgaagtt    180
aggtttgagg atattgttga aactcttggc tgctgtgtta atggtgacgc ctctgagatt    240
aatgcgtttc ttctcaagct gaaatatgga tcgaagggtt taaaagagt gacaggacct    300
cacatagcca caaagttaa atctgacgg taccgtttct gcaaggagga ttttgatttc    360
atgtgggttc gcacaactga tttctctggt tcaaagtc aaaggtatc aacttgcttt    420
tggtttgagg tagagaatgg ctcaaagatg ttagacattt tctcaagctt gccttactac    480
agagaagaca cggtgagtct aaccactgtg gatgggaaag tggttgcttc tgcattgtcaa    540
attgttcccc tcttgaatgc tgccaatctt ggggttagagt ttccatatga gatcctttac    600
caactcaatt cgcttggtca caatcagaaa atcagtattt ttgctgcgtc aaatatggaa    660
ctgattaaca tcctctgttg tttgagcttg gaaacgcgt tggtgatcct caagaaactt    720
caccagcaaa gctctatatg ttatgatcct gtctcctttg tcaagactca gatgcaatcc    780
ccggttaaga agatgaagca tccccctgca tcagctaata caagattgac cgagcagaat    840
atcatgagtt gtcagagagc ctacgttaca cctcaaaga tttatctgtt ggggtccagag    900
cttgagaaa gctaactatgt tgtgaagaac tttgcagagc atgtctcaga tttcatgaga    960
attacttttg tggaagaaga ttggagcaag attccagcaa atgctttttc tgtgaactcc   1020
aaggaaggct attttgtgaa gccctttaga accaactatt ataacagggt gttgtcaatc   1080
cttgagaaa ggtactactgt tgggcctaag aggtttgagt tcttggtttt ttcagccagc   1140
caactgcgag gaaactcagt atggatgttt gcgtctaacg agaaagttaa agcagaagat   1200
ataagagaat ggatgggttg tttccgtaaa atccgaagca tatcaaatg tgctgctcgg   1260
atgggtcagt tgttcagtgc ttcacggcag acagttactg tccgtgcaca agatgtggag   1320
cagattcctg acattgaagt gactactgat ggtgctgatt actgcttctc ggatggcata   1380
gggaaaaatt cattggcatt tgctaagcaa gttgctcaga agtgtggact ggattatgtc   1440
ccttctgcat ttcaaatctg atacggtggc tacaagggtg tgatgccgtg tgaccgcagt   1500
tccttcagaa agatgtctct gcgtgatagt atgctaaagt ttgactcaaa caacaggatg   1560
cttaacgtaa ccagggtgac agagtcgatg ccttgcttct taaaccgaga gatcatttgc   1620
cttttgtcga ctcttggaat tgaagatgaa gtgtttgagg cgatgcaagc tatgcattta   1680
tctatgctag ggaatatgct tgaagaccgc aatgcagcac ttaatgtgct gcagaaattg   1740
agcggagaaa attccaagaa tctgctagtt aagatgctgc tacaaggata tgcaccgagt   1800
tcagaaccgt acctctcaat gatgcttctg gtacaccacg agagccaact ttctgaacta   1860
aagagtaggt gcaggatact tgtaccgaaa ggacggatct tgatcggttg catggatgaa   1920
atgggtatcc tggattatgg ccaagtgtat gttcgtgtaa cctgactga agcggaaactg   1980
aaatctcgtg aacagagcta cttccacaag attaatgagg aaacatctgt ggtgattggg   2040
aaagtggctg ttacgaaaaa cccatgtctt caccctggag atatcagagt acttgacgct   2100
atatatgagg tcagtttcga agaaaaggga tttgtcgact gcatcatctt tcctcagaag   2160

```

-continued

ggagaaaggc cacaatccaaa tgaatgttct ggtggtgacg tcgacggaga ccagtttttt	2220
gttagttggg atgagaagct tataccaaac caaatggacc ctccaatgga ctacgctgca	2280
agcagacctc gtctaattga tcatgacgtt accctagagg aaatacacia tttttttgtg	2340
gattatatga taagcgacgc gcttgggatg atctcaactg cacatttggg tcatgcagac	2400
cgtgacccag aaaaagccag gagccagaag tgtctagagc tagcacatct tcaactctag	2460
gctgttgatt ttgccaaaac tggagctccg gctgagatgc cttatgcctt aaagcctaga	2520
gagttccctg atttcttggg acggttcgag aaaccaacat acatctctga gtctgtgttt	2580
gggaaacttt accgtgtgtg gaaaagctcg ttagcacaga gaaagccaga agctgagagc	2640
gaggacacga tagcttatga ttcgacactt gaagaagctg gctttgagag ctttatagag	2700
acagccaaaag cccatagaga catgtatgct gagaaactga cctcgttgat gatatactac	2760
ggagctgcta acgaagaaga gacccacaca ggcattttga aaaccaagga aatgtatctg	2820
gctagggata accggaggta tgggtgatag aaggatagaa tcacgttgctc tgtgaaggat	2880
ttgcagagag agggccatggg atggttcgac aaaagctgag tggagaaaca agagaagaag	2940
aagctagctt cggtcttgta ctacgtaaca tacagccga gccaggtcga tgagaagttg	3000
agattcttga gttttccgtg gatcgttggt gacattttgc tagagatcaa ggctgaaaat	3060
gcacagagac agagcgttga agaccaaaaca agtggacttg tatccatttg a	3111

<210> SEQ ID NO 5

<211> LENGTH: 3591

<212> TYPE: DNA

<213> ORGANISM: Arabidopsis thaliana

<400> SEQUENCE: 5

atgggggtcag agggaaatat gaagaagtcg gttgtgacac aagtaagcat tgggtgattt	60
ggggaatcca ctactgcaaa acaactcaca gattaccttg aagatgaagt aggaattgtt	120
tggcgttgca gattaaaaac ttcgtggact cctcctgggt cttatcctaa ttttgaatc	180
gcagacactt caaatatccc cagtattgat gaatataaga aagtggagcc tcatgccttt	240
gtccatttcg cagtttttga atcagctggt cgtgccatgg atgctgcagg gcaatgcaac	300
ctcatcttgg atggccagcc gttaaaagtc agtttgggtc ctaagaatcc atattccctt	360
aatcaaaaga gaagaacgac tgtaccttat aagttggctg gtattacact tgagattggg	420
acattgggtt ctcgggatga tttttttgtt tcttggagag ctgaaggggt tgatttctg	480
gtggatcctt ttgacaacac gtgcaagttt tgtttcagaa agagcactgc cttctctttc	540
aaggatgcag tgatgcacgc tgtgatcaat tgtgattata agttggagtt attggtgaga	600
gatatacaaa cagtcaggca gtataaaacc ttgcatggct ttgtgcttat tttgcagctg	660
gcttcttcac cccgtgtctg gtacagaact gctgatgatg atatttacga tactgtccct	720
ggcgatctct tggatgatga tgatccttgg atccgtacca ctgattttac tcaagttggg	780
gcaattggtc gatgtcattc atatcgagtg ctcatatctc cgcggtatga aaataaaactg	840
agaacagcct tagattatct taggatgcgg aggggtgcaag aggaacgtgt gaggtggcct	900
ccccgtatcc gtaatgagcc ttgttttggg gagcctgtgt cagatcattt cttctgcatt	960
catcacaagg aaggaatctc ttttgagatc atgtttctag taaattcggg attgcacagg	1020
ggtgtcttta accagtttca gttgactgag cgattcttgg atcttctaag aaaccaaccc	1080

-continued

aaggacgtca	atatagcttc	tctcaagcat	ctctgtacct	ataaacgacc	agtttttgat	1140
gcgtacaaga	ggttgaagct	tgttcaggaa	tggattcaga	aaaatccaaa	gcttttaggg	1200
agtcatgaac	aatctgagga	tatctctgag	atcagaagac	tagtaattac	cccaaccaga	1260
gcctattgcc	taccccaga	agttgagctc	tccaacaggg	tactcaggag	atacaaagct	1320
gttgctgaaa	gatttttgcg	ggtaactttc	atggatgaaa	gtatgcagac	cataaattcg	1380
aatgttctct	cttactttgt	tgtccttatt	gtgaaggatt	tgacatcaag	ttctttctcc	1440
cagaagacct	acgtttttta	aagagtgaag	agcatattaa	ccgatgggtt	taaactatgt	1500
ggtagaaaat	acagttttct	agcattctca	gccaatcaac	tgagagaccg	ctctgcattg	1560
ttctttgctg	aagacgggaa	aacacgtgtg	tcagatataa	aaacatggat	ggggaagttc	1620
aaagacaaga	atgtggcaaa	atgtgctgct	aggatgggcc	tgtgcttctc	ctccacatat	1680
gccactgtag	atgcatgcc	tcacgagggt	gacactgagg	ttccagatat	tgagagaaat	1740
gggtatgttt	tctctgacgg	aattggtaca	atcacacctg	acctcgctga	cgaagtaatg	1800
gagaaactta	agttggatgt	gcactacagc	ccttgtgctt	atcagatacg	ttacgcagggt	1860
ttcaaagggg	ttgttgctcg	ttggccatca	aaaagtgatg	gaatcaggct	agcccttcga	1920
gacagtatga	agaagttctt	ttccaaacat	acgatcttgg	agatctgttc	ctggacgagg	1980
tttcaacctg	ggttcttaaa	tcggcagata	attacccttc	tatccgtact	aggtgttccg	2040
gatgaaatat	tctgggatat	gcaggaatcc	atgctctata	aactgaaccg	catccttgat	2100
gatacagatg	tggcatttga	agttctcacg	gcatcatgtg	ctgaacaggg	aaacactgca	2160
gctatcatgc	ttagtgacgg	tttcaaacca	aaaaccgagc	cgcactctacg	cgggatgttg	2220
tcttcagtca	gaattgcaca	actctgggggt	ctcagagaaa	aatctcgtat	ttttgttact	2280
tcaggaaggt	ggctaattgg	ttgcctagac	gaagcaggga	tacttgaaca	tggccaatgc	2340
tttattcaag	tctctaaacc	gtctatagaa	aattgtttct	ccaacatgg	gtctcgtttt	2400
aaggagacaa	agacagatct	ggaagtagtt	aaaggctatg	tagccattgc	taagaatcct	2460
tgtcttcacc	caggggatgt	aaggatttta	gaagctgttg	atgtacccca	gctgcatcac	2520
atgtatgact	gcctattttt	ccctcagaaa	ggtgataggc	cgcatacaaa	cgaagcttct	2580
ggcagtgacc	ttgacgggga	cctgtacttt	gtggcttggg	atcagaaaact	catccctccc	2640
aacaggaaaa	gctatccggc	catgcattat	gatgcagctg	aagagaagag	tttaggccgt	2700
gctgtcaacc	accaggacat	aatcgatttc	tttgcaagaa	acttggcgaa	tgagcagttg	2760
ggcacaattt	gcaatgcaca	cgtcgttcat	gctgatagaa	gtgagtatgg	agccatggac	2820
gaagaatgtt	tgctactggc	agaactagct	gccactgcag	ttgatttccc	aaagacaggg	2880
aaaattgtgt	caatgccctt	ccacctaaaa	ccaaaactct	accagatttt	catgggaaaa	2940
gaagactacc	aaacttacia	gtcgaacaaa	atcttgggtc	ggctttacag	acgggtaaaa	3000
gaggtttatg	atgaagatgc	agaagcttcc	tcagaagaaa	gcacagaccc	aagtgccatc	3060
ccttatgacg	ctgttcttga	aataccggga	tttgaagatt	tgatccctga	ggcatgggggt	3120
cacaaatgtt	tgtacgacgg	gcaactcatt	ggtcttcttg	ggcaatacaa	ggtgcagaaa	3180
gaggaagaga	ttgtgacggg	tcacatctgg	tccatgccca	aatacacaag	caagaaacaa	3240
ggcgaactga	aagaaagact	gaagcattct	tataattccc	ttaaaaagga	gttcaggaaa	3300
gtatttgagg	aaacaatccc	tgaccatgaa	aatctcagcg	aggaggaaaa	aaacatcttg	3360

-continued

tatgagaaga aggettccagc ttggtatcat gtaacttacc atcccagtg ggtgaagaag	3420
tctttagagc tgcaagatcc agatgagtcc agtcatgcgg cgatgctgag ttttgcttgg	3480
attgcagctg attatcttgc aagaatcaaa atccgggtcac gggaaatggg aagtatcgac	3540
tcagccaagc ctgttgattc tttggctaag tttcttgcgc agcgtctcta a	3591

<210> SEQ ID NO 6

<211> LENGTH: 3965

<212> TYPE: DNA

<213> ORGANISM: Camelina sativa

<400> SEQUENCE: 6

cgtgggagga agtcaagaat aataatgacg catggtttca ctttcagcta tggcgatttc	60
tccttcttaa tttagcctct actcacttac taatcttctc tccggctctc gcgttctat	120
ctgtttcgtc ttcagtatcg atttcgttca ctgtggcttc acggagaatg gggtcagagg	180
gaaacatgaa gaactcgggt gtgacacaag taagcattgg tggattcggg gagtcacta	240
ctgcaaaaca acttactgat tacctcgaag acgaagtagg acttgtttgg cgatgcagat	300
taaagaactc ttggactcgc cctgggtctt atcctaattt cgaaatcgca gacacttcaa	360
aaatccccaa aatcgatgat tacaagaaag tggagcctca tgcgtttgtc catttcgcac	420
ttctgaatc aacagcacgt gctatggatg ctgcagggca atgcaagctc atcctcgatg	480
gccagccttt aaaagtacgc ttggggccta agaaccata tacacttaac cagagaagaa	540
gaacgactac acctataag ttgactggtg tttcgatcga gattgggact ttggtttccc	600
gggatgagtt tcttgtttct tggagagctg aagggtgtga tttccttgta gatcctttg	660
acaacacttg caagttttgc ttcaggaaga gcaactgcgt ctctttcaag gacgcagtga	720
tgcgtctgtg gataaattgt gattataagt tggagttgtt ggtgagagac ataagaacgg	780
ttaggcagta taaggatttg catggctttg tgcttctttt gcagctgggt tcgtcacccc	840
gtgtctggta cagaactgcg gatgatgaca tttatgagac tgttctcttc gatctcttgg	900
atgatgatga cccttggtac cgtaccactg atttcaactc agttggggcg attggctgat	960
gtctttcgta tagagtgtc atactctctc ggtatgagaa gaaattgaca acagctttag	1020
attatctaag gatcgaggg gtgcaagagg aacgtgtgag gtggcctcct cggatccgtg	1080
atgagccttg ttttggggag cctgtgtcgg atcatttctt ctgcattcat cacaaggaag	1140
gaatctcctt tgagatcatg tttctagtga actcgggtatt gcacagaggg gtttttaacc	1200
agtttcagtt gactgagcgt tcttttgatc ttctcagaaa ccaaccaga gatgtcaata	1260
tagcttctct caagcatctc tgtacctata aaaaaccagt ttttgatgag tacaagaggt	1320
tgaagcttgt tcaggaatgg attcagaaaa atccaaagct tttaggagat catgaacaat	1380
ctgaggatat ctctgagatc agaaggtag tgattacccc aaccagagcc cattgcctac	1440
ccccagaagt tgagctctcc aacagggtag ttaggaaata caaagctgtt gctgaaagat	1500
ttttgcgcgt aactttcatg gatgaaagta tgcagaccat aaattcgaat gttctctctt	1560
actttgttgc tcctattgtg aaggatctga catcaagctc tttctctcag aagacttacg	1620
ttttcaaaag agtgaagagc atattaaccg atgggtttta actatgtggt agaaaatata	1680
gttttctagc attctcagcc aatcaactga gagaccgctc tgcttggttc tttgctgaag	1740
acgggaaaac aagagtgtca gatataaaaa catggatggg gaagttaa gacaagaatg	1800

-continued

tgccaaaatg	tgctgctagg	atgggactgt	gcttctcctc	cacatatgcc	actgtagatg	1860
tcattgcttca	cgagggtgac	accgagcttc	cagacattga	gagaaatggg	tatgttttct	1920
ctgatggaat	tggtacaatc	acacctgacc	tcgctgacga	agtaatggag	aaacttaggt	1980
tggtatgtgca	ctacacccct	tgtgcttata	agatacgtta	cgcagggttc	aaaggagttg	2040
ttgctcgttg	gccatcaaaa	ggtgatggaa	tccggctagc	ccttcgagac	agtatgaaga	2100
agttcaattc	caaacatact	atcttgagga	tctgttcctg	gacgaggttt	caacctggat	2160
tcttaaatcg	gcagataatt	actctccttt	ctgtactagg	tgttcgggat	gaaatattct	2220
gggatatgca	ggaatccatg	ctctgtaaac	tgaaccgcat	ccttgatgat	acagatgttg	2280
catttgaagt	tctcacagca	tcattgtctg	aacagggaaa	cactgcagct	atcatgctaa	2340
gtgcagggtt	caaaccacaa	actgagccac	atctacgttg	aatgttgtct	tcagtcagaa	2400
ttgcacaact	ctggggcttc	agagaaaaat	cacgtatctt	tggtacttca	ggaagggtgg	2460
taatgggttg	ccttgacgaa	gcagggatac	ttgaacaggg	ccaatgcttt	atccaagtct	2520
caaaaccgtc	tatagaaaat	tgtttctcca	aacatgggtc	tcgttttaag	gagacaaaga	2580
cagatctgca	agtagttaa	ggctatgtag	ccattgccaa	gaatcctgt	cttcaccacg	2640
gggatgtaag	gattttagaa	gctgttgatg	tacccagct	gcacacatg	tatgactgcc	2700
ttattttccc	tcagaaagg	gataggcccc	atacaaacga	agcttctggc	agtgaccttg	2760
acggggacct	gtactttgtg	gcttgggac	agaaactcat	ccctccagc	aaaaaaagct	2820
ttccggccat	gcattatgat	gcagctgaag	agaagagttt	aggccgtgct	gtcaaccacc	2880
aggatataat	agatttcttt	gctagaaaca	tgccaaatga	gcatttgggt	acaatttgca	2940
atgcacacgt	cgttcatgct	gatagaagtg	agtatggagc	catggacgaa	gaatgtatgc	3000
tgctggcaga	attagctgcc	actgcagttg	atctcccgaa	gacggggaaa	attgtgtcaa	3060
tgcccttcca	cctaaaacca	aaactctacc	cagatttcat	gggaaaagaa	gactaccaaa	3120
cttacaagtc	gaacaaaatc	ttaggtcggc	tttacagacg	tgtgaaagaa	gtgtatgatg	3180
aagatgcaga	agcttcgtca	gaagaaatcc	cagatccaag	tgacatccct	tatgacactg	3240
atctcgagtt	accgggattt	gcagacttga	tccccgagc	atggggtcac	aaatgttctt	3300
acgacgggca	gctcattggt	cttcttgggc	aatacaaggt	ccagaaagag	gaagagattg	3360
tgacggggcca	tatctggtcg	atgccgaaat	acgctagtaa	gaaacaaggg	gaattgaaag	3420
aaagattgaa	gcattcttat	aactccctca	aaaaggagtt	cagaaaagta	ttcgaggaaa	3480
caatcccga	ccaggaaaat	ctcagcgatg	aggaaaaaaa	catcttgtat	gagaagaagg	3540
cttcagcttg	gtatcatgtc	acttaccatc	ccgagtgggt	gaagaagtct	ttagagctgc	3600
aagatccaga	tgagtcgtct	agtcatgcgg	tgatgctgag	ttttgcttgg	attgcagctg	3660
attatcttgc	aagaatcaaa	atccggtcac	gggaaatggg	aaatatcgac	tcagccaagc	3720
ctgttgattc	tttggccaag	tttcttgctc	aacgtctcta	aaaggtaatg	ttcgaagccg	3780
taaggccact	ctgccatgta	tctgtggaaa	ttcacagata	ctcaatatat	atatatataa	3840
gctagttttg	aatgtactac	tctggaaaact	ttgtgtgtga	tgaattcagg	atttaaacag	3900
ctcaactggt	tgccgttggt	ttgtggttat	gtattctact	aaaatttcat	ttcaatttta	3960
ttaca						3965

-continued

<211> LENGTH: 3981

<212> TYPE: DNA

<213> ORGANISM: *Camelina sativa*

<400> SEQUENCE: 7

```

atgaagtaaa aaaaaaaaaa ggtttcactt tcagctatgg cgatttcgcc ttcctaattt    60
agcgcggcct actcactagt cttctctgcg gtctccgcgt tgcttctggt tcgtttccag    120
tatcgatttc gttgattgag gacctcactg tagcagtga ttagggcttt tgcgaaaaat    180
ggggtcagag ggaaacatga agaactcggg tgtgacacaa gtaagcattg gtggatttgg    240
tgagtcactt actgctaaac aacttacaga ttacctcgaa gacgaagtag gacttgtttg    300
gcatgcaga ttaaagaact cttggactcc cctgggtct taccctaatt tcgaaatcgc    360
agacacttca aaaatcccca aaatcgatga ttacaagaaa gtggagcctc atgcgtttgt    420
ccatttcgct attcccgaat caacagaacg tgccatggat gctgcagggc aatgcaagct    480
catcctcgat gggcagcgtg taaaagtcag cttgggtcct aagaacctat atacacttaa    540
ccagagaaga agaocgacta cacctataa gttgactggt gtttcgattg agattgggac    600
tttggtttcc cggtgatgag ttcttggttc atggagagct gaaggggttg atttccttgt    660
agatcctttt gacaacactt gcaagttttg cttcaggaag agcactgcgt tctctttcaa    720
ggacgcagtg atgcatgctg tgataaattg tgattataag ttggagttgt tggtagagaga    780
cataagaaca gtaaggcagt ataagaattt gcatggcctt gtgcttcttt tgcagctggc    840
ttcgtcacc cgtgtctggt acagaactgc tgatgatgat atttacgaga ctgttccctt    900
tgatctcttg gatgatgatg acccttgcat ccgtaccact gattttactc aagttggggc    960
gatcggtcga tgtctttctt atcgagtgcct catatctcct cggtagtaga agaagttgac   1020
aacagcgtta gattatctaa ggatgcggag ggtgcaagag gaacgtgtga ggtggcctcc   1080
tcggatccgt gatgagccct cttttgggga gcctgtgtca gatcatttct tctgcattca   1140
tcacaaggaa ggaatctcct ttgagatcat gtctcctaga aactcgggat tgcacagagg   1200
ggtttttaac cagtttcagt tgactgagcg tttctttgat cttctcagaa accaaccag   1260
agatgtcaat atagcttctc tcaagcatct ctgtacctat aaaaaaccag tttttgatgc   1320
gtacaagagg ttgaagcttg ttcaggaatg gattcagaaa aatccaaagc ttttagggag   1380
tcatgaacaa tctgaggata tctctgagat cagaaggtta gttattacct caaccagagc   1440
ccattgccta cccccaagag ttgagctctc caacagggtt ctcaggaaat acaaagctgt   1500
tgctgaaaga tttttgcgcg taactttcat ggatgaaagt atgcagacta taaattctaa   1560
tgctctctct tactttgttg ctctattgtg gaaggatctg acatcaagct ctttctctca   1620
gaagacttac gttttcaaaa gagtgaagag catattaacc gatgggttta aactatgtgg   1680
tagaaaaat agttttctag cattctccgc caatcaactg agagaccgct ctgcatgggt   1740
ctttgctgaa gatgggaaaa caagagtgtc agatataaaa acatggatgg ggaagttcaa   1800
agacaagaat gtggcaaaat gtgctgctag gatgggactg tgcttctcct ccacatatgc   1860
cactgtagat gtcattcttc acgaggttga caccgagctt ccagacattg agagaaatgg   1920
gtatgttttc tctgatggaa ttggtacaat cacacctgac ctgctgacg aagtaatgga   1980
gaaacttagg ttggatgtgc actacacccc ttgtgcttat cagatacgtt acgcaggttt   2040
caaaggagtt gttgctcgtt ggccatcaaa aggtgatgga atccggctag ctcttcgaga   2100

```

-continued

cagtatgaag aagttcaatt ccaaacatac tatcttggag atctgttcct ggaacagggt	2160
tcaacctgga ttcttaaatc ggagagataat tactctcctt tctgtactag gtgttccgga	2220
tgaaatatc tgggatatgc aggaatccat gctctgtaaa ctgaaccgca tecttgatga	2280
tacagatgtt gcatttgaag ttctcacagc atcatgtgct gaacaggga acactgcagc	2340
tatcatgcta agtgcagggt tcaaaccaaa aactgagcca catctacgtg gaatgttgct	2400
ttcagtcaga attgcacaac tctggggtct cagagaaaaa tcacgtatct ttgttacttc	2460
aggaagggtg ctaatgggtt gccttgacga agcagggata cttgaacagg gccaatgctt	2520
tatccaagtc tcaaacacct ctatagaaaa ttgtttctcc aaacatgggt ctcgttttaa	2580
ggagacaaa agacagatctgc aagtagttaa aggtatgta gccattgcca agaactcttg	2640
tcttcacca ggggatgtaa ggattttaga agctgttgat gtacccagc tgcacacat	2700
gtatgactgc cttattttcc ctacagaaag tgataggccc catacaaacg aagcttctgg	2760
cagtgcacct gacggggact tgtactttgt ggcttgggat cagaaactca tccctcctag	2820
caaaaaagc ttccgggcca tgcattatga tgcagctgaa gagaagagtt taggccgtgc	2880
tgtcaaccac caggatataa tagatttctt tgcaagaaac atggcaaatg agcatttggg	2940
tacaatttgc aatgcacacg tegtctatgc tgatagaagt gagtatggag ccatggacga	3000
agaatgtatg ctactggcag aattagctgc cactgcagtt gatttccga agacaggga	3060
aattgtgtca atgcccctcc acctaaaaac aaaactctac ccagatttca tggggaaga	3120
agactacca acttacaagt cgaacaaaat cttgggtcgt ctttacagaa gggtaaaaca	3180
agtgtatgat gaagatgcag aagcttcttc agaagaaac ccagacccta gtgacatccc	3240
ttatgacact gatcttgaat tacctggatt cgcagagttg atccccgagg catggggcca	3300
caaatgttct tacgacgggc agctcattgg tcttcttggg caatataagg tccagaaaga	3360
ggaagagatt gtgacgggccc atatctgggc gatgccgaaa tacgctagta agaaacaagg	3420
ggaattgaaa gaaagattga agcattctta taactccctc aaaaaggagt tcagaaaagt	3480
attcaggga acaatcccg accaggaaaa tctcagcgat gaggaaaaa acatcttgta	3540
tgagaagaag gcttcagctt ggtatcatgt cacttaccat cccgagtggg tgaagaagtc	3600
tttagagctg caagatccag atgagtcgtc tagtcatcg gtgatgctga gttttgcttg	3660
gattgcagct gattaccttg caagaatcaa agtccggcca cgggaaatgg aaaaatcga	3720
ctcagccaag cctgttgatt ctttgccaa gtttcttgct caacgtctct aaaaggtaat	3780
gttcgaagcc gtaaggccac tctgccatgt atctgtgga attcacagat actccaatat	3840
ttgtaagcta gttttgaatg tgcattctg gaaactttgt gtgtgatgaa ttcaggattt	3900
aaacagctca actgtttgcc gttgtttgtg gttatgtatt ttactaaact ttcgtttcaa	3960
ttttattaca tgggttgata a	3981

<210> SEQ ID NO 8

<211> LENGTH: 3988

<212> TYPE: DNA

<213> ORGANISM: *Camelina sativa*

<400> SEQUENCE: 8

tgggagagag agagtgggag aagtaagaa taatcatgac gcatggtttc actttcagct	60
atggcgattt ctccttcta atttagcgcc tactcactta ctaactctct ctcgggtctc	120

-continued

cgcggttgctt	ctgttttcgtc	ttcagtatcg	attccggttca	ctgttggtt	agggttttac	180
ggagaatggg	gtcagaggga	aacatgaaga	actcggttgt	gacacaagta	agcattggtg	240
gatttggtga	gtccactact	gcaaaacaac	ttacagatta	cctcgaagat	gaagtaggac	300
ttgtttggcg	atgcagatta	aaaaactctt	ggactcccc	tgggtcttat	cctaatttcg	360
aaatcgacaga	cacttcaaaa	atccccaaaa	tcaatgatta	caagaaagtg	gagcctcatg	420
cgtttggtcca	tttcgcgctt	cctgaatcaa	cagcacgtgc	catggatgct	gcagggcaat	480
gcaagctcat	ccttgatggc	cagcctttaa	aggtcagctt	ggggcctaag	aaccatata	540
cacttaacca	gagaagaaga	acgactactc	catataagtt	gactgggtgt	tcggtcgaga	600
ttgggacttt	ggtttcccg	gatgagtttc	ttgtttcttg	gagagctgaa	ggggttgatt	660
tccttgtaga	tccttttgac	aacacttgca	agttttgttt	caggaagagc	actgcgttct	720
ctttcaagga	tgcagtgatg	catgctgtga	taaattgtga	ttataagttg	gagttgttgg	780
tgagagacat	aagaacagtt	aggcagtata	agaatttgca	tggttttggt	cttcttttgc	840
agctggcttc	ttcaccccg	gtctggtaca	gaactgctga	tgatgatatt	tacgagactg	900
ttcctttcga	tctcttggt	gatgatgacc	cttggtaccg	taccactgat	tttacacaag	960
ttggggcgat	cggtcgatgt	ctttcttctc	gagtgtctat	atctcctcgg	tatgagaaga	1020
agttgacaac	ggcattagat	tatctaagga	tgcggagggt	gcaagaggaa	cgtgtgaggt	1080
ggcctcctcg	gatcgtgat	gagccttggt	ttggggagcc	tgtgtcagat	catttcttct	1140
gcattcatca	caaggaagga	atctcctttg	agatcatgtt	cctagtaaac	tcggtattgc	1200
acagaggggt	ttttaaccag	tttcagttga	ctgagcgttt	ctttgatctt	ctcagaaacc	1260
aatccagaga	tgtcaatata	gcctctctca	agcatctctg	tacctataaa	agaccagttt	1320
ttgatgcgta	caagaggctg	aagcttggtc	aggaatggat	tcagaaaaat	cccaagcttt	1380
tagggagtca	tgaacaatct	gaggatatct	ctgagatcag	aaggttagt	attaccccaa	1440
ccagagccca	ttgcctaccc	ccagaagttg	agctctccaa	cagggtactc	aggaaataca	1500
aagctgttgc	ggaaagattt	ttgcgcgtaa	cattcatgga	tgaaagtatg	cagaccataa	1560
attcgaatgt	tctctcttac	tttgtcgctc	ctattgtgaa	ggatctgaca	tcaagctctt	1620
tctctcagaa	gacttacgtt	ttcaaaagag	tgaagagcat	attaaccgat	gggtttaaac	1680
tatgtggtag	aaaatatagt	tttctagcat	tctcagccaa	tcaactgaga	gaccgctctg	1740
cttggttctt	tgtgaagac	gggaaaacaa	gagtgtcaga	tataaaaaca	tggtggggga	1800
agttcaaaga	caagaatgtg	gcaaaaatgtg	ctgctaggat	gggactgtgc	ttctcctcca	1860
catatgccac	tgtagatgtc	atgcttcacg	agggtgacac	cgagcttcca	gacattgaga	1920
gaaatgggta	tgttttctct	gatggaattg	gtacaatcac	acctgacctc	gctgacgaag	1980
taatggagaa	acttaggttg	gatgtgcact	acaccccttg	tgcttatcag	atacgttacg	2040
caggtttcaa	aggagtgtgt	gctcgttggc	catcaaaagg	tgatggaate	cggctagccc	2100
ttcgagacag	tatgaagaag	ttcaattcca	aacatattat	cttagagatc	tgttctctgga	2160
cgaggtttca	acctggattc	ttgaaccggc	agattattac	tctcctttct	gtactaggtg	2220
ttccggatga	aatattctgg	gatatgcagg	aatccatgct	ctgtaaactg	aaccgcatcc	2280
ttgatgatac	cgatgttgca	tttgaagttc	taacagcatc	atgtgctgaa	caggggaaca	2340
ctgcagctat	catgctaagt	gcaggtttca	aacaaaaaac	tgagccacat	ctacgtggaa	2400

-continued

tgctgtcttc agtcagaatt gcacaactct ggggtctcag agaaaaatct cgtatttttg	2460
ttacttcagg aaggtggtcg atgggttgcc ttgacgaagc agggatactt gaacagggac	2520
aatgctttat ccaagtctca aaaccgtctt tagaaaattg tttctccaaa catgggtctc	2580
gttttaagga gacaaagaca gatctgcaag tagttaaagg ctatgtagcc attgccaaga	2640
atccttgtct tcaccacggg gatgtaagga ttttagaagc tgttgatgta cccagctgc	2700
atcacatgta tgactgcctt attttccctc agaaaggtag taggccccat acaaacgaag	2760
cttctggcag tgaccttgac ggggacctgt actttgtggc ttgggatcag aaactcatcc	2820
ctcccagcaa aaaaagcttt ccggccatgc attatgatgc agctgaagag aagagttag	2880
gccgtgctgt caaccaccag gatataatag atttctttgc aagaacatg gcaaatgagc	2940
atttgggtac aatttgcaat gcacacgtcg ttcattgtga tagaagtgag tatggagcca	3000
tggacgaaga atgtatgcta ctggcagaat tagctgccac tgcagttgat tccccgaaga	3060
cagggaaaat tgtgtcaatg ccttccacc taaaaccaa actctacca gatttcatgg	3120
ggaaagaaga ctaccaaact tacaagtga acaaaatctt gggtcggctt tacagaagg	3180
taaaggaagt gtatgatgaa gatgcagaag ctctcctaga agaaatcca gaccaagt	3240
acatccctta tgacactgat ctggaatac ctggattcgc agatctgac cccgaggcat	3300
ggggtcacia atgttcttac gacgggcagc tcattggtct tcttgggcaa tataaggctc	3360
agaaagagga agagattgtg acgggccata tctggtcgat gcctagatag gctagtaaga	3420
aacaagggga attgaaagaa agattgaagc attcttataa ctccctcaaa aaggagtcca	3480
gaaaagtatt cgagggaaca atcccggacc aggaaaatct cagcgatgag gaaaaaaca	3540
tcttgtatga gaaaaaggct tcagcttggc atcatgtcac ttaccatccc gagtgggtga	3600
agaagtcttt agagctgcaa gatccagatg agtcgtctag tcatgcggtg atgctgagtt	3660
ttgcttggat tgcagctgat tatcttcaa gaatcaaat ccggtcacgg gaaatgggaa	3720
atatcgactc agccaagcct gttgattctt tggccaagtt tcttgtctaa cgtctctaaa	3780
aggtaatggt cgaagccgta aggccactct gccatgtatc tgtggaaatt cacagatact	3840
ccaatatatg taagctagtt ttgaatgtgc tattctggaa actttgtgtg tgatgaattc	3900
aggatttaaa cagctcaact gtttgccgtt gtttgcgtt atgtatttta ctaaactttc	3960
gtttcaattt tattacatgg gttgataa	3988

<210> SEQ ID NO 9

<211> LENGTH: 960

<212> TYPE: DNA

<213> ORGANISM: Cauliflower mosaic virus

<400> SEQUENCE: 9

ccagtacgca cgattcaagg cttgcttcac aaaccaaggc aagtaataga gattggagtc	60
tctaaaaagg tagttccac tgaatcaaag gccatggagt caaagattca aatagaggac	120
ctaacagaac tcgcgtaaa gactggcgaa cagttcatac agagtctctt acgactcaat	180
gacaagaaga aaatcttcgt caacatggtg gagcagcaca cacttgctca ctccaaaaat	240
atcaaagata cagtctcaga agaccaaagg gcaattgaga cttttcaaca aagggtata	300
tccggaaacc tcctcggtt ccattgcca gctatctgtc actttattgt gaagatagtg	360
gaaaaggaag gtggctccta caaatgcat cattgcgata aaggaaaggc catcggtgaa	420

-continued

gatgcctctg cgcacagtgg tcccaaagat ggacccccac ccacgaggag catcgtggaa	480
aaagaagacg ttccaaccac gtcttcaaag caagtggatt gatgtgataa catggtggag	540
cacgacacac ttgtctactc caaaaatatc aaagatacag tctcagaaga ccaaagggca	600
attgagactt ttcaacaaag ggtaatatcc ggaaacctcc tcggattcca ttgccagct	660
atctgtcact ttattgtgaa gatagtggaa aaggaaggtg gctcctacaa atgccatcat	720
tgcgataaag gaaaggccat cgttgaagat cctctgccga cagtggtoce aaagatggac	780
ccccaccac gagagcatc gtggaaaaag aagacgttcc aaccacgtct tcaaagcaag	840
tggattgatg tgatatctcc actgacgtaa gggatgacgc acaatccac tacccttcgc	900
aagacccttc ctctatataa ggaagttcat ttcatttgga gaggacacgc tgaaatcacc	960

<210> SEQ ID NO 10
 <211> LENGTH: 509
 <212> TYPE: DNA
 <213> ORGANISM: Cassava vein mosaic virus

<400> SEQUENCE: 10

agaaggtaat tatccaagat gtagcatcaa gaatccaatg tttacgggaa aaactatgga	60
agtattatgt gagctcagca agaagcagat caatatgcgg cacatatgca acctatgttc	120
aaaaatgaag aatgtacaga tacaagatcc tatactgccga gaatacgaag aagaatacgt	180
agaaattgaa aaagaagaac caggcgaaga aaagaatctt gaagacgtaa gcactgacga	240
caacaatgaa aagaagaaga taaggctcgt gattgtgaaa gagacataga ggacacatgt	300
aagggtgaaa atgtaagggc ggaaagtaac cttatcacia aggaatctta tccccacta	360
cttacccttt tatatttttc cgtgtcattt ttgcccttga gttttcctat ataaggaacc	420
aagttcggca ttgtgaaaa caagaaaaaa ttgggtgtaa gctattttct ttgaagtact	480
gaggatacaa cttcagagaa atttgtgaag	509

<210> SEQ ID NO 11
 <211> LENGTH: 1161
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Oleosin sequence fused to the receptor binding domain of the Spike gene of SARS-CoV-2 by the intermediary of the prochymosin sequence

<400> SEQUENCE: 11

atg gcg gat aca gct aga gga acc cat cac gat atc atc ggc aga gac	48
Met Ala Asp Thr Ala Arg Gly Thr His His Asp Ile Ile Gly Arg Asp	
1 5 10 15	
cag tac ccg atg atg ggc cga gac cga gac cag tac cag atg tcc gga	96
Gln Tyr Pro Met Met Gly Arg Asp Arg Asp Gln Tyr Gln Met Ser Gly	
20 25 30	
cga gga tct gac tac tcc aag tct agg cag att gct aaa gct gca act	144
Arg Gly Ser Asp Tyr Ser Lys Ser Arg Gln Ile Ala Lys Ala Ala Thr	
35 40 45	
gct gtc aca gct ggt ggt tcc ctc ctt gtt ctc tcc agc ctt acc ctt	192
Ala Val Thr Ala Gly Gly Ser Leu Leu Val Leu Ser Ser Leu Thr Leu	
50 55 60	
gtt gga act gtc ata gct ttg act gtt gca aca cct ctg ctc gtt atc	240
Val Gly Thr Val Ile Ala Leu Thr Val Ala Thr Pro Leu Leu Val Ile	
65 70 75 80	

-continued

ttc agc cca atc ctt gtc ccg gct ctc atc aca gtt gca ctc ctc atc	288
Phe Ser Pro Ile Leu Val Pro Ala Leu Ile Thr Val Ala Leu Leu Ile	
85 90 95	
acc ggt ttt ctt tcc tct gga ggg ttt ggc att gcc gct ata acc gtt	336
Thr Gly Phe Leu Ser Ser Gly Gly Phe Gly Ile Ala Ala Ile Thr Val	
100 105 110	
ttc tct tgg att tac aag tac gca acg gga gag cac cca cag gga tca	384
Phe Ser Trp Ile Tyr Lys Tyr Ala Thr Gly Glu His Pro Gln Gly Ser	
115 120 125	
gac aag ttg gac agt gca agg atg aag ttg gga agc aaa gct cag gat	432
Asp Lys Leu Asp Ser Ala Arg Met Lys Leu Gly Ser Lys Ala Gln Asp	
130 135 140	
ctg aaa gac aga gct cag tac tac gga cag caa cat act ggt ggg gaa	480
Leu Lys Asp Arg Ala Gln Tyr Tyr Gly Gln Gln His Thr Gly Gly Glu	
145 150 155 160	
cat gac cgt gac cgt act cgt ggt ggc cag cac act act gaa gat ttt	528
His Asp Arg Asp Arg Thr Arg Gly Gly Gln His Thr Thr Glu Asp Phe	
165 170 175	
ttg caa aag caa caa tat gga att tct tct aag ttt tgg cct ttt ggt	576
Leu Gln Lys Gln Gln Tyr Gly Ile Ser Ser Lys Phe Trp Pro Phe Gly	
180 185 190	
gaa gtt ttt aac gcc acc aga ttt gca tct gtt tat gct tgg aac agg	624
Glu Val Phe Asn Ala Thr Arg Phe Ala Ser Val Tyr Ala Trp Asn Arg	
195 200 205	
aag aga atc agc aac tgt gtt gct gat tat tct gtc cta tat aat tcc	672
Lys Arg Ile Ser Asn Cys Val Ala Asp Tyr Ser Val Leu Tyr Asn Ser	
210 215 220	
gca tca ttt tcc act ttt aag tgt tat gga gtg tct cct act aaa tta	720
Ala Ser Phe Ser Thr Phe Lys Cys Tyr Gly Val Ser Pro Thr Lys Leu	
225 230 235 240	
aat gat ctc tgc ttt act aat gtc tat gca gat tca ttt gta att aga	768
Asn Asp Leu Cys Phe Thr Asn Val Tyr Ala Asp Ser Phe Val Ile Arg	
245 250 255	
ggg gat gaa gtc aga caa atc gct cca ggg caa act gga aag att gct	816
Gly Asp Glu Val Arg Gln Ile Ala Pro Gly Gln Thr Gly Lys Ile Ala	
260 265 270	
gat tat aat tat aaa tta cca gat gat ttt aca ggc tgc gtt ata gct	864
Asp Tyr Asn Tyr Lys Leu Pro Asp Asp Phe Thr Gly Cys Val Ile Ala	
275 280 285	
tgg aat tct aac aat ctt gat tct aag gtt ggt ggt aat tat aat tac	912
Trp Asn Ser Asn Asn Leu Asp Ser Lys Val Gly Gly Asn Tyr Asn Tyr	
290 295 300	
ctg tat aga ttg ttt agg aag tct aat ctc aaa cct ttt gag aga gat	960
Leu Tyr Arg Leu Phe Arg Lys Ser Asn Leu Lys Pro Phe Glu Arg Asp	
305 310 315 320	
att tca act gaa atc tat cag gcc ggt agc aca cct tgt aat ggt gtt	1008
Ile Ser Thr Glu Ile Tyr Gln Ala Gly Ser Thr Pro Cys Asn Gly Val	
325 330 335	
gaa ggt ttt aat tgt tac ttt cct tta caa tca tat ggt ttc caa ccc	1056
Glu Gly Phe Asn Cys Tyr Phe Pro Leu Gln Ser Tyr Gly Phe Gln Pro	
340 345 350	

-continued

act aat ggt gtt ggt tac caa cca tac aga gta gta gta ctt tct ttt	1104
Thr Asn Gly Val Gly Tyr Gln Pro Tyr Arg Val Val Val Leu Ser Phe	
355 360 365	
 gaa ctt cta cat gca cca gca act gtt tgt gga cct aaa aag tct act	1152
Glu Leu Leu His Ala Pro Ala Thr Val Cys Gly Pro Lys Lys Ser Thr	
370 375 380	
 aat ttg tga	1161
Asn Leu	
385	

1. A genetically engineered plant or part thereof adapted for the production of recombinant proteins comprising:

at least one inactivated gene involved in the Transcriptional Gene Silencing (TGS) and/or Post Transcriptional Gene Silencing (PTGS) mechanism corresponding to:

- (1) at least one knocked-out gene involved in the TGS and/or PTGS mechanism; and/or
- (2) at least one nucleic acid RNA interference construct targeting the RNA molecules expressed from the at least one gene involved in the TGS and/or PTGS mechanism;

at least one nucleic acid construct comprising a strong promoter coupled to a polynucleotide sequence comprising a coding sequence of a recombinant protein;

wherein (i) the coding sequence of the recombinant protein is linked in a reading frame to an oil body protein coding sequence; and/or (ii) the at least one inactivated gene involved in the TGS and/or PTGS mechanism includes at least one inactivated gene involved in the TGS mechanism and at least one inactivated gene involved in the PTGS mechanism.

2. The genetically engineered plant or part thereof according to claim 1, wherein the at least one inactivated gene involved in the TGS or PTGS mechanism is chosen among the Dicer-like (DCL) family, the Suppressor of Gene Silencing (SGS) family, the Argonaute (AGO) family, the RNA dependent RNA polymerase (RdR) family and combinations thereof.

3. The genetically engineered plant or part thereof according to claim 1, wherein the at least one inactivated gene involved in the TGS and/or PTGS mechanism includes the RdR2 gene and the RdR6 gene.

4. The genetically engineered plant or part thereof according to claim 1, the oil body protein coding sequence being the coding sequence of an oil body protein selected among oleosin, caleosin, steroleosin, perilipin or caveolin.

5. The genetically engineered plant or part thereof according to claim 1, wherein the coding sequence of a recombinant protein is selected among the coding sequence of a protein selected among antibodies, growth factors and antigens.

6. The genetically engineered plant or part thereof according to claim 1, wherein the coding sequence of a recombinant protein is the coding sequence of a protein of the SARS-COV-2 virus.

7. The genetically engineered plant or part thereof according to claim 1, the plant being a genetically engineered oleaginous plant or part thereof, preferably selected among

the following genus: *Arachis*, *Camelina*, *Theobroma*, *Brassica*, *Gossypium*, *Olea*, *Ricinus*, *Glycine*, *Helianthus*, *Elaeis*, *Carthamus* and *Linum*.

8. The genetically engineered plant or part thereof according to claim 1, being a genetically engineered *Nicotiana* spp and preferably *Nicotiana benthamiana* or *Camelina sativa* or part thereof.

9. The genetically engineered plant or part thereof according to claim 1, the said part being at least one part selected among: the seeds, the pollens, the flowers, the roots, the stems, the mega- or micro-spores, the embryos and the vegetative organs of non-flowering plants.

10. The genetically engineered plant or part thereof according to claim 1, the strong promoter being a viral promoter.

11. A nucleic acid construct comprising a strong promoter coupled to a polynucleotide sequence comprising a coding sequence of a recombinant protein linked in a reading frame to an oil body protein coding sequence.

12. A process for producing a recombinant protein in a genetically engineered plant or part thereof, comprising the steps of:

inactivating at least one gene involved in the TGS and/or PTGS mechanism in a plant or part thereof by:

- (1) generating at least one genetic alteration in the coding sequence of the at least one gene involved in the TGS and/or PTGS mechanism, such generating step being performed by using a method selected among: CRISPR-Cas 9, TALENs, Meganuclease, TILLING, Zinc finger nuclease, synthetic RNAi, physical or chemical mutagenesis and combinations thereof; and/or
- (2) inserting in the plant at least one nucleic acid RNA interference construct targeting the RNA molecules expressed from the at least one gene involved in the TGS and/or PTGS mechanism;

inserting in the plant at least one nucleic acid construct comprising a strong promoter coupled to a polynucleotide sequence comprising a coding sequence of a recombinant protein,

wherein (i) the coding sequence of the recombinant protein is linked in a reading frame to an oil body protein coding sequence; and/or (ii) the step of inactivating at least one gene includes the inactivation of at least one gene involved in the TGS mechanism and at least one gene involved in the PTGS mechanism,

wherein the step of inserting is performed by using a method selected among: CRISPR-Cas 9, TALENs, Meganuclease, Zinc finger nuclease with particle gun transformation and *Agrobacterium tumefaciens*,

wherein the step of inactivating may be performed after the step of inserting, and optionally recovering the recombinant protein and the oil body protein and optionally purifying the recombinant protein recovered.

13. A method for obtaining a genetically engineered plant or part thereof as in claim 1, the method comprising:

inactivating at least one gene involved in the TGS and/or PTGS mechanism in a plant or part thereof by:

(1) generating at least one genetic alteration in the coding sequence of one or more gene involved in the TGS and/or PTGS mechanism, such generating step being performed by using a method selected among: CRISPR-Cas 9, TALENs, Meganuclease, TILLING and Zinc finger nuclease, synthetic RNAi, physical or chemical mutagenesis and combinations thereof; and/or

(2) implementing at least one nucleic acid RNA interference construct targeting the RNA molecules expressed from the TGS and/or PTGS mechanism,

inserting in the plant at least one nucleic acid construct comprising a strong promoter coupled to a nucleic acid sequence comprising a coding sequence of a recombinant protein,

wherein (i) the coding sequence of the recombinant protein is linked in a reading frame to an oil body protein coding sequence; and/or (ii) the step of inactivating at least one gene includes the inactivation of at least one gene involved in the TGS mechanism and at least one gene involved in the PTGS mechanism,

wherein the step of inserting is performed by using a method selected among: CRISPR-Cas 9, TALENs, Meganuclease, Zinc finger nuclease with particle gun transformation and *Agrobacterium tumefaciens*, and

wherein the step of inactivating may be performed after the step of inserting.

14. A method as in claim 13, wherein the method further comprises:

collecting the seeds of the genetically engineered plant with at least one inactivated gene involved in the TGS and/or PTGS mechanism and the at least one nucleic acid construct inserted;

growing new plants from the seeds and/or plant tissues;

selecting the heterozygotes or homozygotes new-grown plants which have at least one inactivated gene involved in the TGS and/or PTGS mechanism and the nucleic acid construct.

15. A fusion protein comprising a recombinant protein and an oil-body protein produced by, or obtained from, the genetically engineered plant or part thereof according claim 1.

16. A fusion protein comprising a recombinant protein and an oil-body protein produced by, or obtained from, the genetically engineered plant or part thereof obtained from the method of claim 13.

17. A fusion protein comprising a recombinant protein and an oil-body protein produced by, or obtained from, the heterozygotes or homozygotes new-grown plants selected of claim 14.

* * * * *