

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent

12414841

Kind Code

B2

Date of Patent

September 16, 2025

Inventor(s)

Khardekar; Rahul et al.

Methods and systems for interproximal reduction planning

Abstract

Methods and systems for IPR planning. One method includes identifying an overlap between a first tooth and a second tooth in a patient's dentition at a target position of a treatment plan; identifying first and second ridge endpoint reference lines on each of the first tooth and the second tooth; calculating a distance difference between the first and second ridge endpoint reference lines; determining that the distance difference is outside a threshold difference; revising the treatment plan by adding one or more stages to the treatment plan where the distance difference between the first and second ridge endpoint reference lines is within the threshold difference; and prescribing IPR on one or both of the first and second teeth at the one or more additional stages of the treatment plan.

Inventors: Khardekar; Rahul (Sunnyvale, CA), Borovinskih; Artem (San Jose, CA), Sterental; Rene M. (Palo Alto, CA), Garro Acevedo; Giovanni (La Union, CR), Ramos; Jason (San Jose, CR), Derakhshan; Mitra (Herndon, VA), Kurchatov; Sergey (Troitsk, RU), Kvasov; Igor (San Jose, CA)

Applicant: Align Technology, Inc. (San Jose, CA)

Family ID: 1000008822049

Assignee: Align Technology, Inc. (San Jose, CA)

Appl. No.: 18/146348

Filed: December 23, 2022

Prior Publication Data

Document Identifier

US 20230125417 A1

Publication Date

Apr. 27, 2023

Related U.S. Application Data

continuation parent-doc US 16776369 20200129 US 11534265 child-doc US 18146348
continuation parent-doc US 15253148 20160831 US 10595965 20200324 child-doc US 16776369
continuation parent-doc US 13410153 20120301 US 9433476 20160906 child-doc US 15253148

Publication Classification

Int. Cl.: **A61C7/00** (20060101); **G06F30/00** (20200101)

U.S. Cl.:

CPC **A61C7/002** (20130101); **G06F30/00** (20200101);

Field of Classification Search

CPC: A61C (7/002); G06F (30/00)

USPC: 703/2

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
5820368	12/1997	Wolk	N/A	N/A
6183248	12/2000	Chishti	433/24	A61C 7/08
6309215	12/2000	Phan et al.	N/A	N/A
6386864	12/2001	Kuo	N/A	N/A
6406292	12/2001	Chishti	433/213	G16H 50/50
6454565	12/2001	Phan et al.	N/A	N/A
6471511	12/2001	Chishti et al.	N/A	N/A
6524101	12/2002	Phan et al.	N/A	N/A
6572372	12/2002	Phan et al.	N/A	N/A
6607382	12/2002	Kuo et al.	N/A	N/A
6705863	12/2003	Phan et al.	N/A	N/A
6783604	12/2003	Tricca	N/A	N/A
6790035	12/2003	Tricca et al.	N/A	N/A
6814574	12/2003	Abolfathi et al.	N/A	N/A
6830450	12/2003	Knopp et al.	N/A	N/A
6947038	12/2004	Anh et al.	N/A	N/A
7074039	12/2005	Kopelman et al.	N/A	N/A
7104792	12/2005	Taub et al.	N/A	N/A
7121825	12/2005	Chishti et al.	N/A	N/A
7160107	12/2006	Kopelman et al.	N/A	N/A
7192273	12/2006	McSurdy, Jr.	N/A	N/A
7347688	12/2007	Kopelman et al.	N/A	N/A
7354270	12/2007	Abolfathi	606/105	A61C 7/36
7448514	12/2007	Wen	N/A	N/A
7481121	12/2008	Cao	N/A	N/A
7543511	12/2008	Kimura et al.	N/A	N/A
7553157	12/2008	Abolfathi et al.	N/A	N/A

7578673	12/2008	Wen	433/24	A61C 7/146
7585172	12/2008	Rubbert	433/24	A61C 9/006
7600999	12/2008	Knopp	N/A	N/A
7689398	12/2009	Cheng	703/2	A61C 7/00
7746339	12/2009	Matov	433/213	A61C 19/04
7766658	12/2009	Tricca et al.	N/A	N/A
7771195	12/2009	Knopp et al.	N/A	N/A
7854609	12/2009	Chen et al.	N/A	N/A
7871269	12/2010	Wu et al.	N/A	N/A
7878801	12/2010	Abolfathi et al.	N/A	N/A
7878805	12/2010	Moss et al.	N/A	N/A
7883334	12/2010	Li et al.	N/A	N/A
7914283	12/2010	Kuo	N/A	N/A
7947508	12/2010	Tricca et al.	N/A	N/A
8152518	12/2011	Kuo	N/A	N/A
8172569	12/2011	Matty et al.	N/A	N/A
8235715	12/2011	Kuo	N/A	N/A
8292617	12/2011	Brandt et al.	N/A	N/A
8337199	12/2011	Wen	N/A	N/A
8401686	12/2012	Moss et al.	N/A	N/A
8439672	12/2012	Matov	433/24	A61C 7/20
8517726	12/2012	Kakavand et al.	N/A	N/A
8562337	12/2012	Kuo et al.	N/A	N/A
8684729	12/2013	Wen	N/A	N/A
8708697	12/2013	Li et al.	N/A	N/A
8758009	12/2013	Chen et al.	N/A	N/A
8771149	12/2013	Rahman et al.	N/A	N/A
8899976	12/2013	Chen et al.	N/A	N/A
8899977	12/2013	Cao	433/24	A61C 7/08
8936463	12/2014	Mason et al.	N/A	N/A
8936464	12/2014	Kopelman	N/A	N/A
9119691	12/2014	Namiranian et al.	N/A	N/A
9161823	12/2014	Morton et al.	N/A	N/A
9241774	12/2015	Li et al.	N/A	N/A
9326831	12/2015	Cheang	N/A	N/A
9433476	12/2015	Khardekar	N/A	G06F 30/00
9610141	12/2016	Kopelman et al.	N/A	N/A
9655691	12/2016	Li et al.	N/A	N/A
9675427	12/2016	Kopelman	N/A	N/A
9700385	12/2016	Webber	N/A	N/A
9744001	12/2016	Choi et al.	N/A	N/A
9844424	12/2016	Wu et al.	N/A	N/A
10045835	12/2017	Boronkay et al.	N/A	N/A
10111730	12/2017	Webber et al.	N/A	N/A
10150244	12/2017	Sato et al.	N/A	N/A
10213277	12/2018	Webber et al.	N/A	N/A
10299894	12/2018	Tanugula et al.	N/A	N/A
10363116	12/2018	Boronkay	N/A	N/A
10383705	12/2018	Shanjani et al.	N/A	N/A
D865180	12/2018	Bauer et al.	N/A	N/A

10449016	12/2018	Kimura et al.	N/A	N/A
10463452	12/2018	Matov et al.	N/A	N/A
10470847	12/2018	Shanjani et al.	N/A	N/A
10492888	12/2018	Chen et al.	N/A	N/A
10517701	12/2018	Boronkay	N/A	N/A
10537406	12/2019	Wu et al.	N/A	N/A
10537463	12/2019	Kopelman	N/A	N/A
10548700	12/2019	Fernie	N/A	N/A
10588776	12/2019	Cam et al.	N/A	N/A
10595965	12/2019	Khardekar	N/A	G06F 30/00
10613515	12/2019	Cramer et al.	N/A	N/A
10639134	12/2019	Shanjani et al.	N/A	N/A
10743964	12/2019	Wu et al.	N/A	N/A
10781274	12/2019	Liska et al.	N/A	N/A
10792127	12/2019	Kopelman	N/A	A61C 7/002
10813720	12/2019	Grove et al.	N/A	N/A
10874483	12/2019	Boronkay	N/A	N/A
10881487	12/2020	Cam et al.	N/A	N/A
10912629	12/2020	Tanugula et al.	N/A	N/A
10959810	12/2020	Li et al.	N/A	N/A
10993783	12/2020	Wu et al.	N/A	N/A
11026768	12/2020	Moss et al.	N/A	N/A
11026831	12/2020	Kuo	N/A	N/A
11045283	12/2020	Riley et al.	N/A	N/A
11103330	12/2020	Webber et al.	N/A	N/A
11123156	12/2020	Cam et al.	N/A	N/A
11166788	12/2020	Webber	N/A	N/A
11174338	12/2020	Liska et al.	N/A	N/A
11219506	12/2021	Shanjani et al.	N/A	N/A
11259896	12/2021	Matov et al.	N/A	N/A
11273011	12/2021	Shanjani et al.	N/A	N/A
11278375	12/2021	Wang et al.	N/A	N/A
11318667	12/2021	Mojdeh et al.	N/A	N/A
11331166	12/2021	Morton et al.	N/A	N/A
11344385	12/2021	Morton et al.	N/A	N/A
11376101	12/2021	Sato et al.	N/A	N/A
11419702	12/2021	Sato et al.	N/A	N/A
11471253	12/2021	Venkatasanthanam et al.	N/A	N/A
11497586	12/2021	Kopelman	N/A	N/A
11504214	12/2021	Wu et al.	N/A	N/A
11523881	12/2021	Wang et al.	N/A	N/A
11534265	12/2021	Khardekar	N/A	A61C 7/002
11534268	12/2021	Li et al.	N/A	N/A
11534974	12/2021	O'Leary et al.	N/A	N/A
11554000	12/2022	Webber	N/A	N/A
11564777	12/2022	Kopelman et al.	N/A	N/A
11571278	12/2022	Kopelman et al.	N/A	N/A
11571279	12/2022	Wang et al.	N/A	N/A
11576750	12/2022	Kopelman et al.	N/A	N/A
11576752	12/2022	Morton et al.	N/A	N/A

2002/0064746	12/2001	Muhammad	433/24	A61C 7/00
2002/0192617	12/2001	Phan et al.	N/A	N/A
2004/0029068	12/2003	Sachdeva	433/24	G16H 50/50
2004/0137400	12/2003	Chishti	433/24	A61C 7/00
2004/0166462	12/2003	Phan et al.	N/A	N/A
2004/0166463	12/2003	Wen	433/24	A61C 7/146
2004/0197727	12/2003	Sachdeva	433/24	A61C 7/00
2005/0014105	12/2004	Abolfathi et al.	N/A	N/A
2005/0186524	12/2004	Abolfathi et al.	N/A	N/A
2005/0244768	12/2004	Taub et al.	N/A	N/A
2005/0244791	12/2004	Davis	433/213	A61C 7/00
2005/0271996	12/2004	Sporbert	433/24	A61C 7/00
2006/0019218	12/2005	Kuo	N/A	N/A
2006/0078841	12/2005	DeSimone et al.	N/A	N/A
2006/0115782	12/2005	Li et al.	N/A	N/A
2006/0115785	12/2005	Li et al.	N/A	N/A
2006/0194163	12/2005	Tricca	433/24	A61C 7/00
2006/0199142	12/2005	Liu et al.	N/A	N/A
2006/0234179	12/2005	Wen et al.	N/A	N/A
2006/0275736	12/2005	Wen	433/213	A61C 9/00
2008/0057461	12/2007	Cheng	433/24	A61C 7/00
2008/0118882	12/2007	Su	N/A	N/A
2008/0160473	12/2007	Li et al.	N/A	N/A
2008/0286716	12/2007	Sherwood	N/A	N/A
2008/0286717	12/2007	Sherwood	N/A	N/A
2009/0029310	12/2008	Pumphrey	433/24	A61C 7/08
2009/0280450	12/2008	Kuo	N/A	N/A
2009/0286196	12/2008	Wen	433/24	A61C 7/002
2010/0055635	12/2009	Kakavand	N/A	N/A
2010/0129763	12/2009	Kuo	N/A	N/A
2010/0280798	12/2009	Pattijn	703/1	A61C 7/002
2011/0269092	12/2010	Kuo et al.	N/A	N/A
2012/0150494	12/2011	Anderson	703/1	A61C 7/08
2013/0089828	12/2012	Borovinskih	433/24	A61C 19/05
2013/0204583	12/2012	Matov	703/1	A61C 7/08
2013/0204599	12/2012	Matov	703/11	G16H 50/50
2013/0209952	12/2012	Kuo	433/10	A61C 7/12
2013/0317800	12/2012	Wu	703/11	G06T 19/20
2013/0325431	12/2012	See	703/11	A61C 7/002
2014/0067334	12/2013	Kuo	N/A	N/A
2014/0379356	12/2013	Sachdeva	705/2	A61C 7/002
2015/0216627	12/2014	Kopelman	433/24	A61C 7/08
2015/0366637	12/2014	Kopelman	83/13	A61C 7/08
2015/0366638	12/2014	Kopelman et al.	N/A	N/A
2016/0175068	12/2015	Cai	700/98	A61C 7/002
2016/0193014	12/2015	Morton	433/24	A61C 7/06
2016/0310236	12/2015	Kopelman	N/A	G06F 30/00
2016/0367339	12/2015	Khardekar	N/A	G06F 30/00
2017/0007359	12/2016	Kopelman et al.	N/A	N/A
2017/0007361	12/2016	Boronkay et al.	N/A	N/A

2017/0007365	12/2016	Kopelman	N/A	A61C 7/002
2017/0007386	12/2016	Mason	N/A	G06Q 30/0643
2017/0008333	12/2016	Mason	N/A	B44C 1/228
2017/0100207	12/2016	Wen	N/A	A61C 9/004
2017/0135793	12/2016	Webber et al.	N/A	N/A
2017/0165032	12/2016	Webber et al.	N/A	N/A
2018/0360567	12/2017	Xue et al.	N/A	N/A
2019/0000592	12/2018	Cam et al.	N/A	N/A
2019/0000593	12/2018	Cam et al.	N/A	N/A
2019/0046297	12/2018	Kopelman et al.	N/A	N/A
2019/0099129	12/2018	Kopelman et al.	N/A	N/A
2019/0125497	12/2018	Derakhshan et al.	N/A	N/A
2019/0175303	12/2018	Akopov	N/A	A61C 7/002
2019/0262101	12/2018	Shanjani et al.	N/A	N/A
2019/0298494	12/2018	Webber et al.	N/A	N/A
2020/0000553	12/2019	Makarenkova et al.	N/A	N/A
2020/0100866	12/2019	Medvinskaya et al.	N/A	N/A
2020/0155276	12/2019	Cam et al.	N/A	N/A
2020/0188062	12/2019	Kopelman et al.	N/A	N/A
2020/0214598	12/2019	Li et al.	N/A	N/A
2020/0214801	12/2019	Wang et al.	N/A	N/A
2020/0268484	12/2019	Khardekar	N/A	G06F 30/00
2020/0390523	12/2019	Sato et al.	N/A	N/A
2021/0147672	12/2020	Cole et al.	N/A	N/A
2023/0125417	12/2022	Khardekar	703/2	G06F 30/00

OTHER PUBLICATIONS

Livas et al. (“Enamel Reduction Techniques in Orthodontics: A Literature Review”, The Open Dentistry Journal, 2013, 7, 146-151) (Year: 2013). cited by examiner

Clément Frindel (“Clear thinking about interproximal stripping”, J Dentofacial Anom Orthod 2010;13:187-199) (Year: 2010). cited by examiner

Primary Examiner: Khan; Iftexhar A

Attorney, Agent or Firm: Shay Glenn LLP

Background/Summary

CROSS REFERENCE TO RELATED APPLICATIONS (1) The present application is a continuation of U.S. patent application Ser. No. 16/776,369 filed on Jan. 29, 2020, now U.S. Pat. No. 11,534,265, which is a continuation of U.S. patent application Ser. No. 15/253,148, filed on Aug. 31, 2016, now U.S. Pat. No. 10,595,965, which is a continuation of U.S. patent application Ser. No. 13/410,153, filed on Mar. 1, 2012, now U.S. Pat. No. 9,433,476, each of which is herein incorporated by reference in its entirety.

BACKGROUND

(1) The present disclosure is related generally to the field of dental treatment. More particularly, the present disclosure relates to interproximal reduction planning.

(2) Many dental treatments involve repositioning misaligned teeth and changing bite configurations

for improved cosmetic appearance and dental function. Orthodontic repositioning can be accomplished, for example, through a dental process that uses one or more removable positioning appliances for realigning teeth.

(3) Such appliances may utilize a shell of material having resilient properties, referred to as an “aligner” that generally conforms to a patient's teeth but is slightly out of alignment with the initial tooth configuration. Placement of an appliance over the teeth can provide controlled forces in specific locations to gradually move the teeth into a new configuration. Repetition of this process with successive appliances in progressive configurations can move the teeth through a series of intermediate arrangements to a final desired arrangement.

(4) Repositioning a patient's teeth may result in residual crowding of adjacent teeth due to insufficient space within the patient's mouth. This residual crowding can impede complete tooth alignment. In some situations it may be possible to remove a small portion of a tooth, or portions of two adjacent teeth, in order to make the teeth fit within the space available. The removal of material causing the overlap of the crowded teeth must be treated by the treatment professional by removing material from the surface of one or more teeth in a process called interproximal reduction (IPR). During an IPR procedure, a small amount of enamel thickness on the surface of the teeth is removed to reduce the mesial-distal width and space requirements for the tooth.

(5) One problem experienced during dental treatment is the determination by the treatment professional of whether an IPR procedure is necessary and the timing of IPR within the treatment. If the IPR procedure is conducted in a stage of the treatment that is too early or too late, the treatment professional may have poor access to the surfaces of the one or more teeth intended to be removed. Further, the treatment professional may inaccurately remove material from the surface of the tooth resulting in an undesired tooth shape, a tooth surface that does not fit properly against another tooth, and potentially having to perform additional IPR procedures and/or other procedures to fix the overlap or newly created underlap.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

- (1) FIG. 1A illustrates an example of a digital dental model according to one or more embodiments of the present disclosure.
- (2) FIG. 1B illustrates an example of a target digital dental model according to one or more embodiments of the present disclosure.
- (3) FIG. 1C illustrates an example of a revised target digital dental model according to one or more embodiments of the present disclosure.
- (4) FIGS. 2A-2B illustrate examples of a ridge endpoint reference line on each of a first tooth and a second tooth according to one or more embodiments of the present disclosure.
- (5) FIG. 2C illustrates an example of a y-axis reference line on each of a first tooth and a second tooth according to one or more embodiments of the present disclosure.
- (6) FIG. 3 is a flow chart illustrating an example of a process for IPR planning according to one or more embodiments of the present disclosure.
- (7) FIG. 4 illustrates an example of a method for IPR planning according to one or more embodiments of the present disclosure.
- (8) FIG. 5 illustrates an example of a system for IPR planning according to one or more embodiments of the present disclosure.

DETAILED DESCRIPTION

- (9) Embodiments of the present disclosure include computing device related, system, and method embodiments for interproximal reduction planning. For example, one or more embodiments include a computing device implemented method that includes identifying a first tooth and a

second tooth in a digital dental model with an overlap in a target position in a treatment plan, identifying a reference line on each of the first tooth and the second tooth, revising the treatment plan wherein a position of each of the first tooth and the second tooth is determined in which the reference line of the first tooth and the reference line of the second tooth are aligned and the first tooth and the second tooth are not overlapping, and prescribing interproximal reduction based on the determined position of each of the first tooth and the second tooth.

(10) In the following detailed description of the present disclosure, reference is made to the accompanying drawings that form a part hereof, and in which is shown by way of illustration how a number of embodiments of the disclosure may be practiced. These embodiments are described in sufficient detail to enable those of ordinary skill in the art to practice a number of embodiments of this disclosure, and it is to be understood that other embodiments may be utilized and that changes may be made without departing from the scope of the present disclosure.

(11) As will be appreciated, elements shown in the various embodiments herein can be added, exchanged, and/or eliminated so as to provide a number of additional embodiments of the present disclosure. In addition, as will be appreciated, the proportion and the relative scale of the elements provided in the figures are intended to illustrate the embodiments of the present disclosure, and should not be taken in a limiting sense. As used herein, “a”, “at least one”, “a number of” something can refer to one or more such things.

(12) Although the overarching term “orthodontics” is used herein, the present disclosure may relate to treatments of an orthognathic nature. For example, in cases including treatment of a patient's underlying skeletal structure, teeth may be rearranged by surgically repositioning underlying bones that hold the teeth in order to achieve a desired final bite arrangement. In both orthodontic and orthognathic treatment approaches, alignment of the teeth may be evaluated pre-, mid-, and/or post-treatment.

(13) Treatment professionals, such as a clinician, typically select a treatment plan for a patient's teeth based upon experience with certain types of physical features and/or appliances. In some embodiments, a dental treatment plan can include orthodontic treatment planning functions and/or appliances. IPR procedures are often left to be done at the end of a dental treatment, however, there may not be enough space to properly align the teeth at this point in the treatment.

(14) IPR planning within a dental treatment plan can be beneficial, for example, in that planning for IPR can consider the ease of performing IPR. The planning of IPR can result in more accurate access to the IPR regions as compared to non-planning for IPR, more accurate removal of the IPR regions as compared to non-planning for IPR, and the elimination of additional procedures to fix errors caused by inaccurate IPR timing, among other benefits.

(15) In various embodiments, with the use of computer device executable instructions, a treatment professional can establish a treatment plan having a target position for a number of teeth of a particular patient. With this target position in mind, a first tooth and a second tooth needing IPR can be identified and IPR can be virtually planned at a point during the process of moving the teeth to the target position that is desirable for performing IPR.

(16) Digital dental models from a scan of a patient's dentition can be provided with computer-aided design and/or manufacturing systems, including tooth-treatment systems. A digital dental model representing an initial tooth arrangement may be obtained in a variety of ways.

(17) For example, the patient's teeth may be imaged to obtain digital data using direct and/or indirect structured light, X-rays, three-dimensional X-rays, lasers, destructive scanning, computer-aided tomographic images or data sets, magnetic resonance images, intra-oral scanning technology, photographic reconstruction, and/or other imaging techniques. The digital dental model can include an entire mouth tooth arrangement, some, but not all teeth in the mouth, and/or it can include a single tooth.

(18) A positive model and/or negative impression of the patient's teeth or a tooth may be scanned using an X-ray, laser scanner, destructive scanner, structured light, and/or other range acquisition

system to produce the initial digital dental model. The data set produced by the range acquisition system may be converted to other formats to be compatible with the software which is used for manipulating images within the data set, as described herein.

(19) Referring now to FIG. 1A, there is illustrated an example of a digital dental model **100** according to one or more embodiments of the present disclosure. As described herein, the digital dental model **100** can be obtained prior to treatment or at an intermediate state of treatment (e.g., before treatment has been completed). The digital dental model **100** can include an initial position of a first tooth **101** and a second tooth **102** or a number of teeth.

(20) FIG. 1B illustrates a target digital dental model **104** according to one or more embodiments of the present disclosure. The target digital dental model **104** can be created by modifying the digital dental model **100** according to one or more treatment goals. The target digital dental model **104** can include a target position in a treatment plan of a first tooth **101** and a second tooth **102** and a target position of a number of teeth, for example. The one or more treatment goals can be case-specific (e.g., specific to the particular patient on which the digital dental model **100** was based).

(21) In some embodiments, a first tooth **101** and a second tooth **102** can be identified in the digital dental model **100** with an overlap **103** in a target position in a treatment plan. An overlap **103** can include an overlap with a neighboring tooth **102** along an arch of the target digital dental model **104** and a potential collision in the target position with a neighboring tooth **102**, among many others. An overlap **103** that can be remedied through IPR can be approximately 0.50 millimeters, for example. For instance, in such an example, approximately 0.25 millimeters of the first tooth **101** and 0.25 millimeters of the second tooth **102** can be removed via an IPR procedure. In some IPR procedures, the amount of tooth material removed can be different for two adjacent teeth (e.g., 0.25 mm and 0.15 mm).

(22) FIG. 1C illustrates a revised target digital dental model **106** after IPR prescription according to one or more embodiments of the present disclosure. The revised target digital dental model **106** can be created by modifying the digital dental model **100** and the target digital dental model **104** according to the IPR prescribed at the determined position.

(23) For example, the revised target digital dental model **106** can include a digital removal of the portion of the first tooth **101** and second tooth **102** overlapping **103** in the target digital dental model **104** and identified to be removed at the determined position. In some embodiments, the removed portion **103** can include a total of approximately 0.25 millimeters of the first tooth **101** and 0.25 millimeters of the second tooth **102** for a total removed portion **103** of approximately 0.50 millimeters, for example. Such an amount of removal can be beneficial for the cosmetic appearance and/or the structural integrity of the teeth **101,102** prescribed for IPR.

(24) In various embodiments of the present disclosure, the treatment plan can include a plurality of stages. For example, at a determined position of the revised treatment plan a number of additional stages can be inserted into the revised treatment plan.

(25) A first additional stage can include removing an overlap of the first tooth **101** and the second tooth **102**. For example, the first additional stage can include expanding the arch of the first tooth **101** and the second tooth **102**. The expansion can include digitally changing a mesial position or distal position of at least one tooth of the first tooth **101** and the second tooth **102**, among others. A second additional stage can include aligning the first tooth **101** and the second tooth **102** for IPR.

(26) In various embodiments, the process can include reclining the first tooth **101** and the second tooth **102** to a revised target position in the revised target digital model **106** after IPR prescription. In various embodiments, a number of teeth without overlap can be reclined to a revised target position in the revised target digital dental model **106** after IPR prescription.

(27) In some embodiments, the target digital dental model **104** and revised target digital dental model **106** can reflect an intermediate tooth movement within a treatment plan. Such a tooth movement may be useful during a particular process within the treatment plan (e.g., IPR, extraction, etc.).

(28) In some embodiments, the digital dental model **100**, target digital dental model **104**, and the revised target digital dental model **106** can be displayed via a user interface in three dimensions.

(29) FIGS. **2A-2C** illustrate examples of a reference line on each of a first tooth and a second tooth. In various embodiments of the present disclosure, a reference line on each of the first tooth and the second tooth can be identified.

(30) FIGS. **2A-2B** illustrate examples of a ridge endpoint reference line **216-1**, **216-2**, **218-1**, **218-2** on each of a first tooth **208** and a second tooth **210** according to one or more embodiments of the present disclosure. The first tooth **208** and the second tooth **210** can be among a number of teeth **208**, **210**, **212**, and **214** in a treatment plan.

(31) In one or more embodiments, a reference line can be identified on each of the first tooth **208** and the second tooth **210** by calculating the distance difference between ridge endpoints of each of the first tooth **208** and the second tooth **210** at the determined position **209** of each tooth and at the target position **211** of each tooth. For example, the distance **216-1** between the ridge endpoints of the first tooth **208** and the second tooth **210** at the determined position **209** and the distance **216-2** at the target position **211** can be measured. The distance **216-1** at the determined position **209** minus the distance **216-2** at the target position **211** can then be calculated.

(32) In various embodiments of the present disclosure, the reference lines of the first tooth **208** and the second tooth **210** may be aligned if the distance difference between the ridge endpoints at the determined position **209** and the target position **211** is within a threshold difference. The threshold distance difference can be a distance that is predetermined (e.g., by a treatment professional). For example, a threshold distance difference can be a distance of 0.75 millimeters.

(33) Such a threshold may indicate that the teeth are aligned vertically and/or laterally such that IPR can be performed. For instance, a distance difference threshold of 0.75 millimeters may result in the identification and alignment of teeth that may be severely misaligned for IPR if IPR is left to be performed at the end of the dental treatment. Teeth severely misaligned for IPR can include teeth that would be difficult or impossible for a treatment professional to perform an IPR procedure on at the end of the dental treatment.

(34) FIG. **2C** illustrates an example **219** of a y-axis reference line **228**, **226** on each of a first tooth **220** and a second tooth **224** according to one or more embodiments of the present disclosure. In one or more embodiments, a reference line **228**, **226** can be identified on each of a first tooth **220** and a second tooth **224** by calculating the y-axis of the first tooth **228** and the y-axis of the second tooth **226**. For example, the y-axis of the first tooth **228** and the second tooth **226** can include the mesial-distal local axis of a tooth.

(35) In various embodiments of the present disclosure, the y-axis reference lines **228**, **226** of the first tooth **220** and the second tooth **224** may be aligned if the angle **230** between the y-axis of the first tooth **228** and the y-axis of the second tooth **226** is within a threshold angle β . The threshold angle β can be an angle that is predetermined (e.g., by a treatment professional). For example, the threshold angle θ may be 20 degrees. Such a threshold may indicate that the teeth are aligned vertically and/or laterally such that IPR can be performed.

(36) In various embodiments of the present disclosure, the reference lines of the first tooth **220** and the second tooth **224** may be aligned if the angle **230** between the y-axis of the first tooth **228** and the y-axis of the second tooth **226** at a target position is greater than the angle **230** of the y-axis of the first tooth **228** and the y-axis of the second tooth **226** at the determined position. For example, if the angle **230** at the target position is approximately 30 degrees and the angle **230** at the determined position is approximately 25 degrees, then the first tooth **220** and the second tooth **226** may be aligned for IPR at the determined position. A greater y-axis angle at the target position may indicate that the teeth are aligned vertically and/or laterally such that IPR can be performed.

(37) In some embodiments of the present disclosure, the reference lines of the first tooth and second tooth may be aligned if the calculated difference between the ridge endpoints of the first tooth and the second tooth at the determined position and the target position is within a threshold

distance, if the angle between the first tooth and the second tooth at the determined position is within a threshold angle, or if the calculated angle between the y-axis of the first tooth and the second tooth at the target position is greater than the calculated angle at the determined position, or any combination thereof. The combination may indicate that the teeth are aligned vertically and/or laterally such that IPR can be performed. For example, the combination may result in more accurate identification and alignment of teeth that may be severely misaligned for an IPR procedure if IPR is left to be performed at the end of the dental treatment.

(38) FIG. 3 is a flow chart illustrating an example of a process 332 for IPR planning according to one or more embodiments of the present disclosure. At 334, a digital dental model can be created from data received. For example, a digital dental model can be created from a scan of a patient's dentition and provided with computer-aided design and/or manufacturing systems, including tooth-treatment systems.

(39) The digital dental model can include data for a number of teeth. The digital dental model can include an initial digital dental model or an intermediate position of a digital dental model, for example.

(40) At 336, a treatment plan can be computed from the digital dental model. The treatment plan can include moving a number of teeth to a target position of the treatment plan. In various embodiments of the present disclosure, the treatment plan can include a plurality of stages.

(41) At 338, a determination can be made as to whether a first tooth overlaps with a second tooth in the target position. A first tooth overlapping with a second tooth can include a potential collision in the target position with a neighboring tooth. In various embodiments of the present disclosure, the first tooth that overlaps with the second tooth can be overlapping with a number of teeth on different sides of the first tooth.

(42) In response to no identified overlapping teeth in the target position, at 348, the process 332 can identify that IPR planning may not be required.

(43) In response to determining that a first tooth overlaps with a second tooth, at 340, a determination can be made as to whether the first tooth and the second tooth are misaligned for IPR in the initial position. Misalignment in the initial position can include no access for a treatment professional to perform IPR. For example, the distance between the IPR region of the first tooth and the IPR region of the second tooth may be too small for a treatment professional to perform IPR.

(44) In response to a determination that the teeth are not misaligned for IPR in the initial position, at 346, IPR can be prescribed in the initial position. In response to a determination that the teeth are misaligned for IPR in the initial position, the treatment plan can be revised. At 342, a stage can be identified or a stage can be added in the treatment plan wherein the reference line of the first tooth and the reference line of the second tooth are aligned and the teeth are not colliding. At 344, IPR can be prescribed on the first tooth and the second tooth at the identified or added stage.

(45) FIG. 4 illustrates an example of a method 492 for IPR planning according to one or more embodiments of the present disclosure. At 494, a first tooth and a second tooth with an overlap in a target position of a treatment plan can be identified in a digital dental model. For example, an overlap can include a calculated overlap or a potential collision in a target position with a neighboring tooth.

(46) In various embodiments of the present disclosure, an overlap between a first tooth and a second tooth can be disregarded wherein the first tooth and the second tooth are at least one of a molar and/or a premolar. Disregarding molars and/or premolars can include not aligning the identified overlapping molars and/or premolars for IPR and not planning IPR for the overlapping molars and/or premolars. For example, an overlapping molar and/or premolar can include an overlap between a first molar and a second molar, an overlap between a first molar and a first premolar, and an overlap between a first premolar and a second premolar.

(47) At 496, a reference line can be identified for each of the first tooth and the second tooth. In

various embodiments, a reference line can include a distance between the ridge endpoints of each of the first tooth and the second tooth. In various embodiments, a reference line can include a y-axis of each of the first tooth and the second tooth. A y-axis of each tooth can include a mesial-distal local axis of the tooth, for example.

(48) A reference line between the ridge endpoints of each of a first tooth and a second tooth can be used on teeth with well defined ridges in various embodiments of the present disclosure. For example, a ridge endpoint reference line may be determined on incisor and/or canine teeth, and a ridge endpoint reference line may not be suitable on molar and/or premolar teeth.

(49) At **498**, a position of each of the first tooth and the second tooth is determined in which the reference line of the first tooth and the reference line of the second tooth are aligned and not overlapping.

(50) At **499**, IPR can be prescribed based on the determined position of each of the first tooth and the second tooth. For example, IPR prescription can include indicating in a treatment plan that an IPR procedure is to be done at a particular stage of the plan based on this analysis.

(51) FIG. 5 illustrates an example of a system **550** for IPR planning according to one or more embodiments of the present disclosure. In the system **550** in FIG. 5, the system **550** includes a computing device **552** having a number of components coupled thereto. The computing device **552** includes a processor **554** and a memory **556**. The memory **556** can have various types of information including data **558** and executable instructions **560**, as discussed herein.

(52) The processor **554** can execute instructions **560** that are stored on an internal or external non-transitory computer device readable medium (CRM). A non-transitory CRM, as used herein, can include volatile and/or non-volatile memory. Volatile memory can include memory that depends upon power to store information, such as various types of dynamic random access memory (DRAM), among others. Non-volatile memory can include memory that does not depend upon power to store information.

(53) Memory **556** and/or the processor **554** may be located on the computing device **552** or off the computing device **552**, in some embodiments. As such, as illustrated in the embodiment of FIG. 5, a system **550** can include a network interface **562**. Such an interface **562** can allow for processing on another networked computing device, can be used to obtain information about the patient, and/or can be used to obtain data and/or executable instructions for use with various embodiments provided herein.

(54) As illustrated in the embodiment of FIG. 5, a system **550** can include one or more input and/or output interfaces **580**. Such interfaces **580** can be used to connect the computing device **552** with one or more input and/or output devices **582**, **584**, **586**, **588**, and **590**.

(55) For example, in the embodiments illustrated in FIG. 5, the system **550** can include connectivity to a scanning device **582**, a camera dock **584**, an input device **586** (e.g. a mouse, a keyboard, etc.), a display device **588** (e.g., a monitor), a printer **590**, and/or one or more other input devices. The input/output interface **580** can receive executable instructions and/or data, storable in the data storage device (e.g., memory **556**), representing a digital dental model, target digital dental model, and/or a revised target digital dental model of a patient's dentition.

(56) In some embodiments, the scanning device **582** can be configured to scan one or more physical molds of a patient's dentition. In one or more embodiments, the scanning device **582** can be configured to scan the patient's dentition directly. The scanning device **582** can be configured to input data into the computing device **552**.

(57) In some embodiments, the camera dock **584** can receive an input from an imaging device (e.g., a two-dimensional or three-dimensional imaging device) such as a digital camera, a printed photograph scanner, or other suitable imaging device. The input from the imaging device can, for example, be stored in memory **556**.

(58) The processor **554** can execute instructions to provide a visual indication of a treatment plan and/or provided stage for IPR planning on the display **588**. The computing device **550** can be

configured to allow a treatment professional or other user to input treatment goals. Input received can be sent to the processor 554 as data and/or can be stored in memory 556.

(59) Such connectivity can allow for the input and/or output of data and/or instructions among other types of information. Although some embodiments may be distributed among various computing devices within one or more networks, such systems as illustrated in FIG. 5, can be beneficial in allowing for the capture, calculation, and/or analysis of information discussed herein.

(60) The processor 554, in association with the data storage device (e.g., memory 556), can be associated with data 558. The processor 454, in association with the memory 456, can store and/or utilize data 558 and/or execute instructions 560 for IPR planning. Such data 558 can include the digital dental model, target digital dental model, and/or the revised target digital dental model.

(61) The processor 554 coupled to the memory 556 can analyze a target digital dental model of a treatment plan, including tooth data for a number of teeth, to identify if a first tooth in the number of teeth overlaps with a neighboring tooth along an arch of the target digital dental model. The overlap can include a collision of a first tooth and a second tooth in a target position within a target digital dental model, for example.

(62) The processor 554 coupled to the memory 556 can revise the treatment plan to remove the overlap and align the first tooth and neighboring tooth for IPR, prescribe IPR on the first tooth and the neighboring tooth in the aligned position, and recline the first tooth and the neighboring tooth to a revised target position in a revised target digital dental model after IPR prescription. Removing the overlap can include expanding the arch by digitally changing a mesial position or a distal position of at least one tooth of the first tooth and the neighboring tooth, among many others. Prescription of IPR can include a notification of the aligned position and a digital representation of the region of the first tooth and the second tooth removed by the IPR procedure prescribed, for example.

(63) In various embodiments of the present disclosure, the processor 554 coupled to the memory 556 can recline a number of teeth without undesired overlap in the digital dental model to the revised target position in the revised target digital dental model after IPR prescription.

(64) Although specific embodiments have been illustrated and described herein, those of ordinary skill in the art will appreciate that any arrangement calculated to achieve the same techniques can be substituted for the specific embodiments shown. This disclosure is intended to cover any and all adaptations or variations of various embodiments of the disclosure.

(65) It is to be understood that the above description has been made in an illustrative fashion, and not a restrictive one. Combination of the above embodiments, and other embodiments not specifically described herein will be apparent to those of skill in the art upon reviewing the above description.

(66) The scope of the various embodiments of the disclosure includes any other applications in which the above structures and methods are used. Therefore, the scope of various embodiments of the disclosure should be determined with reference to the appended claims, along with the full range of equivalents to which such claims are entitled.

(67) In the foregoing Detailed Description, various features are grouped together in example embodiments illustrated in the figures for the purpose of streamlining the disclosure. This method of disclosure is not to be interpreted as reflecting an intention that the embodiments of the disclosure require more features than are expressly recited in each claim.

(68) Rather, as the following claims reflect, inventive subject matter lies in less than all features of a single disclosed embodiment. Thus, the following claims are hereby incorporated into the Detailed Description, with each claim standing on its own as a separate embodiment.

Claims

1. A method of interproximal reduction (IPR) treatment planning for a patient's dentition, the method comprising: identifying an overlap between a first tooth and an adjacent second tooth in the patient's dentition at a target position of a treatment plan, wherein the treatment plan includes a plurality of stages for incrementally moving the patient's dentition, and wherein the target position corresponds to a desired position of the first tooth and the second tooth in accordance with the treatment plan; identifying a first distance along a ridge endpoint reference lines between a ridge endpoint of the first tooth and a ridge endpoint of the second tooth at a provided position of the treatment plan, wherein the provided position corresponds to a position of the first tooth and the second tooth prior to treatment or at an intermediate stage of the treatment plan; calculating, using a processor, a distance difference between the first distance and a second distance, wherein the second distance is along the ridge endpoint reference line between the ridge endpoint of the first tooth and the ridge endpoint of the second tooth at the target position; determining that the distance difference is outside of a threshold difference indicating that the first tooth and the second tooth are misaligned for IPR in the provided position; revising, using the processor, the treatment plan by adding one or more additional stages to the plurality of stages of the treatment plan, the one or more additional stages characterized in that the distance difference between the first and second distances is within the threshold difference; prescribing IPR on one or both of the first tooth and the second tooth at the one or more additional stages of the treatment plan; and outputting the revised treatment plan.
2. The method of claim 1, wherein identifying the overlap comprises disregarding a molar or a premolar overlap between a first molar and a second molar or between a premolar and a molar.
3. The method of claim 1, wherein the one or more additional stages of the treatment plan includes expanding an arch of the first tooth and the second tooth.
4. The method of claim 3, wherein expanding the arch includes digitally changing a mesial position or distal position of one or both of the first tooth and the second tooth.
5. The method of claim 1, wherein revising the treatment plan further comprises adding a second additional stage that includes aligning the first tooth and the second tooth for IPR.
6. The method of claim 1, wherein revising the treatment plan comprises removing the overlap by changing a mesial position of one or both of the first tooth and the second tooth.
7. The method of claim 1, wherein revising the treatment plan comprises removing the overlap by changing a distal position of one or both of the first tooth and the second tooth.
8. The method of claim 1, wherein revising the treatment plan comprises reclining one or both of the first tooth and the second tooth to a revised target position.
9. The method of claim 1, wherein determining that the distance difference is outside of the threshold difference comprises determining that the first tooth and the second tooth are misaligned vertically, laterally, or vertically and laterally such that IPR cannot be performed.
10. A system for interproximal reduction (IPR) treatment planning, the system comprising: a processor; and a memory coupled to the processor and configured to direct the processor to: identify an overlap between a first tooth and a second tooth in a patient's dentition at a target position of a treatment plan, wherein the treatment plan includes a plurality of stages for incrementally moving the patient's dentition, and wherein the target position corresponds to a desired position of the first tooth and the second tooth in accordance with the treatment plan; identify a first distance along a ridge endpoint reference lines between a ridge endpoint of the first tooth and a ridge endpoint of the second tooth at a provided position of the treatment plan, wherein the provided position corresponds to a position of the first tooth and the second tooth prior to treatment or at an intermediate stage of the treatment plan; calculate, using the processor, a distance difference between the first distance and a second distance, wherein the second distance is along the ridge endpoint reference line between the ridge endpoint of the first tooth and the ridge endpoint of the second tooth at the target position; determine that the distance difference is outside

of a threshold difference indicating that the first tooth and the second tooth are misaligned for IPR in the provided position; revise, using the processor, the treatment plan by adding one or more additional stages to the plurality of stages of the treatment plan, the one or more additional stages characterized in that the distance difference between the first and second distances is within the threshold difference; prescribe IPR on one or both of the first tooth and the second tooth at the one or more additional stages of the treatment plan; output the revised treatment plan.

11. The system of claim 10, wherein the one or more additional stages of the treatment plan includes expanding an arch of the first tooth and the second tooth.

12. The system of claim 11, wherein expanding the arch includes digitally changing a mesial position or distal position of one or both of the first tooth and the second tooth.

13. The system of claim 10, wherein determining that the distance difference is outside of the threshold difference comprises determining that the first tooth and the second tooth are misaligned vertically, laterally, or vertically and laterally such that IPR cannot be performed.

14. The system of claim 10, wherein revising the treatment plan further comprises adding a second additional stage that includes aligning the first tooth and the second tooth for IPR.

15. The system of claim 10, wherein revising the treatment plan comprises removing the overlap by changing a mesial position of one or both of the first tooth and the second tooth.

16. The system of claim 10, wherein revising the treatment plan comprises removing the overlap by changing a distal position of one or both of the first tooth and the second tooth.

17. The system of claim 10, wherein revising the treatment plan comprises reclining one or both of the first tooth and the second tooth to a revised target position.

18. A method of interproximal reduction (IPR) treatment planning for a patient's dentition, the method comprising: identifying an overlap between a first tooth and a second tooth in the patient's dentition at a target position of a treatment plan, wherein the treatment plan includes a plurality of stages for incrementally moving the patient's dentition, and wherein the target position corresponds to a desired position of the first tooth and the second tooth in accordance with the treatment plan; identifying a first distance along a ridge endpoint reference lines between a ridge endpoint of the first tooth and a ridge endpoint of the second tooth at a provided position of the treatment plan, wherein the provided position corresponds to a position of the first tooth and the second tooth prior to treatment or at an intermediate stage of the treatment plan; calculating, using a processor, a distance difference between the first distance and a second distance, wherein the second distance is along the ridge endpoint reference line between the ridge endpoint of the first tooth and the ridge endpoint of the second tooth at the target position, wherein the ridge endpoint reference line includes vertical and lateral dimensions; determining that the distance difference is outside of a threshold difference indicating that the first tooth and the second tooth are misaligned for IPR in the provided position; revising, using the processor, the treatment plan by adding one or more additional stages to the plurality of stages of the treatment plan, the one or more additional stages characterized in that the distance difference between the first and second distance is within the threshold difference; prescribing IPR on one or both of the first tooth and the second tooth at the one or more additional stages of the treatment plan; and outputting the revised treatment plan with the prescribed IPR.

19. The method of claim 1, wherein the ridge endpoint reference line includes vertical and lateral dimensions.

20. The method of claim 1, further comprising: determining that the second tooth and a third tooth, adjacent to the second tooth, is misaligned for IPR based on a second distance difference between ridge endpoints of the second and third tooth being outside the threshold difference; and revising the treatment plan such that the second distance difference is within the threshold difference.
