# Safety Data Sheet

Revision Date: 7/12/2017

Page

**RP13 - Compliant Orange Blast Super Cleaner** 

# **Section 1. Product and Company Identification**

Product Identifier RP13 - Compliant Orange Blast Super Cleaner

Product Use Description:

Anionic Detergent Blend - Used as automobile cleaning concentrate, Orange clear

liquid with citrus/glycol odor

Manufacturer or suppliers' details

P & S Sales, Inc Emergency Number: 800-255-3924 20943 Cabot Blvd. Customer Service: 510-732-2628 Hayward CA 94545 Business Fax: 510-732-2632

#### **Section 2. Hazards Identification**

**GHS Classification** 

**Skin Irritation**: Category 2 **Eye Irritation**: Category 1

# **GHS Label Elements**

**Hazard Pictograms** 





Hazard Word

**Danger** 

#### **Hazard Statements**

H315: Causes skin irritation

H318: Causes serious eye damage

H302: Harmful if swallowed Harmful to aquatic life

#### **Precautionary Statements**

P264: Wash skin thoroughly after handling

P280: Wear protective gloves/protective clothing/eye protection/face protection

P302: **IF ON SKIN:** 

P264: Wash skin thoroughly after handling

P305: **IF IN EYES:** 

P351: Rinse cautiously with water for several minutes

P338: Remove contact lenses if present and easy to do. continue rinsing

P332+313: If skin irritation occurs: Get medical advice/attention

P362: Take off contaminated clothing and wash before reuse

P420: Store away from other materials

P273: Avoid release to the environment

P501: Dispose of contents/container to an approved waste disposal plant.

# 3. Composition Information on Ingredients

# P & S Sales, Inc.

# **Safety Data Sheet**

# **RP13 - Compliant Orange Blast Super Cleaner**

CAS Number Wt % Component Name

25155-30-0 2-8% Linear Dodecyl Benzene Sulfonate
6834-92-0 2-8% Silicic Acid, disodium salt
68585-34-2 1-5% (C10-16) Alkyl Alcohol Sulfate

Amounts specified are typical and do not represent a specification. Remaining components are proprietary, non-hazardous, and/or present at amounts below reportable limits.

#### 4. First Aid Measures

Eye: Immediately and gently flush with water for 15 minutes. Consult physician.

Skin: Rinse thoroughly if irritation occurs. Consult Doctor if it persists

Inhalation: Move to fresh air. No first aid should be needed from exposure due to mist. Consult physician if symptoms such as difficulty breathing occur. If aspiration occurs consult physician immediately.

Oral: Rinse mouth. Seek medical attention if symptoms occur.

Comments: Treat symptomatically.

# 5. Fire Fighting Measures

# Extinguishing Media:

On large fires use dry chemical, foam or water spray. On small fires use carbon dioxide (CO2), dry chemical or water spray. Water can be used to cool fire exposed containers.

#### Fire Fighting Measures:

Self-contained breathing apparatus and protective clothing should be worn in fighting large fires involving chemicals. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool.

#### Unusual Fire Hazards:

None.

## Hazardous Decomposition Products

Thermal breakdown of this product during fire or very high heat conditions may evolve the following hazardous decomposition products: Carbon oxides and traces of incompletely burned carbon compounds. Formaldehyde. Metal oxides.

# 6. Accidental Release Measures

## Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

#### Methods and materials for containment and cleaning up

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent

Page

**Revision Date:** 7/12/2017

---- 7/10/2017

**Revision Date:** 7/12/2017

Page

product from entering drains. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

#### **Environmental precautions**

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

# 7. Handling and Storage

Use with adequate ventilation. Avoid eye contact.

Use reasonable care and store away from oxidizing materials.

# 8. Exposure Controls and Personal Protection

25155-30-0 Linear Dodecyl Benzene Sulfonate	not established	
6834-92-0 Silicic Acid, disodium salt	not established	
68585-34-2 (C10-16) Alkyl Alcohol Sulfate	not established	

## **Engineering Controls**

Local Ventilation: None should be needed.

General Ventilation: Recommended.

Personal Protective Equipment for Routine Handling

Eyes: Use proper protection - safety glasses as a minimum. Skin: Washing at mealtime and end of shift is adequate.

Suitable Gloves: No special protection needed.

Inhalation: No respiratory protection should be needed.

Suitable Respirator: None should be needed.

Precautionary Measures: Avoid eye contact. Use reasonable care.

Comments: When heated to temperatures above 150 degrees C in the presence of air, product can form formaldehyde vapors. Formaldehyde is a potential cancer hazard, a known skin and respiratory sensitizer, and an irritant to the eyes, nose, throat, skin, and digestive system. Safe handling conditions may be maintained by keeping vapor OSHA Permissible Exposure Limit for formaldehyde.

# 9. Physical and Chemical Properties



**Revision Date:** 7/12/2017

Page

Flash Point >100°C (212°F) **Upper Flamability Limit** None **Auto Ignition** Not Determined **Lower Flamability Limit** None

Physical State Liquid **Color** Orange Vapor Press Not Determined

**pH** 11 Specific Gravity 1.06 Viscosity 50 cst

Vapor Density (Air=1) Not Determined Melting Point °F 25°F **Odor** Glycol/Citrus

.<0.5% CARB VOC, .22 lb/gal VOC Content Water Solubility complete See section 15 for details

10. Stability and Reactivity

Stability Stable Hazardous Polymerization Not Expected to Occur

Oxidizing materials can cause a reaction Conditions to Avoid

Hazardous When heated to temperatures above 150 degrees C in the presence of air. **Decomposition Products** product can form formaldehyde vapors.

Safe handling conditions may be maintained by keeping vapor OSHA

Permissible Exposure Limit for formaldehyde.

# 11. Toxicological Information

Routes of Entry: Dermal Contact, Eye Contact, Inhalation, Ingestion

Acute oral toxicity: Acute toxicity estimate LD50 > 5,000 mg/Kg Calculation Method (rat)

Based on Dodecylbenzenesulfonic acid sodium salt (25155-30-0) - 100%

**Acute toxicity** 

LD50 Oral - Rat - 438 mg/kg

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste): Eye: Lacrimation.

Behavioral: Somnolence (general depressed activity). Diarrhea

Inhalation: No data available Dermal: No data available Skin corrosion/irritation

Skin - Rabbit Result: Skin irritation - 24 h

Serious eve damage/eve irritation

Eyes - Rabbit Result: Severe eye irritation - 24 h

Causes skin irritation.

Causes serious eye damage. irritation

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

#### 12. Ecological Information

Toxicity: Acute toxicity estimation EC50 > 1,000 mg/Kg (Calculation Method 3.1.3.6.1) 48 hr (fish)

Based on Dodecylbenzenesulfonic acid sodium salt (25155-30-0) - 100%

# **Aquatic toxicity**

Acute

LC50 - Oncorhynchus mykiss (rainbow trout) - 3.2 - 5.6 mg/l - 96 h mortality NOEC - Daphnia (water flea) - 4 mg/l - 7 d

# **Safety Data Sheet**

**RP13 - Compliant Orange Blast Super Cleaner** 

Page

**Revision Date:** 7/12/2017

5

**Persistence and degradability** This product is expected to be readily biodegradable.

# 13. Disposal Considerations

RCRA Hazard Class (40 CFR 261)

When a decision is made to discard this material, as received, is it classified as a hazardous waste? No State or local laws may impose additional regulatory requirements regarding disposal.

# 14. Transportation Information

Not subject to DOT. Not regulated

Not subject to IMDG code.

Not subject to IATA regulations

## 15. Regulatory Information

**OSHA Hazards**: Hazardous Chemical

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity - This material does not contain any components with a CERCLA RQ.

# SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards: No.

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65: This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List -Not Regulated

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) -Not Regulated

Safe Drinking Water Act -

Not Regulated

CARB VOC info: .49% VOC as regulated by CARB Consumer Products requirements, LVP-VOC

sian Data: 7/19/2017

**Revision Date:** 7/12/2017

Page

exception

ARB VOC Info: .22 lb/gal VOC; 25.2 g/L

# 16. Other Information Revision Date 7/12/2017

The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use. If buyer repackages this product, legal counsel should be consulted to insure proper health, safety and other necessary information is included on the container.

# Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH American Conference of Government Industrial Hygienists

LD50 Lethal Dose 50%

AICS Australia, Inventory of Chemical Substances

LOAEL Lowest Observed Adverse Effect Level

DSL Canada, Domestic Sub- stances List

NFPA National Fire Protection Agency

NDSL Canada, Non-Domestic Sub- stances List

NIOSH National Institute for Occupational Safety & Health

CNS Central Nervous System

NTP National Toxicology Program

CAS Chemical Abstract Service

NZIoC New Zealand Inventory of Chemicals

EC50 Effective Concentration

NOAEL No Observable Adverse Effect Level

EC50 Effective Concentration 50%

NOEC No Observed Effect Concentration

EGEST EOSCA Generic Exposure Scenario Tool

OSHA Occupational Safety & Health Administration

EOSCA European Oilfield Specialty Chemicals Association

PEL Permissible Exposure Limit

EINECS European Inventory of Exist- ing Chemical Substances

PICCS Philipines Inventory of Commercial Chemical Substances

MAK Germany Maximum Concentration Values

PRNT Presumed Not Toxic

GHS Globally Harmonized System

RCRA Resource Conservation Recovery Act

>= Greater Than or Equal To

STEL Short-term Exposure Limit

IC50 Inhibition Concentration 50%

SARA Superfund Amendments and Reauthorization Act.

IARC International Agency for Re- search on Cancer

TLV Threshold Limit Value

IECSC Inventory of Existing Chemical Substances in China

TWA Time Weighted Average

ENCS Japan, Inventory of Existing and New Chemical Sub- stances

TSCA Toxic Substance Control Act

KECI Korea, Existing Chemical Inventory

-t--- P-t- 7/10/0017

7

**Revision Date:** 7/12/2017

Page

UVCB Unknown or Variable Composition, Complex Reaction Products, and Biological Materials <= Less Than or Equal To
WHMIS Workplace Hazardous Materials In- formation System
LC50 Lethal Concentration 50%