

# Date Prin Product N

Product Id

Supplier:

Preparer:

Emergend

Date Prin 2. Haz

Classifica



Signal We

Possible | 25% of the

Danger

**GHS HAZ** Flammabl

Skin Irritat

Eye Irritati

Acute Tox Germ Cell

Carcinoge

GHS LAB STATEME P201

P210

P233

P261

P280

P281

P302+P35

P305+P35

P308+P31

P312

P362

GHS SDS

P240 P241 P242 P243

3. Cor

P337+P31

#### **HAZARD** Chemical

Xylene (m

Acetone

Ethylbenz Titanium I

1-Methox

Solvent N Amorphou Date Prin
Toluene

Stoddard

4. First

FIRST All attention.

FIRST All develops

FIRST All Get imme area to ob

FIRST All lungs and

# 5. Fire

#### **EXTINGU**

UNUSUAL steam. Ke hazards no

SPECIAL autoignitio

Containers

6. Acci

STEPS To

with inert a incinerate absorbent

7. Han

HANDLIN Use only v

residues. **STORAG** Isolate fro

> designed a ignition. A materials.

8. Exp

Chemica

Xylene (mi

Acetone Ethylbenze

Titanium D 1-Methoxy

Solvent Na Amorphous Toluene

# Stoddard S

**PERSON** 

ENGINEE

levels belo ventilation

RESPIRA be followe organic va

exceed ex

Protection an uncont provide ac

SKIN PRO protection

EYE PRO

OTHER P personal p

HYGIENIO immediate

9. Phy: **Appearan** Odor:

Relative I

Freeze Po

Solubility Decompo

Boiling Ra

Flammab Evaporati Vapor De

#### Date Prin (See "Oth

10. Sta

CONDITION possible s INCOMPA

acrid smo

HAZARDO

**HAZARD STABILIT** 

#### Date Prin 11. To:

**EFFECT** 

**EFFECT** irritation. **EFFECT** 

if inhaled

lungs. Pr **EFFECT** 

**EFFECT** (drowsine prolonged laborator

reproduct system d Dioxide is to occur o

or drying. and the a PRIMAR'

ACUTE 7

The acut

CAS-No. 1330-20-

67-64-1

13463-67

100-41-4

#### Date Prin 108-65-6

64742-95 7631-86-108-88-3

N.I. - No I 12. Ec

**ECOLOG** 

13. Dis

#### Date Prin DISPOSA

allow to er

| 14. Tra

**UN Numb Proper Sh** 

> Hazard Cl Packing G Limited Q

15. Re

# U.S. Fe

CERCLA This pro

Superfu

meet th

Fire Ha

This pro Superfu

Sara Sec

#### Chemi Xylene

Ethylbe

# Toluene

# Toxic Su

This pr from th

No TSC

HMIS RA Health:

| 16. Ot

NFPA RA Health:

VOLATIL

REASON Legend: N

SDS REV

Rust-Oleu

accurate a these mat

> by the use reliability caution. examinati applicable