

# Safety Data Sheet



## 1. Identification

**Product Name:** VARA QT 2PK SPAR DRK WALNUT  
**Product Identifier:** 388144  
**Recommended Use:** Exterior Wood Coating/Waterborne  
**Supplier:** Rust-Oleum Corporation  
 11 Hawthorn Parkway  
 Vernon Hills, IL 60061  
 USA  
**Manufacturer:** Rust-Oleum Corporation  
 11 Hawthorn Parkway  
 Vernon Hills, IL 60061  
 USA  
**Preparer:** Regulatory Department  
**Emergency Telephone:** 24 Hour Hotline: 847-367-7700

## 2. Hazards Identification

### Classification

#### Symbol(s) of Product

No symbol is required per 2012 OSHA Hazard Communication Standard 29 CFR 1910.1200.

#### Signal Word

No Signal Word has been assigned.

#### Possible Hazards

2% of the mixture consists of ingredient(s) of unknown acute toxicity.

## 3. Composition / Information on Ingredients

### HAZARDOUS SUBSTANCES

| <u>Chemical Name</u>                     | <u>CAS-No.</u> | <u>Wt.% Range</u> | <u>GHS Symbols</u>      | <u>GHS Statements</u>     |
|--|----------------|-------------------|-------------------------|---------------------------|
| Ethylene Glycol Monobutyl Ether          | 111-76-2       | 2.5-10            | GHS07                   | H302+H312+H332-315-319    |
| Tripropylene Glycol Monomethyl Ether     | 25498-49-1     | 1.0-2.5           | Not Available           | Not Available             |
| Dipropylene Glycol Monomethyl Ether      | 34590-94-8     | 0.1-1.0           | Not Available           | Not Available             |
| Triethylamine                            | 121-44-8       | 0.1-1.0           | GHS02-GHS05-GHS06-GHS07 | H225-302+H332-311-314-335 |
| Benzene, 1,1-oxibis,sulfonated salt      | 119345-04-9    | 0.1-1.0           | Not Available           | Not Available             |
| C16-18 Ethoxylated Alcohols              | 68439-49-6     | 0.1-1.0           | GHS07                   | H302                      |
| n'-(3,4-Dichlorophenyl)-n,n-Dimethylurea | 330-54-1       | <0.1              | GHS08                   | H351-373                  |
| 3-Iodo-2-Propynyl Butyl Carbamate        | 55406-53-6     | <0.1              | GHS05-GHS06-GHS07-GHS08 | H302-317-318-331-372      |

|                                |            |      |                   |                      |
|--------------------------------|------------|------|-------------------|----------------------|
| 2-N-Octyl-4-Isothiazolin-3-One | 26530-20-1 | <0.1 | GHS05-GHS06-GHS07 | H302-311-314-317-330 |
| Zinc Pyrithione                | 13463-41-7 | <0.1 | GHS05-GHS06-GHS08 | H301-318-330-360-372 |

#### 4. First-Aid Measures

**FIRST AID - EYE CONTACT:** Immediately flush eyes with plenty of water for at least 15 minutes holding eyelids open. Get medical attention. Do NOT allow rubbing of eyes or keeping eyes closed. Remove contact lenses, if present and easy to do. Continue rinsing.

**FIRST AID - SKIN CONTACT:** Wash skin with soap and water. Remove contaminated clothing. Get medical attention if irritation develops or persists.

**FIRST AID - INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention. Do NOT use mouth-to-mouth resuscitation. If you experience difficulty in breathing, leave the area to obtain fresh air. If continued difficulty is experienced, get medical assistance immediately.

**FIRST AID - INGESTION:** If swallowed, do not induce vomiting. If victim is conscious and alert, give 2 to 4 cupfuls of water or milk. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person. Treat symptomatically and supportively.

#### 5. Fire-Fighting Measures

**EXTINGUISHING MEDIA:** Aqueous Film Forming Foam, Carbon Dioxide, Dry Chemical, Dry Sand, Water Fog

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Keep containers tightly closed. No unusual fire or explosion hazards noted.

**SPECIAL FIREFIGHTING PROCEDURES:** Water may be used to cool closed containers to prevent buildup of steam. If water is used, fog nozzles are preferred.

**Special Fire and Explosion Hazard (Combustible Dust):** Not a combustible dust.

#### 6. Accidental Release Measures

**STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:** If spilled, contain spilled material and remove with inert absorbent. Dispose of contaminated absorbent, container, and unused contents in accordance with local, state, and federal regulations. Do not incinerate closed containers

#### 7. Handling and Storage

**HANDLING:** Wash thoroughly after handling. Wash hands before eating. Remove contaminated clothing and launder before reuse. Use only with adequate ventilation. Follow all SDS and label precautions even after container is emptied because it may retain product residues. Avoid breathing fumes, vapors, or mist. Avoid contact with eyes, skin and clothing.

**STORAGE:** Store in a dry, well ventilated place. Keep container tightly closed when not in use.

**Advice on Safe Handling of Combustible Dust:** No Information

#### 8. Exposure Controls / Personal Protection

| Chemical Name                            | CAS-No.     | Weight % Less Than | ACGIH TLV-TWA | ACGIH TLV-STEL | OSHA PEL-TWA | OSHA PEL-CEILING |
|--|-------------|--------------------|---------------|----------------|--------------|------------------|
| Ethylene Glycol Monobutyl Ether          | 111-76-2    | 5.0                | 20 ppm        | N.E.           | 50 ppm       | N.E.             |
| Tripropylene Glycol Monomethyl Ether     | 25498-49-1  | 5.0                | N.E.          | N.E.           | N.E.         | N.E.             |
| Dipropylene Glycol Monomethyl Ether      | 34590-94-8  | 1.0                | 50 ppm        | N.E.           | 100 ppm      | N.E.             |
| Triethylamine                            | 121-44-8    | 1.0                | 0.5 ppm       | 1 ppm          | 25 ppm       | N.E.             |
| Benzene, 1,1-oxibis,sulfonated salt      | 119345-04-9 | 1.0                | N.E.          | N.E.           | N.E.         | N.E.             |
| C16-18 Ethoxylated Alcohols              | 68439-49-6  | 1.0                | N.E.          | N.E.           | N.E.         | N.E.             |
| n'-(3,4-Dichlorophenyl)-n,n-Dimethylurea | 330-54-1    | 0.1                | 10 mg/m3      | N.E.           | N.E.         | N.E.             |

|                                   |            |     |      |      |      |      |
|-----------------------------------|------------|-----|------|------|------|------|
| 3-Iodo-2-Propynyl Butyl Carbamate | 55406-53-6 | 0.1 | N.E. | N.E. | N.E. | N.E. |
| 2-N-Octyl-4-Isothiazolin-3-One    | 26530-20-1 | 0.1 | N.E. | N.E. | N.E. | N.E. |
| Zinc Pyrithione                   | 13463-41-7 | 0.1 | N.E. | N.E. | N.E. | N.E. |

## PERSONAL PROTECTION

**ENGINEERING CONTROLS:** Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Prevent build-up of vapors by opening all doors and windows to achieve cross-ventilation.

**RESPIRATORY PROTECTION:** A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

**SKIN PROTECTION:** Use gloves to prevent prolonged skin contact. Nitrile or Neoprene gloves may afford adequate skin protection.

**EYE PROTECTION:** Use safety eyewear designed to protect against splash of liquids.

**OTHER PROTECTIVE EQUIPMENT:** Refer to safety supervisor or industrial hygienist for further guidance regarding types of personal protective equipment and their applications.

**HYGIENIC PRACTICES:** Wash thoroughly with soap and water before eating, drinking or smoking. Remove contaminated clothing immediately and launder before reuse.

**Engineering Measures for Combustible Dust:** No Information

## 9. Physical and Chemical Properties

|                                 |                             |  |            |
|---------------------------------|-----------------------------|--|------------|
| <b>Appearance:</b>              | Liquid                      | <b>Physical State:</b>                         | Liquid     |
| <b>Odor:</b>                    | Mild                        | <b>Odor Threshold:</b>                         | N.E.       |
| <b>Specific Gravity:</b>        | 1.020                       | <b>pH:</b>                                     | N.A.       |
| <b>Freeze Point, °C:</b>        | N.D.                        | <b>Viscosity:</b>                              | N.D.       |
| <b>Solubility in Water:</b>     | Miscible                    | <b>Partition Coefficient, n-octanol/water:</b> | N.D.       |
| <b>Decomposition Temp., °C:</b> | N.D.                        | <b>Explosive Limits, vol%:</b>                 | 1.5 - 12.6 |
| <b>Boiling Range, °C:</b>       | 100 - 537                   | <b>Flash Point, °C:</b>                        | 94         |
| <b>Flammability:</b>            | Does not Support Combustion | <b>Auto-Ignition Temp., °C:</b>                | N.D.       |
| <b>Evaporation Rate:</b>        | Slower than Ether           | <b>Vapor Pressure:</b>                         | N.D.       |
| <b>Vapor Density:</b>           | Heavier than Air            |  |            |

(See "Other information" Section for abbreviation legend)

## 10. Stability and Reactivity

**Conditions to Avoid:** Avoid excess heat. Keep from freezing.

**Incompatibility:** Incompatible with strong oxidizing agents, strong acids and strong alkalies.

**Hazardous Decomposition:** When heated to decomposition, it emits acrid smoke and irritating fumes.

**Hazardous Polymerization:** Will not occur under normal conditions.

**Stability:** This product is stable under normal storage conditions.

## 11. Toxicological Information

**EFFECTS OF OVEREXPOSURE - EYE CONTACT:** Irritating, and may injure eye tissue if not removed promptly.

**EFFECTS OF OVEREXPOSURE - SKIN CONTACT:** Low hazard for usual industrial handling or commercial handling by trained personnel.

**EFFECTS OF OVEREXPOSURE - INHALATION:** High gas, vapor, mist or dust concentrations may be harmful if inhaled. Avoid breathing fumes, spray, vapors, or mist.

**EFFECTS OF OVEREXPOSURE - INGESTION:** Substance may be harmful if swallowed.

**EFFECTS OF OVEREXPOSURE - CHRONIC HAZARDS:** No Information

**PRIMARY ROUTE(S) OF ENTRY:** Eye Contact, Ingestion, Inhalation, Skin Absorption, Skin Contact

### ACUTE TOXICITY VALUES

The acute effects of this product have not been tested. Data on individual components are tabulated below:

| <u>CAS-No.</u> | <u>Chemical Name</u>                 | <u>Oral LD50</u> | <u>Dermal LD50</u> | <u>Vapor LC50</u> |
|----------------|--------------------------------------|------------------|--------------------|-------------------|
| 111-76-2       | Ethylene Glycol Monobutyl Ether      | 470 mg/kg Rat    | 1,060 mg/kg Rabbit | 11 mg/L           |
| 25498-49-1     | Tripropylene Glycol Monomethyl Ether | 3200 mg/kg Rat   | 15440 mg/kg Rabbit | N.E.              |
| 34590-94-8     | Dipropylene Glycol Monomethyl Ether  | 5350 mg/kg Rat   | 9500 mg/kg Rabbit  | >20 mg/L          |

|             |  |                 |                    |               |
|-------------|--|-----------------|--------------------|---------------|
| 121-44-8    | Triethylamine                            | 460 mg/kg Rat   | 415 mg/kg Rabbit   | 14.5 mg/L Rat |
| 119345-04-9 | Benzene,1,1-oxibis,sulfonated salt       | >2000 mg/kg Rat | >2000 mg/kg Rabbit | N.E.          |
| 68439-49-6  | C16-18 Ethoxylated Alcohols              | 1260 mg/kg Rat  | N.E.               | N.E.          |
| 330-54-1    | n'-(3,4-Dichlorophenyl)-n,n-Dimethylurea | 4990 mg/kg Rat  | >2000 mg/kg Rat    | N.E.          |
| 55406-53-6  | 3-Iodo-2-Propynyl Butyl Carbamate        | 1470 mg/kg Rat  | >2000 mg/kg Rat    | N.E.          |
| 26530-20-1  | 2-N-Octyl-4-Isothiazolin-3-One           | 550 mg/kg Rat   | 690 mg/kg Rabbit   | N.E.          |
| 13463-41-7  | Zinc Pyrithione                          | 177 mg/kg Rat   | >2000 mg/kg Rat    | N.E.          |

N.E. - Not Established

## 12. Ecological Information

**ECOLOGICAL INFORMATION:** No ecotoxicity data was found for this product.

## 13. Disposal Information

**DISPOSAL:** Dispose of material in accordance to local, state, and federal regulations and ordinances.

## 14. Transport Information

|                              | <u>Domestic (USDOT)</u> | <u>International (IMDG)</u> | <u>Air (IATA)</u> | <u>TDG (Canada)</u> |
|------------------------------|-------------------------|-----------------------------|-------------------|---------------------|
| <b>UN Number:</b>            | N.A.                    | N.A.                        | N.A.              | N.A.                |
| <b>Proper Shipping Name:</b> | Not Regulated           | Not Regulated               | Not Regulated     | Not Regulated       |
| <b>Hazard Class:</b>         | N.A.                    | N.A.                        | N.A.              | N.A.                |
| <b>Packing Group:</b>        | N.A.                    | N.A.                        | N.A.              | N.A.                |
| <b>Limited Quantity:</b>     | No                      | No                          | No                | No                  |

## 15. Regulatory Information

### U.S. Federal Regulations:

#### CERCLA - SARA Hazard Category

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

None Known

#### SARA Section 313

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

| <u>Chemical Name</u>                     | <u>CAS-No.</u> |
|--|----------------|
| Ethylene Glycol Monobutyl Ether          | 111-76-2       |
| Tripropylene Glycol Monomethyl Ether     | 25498-49-1     |
| Dipropylene Glycol Monomethyl Ether      | 34590-94-8     |
| Triethylamine                            | 121-44-8       |
| n'-(3,4-Dichlorophenyl)-n,n-Dimethylurea | 330-54-1       |
| 3-Iodo-2-Propynyl Butyl Carbamate        | 55406-53-6     |
| Zinc Pyrithione                          | 13463-41-7     |

#### Toxic Substances Control Act

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(b) if exported from the United States:

No TSCA 12(b) components exist in this product.

**U.S. State Regulations:****California Proposition 65****WARNING:**Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).**16. Other Information****HMIS RATINGS**

|         |    |               |   |                  |   |                      |   |
|---------|----|---------------|---|------------------|---|----------------------|---|
| Health: | 2* | Flammability: | 1 | Physical Hazard: | 0 | Personal Protection: | X |
|---------|----|---------------|---|------------------|---|----------------------|---|

**NFPA RATINGS**

|         |   |               |   |              |   |
|---------|---|---------------|---|--------------|---|
| Health: | 2 | Flammability: | 1 | Instability: | 0 |
|---------|---|---------------|---|--------------|---|

**Volatile Organic Compounds:** 246 g/L**SDS REVISION DATE:** 12/7/2023**REASON FOR REVISION:****Legend:** N.A. - Not Applicable, N.D. - Not Determined, N.E. - Not Established

Rust-Oleum Corporation believes, to the best of its knowledge, information and belief, the information contained herein to be accurate and reliable as of the date of this safety data sheet. However, because the conditions of handling, use, and storage of these materials are beyond our control, we assume no responsibility or liability for personal injury or property damage incurred by the use of these materials. Rust-Oleum Corporation makes no warranty, expressed or implied, regarding the accuracy or reliability of the data or results obtained from their use. All materials may present unknown hazards and should be used with caution. The information and recommendations in this material safety data sheet are offered for the users' consideration and examination. It is the responsibility of the user to determine the final suitability of this information and to comply with all applicable international, federal, state, and local laws and regulations.